THE ROYAL SOCIETY
FOR THE PROMOTION
OF HEALTH

Founded 1876

LIBRARY REGULATIONS

(a) Books, periodicals and pamphlets may be borrowed by Fellows, Ordinary Members, Associates and Affiliates personally or by a messenger producing a written order. The person to whom such publications are delivered shall sign a receipt for them in a book provided for that purpose.

(b) Publications may be borrowed through the post, or by other means of carriage, upon a written order. The postage or carriage of publications returned to the Society shall be defrayed by the borrower.

(c) A borrower may not have more than three publications in his possession at one time.

(d) A borrower will be considered liable for the value of any publication lost or damaged while on loan to him, and, if it be a single volume or part of a set, for the value of the whole work thereby rendered imperfect. Marking or writing in the publications is not permitted, and borrowers are requested to call attention to damage of this character.

(e) Books and pamphlets may be retained for twenty-eight days. Periodicals may be retained for fourteen days. Applications for extension of the loan period must be made in writing before its expiry. No publication may be kept longer than three months.

(f) Books and pamphlets added to the library will not be lent until after the expiry of one month from the date received. The current number of a periodical may not be borrowed.

(g) Borrowers retaining publications longer than the time specified, and neglecting to return them when demanded, forfeit the right to borrow until they be returned, and for such further time as may be ordered by the Council.

Any borrower failing to comply with a request for the return of a publication shall be considered liable for the cost of replacing it, and the Council may, after giving due notice to him, order it to be replaced at his expense.

No publication may be reissued to the same borrower until at least seven days have elapsed after its return, neither may it be transferred by one borrower to another.

(h) Publications may not be taken or sent out of the United Kingdom.

(i) Publications returned through the post must be securely packed in a box or otherwise adequately protected.

(j) The Library may be used for reference by Fellows, Ordinary Members, Associates and Affiliates during the office hours of the Society.

(k) Parcels should be addressed:

THE ROYAL SOCIETY OF HEALTH
90 BUCKINGHAM PALACE ROAD, LONDON, S.W.1

WPL 4487

22500172407

THE ROYAL SOCIETY
FOR THE PROMOTION
OF HEALTH
90 Buckingham Palace Road, London, S.W.1
Class No. NACB/9 Acc. No.
This book is returnable on or before the last date Marked below
HISTORICAL

OFFICIAL.

(4)

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS),

AND IN

TWENTY-TWO OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND,

1900.

Published by Authority of the Registrar-General of Births, Deaths, and Marriages in Ireland.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & Co. (Limited), 104, GRAFTON-STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & Co., ROSE-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

1901.

Price Three Pence.

WELLCOME INSTITUTE
LIBRARY

Coll.	WelMOmec
Coll. No.	

YEARLY SUMMARY

OF THE

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS),

AND IN TWENTY-TWO OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

1900.

GENERAL REGISTER OFFICE,
CHARLEMONT HOUSE, *Dublin*, 11*th February*, 1901.

Births.—In the Dublin Registration Area, which up to the period covered by this Report consisted of the city of Dublin, the districts of Rathmines, Donnybrook, Blackrock, Kingstown, Clontarf and Howth, No 1, and Coolock and Drumcondra, No. 1, and portions of the districts of Finglas and Glasnevin, Palmerston and Crumlin, there were registered during the year 1900 (52 weeks) 10,351 births—5,252 boys and 5,099 girls—being equal to 1 in 34, or 30 per 1,000 of the population. The average rate for the preceding ten years was 29 per 1,000.

Of the 10,351 births registered in 1900, 8,114, or 33 in every 1,000 of the population, occurred in the city, and 2,237, or only 21 in every 1,000 inhabitants, in the suburban districts.

Of the 10,351 births in the entire district, 2,616 were registered during the first quarter of the year, 2,660 in the second, 2,677 in the third, and 2,398 in the fourth, the weekly average being 199.

In London the number of births registered during the year 1900 was 130,868, being equal to a rate of 29 in every 1,000 of the estimated population; in Glasgow the number was 24,258, equal to 33 per 1,000; and in Edinburgh it was 8,100, or 27 per 1,000 of the population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the year 1900 was 9,987 (4,922 males and 5,065 females)—equal to 1 in 35, or 28·6 in every 1,000 of the population. The average death-rate for the ten years 1890–99 was 27·4 per 1,000. Thus the rate for last year is 1·2 above the average—an increase equivalent to 4·4 per cent.

Omitting 366 deaths, which, being those of persons admitted into public institutions from localities outside the Dublin Registration Area, are not properly chargeable to it, the death-rate for last year is 27·5 per 1,000 of the population, the rate for the city being 30·3 per 1,000 (30·2 on the North side, and 30·4 on the South), and for the suburbs 21·0 per 1,000. The rates for the several Registrars' districts range from 20·0, the rate for Coolock and Drumcondra, No. 1, and for Finglas and Glasnevin (part of), to 34·7, for No. 1 South City (South Earl-street) District.

Of the 9,987 deaths in the entire district, 3,451 were registered during the first quarter of the year, 2,284 in the second, 2,042 in the third, and 2,210 in the fourth. the weekly average being 192·1.

In the twenty-two provincial Urban Districts, for which statistics are given in the Weekly Returns, the respective death-rates for the year are as follow, ranging in order from the lowest to the highest;—Carrickfergus, 15·1 per 1,000 of the population; Sligo, 17·8; Dundalk, 18·2; Newry, 18·7; Newtownards, 19·0; Armagh, 20·1; Ballymena, 20·3; Queenstown, 20·8; Portadown, 21·1; Belfast, 21·3; Waterford, 21·9; Wexford, 21·9; Londonderry, 22·6; Lisburn, 23·0; Drogheda, 23·4; Cork, 24·2; Lurgan, 24·2; Limerick, 24·3; Clonmel, 24·9; Kilkenny, 25·0; Tralee, 28·7; Galway, 30·3. The total mortality in these districts and the Dublin Registration Area yields a death-rate of 23·9 per 1,000.

The number of deaths registered in London during the year 1900 was 86,010, or 18·7 in every 1,000 of the inhabitants; in Glasgow, 16,305, equal to 21·9 per 1,000; and in Edinburgh, 5,844, or 19·3 in every 1,000 of the estimated population.

Public Institutions.—Of the 9,987 deaths registered in the Dublin Registration Area last year, 3,670, or 36·7 per cent., occurred in public institutions, viz.:—1,912 in the various hospitals, prisons, and lunatic asylums; 841 in the North Dublin Union Workhouse; 882 in the South Dublin Union Workhouse; and 35 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

Diseases.—*Dublin Registration Area.*—(See Tables II. and III.)—The excess of the mortality last year (417) over the average for the preceding ten years, to which reference has been made above, is due to the following immediate causes:—An increase in the deaths from diarrhœa by 50 over the average, 210 deaths occurring in the third quarter of the year; an increase in the deaths from diphtheria by 19.

Also amongst "other zymotic diseases" the number of deaths in 1900 exceeded the average by 89; in this figure the deaths 71 of cerebro-spinal meningitis will be found included. Pulmonary tuberculosis caused 117 deaths in excess of the average, a figure rather more than 28 per cent. of the total increase; and other constitutional diseases, which also include other forms of tubercular disease, are 205 deaths in excess of the average. Diseases of the respiratory system are 170 in excess of the average; 967 deaths occurred in the first quarter of 1900.

Zymotic diseases caused 1,221 deaths, or 3·5 per 1,000 of the population—·3 below the average rate for the preceding ten years, and 2·2 below the zymotic death-rate of 1899 for the Registration Area.

The deaths from the principal zymotic diseases,* omitting 20 of hospital patients admitted from without the area, numbered 764, and at the rate of 2·2 per 1,000 of the population. The highest rate occurred in the district of Palmerston, part of—3·0 per 1,000; that of North City was 2·7 and of South City 2·2 per 1,000, while the total rate of the suburbs was 1·7 per 1,000. The lowest was that of Coolock; the rate was 1·0 per 1,000 of the population. The comparatively high rate for Palmerston was caused by 9 deaths from measles.

No death from *small-pox* has been registered in the Dublin Registration Area since 1897.

Seventy-five deaths from *measles* were registered during the year; of these 62 took place in the first quarter and 9 in the second quarter of 1900. The deaths were 114 under the average for the preceding ten years, and were less by 581 than in 1899. Of the total deaths occurring, 2 were admitted to hospital from outside the Registration Area; 12 occurred in Donnybrook, 9 in Kingstown, and, as mentioned before, 9 deaths occurred in Palmerston, part of; 9 occurred in No. 4 South City and 8 in No. 3 North City. There were 92 cases of measles under treatment in Dublin hospitals at the close of the year 1899 and 25 at the close of 1900; 377 cases were admitted during the year 1900 and 8 cases died in hospital, representing a mortality of 2·1 per cent. on the cases of measles admitted to hospitals. No death from measles occurred in the third quarter of the year, but 4 died in the fourth or December quarter.

There were 22 deaths from *scarlatina* during the year; this is the lowest figure recorded since the year 1892, when 21 deaths occurred. This number is below the average by 36. The deaths occurred as follows:—9 in the first quarter, 2 in the second, 3 in the third, and 8 in the fourth quarter. Two of the deaths occurred in persons who were admitted to hospital from outside districts; 5 deaths occurred in No. 3 South City, 4 in No. 3 North City, and 4 in Rathmines.

There were 606 cases of scarlatina admitted to the Dublin Hospitals during the year, with 24 deaths. This represents a percentage of 4·0 of the cases admitted to the hospitals.

There were but 2 deaths from *typhus*, although 29 patients were admitted to hospital during the year. There appears to have been no case of this disease under treatment at the close of 1899, and at the close of 1900 there were 6 cases under treatment.

There were 6 deaths registered as being due to simple or continued fever.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and ill-defined fever, enteric fever, diarrhœa, and dysentery.

Enteric Fever caused 133 deaths, corresponding to a mortality of 3·8 in each 10,000 of the population of the Area. 26 deaths took place in the first quarter of the year, 31 in the second, 28 in the third, and 48 in the fourth. In the city districts there were 17 deaths in No. 3 North City; 16 deaths in No. 1 North City E.; 13 in No. 3 South City; 12 in No. 1 North City W.; 11 deaths each in No. 2 North City and No. 4 South City. There were 9 deaths from enteric fever in No. 2 South City District. The total deaths were, however, 38 below the average for the past ten years, and 49 below the number which occurred in 1899.

There were 137 deaths from whooping-cough, 49 under the average for the preceding ten years, and also 13 below the number which occurred in the preceding year. 49 deaths from this disease took place in the December quarter of the year, and 19 in the March quarter.

There were 54 deaths from *diphtheria.* This number is over the average for the past ten years by 19, but less by 12 than the number of deaths which were caused by this disease in 1899.

There were 223 cases admitted to hospital during the year. 214 were discharged as cured, 32 died, and 18 remained under treatment at the close of the year. 41 cases were under treatment at the close of 1899.

These figures correspond to a rate of 14 deaths for every 100 patients admitted to the hospitals.

The deaths from *diarrhœa* (335) were over the average for the past ten years by 50. There were 37 deaths in the first quarter, 18 in the second, 210 in the third, and 90 in the fourth quarter of the year. The number of deaths from diarrhœa correspond to a rate of 10·2 in 10,000 living of the population, which is 1·5 above the average for the past ten years for this disease. Besides diarrhœa, 10 cases of death from *cholera*, or *choleraic diarrhœa*, occurred.

Of the 427 deaths which were caused by zymotic diseases other than above mentioned, there were 247 deaths from influenza; 71 from cerebro-spinal meningitis, 21 from erysipelas, 22 from septicæmia, and 10 from puerperal fever.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated during the **Year** (52 weeks) **ended Saturday, 29th December, 1900,** in the principal Dublin Hospitals in which cases of infective diseases are received.

DISEASES.	No. of Cases in Hospital at close of previous year.	No. admitted during year.	Dis-charged.	Died.	No. under treatment on above date.
Small Pox, . . .	.	.	.	.	.
Measles, . . .	92	377	436	8	25
Scarlet Fever, . .	90	606	599	24	73
Typhus „ . .	.	29	21	2	6
Diphtheria, . .	41	223	214	32	18
Enteric Fever, . .	102	595	572	46	79
Pneumonia, . .	18	360	299	66	13

Phthisis or pulmonary consumption caused 1,348 deaths (equal to 3·9 per 1,000 living), being 0·4 above the average for the ten years 1890–9.

Among the deaths from other constitutional diseases are 257 from *mesenteric disease*, 231 from *tubercular meningitis*, 238 tabulated under the head of *scrofula, tuberculosis*, 340 from *cancer*, and 11 from *gout.*

The deaths of 448 children were ascribed to *convulsions:* this number is 22 under that for the preceding year.

Apoplexy caused 173 deaths, *epilepsy* 32, *other diseases of the brain and nervous system* (exclusive of convulsions) 429, and *diseases of the circulatory system* 812.

There were 219 *accidental deaths* (including 59 from *burns or scalds*, and 36 from *drowning*); 9 cases of *homicide;* and 7 cases of *suicide.*

In 525 cases the cause of death was uncertified, there having been no medical attendant during the last illness: of these 525 cases, 329, or 63 per cent., were deaths of children under 5 years of age: these 329 deaths form 11·4 per cent. of the total number of deaths of children of that age. Of the deaths of 493 infants under 1 month old registered, there were 143 (or 29 per cent.) regarding which the cause was uncertified.

Table II.—Dublin Registration Area.—Causes of Death in

Names of Diseases.	Number of Deaths									
	1890 (53* weeks).	1891 (52 weeks).	1892 (52 weeks).	1893 (52 weeks).	1894 (52 weeks).	1895 (52 weeks).	1896 (53* weeks).	1897 (52 weeks).	1898 (52 weeks).	1899 (52 weeks).
Zymotic Diseases:—										
Small Pox,	.	.	.	.	68	121	4	2	.	.
Measles,	106	5	472	103	48	3	10	474	9	656
Scarlatina,	8	4	21	25	55	44	148	134	89	51
Typhus,	25	8	9	16	11	2	11	14	2	5
Simple continued & ill-defined Fever,	9	3	7	13	10	12	12	8	7	4
Enteric Fever,	185	191	122	276	147	107	135	182	179	182
Whooping Cough,	187	159	155	191	200	95	174	392	154	150
Diphtheria,	24	23	12	34	17	21	18	75	65	66
Cholera and Chol. Diarrhœa,	8	5	18	31	5	16	34	22	30	44
Diarrhœa, Dysentery,	184	211	227	447	197	282	331	334	351	485
Other Zymotic Diseases,	283	256	457	397	328	429	265	256	359	347
Total,	1,019	865	1,500	1,533	1,086	1,132	1,142	1,893	1,245	1,990
Parasitic Diseases,	14	6	8	9	10	7	10	11	10	10
Dietetic Diseases,	27	33	40	33	40	42	33	41	33	37
Constitutional Diseases:—										
Phthisis (Pulm.),	1,292	1,200	1,288	1,298	1,253	1,201	1,107	1,147	1,232	1,293
Other Constitutional Diseases,	885	889	995	908	871	1,005	958	1,112	1,153	1,214
Total,	2,177	2,089	2,283	2,206	2,124	2,206	2,065	2,259	2,385	2,507
Developmental Diseases,	753	718	718	680	630	694	652	680	781	804
Local Diseases:—										
Diseases of: Brain and Nervous System,	1,261	1,271	1,221	1,065	957	1,168	1,072	1,023	965	1,046
Organs of Special Sense,	7	6	4	5	9	5	7	7	10	10
Circulatory System,	726	759	793	705	786	819	750	742	751	776
Respiratory System,	2,049	1,986	2,135	1,642	1,603	2,143	1,575	1,961	1,741	2,083
Digestive System,	464	478	499	533	453	513	510	512	448	518
Lymphatic System, &c.,	3	6	8	10	5	11	7	9	9	14
Urinary System,	192	184	176	227	175	216	218	209	196	214
Generative System,	24	30	29	41	15	21	25	26	15	12
Accidents of Childbirth,	27	32	37	37	23	24	17	19	21	22
Diseases of Locomotive System,	25	27	25	29	23	32	32	27	26	20
Diseases of Integumentary „	23	37	39	27	24	33	26	26	31	19
Total,	4,801	4,816	4,966	4,321	4,073	4,985	4,239	4,561	4,213	4,734
Violent Deaths,	220	206	222	218	217	230	283	266	238	274
Deaths from ill-defined and Unspecified causes,	443	462	477	409	469	446	432	406	429	374
Deaths from all causes,	9,454	9,195	10,214	9,409	8,649	9,742	8,856	10,117	9,334	10,730
Annual Death Rate per 1,000 of Pop.,	26·8	26·3	29·2	26·9	24·7	27·9	25·3	28·9	26·7	30·7
Mean Temperature of the Air (Fahr.),	48·3°	47·4°	46·5°	49·5°	48·1°	47·0°	48·7°	49·0°	49·8°	49·2°
Rainfall in inches,	25·52	26·38	27·97	22·42	30·25	32·60	29·06	31·02	29·61	26·87

* The numbers for the years 1890 and 1896, respectively, embrace the returns for 53 weeks. This arrangement

the years 1890–1900, with the Ratio of the Deaths to the Population.

Registered.						Number of Deaths from each Disease to every 10,000 Persons living.		Names of Diseases.
Yearly Average, 1890–99	1900.							
	Total (52 weeks)	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Yearly Average, 1890–99	1900 (52 weeks.)	
								Zymotic Diseases :—
19	.	.	.	.	.	0·5	.	Small Pox.
189	75	62	9	.	4	5·4	2·1	Measles.
58	22	9	2	3	8	1·7	0·6	Scarlatina.
10	2	.	.	1	1	0·3	0·1	Typhus.
8	6	.	1	3	2	0·2	0·2	Simple continued & ill-defined Fever.
171	133	26	31	28	48	4·9	3·8	Enteric Fever.
186	137	19	25	44	49	5·3	3·9	Whooping Cough.
35	54	22	10	14	8	1·0	1·5	Diphtheria.
21	10	1	1	7	1	0·6	0·3	Cholera and Chol. Diarrhœa.
305	355	37	18	210	90	8·7	10·2	Diarrhœa, Dysentery.
338	427	221	123	47	36	9·7	12·2	Other Zymotic Diseases.
1,340	1,221	397	220	357	247	38·3	34·9	Total.
10	4	1	2	.	1	0·3	0·1	Parasitic Diseases.
36	40	8	11	14	7	1·0	1·1	Dietetic Diseases.
								Constitutional Diseases :—
1,231	1,348	409	349	315	275	35·2	38·6	Phthisis (Pulm.)
999	1,204	344	307	280	273	28·6	34·4	Other Constitutional Diseases.
2,230	2,552	753	656	595	548	63·8	73·0	Total.
711	836	320	195	144	177	20·3	23·9	Developmental Diseases.
								Local Diseases :—
1,105	1,082	323	276	226	257	31·6	31·0	Brain and Nervous System. (Diseases of)
7	6	.	3	1	2	0·2	0·2	Organs of Special Sense. (Diseases of)
761	812	274	167	181	190	21·8	23·2	Circulatory System. (Diseases of)
1,892	2,062	567	440	209	446	54·1	59·0	Respiratory System. (Diseases of)
493	501	143	116	118	124	14·1	14·3	Digestive System. (Diseases of)
8	13	2	2	4	5	0·2	0·4	Lymphatic System, &c. (Diseases of)
201	223	68	56	50	49	5·8	6·4	Urinary System. (Diseases of)
24	18	5	4	2	7	0·7	0·5	Generative System. (Diseases of)
26	23	8	6	4	5	0·7	0·6	Accidents of Childbirth.
26	15	9	3	2	1	0·7	0·4	Diseases of Locomotive System.
28	30	8	5	7	10	0·8	0·9	Diseases of Integumentary ,,
4,571	4,785	1,807	1,078	804	1,096	130·7	136·9	Total.
237	235	59	51	63	62	6·8	6·7	Violent Deaths.
435	314	106	71	65	72	12·5	9·0	Deaths from ill-defined and unspecified causes.
9,570	9,987	3,451	2,284	2,042	2,210	273·7	285·6	**Deaths from all causes.**
27·4	28·6	39·5	26·1	23·4	25·3	.	.	Annual Death Rate per 1,000 of Population.
48·4	.	38·4	50·8	57·7	.	.	.	Mean Temperature of the Air (Fahr.)
28·17	37·21	7·17	7·41	11·95	10·68	.	.	Rainfall in inches.

is occasionally necessary in order that the annual series may correspond with the calendar year.

TABLE III.—Showing, for the **Year 1900 (52 weeks)** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Zymotic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS.	POPULATION, 1891.	YEAR 1900 (52 WEEKS). ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS: FROM ALL CAUSES.	FROM THE PRINCIPAL ZYMOTIC DISEASES.*	TOTAL DEATHS.	NUMBER OF DEATHS FROM PRINCIPAL ZYMOTIC DISEASES. Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).
NORTH CITY, No. 1, E.,	27,147	26·3	2·5	714	.	1	1	.	11	4	1	16	35	114	144	16
" " W.,	34,836	30·9	2·6	1,076	.	3	.	.	18	4	.	12	55	140	247	20
" 2,	28,871	33·3	2·6	961	.	6	.	.	15	3	3	11	38	133	208	30
" 3,	26,055	30·0	2·8	781	.	8	4	.	12	5	.	17	27	118	153	12
SOUTH CITY, No. 1,	33,194	34·7	2·0	1,151	.	6	2	1	12	2	.	10	35	159	256	26
" 2,	18,547	31·4	2·2	582	.	1	1	1	9	3	.	9	17	69	154	5
" 3,	40,558	29·3	2·0	1,190	.	4	5	.	22	3	.	13	34	151	269	32
" 4,	35,793	27·0	2·4	965	.	9	2	.	18	4	.	11	43	145	177	22
CLONTARF & HOWTH, No. 1,	4,138	20·5	1·4	85	.	.	.	.	2	.	.	1	3	7	19	5
COOLOCK & DRUMCONDRA, No. 1,	10,730	20·0	1·0	215	.	1	.	.	.	1	.	2	7	31	34	3
FINGLAS AND GLASNEVIN, part of,	4,240	20·0	2·1	85	.	.	.	.	.	1	.	.	8	10	10	.
PALMERSTON, part of, and CRUMLIN, part of,	7,273	21·2	3·0	154	.	9	1	.	.	2	.	4	6	15	34	4
RATHMINES,	27,796	21·1	1·7	587	.	3	4	.	6	4	.	12	17	68	106	10
DONNYBROOK,	24,629	20·2	1·7	498	.	12	.	.	3	9	.	6	12	63	103	17
BLACKROCK,	8,401	20·7	1·7	174	.	1	.	.	1	1	1	2	8	23	45	.
KINGSTOWN, Nos. 1 and 2,	17,386	23·2	1·6	403	.	9	.	.	8	2	1	.	7	45	63	11
TOTAL CITY, NORTH,	116,909	30·2	2·7	3,532	.	18	5	.	56	16	4	56	155	505	752	78
TOTAL CITY, SOUTH,	128,092	30·4	2·2	3,888	.	20	10	2	61	12	.	43	129	524	856	85
TOTAL CITY, N. & S.,	245,001	30·3	2·4	7,420	.	38	15	2	117	28	4	99	284	1029	1,608	163
TOTAL SUBURBS,	104,593	21·0	1·7	2,201	.	35	5	.	20	20	2	27	68	262	414	50
TOTAL REGISTRATION AREA,	349,594	27·5	2·2	9,621	.	73	20	2	137	48	6	126	352	1291	2,022	213
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				366	.	2	2	.	.	6	.	7	3	57	40	22

* See note (*) on page iv.

Ages.—Of the 9,987 deaths registered during the year, 2,885, or 29 per cent., were of children under five years of age, and 2,599, or 26 per cent., were of persons aged 60 years and upwards, including those of 1,288 persons aged 70 years and upwards, of whom 68 were stated to have been nonagenarians.

The deaths of infants under 1 year old were equal to 174 for every 1,000 births registered, against 188 in the preceding year, and 174 in 1898.

TABLE IV.—Showing, by certain Age-Periods, the Population of the Dublin Registration Area in 1891, the Number of Deaths registered in each of the years 1890–1900, and the proportion which the Deaths at each age-period bear to the Population at the same age.

Years, &c.		Ages.							
		All Ages.	Under 20 years.			20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
			Under 5 years.	5 and under 20.	Total.				
Population in 1891,		349,594	37,003	101,853	138,856	119,890	65,265	23,765	1,818
Number of Deaths *Registered.*	Year 1890,*	9,454	2,654	722	3,376	1,614	1,949	2,093	422
	„ 1891,	9,195	2,579	662	3,241	1,537	1,897	2,031	489
	„ 1892,	10,214	3,208	740	3,948	1,552	2,068	2,200	446
	„ 1893,	9,409	2,830	777	3,607	1,657	1,886	1,849	410
	„ 1894,	8,649	2,344	692	3,036	1,573	1,827	1,850	363
	„ 1895,	9,742	2,689	743	3,432	1,602	2,100	2,155	453
	„ 1896,*	8,856	2,715	778	3,493	1,484	1,792	1,695	392
	„ 1897,	10,117	3,854	865	4,719	1,487	1,775	1,771	365
	„ 1898,	9,334	2,923	738	3,661	1,507	1,801	1,955	410
	„ 1899,	10,730	3,776	817	4,593	1,573	2,067	2,069	428
	Yearly average, 1890–99,	9,570	2,957	754	3,711	1,558	1,916	1,967	418
	Year **1900**,	9,987	2,885	765	3,650	1,627	2,111	2,119	480
	1st Quarter, 1900,	3,451	848	221	1,069	521	754	903	204
	2nd „ „	2,284	618	235	853	387	490	444	110
	3rd „ „	2,042	716	156	872	334	423	348	65
	4th „ „	2,210	703	153	856	385	444	424	101
Number of Deaths at each Age-Period to every 1,000 Persons Living at same Age.†	Year 1890,*	26·8	69·6	7·2	24·4	13·1	29·8	86·1	250·9
	„ 1891,	26·3	68·6	6·5	23·3	12·8	29·1	85·5	269·0
	„ 1892,	29·2	86·7	7·3	28·4	12·9	31·7	92·6	245·3
	„ 1893,	26·9	76·5	7·6	26·0	13·8	28·9	77·8	225·5
	„ 1894,	24·7	63·3	6·8	21·9	13·1	28·0	77·8	199·7
	„ 1895,	27·9	72·7	7·3	24·7	13·4	32·2	90·7	249·2
	„ 1896,*	25·3	73·4	7·6	25·2	12·4	27·5	71·3	215·6
	„ 1897,	28·9	104·2	8·5	34·0	12·4	27·2	74·5	200·8
	„ 1898,	26·7	79·0	7·2	26·4	12·6	27·6	82·3	225·5
	„ 1899,	30·7	102·0	8·0	33·1	13·1	31·7	87·1	235·4
	Yearly average, 1890–99,	27·4	79·6	7·4	26·7	13·0	29·4	82·6	231·7
	Year **1900**,	28·6	78·0	7·5	26·3	13·6	32·3	89·2	264·0

Occupations.—Table VI. on page xi. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to a rate of 21·6 per 1,000 of the persons in that class according to the Census of 1891; in the "Middle Class" the death-rate was 19·1 per 1,000; among the "Artizan Class and Petty Shopkeepers" it was 23·1; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 37·9. The number of the living in each of the several classes and orders of occupations in 1891 is shown by age-periods in the following Table.

* See note (*) pages vi–vii.

† The rates for the year 1890 are based on the estimated population as adopted in the Weekly Returns for that year: those for the other years on the population as shown by the Census of 1891.

TABLE V.—Showing by AGES, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the INHABITANTS of the Dublin Registration Area in 1891.

CLASS.	OCCUPATION OR SOCIAL POSITION. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	AGES. Under 5 years.	5 and under 15.	15 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	ALL PERSONS,	349,594	37,003	65,989	35,864	119,890	65,265	23,765	1,818
	CLASSES.								
	Families of the—								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	1,384	2,539	1,106	4,437	3,752	2,127	234
II.	MIDDLE CLASS,	81,469	8,003	15,126	9,060	28,815	14,532	5,506	427
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	99,377	10,996	20,525	10,356	32,244	18,884	5,968	404
IV.	GENERAL SERVICE CLASS,	147,978	16,305	27,497	15,238	53,467	26,655	8,245	571
V.	INMATES OF WORKHOUSES,	5,191	315	302	104	927	1,442	1,919	182
I.	PROFESSIONAL AND INDEPENDENT CLASS.								
	1. Clerical, Medical, and other Professions; Naval and Military Officers; and Heads of Public Departments,	7,989	734	1,330	492	2,414	2,042	901	76
	2. Merchants and Manufacturers, Higher Class,	1,857	241	485	138	439	404	139	11
	3. Persons of Rank and Property, not otherwise described,	5,733	409	724	476	1,584	1,306	1,087	147
II.	MIDDLE CLASS.								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	747	1,165	545	2,009	1,077	326	8
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	26,036	3,528	6,387	1,552	7,323	5,577	1,594	75
	6. Clerks and Commercial Assistants,	25,001	2,395	3,787	4,385	10,977	2,885	552	20
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	24,555	1,333	3,787	2,578	8,506	4,993	3,034	324
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	1,095	1,677	845	2,519	1,094	194	7
	9. Building and Furnishing Trades,	26,294	3,868	6,813	1,926	7,800	4,629	1,198	60
	10. Clothing Trades,	23,927	1,427	3,167	3,800	9,192	4,646	1,598	97
	11 Food Supply Trades,	7,949	1,066	1,824	708	2,692	1,352	296	11
	12. Other Trades and Callings ranking with Trades,	26,937	2,861	5,758	2,432	8,024	5,462	2,202	198
	13. Petty Shopkeepers,	6,839	679	1,286	645	2,017	1,701	480	31
IV.	GENERAL SERVICE CLASS.								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	1,521	1,945	1,922	5,936	1,701	657	47
	15. Domestic Servants,	39,967	1,271	3,090	6,057	18,694	7,849	2,792	214
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	1,868	2,580	597	3,616	1,835	304	10
	17. Hawkers, Porters, Labourers, &c.,	83,472	11,645	19,882	6,662	25,221	15,270	4,492	300
V.	INMATES OF WORKHOUSES.								
	18. Workhouse Inmates,	5,191	315	302	104	927	1,442	1,919	182

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the **Year (52 weeks) ending Saturday, 29th December, 1900**; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class.	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths Year (52 Weeks) ending Saturday, 29th December, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	28·6	9,987	2,885	765	1,627	2,111	2,119	480	.	75	22	2	137	54	6	133	355	784	1,348	448	2,062	235	5,110
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	21·6	336	16	11	29	63	137	80	.	.	.	.	.	2	.	4	7	13	19	2	46	7	249
II.	MIDDLE CLASS,	81,469	19·1	1,555	279	116	283	342	394	141	.	5	3	.	14	10	1	36	44	113	189	33	269	22	929
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	99,377	23·1	2,297	669	211	420	518	398	81	.	20	4	.	38	12	3	40	74	191	323	104	497	41	1141
IV.	GENERAL SERVICE CLASS,	147,978	27·9	4041	1706	382	608	717	540	88	.	47	15	1	80	30	2	49	207	431	501	299	870	158	1782
V.	INMATES OF WORKHOUSES,	5,191		1758	215	45	287	471	650	90	.	3	.	1	5	.	.	4	23	36	316	10	380	7	1009
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,989	25·8	206	13	8	20	47	74	44	.	.	.	.	.	1	.	3	6	10	16	2	26	6	146
	2. Merchants and Manufacturers, Higher Class,	1,857	12·9	24	2	1	.	5	12	4	.	.	.	.	.	.	.	.	.	.	1	.	4	.	19
	3. Persons of Rank and Property, not otherwise described,	5,733	18·5	106	1	2	9	11	51	32	.	.	.	.	.	1	.	1	1	3	2	.	16	1	84
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.	5,877	16·0	94	19	3	14	24	29	5	.	.	.	.	1	.	1	2	3	7	3	1	19	1	63
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	26,036	16·2	422	90	20	61	115	105	31	.	1	.	.	5	4	.	6	14	30	47	10	98	2	235
	6. Clerks and Commercial Assistants,	25,001	17·3	445	123	52	125	77	56	12	.	1	2	.	7	3	.	18	18	49	79	16	59	6	236
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	24,555	24·2	594	47	41	83	126	204	93	.	3	1	.	1	3	.	10	9	27	60	6	93	13	395
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	7,431	37·4	278	102	26	65	47	32	6	.	4	1	.	4	4	.	12	13	38	41	14	45	5	135
	9. Building and Furnishing Trades,	26,294	24·3	640	220	67	107	140	85	21	.	4	1	.	14	2	2	6	27	50	77	36	138	13	320
	10. Clothing Trades,	23,927	14·5	346	84	35	61	79	71	16	.	2	.	.	9	.	.	4	8	23	59	19	78	2	165
	11. Food Supply Trades,	7,949	22·9	182	44	15	30	48	39	6	.	4	.	.	3	.	1	.	7	15	23	9	44	6	85
	12. Other Trades and Callings ranking with Trades,	26,937	26·4	712	175	56	136	175	144	26	.	5	2	.	4	4	.	16	15	46	108	19	159	13	367
	13. Petty Shopkeepers,	6,839	20·3	139	44	12	21	29	27	6	.	1	.	.	4	2	.	2	4	13	15	7	33	2	69
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	30·2	415	188	33	59	54	69	12	.	2	2	.	9	8	.	8	33	62	43	29	93	8	180
	15. Domestic Servants,	39,967	9·1	364	58	20	85	86	81	34	.	1	2	.	2	4	.	12	12	33	61	10	56	7	197
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	36·8	398	146	32	85	83	49	3	.	4	3	.	7	.	.	7	18	39	70	30	83	16	160
	17. Hawkers, Porters, Labourers, &c.,	83,472	34·3	2,864	1314	297	379	494	341	39	.	40	8	1	62	18	2	22	144	297	327	230	638	127	1245
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	–	1,758	215	45	287	471	650	90	.	3	.	1	5	.	.	4	23	36	316	10	380	7	1009

PROVINCIAL URBAN DISTRICTS.—(See Tables VII. and VIII.)—The respective death-rates represented by the deaths from the principal zymotic diseases* registered during the year in the twenty-two urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest:—Wexford, 0·3; Armagh, 0·3; Limerick, 0·4; Dundalk, 0·6; Newtownards, 0·7; Newry, 0·8; Sligo, 1·0; Portadown, 1·1; Cork, 1·4; Lurgan 1·4; Londonderry, 1·5; Kilkenny, 1·6; Galway, 1·7; Lisburn, 1·7; Ballymena, 1·7; Waterford, 1·8; Carrickfergus, 1·8; Drogheda, 1·9; Belfast, 2·1; Clonmel, 2·2; Tralee, 2·3; Queenstown, 2·4.

No death from small-pox was registered in any of the twenty-two districts during the year.

Measles caused 103 deaths in nine of the twenty-two urban districts. Of this number 42 occurred in Belfast, 11 in Galway, 11 in Drogheda, 9 in Cork, 8 each in Londonderry and Carrickfergus. There were 334 deaths from measles in the twenty-two provincial districts in 1899, of which 146 occurred in Belfast.

Scarlatina caused 49 deaths, of which 22 occurred in Cork and 14 in Belfast. The remaining 13 deaths occurred in seven other districts, including 6 deaths in Waterford.

There were 42 deaths from typhus in the twenty-two districts. Eleven, or 26 per cent., of these occurred in Drogheda, equal to ·8 per 1,000 of the population according to the census of 1891. Eight cases occurred in Galway, 5 in Sligo, 4 in Cork, 4 in Londonderry, 3 in Tralee, 2 each in Belfast and Wexford, and in each—Limerick, Waterford, and Dundalk—one death occurred.

Whooping-cough caused 178 deaths, as against 295 in 1899. Of the 178 deaths 115 occurred in Belfast, equal to a rate of 0·3 per 1,000. Fourteen deaths occurred in Queenstown, equal to a rate of 1·5 per 1,000. Ten occurred in Waterford, 9 in Ballymena, 8 in Londonderry, and 22 in nine other districts.

Diphtheria caused 93 deaths as against 102 in 1899; of these 54 occurred in Belfast; 11 in Kilkenny (this latter figure is almost equal to 1 in every 1,000 of the population as given at the census of 1891); and 6 in Tralee. Three deaths took place in each of the towns of Dundalk, Lurgan, Ballymena, and Newtownards from diphtheria; and 2 deaths occurred in each of the following towns—Cork, Londonderry, Portadown; and a single death occurred in each of the following towns—Waterford, Galway, Sligo, and Carrickfergus.

Simple continued fever caused 13 deaths, of which 8 occurred in Belfast, and 1 in each of the following towns—Waterford, Galway, Drogheda, Newry, and Lisburn.

There were 296 deaths from *enteric fever*, equal to a rate of 0·4 per 1,000 of total population of the urban districts; this number is 10 under the deaths occurring from this disease in 1899. Of the total, 261 deaths occurred in Belfast, equal to a rate of 0·7 on the estimated population of the city; 14 occurred in Lisburn, equal to a rate of 1·1 per 1,000 on the population of 1891; 4 deaths occurred in Waterford, 5 in Cork, 2 each in Limerick, Dundalk, Carrickfergus, and one death from enteric fever took place in each of the following districts:—Londonderry, Drogheda, Newry, Tralee, Ballymena, and Newtownards.

Diarrhœa caused 428 deaths; 241 occurred in Belfast, equal to a rate of 0·7 per 1,000; 59 occurred in Cork, equal to a rate of 0·8 per 1,000; 27 occurred in Londonderry, equal to a rate of 0·8 per 1,000; 24 occurred in Waterford, equal to a rate of 0·9 per 1,000; 10 occurred in Clonmel, equal to a rate of 0·9 per 1,000.

* See note (*), page iv.

TABLE VII.—BIRTHS and DEATHS Registered during the **Year 1900** (52 weeks), in the Dublin Registration Area, and in each of the undermentioned Twenty-two Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes.

TOWNS AND DISTRICTS.	Census Statistics of Districts.*		REGISTRATION—YEAR 1900 (52 WEEKS).																					
			Annual Rate per 1,000 persons represented by			NUMBER REGISTERED.																		
				DEATHS from			DEATHS.																	
										Number caused by													
	Population.	Persons to an Acre.	BIRTHS.	All Causes.	Principal Zymotic Diseases.†	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years and upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
TOTAL OF 23 TOWN DISTRICTS,	1,062,188	12·2	29·2	23·9	1·9	31,009	25,335	4,689	6,540	.	176	69	44	315	141	19	422	780	3,490	5,494	483	991	6,767
DUBLIN REGISTRATION AREA,	349,594	14·2	29·6	27·5	2·2	10,351	9,621	1,787	2,514	.	73	20	2	137	48	6	126	352	1,291	2,022	213	316	3,304
URBAN DISTRICTS.																								
BELFAST,	359,000	21·2	31·2	21·3	2·1	11,192	7,642	1,706	1,490	.	42	14	2	115	54	8	261	241	1,115	1,784	163	419	1,440
CORK,	75,345	33·3	25·8	24·2	1·4	1,944	1,821	235	496	.	9	22	4	1	2	.	5	59	281	354	7	51	597
LIMERICK,	37,155	17·9	27·2	24·3	0·4	1,011	902	141	261	.	.	.	1	1	.	.	2	11	119	259	5	12	318
LONDONDERRY,	33,200	15·3	31·6	22·6	1·5	1,049	750	118	222	.	8	.	4	8	2	.	1	27	107	177	12	31	91
WATERFORD,	26,203	18·3	24·7	21·9	1·8	648	574	90	165	.	.	6	1	10	1	1	4	24	92	117	11	18	183
GALWAY,	13,800	2·6	24·3	30·3	1·7	335	418	62	169	.	11	.	8	.	1	1	.	2	41	75	10	10	117
DROGHEDA,	13,708	8·7	21·9	23·4	1·9	300	321	33	64	.	11	1	11	.	.	1	1	1	18	24	1	22	93
NEWRY,	12,961	18·5	25·3	18·7	0·8	328	242	41	81	.	.	1	.	.	.	1	1	8	28	51	8	14	5
DUNDALK,	12,449	9·0	24·9	18·2	0·6	310	227	44	75	.	.	.		.	3	.	2	1	23	39	7	11	48
LISBURN,	12,250	10·8	25·4	23·0	1·7	311	282	53	75	.	.	2	.	.	.	1	14	4	51	63	.	9	41
WEXFORD,	11,545	24·0	25·5	21·9	0·3	294	253	38	95	.	1	.	2	.	.	.	.	1	32	53	6	7	42
LURGAN,	11,429	13·4	35·2	24·2	1·4	402	277	61	81	.	.	.	.	7	3	.	.	6	36	69	9	8	48
KILKENNY,	11,048	12·0	27·2	25·0	1·6	300	276	31	121	.	.	.	.	1	11	.	.	6	28	31	1	8	118
CLONMEL,	10,708	8·2	21·6	24·9	2·2	231	267	32	88	.	7	1	.	6	.	.	.	10	40	82	4	5	113
SLIGO,	10,274	3·4	25·9	17·8	1·0	266	183	24	70	.	.	.	5	2	1	.	.	2	15	23	1	7	43
TRALEE,	9,318	15·9	33·4	28·7	2·3	311	267	40	152	.	.	1	3	1	6	.	1	8	46	44	3	6	92
BALLYMENA,	9,252	9·3	28·9	20·3	1·7	267	188	32	55	.	.	.	.	9	3	.	1	3	27	32	4	5	8
NEWTOWNARDS,	9,197	19·0	25·2	19·0	0·7	232	175	21	72	.	.	.	.	1	3	.	1	1	20	49	4	1	35
QUEENSTOWN,	9,082	17·0	24·2	20·8	2·4	220	189	35	57	.	.	1	.	14	.	.	.	7	22	44	5	6	13
CARRICKFERGUS,	8,923	0·5	21·7	15·1	1·8	194	135	11	48	.	8	.	.	2	1	.	2	3	25	31	7	10	.
PORTADOWN,	8,430	11·0	36·4	21·1	1·1	307	178	34	46	.	6	.	.	.	2	.	.	1	19	46	.	5	.
ARMAGH,	7,317	21·4	28·2	20·1	0·3	206	147	20	43	.	.	.	.	.	.	.	.	2	14	25	2	10	18

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891.
† See Note (*) on page iv.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITY (or URBAN DISTRICT) of BELFAST registered during the **Year** (52 weeks) ended 29th DECEMBER, 1900. Deaths in Public Institutions of persons *admitted from without the City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES; &c.

EGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																						
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM														
										Principal Zymotic Diseases.														
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																									
BELFAST URBAN, No. 1 DISTRICT,	17,122	428	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		418	79	55	208	76	.	4	.	1	5	.	.	12	11	66	86	18	41	109
" 2 "	37,539	1,475			963	188	102	473	202	.	3	2	.	11	3	1	42	32	133	211	26	69	173
" 3 "	38,845	1,550			1,017	244	115	485	173	.	1	4	.	10	7	.	47	53	161	239	16	49	130
" 4 "	33,391	1,453			1,090	263	140	457	230	.	6	.	.	17	7	.	29	18	123	251	26	54	364
" 5 "	21,284	541			476	87	58	222	109	.	.	.	.	6	.	.	12	6	73	144	7	31	133
" 6 "	43,431	1,119			932	149	72	471	240	.	1	1	.	14	1	7	26	30	149	215	21	31	179
" 7 "	1,112	48			45	11	3	21	10	.	1	.	.	.	.	.	1	4	5	11	.	3	12
" 8 "	4,904	161			106	25	7	54	20	.	1	2	.	.	.	.	6	1	14	31	4	6	13
" 9 "	12,866	615			417	90	44	214	69	.	1	.	.	4	3	.	8	10	62	98	8	19	55
" 10 "	12,256	886			572	148	79	261	84	.	2	4	.	9	5	.	33	17	104	124	2	16	85
" 11 "	19,881	1,147			628	150	74	274	130	.	11	1	.	16	5	.	16	28	88	126	11	31	93
" 12 "	23,282	1,289			733	211	128	296	103	.	5	.	.	21	17	.	21	27	102	197	15	56	80
" 13 "	6,804	467			225	61	25	96	43	.	6	.	.	2	6	.	7	4	35	50	3	7	3
" 14 "	362	13			13	.	3	9	1	.	.	.	.	.	.	.	1	.	.	1	6	6	11
Total,	273,079	11,192			7,642	1,706	905	3,541	1,490	.	42	14	2	115	54	8	261	241	1,115	1,784	168	419	1,440

NOTE.—A new arrangement of the Cork Districts having come into operation on the 1st February, 1900, the compilation of a Summary for that City by Districts is not practicable.

Printed for His Majesty's Stationery Office by
ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street, Dublin.

P. 567. 1. 1901. 375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½d.

VOL. XXXVII.] WEEK ENDING SATURDAY, 6TH JANUARY, 1900. [No. 1.

General Register Office, Charlemont House,
Dublin, 8th January, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 37·1), was equal to an average annual death-rate of 30·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 25·6 per 1,000, the rate for Glasgow being 28·6, and for Edinburgh 22·7.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 37·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.* The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Dec. 16.	Week ending Dec. 23.	Week ending Dec. 30.	Week ending Jan. 6.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 16.	Week ending Dec. 23.	Week ending Dec. 30.	Week ending Jan. 6.	Average Rate for 4 weeks.
23 Town Dists.	27·6	25·6	33·4	37·0	31·9	Limerick, . .	19·6	14·0	25·3	15·4	18·6
Armagh, . .	28·5	21·4	21·4	21·4	23·2	Lisburn, . .	25·7	25·7	38·3	55·3	36·3
Ballymena, .	11·3	2·5	16·9	16·9	11·9	Londonderry, .	34·6	20·4	23·6	44·0	30·7
Belfast, . .	20·7	19·7	28·6	28·8	24·5	Lurgan, . .	36·5	13·7	22·8	45·6	29·7
Carrickfergus, .	46·7	17·5	3·4	5·8	18·4	Newry, . .	4·0	16·1	16·1	20·1	14·1
Clonmel, . .	9·7	34·1	14·6	4·9	15·8	Newtownards, .	17·0	22·7	17·0	28·3	21·3
Cork, . . .	28·4	51·2	56·7	57·4	48·4	Portadown, .	18·6	43·3	61·9	49·5	43·3
Drogheda, . .	22·8	30·4	22·8	15·2	22·8	Queenstown, .	23·0	17·2	23·0	23·0	21·6
Dublin, Reg. Area,	37·0	40·9	41·2	47·9	41·7	Sligo, . . .	15·2	15·2	25·4	15·2	17·8
Dundalk, . .	16·8	8·4	20·9	20·9	16·8	Tralee, . .	33·6	5·6	—	33·6	18·2
Galway, . .	18·9	26·4	11·3	3·8	15·1	Waterford, .	23·9	33·8	31·8	51·7	35·3
Kilkenny, . .	33·0	23·6	37·8	18·9	28·3	Wexford, . .	45·2	36·1	4·5	49·7	33·9

The deaths from the principal zymotic diseases registered in the 23 districts during last week were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in nineteen

* See Note (*), Table VI.

of the districts to 6·2 in Portadown; the 5 deaths from all causes registered in that district comprising one from measles. Among the 198 deaths from all causes registered in Belfast are one from measles, 6 from whooping-cough, 2 from diphtheria, 2 from simple continued and ill-defined fever, 4 from enteric fever, and 3 from diarrhœa.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 187—89 boys and 98 girls; and the deaths to 337—149 males and 188 females.

The deaths, which are 126 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 50·3 in every 1,000 of the population; omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, the rate was 47·9 per 1,000.

Thirty-seven deaths from zymotic diseases were registered during the week, being 13 in excess of the average for the corresponding week of the last ten years, and 5 over the number for the week ended the 30th ultimo: they consist of 10 from measles—being 5 under the number from that cause in the preceding week—19 from influenza and its complications, one from whooping-cough, 5 from enteric fever, and 2 from diarrhœa.

There were only 10 cases of measles admitted to hospital during the week, being 2 under the admissions for the preceding week, and 17 under the number for the week ended the 23rd ultimo: 32 measles patients were discharged during the week; and 70 remained under treatment on Saturday last, being 22 under the number in hospital at the close of the preceding week.

The number of cases of scarlatina admitted to hospital is 7, being equal to the admissions for the preceding week, and 7 under the number for the week ended the 23rd ultimo: 16 patients were discharged during the week; and 81* remained under treatment on Saturday last, being 9 under the number in hospital on Saturday the 30th ultimo.

The weekly number of cases of enteric fever admitted to hospital, which had fallen from 22 for the week ended the 23rd ultimo to 12 for the following week, further declined to 9 last week: 9 patients were discharged during the week; 2 died; and 99 remained under treatment on Saturday last, being 3 under the number in hospital at the close of the preceding week.

During last week, as in the week preceding, 5 cases of diphtheria were admitted to hospital: 39 cases of the disease remained under treatment in hospital on Saturday last.

The deaths from diseases of the respiratory system registered amount to 110, being 12 over the high number for the preceding week, and 53 over the average for the first week of the last ten years: they comprise 80 from bronchitis, 25 from pneumonia or inflammation of the lungs, and 2 from croup.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals, during the week ended Saturday, 6th January, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th January.			
	Dec. 16.	Dec. 23.	Dec. 30.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	140	110	92	10	32	.	70
Scarlet Fever,	94	92	90	7	16	.	81*
Typhus ,,	.	.	.	.	.	.	.
Diphtheria,	33	39	41	5	6	1	39
Enteric Fever,	127	102	102	9	9	3	99
Pneumonia,	18	17	18	10	2	3	23

The deaths of 12 children under 5 years of age (including 10 infants under one year old) were ascribed to convulsions.

Eleven deaths were caused by apoplexy, 14 by other diseases of the brain and nervous system (exclusive of convulsions), and 24 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 40 deaths, mesenteric disease 5, tubercular meningitis 2, and cancer 5.

Four accidental deaths were registered.

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

In 19 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 8 children under 5 years of age (including 7 infants under one year old) and the deaths of 6 persons aged 60 years and upwards.

Eighty-one of the persons whose deaths were registered during the week were under 5 years of age (47 being infants under one year, of whom 8 were under one month old) and 119 were aged 60 years and upwards, including 64 persons aged 70 and upwards, of whom 23 were octogenarians, and 2 (women) were stated to have been aged 90 years.

One hundred and two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 36 took place in the North Dublin Union Workhouse and 26 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 47·9 per 1,000; the rate in the city was 51·3 (56·2 on the North side, and 46·8 on the South), and in the Suburbs 39·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·7 per 1,000 inhabitants, the rate for the city being 1·7 (2·7 in the North City Districts, and 0·8 in the South), and for the Suburbs 5·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (18) are equal to an annual rate of 34·6 per 1,000. Enteric fever caused one death, but no deaths from any other zymotic disease were recorded. The 17 deaths from other causes comprise 6 from bronchitis, 4 from pneumonia, 2 from diseases of the circulatory system, 2 from phthisis, and 2 from diseases of the brain and nervous system.

No. 1 North City District, West (Summer-hill).—The deaths (42) are equal to an annual rate of 62·9 per 1,000. Among them are 2 from zymotic diseases, viz.:—one from enteric fever and one from diarrhœa. Fourteen deaths were caused by bronchitis, 2 by croup, 2 by diseases of the circulatory system, 5 by phthisis, 2 by mesenteric disease, and 4 by diseases of the brain and nervous system.

No. 2 North City District (Lisburn-street).—The deaths (33) are equivalent to an annual rate of 59·6 per 1,000. Two were from zymotic diseases, viz.:—one from measles and one from influenza. The 31 deaths from other causes comprise 4 from bronchitis, 5 from pneumonia, 7 from phthisis, 2 from tubercular meningitis, and 3 from convulsions.

No. 3 North City District (Blackhall-place).—The deaths (33) represent an annual rate of 66·0 per 1,000. They comprise 6 from zymotic diseases, viz.:—one from measles, 4 from influenza, and one from whooping-cough. Bronchitis caused 5 deaths, pneumonia 4, phthisis 4, and diseases of the brain and nervous system 5.

No. 1 South City District (South Earl-street).—The deaths (39) represent an annual rate of 61·3 per 1,000. Among them are 5 from zymotic diseases, viz.:—one from measles and 4 from influenza. The 34 deaths from other causes comprise 9 from bronchitis, 4 from diseases of the circulatory system, 8 from phthisis, 2 from convulsions, and 5 from diseases of the brain and nervous system, exclusive of convulsions.

No. 2 South City District (Castle-street).—The deaths (15) are equal to an annual rate of 42·2 per 1,000. They comprise 9 from bronchitis and 2 from diseases of the circulatory system. No deaths from any zymotic disease were recorded.

No. 3 South City District (Peter-street).—The deaths (35) are equal to an annual rate of 45·0 per 1,000. Among them are 2 from zymotic diseases, viz.:—one from measles and one from influenza. Thirteen deaths were caused by bronchitis, 2 by pneumonia, 6 by phthisis, and 2 by diseases of the brain and nervous system,

No. 4 South City District (Grand Canal-street).—The deaths (26) are equivalent to an annual rate of 37·9 per 1,000. Influenza caused 2 deaths, but no deaths from any other zymotic disease were recorded. The 24 deaths from other causes comprise 6 from bronchitis, 3 from diseases of the circulatory system, and 2 from phthisis.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Cloutarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 43·7; Finglas and Glasnevin, part of, 24·6; Palmerston, part of, and Crumlin, part of, 43·0; Rathmines, 35·6; Donnybrook, 57·2; Blackrock, 49·7; and Kingstown, 24·0. The deaths from zymotic diseases tabulated for these districts consist of 3 from influenza for Coolock and Drumcondra, No. 1 District; 2 from measles for Palmerston, part of; 2 from influenza and one from enteric fever for Rathmines; 3 from measles, one from enteric fever, and one from diarrhœa for Donnybrook; one from enteric fever for Blackrock; and one from measles and 2 from influenza for Kingstown. Two of the 9 deaths from all causes tabulated for Coolock and Drumcondra, No. 1 District, and 2 of the 6 deaths for Palmerston were from diseases of the respiratory system; among the 19 deaths for Rathmines are 3 from pneumonia, 2 from phthisis, and 2 from cancer; the 27 deaths for Donnybrook comprise 4 from bronchitis, 4 from diseases of the circulatory system, and 4 from convulsions; and diseases of the respiratory system caused 3 of the 8 deaths for Blackrock and 3 of the 8 for Kingstown.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 1st Week of the 10 years 1890-99.	In the week ending Saturday, 6th January, 1900.								
													Deaths of persons of the Ages of							
	Jan. 4, 1890	Jan. 10, 1891	Jan. 9, 1892	Jan. 7, 1893	Jan. 6, 1894	Jan. 5, 1895	Jan. 4, 1896	Jan. 9, 1897	Jan. 8, 1898	Jan. 7, 1899		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	41·1	32·9	32·5	30·8	31·1	32·8	48·7	41·6	44·4	40·8	37·6	38·8								
ALL CAUSES,	236	244	285	210	182	190	198	236	208	179	211·3	337	8	39	34	15	49	73	94	25
I. FEBRILE OR ZYMOTIC DISEASES,	23	17	36	22	24	17	10	48	29	18	24·4	37	.	6	5	4	5	6	9	2
II. PARASITIC DISEASES,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	2	2	2	.	.	2	1	.	1·0	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	46	39	49	38	42	47	42	38	41	40	41·7	68	.	3	7	7	28	10	8	1
V. DEVELOPMENTAL "	24	16	16	21	17	14	19	11	14	15	16·7	29	4	.	.	.	.	.	12	13
VI. LOCAL "	125	157	116	111	90	105	94	122	109	96	112·5	193	2	27	21	3	15	52	64	9
VII. VIOLENT DEATHS,	6	4	7	5	2	1	18	4	8	6	6·1	4	.	.	1	1	1	.	1	.
VIII. ILL-DEFINED CAUSES,	12	10	9	10	4	6	10	16	6	4	8·7	11	2	3	.	.	.	6	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	3	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	3	1	.	3	3	.	.	9	.	.	1·9	10	.	3	5	1	1	.	.	.
Scarlet Fever,	.	.	.	.	1	.	2	4	5	.	1·2	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	13	.	7	2	1	1	5	4	3·3	19	.	1	.	1	1	5	9	2
Whooping Cough,	3	6	10	2	5	1	2	19	4	6	5·8	1	.	.	.	1	.	.	.	.
Diphtheria,	1	2	1	.	.	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	5	4	4	11	2	2	3	4	6	4	4·5	5	.	.	.	1	3	1	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	4	2	1	1	2	2	.	3	3	2	2·0	2	.	2	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	2	.	2	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Erysipelas,	1	.	.	1	1	2	1	2	.	.	·8	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	1	1	.	.	.	3	2	.	·7	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	1	.	1	1	.	1	.	2	.	·7	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	5	1	5	.	2	1	.	2	2	.	1·8	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	2	2	2	.	.	2	1	.	1·0	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	2	.	1	.	.	1	1	1	.	·6	.	.			.	.	.	.	.
Rheumatism,	.	.	1	3	1	.	.	.	2	.	·7	1	.		.	.	.	.	1	.
Gout,	.	1	.	.	.	.	.	1	.	.	·2	.	.		.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Cancer,	7	4	3	4	3	4	4	7	2	8	5·3	5	.		.	.	.	2	3	.
Tabes Mesenterica,	8	5	4	5	3	6	3	1	5	4	4·4	5	.	2	2	1	.	.	.	
Tubercular Meningitis	1	1	5	1	2	3	3	3	3	6	2·8	2	.	.	2	.	.	.	.	
Phthisis,	27	20	27	22	24	30	28	14	14	19	22·5	40	.	.	1	4	27	5	2	1
Scrofula, Tuberculosis,	2	2	7	2	4	2	3	5	5	3	3·5	6	.	1	2	2	.	.	1	
Other Constitutional Diseases,	1	4	2	.	.	2	.	1	2	.	1·2	4	.	.	.	.	1	2	1	.
V. Developmental Diseases—																				
Premature Birth,	2	1	3	.	.	3	2	.	3	.	1·4	4	4	.						
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Old Age,	21	15	13	21	17	11	16	11	11	15	15·1	25	.	.	.	.	.	.	12	13

each Disease registered in the FIRST WEEK ending Saturday, 6th January, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 1st Week of the 10 years 1890-99.	In the Week ending Saturday, 6th January, 1900. Deaths of Persons of the Ages of								
	Jan. 4, 1890	Jan. 10, 1891	Jan. 9, 1892	Jan. 7, 1893	Jan. 6, 1894	Jan. 5, 1895	Jan. 4, 1896	Jan. 9, 1897	Jan. 8, 1898	Jan. 7, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 41·1	° 32·9	° 32·5	° 30·8	° 31·1	° 32·8	° 43·7	° 41·6	° 44·4	° 40·8	° 37·6	Mean Temp. ° 38·8	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases.																				
Apoplexy,	2	5	4	2	1	4	2	2	.	3	2·5	11	.	.	.	.	1	4	5	1
Epilepsy,	.	2	1	1	.	1	1	1	.	.	·7	1	.	.	.	.	.	1	.	.
Convulsions,	10	13	15	6	9	5	7	10	8	8	9·1	12	1	9	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	8	14	8	6	5	6	8	4	7	12	7·8	13	.	.	.	.	3	4	6	.
Diseases of Organs of Special Sense,	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	14	20	12	19	14	29	19	23	18	20	18·8	24	.	.	.	.	1	8	13	2
Croup,	1	2	.	3	1	1	1	1	1	.	1·1	2	.	.	2	.	.	.	.	.
Bronchitis,	52	64	58	40	29	31	23	41	31	23	38·7	80	1	17	12	.	1	14	29	6
Pneumonia	15	22	13	10	14	13	14	14	17	18	14·5	25	.	1	4	2	5	9	4	.
Pleurisy,	3	.	.	.	1	2	1	1	.	.	·8	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	4	1	1	5	3	1	1	2	2	1	2·1	3	.	.	.	.	2	1	.	.
Teething,	2	.	1	2	.	2	2	.	1	.	1·0	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	1	.	.	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	1	.	1	1	.	.	1	.	·4	2	.	.	1	.	1	.	.	.
Peritonitis	.	1	.	2	.	.	.	2	.	1	·6	1	.	.	.	.	.	1	.	.
Disease of Liver,	2	5	3	6	.	2	4	4	2	.	2·8	3	.	.	.	.	.	2	1	.
Other Diseases of Digestive System,	5	3	2	.	9	2	7	8	7	6	4·9	6	.	.	.	1	.	3	2	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	.	1	.
Diseases of Urinary System,	1	3	1	4	1	2	3	6	9	6	3·6	6	.	.	.	.	1	4	1	.
Diseases of Generative System,	.	1	.	1	.	2	1	.	2	.	·7	1	.	.	.	.	.	1	.	.
Accidents of Childbirth,	3	1	.	2	1	1	.	.	2	.	1·0	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	1	.	.	.	1	1	·3	1	.	.	.	.	.	.	1	.
Diseases of Integumentary System,	2	.	.	1	.	.	.	1	.	1	·5	1	.	.	.	.	.	.	1	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,																				
By Vehicles or Horses,		1	.	.	.	.	1	.	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),																				
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	6	1	4	4	.	1	.	1	2	1	6·0	2	.	.	1	1	.	.	.	.
By Drowning,		.	.	.	1	.	13	2	.	.		2	.	.	.	.	1	.	1	.
By Suffocation in Bed,		.	.	.	.	.	.	1	.	1		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	1	.	1	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		1	3	1	1	.	3	.	4	1		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	12	10	9	10	4	6	10	16	6	4	8·7	11	2	3	.	.	6	.	.	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899–1900—Week ending																									
	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered,	185	182	200	194	205	184	212	194	198	236	211	237	190	198	188	180	225	172	241	193	154	206	167	188	247	187
Average Births in corresponding week of previous 10 years,	185	184	183	193	197	201	183	196	181	207	202	198	178	166	179	170	172	175	185	181	184	181	184	154	168	188
DEATHS registered,	173	147	191	223	214	231	207	205	251	235	200	223	196	225	250	244	216	249	248	220	259	258	256	285	280	337
Annual Death-rate per 1,000,	25·8	21·9	28·5	33·3	31·9	34·9	30·9	30·6	37·4	35·1	29·8	33·3	29·2	33·6	37·3	36·4	33·2	37·1	37·0	32·8	33·6	38·5	33·2	42·5	41·8	50·3
Average Deaths in corresponding week of previous 10 years,	142	155	160	151	155	150	158	161	158	158	161	159	149	157	152	163	178	166	174	177	183	177	184	184	207	211
AGES, Under 5 years,	60	57	85	112	108	106	102	110	111	120	94	110	93	114	107	95	111	118	128	98	93	108	84	87	86	81
5—20 "	15	8	13	16	15	9	12	14	17	24	12	18	13	26	18	23	22	11	27	16	12	17	23	22	13	15
20—40 "	34	28	23	24	25	33	26	25	34	34	24	36	29	23	29	32	14	36	27	28	36	35	35	46	32	49
40—60 "	29	22	30	33	24	46	29	30	47	25	34	26	27	32	38	39	29	36	32	33	51	51	61	55	57	73
60—80 "	30	29	36	34	36	33	32	23	34	26	26	32	29	24	53	45	32	37	28	36	53	44	44	63	74	94
80 years and upwards,	5	3	4	4	6	7	6	3	8	6	10	1	5	6	5	10	8	11	11	9	14	8	9	12	18	25
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	7	4	13	18	9	10	18	14	17	23	23	28	32	44	52	44	38	39	51	38	29	30	23	24	15	10
" Scarlet Fever,	.	2	3	.	.	.	2	.	2	1	2	.	.	2	1	1	.	1	2	1	2	1	1	1	1	.
" Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	4	2	3	4	3	7	1	3	2	1	1	2	2	.	1	.	2	1	2	.	1	1	3	2	2	1
" Diphtheria,	3	2	.	.	2	1	.	1	1	1	.	1	.	1	2	2	3	3	3	2	2	3	2	3	1	.
" Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	1	1	1	3	4	1	6	4	7	9	5	11	4	7	4	6	2	5	9	4	6	2	2	3	2	5
" Diarrhœa, Dysentery,	5	10	19	40	43	43	39	36	42	45	20	27	16	14	4	9	6	6	5	3	4	4	3	5	1	2
" Phthisis,	33	17	16	24	24	26	19	22	31	29	18	23	20	22	26	29	15	21	17	20	35	27	36	30	28	40
" Heart Diseases,	9	9	17	18	15	13	10	13	6	12	7	11	14	10	23	13	9	18	13	17	17	15	26	15	21	24
" Diseases of Respiratory System,	20	30	24	18	19	29	24	13	31	21	24	30	31	29	39	40	53	57	50	51	66	70	66	73	98	110
Violent Deaths,	4	3	4	3	3	5	8	6	6	5	4	5	4	3	5	8	4	8	6	7	4	6	6	3	7	4
Mean Temperature of the Air (Phœnix Park),	59·0	61·9	60·0	62·1	57·6	61·0	61·7	59·1	59·1	57·4	52·4	47·5	46·1	48·0	49·5	48·9	50·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8
Average Mean Temperature in corresponding week of previous 10 years,	57·3	58·0	57·9	59·0	58·4	58·8	56·9	55·7	56·4	56·6	53·6	52·7	51·1	48·4	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6
Rainfall in inches,	1·585	·820	·185	1·645	·085	·195	·095	1·295	·150	·455	·575	1·470	·360	·355	·470	·325	1·085	·710	·050	·030	·240	·455	·200	·855	2·055	·715
Mean Humidity of the Air, complete Saturation 1·0,	·82	·89	·81	·89	·89	·86	·84	·86	·82	·88	·78	·86	·85	·86	·88	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	.

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 6th January, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																	
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, NOS. 1 and 2 (c).	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	1	1	.	1	.	.	.	.	2	.	3	.	1	10	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	5	.
Diarrhœa, Dysentery,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Other Zymotic Diseases	.	.	1	4	4	.	1	2	.	3	.	.	2	.	.	2	19	.
Total,	1	2	2	6	5	.	2	2	.	3	.	2	3	5	1	3	37	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	2	5	7	4	8	.	6	2	.	.	.	.	2	1	.	.	37	8
Other Constitutional Diseases,	.	2	4	3	1	1	1	2	.	1	.	.	3	2	1	.	22	1
Total,	2	7	11	7	9	1	7	5	.	1	.	.	5	3	1	.	59	4
V. DEVELOPMENTAL DISEASES,	1	6	5	1	1	1	5	2	.	.	.	1	3	1	1	.	28	1
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	2	4	5	5	7	.	2	1	.	.	.	.	2	5	.	1	34	3
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	2	2	1	.	4	2	1	3	.	1	1	.	1	4	.	.	22	2
Respiratory System,	10	18	9	10	11	9	15	6	1	2	1	2	4	4	3	3	108	2
Digestive System,	.	.	.	1	.	.	2	2	.	.	.	1	1	2	2	.	11	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Urinary System,	.	1	.	.	.	.	.	1	.	1	.	.	.	1	.	1	5	1
Generative System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	14	26	15	16	22	11	20	14	1	5	2	3	8	16	5	5	183	10
VII. VIOLENT DEATHS,	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.	.	3	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	.	3	1	2	.	3	.	.	.	.	.	1	.	.	11	.
Deaths from all Causes,	18	42	33	33	39	15	35	26	1	9	2	6	19	27	8	8	321	16
Annual Rate of Mortality in every 1,000 of the population.	34·6	62·9	59·6	66·0	61·3	42·2	45·0	37·9	12·6	43·7	21·6	43·0	35·6	57·2	49·7	24·0	47·9	
	55·2				46.8				39·9									
	51·3																	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	2	3	4	8	.	3	1	.	.	.	.	1	3	2	.	29	11
Workhouse Hospitals,	5	9	9	7	10	4	4	8	.	.	.	.	1	.	.	.	57	5

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wal to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St. Jude.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th January, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 6th January, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	50·3	337	81	15	49	73	94	25	.	10	.	.	1	.	.	5	2	18	40	12	110	4	153
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	46·7	14	1	.	.	.	8	5	.	.	.	.	.	.	.	.	1	1	.	.	2	.	11
II.	MIDDLE CLASS,	81,469	38·4	60	5	1	7	15	24	8	.	.	.	.	.	.	.	2	.	2	5	3	19	.	31
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	44·5	85	28	5	12	17	19	4	.	3	.	.	.	.	.	2	.	5	11	.	35	.	34
IV.	GENERAL SERVICE CLASS,	147,978	60·6	116	41	7	19	23	21	5	.	7	.	.	.	.	.	1	1	9	10	9	34	4	50
V.	INMATES OF WORKHOUSES,	5,191		62	6	2	11	18	22	3	.	.	.	.	1	.	.	.	.	1	14	.	20	.	27
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	71·6	11	1	.	.	.	6	4	.	.	.	.	.	.	.	.	1	1	.	.	2	.	8
	2. Merchants and Manufacturers, Higher Class,	1,857	28·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,733	18·1	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	42·1	21	.	.	2	8	10	1	.	.	.	.	.	.	.	1	.	1	2	.	7	.	11
	6. Clerks and Commercial Assistants,	25,001	29·1	14	4	1	4	3	2	.	.	.	.	.	.	.	.	1	.	1	2	2	4	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	58·1	25	1	.	1	4	12	7	.	.	.	.	.	.	.	.	.	.	1	1	8	.	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	70·0	10	6	1	1	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	7
	9. Building and Furnishing Trades,	26,294	29·7	15	7	1	2	1	4	.	.	.	.	.	.	.	.	.	.	.	2	.	7	.	6
	10. Clothing Trades,	23,927	41·4	19	4	2	2	4	5	2	.	2	.	.	.	.	.	.	.	2	5	.	7	.	5
	11. Food Supply Trades,	7,949	19·6	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.
	12. Other Trades and Callings ranking with Trades,	26,987	63·9	33	9	1	7	8	7	1	.	.	.	.	.	.	.	2	.	2	4	.	15	.	14
	13. Petty Shopkeepers,	6,839	38·0	5	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	2
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	30·3	8	1	.	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	7
	15. Domestic Servants,	39,967	15·6	12	5	.	2	2	2	1	.	.	.	.	.	.	.	.	.	.	2	2	6	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	77·2	16	5	.	3	5	2	1	.	1	.	.	.	.	.	1	.	2	1	1	7	1	4
	17. Hawkers, Porters, Labourers, &c.,	33,472	50·0	30	30	7	14	14	14	1	.	6	.	.	.	.	.	.	1	7	7	5	21	3	37
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	62	6	2	11	18	22	3	.	.	.	.	1	.	.	.	.	1	14	.	20	.	27

TABLE VI.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 6th January, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 6th January, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 6th Jan., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th Dec., 1899. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd Dec., 1899. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·3	22·7	37·0	1·9	604	754	99	254	.	12	.	.	8	2	2	9	5	87	265	10	27	183	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																				
Total,‡	349,594	14·2	27·9	47·9	2·7	187	321	47	118	.	16	.	.	1	.	.	5	2	37	108	3	6	86	§49·8	27·6	38·8	0·72	§46·2	20·7	35·9	2·05	§48·8	20·4	40·5	0·86
Registrars' Districts. City	245,001	65·6	30·9	51·3	1·7	145	241	35	81	.	4	.	.	1	.	.	2	1	34	88	2	5	79	49·7	39·0	40·7	0·80	46·7	25·5	38·0	1·45	49·1	28·2	42·5	0·79
Clontarf &c. No. 1,	4,188	1·5	.	12·6	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	4·9	43·7	.	1	9	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	24·6	24·6	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	48·7	30·0	39·4	0·80	50·9	22·0	36·4	1·74	47·9	23·0	41·1	1·23
Palmerston, part of and Crumlin part of (b),	7,278	8·0	57·4	48·0	14·8	8	6	1	1	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	18·8	35·6	1·9	10	19	1	9	.	.	.	.	.	.	.	1	.	2	4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	12·7	57·2	10·6	6	27	9	9	.	3	.	.	.	.	.	1	1	1	4	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	31·0	49·7	6·2	5	8	.	3	.	.	.	.	.	.	.	1	.	.	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	30·0	24·0	3·0	10	8	1	4	.	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	51·0	31·0	42·0	.
Urban Districts.																																				
Belfast,	359,000	21·8	34·7	28·8	2·6	289	198	34	40	.	1	.	.	6	2	2	4	3	27	74	5	15	32	45·9	27·0	39·1	1·69	47·0	20·0	34·7	1·45	51·0	28·5	40·2	0·55
Cork,	75,845	38·3	21·5	57·4	.	31	83	6	36	.	.	.	.	.	.	.	.	.	8	34	.	3	27	50	33	42·5	2·46	49	30	41·8	2·99	51	38	47·2	3·59
Limerick,	37,155	17·9	19·6	15·4	.	14	11	.	4	.	.	.	.	.	.	.	.	.	1	5	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	28·6	44·0	.	15	28	2	8	.	.	.	.	.	.	.	.	.	3	6	.	1	6	45·3	30·3	38·4	1·09	42·6	21·0	33·6	1·59	56·2	29·9	41·2	1·09
Waterford,	26,208	18·3	28·9	51·7	2·0	12	26	2	15	.	.	.	.	1	.	.	.	.	3	7	.	.	12	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	15·1	3·8	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	55	27	37·0	1·26	49	25	37·0	0·08	48	30	42·4	1·86
Drogheda	13,708	8·7	45·6	15·2	.	12	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	32·2	20·1	.	8	5	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	45·8	25·6	37·8	1·18	43·8	23·3	33·7	0·95	48·5	30·4	40·7	0·86
Dundalk,	12,449	9·0	12·6	20·9	.	3	5	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	34·1	55·3	.	8	18	3	4	.	.	.	.	.	.	.	.	.	1	8	.	.	.	45·8	25·6	37·8	1·18	43·8	23·3	33·7	0·95	48·5	30·4	40·7	0·86
Wexford,	11,545	24·0	18·1	49·7	.	4	11	1	6	.	.	.	.	.	.	.	.	.	1	7	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	68·9	45·6	.	14	16	1	4	.	.	.	.	.	.	.	.	.	1	6	.	.	.	45·8	25·6	37·8	1·18	43·8	23·3	33·7	0·95	48·5	30·4	40·7	0·86
Kilkenny,	11,048	12·0	28·3	18·9	.	6	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	4	49	26	39·1	2·84	47	22	35·1	1·39	47·0	28·0	40·5	1·64
Clonmel,	10,708	8·2	.	4·9	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	45·7	15·2	.	9	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	46·2	24·9	37·2	1·58	45·8	19·4	34·6	2·05	50·6	24·7	39·6	1·76
Tralee,	9,318	15·9	22·4	33·6	.	4	6	1	4	.	.	.	.	.	.	.	.	.	1	1	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	38·8	16·9	.	6	8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	22·7	28·3	.	4	5	.	2	.	.	.	.	.	.	.	.	.	.	3	.	.	3	47	33	41·3	1·45	46	28	37·3	1·75	46	37	41·5	0·90
Queenstown,	9,082	17·0	40·2	23·0	.	7	4	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.	50	33	42·5	2·46	49	30	41·8	2·99	51	38	47·2	3·59
Carrickfergus,	8,923	0·5	23·4	5·8	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,430	11·0	30·9	49·5	6·2	5	8	1	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	45·8	25·6	37·8	1·18	43·8	23·3	33·7	0·95	48·5	30·4	40·7	0·86
Armagh,	7,137	21·4	57·0	21·4	.	8	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	45·8	25·6	37·8	1·18	43·8	23·3	33·7	0·95	48·5	30·4	40·7	0·86

(a) That portion of the District situated in Glasnevin Distric Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 16 deaths of persons (including 6 at 60 years and upwards) admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN: the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin.	DISTRICTS.	1899-1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	North City, No. 1 (E.)	Nov. 18,	28·8	11·5	15	.	4	.	.	.	.	.	1	1	1	3	.
		„ 25,	26·9	7·7	14	.	3	.	.	.	.	.	1	.	2	2	1
		Dec. 2,	28·0	5·8	19	.	2	.	.	.	.	.	.	1	1	3	.
		„ 9	25·0	3·8	18	.	1	.	.	.	.	.	.	1	5	2	.
	(Office,	„ 16,	34·6	1·9	18	.	.	.	.	1	.	.	.	.	4	6	1
	Clarence-street, Nth.	„ 23,	28·0	3·8	19	.	.	.	.	1	.	.	.	1	.	3	1
		„ 30,	36·5	.	19	.	.	.	.	.	.	.	.	.	3	8	2
	Pop. (in 1891) 27,147.	Jan. 6,	34·6	1·9	18	.	.	.	.	.	.	.	1	.	2	10	.
	North City, No. 1 (W.)	Nov. 18,	31·4	4·5	21	.	2	.	.	.	.	.	1	.	1	3	2
		„ 25,	40·4	1·5	27	.	.	.	.	.	.	.	.	1	3	6	3
		Dec. 2,	32·9	1·5	22	.	.	.	.	.	.	.	1	.	5	3	.
		„ 9,	34·4	3·0	23	.	1	.	.	.	1	.	.	.	.	9	1
	(Office,	„ 16,	52·4	6·0	35	.	2	.	.	1	.	.	1	.	3	13	.
	Summer-hill.)	„ 23,	44·9	3·0	30	.	.	.	.	.	.	.	.	2	2	9	.
		„ 30,	38·9	3·0	26	.	1	.	.	1	.	.	.	.	4	9	1
	Pop. (in 1891) 34,836.	Jan. 6,	62·9	3·0	42	.	.	.	.	.	.	.	1	1	5	18	.
	North City, No. 2.	Nov. 18,	47·0	7·2	26	.	4	.	.	.	.	.	.	.	3	5	.
		„ 25,	45·2	10·8	25	.	4	.	.	.	1	.	.	1	2	3	.
		Dec. 2,	48·8	5·4	27	.	1	.	.	.	.	.	2	.	3	11	.
		„ 9,	41·5	3·6	23	.	.	.	.	.	1	.	.	1	2	5	1
	(Office,	„ 16,	41·5	9·0	23	.	2	.	.	.	2	.	.	1	4	7	.
	Lisburn-street.)	„ 23,	56·0	1·8	31	.	.	.	.	.	1	.	.	.	5	9	.
		„ 30,	47·0	3·6	26	.	1	.	.	.	.	.	1	.	5	9	.
	Pop. (in 1891) 28,871.	Jan. 6,	59·6	1·8	33	.	1	.	.	.	.	.	.	.	7	9	.
	North City, No. 3.	Nov. 18,	52·0	14·0	26	.	4	1	.	1	.	.	1	.	1	6	.
		„ 25,	38·0	6·0	19	.	3	.	.	.	.	.	.	.	3	3	.
		Dec. 2,	56·0	6·0	28	.	3	.	.	.	.	.	.	.	5	7	2
		„ 9,	40·0	4·0	20	.	2	.	.	.	.	.	.	.	1	6	1
	(Office,	„ 16,	41·0	6·0	21	.	3	.	.	.	.	.	.	.	4	6	1
	Blackhall-place.)	„ 23,	30·0	6·0	15	.	3	.	.	.	.	.	.	.	2	3	.
		„ 30,	58·0	4·0	29	.	1	.	.	.	.	.	1	.	2	6	1
	Pop. (in 1891) 26,055.	Jan. 6,	66·0	4·0	33	.	1	.	.	1	.	.	.	.	4	10	.
	South City, No. 1.	Nov. 18,	59·7	23·6	38	.	10	1	.	1	.	.	1	2	1	9	.
		„ 25,	36·1	9·4	23	.	5	.	.	.	.	.	1	.	2	6	1
		Dec. 2,	33·0	12·6	21	.	4	2	.	1	.	.	1	.	2	3	.
		„ 9,	39·3	3·1	25	.	2	.	.	.	.	.	.	.	2	10	.
	(Office,	„ 16,	55·0	4·7	35	.	3	.	.	.	.	.	.	.	6	9	3
	South Earl-street.	„ 23,	62·8	4·7	40	.	2	.	.	.	.	.	.	1	2	11	1
		„ 30,	55·0	.	35	.	.	.	.	.	.	.	.	.	3	15	.
	Pop. (in 1891) 33,194.	Jan. 6,	61·3	1·6	39	.	1	.	.	.	.	.	.	.	8	11	1
	South City, No. 2.	Nov. 18,	39·4	14·1	14	.	5	.	.	.	.	.	.	.	.	5	.
		„ 25,	28·1	11·2	10	.	3	.	.	.	.	.	.	1	.	5	.
		Dec. 2,	64·7	16·9	23	.	4	.	.	.	.	.	1	1	3	4	.
		„ 9,	70·3	19·7	25	.	5	.	.	.	1	.	.	1	3	6	1
	(Office,	„ 16,	30·9	5·6	11	.	1	.	.	.	.	.	1	.	3	4	.
	Castle-street.)	„ 23,	39·4	8·4	14	.	.	1	.	.	1	.	1	.	1	4	.
		„ 30,	73·1	2·8	26	.	1	.	.	.	.	.	.	.	.	17	.
	Pop. (in 1891) 18,547.	Jan. 6,	42·2	.	15	.	.	.	.	.	.	.	.	.	.	9	.
	South City, No. 3.	Nov. 18,	34·7	5·1	27	.	2	.	.	.	.	.	2	.	5	7	.
		„ 25,	36·0	5·1	28	.	4	.	.	.	.	.	.	.	2	6	1
		Dec. 2,	33·4	6·4	26	.	3	.	.	.	1	.	.	1	6	5	.
		„ 9,	52·7	3·9	41	.	2	.	.	1	.	.	.	.	3	14	1
	(Office,	„ 16,	28·3	.	22	.	.	.	.	.	.	.	.	.	3	6	.
	Peter-street.)	„ 23,	36·0	3·9	28	.	2	.	.	.	.	.	.	1	3	7	.
		„ 30,	37·3	5·9	29	.	1	.	.	.	1	.	.	1	5	9	.
	Pop. (in 1891) 40,558.	Jan. 6,	45·0	1·3	35	.	1	.	.	.	.	.	.	.	6	15	1
	South City, No. 4.	Nov. 18,	52·4	24·8	36	.	14	.	.	.	2	.	1	.	3	3	2
		„ 25,	36·4	14·6	25	.	9	.	.	.	.	.	1	.	.	7	1
		Dec. 2,	43·7	13·1	30	.	7	.	.	.	1	.	1	.	4	8	.
		„ 9,	43·7	14·6	30	.	8	1	.	.	.	.	.	1	4	7	.
	(Office,	„ 16,	46·6	8·7	32	.	5	.	.	1	.	.	.	.	5	7	1
	Grand Canal-street).	„ 23,	43·7	5·8	30	.	1	.	.	1	1	.	1	.	5	6	1
		„ 30,	32·0	2·9	22	.	2	.	.	.	.	.	.	.	1	8	.
	Pop. (in 1891) 35,793.	Jan. 6,	37·9	.	26	.	.	.	.	.	.	.	.	.	2	6	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1899-1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Nov. 18,	15·0	5·6	8	.	2	.	.	.	.	.	1	.	1	1	.
	„ 25,	30·0	1·9	16	.	1	.	.	.	.	.	.	.	1	4	.
	Dec. 2,	30·0	1·9	16	.	1	.	.	.	.	.	.	.	1	4	.
	„ 9,	13·1	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 16,	31·9	1·9	17	.	.	.	.	.	.	.	.	1	2	3	.
	„ 23,	41·8	1·9	22	.	1	.	.	.	.	.	.	.	3	8	.
	„ 30,	31·9	1·9	17	.	1	.	.	.	.	.	.	.	4	5	.
	Jan. 6,	35·6	1·9	19	.	.	.	.	.	.	.	1	.	2	4	.
Donnybrook. Pop. (in 1891) 24,629.	Nov. 18,	29·6	12·7	14	.	4	.	.	.	1	.	1	.	.	4	.
	„ 25,	14·8	4·2	7	.	2	.	.	.	.	.	.	.	.	1	.
	Dec. 2,	36·0	4·2	17	.	2	.	.	.	.	.	.	.	2	5	1
	„ 9,	29·6	6·4	14	.	3	.	.	.	.	.	.	.	3	2	1
	„ 16,	36·0	8·5	17	.	4	.	.	.	.	.	.	.	2	2	.
	„ 23,	50·8	21·2	24	.	9	.	.	.	.	.	1	.	.	6	.
	„ 30,	44·5	2·1	21	.	1	.	.	.	.	.	.	.	2	5	1
	Jan. 6,	57·2	10·6	27	.	3	.	.	.	.	.	1	1	1	4	1
Kingstown. Pop. (in 1891) 17,886.	Nov. 18,	27·0	6·0	9	.	.	.	.	.	.	.	.	2	.	1	.
	„ 25,	27·0	9·0	9	.	2	.	.	.	.	.	1	.	1	1	.
	Dec. 2,	33·0	6·0	11	.	1	.	.	.	.	.	.	1	1	1	1
	„ 9,	30·0	3·0	10	.	3	.	.	.	.	.	.	.	1	2	.
	„ 16,	24·0	6·0	8	.	1	.	.	.	.	.	.	1	.	2	.
	„ 23,	36·0	6·0	12	.	2	.	.	.	.	.	.	.	2	1	.
	„ 30,	27·0	12·0	9	.	3	.	.	1	.	.	.	.	.	3	.
	Jan. 6,	24·0	3·0	8	.	1	.	.	.	.	.	.	.	.	3	.
Belfast. Pop. in 1900 (Est.) 359,000.	Nov. 18,	26·2	2·1	176	.	1	1	.	1	1	.	10	.	35	49	3
	„ 25,	20·4	1·9	137	.	2	.	.	4	3	.	4	.	12	35	7
	Dec. 2,	17·6	1·6	118	.	.	.	.	4	2	.	5	.	13	38	4
	„ 9,	16·8	0·4	113	.	1	1	.	.	.	.	1	.	19	37	1
	„ 16,	20·7	1·3	139	.	1	.	.	2	3	.	2	1	29	34	2
	„ 23,	19·7	1·0	132	.	2	1	.	1	2	.	1	.	14	27	6
	„ 30,	28·6	2·1	192	.	1	1	.	6	1	.	4	1	31	54	2
	Jan. 6,	28·8	2·6	198	.	1	.	.	6	2	2	4	3	27	74	5
Cork. Pop. (in 1891) 75,845.	Nov. 18,	25·6	2·1	87	.	1	.	.	.	.	.	.	2	7	1	.
	„ 25,	24·9	1·4	56	.	.	.	.	.	.	.	.	2	7	6	.
	Dec. 2,	23·5	2·1	34	.	1	.	.	.	.	.	1	1	9	6	.
	„ 9,	30·5	4·8	44	.	3	.	.	.	.	.	.	4	5	6	2
	„ 16,	28·4	.	41	.	.	.	.	.	.	.	.	.	13	12	.
	„ 23,	51·2	0·7	74	.	1	.	.	.	.	.	.	.	8	28	.
	„ 30,	56·7	1·4	82	.	.	.	.	.	1	.	.	1	13	25	1
	Jan. 6,	57·4	.	83	.	.	.	.	.	.	.	.	.	8	34	.
Limerick. Pop. (in 1891) 37,155.	Nov. 18,	14·0	1·4	10	.	.	.	.	.	.	.	.	1	2	1	.
	„ 25,	15·4	2·8	11	.	1	.	.	.	.	.	.	1	2	3	.
	Dec. 2,	16·8	.	12	.	.	.	.	.	.	.	.	.	4	2	.
	„ 9,	23·9	1·4	17	.	.	.	.	.	.	.	.	1	5	1	.
	„ 16,	19·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 23,	14·0	.	10	.	.	.	.	.	.	.	.	.	1	5	.
	„ 30,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	9	.
	Jan. 6,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	5	.
Londonderry Pop. (in 1891) 33,200.	Nov. 18,	47·1	6·3	30	.	1	.	.	.	1	.	.	2	2	3	.
	„ 25,	22·0	4·7	14	.	3	.	.	.	.	.	.	.	2	2	.
	Dec. 2,	7·9	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	„ 9,	12·6	3·1	8	.	.	.	.	.	1	1	.	.	.	1	.
	„ 16,	34·6	1·6	22	.	.	.	.	.	.	.	1	.	2	7	.
	„ 23,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 30,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	1	1
	Jan. 6,	44·0	.	28	.	.	.	.	.	.	.	.	.	3	6	.
Waterford. Pop. (in 1891) 26,200.	Nov. 18,	21·9	2·0	11	.	.	.	.	.	.	.	1	.	4	.	1
	„ 25,	33·8	8·0	17	.	.	4	.	.	.	.	.	.	1	1	.
	Dec. 2,	15·9	4·0	8	.	.	.	.	1	.	.	.	1	.	.	.
	„ 9,	33·8	4·0	17	.	.	.	.	.	.	.	.	2	.	1	1
	„ 16,	23·9	.	12	.	.	.	.	.	.	.	.	.	2	1	1
	„ 23,	33·8	4·0	17	.	.	1	.	.	.	.	.	1	1	2	.
	„ 30,	31·8	4·0	16	.	.	1	.	.	.	.	1	.	2	6	.
	Jan. 6,	51·7	2·0	26	.	.	.	.	1	.	.	.	.	3	7	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 6th January, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	8	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		7	.	1	4	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.
" 2 "	37,589	32			21	3	4	13	1	.	.	.	.	1	.	1	2	1	3	8	2	4	2
" 3 "	36,845	32			21	3	2	14	2	.	.	.	.	.	.	.	1	.	6	10	1	1	3
" 4 "	33,891	26			25	4	3	8	10	.	.	.	.	2	.	.	.	.	2	10	1	1	
" 5 "	21,284	7			11	2	1	6	2	.	.	.	.	1	.	.	.	.	2	3	.	4	2
" 6 "	42,431	26			34	3	2	20	9	.	.	.	.	1	.	1	.	.	7	10	1	1	
" 7 "	1,112	2			2	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1
" 8 "	4,904	5			2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 9 "	12,866	18			16	5	3	6	2	.	.	.	.	.	1	.	.	.	2	4	.	.	1
" 10 "	12,256	28			19	6	3	8	2	.	.	.	.	.	.	.	.	.	3	4	.	.	3
" 11 "	19,881	30			15	3	3	4	5	.	1	.	.	1	.	.	.	1	.	8	.	.	3
" 12 "	23,282	18			19	2	6	7	4	.	.	.	.	.	1	.	.	.	2	9	.	2	3
" 13 "	6,804	7			6	1	2	2	1	.	.	.	.	.	.	.	1	.	.	4	.	.	1
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	239			198	34	31	93	40	.	1	.	.	6	2	2	4	3	27	74	5	15	32
City of Cork.																							
CORK, No. 1 DISTRICT, (Portion situated within the City or Urban District of Cork.)	11,927	6	39·2	.	9	.	.	5	4	.	.	.	.	.	.	.	.	.	.	2	.	.	2
" 2 "	9,252	6	56·4	.	10	1	.	5	4	.	.	.	.	.	.	.	.	.	1	5	.	.	2
" 3 "	6,809	3	41·3	.	5	.	.	3	2	.	.	.	.	.	.	.	.	.	1	3	.	.	2
" 4 "	3,507	2	74·3	.	5	.	.	1	4	.	.	.	.	.	.	.	.	.	.	4	.	.	1
" 5 "	10,856	4	60·4	.	12	1	.	8	3	.	.	.	.	.	.	.	.	.	1	3	.	3	4
" 6 "	12,469	2	71·1	.	17	.	2	7	8	.	.	.	.	.	.	.	.	.	1	7	.	.	5
" 7 "	4,491	2	34·8	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 8 "	15,884	5	61·0	.	18	4	1	5	8	.	.	.	.	.	.	.	.	.	2	9	.	.	7
" 9 "	1,650	1	.	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	2	.	.	.	3
Total,	75,845	31	57·4	.	83	6	3	38	36	.	.	.	.	.	.	.	.	.	8	34	.	3	27

Boundaries of Registrars' Districts—Belfast and Cork.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre of Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square, Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary, thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

The Registrar's District of Cork, No. 1, is bounded by a line drawn from St. Patrick's bridge, through the centre of Bridge-street, St. Patrick's-hill, Wellington-place, Audley-place, and Old Youghal-road to the suburb boundary, thence along the Western and Northern boundary of Rathmore Townland, the Northern boundary of Clashnaganiff Townland, the Northern and Eastern boundary of Cahergal Townland, and the Eastern boundary of Ballynamought East, Townland, to the centre of the River Lee, thence by the centre of the river to St. Patrick's bridge.

Cork, No. 2, District is bounded by a line drawn from Shandon-street through the centre of Fair-lane and Fair-hill, by the Western boundary of the Townlands of Kerryhall, Knockpoge, Closes, and Commons (St. Anne's, Shandon, Parish), to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the Townland of Cahergal, thence by the Northern boundary of Cahergal and Clashnaganiff Townlands, and by the Northern and Western boundary of Rathmore Townland to the Old Youghal-road; thence through the centre of the Old Youghal-road, Old Chapel-lane, Clarence-street, and Shandon-street, as far as Fair-lane.

Cork, No. 3, District is bounded by a line drawn from Shandon-street through the centre of Fair-lane and Fair-hill, along the Western boundary of the Townlands of Kerryhall, Knockpoge, Closes, and Commons (St. Anne's, Shandon, Parish), to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the Eastern boundary of Killard Townland, thence by the Western and Southern boundary of Killeens Townland, and the Western boundary of Garranabraher and Knocknabohilly Townlands to Blarney-street, thence through the centre of Blarney-street and Shandon-street, as far as Fair-lane.

Cork, No. 4, District is bounded by a line drawn from North Gate-bridge through the centre of Shandon-street and Blarney-street to the Western boundary of Knocknabohilly Townland, thence by the Western boundary of the Townlands of Knocknabohilly and Garranabraher to Killeens Townland, thence by the Southern and Western boundary of Killeens Townland to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the centre of the River Lee, thence through the centre of the river to the "Cascade," on the Western boundary of Gillabbey Townland, thence along the Western and Northern boundary of Gillabbey Townland to the suburb boundary, thence through the centre of the north channel of the river to North Gate-bridge.

Cork, No. 5, District is bounded by a line drawn from North Gate-bridge through the centre of Shannon-street, Clarence-street, Old Chapel-lane, Old Youghal-road, Audley-place, Wellington-place, St. Patrick's-hill, Bridge-street, St. Patrick's-bridge, St. Patrick's-street, Daunt's-square, Castle-street, and North Main-street, to North Gate-bridge.

Cork, No. 6, District is bounded by a line drawn from North Gate-bridge through the centre of the north channel of the River Lee to the suburb boundary, thence along the suburb boundary to Gillabbey Weir, thence through the centre of the south channel to a point in the centre of the river opposite the Custom House, thence through the centre of the north channel, St. Patrick's-bridge, St. Patrick's-street, Daunt's-square, Castle-street, and North Main-street, to North Gate-bridge.

Cork, No. 7, District is bounded by a line drawn from Gillabbey Weir through the centre of the south channel of the River Lee to Fitton-street, thence through the centre of Fitton-street, Bishop-street, Dean-street, Vicar-street, Barrack-street, Green-street, and the Pouladuff-road to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the centre of the river, thence through the centre of the river to the "Cascades," thence by the Western and Northern boundary of Gillabbey Townland to Gillabbey Weir.

Cork, No. 8, District is bounded by a line drawn from Anglesea-bridge through the centre of Anglesea-street, Infirmary-road, Southern-road, and Douglas-road to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the Pouladuff-road, thence through the centre of the Pouladuff road, Green-street, Barrack-street, Vicar-street, Dean-street, Bishop-street, and Fitton-street to the south channel of the River Lee, thence through the centre of the south channel to Anglesea-bridge.

Cork, No. 9, District is bounded by a line drawn from Anglesea-bridge through the centre of Anglesea-street, Infirmary-road, Southern-road, and Douglas-road to the boundary of the Cork Electoral Division at Douglas-bridge thence by the boundary of the Cork Electoral Division through the centre of the Douglas channel round by Blackrock Castle and through the centre of the River Lee to Anglesea-bridge.

Note.—The Statistics given for Cork in Table VIII. are for the City portion of the several Districts only.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.
No. of week in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered,	171	249	210	265	215	231	199	228	223	239	209	201	268	252	231	218	203	246	202	137	192	189	199	203	175	239
DEATHS registered,	144	149	138	156	165	146	178	162	139	158	153	147	175	150	143	164	131	127	176	187	118	113	139	132	192	198
Annual Death-rate per 1,000 of estimated Population,	21·5	22·2	20·6	23·2	24·6	21·8	26·5	24·1	23·7	23·5	22·8	21·9	26·1	22·3	21·3	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8
AGES, Under 1 year,	31	36	46	45	51	42	58	62	64	51	60	47	50	44	35	40	35	30	38	40	28	21	26	19	39	34
AGES, 1–5 years,	14	16	13	24	19	22	27	21	18	21	16	16	20	19	24	21	15	18	25	17	14	10	19	9	25	31
AGES, 5–60 years,	72	77	61	60	73	61	71	61	58	67	59	64	80	60	57	84	60	49	90	57	46	68	73	74	75	93
AGES, 60 years and upwards,	27	20	18	27	22	21	22	18	19	19	18	20	25	27	27	19	21	30	23	23	30	19	21	30	53	40
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	3	4	2	2	3	.	1	1	.	.	1	2	1	1	1	.	.	.	1	2	.	1	1	2	1	1
" Scarlet Fever,	1	.	1	2	.	.	1	.	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.	1	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	3	2	2	3	5	5	5	6	4	2	6	1	4	3	4	2	1	5	1	4	4	.	2	1	6	6
" Diphtheria,	1	.	.	2	1	.	.	.	.	.	2	1	.	.	.	3	.	2	1	3	2	.	3	2	1	2
" Simple continued and Ill-defined Fever,	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2
" Enteric Fever,	8	6	5	7	6	8	11	8	8	9	6	9	14	9	8	9	3	6	10	4	5	1	2	1	4	4
" Diarrhœa, Dysentery,	6	11	13	17	15	13	30	33	19	18	19	15	9	4	2	4	.	2	.	.	.	.	1	.	1	3
" Phthisis,	25	18	27	19	28	14	19	25	13	22	13	21	20	15	10	16	17	14	35	12	13	19	29	14	31	27
" Diseases of Respiratory System,	18	19	14	17	13	14	20	12	20	16	22	19	38	32	43	50	43	37	49	35	38	37	34	27	64	74
Violent Deaths,	4	2	2	5	5	6	2	3	2	1	3	4	2	4	3	8	3	1	3	7	4	1	2	6	2	5

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Jan. 6,	2,804	3,265	37·1	.	62	6	58	26	19	10
EDINBURGH,	302,262	„ 6,	162	132	22·7	.	.	.	.	.	.	2
GLASGOW,	743,969	„ 6,	427	409	28·6	.	20	4	1	6	2	8
CALCUTTA,	466,460	Nov. 4,	.	273	30·5	1	.	.	1	.	71‡	26*
BOMBAY,	821,764	Dec. 12,	249	1,158	73·3	7	30	?	?	?	101§	129
MADRAS,	452,518	Nov. 10,	437	401	46·0	1	5	?	?	?	95	65
PARIS,	2,511,629	Dec. 23,	1,093	1,156	23·9	.	4	4	5†	1	11	21
		„ 30,	1,059	1,170	24·2	.	7	.	5†	1	9	35
BRUSSELS (with 8 Faubourgs).	561,130	„ 23,	246	269	24·9	.	.	.	6†	1	5	11
AMSTERDAM,	523,266	„ 16,	339	180	17·9	.	.	.	1	1	.	.
ROTTERDAM,	319,491	„ 16,	228	139	22·7	.	3	1	3	2	2	.
THE HAGUE,	196,325	„ 16,	110	57	14·9	.	1	.	.	1	.	.
COPENHAGEN,	349,000	„ 30,	198	140	20·9	.	.	3	1	.	1	2
CHRISTIANIA,	221,255	„ 30,	174	76	17·9	.	1	.	1	.	1	5
ST. PETERSBURG,	1,132,677	„ 23,	678	584	26·8	7	15	17	32	8	23	37
BERLIN,	1,819,095	„ 9,	881	572	16·2	.	9	16	14	12	4	34
		„ 16,	893	624	17·8	.	9	11	21	10	1	41
HAMBURG,	675,351	„ 23,	.	211	16·2	.	.	3	2†	2	1	4
DRESDEN,	392,300	Nov. 25,	227	125	16·3	.	2	2	1†	13	.	3
BRESLAU,	406,012	Dec. 30,	.	187	24·0	.	5	1	3	1	.	17
MUNICH,	445,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,623,134	Dec. 9,	817	554	17·6	.	15	1	8†	3	2	29
BUDA-PESTH,	666,722	„ 23,	392	228	17·8	.	5	7	1	.	2	7
PRAGUE and Faubourgs.	380,497	„ 23,	167	168	22·6	.	1	.	2	1	3	4
ROME,	508,779	„ 2,	251	188	19·2	.	2	.	.	.	10	19
TURIN (10 days),	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	172,288	Dec. 16,	80	91	27·5	.	.	.	1†	.	1	3
NEW YORK,	3,550,053	„ 2,	1,454	1,147	16·9	.	11	7	41	4	19	13
PHILADELPHIA,	1,266,832	„ 9,	.	412	16·9	.	.	3	27	2	8	1

* Including 6 deaths from cholera.
‡ Exclusive of 27 deaths from bubonic fever.
† Including deaths from croup.
§ Exclusive of 170 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., P.R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 6th January, 1900:—

"A cold rainy period ushered in the year 1900. Sunday, December 31, 1899, was a fine, bright frosty day in Dublin. But in the evening cirrus cloud overspread the sky from S.W., and some sleet and rain fell. By Monday morning a depression had arrived off the coast of Kerry, and during the three following days this disturbance travelled slowly eastwards across the south of England, reaching Holland on Thursday morning. It caused a great deal of rain in all districts, and generally dull, inclement weather. The winds were first southeasterly, afterwards northerly. Thursday and Friday were cold, but fine—sharp frost prevailed over the inland parts of Ireland on Friday morning, a minimum of 24° in the screen being recorded at Parsonstown. As the day advanced the wind shifted to S.S.E., in front of a new and V.-shaped depression which brought mild but very wet weather with it on Saturday. By the end of the week the wind had veered towards N.W. and the thermometer was once more falling. In Dublin the mean height of the barometer was 29·671 inches, pressure ranging between 29·326 inches at 9 a.m. of Wednesday (wind, W.) and 30·042 inches at 9 a.m. of Friday (wind also W.). The corrected mean temperature was 40·7°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 39·9°. The screened thermometers rose to 49·7° on Tuesday and fell to 32·0° on Friday. Rain fell daily, the total measurement being ·799 inch, of which ·329 inch was recorded on Monday. Variable winds were experienced chiefly from S.E. and N.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·690 inches. The highest reading (30·060) was on Friday at 9 A.M., air calm, and the lowest (29·339) on Wednesday at 9 A.M., wind, S.

The mean temperature for the week was 38·8°, being 1·2° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Tuesday, when the thermometer registered 49·8°, and was lowest on Sunday, the mercury having fallen to 27·6°. The mean of the Dry Bulb for the week was 38·8°, and of the Wet Bulb 37·3°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 8·8 hours. The rainfall measured ·715 inch.

At Greenwich the mean temperature for the wee was 41·1°, the maximum 51·7°, and the minimum 27·5°; at Glasgow the maximum was 44·0°, the minimum 29·3°, and the mean 37·8°; and at Edinburgh the maximum was 41·9°, the minimum 30·5°, and the mean 37·4°. The rainfall at Greenwich measured 0·18 inch.; at Glasgow 1·21 inches; and at Edinburgh, 1·57 inches.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1899-1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind 9 A.M.	Direction of the Wind 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 31,	29·608	42·4	27·6	35·0	34·9	33·2	·83	1·0	5·2	·100	S.W.	Calm.
Monday, Jan. 1,	29·737	48·7	35·0	41·9	46·3	44·2	·85	1·0	0·3	·175	S.E.	E.
Tuesday, „ 2,	29·374	49·8	33·3	41·6	39·7	39·2	·95	·3	0·1	·045	N.E.	Calm.
Wednesday, „ 3,	29·491	42·5	31·0	36·8	38·2	37·4	·94	1·0	0·0	·115	S.	N.
Thursday, „ 4,	29·974	42·4	33·7	38·1	34·5	32·4	·79	·8	3·2	·005	N.	N.N.W.
Friday, „ 5,	30·000	41·1	27·7	34·4	35·0	33·0	·81	1·0	0·0	·160	Calm.	S.S.E.
Saturday, „ 6,	29·644	48·5	39·0	43·8	42·9	41·4	·89	·7	0·0	·115	S.	W.
Mean, . .	29·690	45·1	32·5	38·8	38·8	37·3	·87	·8	Total 8·8	Total ·715	—	

Sunday—A beautiful day from 9.30 to 5 p.m.; rain 8 to 11 p.m.; night cloudy. *Monday*—A cloudy day; night overcast; rain 11 p.m. to 9 a.m. *Tuesday*—Dull a.m.; cloudy p.m.; rain 9 to 10 a.m.; night cloudy. *Wednesday*—A cloudy day; rain 10 a.m. to 2 p.m., and 7 to 7.30; night cloudy. *Thursday*—A fine but cloudy day; night cloudy; snow 5 to 5.15 a.m. *Friday*—A cloudy day; night overcast; rain 11.15 to 8 a.m. *Saturday*—A dull day; rain 11 a.m. to 7 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

1, 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 13TH JANUARY, 1900. [No. 2.

General Register Office, Charlemont House,
Dublin, 15*th January,* 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 33·3), was equal to an average annual death-rate of 29·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·0 per 1,000, the rate for Glasgow being 23·3, and for Edinburgh 21·5.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 38·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.* The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

TOWNS, &c.	Week ending Dec. 23.	Week ending Dec. 30.	Week ending Jan. 6.	Week ending Jan. 13.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Dec. 23.	Week ending Dec. 30.	Week ending Jan. 6.	Week ending Jan. 13.	Average Rate for 4 weeks.
23 Town Dists.	29·6	33·4	37·0	38·2	34·5	Limerick, . .	14·0	25·3	15·4	23·9	19·7
Armagh, . .	21·4	21·4	21·4	28·5	23·2	Lisburn, . .	25·7	38·3	55·3	76·6	49·0
Ballymena, .	2·5	16·9	16·9	28·2	16·1	Londonderry, .	20·4	23·6	44·0	26·7	28·7
Belfast, . .	19·7	28·6	28·8	30·5	26·9	Lurgan, . .	13·7	22·8	45·6	50·2	33·1
Carrickfergus, .	17·5	3·4	5·8	0·0	6·7	Newry, . .	16·1	16·1	20·1	16·1	17·1
Clonmel, . .	34·1	14·6	4·9	39·0	23·2	Newtownards, .	22·7	17·0	28·3	5·7	18·4
Cork, . . .	51·2	56·7	57·4	58·1	55·8	Portadown, .	43·3	61·9	49·5	30·9	46·4
Drogheda, . .	30·4	22·8	15·2	38·0	26·6	Queenstown, .	17·2	23·0	23·0	34·4	24·4
Dublin, Reg. Area,	40·9	41·2	47·9	47·0	44·2	Sligo, . . .	15·2	25·4	15·2	35·5	22·8
Dundalk, . .	8·4	20·9	20·9	29·3	19·9	Tralee, . .	5·6	0·0	33·6	39·2	19·6
Galway, . .	26·4	11·3	3·8	49·1	22·7	Waterford, .	33·8	31·8	51·7	23·9	35·3
Kilkenny, . .	23·6	37·8	18·9	37·8	29·5	Wexford, . .	36·1	4·5	49·7	45·2	33·9

The deaths from the principal zymotic diseases registered in the 23 districts during last week were equal to an annual rate of 2·3 per 1,000, the rates varying from 0·0 in fifteen of the districts to 6·2 in Portadown; the 5 deaths from all causes registered in that district comprising one from measles. Among the 210 deaths from all causes registered in Belfast are 4 from measles, 2 from whooping-cough, 4 from enteric fever, and 4 from diarrhœa.

* See Note (*), Table VI.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 209—99 boys and 110 girls; and the deaths to 331—146 males and 185 females.

The deaths, which are 92 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 49·4 in every 1,000 of the population; omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, the rate was 47·0 per 1,000. During the two weeks ending with Saturday last the death-rate averaged 49·8, and was 16·4 over the mean rate for the corresponding portions of the ten years 1890–99.

Fifty-five deaths from zymotic diseases were registered during last week, being 26 in excess of the average for the corresponding week of the last ten years, and 18 over the number for the week ended the 6th instant: they comprise 18 from measles—against 10 from that cause in the preceding week and 15 in the week ended the 30th ultimo—one from scarlet fever (scarlatina), 20 from influenza and its complications—being one over the number for the preceding week—3 from diphtheria, one from cerebro-spinal meningitis, 5 from enteric fever, 3 from diarrhœa, one from erysipelas; &c. Seven of the fatal cases of measles occurred in the city, 9 in suburban districts, and 2 were cases admitted to hospital from without the Dublin Registration Area.

There were but 7 cases of measles admitted to hospital last week, being 3 under the admissions for the preceding week, and 51 under the number for the week ended the 2nd ultimo, since which date the returns have each week shown a decline in the admissions. Seventeen measles patients were discharged during the week; 2 died; and 58 remained under treatment on Saturday last, being 12 under the number in hospital on Saturday the 6th instant,

Thirteen cases of scarlatina were admitted to hospital, being 6 over the admissions for each of the two weeks preceding, but one under the number for the week ended the 23rd ultimo: 24 patients were discharged during the week; one died; and 69* remained under treatment on Saturday last, being 12 under the number in hospital on Saturday the 6th instant.

The decline in the number of cases of enteric fever admitted to hospital, noted in the returns for each of the two weeks preceding, has not continued, 12 cases having been admitted last week, being 3 over the admissions for the week ended the 6th instant, and equal to the number for the week ended the 30th ultimo: 27 patients were discharged during the week; 2 died; and 82 remained under treatment on Saturday last, being 17 under the number in hospital at the close of the preceding week.

The hospital admissions for the week include, also, 4 cases of diphtheria; 42 cases of the disease remained under treatment in hospital on Saturday last.

During last week, as in the week preceding, 110 deaths from diseases of the respiratory system were registered: the number is 40 in excess of the average for the second week of the last ten years. The 110 deaths for last week comprise 80 from bronchitis and 28 from pneumonia or inflammation of the lungs.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals, during the week ended Saturday, 13th January, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th January.			
	Dec. 23.	Dec. 30.	Jan. 6.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	110	92	70	7	17	2	58
Scarlet Fever,	92	90	81	13	24	1	69*
Typhus ,,	.	.	.	.	.	.	.
Diphtheria,	39	41	39	4	.	1	42
Enteric Fever,	102	102	99	12	27	2	82
Pneumonia,	17	18	23	10	7	4	22

The deaths of 5 children under 5 years of age (including 4 infants under one year old) were ascribed to convulsions.

Three deaths were caused by apoplexy, 13 by other diseases of the brain and nervous system (exclusive of convulsions), and 20 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 27 deaths, mesenteric disease 5, cular meningitis 10, and cancer 8.

Five accidental deaths were registered.

* Exclusive of 23 patients in "Bencavin," the Convalescent Home of Cork-street Fever Hospital.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 infants under one year old and the deaths of 4 persons aged 60 years and upwards.

Eighty-five of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 10 were under one month old) and 108 were aged 60 years and upwards, including 59 persons aged 70 and upwards, of whom 22 were octogenarians, and one (a woman) was stated to have been aged 92 years.

One hundred and ten of the deaths registered during the week occurred in hospitals and other public institutions; of this number 36 took place in the North Dublin Union Workhouse and 23 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 47·0 per 1,000; the rate in the city was 51·9 (53·5 on the North side, and 50·5 on the South), and in the Suburbs 35·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 4·0 per 1,000 inhabitants, the rate for the city being 3·6 (3·1 in the North City Districts, and 4·1 in the South), and for the Suburbs 5·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (24) are equal to an annual rate of 46·1 per 1,000. Among them are 4 from zymotic diseases, viz.:—one from measles and 3 from influenza. Seven deaths were caused by bronchitis, 2 by diseases of the circulatory system, and 3 by phthisis.

No. 1 North City District, West (Summer-hill).—The deaths (34) are equal to an annual rate of 50·9 per 1,000. They comprise 5 from zymotic diseases, including one from influenza and 3 from diarrhœa. Bronchitis caused 10 deaths, pneumonia 3, diseases of the circulatory system 2, and phthisis 2.

No. 2 North City District (Lisburn-street).—The deaths (28) are equivalent to an annual rate of 50·6 per 1,000. Among them are 7 from bronchitis, 4 from pneumonia, 2 from phthisis, and 6 from tubercular meningitis. No deaths from any zymotic disease were recorded.

No. 3 North City District (Blackhall-place).—The deaths (34) represent an annual rate of 68·0 per 1,000. They comprise 3 from zymotic diseases, viz.:—2 from measles and one from enteric fever. Bronchitis caused 7 deaths, pneumonia 4, phthisis 5, tubercular meningitis 2, and diseases of the brain and nervous system 3.

No. 1 South City District (South Earl-street).—The deaths (42) represent an annual rate of 66·0 per 1,000. Four were from zymotic diseases, viz.:—one from measles, 2 from influenza, and one from whooping-cough. The 38 deaths from other causes comprise 11 from bronchitis, 4 from pneumonia, 4 from diseases of the circulatory system, 4 from phthisis, 2 from mesenteric disease, and 4 from diseases of the brain and nervous system.

No. 2 South City District (Castle-street).—The deaths (19) are equal to an annual rate of 53·4 per 1,000. Among them are 4 from zymotic diseases, including one from scarlatina, one from influenza, and one from enteric fever. Nine deaths were caused by bronchitis.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 34·7 per 1,000. Measles caused 2 deaths, but no deaths from any other zymotic disease were recorded. The 25 deaths from other causes comprise 7 from bronchitis, 4 from diseases of the circulatory system, and 3 from tuberculosis.

No. 4 South City District (Grand Canal-street).—The deaths (36) are equivalent to an annual rate of 52·4 per 1,000. They comprise 7 from zymotic diseases, viz.:—one from measles, 3 from influenza, one from diphtheria, and 2 from enteric fever. Eight deaths were caused by bronchitis, 2 by diseases of circulatory system, 7 by phthisis, and 3 by diseases of the brain and nervous system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 14·6; Finglas and Glasnevin, part of, 36·9; Palmerston, part of, and Crumlin, part of, 28·7; Rathmines 43·1; Donnybrook, 29·6; Blackrock, 43·4; and Kingstown, 45·0. The deaths from zymotic diseases tabulated for these districts consist of one from influenza for Clontarf and Howth, No. 1; one from influenza and one from cerebro-spinal meningitis for Finglas and Glasnevin, part of; one from measles for Palmerston, part of; one for measles and 3 from influenza for Rathmines; 3 from measles and 2 from influenza for Donnybrook; one from measles, one from influenza, and one from diphtheria for Blackrock; and 3 from measles and 2 from influenza for Kingstown. Among the 23 deaths from all causes tabulated for Rathmines, are 4 from bronchitis, 3 from pneumonia, and 2 from diseases of the circulatory system; the 14 deaths for Donnybrook comprise 2 from bronchitis and 4 from pneumonia; 3 of the 7 deaths for Blackrock were from diseases of the respiratory system; and the 15 deaths for Kingstown comprise 3 from diseases of the respiratory system, 2 from diseases of the circulatory system, and 2 from cancer.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 2nd Week of the 10 years 1890–99.	In the week ending Saturday, 13th January, 1900. Deaths of persons of the Ages of							
	Jan. 11, 1890.	Jan. 17, 1891.	Jan. 16, 1892.	Jan. 14, 1893.	Jan. 13, 1894.	Jan. 12, 1895.	Jan. 11, 1896.	Jan. 16, 1897.	Jan. 15, 1898.	Jan. 14, 1899.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	47·0°	38·4°	32·4°	37·6°	43·0°	31·0°	38·8°	35·9°	43·4°	41·8°	39·0°	42·2°								
ALL CAUSES,	299	251	294	232	285	208	190	238	213	182	238·7	331	10	24	51	16	38	84	85	23
I. FEBRILE OR ZYMOTIC DISEASES,	29	14	49	21	37	27	16	37	22	16	28·8	55	.	4	19	4	5	10	10	3
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	4	.	1	.	1	.	.	.	4	1	1·1	2	.	.	.	.	1	1	.	.
IV. CONSTITUTIONAL "	63	32	48	59	50	35	40	41	49	39	45·6	57	1	2	11	7	13	17	6	.
V. DEVELOPMENTAL "	14	26	25	25	30	14	17	9	20	17	19·7	31	2	.		.	.	.	15	14
VI. LOCAL "	176	162	154	116	143	119	100	110	103	100	128·3	172	5	17	20	5	17	53	49	6
VII. VIOLENT DEATHS,	3	5	9	5	7	8	9	8	8	7	5·4	5	.	.	.	.	1	1	3	.
VIII. ILL-DEFINED CAUSES,	10	12	8	6	17	10	8	12	12	2	9·7	9	2	1	1	.	1	2	2	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	5	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	6	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	7	.	.	1	7	.	1	9	.	.	2·5	18	.	3	15	.	.	.	.	.
Scarlet Fever,	2	.	.	.	.	2	.	5	3	1	1·3	1	.	.	.	1	.	.	.	.
Typhus,	.	.	.	.	1	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	4	.	29	1	7	1	5	5	9	5	6·6	20	.	.	.	.	1	8	9	2
Whooping Cough,	6	2	5	3	6	2	1	27	2	3	5·7	1	.	.	1	.	.	.	.	.
Diphtheria,	.	2	.	3	.	.	.	.	4	2	1·1	3	.	.	.	1	2	.	.	.
Simple continued and Ill-defined Fever,	1	.	.	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	4	2	7	2	2	2	2	2	1	2·7	5	.	.	1	1	2	1	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	1	3	1	4	1	3	2	1	3	2·0	3	.	1	2	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	2	.	2	.	1	.	1	.	·7	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	1	.	2	2	1	.	.	·6	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	.	.	1	2	1	2	.	.	.	1	·7	2	.	.	.	.	.	.	1	1
Puerperal Fever,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	5	4	7	1	6	2	1	4	.	.	3·0	1	.	.	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	4	.	1	.	1	.	.	.	4	1	1·1	2	.	.	.	.	1	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	1	1	.	1	.	.	.	3	·6	1	.	.	.	.	1	.	.	.
Rheumatism,	.	1	1	2	1	1	1	1	1	1	1·0	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Cancer,	8	5	10	2	7	2	3	3	7	5	4·7	8	.	.	.	.	1	4	3	.
Tabes Mesenterica,	4	4	5	3	4	1	6	4	3	3	3·7	5	1	1	2	1	.	.	.	.
Tubercular Meningitis	2	1	1	3	.	2	2	4	7	6	2·8	10	.	1	7	2	.	.	.	.
Phthisis,	47	20	24	40	34	22	24	23	26	18	27·8	27	.	.	.	3	10	12	2	.
Scrofula, Tuberculosis,	5	1	4	7	2	4	2	3	5	2	3·5	5	.	.	2	1	1	1	.	.
Other Constitutional Diseases,	2	.	1	1	2	1	1	3	.	1	1·2	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	2	2	8	6	2	1	1	.	3	3	2·8	2	2	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	13	24	17	19	28	13	16	8	16	13	16·6	29	.	.	.	.	.	.	15	14

each Disease registered in the SECOND WEEK ending Saturday, 13th January, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 2nd Week of the 10 years 1890-99.	In the Week ending Saturday, 13th January, 1900. Deaths of Persons of the Ages of								
	Jan. 11, 1890	Jan. 17, 1891	Jan. 16, 1892	Jan. 14, 1893	Jan. 13, 1894	Jan. 12, 1895	Jan. 11, 1896	Jan. 16, 1897	Jan. 15, 1898	Jan. 14, 1899		ALL AGES. Mean Temp.	0 to 5: Under 1 month.	0 to 5: 1 month and under 1 year.	0 to 5: 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	47·0	38·4	32·4	37·6	43·0	31·0	33·8	35·2	48·4	42·8	39·0	42·2								
VI. Local Diseases.																				
Apoplexy,	3	.	1	3	3	2	6	4	3	4	2·9	3	.	.	.	.	.	2	1	.
Epilepsy,	1	3	2	1	1	.	.	2	.	.	1·0	.	.	.	.	.	.	.	.	.
Convulsions,	10	16	15	13	6	11	6	10	11	11	10·9	5	1	3	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	12	16	9	13	12	9	15	9	8	6	10·4	13	.	.	.	.	2	4	6	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	21	9	18	21	22	19	17	10	19	14	17·0	20	1	.	.	.	2	12	5	.
Croup,	1	3	.	.	.	1	.	2	.	2	·9	.	.	.	.	.	.	.	.	.
Bronchitis,	66	64	77	33	56	38	29	30	28	32	45·3	80	2	8	13	.	3	20	30	4
Pneumonia	29	30	13	8	18	14	10	18	24	13	17·7	28	.	4	5	4	7	7	1	.
Pleurisy,	.	.	1	2	.	1	.	.	.	1	·5	1	.	.	1	.	.	.	.	.
Other Diseases of Respiratory System,	16	5	4	10	7	3	1	2	2	2	5·2	1	.	1	.	.	.	.	.	.
Teething,	1	.	1	.	1	1	1	2	.	2	·9	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	1	.	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	1	.	.	.	2	.	2	.	·6	2	.	1	.	.	.	1	.	.
Peritonitis	.	.	.	1	3	.	2	1	.	.	·7	1	.	.	.	1	.	.	.	.
Disease of Liver,	4	2	1	2	5	1	3	4	2	3	2·7	6	1	.	.	.	1	3	1	.
Other Diseases of Digestive System,	6	3	3	2	4	4	3	10	2	5	4·2	3	.	.	.	.	.	2	.	1
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	9	5	2	4	8	4	3	4	4	4·6	7	.	.	.	.	1	2	4	.
Diseases of Generative System,	.	.	.	1	.	.	.	1	1	.	·3	1	.	.	.	.	1	.	.	.
Accidents of Childbirth,	.	.	1	1	.	3	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	.	1	2	1	1	.	1	1	.	·8	1	.	.	.	.	.	.	1	.
Diseases of Integumentary System,	1	1	1	1	.	2	1	.	.	.	·7	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	3	3	2	1	3	3	1	1	1	1	5·0	.	.	.	.	.	.	.	.	.
By Drowning,		.	1	.	2	.	4	.	.	.		1	.	.	.	.	.	.	1	.
By Suffocation in Bed,		.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	1	1	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		2	3	4	1	.	2	.	1	5		4	.	.	.	.	1	1	2	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	2	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	10	12	8	6	17	10	8	12	12	2	9·7	9	2	1	1	.	1	2	2	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1899-1900—Week ending																										
	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.
No. of weeks in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
Births registered,	182	200	194	205	184	212	194	198	236	211	237	190	198	188	180	225	172	241	193	154	206	167	138	247	187	209
Average Births in corresponding week of previous 10 years,	184	183	193	197	201	183	196	181	207	202	198	178	166	179	170	172	175	185	181	184	181	184	154	168	188	199
Deaths registered,	147	191	223	214	234	207	205	251	235	200	223	196	225	250	244	216	249	248	220	259	258	256	285	280	337	331
Annual Death-rate per 1,000,	21·9	28·5	33·3	31·9	34·9	30·9	30·6	37·4	35·1	29·8	33·3	29·2	33·6	37·3	36·4	34·2	37·1	37·0	32·8	33·6	38·5	38·2	42·5	41·8	50·3	49·4
Average Deaths in corresponding week of previous 10 years,	155	160	151	155	150	158	161	158	158	161	159	149	157	152	163	178	166	174	177	183	177	184	184	207	211	239
Ages, Under 5 years,	57	85	112	108	106	102	110	111	120	94	110	93	114	107	95	111	118	123	98	93	103	84	87	86	81	85
5—20 „	8	13	16	15	9	12	14	17	24	12	18	13	26	18	23	22	11	27	16	12	17	23	22	13	15	16
20—40 „	28	23	24	25	33	26	25	34	34	24	36	29	23	29	32	14	36	27	28	35	35	35	46	32	49	38
40—60 „	22	30	33	24	46	29	30	47	25	34	26	27	32	38	39	29	36	32	33	51	51	61	55	57	73	34
60—80 „	29	36	34	36	33	32	23	34	26	26	32	29	24	53	45	32	37	28	36	53	44	44	63	74	94	85
80 years and upwards,		4	4	6	7	6	3	8	6	10	1	5	6	5	10	8	11	11	9	14	8	9	12	18	25	23
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	4	13	18	9	10	18	14	17	23	23	28	32	41	52	44	38	39	51	38	29	30	23	24	15	10	18
„ Scarlet Fever,	2	3	.	.	.	2	.	2	1	2	.	.	2	1	1	.	1	2	1	2	1	1	1	1	.	1
„ Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	2	3	4	3	7	1	3	2	1	1	2	2	.	1	.	2	1	2	.	1	1	3	2	3	1	1
„ Diphtheria,	2	.	.	2	1	.	1	1	1	.	1	.	1	3	2	3	3	3	2	2	3	2	3	1	.	3
„ Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Enteric Fever,	1	1	3	4	1	6	4	7	9	5	11	4	7	4	6	2	5	9	4	6	2	2	3	2	5	5
„ Diarrhœa, Dysentery,	10	19	40	43	43	39	36	42	45	20	27	16	14	4	9	6	6	5	3	4	4	3	5	1	2	3
„ Phthisis,	17	16	24	24	26	19	22	31	29	18	23	20	22	26	29	15	21	17	20	35	27	36	30	28	40	27
„ Heart Diseases,	9	17	18	15	13	10	13	6	12	7	11	14	10	23	13	9	18	13	17	17	15	26	15	21	24	20
„ Diseases of Respiratory System,	30	24	18	19	29	24	13	31	21	24	30	31	29	39	40	53	57	50	51	66	70	66	73	98	110	110
Violent Deaths,	3	4	3	3	5	8	6	6	5	4	5	4	3	5	8	4	6	6	7	4	6	6	3	7	4	5
Mean Temperature of the Air (Phœnix Park),	61·9	60·0	62·1	57·6	61·0	61·7	59·1	59·1	57·4	52·4	47·5	46·1	48·0	49·5	48·9	50·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2
Average Mean Temperature in corresponding week of previous 10 years,	58·0	57·9	59·0	58·4	58·8	56·9	55·7	56·4	56·6	53·6	52·7	51·1	48·4	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·0
Rainfall in inches,	·820	·185	1·645	·035	·195	·095	1·295	·150	·455	·575	1·470	·360	·855	·470	·825	1·085	·710	·050	·030	·240	·455	·200	·855	2·055	·715	·535
Mean Humidity of the Air, complete Saturation 1·0,	·89	·81	·89	·89	·86	·84	·86	·82	·88	·78	·86	·85	·86	·88	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 13th January, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.*				SOUTH CITY.†				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	Districts.				Districts.													
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	282	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	2	1	.	2	1	.	.	.	1	1	3	1	3	16	2
Scarlet Fever (Scarlatina),	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	2	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	1	.	2	.	.	.	.	.	.	.	.	4	1
Diarrhœa, Dysentery,	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Other Zymotic Diseases	3	2	.	.	2	3	.	3	1	.	2	.	3	2	1	2	23	1
Total,	4	5	.	3	4	4	2	7	1	.	2	1	4	5	3	5	50	5
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	3	2	2	5	4	1	1	7	.	.	.	.	1	.	.	.	26	1
Other Constitutional Diseases,	2	1	7	3	3	.	3	3	1	1	.	.	1	1	1	2	29	1
Total,	5	3	9	8	7	1	4	10	1	1	.	.	2	1	1	2	55	2
V. DEVELOPMENTAL DISEASES,	2	6	4	5	3	1	3	1	.	.	.	1	3	.	.	1	30	1
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	2	1	2	3	4	1	2	3	.	1	.	.	.	1	.	.	20	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	2	2	.	1	4	.	4	2	.	.	.	.	2	.	.	2	19	1
Diseases of Respiratory System,	7	13	11	12	15	10	8	9	.	1	1	1	7	6	3	3	107	3
Diseases of Digestive System,	.	1	1	1	1	1	3	.	.	.	.	.	2	.	.	2	12	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	.	.	1	.	.	2	.	.	.	1	2	.	.	.	7	.
Diseases of Generative System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	11	19	14	17	25	12	17	17	.	2	1	2	13	7	3	7	167	5
VII. VIOLENT DEATHS,	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	2	3
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	2	1	1	.	2	1	1	.	.	.	.	.	1	.	.	.	9	.
Deaths from all Causes,	24	34	28	34	42	19	27	36	2	3	3	4	23	14	7	15	315	16
Annual Rate of Mortality in every 1,000 of the population.	46·1	50·9	50·6	68·0	66·0	53·4	34·7	52·4	25·2	14·6	36·9	28·7	43·1	29·6	43·4	45·0		
	53·5				50·5				35·4									
	51·9																47·0	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	3	4	7	1	2	4	9	.	.	.	.	1	1	1	2	35	16
Workhouse Hospitals,	10	6	10	10	11	4	6	2	.	.	.	.	.	.	.	.	59	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 88, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St. Jude.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th January, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 13th January, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	49·4	331	85	16	38	81	85	28	.	18	1	.	1	3	.	5	3	31	27	5	110	5	153
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	50·1	15	1	.	.	3	5	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	13
II.	MIDDLE CLASS,	81,469	30·1	47	5	.	6	16	17	3	.	1	.	.	.	.	.	.	.	1	5	.	15	1	25
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	37·7	72	19	6	7	18	17	5	.	3	.	.	.	2	.	.	.	5	6	1	26	.	34
IV.	GENERAL SERVICE CLASS,	147,978	67·1	138	59	9	17	26	23	4	.	14	1	.	1	1	.	5	3	25	9	4	51	3	46
V.	INMATES OF WORKHOUSES,	5,191		59	1	1	8	21	23	5	.	.	.	.	.	.	.	.	.	.	7	.	16	1	35
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	65·1	10	1	.	.	3	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	9
	2. Merchants and Manufacturers, Higher Class,	1,857	28·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,733	36·3	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	34·0	17	4	.	2	6	5	.	.	.	.	.	.	.	.	.	.	.	3	.	4	.	10
	6. Clerks and Commercial Assistants,	25,001	18·7	9	.	.	2	5	2	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	40·2	19	1	.	2	5	8	3	.	1	.	.	.	.	.	.	.	1	1	.	7	1	9
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	56·0	8	4	3	.	1	.	.	.	2	.	.	.	1	.	.	.	3	1	.	1	.	3
	9. Building and Furnishing Trades,	26,294	25·7	13	3	.	1	6	1	2	.	.	.	.	.	.	.	.	.	.	2	.	4	.	7
	10. Clothing Trades,	28,927	15·2	7	2	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	5
	11. Food Supply Trades,	7,949	45·8	7	3	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	60·0	31	6	.	4	7	11	3	.	1	.	.	.	1	.	.	.	2	2	.	13	.	14
	13. Petty Shopkeepers,	6,889	45·6	6	1	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	45·5	12	5	2	2	1	1	1	.	.	.	.	.	.	.	.	1	1	1	.	6	.	4
	15. Domestic Servants,	39,967	22·1	17	.	.	3	6	6	2	.	.	.	.	.	1	.	3	.	4	.	.	4	1	8
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	72·2	15	7	1	4	1	2	.	.	.	.	.	.	.	.	.	1	1	3	1	9	.	1
	17. Hawkers, Porters, Labourers, &c.,	83,472	58·7	94	47	6	8	18	14	1	.	14	1	.	1	.	.	2	1	19	5	3	32	2	33
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	59	1	1	8	21	23	5	.	.	.	.	.	.	.	.	.	.	7	.	16	1	35

TABLE VI.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 13th January, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 13th January, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 13th Jan., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th Jan., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th Dec., 1899. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·3	32·5	38·2	2·8	668	779	104	267	.	22	2	1	4	2	.	8	8	64	268	5	22	202	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																				
Total,‡	349,594	14·2	31·2	47·0	4·0	209	315	84	104	.	16	1	.	1	2	.	4	3	26	107	2	5	91	50·2	31·9	42·2	0·54	49·8	27·6	38·8	0·72	46·2	20·7	35·9	2·05
City	245,001	65·6	36·6	51·9	3·6	172	214	25	78	.	7	1	.	1	1	.	4	3	25	85	1	4	89	51·1	34·1	44·2	0·44	49·7	32·0	40·7	0·80	46·7	25·5	38·0	1·45
Registrars' Districts. Clontarf &c. No. 1,	4,188	1·5	.	25·2	.	.	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	9·7	14·6	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	24·6	36·9	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	51·9	30·2	42·3	0·57	48·7	30·0	39·4	0·80	50·9	22·0	36·4	1·74
Palmerston, part of and Crumlin part of (b),	7,278	8·0	43·0	25·7	7·2	6	4	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	11·8	48·1	1·9	6	23	2	10	.	1	.	.	.	.	.	.	.	1	7	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	23·3	29·6	6·4	11	14	4	5	.	3	.	.	.	.	.	.	.	.	6	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	18·6	43·4	12·4	3	7	1	3	.	1	.	.	.	1	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	21·0	45·0	9·0	7	15	1	8	.	3	.	.	.	.	.	.	.	.	3	.	.	2	51	39	44·7	.	.	.	.	.	.	.	.	.	.
Urban Districts.																																				
Belfast,	359,000	21·8	38·2	30·5	2·0	268	210	40	59	.	4	.	.	2	.	.	4	4	21	86	2	9	42	51·0	28·0	40·2	0·37	45·9	27·0	39·1	1·69	47·0	20·0	34·7	1·45
Cork,	75,845	38·8	27·0	58·1	0·7	39	84	10	34	.	1	.	.	.	.	.	.	.	7	31	.	1	31	52	36	46·4	0·20	50	33	42·5	2·46	49	30	41·8	2·99
Limerick,	37,155	17·9	28·9	23·9	.	17	17	1	9	.	.	.	.	.	.	.	.	.	.	3	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·8	28·3	26·7	.	18	17	1	8	.	.	.	.	.	.	.	.	.	.	6	1	3	1	50·6	33·0	42·2	0·71	45·3	30·3	38·4	1·09	42·6	21·0	33·6	1·59
Waterford,	26,208	18·8	19·9	28·9	2·0	10	12	2	5	.	.	1	.	.	.	.	.	.	2	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	22·7	49·1	.	6	13	.	8	.	.	.	.	.	.	.	.	.	1	4	.	.	6	50	32	43	1·10	55	27	37·0	1·26	49	25	37·0	0·08
Drogheda	13,708	8·7	41·8	38·0	.	11	10	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	40·2	16·1	4·0	10	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	51·7	31·7	41·8	0·39	45·8	25·6	37·8	1·18	43·8	23·3	33·7	0·95
Dundalk,	12,449	9·0	29·3	29·3	.	7	7	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	17·0	76·6	.	4	18	4	6	.	.	.	.	.	.	.	.	.	1	11	.	.	1	51·7	31·7	41·8	0·39	45·8	25·6	37·8	1·18	43·8	23·3	33·7	0·95
Wexford,	11,545	24·0	31·6	45·2	.	7	10	1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	27·4	50·2	4·6	6	11	3	3	.	.	.	.	1	.	.	.	.	2	5	.	.	.	51·7	31·7	41·8	0·39	45·8	25·6	37·8	1·18	43·8	23·3	33·7	0·95
Kilkenny,	11,048	12·0	14·2	37·8	.	3	8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	50	30	41·1	0·55	49	26	39·1	2·84	47	22	35·1	1·39
Clonmel,	10,708	8·2	19·5	39·0	.	4	8	.	5	.	.	.	.	.	.	.	.	.	2	3	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	25·4	35·5	5·1	5	7	1	5	.	.	.	1	.	.	.	.	.	.	1	.	.	.	52·8	30·7	42·4	0·87	46·2	24·9	37·2	1·58	45·8	19·4	34·6	2·05
Tralee,	9,818	15·9	56·0	39·2	.	10	7	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·8	22·5	28·2	.	4	5	1	2	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	22·7	5·7	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	48	33	40·5	0·56	47	33	41·3	1·45	46	28	37·3	1·75
Queenstown,	9,082	17·0	40·2	34·4	.	7	6	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	52	36	46·4	0·20	50	33	42·5	2·46	49	30	41·8	2·99
Carrickfergus,	8,928	0·5	22·2	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,430	11·0	61·9	30·9	6·2	10	5	.	2	.	1	.	.	.	.	.	.	.	.	3	.	.	.	51·7	31·7	41·8	0·39	45·8	25·6	37·8	1·18	43·8	23·3	33·7	0·95
Armagh,	7,187	21·4	28·5	28·5	.	4	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	51·7	31·7	41·8	0·39	45·8	25·6	37·8	1·18	43·8	23·3	33·7	0·95

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 16 deaths of persons (including 4 aged 60 years or upwards) admitted to hospital from localities outside the district.

‖ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1899-1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. (in 1891) 27,147.	Nov. 25,	26·9	7·7	14	.	3	.	.	.	.	.	1	.	2	2	1
		Dec. 2,	23·0	5·8	12	.	2	.	.	.	.	.	.	1	1	8	.
		„ 9	23·0	3·8	12	.	1	.	.	.	.	.	.	1	5	2	.
		„ 16,	34·6	1·9	18	.	.	.	.	1	.	.	.	.	4	6	1
		„ 23,	23·0	3·8	12	.	.	.	.	1	.	.	.	1	.	3	1
		„ 30,	36·5	.	19	.	.	.	.	.	.	.	.	.	3	8	2
		Jan. 6,	34·6	1·9	18	.	.	.	.	.	.	.	1	.	2	10	.
		„ 13,	46·1	1·9	24	.	1	.	.	.	.	.	.	.	3	7	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	Nov. 25,	40·4	1·5	27	.	.	.	.	.	.	.	.	1	3	6	3
		Dec. 2,	32·9	1·5	22	.	.	.	.	.	.	.	1	.	5	8	.
		„ 9,	31·4	3·0	23	.	1	.	.	.	1	.	.	.	.	9	1
		„ 16,	52·4	6·0	35	.	2	.	.	1	.	.	1	.	3	12	.
		„ 23,	44·9	3·0	30	.	.	.	.	.	.	.	.	2	2	9	.
		„ 30,	38·9	3·0	26	.	1	.	.	1	.	.	.	.	4	9	1
		Jan. 6,	62·9	3·0	42	.	.	.	.	.	.	.	1	1	5	18	.
		„ 13,	50·9	4·5	34	.	.	.	.	.	.	.	.	3	2	13	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Nov. 25,	45·2	10·8	25	.	4	.	.	.	1	.	.	1	2	3	.
		Dec. 2,	48·8	5·4	27	.	1	.	.	.	.	.	2	.	3	11	.
		„ 9,	41·5	3·6	23	.	.	.	.	.	1	.	.	1	2	5	1
		„ 16,	41·5	9·0	23	.	2	.	.	.	2	.	.	1	4	7	.
		„ 23,	56·0	1·8	31	.	.	.	.	.	1	.	.	.	5	9	.
		„ 30,	47·0	3·6	26	.	1	.	.	.	.	.	1	.	3	9	.
		Jan. 6,	59·6	1·8	33	.	1	.	.	.	.	.	.	.	7	9	.
		„ 13,	50·6	.	28	.	.	.	.	.	.	.	.	.	2	11	.
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Nov. 25,	38·0	6·0	19	.	3	.	.	.	.	.	.	.	2	8	.
		Dec. 2,	56·0	6·0	28	.	5	.	.	.	.	.	.	.	5	7	2
		„ 9,	40·0	4·0	20	.	2	.	.	.	.	.	.	.	1	6	1
		„ 16,	42·0	6·0	21	.	3	.	.	.	.	.	.	.	4	6	1
		„ 23,	30·0	6·0	15	.	3	.	.	.	.	.	.	.	2	6	.
		„ 30,	58·0	4·0	29	.	1	.	.	.	.	.	1	.	2	6	1
		Jan. 6,	66·0	4·0	33	.	1	.	.	1	.	.	.	.	4	10	.
		„ 13,	68·0	6·0	34	.	2	.	.	.	.	.	1	.	5	12	.
	South City, No. 1. (Office, South Earl-street. Pop. (in 1891) 33,194.	Nov. 25,	36·1	9·4	23	.	5	.	.	.	.	.	1	.	2	6	1
		Dec. 2,	33·0	12·6	21	.	4	2	.	1	.	.	1	.	2	3	.
		„ 9,	39·3	3·1	25	.	2	.	.	.	.	.	.	.	2	10	.
		„ 16,	55·0	4·7	35	.	3	.	.	.	.	.	.	.	6	9	3
		„ 23,	62·8	4·7	40	.	2	.	.	.	.	.	.	1	2	11	1
		„ 30,	55·0	.	35	.	.	.	.	.	.	.	.	.	3	15	.
		Jan. 6,	61·8	1·6	39	.	1	.	.	.	.	.	.	.	8	11	1
		„ 13,	66·0	3·1	42	.	1	.	.	1	.	.	.	.	4	15	1
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Nov. 25,	28·1	11·2	10	.	3	.	.	.	.	.	.	1	.	5	.
		Dec. 2,	64·7	16·9	23	.	4	.	.	.	.	.	1	1	3	4	.
		„ 9,	70·3	19·7	25	.	5	.	.	.	1	.	.	1	3	6	1
		„ 16,	30·9	5·6	11	.	1	.	.	.	.	.	1	.	3	4	.
		„ 23,	39·4	8·4	14	.	.	1	.	.	1	.	1	.	1	4	.
		„ 30,	73·1	2·8	26	.	1	.	.	.	.	.	.	.	.	17	.
		Jan. 6,	42·2	.	15	.	.	.	.	.	.	.	.	.	.	9	.
		„ 13,	53·4	5·6	19	.	.	1	.	.	.	.	1	.	1	10	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Nov. 25,	36·0	5·1	28	.	4	.	.	.	.	.	.	.	2	6	1
		Dec. 2,	33·4	6·4	26	.	3	.	.	.	1	.	.	1	6	5	.
		„ 9,	52·7	3·9	41	.	2	.	.	1	.	.	.	.	3	14	1
		„ 16,	28·3	.	22	.	.	.	.	.	.	.	.	1	3	6	.
		„ 23,	36·0	3·9	28	.	2	.	.	.	.	.	.	1	3	7	.
		„ 30,	37·3	3·9	29	.	1	.	.	.	1	.	.	1	5	9	.
		Jan. 6,	45·0	1·3	35	.	1	.	.	.	.	.	.	.	6	15	1
		„ 13,	34·7	2·6	27	.	2	.	.	.	.	.	.	.	1	8	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	Nov. 25,	36·4	14·6	25	.	9	.	.	.	.	.	1	.	.	7	1
		Dec. 2,	43·7	13·1	30	.	7	.	.	.	1	.	1	.	4	8	.
		„ 9,	43·7	14·6	30	.	8	1	.	.	.	.	.	1	4	7	.
		„ 16,	46·6	8·7	32	.	5	.	.	1	.	.	.	.	5	7	1
		„ 23,	43·7	5·8	30	.	1	.	.	1	1	.	1	.	5	6	1
		„ 30,	32·0	2·9	23	.	2	.	.	.	.	.	.	.	1	8	.
		Jan. 6,	37·9	.	26	.	.	.	.	.	.	.	.	.	2	6	.
		„ 13,	52·4	5·8	36	.	1	.	.	.	1	.	2	.	7	9	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1899-1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Nov. 25,	30·0	1·9	16	.	1	.	.	.	.	.	.	.	1	4	.
	Dec. 2,	30·0	1·9	16	.	1	.	.	.	.	.	.	.	1	4	.
	„ 9,	13·1	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 16,	31·9	1·9	17	.	.	.	.	.	.	.	.	1	2	3	.
	„ 23,	41·3	1·9	22	.	1	.	.	.	.	.	.	.	3	8	.
	„ 30,	31·9	1·9	17	.	1	.	.	.	.	.	.	.	4	5	.
	Jan. 6,	35·6	1·9	19	.	.	.	.	.	.	.	1	.	2	4	.
	„ 13,	43·1	1·9	23	.	1	.	.	.	.	.	.	.	1	7	.
Donnybrook. Pop. (in 1891) 24,629.	Nov. 25,	14·8	4·2	7	.	2	.	.	.	.	.	.	.	.	1	.
	Dec. 2,	36·0	4·2	17	.	2	.	.	.	.	.	.	.	2	5	1
	„ 9,	29·6	6·4	14	.	3	.	.	.	.	.	.	.	3	3	1
	„ 16,	36·0	8·5	17	.	4	.	.	.	.	.	.	.	2	2	.
	„ 23,	50·8	21·2	24	.	9	.	.	.	.	.	1	.	.	6	.
	„ 30,	44·5	9·1	21	.	1	.	.	.	.	.	.	.	2	5	1
	Jan. 6,	57·2	10·6	27	.	3	.	.	.	.	.	1	1	1	4	1
	„ 13,	29·6	6·4	14	.	3	.	.	.	.	.	.	.	.	6	1
Kingstown. Pop. (in 1891) 17,836.	Nov. 25,	27·0	9·0	9	.	2	.	.	.	.	.	1	.	1	1	.
	Dec. 2,	33·0	6·0	11	.	1	.	.	.	.	.	.	1	1	1	1
	„ 9,	30·0	9·0	10	.	3	.	.	.	.	.	.	.	1	2	.
	„ 16,	24·0	6·0	8	.	1	.	.	.	.	.	.	1	.	2	.
	„ 23,	36·0	6·0	12	.	2	.	.	.	.	.	.	.	2	1	.
	„ 30,	27·0	12·0	9	.	3	.	.	1	.	.	.	.	.	3	.
	Jan. 6,	24·0	3·0	8	.	1	.	.	.	.	.	.	.	.	2	.
	„ 13,	45·0	9·0	15	.	3	.	.	.	.	.	.	.	.	3	.
Belfast. Pop. in 1900 (Est.) 359,000.	Nov. 25,	20·4	1·9	137	.	2	.	.	4	3	.	4	.	12	35	7
	Dec. 2,	17·6	1·6	118	.	.	.	.	4	2	.	5	.	13	33	4
	„ 9,	16·8	0·4	113	.	1	1	.	.	.	.	1	.	19	37	1
	„ 16,	20·7	1·3	139	.	1	.	.	2	3	.	2	1	22	34	2
	„ 23,	19·7	1·0	132	.	2	1	.	1	2	.	1	.	14	27	6
	„ 30,	28·6	2·1	192	.	1	1	.	6	1	.	4	1	31	64	2
	Jan. 6,	28·8	2·6	198	.	1	.	.	6	2	2	4	3	27	74	5
	„ 13,	30·5	2·0	210	.	4	.	.	2	.	.	4	4	21	86	2
Cork. Pop. (in 1891) 75,345.	Nov. 25,	24·9	1·4	36	.	.	.	.	.	.	.	.	2	7	6	.
	Dec. 2,	23·5	2·1	34	.	1	.	.	.	.	.	1	1	9	6	.
	„ 9,	30·5	4·8	44	.	3	.	.	.	.	.	.	4	5	6	2
	„ 16,	28·4	.	41	.	.	.	.	.	.	.	.	.	13	12	.
	„ 23,	51·2	0·7	74	.	1	.	.	.	.	.	.	.	8	28	.
	„ 30,	56·7	1·4	82	.	.	.	.	.	1	.	.	1	13	25	1
	Jan. 6,	57·4	.	83	.	.	.	.	.	.	.	.	.	8	34	.
	„ 13,	58·1	0·7	84	.	1	.	.	.	.	.	.	.	7	31	.
Limerick. Pop. (in 1891) 37,155.	Nov. 25,	15·4	2·8	11	.	1	.	.	.	.	.	.	1	2	3	.
	Dec. 2,	16·8	.	12	.	.	.	.	.	.	.	.	.	4	2	.
	„ 9,	23·9	1·4	17	.	.	.	.	.	.	.	.	1	5	1	.
	„ 16,	19·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 23,	14·0	.	10	.	.	.	.	.	.	.	.	.	1	5	.
	„ 30,	25·2	.	18	.	.	.	.	.	.	.	.	.	1	9	.
	Jan. 6,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	„ 13,	23·9	.	17	.	.	.	.	.	.	.	.	.	.	3	.
Londonderry Pop. (in 1891) 33,200.	Nov. 25,	22·0	4·7	14	.	3	.	.	.	.	.	.	.	2	2	.
	Dec. 2,	7·9	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	„ 9,	12·6	3·1	8	.	.	.	.	.	1	1	.	.	.	1	.
	„ 16,	34·6	1·6	22	.	.	.	.	.	.	.	1	.	2	7	.
	„ 23,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 30,	23·5	1·6	15	.	.	.	.	.	.	.	.	1	1	1	1
	Jan. 6,	44·0	.	28	.	.	.	.	.	.	.	.	.	3	6	.
	„ 13,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	6	1
Waterford. Pop. (in 1891) 26,200.	Nov. 25,	33·8	8·0	17	.	.	4	.	.	.	.	.	.	1	1	.
	Dec. 2,	15·9	4·0	8	.	.	.	.	1	.	.	.	1	.	.	.
	„ 9,	33·8	4·0	17	.	.	.	.	.	.	.	.	2	.	1	1
	„ 16,	23·9	.	12	.	.	.	.	.	.	.	.	.	2	1	1
	„ 23,	33·8	4·0	17	.	.	1	.	.	.	.	.	1	1	2	.
	„ 30,	31·8	4·0	16	.	.	1	.	.	.	.	1	.	2	6	.
	Jan. 6,	51·7	2·0	26	.	.	.	.	1	.	.	.	.	3	7	.
	„ 13,	23·9	2·0	12	.	.	1	.	.	.	.	.	.	2	1	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 13th January, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 60 years.	Ages at Death: 60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	18	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		12	3	3	3	3	.	.	.	.	.	.	.	.	.	.	6	.	.	3
" 2 "	37,539	38			29	5	.	15	9	.	.	.	.	.	.	.	.	1	2	9	1	1	7
" 3 "	38,845	34			20	2	2	10	6	.	.	.	.	.	.	.	.	.	3	9	.	2	2
" 4 "	33,391	38			37	7	4	13	13	.	.	.	.	1	.	.	.	1	5	12	1	1	12
" 5 "	21,284	12			17	2	2	9	4	.	.	.	.	.	.	.	1	.	3	5	.	1	7
" 6 "	43,431	36			24	6	1	9	8	.	.	.	.	.	.	.	.	2	1	11	.	2	2
" 7 "	1,112	.			4	.	.	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 8 "	4,904	5			3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1
" 9 "	12,866	4			7	2	.	5	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1
" 10 "	12,256	21			12	2	1	7	2	.	.	.	.	.	.	.	1	.	2	6	.	1	1
" 11 "	19,861	23			20	5	6	4	5	.	4	.	.	.	.	.	.	.	.	12	.	.	4
" 12 "	23,282	25			19	4	4	8	3	.	.	.	.	1	.	.	1	.	4	8	.	.	2
" 13 "	6,804	6			5	2	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 14 "	362	3			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Total,	273,079	263			210	40	23	88	59	.	4	.	.	2	.	.	4	4	21	86	2	9	42
City of Cork.																							
CORK, No. 1 DISTRICT, (Portion situated within the City or Urban District of Cork.)	11,927	2	48·1	.	11	1	.	2	8	.	.	.	.	.	.	.	.	.	.	5	.	.	5
" 2 "	9,252	8	62·0	.	11	2	.	4	5	.	.	.	.	.	.	.	.	.	.	5	.	.	3
" 3 "	6,309	2	33·1	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.
" 4 "	3,507	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	10,356	5	60·4	.	12	.	2	7	3	.	.	.	.	.	.	.	.	.	.	3	.	.	3
" 6 "	12,469		92·0	4·2	22	4	3	6	9	.	1	.	.	.	.	.	.	.	4	6	.	1	12
" 7 "	4,491	2	34·8	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 8 "	15,884	13	64·4	.	19	2	1	8	8	.	.	.	.	.	.	.	.	.	3	7	.	.	3
" 9 "	1,650	1	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	75,845		8·1	0·7	84	10	6	34	34	.	1	.	.	.	.	.	.	.	7	31	.	1	31

Boundaries of Registrars' Districts—Belfast and Cork.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre of Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square, Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary, thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

The Registrar's District of Cork, No. 1, is bounded by a line drawn from St. Patrick's bridge, through the centre of Bridge-street, St. Patrick's-hill, Wellington-place, Audley-place, and Old Youghal-road to the suburb boundary, thence along the Western and Northern boundary of Rathmore Townland, the Northern boundary of Clashnaganniff Townland, the Northern and Eastern boundary of Cahergal Townland, and the Eastern boundary of Ballynamought East, Townland, to the centre of the River Lee, thence by the centre of the river to St. Patrick's bridge.

Cork, No. 2, District is bounded by a line drawn from Shandon-street through the centre of Fair-lane and Fair-hill, by the Western boundary of the Townlands of Kerryhall, Knockpoge, Closes, and Commons (St. Anne's, Shandon, Parish), to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the Townland of Cahergal, thence by the Northern boundary of Cahergal and Clashnaganniff Townlands, and by the Northern and Western boundary of Rathmore Townland to the Old Youghal-road; thence through the centre of the Old Youghal-road, Old Chapel-lane, Clarence-street, and Shandon-street, as far as Fair-lane.

Cork, No. 3, District is bounded by a line drawn from Shandon-street through the centre of Fair-lane and Fair-hill, along the Western boundary of the Townlands of Kerryhall, Knockpoge, Closes, and Commons (St. Anne's, Shandon, Parish), to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the Eastern boundary of Killard Townland, thence by the Western and Southern boundary of Killeens Townland, and the Western boundary of Garranabraher and Knocknabohilly Townlands to Blarney-street, thence through the centre of Blarney-street and Shandon-street, as far as Fair-lane.

Cork, No. 4, District is bounded by a line drawn from North Gate-bridge through the centre of Shandon-street and Blarney-street to the Western boundary of Knocknabohilly Townland, thence by the Western boundary of the Townlands of Knocknabohilly and Garranabraher to Killeens Townland, thence by the Southern and Western boundary of Killeens Townland to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the centre of the River Lee, thence through the centre of the river to the "Cascade," on the Western boundary of Gillabbey Townland, thence along the Western and Northern boundary of Gillabbey Townland to the suburb boundary, thence through the centre of the north channel of the river to North Gate-bridge.

Cork, No. 5, District is bounded by a line drawn from North Gate-bridge through the centre of Shannon-street, Clarence-street, Old Chapel-lane, Old Youghal-road, Audley-place, Wellington-place, St. Patrick's-hill, Bridge-street, St. Patrick's-bridge, St. Patrick's-street, Daunt's-square, Castle-street, and North Main-street, to North Gate-bridge.

Cork, No. 6, District is bounded by a line drawn from North Gate-bridge through the centre of the north channel of the River Lee to the suburb boundary, thence along the suburb boundary to Gillabbey Weir, thence through the centre of the south channel to a point in the centre of the river opposite the Custom House, thence through the centre of the north channel, St. Patrick's-bridge, St. Patrick's-street, Daunt's-square, Castle-street, and North Main-street, to North Gate-bridge.

Cork, No. 7, District is bounded by a line drawn from Gillabbey Weir through the centre of the south channel of the River Lee to Fitton-street, thence through the centre of Fitton-street, Bishop-street, Dean-street, Vicar-street, Barrack-street, Green-street, and the Pouladuff-road to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the centre of the river, thence through the centre of the river to the "Cascades," thence by the Western and Northern boundary of Gillabbey Townland to Gillabbey Weir.

Cork, No. 8, District is bounded by a line drawn from Anglesea-bridge through the centre of Anglesea-street, Infirmary-road, Southern-road, and Douglas-road to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the Pouladuff-road, thence through the centre of the Pouladuff road, Green-street, Barrack-street, Vicar-street, Dean-street, Bishop-street, and Fitton-street to the south channel of the River Lee, thence through the centre of the south channel to Anglesea-bridge.

Cork, No. 9, District is bounded by a line drawn from Anglesea-bridge through the centre of Anglesea-street, Infirmary-road, Southern-road, and Douglas-road to the boundary of the Cork Electoral Division at Douglas-bridge thence by the boundary of the Cork Electoral Division through the centre of the Douglas channel round by Blackrock Castle and through the centre of the River Lee to Anglesea-bridge.

Note.—The Statistics given for Cork in Table VIII. are for the City portion of the several Districts only.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.
No. of week in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered,	249	210	265	215	231	199	228	223	239	209	201	263	252	231	218	203	246	202	237	192	189	199	203	175	239	263
DEATHS registered,	149	138	156	165	146	178	162	159	158	153	147	175	150	143	164	131	127	176	137	118	113	139	132	192	198	210
Annual Death-rate per 1,000 of estimated Population,	22·2	20·6	23·2	24·6	21·8	26·5	24·1	23·7	23·5	22·8	21·9	26·1	22·3	21·3	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5
AGES, Under 1 year,	36	46	45	51	42	58	62	64	51	60	47	50	44	25	40	35	30	38	40	28	21	26	19	29	34	40
AGES, 1–5 years,	16	13	24	19	22	27	21	18	21	16	16	20	19	24	21	15	18	25	17	14	10	19	9	25	31	23
AGES, 5–60 years,	77	61	60	73	61	71	61	58	67	59	64	80	60	57	84	60	49	90	57	46	63	73	74	75	93	88
AGES, 60 years and upwards,	20	18	27	22	21	22	18	19	19	18	20	25	27	27	19	21	30	23	23	30	19	21	30	53	40	59
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	4	2	2	3	.	1	1	.	.	1	2	1	1	1	.	.	.	1	2	.	1	1	2	1	1	4
" Scarlet Fever,	.	1	2	.	.	1	.	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.	1	1	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	2	2	3	5	5	5	6	4	2	6	1	4	3	4	2	1	5	1	4	4	.	2	1	6	6	2
" Diphtheria,	.	.	2	1	.	.	.	.	.	2	1	.	.	.	3	.	2	1	3	2	.	3	2	1	2	.
" Simple continued and Ill-defined Fever,	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
" Enteric Fever,	6	5	7	6	8	11	8	8	9	6	9	14	9	8	9	3	6	10	4	5	1	2	1	4	4	4
" Diarrhœa, Dysentery,	11	13	17	15	13	30	33	19	18	19	15	9	4	2	4	.	2	.	.	.	.	1	.	1	3	4
" Phthisis,	18	27	19	28	14	19	25	13	22	13	21	20	15	10	16	17	14	35	12	13	19	29	14	31	27	21
" Diseases of Respiratory System,	19	14	17	13	14	20	12	20	16	22	19	38	32	43	50	43	37	49	35	38	37	34	27	64	74	36
Violent Deaths,	2	2	5	5	6	2	3	2	1	3	4	2	4	3	8	3	1	3	7	4	1	2	6	2	5	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Jan. 13,	2,766	2,930	33·3	.	51	7	49	37	23	9
EDINBURGH,	302,262	„ 13,	148	125	21·5	.	.	.	.	1	1	2
GLASGOW,	743,969	„ 13,	504	334	23·3	.	12	3	3	8	4	7
CALCUTTA,	466,460	Nov. 11,	.	307	34·3	4	1	.	1	.	84‡	47*
BOMBAY,	821,764	Dec. 19,	263	1,323	83·7	40	27	?	?	?	135§	132
MADRAS,	452,518	Nov. 17,	335	355	40·7	.	2	?	?	?	75	66
PARIS,	2,511,629	Jan. 6,	1,173	1,092	22·6	.	9	5	8†	.	9	33
BRUSSELS (with 8 Faubourgs).	561,130	Dec. 30,	260	264	24·4	.	.	1	4†	.	1	11
AMSTERDAM,	523,266	„ 23,	364	226	22·5	.	.	.	.	5	3	.
ROTTERDAM,	319,491	„ 23,	210	150	24·5	.	1	2	2	2	2	.
THE HAGUE,	196,325	„ 23,	103	76	19·8	.	.	.	1	.	.	.
COPENHAGEN,	349,000	Jan. 6,	279	131	19·5	.	.	1	2	2	.	1
CHRISTIANIA,	221,255	„ 6,	187	57	13·4	.	2	.	.	.	.	2
ST. PETERSBURG,	1,132,677	Dec. 30,	405	618	28·4	7	14	19	34	5	15	52
BERLIN,	1,819,095	„ 23,	866	636	18·2	.	8	12	18	13	2	32
HAMBURG,	675,351	„ 30,	.	248	19·1	.	.	1	1†	2	2	4
DRESDEN,	392,300	„ 2,	230	131	17·0	.	2	1	3†	3	.	7
BRESLAU,	406,012	Jan. 6,	.	181	23·2	.	2	.	1	2	.	14
MUNICH,	445,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,623,134	Dec. 16,	819	586	18·7	.	11	3	11†	2	1	34
BUDA-PESTH,	666,722	„ 30,	429	285	22·2	.	6	7	2	.	.	10
PRAGUE and Faubourgs.	380,497	„ 30,	177	192	25·9	.	1	3	4	3	2	5
ROME,	508,779	„ 9.	240	229	23·4	.	6	.	1	.	7	14
TURIN	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	172,288	Dec. 23,	53	81	24·4	.	.	.	5†	.	1	3
NEW YORK,	3,550,053	„ 9,	1,745	1,193	17·5	.	11	6	40	9	20	15
PHILADELPHIA,	1,266,832	„ 16,	.	445	18·3	.	.	2	34	2	3	.

* Including 7 deaths from cholera.
‡ Exclusive of 18 deaths from bubonic fever.
† Including deaths from croup.
§ Exclusive of 248 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., P.R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 13th January, 1900:—

"Changeable, damp, rainy weather prevailed, with westerly winds. Up to Wednesday there was a fair amount of clear sky and bright sunshine was enjoyed for several hours on Sunday, Tuesday and Wednesday—for the rest, clouded skies and dark, dull weather were experienced. On Sunday morning a curious V.-shaped depression was found extending as a trough of low barometer from the Shetlands southwards to the S.W. of France. Connected with this system large quantities of rain had fallen in Great Britain and in Brittany on Saturday night and Sunday morning—the heaviest falls were 1·45 inches at Liverpool and 1·25 inches at Loughborough. The day was fine in Ireland, but at night rain again set in. On Wednesday morning the barometer was highest in the S.W. of Ireland and Brittany. The weather was tolerably fine near Dublin, in the evening a lunar halo was seen. Temperature now rose considerably and remained above the average for the most part. There were dense vapour fogs on Thursday morning and Friday evening, and the air was at times all but saturated with moisture. In Dublin the mean height of the barometer was 30·174 inches, pressure rising to 30·455 inches at 9 p.m. of Wednesday (wind, W.N.W.) and falling to 29·862 inches at 9 p.m. of Saturday (wind, S.). The corrected mean temperature was 44·2°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 43·2°. The screened thermometers fell to 34·1° on Sunday and rose to 51·1° on Friday. Westerly and south-westerly winds prevailed. The rainfall was ·439 inch on six days, ·172 inch being registered on Sunday. Temperature became very low over Central Europe on Saturday, low over England."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·193 inches. The highest reading (30·480) was on Wednesday at 9 P.M., wind W., and the lowest (29·877) on Saturday at 9 P.M., wind S.W.

The mean temperature for the week was 42·2°, being 3·2° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Saturday, when the thermometer registered 50·2°, and was lowest on Sunday, the mercury having fallen to 31·9°. The mean of the Dry Bulb for the week was 42·4°, and of the Wet Bulb 41·1°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 15·6 hours. The rainfall measured ·535 inch.

At Greenwich the mean temperature for the week was 38·5°, the maximum 47·8°, and the minimum 27·2°; at Glasgow the maximum was 49·0°, the minimum 31·3°, and the mean 40·7°; and at Edinburgh the maximum was 46·6°, the minimum 31·1°, and the mean 39·4°. The rainfall at Greenwich measured 0·48 inch; at Glasgow, 0·89 inch; and at Edinburgh, 0·33 inch.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind 9 A.M.	Direction of the Wind 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 7,	30·004	44·2	31·9	38·1	38·9	37·0	·84	·8	6·0	·210	S.W.	S.W.
Monday, „ 8,	30·061	49·3	42·0	45·7	44·7	43·0	·88	·8	0·8	·440	S.W.	W.S.W.
Tuesday, „ 9,	30·214	47·4	35·5	41·5	40·2	38·6	·86	·7	5·8	—	W.S.W.	W.S.W.
Wednesday, „ 10,	30·441	45·6	36·9	41·3	39·6	38·8	·94	·6	3·0	·105	S.W.	W.
Thursday, „ 11,	30·396	48·4	38·0	43·2	44·6	44·1	·96	·5	0·0	·005	Calm.	Calm.
Friday, „ 12,	30·286	49·8	37·7	43·8	44·1	43·3	·95	·6	0·0	·070	S.W.	Calm.
Saturday, „ 13,	29·947	50·2	33·2	41·7	44·5	43·1	·90	·6	0·0	·005	Calm.	S.W.
Mean, . .	30·193	47·8	36·5	42·2	42·4	41·1	·90	·7	Total 15·6	Total ·535	Prevailing wind, W.	

Sunday—Cloudy a.m.; bright p.m.; night cloudy; showery 8.30 to 9.30 p.m.; rain 11.30 p.m. to 1.30 a.m. *Monday*—A cloudy day; rain 12.15 to 2.30, 5 to 5.15, and 9.15 to 10.30 p.m.; night cloudy. *Tuesday*—A fine but cloudy day; night clear to 2 a.m. *Wednesday*—A cloudy day; rain 9.15 to 10 a.m.; night overcast; rain 2 to 8.45 a.m.; fog from 6 a.m. *Thursday*—A dull day; rain and fog to 10 a.m.; night overcast; rain 5 to 6 a.m. *Friday*—A dull day; rain 10.30 to 12 a.m.; night cloudy; fog 6 to 11 p.m. *Saturday*—A cloudy day; rain 12 to 12.45 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

1. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 20TH JANUARY, 1900. [No. 3.

General Register Office, Charlemont House,
Dublin, 22nd January, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 26·9), was equal to an average annual death-rate of 24·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·3 per 1,000, the rate for Glasgow being 23·8, and for Edinburgh 23·2.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 31·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.* The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Average Rate for 4 weeks.
23 Town Dists.	33·4	37·0	38·2	31·4	35·0	Limerick, . .	25·3	15·4	23·9	22·5	21·8
Armagh, . .	21·4	21·4	28·5	7·1	19·6	Lisburn, . .	38·3	55·3	76·6	29·8	50·0
Ballymena, .	16·9	16·9	28·2	16·9	19·7	Londonderry, .	23·6	44·0	26·7	15·7	27·5
Belfast, . .	28·6	28·8	30·5	24·1	28·0	Lurgan, . .	22·8	45·6	50·2	63·9	45·6
Carrickfergus, .	3·4	5·8	0·0	11·7	5·2	Newry, . .	16·1	20·1	16·1	0·0	13·1
Clonmel, . .	14·6	4·9	39·0	34·1	23·2	Newtownards, .	17·0	28·3	5·7	39·7	22·7
Cork, . . .	56·7	57·4	58·1	35·3	51·9	Portadown, .	61·9	49·5	30·9	24·7	41·7
Drogheda, . .	22·8	15·2	38·0	26·6	25·7	Queenstown, .	23·0	23·0	34·4	23·0	25·9
Dublin, Reg. Area,	41·2	47·9	47·0	43·5	44·6	Sligo, . . .	25·4	15·2	35·5	25·4	25·4
Dundalk, . .	20·9	20·9	29·3	8·4	19·9	Tralee, .	0·0	33·6	39·2	16·8	22·4
Galway, . .	11·3	3·8	49·1	60·5	31·2	Waterford, .	31·8	51·7	23·9	35·8	35·8
Kilkenny, . .	37·8	18·9	37·8	18·9	28·4	Wexford, . .	4·5	49·7	45·2	31·6	32·8

The deaths from the principal zymotic diseases registered in the 23 districts during last week were equal to an annual rate of 2·3 per 1,000, the rates varying from 0·0 in fifteen of the districts to 9·1 in Lurgan; the 14 deaths from all causes registered in that district comprising 2 from whooping-cough. Among the 166 deaths from all causes registered in Belfast are one from scarlatina, 9 from whooping-cough, one from diphtheria, 4 from enteric fever, and one from diarrhœa; and the 18 deaths in Waterford comprise 3 from scarlatina.

* See Note (*), Table VI.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 168—84 boys and 84 girls; and the deaths to 295—134 males and 161 females.

The deaths, which are 46 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 44·0 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 42·5 per 1,000. During the three weeks ending with Saturday last the death-rate averaged 47·9, and was 13·3 over the mean rate for the corresponding portions of the ten years 1890–99.

The number of deaths from zymotic diseases registered during last week is 47, being 8 under the number for the preceding week, but 14 over the average for the 3rd week of the last ten years: the 47 deaths comprise 9 from measles (4 of which were in Donnybrook district, where, during the preceding four weeks, 16 deaths from measles were recorded), 24 from influenza and its complications—being an increase of 4 as compared with the number under that heading in the preceding week—3 from whooping-cough, 2 from diphtheria, 2 from enteric fever, 6 from diarrhœa; &c.

There were only 2 cases of measles admitted to hospital during the week; 18 measles patients were discharged in the course of the week; 2 died; and 40 remained under treatment on Saturday last, being 18 under the number in hospital at the close of the preceding week.

The weekly number of cases of scarlatina admitted to hospital, which had risen from 7 for each of the weeks ended the 30th ultimo and the 6th instant respectively, to 13 for the week ended the 13th instant, fell to 6 last week: 7 patients were discharged during the week; and 68* remained under treatment on Saturday last, being one under the number in hospital at the close of the preceding week.

Fifteen cases of enteric fever were admitted to hospital, against 12 for the preceding week and 9 for the week ended the 6th instant: 15 patients were discharged during the week, and 82 remained under treatment in hospital on Saturday last.

The hospital admissions for the week include, also, 3 cases of diphtheria: 15 diphtheria patients were discharged during the week; one died; and 29 remained under treatment on Saturday last, being 13 under the number in hospital on Saturday the 13th instant.

Deaths from diseases of the respiratory system, which in each of the two weeks preceding amounted to 110, fell last week to 92, but this number is 22 above the average for the corresponding week of the last ten years: the 92 deaths comprise 64 from bronchitis, 23 from pneumonia or inflammation of the lungs, and 2 from pleurisy.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals, during the week ended Saturday, 20th January, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases	No. of Cases in Hospital at close of week ended			Week ended 20th January.			
	Dec. 30.	Jan. 6.	Jan. 13.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	92	70	58	2	18	2	40
Scarlet Fever,	90	81	69	6	7	.	68*
Typhus ,,	.	.	.	.	.	.	.
Diphtheria,	41	39	42	3	15	1	29
Enteric Fever,	102	99	82	15	15	.	82
Pneumonia,	18	23	22	4	6	.	20

The deaths of 9 children under 5 years of age (including 6 infants under one year old) were ascribed to convulsions.

Four deaths were caused by apoplexy, 11 by other diseases of the brain and nervous system (exclusive of convulsions), and 16 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 29 deaths, mesenteric disease 4, tubercular meningitis 9, and cancer 5.

Five accidental deaths were registered.

* Exclusive of 20 patients in "Bencavin," the Convalescent Home of Cork-street Fever Hospital

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the death of a child under 5 years of age and the deaths of 2 persons aged 60 years and upwards.

Seventy of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 3 were under one month old) and 105 were aged 60 years and upwards, including 53 persons aged 70 and upwards, of whom 15 were octogenarians, and 7 (2 men and 5 women) were stated to have been aged 90, 95, 90, 90, 90, 94 and 95 years respectively.

Ninety-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 31 took place in the North Dublin Union Workhouse and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 42·5 per 1,000; the rate in the city was 43·4 (45·0 on the North side, and 41·9 on the South), and in the Suburbs 40·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 3·3 per 1,000 inhabitants, the rate for the city being 2·1 (1·8 in the North City Districts, and 2·4 in the South), and for the Suburbs 6·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 26·9 per 1,000. The only death from any zymotic disease recorded is one from influenza. Two deaths were caused by bronchitis, 3 by phthisis, and 2 by diseases of the brain and nervous system.

No. 1 *North City District, West* (Summer-hill).—The deaths (36) are equal to an annual rate of 53·9 per 1,000. Among them are 5 from zymotic diseases, viz.:—3 from influenza, one from diphtheria, and one from diarrhœa. The 31 deaths from other causes comprise 10 from bronchitis, 4 from pneumonia, 3 from diseases of the circulatory system, 4 from phthisis, and 3 from diseases of the brain and nervous system.

No. 2 *North City District* (Lisburn-street).—The deaths (26) are equivalent to an annual rate of 47·0 per 1,000. They comprise 2 from zymotic diseases (including one from measles), 6 from bronchitis, and 3 from phthisis.

No. 3 *North City District* (Blackhall-place).—The deaths (25) represent an annual rate of 50·0 per 1,000. Among them are 2 from zymotic diseases, viz.:—one from influenza and one from diphtheria. Bronchitis caused 6 deaths, pneumonia 4, phthisis 4, tubercular meningitis 2, and convulsions 2.

No. 1 *South City District* (South Earl-street).—The deaths (29) represent an annual rate of 45·6 per 1,000. They comprise 4 from zymotic diseases, viz.:—one from measles, 2 from influenza, and one from diarrhœa. Among the 25 deaths from other causes are 4 from bronchitis, 2 from phthisis, and 2 from tubercular meningitis.

No. 2 *South City District* (Castle-street).—The deaths (15) are equal to an annual rate of 42·2 per 1,000. Influenza caused 2 deaths, but no deaths from any other zymotic diseases were recorded. The 13 deaths from other causes comprise 6 from bronchitis and 4 from phthisis.

No. 3 *South City District* (Peter-street).—The deaths (34) are equal to an annual rate of 43·7 per 1,000. Zymotic diseases caused 4 deaths, of which 2 were from influenza, one from whooping-cough, and one from diarrhœa. Among the 30 deaths from other causes are 12 from bronchitis and 2 from convulsions.

No. 4 *South City District* (Grand Canal-street).—The deaths (25) are equivalent to an annual rate of 36·4 per 1,000. Among them are 4 from zymotic diseases, viz.:—one from measles, 2 from influenza, and one from whooping-cough. The 21 deaths from other causes comprise 6 from inflammatory diseases of the respiratory system, 3 from diseases of the circulatory system, 2 from tubercular meningitis, and 3 from diseases of the brain and nervous system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 63·0 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 24·3; Finglas and Glasnevin, part of, 24·6; Palmerston, part of, and Crumlin, part of, 14·3; Rathmines, 33·8; Donnybrook, 55·0; Blackrock, 43·4; and Kingstown, 48·0. The deaths from zymotic diseases tabulated for these districts consist of 2 from influenza for Clontarf and Howth, No. 1; one from measles for Coolock and Drumcondra, No. 1; 3 from influenza and one from enteric fever for Rathmines; 4 from measles, 2 from influenza, one from enteric fever, and one from diarrhœa for Donnybrook; 2 from diarrhœa for Blackrock; and one from measles, 4 from influenza, and one from whooping-cough for Kingstown. Among the 18 deaths from all causes tabulated for Rathmines are 3 from pneumonia; the 26 deaths for Donnybrook comprise 6 from bronchitis, 2 from pneumonia, and 3 from phthisis; of the 7 deaths for Blackrock 3 were from pneumonia; and the 16 deaths for Kingstown comprise 3 from inflammatory diseases of the respiratory system and 2 from phthisis.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 3rd Week of the 10 years 1890–99.	In the week ending Saturday, 20th January, 1900.								
													Deaths of persons of the Ages of							
	Jan. 18, 1890	Jan. 24, 1891	Jan. 23, 1892	Jan. 21, 1893	Jan. 20, 1894	Jan. 19, 1895	Jan. 18, 1896	Jan. 23, 1897	Jan. 22, 1898	Jan. 21, 1899		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	0 to 5. 1 month and under 1 year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 46·8	° 37·8	° 37·9	° 41·2	° 43·9	° 37·4	° 45·0	° 32·7	° 43·9	° 45·7	° 41·7	° 40·7								
ALL CAUSES,	325	260	363	203	207	274	151	294	221	192	249·0	295	8	23	39	15	44	61	83	22
I. FEBRILE OR ZYMOTIC DISEASES,	38	13	50	27	40	33	9	63	31	21	33·5	47	.	7	11	4	5	5	14	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	1	1	1	.	1	.	.	2	.	·7	3	.	.	.	.	1	2	.	.
IV. CONSTITUTIONAL "	51	57	57	86	26	57	37	56	66	48	49·1	51	.	5	6	6	22	10	2	.
V. DEVELOPMENTAL "	17	16	39	16	20	27	11	16	17	21	20·0	29	.	.	.	.	.	.	17	12
VI. LOCAL "	193	152	197	115	105	189	79	142	86	67	129·5	153	3	15	20	3	15	42	46	9
VII. VIOLENT DEATHS,	12	4	1	1	7	6	6	5	6	6	5·4	5	.	.	1	2	1	.	1	.
VIII. ILL-DEFINED CAUSES,	13	17	18	7	9	11	9	12	13	9	11·8	7	.	1	1	.	.	2	3	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	5	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	4	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	2	.	1	.	3	.	.	15	.	.	2·1	9	.	3	6	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	1	1	4	2	1	·9	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	13	.	25	.	9	5	4	.	9	3	6·8	24	.	1	.	1	3	4	14	1
Whooping Cough,	5	1	10	4	12	4	.	23	2	4	6·5	8	.	.	2	1	.	.	.	.
Diphtheria,	2	.	2	.	1	.	.	1	6	1	1·3	2	.	.	1	.	1	.	.	.
Simple continued and Ill-defined Fever,	.	1	.	1	.	2	.	1	1	.	·6	.	.	.	.	.	.	.	.	.
Enteric Fever,	6	4	5	10	5	2	2	2	7	2	4·5	2	.	.	.	1	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	2	2	1	4	4	.	10	3	1	2·9	6	.	2	2	1	.	1	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	.	.	1	.	.	.	.	.	4	·6	1	.	1	.	.	.	.	.	.
Erysipelas,	.	3	.	4	1	1	.	2	1	1	1·3	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	3	1	.	1	.	1	.	1	.	2	·9	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	.	.	.	2	2	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	1	5	5	3	1	.	3	.	1	2·2	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	1	1	1	.	1	.	.	2	.	·7	3	.	.	.	.	1	2	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	1	.	.	2	.	.	.	1	.	1	·5	.	.	.	.	.	.	.	.	.
Rheumatism,	1	1	3	.	.	.	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Tabes Mesenterica,	5	4	6	8	5	5	7	3	8	7	5·8	5	.	.	.	.	.	4	1	.
Tubercular Meningitis	2	5	4	1	5	5	2	6	7	4	4·1	4	.	2	2	.	.	.	.	.
Phthisis,	6	5	1	1	2	4	5	5	6	4	3·9	9	.	3	3	3	.	.	.	.
Scrofula, Tuberculosis,	32	37	39	22	12	39	17	35	37	24	29·4	29	.	.	.	2	20	6	1	.
Other Constitutional Diseases,	3	4	3	1	2	3	6	5	7	7	4·1	4	.	.	1	1	2	.	.	.
	1	1	1	.	.	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	3	4	3	2	1	7	5	6	.	5	3·6	.	.	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Old Age,	14	12	36	14	18	19	6	10	17	16	16·2	29	.	.	.	.	.	.	17	12

each Disease registered in the THIRD WEEK ending Saturday, 20th January, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 3rd Week of the 10 years 1890-99.	In the Week ending Saturday, 20th January, 1900. Deaths of Persons of the Ages of							
	Jan. 18, 1890	Jan. 24, 1891	Jan. 23, 1892	Jan. 21, 1893	Jan. 20, 1894	Jan. 19, 1895	Jan. 18, 1896	Jan. 23, 1897	Jan. 22, 1898	Jan. 21, 1899		ALL AGES. Mean Temp.	0 to 5: Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 46·8	° 37·3	° 37·9	° 41·2	° 43·9	° 37·4	° 45·0	° 32·7	° 48·9	° 45·7	° 41·7	° 40·7								
VI. Local Diseases.																				
Apoplexy,	2	4	5	4	3	8	1	3	4	3	3·7	4	.	.	.	.	.	1	3	.
Epilepsy,	3	.	2	.	1	1	.	.	2	1	1·0	.	.	.	.	.	.	.	.	.
Convulsions,	14	16	16	10	10	13	9	14	4	14	12·0	9	1	5	3	.	.	.	.	.
Other Diseases of Brain and Nervous System,	9	13	13	8	7	10	6	7	8	8	8·9	11	.	.	.	.	1	4	4	2
Diseases of Organs of Special Sense,	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	28	22	24	16	16	21	15	22	12	14	18·5	16	.	.	.	2	1	6	5	2
Croup,	1	3	.	2	1	2	.	.	.	1	1·0	.	.	.	.	.	.	.	.	.
Bronchitis,	87	62	90	38	37	52	19	55	25	24	48·9	64	1	4	10	.	2	19	24	4
Pneumonia	30	15	20	10	12	11	9	20	11	5	14·3	23	.	3	5	1	3	5	6	.
Pleurisy,	1	.	.	1	.	1	1	2	.	.	·6	2	.	.	.	.	1	1	.	.
Other Diseases of Respiratory System,	11	3	17	4	3	3	4	3	.	.	4·8	3	1	.	.	.	1	1	.	.
Teething,	.	1	.	1	3	.	3	1	.	2	1·1	2	.	2	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	1	1	.	.	1	.	.	·3	2	.	.	1	.	.	.	1	.
Enteritis,	1	1	.	.	.	.	1	.	1	1	·5	.	.	.	.	.	.	.	.	.
Peritonitis	.	.	.	1	.	1	2	1	.	2	·7	1	.	.	.	.	1	.	.	.
Disease of Liver,	2	.	1	4	.	3	1	3	9	2	2·5	3	.	.	.	.	1	2	.	.
Other Diseases of Digestive System,	3	4	3	3	6	4	1	6	3	2	3·5	7	.	1	1	.	1	2	1	1
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	5	4	2	9	3	7	5	1	5	7	4·8	2	.	.	.	.	.	1	1	.
Diseases of Generative System,	.	.	.	2	1	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	.	.	.	.	1	.	1	.	·3	3	.	.	.	.	3	.	.	.
Diseases of Locomotive System,	.	1	.	1	1	.	1	.	1	1	·6	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	4	.	.	1	.	3	.	.	·9	1	.	.	.	.	.	.	1	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	1	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	10	2	.	.	2	3	1	2	3	3	4·8	3	.	.	1	2	.	.	.	.
By Drowning,		.	.	.	1	.	.	.	.	1		1	.	.	.	.	.	.	1	.
By Suffocation in Bed,		.	.	.	.	1	.	1	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	.	1		1	.	.	.	.	1	.	.	.
Other or Not Stated Causes,		1	.	.	3	1	3	2	3	1		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	1	.	.	1	2	.	.	.	·5	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	13	17	18	7	9	11	9	12	13	9	11·8	7	.	1	1	.	.	2	3	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1899–1900—Week ending																									
	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
Births registered,	200	194	205	184	212	194	198	286	211	287	190	198	188	180	225	172	241	193	154	206	167	138	247	187	209	168
Average Births in corresponding week of previous 10 years,	183	193	197	201	183	196	181	207	202	198	178	166	179	170	172	175	185	181	184	181	184	154	168	188	199	195
Deaths registered,	191	223	214	234	207	205	251	235	200	223	196	225	250	244	216	249	248	220	259	258	256	285	280	337	331	295
Annual Death-rate per 1,000,	28·5	33·3	31·9	34·9	30·9	30·6	37·4	35·1	29·8	33·3	29·2	33·6	37·3	36·4	32·2	37·1	37·0	32·8	33·6	33·5	33·2	42·5	41·8	50·3	49·4	44·0
Average Deaths in corresponding week of previous 10 years,	160	151	155	150	158	161	158	158	161	159	149	157	152	163	178	166	174	177	183	177	184	184	207	211	239	249
Ages, Under 5 years,	85	112	108	106	102	110	111	120	94	110	93	114	107	95	111	118	123	98	93	103	84	87	86	81	85	70
5—20 „	13	16	15	9	12	14	17	24	12	18	18	26	18	23	22	11	27	16	12	17	23	22	13	15	16	15
20—40 „	23	24	25	33	26	25	34	34	24	36	29	23	29	32	14	36	27	28	36	35	35	46	32	49	38	44
40—60 „	30	33	24	46	29	30	47	25	34	26	27	32	38	39	29	36	32	33	51	51	61	55	57	73	84	61
60—80 „	36	34	36	33	32	23	34	26	26	32	29	24	53	45	32	37	28	36	53	44	44	63	74	94	85	83
80 years and upwards,	4	4	6	7	6	3	8	6	10	1	5	6	5	10	8	11	11	9	14	8	9	12	18	25	23	22
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	13	18	9	10	18	14	17	23	23	28	32	44	52	44	38	39	51	38	29	30	23	24	15	10	18	9
„ Scarlet Fever,	3	.	.	.	2	.	2	1	2	.	.	2	1	1	.	1	2	1	2	1	1	1	1	.	1	.
„ Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	3	4	3	7	1	3	2	1	1	2	2	.	1	.	2	1	2	.	1	1	3	2	2	1	1	3
„ Diphtheria,	.	.	2	1	.	1	1	1	.	1	.	1	2	2	3	3	3	2	2	3	2	3	1	.	3	2
„ Simple continued and Ill-defined Fever,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Enteric Fever,	1	3	4	1	6	4	7	9	5	11	4	7	4	6	2	5	9	4	6	2	2	3	2	5	5	2
„ Diarrhœa, Dysentery,	19	40	43	43	39	36	42	45	20	27	16	14	4	9	6	6	5	3	4	4	3	5	1	2	3	6
„ Phthisis,	16	24	24	26	19	22	31	29	18	23	20	22	26	29	15	21	17	20	35	27	36	30	28	40	27	29
„ Heart Diseases,	17	18	15	13	10	13	6	12	7	11	14	10	23	13	9	18	13	17	17	15	26	15	21	24	20	16
„ Diseases of Respiratory System,	24	18	19	29	24	13	31	21	24	30	31	29	39	40	53	57	50	51	66	70	66	73	98	110	110	92
Violent Deaths,	4	3	3	5	8	6	6	5	4	5	4	3	5	8	4	8	6	7	4	6	6	3	7	4	5	5
Mean Temperature of the Air (Phœnix Park),	60·0	62·1	57·6	61·0	61·7	59·1	59·1	57·4	52·4	47·5	46·1	48·0	49·5	48·9	50·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7
Average Mean Temperature in corresponding week of previous 10 years,	57·9	59·0	58·4	58·8	56·9	55·7	56·4	56·6	53·6	52·7	51·1	48·4	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·3	40·0	40·9	37·6	39·0	41·7
Rainfall in inches,	·185	1·645	·035	·195	·095	1·295	·150	·455	·575	1·470	·360	·355	·470	·325	1·085	·710	·050	·030	·240	·455	·200	·355	2·055	·715	·535	·560
Mean Humidity of the Air, complete Saturation 1·0,	·81	·89	·89	·86	·84	·86	·82	·88	·78	·86	·85	·86	·88	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 20th January, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK AND DRUMCONDRA, No. 1.	FINGLAS AND GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	RATHFARNHAM.	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.											
Area in Statute Acres,	674	821	232	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	1	.	.	1	.	1	.	.	.	4	.	1	9	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	3	.
Diphtheria,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.
Diarrhœa, Dysentery,	.	1	.	.	1	.	1	.	.	.	.	.	.	1	2	.	6	.
Other Zymotic Diseases	1	3	1	1	2	2	2	2	2	.	.	.	3	2	.	4	25	.
Total,	1	5	2	2	4	2	4	4	2	1	.	.	4	8	2	6	47	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	3	4	3	4	2	4	1	.	.	1	.	.	1	3	.	2	28	1
Other Constitutional Diseases,	.	2	3	3	3	.	1	3	.	.	.	.	4	2	.	.	21	1
Total,	3	6	6	7	5	4	2	3	.	1	.	.	5	5	.	2	49	2
V. DEVELOPMENTAL DISEASES,	2	2	2	1	7	1	7	1	.	.	.	.	2	1	.	3	29	.
VI. LOCAL DISEASES:																		
Brain & Nervous System,	2	3	1	3	1	1	3	3	1	.	.	1	1	1	.	1	22	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	1	3	1	.	.	.	1	3	1	1	.	.	.	1	1	1	14	2
Respiratory System,	2	15	8	10	5	7	13	6	1	2	1	.	4	8	4	8	89	3
Digestive System,	2	.	1	.	4	.	1	2	.	.	1	1	1	1	.	.	14	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.	.	3	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	7	21	11	13	12	8	20	15	3	3	2	2	6	12	5	5	145	8
VII. VIOLENT DEATHS,	.	.	2	1	.	.	1	1	.	.	.	.	.	.	.	.	5	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	1	2	1	.	1	.	.	1	.	.	.	.	1	.	.	.	7	.
Deaths from all Causes,	14	36	26	25	29	15	34	25	5	5	2	2	18	26	7	16	285	10
Annual Rate of Mortality in every 1,000 of the population.	26·9	53·9	47·0	50·0	45·6	42·2	43·7	36·4	63·0	24·3	24·6	14·3	33·8	55·0	43·4	48·0		
	45·0				41·9				40·4									
	43·4																42·5	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	6	9	2	1	2	4	4	.	.	.	.	2	4	1	1	37	8
Workhouse Hospitals,	6	6	12	6	7	4	5	4	.	.	.	.	1	.	.	.	51	2

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 22, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office: Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St. Jude.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th January, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 20th January, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	44·0	295	70	15	44	61	88	22	.	9	.	.	3	2	.	2	6	22	29	9	92	5	138
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	50·1	15	1	.	3	2	5	4	.	.	.	.	.	.	.	1	.	1	2	.	3	.	9
II.	MIDDLE CLASS,	81,469	31·9	50	5	2	7	13	17	6	.	1	.	.	.	1	.	1	.	3	5	.	12	.	30
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	34·0	65	13	4	11	16	16	5	.	3	.	.	.	.	.	.	2	5	7	1	22	2	28
IV.	GENERAL SERVICE CLASS,	147,978	56·0	112	45	8	15	15	25	4	.	5	.	.	3	1	.	.	4	13	9	8	42	3	37
V.	INMATES OF WORKHOUSES,	5,191		53	6	1	8	15	20	3	.	.	.	.	.	.	.	.	.	.	6	.	13	.	34
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	78·1	12	1	.	3	2	3	3	.	.	.	.	.	.	.	1	.	1	2	.	3	.	6
	2. Merchants and Manufacturers, Higher Class,	1,857	28·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,733	18·1	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	8·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	22·0	11	.	.	2	4	4	1	.	.	.	.	.	.	.	.	.	.	1	.	4	.	6
	6. Clerks and Commercial Assistants,	25,001	20·8	10	2	1	3	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	59·5	28	3	1	2	7	11	4	.	1	.	.	.	1	.	1	.	3	2	.	7	.	16
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	49·0	7	2	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	4
	9. Building and Furnishing Trades,	26,294	31·6	16	2	2	2	6	4	.	.	.	.	.	.	.	.	.	2	2	1	.	7	1	5
	10. Clothing Trades,	28,927	23·3	13	4	.	3	3	3	.	.	.	.	.	.	.	.	.	.	.	2	1	5	.	5
	11. Food Supply Trades,	7,949	19·6	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	26,987	40·5	21	3	.	5	5	4	4	.	2	.	.	.	.	.	.	.	2	3	.	6	.	10
	13. Petty Shopkeepers,	6,889	38·0	5	2	1	1	.	1	.	.	1	.	.	.	.	.	.	.	1	1	.	.	1	2
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	30·3	8	5	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	3
	15. Domestic Servants,	39,967	15·6	12	1	1	2	1	6	1	.	.	.	.	.	.	.	.	.	.	1	1	4	.	6
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	52·9	11	3	2	3	1	2	.	.	.	.	.	.	.	.	.	1	1	2	2	2	.	4
	17. Hawkers, Porters, Labourers, &c.,	83,472	50·6	81	36	5	10	12	15	3	.	5	.	.	3	1	.	.	3	12	6	4	32	3	24
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	53	6	1	8	15	20	3	.	.	.	.	.	.	.	.	.	.	6	.	13	.	34

the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Registration—Week ending Saturday, 20th January, 1900. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 20th Jan., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th Jan., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th Jan., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 98 Town Districts	1,062,188	12·3	26·4	31·4	2·3	588	639	81	207	.	9	5	.	14	4	.	6	9	69	220	7	15	169	°	°	°		°	°	°		°	°	°	
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	25·1	42·5	3·3	168	285	31	99	.	9	.	.	3	2	.	2	6	28	89	5	7	88	§31·1	28·9	40·7	0·56	§50·2	31·9	42·2	0·54	§49·8	27·6	38·8	0·72
Registrars' Districts. City	245,001	65·6	26·6	43·4	2·1	125	204	26	69	.	3	.	.	2	2	.	.	3	21	66	5	7	79	52·8	34·9	42·9	0·45	51·1	34·1	44·2	0·44	49·7	32·0	40·7	0·80
Clontarf &c. No. 1,	4,188	1·5	50·4	63·0	.	4	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,730	1·8	14·6	24·3	4·9	3	5	.	.	.	1	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	.	24·6	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	50·9	31·0	41·0	0·50	51·9	30·2	42·3	0·57	48·7	30·0	39·4	0·80
Palmerston, part of and Crumlin part of (b),	7,278	8·0	35·8	14·3	.	5	2	1	.	.	.	.	.	.	.	.	1	.	1	4	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	16·9	33·8	1·9	9	18	.	7	.	.	.	.	.	.	.	1	1	5	8	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	29·6	55·0	12·7	14	26	3	9	.	4	.	.	.	.	.	.	2	.	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	12·4	43·4	12·4	2	7	.	4	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	.	.	.	51	39	44·7	.	.	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	18·0	48·0	6·0	6	16	1	8	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts.																																			
Belfast,	359,000	21·8	28·9	24·1	2·3	199	166	26	45	.	.	1	.	9	1	.	4	1	17	72	.	1	36	51·0	31·0	40·8	0·59	51·0	28·0	40·2	0·37	45·9	27·0	39·1	1·69
Cork,	75,845	38·8	24·9	35·3	.	36	51	10	12	.	.	.	.	.	.	.	.	.	9	13	.	1	14	52	37	45·0	1·20	52	36	46·4	0·20	50	33	42·5	2·46
Limerick,	37,155	17·9	22·5	22·5	.	16	16	.	6	.	.	.	.	.	.	.	.	.	1	12	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	40·8	15·7	1·6	26	10	3	1	.	.	.	.	.	.	.	.	1	1	1	1	2	.	48·1	33·0	39·8	1·31	50·6	33·0	42·2	0·71	45·3	30·3	38·4	1·09
Waterford,	26,208	18·3	9·9	35·8	6·0	5	18	.	7	.	.	3	.	.	.	.	.	.	2	4	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,800	2·6	37·8	60·5	3·8	10	16	2	4	.	.	.	.	.	.	.	.	1	1	5	.	.	5	51	34	43	1·68	50	32	43	1·10	55	27	37·0	1·26
Drogheda	13,708	8·7	22·8	26·6	.	6	7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	20·1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	49·3	38·8	40·2	0·56	51·7	31·7	41·8	0·39	45·8	25·6	37·8	1·18
Dundalk,	12,449	9·0	29·3	8·4	.	7	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	51·1	29·8	4·3	12	7	2	.	.	.	1	.	.	.	.	.	.	2	3	.	1	.	49·3	33·8	40·2	0·56	51·7	31·7	41·8	0·39	45·8	25·6	37·8	1·18
Wexford,	11,545	24·0	18·1	31·6	.	4	7	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	13·4	27·4	63·9	9·1	6	14	.	7	.	.	.	.	2	.	.	.	.	1	4	.	.	1	49·3	33·8	40·2	0·56	51·7	31·7	41·8	0·39	45·8	25·6	37·8	1·18
Kilkenny,	11,048	12·0	4·7	18·9	4·7	1	4	.	2	.	.	.	.	.	1	.	.	.	2	.	.	.	4	50	30	40·3	0·74	50	30	41·1	0·56	49	26	39·1	2·84
Clonmel,	10,708	8·2	.	34·1	.	.	7	.	3	.	.	.	.	.	.	.	.	.	2	6	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	30·5	25·4	.	6	5	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	48·2	29·7	40·3	1·37	52·8	30·7	42·4	0·87	46·2	24·9	37·2	1·58
Tralee,	9,818	15·9	39·2	16·8	.	7	8	1	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	32·8	16·9	.	6	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	22·7	39·7	.	4	7	.	5	.	.	.	.	.	.	.	.	.	.	2	1	1	1	50	33	40·0	0·43	48	33	40·5	0·56	47	33	41·3	1·45
Queenstown,	9,082	17·0	17·2	23·0	.	3	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52	37	45·0	1·00	52	36	46·4	0·20	50	33	42·5	2·46
Carrickfergus,	8,923	0·5	29·2	11·7	.	5	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,430	11·0	18·6	24·7	.	3	4	.	2	.	.	.	.	.	.	.	.	.	.	3	.	1	.	49·3	33·8	40·2	0·56	51·7	31·7	41·8	0·39	45·8	25·6	37·8	1·18
Armagh,	7,187	21·4	21·4	7·1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	49·3	33·8	40·2	0·56	51·7	31·7	41·8	0·39	45·8	25·6	37·8	1·18

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude.

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 10 deaths of persons (including 6 aged 60 years or upwards) admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin. DISTRICTS.	1899-1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
North City, No. 1 (E.)	Dec. 2,	22·0	5·8	12	.	2	.	.	.	.	.	.	1	1	3	.
	„ 9	23·0	3·8	13	.	1	.	.	.	.	.	.	1	5	2	.
	„ 16,	24·6	1·9	18	.	.	.	.	1	.	.	.	.	4	6	1
	„ 23,	23·0	3·8	12	.	.	.	.	1	.	.	.	1	.	8	1
(*Office,*	„ 30,	36·5	.	19	.	.	.	.	.	.	.	.	.	5	8	2
Clarence-street, Nth.)	Jan. 6,	34·6	1·9	18	.	.	.	.	.	.	.	1	.	2	10	.
	„ 13,	46·1	1·9	24	.	1	.	.	.	.	.	.	.	3	7	.
Pop. (in 1891) 27,147.	„ 20,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	2	.
North City, No. 1 (W.)	Dec. 2,	32·9	1·5	22	.	.	.	.	.	.	.	1	.	5	8	.
	„ 9,	34·4	3·0	23	.	1	.	.	.	1	.	.	.	.	9	1
	„ 16,	52·4	6·0	35	.	2	.	.	1	.	.	1	.	3	12	.
	„ 23,	44·9	3·0	30	.	.	.	.	.	.	.	.	2	2	9	.
(*Office,*	„ 30,	38·9	3·0	26	.	1	.	.	1	.	.	.	.	4	9	1
Summer-hill.)	Jan. 6,	62·9	3·0	42	.	.	.	.	.	.	.	1	1	5	18	.
	„ 13,	50·9	4·5	34	.	.	.	.	.	.	.	.	3	2	18	.
Pop. (in 1891) 34,886.	„ 20,	53·9	3·0	36	.	.	.	.	.	1	.	.	1	4	15	.
North City, No. 2.	Dec. 2,	48·8	5·4	27	.	1	.	.	.	.	.	2	.	2	11	.
	„ 9,	41·5	3·6	23	.	.	.	.	.	1	.	.	1	2	5	1
	„ 16,	41·5	9·0	23	.	2	.	.	.	2	.	.	1	4	7	.
	„ 23,	56·0	1·8	31	.	.	.	.	.	1	.	.	.	5	9	.
(*Office,*	„ 30,	47·0	3·6	26	.	1	.	.	.	.	.	1	.	3	9	.
Lisburn-street.)	Jan. 6,	59·6	1·8	33	.	1	.	.	.	.	.	.	.	7	9	.
	„ 13,	50·6	.	28	.	.	.	.	.	.	.	.	.	2	11	.
Pop. (in 1891) 28,871.	„ 20,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	3	8	2
North City, No. 3.	Dec. 2,	56·0	6·0	28	.	3	.	.	.	.	.	.	.	5	7	2
	„ 9,	40·0	4·0	20	.	2	.	.	.	.	.	.	.	1	6	1
	„ 16,	42·0	6·0	21	.	3	.	.	.	.	.	.	.	4	6	1
	„ 23,	30·0	6·0	15	.	3	.	.	.	.	.	.	.	3	6	.
(*Office,*	„ 30,	58·0	4·0	29	.	1	.	.	.	.	.	1	.	3	6	1
Blackhall-place.)	Jan. 6,	66·0	4·0	33	.	1	.	.	1	.	.	.	.	4	10	.
	„ 13,	68·0	6·0	34	.	3	.	.	.	.	.	1	.	5	13	.
Pop. (in 1891) 26,055.	„ 20,	50·0	2·0	25	.	.	.	.	.	1	.	.	.	4	10	1
South City, No. 1.	Dec. 2,	53·0	12·6	21	.	4	2	.	1	.	.	1	.	2	3	.
	„ 9,	29·3	3·1	25	.	2	.	.	.	.	.	.	.	2	10	.
	„ 16,	55·0	4·7	35	.	3	.	.	.	.	.	.	.	6	9	3
	„ 23,	62·8	4·7	40	.	2	.	.	.	.	.	.	1	2	11	1
(*Office,*	„ 30,	55·0	.	35	.	.	.	.	.	.	.	.	.	3	15	.
South Earl-street.)	Jan. 6,	61·3	1·6	39	.	1	.	.	.	.	.	.	.	8	11	1
	„ 13,	66·0	3·1	42	.	1	.	.	1	.	.	.	.	4	15	1
Pop. (in 1891) 33,194.	„ 20,	45·6	3·1	29	.	1	.	.	.	.	.	.	1	2	5	.
South City, No. 2.	Dec. 2,	64·7	16·9	23	.	4	.	.	.	.	.	1	1	3	4	.
	„ 9,	70·3	19·7	25	.	5	.	.	.	1	.	.	1	3	6	1
	„ 16,	20·9	5·6	11	.	1	.	.	.	.	.	1	.	3	4	.
	„ 23,	39·4	8·4	14	.	.	1	.	.	1	.	1	.	1	4	.
(*Office,*	„ 30,	73·1	2·8	26	.	1	.	.	.	.	.	.	.	.	17	.
Castle-street.)	Jan. 6,	42·2	.	15	.	.	.	.	.	.	.	.	.	.	9	.
	„ 13,	53·4	5·6	19	.	.	1	.	.	.	.	1	.	1	10	.
Pop. (in 1891) 13,547.	„ 20,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	7	.
South City, No. 3.	Dec. 2,	33·4	6·4	26	.	3	.	.	.	1	.	.	1	6	5	.
	„ 9,	52·7	3·9	41	.	2	.	.	1	.	.	.	.	3	14	1
	„ 16,	28·3	.	22	.	.	.	.	.	.	.	.	.	3	6	.
	„ 23,	36·0	3·9	28	.	2	.	.	.	.	.	.	1	3	7	.
(*Office,*	„ 30,	37·3	5·9	29	.	1	.	.	.	1	.	.	1	5	9	.
Peter-street.)	Jan. 6,	45·0	1·3	35	.	1	.	.	.	.	.	.	.	6	15	1
	„ 13,	34·7	2·6	27	.	2	.	.	.	.	.	.	.	1	8	.
Pop. (in 1891) 40,558.	„ 20,	43·7	2·6	34	.	.	.	.	1	.	.	.	1	1	18	1
South City, No. 4.	Dec. 2,	43·7	18·1	30	.	7	.	.	.	1	.	1	.	4	8	.
	„ 9,	43·7	14·6	30	.	8	1	.	.	.	.	.	1	4	7	.
	„ 16,	46·6	8·7	32	.	5	.	.	1	.	.	.	.	5	7	1
	„ 23,	43·7	5·8	30	.	1	.	.	1	1	.	1	.	5	8	1
(*Office,*	„ 30,	32·0	2·9	22	.	2	.	.	.	.	.	.	.	1	8	.
Grand Canal-street.)	Jan. 6,	37·9	.	26	.	.	.	.	.	.	.	.	.	2	6	.
	„ 13,	52·4	5·8	36	.	1	.	.	.	1	.	2	.	7	9	.
Pop. (in 1891) 35,798.	„ 20,	36·4	2·9	25	.	1	.	.	1	.	.	.	.	.	6	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1899-1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Dec. 2,	30·0	1·9	16	.	1	.	.	.	.	.	.	.	1	4	.
	„ 9,	13·1	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 16,	31·2	1·9	17	.	.	.	.	.	.	.	.	1	2	3	.
	„ 23,	41·3	1·9	22	.	1	.	.	.	.	.	.	.	3	8	.
	„ 30,	31·9	1·9	17	.	1	.	.	.	.	.	.	.	4	5	.
	Jan. 6,	35·6	1·9	19	.	.	.	.	.	.	.	1	.	2	4	.
	„ 13,	43·1	1·9	23	.	1	.	.	.	.	.	.	.	1	7	.
	„ 20,	33·8	1·9	18	.	.	.	.	.	.	.	1	.	1	4	.
Donnybrook. Pop. (in 1891) 24,629.	Dec. 2,	36·0	4·2	17	.	2	.	.	.	.	.	.	.	2	5	1
	„ 9,	29·6	6·4	14	.	3	.	.	.	.	.	.	.	3	2	1
	„ 16,	36·0	8·5	17	.	4	.	.	.	.	.	.	.	2	2	.
	„ 23,	50·8	21·2	24	.	9	.	.	.	.	.	1	.	.	6	.
	„ 30,	44·5	2·1	21	.	1	.	.	.	.	.	.	.	2	5	1
	Jan. 6,	57·2	10·6	27	.	3	.	.	.	.	.	1	1	1	4	1
	„ 13,	29·6	6·4	14	.	3	.	.	.	.	.	.	.	.	6	1
	„ 20,	55·0	12·7	26	.	4	.	.	.	.	.	1	1	3	8	.
Kingstown. Pop. (in 1891) 17,386.	Dec. 2,	33·0	6·0	11	.	1	.	.	.	.	.	.	1	1	1	1
	„ 9,	30·0	3·0	10	.	3	.	.	.	.	.	.	.	1	3	.
	„ 16,	24·0	6·0	8	.	1	.	.	.	.	.	.	1	.	2	.
	„ 23,	36·0	6·0	12	.	2	.	.	.	.	.	.	.	2	1	.
	„ 30,	27·0	12·0	9	.	3	.	.	1	.	.	.	.	.	3	.
	Jan. 6,	24·0	3·0	8	.	1	.	.	.	.	.	.	.	.	3	.
	„ 13,	45·0	9·0	15	.	3	.	.	.	.	.	.	.	.	3	.
	„ 20,	48·0	6·0	16	.	1	.	.	1	.	.	.	.	2	3	.
Belfast. Pop. in 1900 (Est.) 359,000.	Dec. 2,	17·6	1·6	118	.	.	.	.	4	2	.	5	.	13	33	4
	„ 9,	16·8	0·4	113	.	1	1	.	.	.	.	1	.	19	37	1
	„ 16,	20·7	1·3	139	.	1	.	.	2	3	.	2	1	22	34	2
	„ 23,	19·7	1·0	132	.	2	1	.	1	2	.	1	.	14	27	6
	„ 30,	28·6	2·1	192	.	1	1	.	6	1	.	4	1	21	61	2
	Jan. 6,	28·3	2·6	198	.	1	.	.	6	2	2	4	3	27	74	5
	„ 13,	30·5	2·0	210	.	4	.	.	2	.	.	4	4	21	86	2
	„ 20,	24·1	2·3	166	.	.	1	.	9	1	.	4	1	17	72	.
Cork. Pop. (in 1891) 75,845.	Dec. 2,	23·5	2·1	34	.	1	.	.	.	.	.	1	1	9	6	.
	„ 9,	30·5	4·8	44	.	3	.	.	.	.	.	.	4	5	6	2
	„ 16,	28·4	.	41	.	.	.	.	.	.	.	.	.	12	12	.
	„ 23,	51·2	0·7	74	.	1	.	.	.	.	.	.	.	8	28	.
	„ 30,	56·7	1·4	82	.	.	.	.	.	1	.	.	1	13	25	1
	Jan. 6,	57·4	.	83	.	.	.	.	.	.	.	.	.	8	34	.
	„ 13,	58·1	0·7	84	.	1	.	.	.	.	.	.	.	7	31	.
	„ 20,	35·3	.	51	.	.	.	.	.	.	.	.	.	9	13	.
Limerick. Pop. (in 1891) 37,155.	Dec. 2,	16·8	.	12	.	.	.	.	.	.	.	.	.	4	2	.
	„ 9,	23·9	1·4	17	.	.	.	.	.	.	.	.	1	5	1	.
	„ 16,	19·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 23,	14·0	.	10	.	.	.	.	.	.	.	.	.	1	5	.
	„ 30,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	9	.
	Jan. 6,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	„ 13,	23·9	.	17	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	22·5	.	16	.	.	.	.	.	.	.	.	.	1	12	.
Londonderry Pop. (in 1891) 33,200.	Dec. 2,	7·9	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	„ 9,	12·6	3·1	8	.	.	.	.	.	1	1	.	.	.	1	.
	„ 16,	34·6	1·6	22	.	.	.	.	.	.	.	1	.	2	7	.
	„ 23,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 30,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	1	1
	Jan. 6,	44·0	.	28	.	.	.	.	.	.	.	.	.	3	6	.
	„ 13,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	6	1
	„ 20,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	1	1
Waterford. Pop. (in 1891) 26,200.	Dec. 2,	15·9	4·0	8	.	.	.	.	1	.	.	.	1	.	.	.
	„ 9,	33·8	4·0	17	.	.	.	.	.	.	.	.	3	.	1	1
	„ 16,	23·9	.	12	.	.	.	.	.	.	.	.	.	2	1	1
	„ 23,	33·8	4·0	17	.	.	1	.	.	.	.	.	1	1	2	.
	„ 30,	31·8	4·0	16	.	.	1	.	.	.	.	1	.	2	6	.
	Jan. 6,	51·7	2·0	26	.	.	.	.	1	.	.	.	.	3	7	.
	„ 13,	23·9	2·0	12	.	.	1	.	.	.	.	.	.	2	1	.
	„ 20,	35·8	6·0	18	.	.	3	.	.	.	.	.	.	2	4	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 20th January, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	8	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		11	2	1	5	3	.	.	.	.	.	.	.	.	.	1	8	.	.	3
" 2 "	57,589	23			20	5	1	7	7	.	.	.	.	1	.	.	1	.	1	8	.	.	7
" 3 "	38,845	22			18	2	5	6	5	.	.	.	.	3	.	.	.	.	1	7	.	.	1
" 4 "	33,891	21			23	3	4	8	8	.	.	.	.	1	1	.	2	.	2	5	.	.	8
" 5 "	21,284	6			18	3	2	12	1	.	.	.	.	.	.	.	1	.	2	14	.	.	7
" 6 "	43,481	21			15	.	1	7	7	.	.	.	.	1	.	.	.	.	1	7	.	.	2
" 7 "	1,112	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 8 "	4,904	3			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	12			10	1	1	6	2	.	.	.	.	.	.	.	.	1	2	3	.	.	2
" 10 "	12,256	28			13	2	2	6	3	.	.	1	.	.	.	.	.	.	3	4	.	1	.
" 11 "	19,881	28			14	2	4	5	3	.	.	.	.	1	.	.	.	.	3	5	.	.	3
" 12 "	28,282	16			18	5	3	7	3	.	.	.	.	2	.	.	.	.	1	8	.	.	2
" 13 "	6,804	10			4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.
" 14 "	362	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	199			166	26	24	71	45	.	.	1	.	9	1	.	4	1	17	73	.	1	36
City of Cork.																							
CORK, No. 1 DISTRICT, (Portion situated within the City or Urban District of Cork.)	11,927	8	26·2	.	6	2	.	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 2 "	8,252	8	62·0	.	11	2	.	4	5	.	.	.	.	.	.	.	.	.	1	2	.	.	2
" 3 "	6,309	2	8·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 4 "	3,507	.	59·5	.	4	.	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 5 "	10,356	2	45·3	.	9	3	.	6	.	.	.	.	.	.	.	.	.	.	3	2	.	.	5
" 6 "	12,469	6	50·2	.	12	2	1	7	2	.	.	.	.	.	.	.	.	.	3	3	.	1	5
" 7 "	4,491	1	11·6	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	15,384	8	16·9	.	5	1	1	3	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
" 9 "	1,650	1	.	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	75,345	36	35·3	.	51	10	3	26	12	.	.	.	.	.	.	.	.	.	9	13	.	1	14

Boundaries of Registrars' Districts—Belfast and Cork.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre of Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square, Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary, thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

The Registrar's District of Cork, No. 1, is bounded by a line drawn from St. Patrick's bridge, through the centre of Bridge-street, St. Patrick's-hill, Wellington-place, Audley-place, and Old Youghal-road to the suburb boundary, thence along the Western and Northern boundary of Rathmore Townland, the Northern boundary of Clashnaganniff Townland, the Northern and Eastern boundary of Cahergal Townland, and the Eastern boundary of Ballynamought East, Townland, to the centre of the River Lee, thence by the centre of the river to St. Patrick's bridge.

Cork, No. 2, District is bounded by a line drawn from Shandon-street through the centre of Fair-lane and Fair-hill, by the Western boundary of the Townlands of Kerryhall, Knockpoge, Closes, and Commons (St. Anne's, Shandon, Parish), to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the Townland of Cahergal, thence by the Northern boundary of Cahergal and Clashnaganniff Townlands, and by the Northern and Western boundary of Rathmore Townland to the Old Youghal-road; thence through the centre of the Old Youghal-road, Old Chapel-lane, Clarence-street, and Shandon-street, as far as Fair-lane.

Cork, No. 3, District is bounded by a line drawn from Shandon-street through the centre of Fair-lane and Fair-hill, along the Western boundary of the Townlands of Kerryhall, Knockpoge, Closes, and Commons (St. Anne's, Shandon, Parish), to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the Eastern boundary of Killard Townland, thence by the Western and Southern boundary of Killeens Townland, and the Western boundary of Garranabraher and Knocknabohilly Townlands to Blarney-street, thence through the centre of Blarney-street and Shandon-street, as far as Fair-lane.

Cork, No. 4, District is bounded by a line drawn from North Gate-bridge through the centre of Shandon-street and Blarney-street to the Western boundary of Knocknabohilly Townland, thence by the Western boundary of the Townlands of Knocknabohilly and Garranabraher to Killeens Townland, thence by the Southern and Western boundary of Killeens Townland to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the centre of the River Lee, thence through the centre of the river to the "Cascade," on the Western boundary of Gillabbey Townland, thence along the Western and Northern boundary of Gillabbey Townland to the suburb boundary, thence through the centre of the north channel of the river to North Gate-bridge.

Cork, No. 5, District is bounded by a line drawn from North Gate-bridge through the centre of Shannon-street, Clarence-street, Old Chapel-lane, Old Youghal-road, Audley-place, Wellington-place, St. Patrick's-hill, Bridge-street, St. Patrick's-bridge, St. Patrick's-street, Daunt's-square, Castle-street, and North Main-street, to North Gate-bridge.

Cork, No. 6, District is bounded by a line drawn from North Gate-bridge through the centre of the north channel of the River Lee to the suburb boundary, thence along the suburb boundary to Gillabbey Weir, thence through the centre of the south channel to a point in the centre of the river opposite the Custom House, thence through the centre of the north channel, St. Patrick's-bridge, St. Patrick's-street, Daunt's-square, Castle-street, and North Main-street, to North Gate-bridge.

Cork, No. 7, District is bounded by a line drawn from Gillabbey Weir through the centre of the south channel of the River Lee to Fitton-street, thence through the centre of Fitton-street, Bishop-street, Dean-street, Vicar-street, Barrack-street, Green-street, and the Pouladuff-road to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the centre of the river, thence through the centre of the river to the "Cascades," thence by the Western and Northern boundary of Gillabbey Townland to Gillabbey Weir.

Cork, No. 8, District is bounded by a line drawn from Anglesea-bridge through the centre of Anglesea-street, Infirmary-road, Southern-road, and Douglas-road to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the Pouladuff-road, thence through the centre of the Pouladuff-road, Green-street, Barrack-street, Vicar-street, Dean-street, Bishop-street, and Fitton-street to the south channel of the River Lee, thence through the centre of the south channel to Anglesea-bridge.

Cork, No. 9, District is bounded by a line drawn from Anglesea-bridge through the centre of Anglesea-street, Infirmary-road, Southern-road, and Douglas-road to the boundary of the Cork Electoral Division at Douglas-bridge thence by the boundary of the Cork Electoral Division through the centre of the Douglas channel round by Blackrock Castle and through the centre of the River Lee to Anglesea-bridge.

Note.—The Statistics given for Cork in Table VIII. are for the City portion of the several Districts only.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.
No. of week in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered,	210	265	215	231	199	228	223	239	209	201	263	252	231	218	203	246	202	237	192	189	199	203	175	239	263	199
DEATHS registered,	138	156	165	146	178	162	159	158	153	147	175	150	143	164	131	127	176	137	118	113	139	132	192	198	210	166
Annual Death-rate per 1,000 of estimated Population,	20·6	23·2	24·6	21·8	26·5	24·1	23·7	23·5	22·8	21·9	26·1	22·3	21·3	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1
AGES, Under 1 year,	46	45	51	42	58	62	64	51	60	47	50	44	35	40	35	30	38	40	28	21	26	19	39	34	40	26
AGES, 1–5 years,	13	24	19	22	27	21	18	21	16	16	20	19	24	21	15	18	25	17	14	10	19	9	25	31	23	24
AGES, 5–60 years,	61	60	73	61	71	61	58	67	59	64	80	60	57	84	60	49	90	57	46	63	73	74	75	93	88	71
AGES, 60 years and upwards,	18	27	22	21	22	18	19	19	18	20	25	27	27	19	21	30	23	23	30	19	21	30	53	40	59	45
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	2	3	.	1	1	.	.	1	2	1	1	1	.	.	.	1	2	.	1	1	2	1	1	4	.
" Scarlet Fever,	1	2	.	.	1	.	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.	1	1	.	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	2	3	5	5	5	6	4	2	6	1	4	3	4	2	1	5	1	4	4	.	2	1	6	6	2	9
" Diphtheria,	.	2	1	.	.	.	.	.	2	1	.	.	.		.	2	1	3	2	.	3	2	1	2	.	1
" Simple continued and Ill-defined Fever,	.	1	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.
" Enteric Fever,	5	7	6	8	11	8	8	9	6	9	14	9	8	9	3	6	10	4	5	1	2	1	4	4	4	4
" Diarrhœa, Dysentery,	13	17	15	18	30	33	19	18	19	15	9	4	2	4	.	2	.	.	.	.	1	.	1	3	4	1
" Phthisis,	27	19	28	14	19	25	13	22	13	21	20	15	10	16	17	14	35	12	13	19	29	14	31	27	21	17
" Diseases of Respiratory System,	14	17	13	14	20	12	20	16	22	19	38	32	43	50	43	37	49	35	38	37	34	27	64	74	36	72
Violent Deaths,	2	5	5	6	2	3	2	1	3	4	2	4	8	8	3	1	3	7	4	1	2	6	2	5	2	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Jan. 20,	2,533	2,365	26·9	.	45	6	40	34	17	10
EDINBURGH,	302,262	„ 20,	160	135	23·2	.	.	3	2	1	1	1
GLASGOW,	743,969	„ 20,	503	340	23·8	.	19	4	3	4	3	3
CALCUTTA,	466,460	Nov. 18,	.	338	37·8	.	.	.	1	.	94‡	47*
BOMBAY,	821,764	Dec. 26,	318	1,601	101·3	36	43	?	?	?	166§	176*
MADRAS,	452,518	Nov. 24,	402	376	43·2	.	1	?	?	?	88	62
PARIS,	2,511,629	Jan. 13,	1,135	999	20·6	.	12	5	5†	3	9	26
BRUSSELS (with 8 Faubourgs).	561,130	„ 6,	271	178	16·5	.	.	1	2†	.	6	17
AMSTERDAM,	523,266	Dec. 30,	309	341	34·0	.	.	.	.	4	2	.
ROTTERDAM,	319,491	„ 30,	237	195	31·8	.	.	5	1	4	5	.
THE HAGUE,	196,325	„ 30,	124	69	18·0	.	1	.	.	.	.	.
COPENHAGEN,	349,000	Jan. 13,	167	133	19·8	.	1	.	2	2	.	5
CHRISTIANIA,	221,255	„ 13,	146	62	14·6	.	.	.	.	.	.	.
ST. PETERSBURG,	1,132,677	„ 6,	369	622	28·6	1	12	18	26	4	11	52
BERLIN (8 days),	1,819,095	Dec. 31,	1,070	792	19·8	.	6	20	11	18	1	39
HAMBURG,	691,349	Jan. 6,	.	236	17·8	1	.	.	.	3	1	4
DRESDEN,	392,300	„ 9,	210	132	17·2	.	3	1	2†	2	.	3
BRESLAU,	406,012	„ 13,	.	185	23·7	.	1	.	.	3	2	7
MUNICH,	445,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,623,134	Dec. 23,	855	643	20·4	.	17	2	13†	3	1	35
BUDA-PESTH,	685,340	Jan. 6,	423	270	19·6	.	5	6	2	.	7	3
PRAGUE and Faubourgs.	385,952	„ 6,	199	192	25·9	.	.	2	1	3	2	4
ROME,	507,244	Dec. 16,	234	225	23·1	1	3	.	1	.	7	15
TURIN (10 days),	344,203	Nov. 20,	201	138	14·6	.	3	.	2†	.	4	7
VENICE,	172,288	Dec. 30,	81	96	29·0	.	.	.	3†	.	.	4
NEW YORK,	3,550,053	„ 16,	1,483	1,222	18·0	.	13	11	37	7	9	8
PHILADELPHIA,	1,266,832	„ 23,	.	419	17·2	.	1	5	28	.	2	3

* Including 5 deaths from cholera in Calcutta and 3 in Bombay. † Including deaths from croup
‡ Exclusive of 29 deaths from bubonic fever. § Exclusive of 301 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., P.R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 20th January, 1900:—

"Cyclonic conditions held throughout this week and the weather remained extremely changeable, showery, and at times squally. For the most part an area of low atmospheric pressure was central off the North of Scotland, and various subsidiary depressions passed eastwards and northeastwards across the British Islands in the periphery of the primary system. Consequently, the winds were S. to W. or N.W. As gradients were steep at times, gales of considerable strength were felt in several places. At the beginning of the period hard frost prevailed on the Continent, and temperature was low also over the greater part of England, but by Wednesday frost had all but disappeared from Germany and in France the weather was quite mild. Thunder and lightning occurred on the morning of Wednesday at Roche's Point, Cork Harbour. On Friday morning gradients for S.W. winds were very steep over the British Isles and moderate to fresh gales from the point named blew at many exposed stations. Saturday was at first dull, then bright, cold and dry. In Dublin the mean height of the barometer was 29·749 inches, pressure ranging between 29·357 inches at 9 a.m. of Monday (wind, W.) and 30·206 inches at 9 p.m. of Saturday (wind, W.S.W.). The corrected mean temperature was 42·9°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 41·5°. On Friday the screened thermometers rose to 52·8°, having fallen to 34·9° on Thursday. Rain fell on five days to the amount of ·445 inch, ·199 inch being recorded on Tuesday. The estimated amount of bright sunshine was 22 hours. W.S.W. and W.N.W. winds predominated."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·766 inches. The highest reading (30·228) was on Saturday at 9 P.M., air calm, and the lowest (29·384) on Monday at 9 A.M., wind W.S.W.

The mean temperature for the week was 40·7°, being 1·0° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Friday, when the thermometer registered 51·1°, and was lowest on Saturday, the mercury having fallen to 28·9°. The mean of the Dry Bulb for the week was 39·7°, and of the Wet Bulb 38·0°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 21·0 hours. The rainfall measured ·560 inch.

At Greenwich the mean temperature for the week was 40·2°, the maximum 50·6°, and the minimum 27·0°; at Glasgow the maximum was 50·0°, the minimum 34·2°, and the mean 41·5°; and at Edinburgh the maximum was 47·8°, the minimum 32·0°, and the mean 39·7°. The rainfall at Greenwich measured 0·74 in.; at Glasgow, 1·48 ins.; and at Edinburgh, 0·62 in.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Jan. 14,	29·708	47·8	34·1	41·0	39·8	38·4	·89	·8	1·8	·040	W.	S.W.
Monday, „ 15,	29·427	48·5	37·3	42·9	41·8	39·9	·86	·8	2·2	·140	W.S.W.	W.S.W.
Tuesday, „ 16,	29·500	44·4	36·2	40·3	39·1	38·1	·93	·5	2·4	·235	W.	W.
Wednesday, „ 17,	29·542	45·3	31·9	38·6	37·9	36·0	·84	·6	4·0	·025	W.	W.
Thursday, „ 18,	30·105	45·0	33·7	39·4	38·9	37·2	·86	·4	6·9	·010	W.	S.W.
Friday, „ 19,	29·892	51·1	38·9	45·0	45·8	43·2	·82	·5	0·0	·105	S.W.	S.W.
Saturday, „ 20,	30·191	46·1	28·9	37·5	34·6	33·0	·85	·8	3·7	·005	W.S.W.	Calm.
Mean,	29·766	46·9	34·4	40·7	39·7	38·0	·86	·6	Total 21·0	Total ·560	Prevailing wind, W.	

Sunday—A cloudy day; rain 5 p.m. to 1 a.m.; squally 7 p.m. to 12 p.m.; night cloudy. *Monday*—A cloudy day; rain 9.15 to 9.30 and 1.15 a.m. to 6.30 a.m.; night cloudy. *Tuesday*—A cloudy day; night cloudy; rain 4.30 to 7.30 a.m. *Wednesday*—A cloudy day; showery a.m.; night clear; snow showers 11.15 to 11.30 p.m. *Thursday*—A beautiful day; night cloudy; rain 5 to 7 and 8.45 to 9 a.m. and squally from 2 a.m. *Friday*—A dull day; rain 9 to 12 a.m. and 1 to 2 p.m.; squally 9 a.m. to 1 p.m.; night cloudy. *Saturday*—Cloudy a.m.; bright p.m.; night clear to 7 a.m.; rain 7.30 to 9 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

1. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 27TH JANUARY, 1900. [No. 4

General Register Office, Charlemont House,
Dublin, 29th January, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 22·1), was equal to an average annual death-rate of 22·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·4 per 1,000, the rate for Glasgow being 24·4, and for Edinburgh 21·2.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 33·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.* The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Average Rate for 4 weeks.
23 Town Dists.	**37·0**	**38·2**	**31·4**	**33·2**	**35·0**	Limerick, . .	15·4	23·9	22·5	23·9	21·4
Armagh, . .	21·4	28·5	7·1	21·4	19·6	Lisburn, . .	55·3	76·6	29·8	42·6	51·1
Ballymena, .	16·9	28·2	16·9	22·5	21·1	Londonderry, .	44·0	26·7	15·7	37·7	31·0
Belfast, . .	28·8	30·5	24·1	24·7	27·0	Lurgan, . .	45·6	50·2	63·9	27·4	46·8
Carrickfergus, .	5·8	0·0	11·7	29·2	11·7	Newry, . .	20·1	16·1	0·0	12·1	12·1
Clonmel, . .	4·9	39·0	34·1	73·0	37·8	Newtownards, .	28·3	5·7	39·7	39·7	28·4
Cork, . . .	57·4	58·1	35·3	45·0	49·0	Portadown, .	49·5	30·9	24·7	24·7	32·5
Drogheda, . .	15·2	38·0	26·6	19·0	24·7	Queenstown, .	23·0	34·4	23·0	40·2	30·2
Dublin, Reg. Area,	47·9	47·0	42·5	37·0	43·6	Sligo, . . .	15·2	35·5	25·4	40·6	29·2
Dundalk, . .	20·9	29·3	8·4	16·8	18·9	Tralee, .	33·6	39·2	16·8	78·3	42·0
Galway, . .	3·8	49·1	60·5	60·5	43·5	Waterford, .	51·7	23·9	35·8	39·8	37·8
Kilkenny, . .	18·9	37·8	18·9	37·8	28·4	Wexford, . .	49·7	45·2	31·6	58·7	46·3

The deaths from the principal zymotic diseases registered in the 23 districts during last week were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in thirteen of the districts to 19·5 in Clonmel; the 15 deaths from all causes registered in that district comprising 4 from diarrhœa. Among the 170 deaths from all causes registered in Belfast are one from measles, 5 from whooping-cough, one from enteric fever, and 2 from diarrhœa; and the 65 deaths in Cork comprise 2 from measles and one from diarrhœa.

* See Note (a), Table VI.

DUBLIN AND SUBURBS.

In the Dublin Registration Area the births registered during the week amounted to 191—92 boys and 99 girls; and the deaths to 259—130 males and 129 females.

The deaths, which are 31 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 38·6 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 37·0 per 1,000. During the four weeks ending with Saturday last the death-rate averaged 45·6, and was 11·1 over the mean rate for the corresponding portions of the ten years 1890–99.

Deaths from zymotic diseases, which had fallen from 55 for the week ended the 13th instant to 47 for the following week, further declined last week to 39, but this number is 9 in excess of the average for the corresponding week of the last ten years: the 39 deaths comprise 5 from measles, 27 from influenza and its complications—against 24 under that heading in the preceding week and 20 in the week ended the 13th instant—3 from whooping-cough, one from diphtheria, one from cerebro-spinal meningitis, one from enteric fever; &c.

Nine cases of measles were admitted to hospital during the week, against 2 for the preceding week and 7 for the week ended the 13th instant; 8 measles patients were discharged during the week; one died; and 40 remained under treatment on Saturday last, being equal to the number in hospital at the close of the preceding week.

Eight cases of scarlatina were admitted to hospital, being 2 over the admissions for the preceding week, but 5 under the number for the week ended the 13th instant: 11 patients were discharged during the week; one died; and 64* remained under treatment on Saturday last, being 4 under the number in hospital on Saturday the 20th instant.

The number of cases of enteric fever admitted to hospital is 13, being 2 under the admissions for the preceding week, but one over the number for the week ended the 13th instant: 19 patients were discharged during the week, and 76 remained under treatment on Saturday last, being 6 under the number in hospital at the close of the preceding week.

Eight cases of diphtheria were admitted to hospital, against 3 for the preceding week and 4 for the week ended the 13th instant; 30 cases of the disease remained under treatment in hospital on Saturday last.

Deaths from diseases of the respiratory system, which had fallen from 110 for the week ended the 13th instant to 92 for the following week, further declined last week to 55, or 6 under the average for the corresponding week of the last ten years: the 55 deaths comprise 30 from bronchitis, 20 from pneumonia or inflammation of the lungs, and 2 from croup.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals, during the week ended Saturday, 27th January, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th January.			
	Jan. 6.	Jan. 13.	Jan. 20.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	70	58	40	9	8	1	40
Scarlet Fever,	81	69	68	8	11	1	64*
Typhus „	.	.	.	1	.	.	1
Diphtheria,	39	42	29	8	7	.	30
Enteric Fever,	99	82	82	13	19	.	76
Pneumonia,	23	22	20	11	1	1	29

The deaths of 12 children under 5 years of age (including 11 infants under one year old) were ascribed to convulsions.

Four deaths were caused by apoplexy, 10 by other diseases of the brain and nervous system (exclusive of convulsions), and 25 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 36 deaths, mesenteric disease 6, tubercular meningitis 8, and cancer 6.

Two accidental deaths were registered.

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

In 15 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 infants under one year old and of 4 persons aged 60 years and upwards.

Sixty of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 8 were under one month old) and 91 were aged 60 years and upwards, including 46 persons aged 70 and upwards, of whom 11 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Ninety-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 24 took place in the North Dublin Union Workhouse, 24 in the South Dublin Union Workhouse, and 5 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 37·0 per 1,000; the rate in the city was 37·9 (43·7 on the North side, and 32·6 on the South), and in the Suburbs 34·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the city being 1·5 (1·8 in the North City Districts, and 1·2 in the South), and for the Suburbs 1·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 25·0 per 1,000. Influenza caused 2 deaths, but no deaths from any other zymotic disease were recorded. The 11 deaths from other causes comprise 3 from bronchitis and 4 from phthisis.

No. 1 North City District, West (Summer-hill).—The deaths (29) are equal to an annual rate of 43·4 per 1,000. Five deaths were caused by influenza, but none by any other zymotic disease. Among the 24 deaths from other causes are 4 from bronchitis, 2 from pneumonia, 2 from diseases of the circulatory system, 5 from phthisis, and 3 from convulsions.

No. 2 North City District (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 41·5 per 1,000. They comprise 3 from zymotic diseases, viz.:—one from measles and 2 from influenza. Five deaths were caused by bronchitis and 4 by convulsions.

No. 3 North City District (Blackhall-place).—The deaths (33) represent an annual rate of 66·0 per 1,000. Among them are 4 from zymotic diseases, viz.:—2 from measles, one from influenza, and one from enteric fever. The 29 deaths from other causes comprise 4 from pneumonia, 6 from diseases of the circulatory system, 2 from phthisis, 2 from tubercular meningitis, and 2 from convulsions.

No. 1 South City District (South Earl-street).—The deaths (28) represent an annual rate of 44·0 per 1,000. They comprise 7 from zymotic diseases, viz.:—6 from influenza and one from whooping-cough. Three deaths were caused by bronchitis, 6 by diseases of the circulatory system, and 6 by phthisis.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·1 per 1,000. One death from whooping-cough constitutes the mortality from zymotic disease. Inflammatory diseases of the respiratory system caused 4 deaths and diseases of the circulatory system 2.

No. 3 South City District (Peter-street).—The deaths (21) are equal to an annual rate of 27·0 per 1,000. They comprise 2 from zymotic diseases (including one from influenza), 2 from inflammatory diseases of the respiratory system, 2 from diseases of the circulatory system, 4 from phthisis, 2 from tubercular meningitis, and 6 from diseases of the brain and nervous system.

No. 4 South City District (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 30·6 per 1,000. Among them are 2 from zymotic diseases, viz.:—one from influenza and one from whooping-cough. The 19 deaths from other causes comprise 3 from bronchitis, 5 from phthisis and 3 from diseases of the brain and nervous system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 63·0 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 34·0; Finglas and Glasnevin, part of, 24·6; Palmerston, part of, and Crumlin, part of, 14·3; Rathmines, 24·4; Donnybrook, 40·2; Blackrock, 37·2; and Kingstown, 48·0. The deaths from zymotic diseases tabulated for these districts consist of one from influenza for Clontarf and Howth, No. 1; one from influenza and one from cerebro-spinal meningitis for Coolock and Drumcondra, No. 1; one from influenza for Finglas and Glasnevin, part of; one from influenza for Rathmines; one from measles and 2 from influenza for Donnybrook; and one from measles and 3 from influenza for Kingstown. Of the 5 deaths from all causes tabulated for Clontarf and Howth, No. 1 District, 2 were from bronchitis and 2 from pneumonia; the 13 deaths for Rathmines comprise 2 from bronchitis, 3 from pneumonia, and 2 from phthisis; among the 19 deaths for Donnybrook are 2 from bronchitis, 3 from pneumonia, 3 from diseases of the circulatory system, and 2 from phthisis; and the 16 deaths for Kingstown comprise 2 from diseases of the circulatory system.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 4th Week of the 10 years 1890-99.	In the week ending Saturday, 27th January, 1900. Deaths of persons of the Ages of							
	Jan. 25, 1890	Jan. 31, 1891	Jan. 30, 1892	Jan. 28, 1893	Jan. 27, 1894	Jan. 26, 1895	Jan. 25, 1896	Jan. 30, 1897	Jan. 29, 1898	Jan. 28, 1899		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	40·4	43·9	44·1	44·7	40·4	35·5	39·2	33·7	47·3	36·6	40·6	43·8 (Mean Temp.)								
ALL CAUSES,	830	221	278	198	217	208	184	284	194	167	248·1	259	8	24	28	20	38	50	79	12
I. FEBRILE OR ZYMOTIC DISEASES,	37	14	42	18	42	26	18	59	29	18	30·3	39	.	3	7	4	5	5	12	3
II. PARASITIC DISEASES,	1	1	1	.	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	1	.	.	.	1	.	.	1	1	·5	1	.	.	.	.	.	1	.	.
IV. CONSTITUTIONAL "	59	52	48	46	41	43	36	41	47	39	45·0	67	.	5	9	11	13	12	12	.
V. DEVELOPMENTAL "	18	19	20	16	12	16	14	21	13	10	15·9	21	2	.	.	.	.	.	15	4
VI. LOCAL "	195	119	158	106	104	111	100	140	96	66	121·5	121	5	15	12	5	15	29	35	5
VII. VIOLENT DEATHS,	3	5	5	5	4	4	9	11	8	10	5·9	2	.	.	.	.	.	1	1	.
VIII. ILL-DEFINED CAUSES,	16	10	9	7	14	7	7	8	5	8	8·6	8	1	1	.	.	.	2	4	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	3	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Measles,	5	1	.	1	3	.	.	7	.	.	1·7	5	.	1	3	1	.	.	.	.
Scarlet Fever,	1	.	.	.	2	2	1	6	3	1	1·6	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	1	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	8	1	30	1	9	3	3	5	10	3	7·3	27	.	.	1	2	4	5	12	3
Whooping Cough,	10	.	5	.	11	2	1	27	4	5	6·5	3	.	2	1	.	.	.	.	.
Diphtheria,	.	1	.	3	2	1	.	.	1	.	·8	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	2	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	8	4	3	5	2	5	6	1	6	5	4·5	1	.	.	.	.	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	.	1	1	1	3	3	4	1	.	1·4	.	.	.	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	1	.	1	.	2	.	1	·5	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	3	2	.	.	2	2	1	1·0	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	2	1	.	2	1	2	2	.	1	1·2	1	.	.	1	.	.	.	.	.
Puerperal Fever,	1	.	1	.	1	.	2	.	.	.	·5	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	5	1	2	5	1	.	2	.	1	2·0	1	.	.	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	1	1	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	1	.	.	.	1	.	.	1	1	·5	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	1	1	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Rheumatism,	1	.	.	.	.	.	.	1	.	.	·2	3	.	.	.	.	.	1	2	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
Rickets,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	5	5	6	9	5	7	7	2	8	6	6·0	6	.	.	.	.	1	2	3	.
Tabes Mesenterica,	3	7	3	2	4	7	5	7	3	6	4·7	6	.	3	3	.	.	.	.	.
Tubercular Meningitis	.	5	3	.	3	4	3	2	9	5	3·4	8	.	2	3	3	.	.	.	.
Phthisis,	42	27	28	32	26	22	20	21	23	18	25·9	36	.	.	1	5	17	8	5	.
Scrofula, Tuberculosis,	4	6	3	2	3	3	.	9	3	3	3·6	6	.	.	2	3	.	1	.	.
Other Constitutional Diseases,	2	1	.	1	.	.	1	1	1	1	·8	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Promature Birth,	.	2	2	1	2	.	4	8	2	1	2·2	2	2	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	18	17	18	15	10	15	10	13	11	9	13·6	19	.	.	.	.	.	.	15	4

each Disease registered in the FOURTH WEEK ending Saturday, 27th January, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 4th Week of the 10 years 1890-99.	In the Week ending Saturday, 27th January, 1900. Deaths of Persons of the Ages of							
	Jan. 25, 1890	Jan. 31, 1891	Jan. 30, 1892	Jan. 28, 1893	Jan. 27, 1894	Jan. 26, 1895	Jan. 25, 1896	Jan. 30, 1897	Jan. 29, 1898	Jan. 28, 1899		ALL AGES.	0 to 5						
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 40·4	° 43·9	° 44·1	° 44·7	° 40·4	° 35·6	° 39·2	° 33·7	° 47·3	° 36·6	° 40·6	° 48·8								
VI. Local Diseases.																				
Apoplexy,	.	2		2	2	4	1	6	4	9	·3·3	4	.	.	.	.	.	1	2	1
Epilepsy,	2	1	1	2	1	.	.	1	1	2	1·1	1	.	.	.	.	.	1	.	.
Convulsions,	9	19	13	11	14	18	13	7	13	7	11·9	12	3	3	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	6	4	20	6	8	11	7	9	6	9	8·1	9	.	.	.	.	2	3	4	.
Diseases of Organs of Special Sense,	.	.	.	.	1	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	30	23	22	20	12	13	23	15	11	12	18·1	25	.	.	1	1	3	12	6	2
Croup,	.	1	2	.	3	1	2	1	.	1	1·1	2	.	1	1	.	.	.	.	.
Bronchitis,	85	40	61	31	38	29	28	67	26	19	41·9	30	1	3	6	.	3	9	14	1
Pneumonia	32	13	16	14	7	15	10	14	15	10	14·6	26	1	2	2	3	3	5	3	1
Pleurisy,	.	.	.	1	.	.	2	1	1	.	·5	1	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System,	13	1	2	2	5	3	.	3	1	.	3·0	2	.	.	.	1	.	.	1	.
Teething,	4	1	2	1	1	.	1	3	2	1	1·6	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	1	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	1	1	1	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Peritonitis	.	.	.	2	.	.	.	.	2	1	·5	.	.	.	.	.	.	.	.	.
Disease of Liver,	2	.	.	.	4	1	3	.	3	2	1·5	2	.	.	.	.	2	.	.	.
Other Diseases of Digestive System,	4	3	6	5	10	5	3	8	4	4	5·2	6	.	1	.	.	1	3	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	6	5	6	5	5	12	3	1	6	5	5·4	6	.	.	1	.	1	1	3	.
Diseases of Generative System,	.	2	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	2	1	.	.	1	.	1	1	.	2	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	3	.	2	1	1	.	1	.	.	·3	1	.	.	.	.	.	.	1	.
Diseases of Integumentary System,	.	.	2	1	.	2	2	1	.	.	·3	.	.	.	.	.	.	.	.	.
VII. Violent Deaths (ACCIDENT.)																				
By Railways,		.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	1	.	.	1	.	.	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	1	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	3	2	1	1	.	3	1	2	1	4	·5·8	.	.	.	.	.	.	.	.	.
By Drowning,		.	.	2	2	.	4	2	1	.		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		2	2	1	2	1	3	7	1	2		1	.	.	.	.	.	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	16	10	9	7	14	7	7	3	5	3	8·6	8	1	1	.	.	.	2	4	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899-1900—Week ending																									
	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.
No. of weeks in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered,	194	205	184	212	194	198	236	211	237	190	198	188	180	225	172	241	198	154	206	167	138	247	187	209	168	191
Average Births in corresponding week of previous 10 years,	193	197	201	183	196	181	207	202	198	178	166	179	170	172	175	185	181	184	181	184	154	168	188	199	195	202
DEATHS registered,	223	214	234	207	205	251	235	200	223	196	225	250	244	216	249	248	220	259	258	256	285	280	337	331	295	259
Annual Death-rate per 1,000,	33·3	31·9	34·9	30·9	30·6	37·4	35·1	29·8	33·3	29·2	33·6	37·3	36·4	32·2	37·1	37·0	32·8	38·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6
Average Deaths in corresponding week of previous 10 years,	151	155	150	158	161	158	158	161	159	149	157	152	163	178	166	174	177	183	177	184	184	207	211	239	249	228
AGES, Under 5 years,	112	108	106	102	110	111	120	94	110	93	114	107	95	111	118	123	98	93	103	84	87	86	81	85	70	60
5—20 „	16	15	9	13	14	17	24	12	18	13	26	18	23	22	11	27	16	12	17	23	22	13	15	16	15	20
20—40 „	24	25	38	26	25	34	34	24	36	29	23	29	32	14	36	27	28	36	35	35	46	32	49	38	44	33
40—60 „	33	24	46	29	30	47	25	34	26	27	32	38	29	29	36	32	33	51	51	61	55	57	73	84	61	50
60—80 „	34	36	33	32	23	34	26	26	32	29	24	53	45	32	37	28	36	53	44	44	63	74	94	85	83	79
80 years and upwards,	4	6	7	6	3	8	6	10	1	5	6	5	10	8	11	11	9	14	8	9	12	18	25	36	22	12
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	18	9	10	18	14	17	23	23	28	32	44	52	44	38	39	51	38	29	30	23	24	15	10	18	9	5
„ Scarlet Fever,	.	.	.	2	.	2	1	2	.	.	2	1	1	.	1	2	1	2	1	1	1	1	.	1	.	.
„ Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	4	3	7	1	3	2	1	1	2	2	.	1	.	2	1	2	.	1	1	3	2	2	1	1	3	3
„ Diphtheria,	.	2	1	.	1	1	1	.	1	.	1	2	2	3	3	3	2	2	3	2	3	1	.	3	2	1
„ Simple continued and Ill-defined Fever,	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Enteric Fever,	3	4	1	6	4	7	9	5	11	4	7	4	6	2	5	9	4	6	2	2	3	3	5	5	2	1
„ Diarrhœa, Dysentery,	40	43	43	39	6	42	45	20	27	16	14	4	9	6	6	5	3	4	4	3	5	1	2	3	6	.
„ Phthisis,	24	24	26	19	22	31	29	18	23	20	22	26	29	15	21	17	20	35	27	36	30	28	40	27	29	36
„ Heart Diseases,	18	15	18	10	18	6	12	7	11	14	10	23	13	9	18	13	17	17	15	26	15	21	24	20	16	25
„ Diseases of Respiratory System,	18	19	29	24	13	31	21	24	30	31	29	39	40	53	57	50	51	66	70	66	73	98	110	110	92	55
Violent Deaths,	3	3	5	8	6	6	5	4	5	4	3	5	8	4	8	6	7	4	6	6	3	7	4	5	5	2
Mean Temperature of the Air (Phœnix Park),	62·1	57·6	61·0	61·7	59·1	59·1	57·4	52·4	47·5	46·1	48·0	49·5	48·9	56·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8
Average Mean Temperature in corresponding week of previous 10 years,	59·0	58·4	58·8	56·9	55·7	56·4	56·6	53·6	52·7	51·1	48·4	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6
Rainfall in inches,	1·645	·035	·195	·095	1·295	·150	·455	·575	1·470	·360	·355	·470	·325	1·085	·710	·050	·030	·240	·455	·200	·855	2·055	·715	·535	·560	·530
Mean Humidity of the Air, complete Saturation 1·0,	·89	·89	·86	·84	·86	·82	·88	·78	·86	·85	·86	·83	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 27th January, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	1	5	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases	2	5	2	1	6	.	2	1	1	2	1	.	1	2	.	3	29	.
Total,	2	5	3	4	7	1	2	2	1	2	1	.	1	3	.	4	38	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	4	5	1	2	6	1	4	5	.	1	.	.	2	2	1	1	35	1
Other Constitutional Diseases,	1	4	5	5	2	.	2	2	.	.	1	.	3	2	.	2	29	2
Total,	5	9	6	7	8	1	6	7	.	1	1	.	5	4	1	3	64	3
V. DEVELOPMENTAL DISEASES,	.	3	2	2	1	1	1	2	.	.	.	.	.	.	3	3	19	2
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	1	4	5	2	1	1	6	3	.	.	.	1	.	1	1	.	26	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	.	2	.	6	6	2	2	.	.	.	.	.	.	3	.	2	28	2
Diseases of Respiratory System,	4	6	6	7	4	4	2	5	4	1	.	.	5	5	1	1	55	.
Diseases of Digestive System,	.	.	.	1	.	.	.	1	.	2	.	.	.	2	.	1	7	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	2	.	.	.	.	.	.	.	1	1	.	.	1	5	1
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	12	11	18	11	7	10	9	4	3	.	2	7	11	2	5	117	4
VII. VIOLENT DEATHS,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	1	1	1	.	1	.	.	1	.	.	.	1	.	1	7	1
Deaths from all Causes,	13	29	23	33	28	10	21	21	5	7	2	2	13	19	6	16	248	11
Annual Rate of Mortality in every 1,000 of the population.	25·0	48·4	41·5	66·0	44·0	26·1	27·0	30·6	63·0	34·0	24·6	14·3	24·4	40·2	37·2	48·0	37·0	
	43·7				32·6				34·9									
	37·9																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	6	1	8	3	.	3	3	1	.	.	.	2	2	1	3	33	5
Workhouse Hospitals,	3	7	7	4	6	2	8	3	.	.	.	.	1	1	.	5	47	6

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall o O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St. Jude.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th January, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	38·6	259	60	25	38	50	79	12	.	5	.	.	3	1	.	1	.	10	36	12	55	2	144
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	33·4	10	.	2	1	.	6	1	.	.	.	.	.	.	.	.	.	.	1	.	3	.	6
II.	MIDDLE CLASS,	81,469	24·9	39	3	1	7	7	17	4	.	.	.	.	.	.	.	.	.	.	3	1	10	.	25
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	31·4	60	14	3	8	18	16	1	.	1	.	.	.	.	.	.	.	1	7	1	16	.	35
IV.	GENERAL SERVICE CLASS,	147,978	51·1	97	33	12	14	15	20	3	.	3	.	.	2	1	.	1	.	8	12	9	19	2	47
V.	INMATES OF WORKHOUSES,	5,191		53	10	2	8	10	20	3	.	1	.	.	.	.	.	.	.	1	18	1	7	.	31
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	39·1	6	.	2	1	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4
	2. Merchants and Manufacturers, Higher Class,	1,857	56·0	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	3. Persons of Rank and Property, not otherwise described,	5,733	18·1	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	22·0	11	2	1	3	2	1	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	8
	6. Clerks and Commercial Assistants,	25,001	20·8	10	1	.	3	3	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	33·9	16	.	.	1	2	11	2	.	.	.	.	.	.	.	.	.	.	1	.	7	.	8
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	21·0	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	9. Building and Furnishing Trades,	26,294	35·6	18	6	1	4	3	3	1	.	.	.	.	.	.	.	.	.	.	3	.	6	.	9
	10. Clothing Trades,	23,927	15·2	7	1	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	5
	11. Food Supply Trades,	7,949	39·3	6	1	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	4
	12. Other Trades and Callings ranking with Trades,	26,987	38·6	20	5	1	2	6	6	.	.	1	.	.	.	.	.	.	.	1	2	.	5	.	12
	13. Petty Shopkeepers,	6,839	45·6	6	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	34·1	9	5	1	1	1	1	.	.	1	.	.	.	.	.	.	.	1	2	.	2	1	3
	15. Domestic Servants,	39,967	15·6	12	2	.	.	4	4	2	.	.	.	.	.	1	.	.	.	1	1	.	1	.	9
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	28·9	6	1	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	3
	17. Hawkers, Porters, Labourers, &c.,	83,472	48·6	70	25	10	12	8	14	1	.	2	.	.	3	.	.	1	.	6	7	9	15	1	32
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	53	10	2	8	10	20	3	.	1	.	.	.	.	.	.	.	1	18	1	7	.	31

TABLE VI.—BIRTHS and DEATHS registered during the week ending the 27th January, 1900, in the Registrar's Districts of Persons admitted from other Districts), with the number of Deaths the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 27th January, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 27th Jan., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th Jan., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th Jan., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·3	30·8	33·2	1·6	627	676	93	242	.	9	.	.	10	1	.	2	10	88	195	7	18	187	°	°	°	.	°	°	°	.	°	°	°	.
Dublin Registration Area:—																																			
Total,‡	849,594	14·2	28·5	37·0	1·3	191	248	82	88	.	5	.	.	3	.	.	1	.	35	55	2	7	80	53·3	29·0	43·8	0·53	51·1	28·9	40·7	0·56	50·2	31·9	42·2	0·54
Registrar's Districts. City.	245,001	65·6	33·2	37·9	1·5	156	178	25	55	.	3	.	.	3	.	.	1	.	28	38	2	6	64	55·7	35·0	45·7	0·44	52·8	34·9	42·9	0·45	51·1	34·1	44·2	0·44
Clontarf &c. No. 1,	4,188	1·5	.	63·0	.	.	5	.	5	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,730	1·8	19·4	34·0	.	4	7	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	24·6	24·6	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53·7	28·0	43·9	0·60	50·9	31·0	41·0	0·50	51·9	30·2	42·	[illegible]
Palmerston, part of and Crumlin part of (b),	7,273	8·0	21·5	14·3	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	18·8	24·4	.	10	13	2	5	.	.	.	.	.	.	.	.	.	2	5	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	10·6	40·2	2·1	5	19	1	9	.	1	.	.	.	.	.	.	.	2	5	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	37·2	37·2	.	6	6	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	15·0	48·0	3·0	5	16	1	8	.	1	.	.	.	.	.	.	.	1	1	.	.	8	.	.	.	.	.	.	.	.	51	39	44·7	.
Urban Districts.																																			
Belfast,	359,000	21·8	33·4	24·7	1·3	230	170	32	45	.	1	.	.	5	.	.	1	2	21	66	.	1	40	51·0	31·5	44·4	0·55	51·0	31·0	40·8	0·59	51·0	28·0	40·2	·7
Cork,	75,845	38·3	34·6	45·0	2·1	50	65	10	20	.	2	.	.	.	.	.	.	1	13	14	1	3	22	54	38	47·4	0·83	52	37	45·0	1·00	52	36	46·4	0
Limerick,	37,155	17·9	12·6	28·9	.	9	17	1	9	.	.	.	.	.	.	.	.	.	3	7	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	48·7	37·7	.	31	24	2	7	.	.	.	.	.	.	.	.	.	4	8	.	.	5	51·0	34·0	42·6	1·52	48·1	33·0	39·8	1·31	50·6	33·0	42·2	0·71
Waterford,	26,208	18·3	31·8	39·8	2·0	16	20	.	7	.	.	.	.	1	.	.	.	.	2	7	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,800	2·6	26·4	60·5	.	7	16	3	9	.	.	.	.	.	.	.	.	.	.	5	.	.	4	52	34	43	1·47	51	34	43	1·68	50	32	43	·10
Drogheda	18,708	8·7	11·4	19·0	.	3	5	1	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	28·2	12·1	.	7	3	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	51·0	32·8	43·7	0·90	49·3	33·8	40·2	0·56	51·7	31·7	41·8	0·39
Dundalk,	12,449	9·0	4·2	16·8	.	1	4	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	21·3	42·6	4·3	5	10	.	3	.	.	.	.	.	.	.	.	1	1	3	.	.	1	51·0	32·8	43·7	0·90	49·3	33·8	40·2	0·56	51·7	31·7	41·8	0·39
Wexford,	11,545	24·0	22·6	58·7	4·5	5	13	3	4	.	1	.	.	.	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	63·9	27·4	.	14	6	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	51·0	32·8	43·7	0·90	49·3	33·8	40·2	0·56	51·7	31·7	41·8	0·39
Kilkenny,	11,048	12·0	66·1	37·8	9·4	14	8	.	8	.	.	.	.	.	.	.	2	.	.	.	.	.	7	53	35	43·5	0·56	50	30	40·3	0·74	50	30	41·1	0·56
Clonmel,	10,708	8·2	4·9	73·0	19·5	1	15	1	10	.	.	.	.	.	.	.	4	1	1	5	2	2	8	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	20·3	40·6	.	4	8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	3	51·9	32·5	43·7	1·04	48·2	29·7	40·3	1·37	52·8	30·7	42·4	0·87
Trales,	9,318	15·9	16·8	78·3	5·6	3	14	3	8	.	.	.	.	1	.	.	.	.	.	2	1	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	33·8	22·5	.	6	4	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	51·0	39·7	5·7	9	7	.	3	.	.	.	.	1	.	.	.	.	1	3	.	.	.	52	33	43·5	0·66	50	33	40·0	0·43	48	33	40·5	0·56
Queenstown,	9,082	17·0	28·7	40·2	.	5	7	1	1	.	.	.	.	.	.	.	.	.	2	3	.	.	.	54	38	47·4	0·83	52	37	45·0	1·00	52	36	46·4	0·20
Carrickfergus,	8,923	0·5	29·2	29·2	.	5	5	.	3	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,430	11·0	37·1	24·7	.	6	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51·0	32·8	43·7	0·90	49·3	33·8	40·2	0·56	51·7	31·7	41·8	0·39
Armagh,	7,187	21·4	35·6	21·4	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	51·0	32·8	43·7	0·90	49·3	33·8	40·2	0·56	51·7	31·7	41·8	0·39

(a) That portion of the District situated in Glasnevin District Electoral Divisions. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude.

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

†‡ having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. ‡ Exclusive of 11 deaths of persons (including 2 aged 60 years or upwards) admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park. ‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin.	1899-1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
North City, No. 1 (E.)	Dec. 9	23·0	3·8	12	.	1	.	.	.	.	.	.	1	5	2	.
	,, 16,	34·6	1·9	18	.	.	.	.	1	.	.	.	.	4	6	1
	,, 23,	23·0	3·8	12	.	.	.	.	1	.	.	.	1	.	3	1
(*Office, Clarence-street, Nth.*)	,, 30,	36·5	.	19	.	.	.	.	.	.	.	.	.	3	8	2
	Jan. 6,	34·6	1·9	18	.	.	.	.	.	.	.	1	.	2	10	.
	,, 13,	46·1	1·9	24	.	1	.	.	.	.	.	.	.	3	7	.
	,, 20,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	2	.
Pop. (in 1891) 27,147.	,, 27,	25·0	.	13	.	.	.	.	.	.	.	.	.	4	4	1
North City, No. 1 (W.)	Dec. 9,	34·4	3·0	23	.	1	.	.	.	1	.	.	.	.	9	1
	,, 16,	52·4	6·0	35	.	2	.	.	1	.	.	1	.	3	12	.
	,, 23,	44·9	3·0	30	.	.	.	.	.	.	.	.	2	2	9	.
	,, 30,	38·9	3·0	26	.	1	.	.	1	.	.	.	.	4	9	1
(*Office, Summer-hill.*)	Jan. 6,	62·9	3·0	42	.	.	.	.	.	.	.	1	1	5	18	.
	,, 13,	50·9	4·5	34	.	.	.	.	.	.	.	.	3	2	13	.
	,, 20,	53·9	3·0	36	.	.	.	.	.	1	.	.	1	4	15	.
Pop. (in 1891) 34,886.	,, 27,	43·4	.	29	.	.	.	.	.	.	.	.	.	5	6	.
North City, No. 2.	Dec. 9,	41·5	3·6	23	.	.	.	.	.	1	.	.	1	2	5	1
	,, 16,	41·5	9·0	25	.	2	.	.	.	2	.	.	1	4	7	.
	,, 23,	56·0	1·8	31	.	.	.	.	.	1	.	.	.	5	9	.
	,, 30,	47·0	3·6	26	.	1	.	.	.	.	.	1	.	3	9	.
(*Office, Lisburn-street.*)	Jan. 6,	59·6	1·8	33	.	1	.	.	.	.	.	.	.	7	9	.
	,, 13,	50·6	.	28	.	.	.	.	.	.	.	.	.	2	11	.
	,, 20,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	3	8	2
Pop. (in 1891) 28,871.	,, 27,	41·5	1·8	23	.	1	.	.	.	.	.	.	.	1	6	.
North City, No. 3.	Dec. 9,	40·0	4·0	20	.	2	.	.	.	.	.	.	.	1	6	1
	,, 16,	42·0	6·0	21	.	3	.	.	.	.	.	.	.	4	6	1
	,, 23,	30·0	6·0	15	.	2	.	.	.	.	.	.	.	2	6	.
	,, 30,	58·0	4·0	29	.	1	.	.	.	.	.	1	.	2	6	1
(*Office, Blackhall-place.*)	Jan. 6,	66·0	4·0	33	.	1	.	.	1	.	.	.	.	4	10	.
	,, 13,	68·0	6·0	34	.	2	.	.	.	.	.	1	.	5	12	.
	,, 20,	50·0	2·0	25	.	.	.	.	.	1	.	.	.	4	10	1
Pop. (in 1891) 26,055.	,, 27,	66·0	6·0	33	.	2	.	.	.	.	.	1	.	2	7	1
South City, No. 1.	Dec. 9,	39·3	3·1	25	.	2	.	.	.	.	.	.	.	2	10	.
	,, 16,	55·0	4·7	35	.	3	.	.	.	.	.	.	.	6	9	3
	,, 23,	62·8	4·7	40	.	2	.	.	.	.	.	.	1	2	11	1
	,, 30,	55·0	.	35	.	.	.	.	.	.	.	.	.	3	15	.
(*Office, South Earl-street.*)	Jan. 6,	61·3	1·6	39	.	1	.	.	.	.	.	.	.	3	11	1
	,, 13,	66·0	3·1	42	.	1	.	.	1	.	.	.	.	4	15	1
	,, 20,	45·6	3·1	29	.	1	.	.	.	.	.	.	1	2	5	.
Pop. (in 1891) 33,194.	,, 27,	44·0	1·6	28	.	.	.	.	1	.	.	.	.	6	4	.
South City, No. 2.	Dec. 9,	70·3	19·7	25	.	5	.	.	.	1	.	.	1	3	6	1
	,, 16,	30·9	5·6	11	.	1	.	.	.	.	.	1	.	3	4	.
	,, 23,	39·4	8·4	14	.	.	1	.	.	1	.	1	.	1	4	.
	,, 30,	73·1	2·8	26	.	1	.	.	.	.	.	.	.	.	17	.
(*Office, Castle-street.*)	Jan. 6,	42·2	.	15	.	.	.	.	.	.	.	.	.	.	9	.
	,, 13,	53·4	5·6	19	.	.	1	.	.	.	.	1	.	1	10	.
	,, 20,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	7	.
Pop. (in 1891) 18,547.	,, 27,	28·1	2·8	10	.	.	.	.	1	.	.	.	.	1	4	.
South City, No. 3.	Dec. 9,	52·7	8·9	41	.	2	.	.	1	.	.	.	.	3	14	1
	,, 16,	28·3	.	22	.	.	.	.	.	.	.	.	.	8	6	.
	,, 23,	36·0	3·9	28	.	2	.	.	.	.	.	.	1	3	7	.
	,, 30,	37·3	5·9	29	.	1	.	.	.	1	.	.	1	5	9	.
(*Office, Peter-street.*)	Jan. 6,	45·0	1·3	35	.	1	.	.	.	.	.	.	.	6	15	1
	,, 13,	34·7	2·6	27	.	2	.	.	.	.	.	.	.	1	8	.
	,, 20,	43·7	2·6	34	.	.	.	.	1	.	.	.	1	1	13	1
Pop. (in 1891) 40,558.	,, 27,	27·0	.	21	.	.	.	.	.	.	.	.	.	4	2	.
South City, No. 4.	Dec. 9,	43·7	14·6	30	.	8	1	.	.	.	.	.	1	4	7	.
	,, 16,	46·6	8·7	32	.	5	.	.	1	.	.	.	.	5	7	1
	,, 23,	43·7	5·8	30	.	1	.	.	1	1	.	1	.	5	6	1
	,, 30,	32·0	2·9	22	.	2	.	.	.	.	.	.	.	1	8	.
(*Office, Grand Canal-street.*)	Jan. 6,	37·9	.	26	.	.	.	.	.	.	.	.	.	2	6	.
	,, 13,	52·4	5·8	36	.	1	.	.	.	1	.	2	.	7	9	.
	,, 20,	36·4	2·9	25	.	1	.	.	1	.	.	.	.	.	6	1
Pop. (in 1891) 35,798.	,, 27,	30·6	1·5	21	.	.	.	.	1	.	.	.	.	5	5	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1899-1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Dec. 9,	13·1	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 16,	31·2	1·9	17	.	.	.	.	.	.	.	.	1	2	3	.
	„ 23,	41·3	1·9	22	.	1	.	.	.	.	.	.	.	3	8	.
	„ 30,	31·9	1·9	17	.	1	.	.	.	.	.	.	.	4	5	.
	Jan. 6,	35·6	1·9	19	.	.	.	.	.	.	.	1	.	2	4	.
	„ 13,	43·1	1·9	23	.	1	.	.	.	.	.	.	.	1	7	.
	„ 20,	33·8	1·9	18	.	.	.	.	.	.	.	1	.	1	4	.
	„ 27,	24·4	.	13	.	.	.	.	.	.	.	.	.	2	5	.
Donnybrook. Pop. (in 1891) 24,629.	Dec. 9,	29·6	6·4	14	.	3	.	.	.	.	.	.	.	3	2	1
	„ 16,	36·0	8·5	17	.	4	.	.	.	.	.	.	.	2	2	.
	„ 23,	50·8	21·2	24	.	9	.	.	.	.	.	1	.	.	6	.
	„ 30,	44·5	2·1	21	.	1	.	.	.	.	.	.	.	2	5	1
	Jan. 6,	57·2	10·6	27	.	3	.	.	.	.	.	1	1	1	4	1
	„ 13,	29·6	6·4	14	.	3	.	.	.	.	.	.	.	.	6	1
	„ 20,	55·0	12·7	26	.	4	.	.	.	.	.	1	1	3	8	.
	„ 27,	40·2	2·1	19	.	1	.	.	.	.	.	.	.	2	5	.
Kingstown. Pop. (in 1891) 17,386.	Dec. 9,	30·0	3·0	10	.	3	.	.	.	.	.	.	.	1	2	.
	„ 16,	24·0	6·0	8	.	1	.	.	.	.	.	.	1	.	2	.
	„ 23,	36·0	6·0	12	.	2	.	.	.	.	.	.	.	2	1	.
	„ 30,	27·0	12·0	9	.	3	.	.	1	.	.	.	.	.	3	.
	Jan. 6,	24·0	3·0	8	.	1	.	.	.	.	.	.	.	.	3	.
	„ 13,	45·0	9·0	15	.	3	.	.	.	.	.	.	.	.	3	.
	„ 20,	48·0	6·0	16	.	1	.	.	1	.	.	.	.	2	3	.
	„ 27,	48·0	3·0	16	.	1	.	.	.	.	.	.	.	1	1	.
Belfast. Pop. in 1900 (Est.) 359,000.	Dec. 9,	16·8	0·4	113	.	1	1	.	.	.	.	1	.	19	37	1
	„ 16,	20·7	1·3	139	.	1	.	.	2	3	.	2	1	29	34	2
	„ 23,	19·7	1·0	132	.	3	1	.	1	2	.	1	.	14	27	6
	„ 30,	28·6	2·1	192	.	1	1	.	6	1	.	4	1	31	64	2
	Jan. 6,	28·8	2·6	198	.	1	.	.	6	3	2	4	3	27	74	5
	„ 13,	30·5	2·0	210	.	4	.	.	2	.	.	4	4	21	86	2
	„ 20,	24·1	2·3	166	.	.	1	.	9	1	.	4	1	17	72	.
	„ 27,	24·7	1·3	170	.	1	.	.	5	.	.	1	2	21	66	.
Cork. Pop. (in 1891) 75,345.	Dec. 9,	30·5	4·3	44	.	3	.	.	.	.	.	.	4	5	6	2
	„ 16,	28·4	.	41	.	.	.	.	.	.	.	.	.	12	12	.
	„ 23,	51·2	6·7	74	.	1	.	.	.	.	.	.	.	8	28	.
	„ 30,	56·7	1·4	82	.	.	.	.	.	1	.	.	1	13	25	1
	Jan. 6,	57·4	.	83	.	.	.	.	.	.	.	.	.	8	34	.
	„ 13,	58·1	0·7	84	.	1	.	.	.	.	.	.	.	7	31	.
	„ 20,	35·3	.	51	.	.	.	.	.	.	.	.	.	9	13	.
	„ 27,	45·0	2·1	65	.	2	.	.	.	.	.	.	1	13	14	1
Limerick. Pop. (in 1891) 37,155.	Dec. 9,	23·9	1·4	17	.	.	.	.	.	.	.	.	1	5	1	.
	„ 16,	19·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 23,	14·0	.	10	.	.	.	.	.	.	.	.	.	1	5	.
	„ 30,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	9	.
	Jan. 6,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	„ 13,	23·9	.	17	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	22·5	.	16	.	.	.	.	.	.	.	.	.	1	12	.
	„ 27,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	7	.
Londonderry Pop. (in 1891) 33,200.	Dec. 9,	12·6	2·1	8	.	.	.	.	.	1	1	.	.	.	1	.
	„ 16,	34·6	1·6	22	.	.	.	.	.	.	.	1	.	2	7	.
	„ 23,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 30,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	1	1
	Jan. 6,	44·0	.	28	.	.	.	.	.	.	.	.	.	3	6	.
	„ 13,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	6	1
	„ 20,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	1	1
	„ 27,	37·7	.	24	.	.	.	.	.	.	.	.	.	4	3	.
Waterford. Pop. (in 1891) 26,200.	Dec. 9,	33·8	4·0	17	.	.	.	.	.	.	.	.	2	.	1	1
	„ 16,	23·9	.	12	.	.	.	.	.	.	.	.	.	2	1	1
	„ 23,	33·8	4·0	17	.	.	1	.	.	.	.	.	1	1	2	.
	„ 30,	31·8	4·0	16	.	.	1	.	.	.	.	1	.	2	6	.
	Jan. 6,	51·7	2·0	26	.	.	.	.	1	.	.	.	.	3	7	.
	„ 13,	23·9	2·0	12	.	.	1	.	.	.	.	.	.	2	1	.
	„ 20,	35·8	6·0	18	.	.	3	.	.	.	.	.	.	2	4	.
	„ 27,	39·8	2·0	20	.	.	.	.	1	.	.	.	.	2	7	1

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 27th January, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT	17,122	11	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		10	2	1	5	2	.	.	.	.	.	.	.	.	.	4	4	.	.	2
" 2 "	37,539	37			19	3	2	10	4	.	.	.	.	1	.	.	.	.	1	6	.	.	4
" 3 "	38,845	25			21	7	2	9	3	.	.	.	.	1	.	.	.	.	1	12	.	.	1
" 4 "	33,391	21			30	5	6	10		.	.	.	.	1	.	.	.	.	1	6	.	.	15
" 5 "	21,284	12			13	2	2	5	4	.	.	.	.	.	.	.	.	.	2	5	.	.	6
" 6 "	46,431	23			21	4	3	7	7	.	.	.	.	1	.	.	.	1	1	14	.	.	3
" 7 "	1,112	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 8 "	4,904	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	4			6	1	.	4	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.
" 10 "	19,256	15			16	3	1	9	3	.	.	.	.	.	.	.	.	.	4	7	.	.	4
" 11 "	19,881	28			12	2	1	5	4	.	1	.	.	.	.	.	.	1	1	4	.	.	2
" 12 "	23,282	36			18	2	2	6	8	.	.	.	.	1	.	.	1	.	2	6	.	1	3
" 13 "	6,804	16			3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	230			170	32	22	71	45	.	1	.	.	5	.	.	1	2	21	66	.	1	40
City of Cork.																							
CORK, No. 1 DISTRICT, Portion situated within the City or Urban District of Cork.	11,927	5	43·7	.	10	.	.	6	4	.	.	.	.	.	.	.	.	.	5	1	.	.	7
" 2 "	9,252	2	50·7	.	9	3	.	3	3	.	.	.	.	.	.	.	.	.	1	2	.	.	4
" 3 "	6,309	2	16·5	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 4 "	3,507	2	104·1	.	7	3	1	2	1	.	.	.	.	.	.	.	.	.	.	6	.	.	.
" 5 "	10,856	3	20·1	.	4	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3
" 6 "	12,469	16	54·4	8·4	13	2	2	8	1	.	2	.	.	.	.	.	.	.	2	1	.	1	4
" 7 "	4,491	7	92·9	.	8	.	.	3	5	.	.	.	.	.	.	.	.	.	1	.	1	1	2
" 8 "	15,384	10	33·9	3·4	10	2	.	6	2	.	.	.	.	.	.	.	.	1	4	2	.	1	3
" 9 "	1,650	3	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	75,845	50	45·0	2·1	65	10	3	32	20	.	2	.	.	.	.	.	.	1	13	14	1	3	22

Boundaries of Registrars' Districts—Belfast and Cork.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre of Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square, Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary, thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

The Registrar's District of Cork, No. 1, is bounded by a line drawn from St. Patrick's bridge, through the centre of Bridge-street, St. Patrick's-hill, Wellington-place, Audley-place, and Old Youghal-road to the suburb boundary, thence along the Western and Northern boundary of Rathmore Townland, the Northern boundary of Clashnagannif Townland, the Northern and Eastern boundary of Cahergal Townland, and the Eastern boundary of Ballynamought East, Townland, to the centre of the River Lee, thence by the centre of the river to St. Patrick's bridge.

Cork, No. 2, District is bounded by a line drawn from Shandon-street through the centre of Fair-lane and Fair-hill, by the Western boundary of the Townlands of Kerryhall, Knockpoge, Closes, and Commons (St. Anne's, Shandon, Parish), to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the Townland of Cahergal, thence by the Northern boundary of Cahergal and Clashnagannif Townlands, and by the Northern and Western boundary of Rathmore Townland to the Old Youghal-road; thence through the centre of the Old Youghal-road, Old Chapel-lane, Clarence-street, and Shandon-street, as far as Fair-lane.

Cork, No. 3, District is bounded by a line drawn from Shandon-street through the centre of Fair-lane and Fair-hill, along the Western boundary of the Townlands of Kerryhall, Knockpoge, Closes, and Commons (St. Anne's, Shandon, Parish), to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the Eastern boundary of Killard Townland, thence by the Western and Southern boundary of Killeens Townland, and the Western boundary of Garranabraher and Knocknabohilly Townlands to Blarney-street, thence through the centre of Blarney-street and Shandon-street, as far as Fair-lane.

Cork, No. 4, District is bounded by a line drawn from North Gate-bridge through the centre of Shandon-street and Blarney-street to the Western boundary of Knocknabohilly Townland, thence by the Western boundary of the Townlands of Knocknabohilly and Garranabraher to Killeens Townland, thence by the Southern and Western boundary of Killeens Townland to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the centre of the River Lee, thence through the centre of the river to the "Cascade," on the Western boundary of Gillabbey Townland, thence along the Western and Northern boundary of Gillabbey Townland to the suburb boundary, thence through the centre of the north channel of the river to North Gate-bridge.

Cork, No. 5, District is bounded by a line drawn from North Gate-bridge through the centre of Shannon-street, Clarence-street, Old Chapel-lane, Old Youghal-road, Audley-place, Wellington-place, St. Patrick's-hill, Bridge-street, St. Patrick's-bridge, St. Patrick's-street, Daunt's-square, Castle-street, and North Main-street, to North Gate-bridge.

Cork, No. 6, District is bounded by a line drawn from North Gate-bridge through the centre of the north channel of the River Lee to the suburb boundary, thence along the suburb boundary to Gillabbey Weir, thence through the centre of the south channel to a point in the centre of the river opposite the Custom House, thence through the centre of the north channel, St. Patrick's-bridge, St. Patrick's-street, Daunt's-square, Castle-street, and North Main-street, to North Gate-bridge.

Cork, No. 7, District is bounded by a line drawn from Gillabbey Weir through the centre of the south channel of the River Lee to Fitton-street, thence through the centre of Fitton-street, Bishop-street, Dean-street, Vicar-street, Barrack-street, Green-street, and the Pouladuff-road to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the centre of the river, thence through the centre of the river to the "Cascades," thence by the Western and Northern boundary of Gillabbey Townland to Gillabbey Weir.

Cork, No. 8, District is bounded by a line drawn from Anglesea-bridge through the centre of Anglesea-street, Infirmary-road, Southern-road, and Douglas-road to the boundary of the Cork Electoral Division, thence by the boundary of the Cork Electoral Division to the Pouladuff-road, thence through the centre of the Pouladuff road, Green-street, Barrack-street, Vicar-street, Dean-street, Bishop-street, and Fitton-street to the south channel of the River Lee, thence through the centre of the south channel to Anglesea-bridge.

Cork, No. 9, District is bounded by a line drawn from Anglesea-bridge through the centre of Anglesea-street, Infirmary-road, Southern-road, and Douglas-road to the boundary of the Cork Electoral Division at Douglas-bridge thence by the boundary of the Cork Electoral Division through the centre of the Douglas channel round by Blackrock Castle and through the centre of the River Lee to Anglesea-bridge.

Note.—The Statistics given for Cork in Table VIII. are for the City portion of the several Districts only.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899-1900—Week ending																									
	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.
No. of week in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered,	265	215	231	199	228	223	239	209	201	265	252	231	218	203	246	202	237	192	189	199	203	175	239	263	199	230
DEATHS registered,	156	165	146	178	162	159	158	153	147	175	150	143	164	131	127	176	137	118	118	139	132	192	198	210	166	170
Annual Death-rate per 1,000 of estimated Population,	23·2	24·6	21·8	26·5	24·1	23·7	23·5	22·8	21·9	26·1	22·3	21·3	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7
AGES, Under 1 year,	45	51	42	58	62	64	51	60	47	50	44	35	40	35	30	38	40	28	21	26	19	39	34	40	26	32
1–5 years,	24	19	22	27	21	18	21	16	16	20	19	24	21	15	18	25	17	14	10	19	9	25	31	23	24	22
5–60 years,	60	73	61	71	61	58	67	59	64	80	60	57	84	60	49	90	57	46	63	73	74	75	93	88	71	71
60 years and upwards,	27	22	21	22	18	19	19	18	20	25	27	27	19	21	30	23	23	30	19	21	30	53	40	59	45	45
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	3	.	1	1	.	.	1	2	1	1	1	.	.	.	1	2	.	1	1	2	1	1	4	.	1
" Scarlet Fever,	2	.	.	1	.	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.	1	1	.	.	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	3	5	5	5	6	4	2	6	1	4	3	4	2	1	5	1	4	4	.	2	1	6	6	2	9	5
" Diphtheria,	2	1	.	.	.	.	.	2	1	.	.	.	.	.	2	1	3	2	.	3	2	1	2	.	1	.
" Simple continued and Ill-defined Fever,	1	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.
" Enteric Fever,	7	6	8	11	8	8	9	6	9	14	9	8	9	3	6	10	4	5	1	2	1	4	4	4	4	1
" Diarrhœa, Dysentery,	17	15	13	30	33	19	18	19	15	9	4	2	4	.	2	.	.	.	.	1	.	1	3	4	1	2
" Phthisis,	19	28	14	19	25	18	22	13	21	20	15	10	16	17	14	35	12	13	19	29	14	31	27	21	17	21
" Diseases of Respiratory System,	17	13	14	20	12	20	16	22	19	38	32	43	50	43	37	49	35	38	37	34	27	64	74	86	72	66
Violent Deaths,	5	5	6	2	3	2	1	3	4	2	4	3	8	3	1	3	7	4	1	2	6	2	5	2	.	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Jan. 27,	2,634	1,949	22·1	.	46	6	37	39	13	15
EDINBURGH,	302,262	„ 27,	155	123	21·2	.	.	1	.	2	.	2
GLASGOW,	743,969	„ 27,	456	349	24·4	.	19	6	3	5	3	13
CALCUTTA,	466,460	Nov. 25,	.	297	33·2	1	2	.	.	1	72‡	35*
BOMBAY,	821,764	Jan. 2,	278	1,600	101·2	68	43	?	?	?	181§	175
MADRAS,	452,518	Dec. 1,	409	328	37·6	.	2	?	?	?	99	59
PARIS,	2,511,629	Jan. 20,	1,159	1,043	21·5	1	11	3	4†	5	9	35
BRUSSELS (with 8 Faubourgs).	561,130	„ 13,	223	187	17·3	.	.	1	2†	2	1	16
AMSTERDAM,	523,743	„ 6,	281	413	41·1	.	.	.	.	4	1	.
ROTTERDAM,	319,491	„ 6,	239	222	36·2	.	1	2	4	4	5	.
THE HAGUE,	196,325	„ 6,	108	83	21·7	.	1	2	1	1	.	.
COPENHAGEN,	349,000	„ 20,	200	145	21·6	.	.	.	3	3	1	6
CHRISTIANIA,	221,255	„ 20,	138	80	18·8	.	.	1	1	.	1	4
ST. PETERSBURG,	1,132,677	„ 13,	773	630	28·9	3	12	16	25	5	24	63
BERLIN (6 days),	1,819,095	„ 6,	788	586	19·7	.	7	19	14	18	.	27
HAMBURG,	691,349	„ 13,	.	202	15·2	.	3	1	1†	1	.	3
DRESDEN,	400,400	Dec. 16,	215	137	17·8	.	1	1	5†	2	.	4
BRESLAU,	406,012	Jan. 20,	.	201	25·7	.	3	.	1	2	1	19
MUNICH,	445,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs),	1,639,811	Dec. 30,	900	658	20·9	.	26	2	12†	2	.	42
BUDA-PESTH,	685,340	Jan. 13,	441	266	20·2	.	4	6	3	1	2	3
PRAGUE and Faubourgs.	385,952	„ 13,	204	184	24·8	.	1	1	4	3	1	4
ROME,	507,244	Dec. 23,	212	220	22·6	1	7	.	2	.	4	9
TURIN (10 days),	344,203	Nov. 30,	176	200	21·2	.	.	.	.	.	1	9
VENICE,	172,288	—	.	.	.	.	.	.	.	.	.	.
NEW YORK,	3,550,05[illegible]	Dec. 23,	1,446	1,256	18·5	.	15	10	42	8	14	9
		„ 30,	1,526	1,248	18·3	.	20	17	46	12	13	10
PHILADELPHIA,	1,266,832	„ 30,	.	462	19·0	.	.	3	32	1	4	3

* Including 7 deaths from cholera.
‡ Exclusive of 37 deaths from bubonic fever.
† Including deaths from croup
§ Exclusive of 244 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., P.R.C.P.I., has kindly supplied the following remarks on the weather during the week ended Saturday, 27th January, 1900 :—

"Once more we have to record a week of unsettled, showery, squally weather—of the south-westerly or cyclonic type. The thermometer on the whole ruled higher than of late, but the changes of temperature were sudden and considerable, and particularly trying to invalids and the very young or very old. All through the period large and often deep depressions kept passing northeastwards along the western coasts of Ireland, Scotland, and Norway. From time to time V.-shaped secondary depressions crossed the British Isles from W. towards E., thus keeping the weather in a changeable, showery state. On Sunday morning there was a sharp frost for a time over Central England, the shade thermometer falling to 24° at Loughborough, 25° at Oxford, and 29° in London. Save for this brief frost, no decided cold was felt in any part of the British Isles. Saturday, however, was a raw day, with showers of sleet and hail, and snow was seen lying on the Dublin Mountains. In Dublin the mean height of the barometer was 29·905 inches, atmospheric pressure being observed to range between 30·338 inches at 2 p.m. of Thursday (wind, W.) and 29·502 inches at 9 p.m. of Saturday (wind, W.). The corrected mean temperature was 45·7°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 45·3°. The screened thermometers ranged on Sunday from 35·0° to 55·7°—nearly 21°. The estimated duration of bright sunshine was 14¾ hours. Rain fell on six days to the amount of ·442 inch, ·160 inch being measured on Saturday. Westerly (between S.W. and N.W.) winds predominated."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·921 inches. The highest reading (30·305) was on Thursday at 9 A.M., wind W., and the lowest (29·519) on Saturday at 9 P.M., wind W.

The mean temperature for the week was 43·8°, being 3·2° above the average for the corresponding week of the ten years 1890–99: both of the extreme readings—highest 53·3°, lowest 29·0°—were recorded on Sunday. The mean of the Dry Bulb for the week was 44·6°, and of the Wet Bulb 42·5°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 10·4 hours. The rainfall measured ·530 inch.

At Greenwich the mean temperature for the week was 44·5°, the maximum 53·0°, and the minimum 25·9°; at Glasgow the maximum was 53·2°, the minimum 32·9°, and the mean 43·8°; and at Edinburgh the maximum was 51·9°, the minimum 32·0°, and the mean 42·6°. The rainfall at Greenwich measured 0·32 in.; at Glasgow, 1·35 ins.; and at Edinburgh, 0·36 in.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind 9 A.M.	Direction of the Wind 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 21,	29·931	53·3	29·0	41·2	44·8	42·6	·84	·6	0·0	·150	S.S.E.	W.
Monday, „ 22,	29·975	51·2	37·3	44·3	49·0	46·2	·81	·6	0·0	·015	W.S.W.	W.
Tuesday, „ 23,	30·009	51·8	47·3	49·6	48·5	46·3	·85	·7	0·0	·020	W.S.W.	S.W.
Wednesday, „ 24,	29·784	50·4	39·9	45·2	45·1	43·6	·89	·7	2·0	·090	S.W.	W.
Thursday, „ 25,	30·301	50·1	39·7	44·9	45·7	43·1	·82	·4	2·6	—	W.	W.S.W.
Friday, „ 26,	29·882	50·2	37·1	43·7	43·7	40·9	·80	·7	2·8	·115	S.W.	S.W.
Saturday, „ 27,	29·566	41·2	33·5	37·4	35·7	34·7	·91	1·0	3·0	·140	S.W.	W.
Mean, . .	29·921	49·7	37·7	43·8	44·6	42·5	·85	·7	Total 10·4	Total ·530	Prevailing wind, W.	

Sunday—A cloudy day; rain 9 a.m. to 3 p.m.; night cloudy; squally from 5 a.m. *Monday*—A dull squally day; drizzling showers a.m. and p.m.; night cloudy; squally to 12 p.m. *Tuesday*—A cloudy day; drizzling showers a.m. and p.m.; night cloudy; rain 8.30 to 9 a.m. *Wednesday*—A cloudy day; rain 9 to 11.30 a.m.; showery 1.15 to 2.15 p.m.; night clear. *Thursday*—A cloudy day; night cloudy; squally from 5 a.m. *Friday*—A cloudy day; rain 9.15 to 10.15 a.m.; squally to 4 p.m.; night cloudy and rain 5.45 to 8 a.m. *Saturday*—A cloudy day; snow 1.45 to 2 p.m.; night cloudy; showers 10.30 p.m. to 8.30 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office,

1. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & Co. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & Co., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 3RD FEBRUARY, 1900. [No. 5.

General Register Office, Charlemont House,
Dublin, 5th February, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 19·6), was equal to an average annual death-rate of 21·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·7 per 1,000, the rate for Glasgow being 20·9, and for Edinburgh 27·2.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 28·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.* The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Jan. 13.	Week ending Jan. 20.	Week ending Jan. 27.	Week ending Feb. 3.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 13.	Week ending Jan. 20.	Week ending Jan. 27.	Week ending Feb. 3.	Average Rate for 4 weeks.
23 Town Dists.	**38·2**	**31·4**	**33·2**	**28·8**	**32·9**	Limerick, . .	23·9	22·5	23·9	44·9	28·8
Armagh, . .	28·5	7·1	21·4	35·6	23·2	Lisburn, . .	76·6	29·8	42·6	42·6	47·9
Ballymena, .	28·2	16·9	22·5	28·2	24·0	Londonderry, .	26·7	15·7	37·7	29·8	27·5
Belfast, . .	30·5	24·1	24·7	19·6	24·7	Lurgan, . .	50·2	63·9	27·4	27·4	42·2
Carrickfergus, .	0·0	11·7	29·2	23·4	16·1	Newry, . .	16·1	0·0	12·1	32·2	15·1
Clonmel, . .	39·0	34·1	73·0	34·1	45·0	Newtownards, .	5·7	39·7	39·7	17·0	25·5
Cork, . . .	58·1	35·3	45·6	33·2	42·9	Portadown, .	30·9	24·7	24·7	12·4	23·2
Drogheda, . .	38·0	26·3	19·0	11·4	23·8	Queenstown, .	34·4	23·0	40·2	23·0	30·2
Dublin, Reg. Area,	47·0	42·5	37·0	33·6	40·0	Sligo, . . .	35·5	25·4	40·6	35·5	34·3
Dundalk, . .	29·3	8·4	16·8	33·5	22·0	Tralee, . .	39·2	16·8	78·3	67·2	50·4
Galway, . .	49·1	60·5	60·5	15·1	46·3	Waterford, .	23·9	35·8	39·8	45·8	36·3
Kilkenny, . .	37·8	18·9	37·8	42·5	34·3	Wexford, . .	45·2	31·6	58·7	31·6	41·8

The deaths from the principal zymotic diseases registered in the 23 districts during last week were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in nineteen of the districts to 9·4 in Kilkenny; the 9 deaths from all causes registered in that district comprising one from whooping-cough and one from diarrhœa. Among the 135 deaths from all causes registered in Belfast are one from measles, 4 from whooping-cough, one from enteric fever, and 2 from diarrhœa; and the 48 deaths in Cork comprise 2 from measles.

* See Note (*), Table VI.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 184—91 boys and 93 girls; and the deaths to 238—107 males and 131 females.

The deaths, which are 17 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 35·5 in every 1,000 of the population; omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, the rate was 33·6 per 1,000. During the five weeks ending with Saturday last the death-rate averaged 43·6, and was 9·5 over the mean rate for the corresponding portions of the ten years 1890–99.

Deaths from zymotic diseases, which had fallen from 47 for the week ended the 20th ultimo to 39 for the following week, further declined last week to 32, but this number is 6 in excess of the average for the corresponding week of the last ten years: the 32 deaths comprise 4 from measles, 18 from influenza and its complications—against 27 under that heading in the preceding week and 24 in the week ended the 20th ultimo—3 from diphtheria, 2 from enteric fever, one from scarlet fever (scarlatina), 2 from diarrhœa, one from choleraic diarrhœa; &c.

Four cases of measles were admitted to hospital during the week, against 9 for the preceding week and 2 for the week ended the 20th ultimo; 8 measles patients were discharged during the week; and 36 remained under treatment on Saturday last, being 4 under the number in hospital at the close of the preceding week.

Thirteen cases of scarlatina were admitted to hospital, being 5 over the admissions for the preceding week, and 7 over the number for the week ended the 20th ultimo: 5 patients were discharged during the week; one died; and 71* remained under treatment on Saturday last, being 7 over the number in hospital on Saturday the 27th ultimo.

The number of cases of enteric fever admitted to hospital is 7, being 6 under the admissions for the preceding week, and 8 under the number for the week ended the 20th ultimo: 7 patients were discharged during the week; one died; and 75 remained under treatment on Saturday last, being one under the number in hospital at the close of the preceding week.

Ten cases of diphtheria were admitted to hospital, against 8 for the preceding week and 3 for the week ended the 20th ultimo; 11 patients were discharged during the week; one died; and 28 remained under treatment in hospital on Saturday last.

Deaths from diseases of the respiratory system, which had fallen from 92 for the week ended the 20th ultimo to 55 for the following week, rose last week to 67, or 10 over the average for the corresponding week of the last ten years: the 67 deaths comprise 44 from bronchitis, 17 from pneumonia or inflammation of the lungs, 2 from pleurisy, and one from croup.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals, during the week ended Saturday, 3rd February, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd February.			
	Jan. 13.	Jan. 20.	Jan. 27.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	58	40	40	4	8	.	36
Scarlet Fever,	69	68	64	13	5	1	71*
Typhus ,,	.	.	1	.	.	1	.
Diphtheria,	42	29	30	10	11	1	28
Enteric Fever,	82	82	76	7	7	1	75
Pneumonia,	22	20	29	4	8	2	23

The deaths of 9 children under 5 years of age (including 5 infants under one year old) were ascribed to convulsions.

Two deaths were caused by apoplexy, 15 by other diseases of the brain and nervous system (exclusive of convulsions), and 15 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 29 deaths, mesenteric disease 5, tubercular meningitis 7, and cancer 5.

Four accidental deaths and one case of homicide were registered.

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age (including 2 infants under one month old) and the deaths of 2 persons aged 60 years and upwards.

Sixty of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 10 were under one month old) and 79 were aged 60 years and upwards, including 42 persons aged 70 and upwards, of whom 13 were octogenarians, and 2 (women) were stated to have been aged 90 and 92 years respectively.

Ninety of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 33·6 per 1,000; the rate in the city was 34·5 (33·5 on the North side, and 35·4 on the South), and in the Suburbs 31·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the city being 1·9 (1·3 in the North City Districts, and 2·4 in the South), and for the Suburbs 0·4 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 23·0 per 1,000. Influenza caused one death, but no deaths from any other zymotic disease were recorded. Two deaths were caused by bronchitis, 3 by pneumonia, and 2 by phthisis.

No. 1 North City District, West (Summer-hill).—The deaths (24) are equal to an annual rate of 35·9 per 1,000. They comprise 6 from zymotic diseases, viz.:—4 from influenza, one from enteric fever, and one from diarrhœa. Among the 18 deaths from other causes are 6 from bronchitis, 2 from mesenteric disease, and 2 from diseases of the brain and nervous system.

No. 2 North City District (Lisburn-street).—The deaths (26) are equivalent to an annual rate of 47·0 per 1,000. Two deaths were caused by zymotic diseases, viz.:—one by measles and one by influenza. Among the 24 deaths from other causes are 8 from bronchitis, 2 from pneumonia, 3 from phthisis, 2 from tubercular meningitis, and 3 from convulsions.

No. 3 North City District (Blackhall-place).—The deaths (13) represent an annual rate of 26·0 per 1,000. They comprise one from influenza, but no deaths from any other zymotic disease were recorded. Three deaths were caused by inflammatory diseases of the respiratory system, 3 by phthisis, and 2 by tubercular meningitis.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 37·7 per 1,000. Eight deaths were caused by bronchitis and 2 by phthisis. No deaths from any zymotic disease were recorded.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·5 per 1,000. They comprise 2 from zymotic diseases, viz.:—one from measles and one from influenza. Among the 6 deaths from other causes are 2 from diseases of the brain and nervous system.

No. 3 South City District (Peter-street).—The deaths (29) are equal to an annual rate of 37·3 per 1,000. They comprise 4 from zymotic diseases, viz.:—one from scarlatina, one from influenza, one from diarrhœa, and one from choleraic diarrhœa. Five deaths were caused by bronchitis, 2 by pneumonia, 5 by phthisis, 2 by diseases of the circulatory system, and 2 by diseases of the brain and nervous system.

No. 4 South City District (Grand Canal-street).—The deaths (26) are equivalent to an annual rate of 37·9 per 1,000. Four were caused by zymotic diseases, viz.:—one each by measles, diphtheria, enteric fever, and influenza. Among the 22 deaths from other causes are 2 from bronchitis, 2 from pneumonia, 7 from diseases of the circulatory system, and 5 from diseases of the brain and nervous system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 43·7; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 43·0; Rathmines, 16·9; Donnybrook, 36·0; Blackrock, 31·0; and Kingstown, 42·0 The deaths from zymotic diseases tabulated for these districts comprise one from influenza for Coolock and Drumcondra. No. 1 one from influenza for Finglas and Glasnevin, part of; one from influenza for Rathmines; one from measles and 4 from influenza for Donnybrook; one from influenza for Blackrock, and one from diphtheria for Kingstown. The 2 deaths tabulated for Clontarf and Howth, No. 1, were from diseases of the brain and nervous system; the 9 deaths for Coolock and Drumcondra, No. 1, comprise 2 from diseases of the respiratory system, 2 from diseases of the circulatory system, and 2 from cancer; 2 of the 6 deaths for Palmerston, part of, and Crumlin, part of, were from diseases of the respiratory system; of the 9 deaths for Rathmines 3 were from diseases of the respiratory system and 2 from diseases of the brain and nervous system; 2 of the 17 deaths for Donnybrook were from diseases of the respiratory system, 3 from phthisis, and 2 from diseases of the brain and nervous system; 2 of the 5 deaths for Blackrock were from diseases of the respiratory system; and the 14 deaths for Kingstown comprise 3 from bronchitis, 2 from phthisis, and 2 from diseases of the brain and nervous system.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 5th Week of the 10 years 1890–99.	In the week ending Saturday, 3rd February, 1900.								
												Deaths of persons of the Ages of								
	Feb. 1, 1890	Feb. 7, 1891	Feb. 6, 1892	Feb. 4, 1893	Feb. 3, 1894	Feb. 2, 1895	Feb. 1, 1896	Feb. 6, 1897	Feb. 5, 1898	Feb. 4, 1899		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	41·7	44·2	41·1	45·8	41·0	38·2	41·5	38·7	44·6	35·8	40·8	35·6								
ALL CAUSES,	294	180	225	168	235	214	178	296	220	213	221·3	288	10	21	29	19	34	46	64	15
I. FEBRILE OR ZYMOTIC DISEASES,	29	15	32	23	34	20	11	56	29	13	26·1	32	.	2	8	2	3	7	6	4
II. PARASITIC DISEASES,	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	.	.	.	.	.	1	1	1	·4	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL "	57	33	43	40	50	53	41	53	60	47	47·9	51	.	2	7	11	15	11	5	.
V. DEVELOPMENTAL "	30	14	10	13	18	23	14	26	11	18	17·6	19	3	1	.	.	.	.	10	5
VI. LOCAL "	168	107	129	81	110	108	93	143	105	117	116·5	124	4	15	13	5	13	27	41	6
VII. VIOLENT DEATHS,	3	3	2	1	5	7	3	6	8	5	4·3	5	.	.	1	1	2	1	.	.
VIII. ILL-DEFINED CAUSES,	6	7	9	12	7	3	6	10	6	12	7·8	6	3	1	.	.	.	.	2	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	.	3	.	.	18	.	.	2·3	4	.	1	3	.	.	.	.	.
Scarlet Fever,	1	1	.	.	2	1	1	4	2	2	1·4	1	.	.	.	1	.	.	.	.
Typhus,	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	6	.	23	2	10	.	4	.	14	2	6·1	13	.	.	.	1	2	6	5	4
Whooping Cough,	9	2	2	3	10	3	2	24	3	3	6·1	.	.	.	.	.	.	.	.	.
Diphtheria,	2	1	.	1	1	.	.	1	.	.	·6	3	.	.	3	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	1	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	3	1	7	1	3	2	2	7	1	3·1	2	.	.	1	.	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Diarrhœa, Dysentery,	2	.	3	3	2	3	1	3	2	4	2·3	2	.	.	.	.	.	1	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	1	.	.	.	2	1	.	·4	1	.	1	.	.	.	.	.	.
Erysipelas,	.	1	1	1	1	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	2	.	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	3	.	1	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	4	2	2	3	3	.	1	.	1	1·7	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	.	.	.	.	1	1	1	·4	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	2	.	.	.	1	.	.	1	.	·4	1	.	.	.	.	1	.	.	.
Rheumatism,	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
Gout,	.	2	1	1	.	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	3	3	5	.	5	8	6	5	7	12	5·4	5	.	.	.	.	1	3	1	.
Tabes Mesenterica,	6	4	3	1	5	3	2	6	9	4	4·3	5	.	2	3	.	.	.	.	.
Tubercular Meningitis	.	1	2	2	5	10	4	5	7	8	4·4	7	.	.	3	4	.	.	.	.
Phthisis,	46	16	30	28	29	27	17	31	32	18	27·4	29	.	.	.	5	13	8	3	.
Scrofula, Tuberculosis,	2	4	2	5	4	2	9	5	3	4	4·0	4	.	.	1	2	.	.	1	.
Other Constitutional Diseases,	.	1	.	3	2	2	1	3	1	.	1·3	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	4	7	.	.	3	7	3	6	4	3	3·7	3	3	1	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	26	6	10	12	15	16	11	20	7	15	13·8	15	.	.	.	.	.	.	10	5

each Disease registered in the FIFTH WEEK ending Saturday, 3rd February, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 5th Week of the 10 years 1890-99.	In the Week ending Saturday, 3rd February, 1900. Deaths of Persons of the Ages of								
	Feb. 1, 1890	Feb. 7, 1891	Feb. 6, 1892	Feb. 4, 1893	Feb. 3, 1894	Feb. 2, 1895	Feb. 1, 1896	Feb. 6, 1897	Feb. 5, 1898	Feb. 4, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	41·7	44·2	41·1	45·8	41·0	33·2	41·5	38·7	44·6	35·8	40·8	Mean Temp. 35·6	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases—																				
Apoplexy,	7	5	2	2	5	4	1	2	4	1	3·3	2	.	.	.	.	.	2	.	.
Epilepsy,	4	1	.	2	.	3	3	.	1	1	1·5	.	.	.	.	.	.	.	.	.
Convulsions,	20	12	12	7	11	11	8	16	12	13	12·2	10	2	3	4	1	.	.	.	.
Other Diseases of Brain and Nervous System,	13	6	13	7	7	2	10	8	11	8	8·5	15	.	.	.	.	2	5	8	.
Diseases of Organs of Special Sense,	.	.	.	1	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	18	16	28	12	15	16	19	21	11	30	18·6	15	1	.	.	1	1	3	8	1
Croup,	.	.	.	1	.	2	.	.	.	2	·5	1	.	.	1	.	.	.	.	.
Bronchitis,	54	33	45	16	38	44	27	54	32	42	39·7	44	1	6	3	1	2	8	18	5
Pneumonia	21	9	15	11	14	8	15	14	15	5	12·7	17	.	4	3	1	2	3	4	.
Pleurisy,	.	.	.	.	.	1	.	.	.	1	·2	2	.	1	.	1	.	.	.	.
Other Diseases of Respiratory System,	4	7	3	4	2	4	3	7	.	2	3·6	8	.	.	2	.	.	1	.	.
Teething,	2	.	1	1	3	1	.	3	5	.	1·6	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	2	.	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
Peritonitis	1	.	.	1	2	1	1	.	.	.	·6	2	.	.	.	.	1	.	1	.
Disease of Liver,	6	4	2	1	6	2	.	4	3	2	3·1	3	.	.	.	.	.	2	1	.
Other Diseases of Digestive System,	3	5	2	6	2	4	4	4	2	2	3·4		.	1	.	.	1	3	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	1	.	.	.	.	.	·1	.	.		.	.	.	.	.	.
Diseases of Urinary System,	4	4	3	5	2	2	3	4	4	.	3·6	1	.	.	.	.	1	.	.	.
Diseases of Generative System,	.	2	.	.	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	2	.	.	.	1	1	.	·4	2	.	.	.	.	2	.		.
Diseases of Locomotive System,	1	.	.	.	1	1	1	1	1	1	·7	1	.	.	.	.	1	.	.	.
Diseases of Integumentary System,	.	1	3	.	1	2	.	2	1	.	1·0	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	1	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	1	1		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	.	.	1	2	4	1	.	1	.	4·4	3	.	.	1	1	.	1	.	.
By Drowning,		1	.	.	.	.	3	.	.	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		2	1	.	.	2	3	6	4	4		1	.	.	.	.	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
SUICIDE,	1	.	1	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	8		9	12	7		6	10	6	2	7·8	6	3	1	.	.	.	3	.	

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899-1900—Week ending																									
	Aug. 12	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.
No. of weeks in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered,	205	184	212	194	198	236	211	237	190	198	188	180	225	172	241	193	154	206	167	188	247	187	209	168	191	184
Average Births in corresponding week of previous 10 years,	197	201	183	196	181	207	202	198	178	166	179	170	172	175	185	181	184	181	184	154	168	188	199	195	202	206
DEATHS registered,	214	234	207	205	251	235	200	223	196	225	250	244	216	249	248	220	259	258	256	285	280	337	331	295	259	238
Annual Death-rate per 1,000,	31·9	34·9	30·9	30 6	37·4	35·1	29·8	33·3	29·2	33·6	37·3	36·4	32·2	37·1	37·0	32·8	38·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5
Average Deaths in corresponding week of previous 10 years,	155	150	158	161	158	158	161	159	149	157	152	163	178	166	174	177	183	177	184	184	207	211	239	249	228	221
AGES, Under 5 years,	108	106	102	110	111	120	94	110	98	114	107	95	111	118	123	98	93	103	84	87	86	81	85	70	60	60
5—20 "	15	9	12	14	17	24	12	18	13	26	18	23	22	11	27	16	12	17	23	22	13	15	16	15	20	19
20—40 "	25	33	26	25	34	34	24	36	29	23	29	32	14	36	27	28	36	35	35	46	32	49	38	44	33	34
40—60 "	24	46	29	30	47	25	34	26	27	32	38	39	29	36	32	33	51	51	61	55	57	73	84	61	50	46
60—80 "	36	33	32	23	34	26	26	32	29	24	53	45	32	37	28	36	53	44	44	63	74	94	85	83	79	64
80 years and upwards,	6	7	6	3	8	6	10	1	5	6	5	10	8	11	11	9	14	8	9	12	18	25	23	22	12	15
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	9	10	18	14	17	23	23	28	32	41	52	44	38	39	51	38	29	30	23	24	15	10	18	9	5	4
" Scarlet Fever,	.	.	2	.	2	1	2	.	.	2	1	1	.	1	2	1	2	1	1	1	1	.	1	.	.	1
" Typhus,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	5	7	1	3	2	1	1	2	2	.	1	.	2	1	2	.	1	1	3	2	2	1	1	3	3	.
" Diphtheria,	2	1	.	1	1	1	.	1	.	1	2	2	3	3	3	2	2	5	2	3	1	.	3	2	1	3
" Simple continued and Ill-defined Fever,	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	4	1	6	4	7	9	5	11	4	7	4	6	2	5	9	4	6	2	2	3	2	5	5	2	1	2
" Diarrhœa, Dysentery,	43	43	39	6	42	45	20	27	16	14	4	9	6	6	5	3	4	4	3	5	1	2	3	6	.	2
" Phthisis,	24	26	19	22	31	29	18	23	20	22	26	29	15	21	17	20	35	27	26	30	28	40	27	29	36	29
" Heart Diseases,	15	13	10	13	6	12	7	11	14	10	23	13	9	18	13	17	17	15	26	15	21	24	20	16	25	15
" Diseases of Respiratory System,	19	29	24	13	31	21	24	30	31	29	39	40	53	57	50	51	66	70	66	73	98	110	110	92	55	67
Violent Deaths,	3	5	8	6	6	5	4	5	4	3	5	8	4	8	6	7	4	6	6	3	7	4	5	5	2	5
Mean Temperature of the Air (Phœnix Park),	57·6	61·0	61·7	59·1	59·1	57·4	52·4	47·5	46·1	48·0	49·5	48 9	50·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6
Average Mean Temperature in corresponding week of previous 10 years,	58·4	58·8	56·9	55·7	56·4	56·6	5 ·6	52·7	51·1	48·4	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·[illegible]	41·7	40·6	40·8
Rainfall in inches,	·035	·195	·095	1·295	·150	·455	·575	1·470	·360	·355	·470	·325	1·085	·710	·050	·030	·240	·455	·200	·855	2·055	·715	·535	·560	·530	·220
Mean Humidity of the Air, complete Saturation 1·0,	·89	·86	·84	·86	·82	·88	·78	·86	·85	·86	·88	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 3rd February, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	NAMES OF REGISTRARS' DISTRICTS.																		
	North City.* Districts.				South City.† Districts.				Clontarf & Howth. No. 1.	Coolock and Drumcondra, No. 1.	Finglas and Glasnevin, part of (a).	Palmerston, pt. of, & Crumlin, pt. of (b).	Rathmines (c).	Donnybrook.	Blackrock (c).	Kingstown, Nos. 1 and 2 (c).	Total for Dublin Registration Area.	Deaths in Institutions of Persons from without the Area.
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	821	282	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	1	.	1	.	.	.	.	.	1	.	.	4	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Other Zymotic Diseases	1	4	1	1	.	1	2	1	.	1	1	.	1	5	1	.	20	.
Total,	1	6	2	1	.	2	4	4	.	1	1	.	1	6	1	1	31	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	2	1	3	3	2	1	5	.	.	1	.	.	1	3	.	2	24	5
Other Constitutional Diseases,	2	4	4	2	2	1	1	.	.	3	.	.	.	2	.	1	22	.
Total,	4	5	7	5	4	2	6	.	.	4	.	.	1	5	.	3	46	5
V. DEVELOPMENTAL DISEASES,	.	2	2	1	5	.	1	2	.	.	.	4	.	1	.	.	18	1
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	1	2	4	.	1	2	2	5	2	.	.	.	2	2	1	2	26	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	.	.	.	.	1	2	7	.	2	.	.	1	1	.	1	15	.
Respiratory System,	5	7	10	3	10	1	8	4	.	2	.	2	3	2	2	5	64	3
Digestive System,	.	2	.	1	2	.	4	.	.	.	.	.	1	.	1	.	11	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	11	14	4	13	4	17	18	2	4	.	2	7	5	4	9	120	4
VII. VIOLENT DEATHS,	.	.	1	1	.	.	1	1	.	.	.	.	.	.	.	.	4	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	1	.	.	1	2	.	.	1	.	.	.	.	.	.	.	1	6	.
Deaths from all Causes,	12	24	26	13	24	8	29	26	2	9	1	6	9	17	5	14	225	13
Annual Rate of Mortality in every 1,000 of the population.	23·0	35·9	47·0	26·0	37·7	22·5	37·3	37·9	25·2	43·7	12·3	43·0	16·9	36·0	31·0	42·0		
	33·5				35·4				31·4									
	34·5																33·6	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	8	3	3	2	1	10	5	.	1	.	1	3	2	.	.	42	8
Workhouse Hospitals,	4	4	7	4	3	3	6	3	.	.	.	.	1	.	.	.	35	5

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St. Jude.

(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd February, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 3rd February, 1900: Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages: Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death: Principal Zymotic Diseases: Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	35·5	238	60	19	34	46	64	15	.	4	1	.	.	3	.	2	2	12	29	10	67	5	115
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	23·4	7	.	.	.	.	5	2	.	.	.	.	.	.	.	.	1	1	.	.	2	.	4
II.	MIDDLE CLASS,	81,469	29·4	46	11	2	8	11	10	4	.	.	.	.	.	.	.	1	1	2	1	2	11	1	29
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	30·4	58	19	3	9	11	13	3	.	2	1	.	.	.	.	1	.	4	6	5	18	.	25
IV.	GENERAL SERVICE CLASS,	147,978	43·1	87	27	13	11	17	16	3	.	2	.	.	.	3	.	.	.	5	15	3	24	4	36
V.	INMATES OF WORKHOUSES,	5,191		40	3	1	6	7	20	3	.	.	.	.	.	.	.	.	.	.	7	.	12	.	21
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	39·1	6	.	.	.	.	4	2	.	.	.	.	.	.	.	.	1	1	.	.	2	.	3
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	9·1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	26·5	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	28·0	14	3	1	2	5	2	1	.	.	.	.	.	.	.	.	.	.	1	.	6	.	7
	6. Clerks and Commercial Assistants,	25,091	29·1	14	5	1	4	3	.	1	.	.	.	.	.	.	.	.	1	1	.	1	2	.	10
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	31·8	15	2	.	2	2	8	1	.	.	.	.	.	.	.	1	.	1	.	1	2	1	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	77·0	11	3	1	2	2	1	2	.	.	1	.	.	.	.	1	.	2	.	1	2	.	6
	9. Building and Furnishing Trades,	26,294	21·8	11	4	1	3	.	3	.	.	.	.	.	.	.	.	.	.	.	4	1	3	.	3
	10. Clothing Trades,	28,927	15·2	7	3	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	2	.	3
	11. Food Supply Trades,	7,949	52·3	8	2	1	1	2	2	.	.	2	.	.	.	.	.	.	.	2	.	1	3	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	32·8	17	5	.	3	5	4	.	.	.	.	.	.	.	.	.	.	.	2	.	7	.	8
	13. Petty Shopkeepers,	6,839	30·4	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	37·9	10	3	2	1	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	3	.	6
	15. Domestic Servants,	39,967	20·8	16	1	.	2	8	5	.	.	.	.	.	.	.	.	.	.	.	4	.	5	1	6
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	38·5	8	1	1	1	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	4
	17. Hawkers, Porters, Labourers, &c.,	88,472	33·0	53	22	10	7	4	8	2	.	2	.	.	.	3	.	.	.	5	9	3	13	3	20
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	40	3	1	6	7	20	3	.	.	.	.	.	.	.	.	.	.	7	.	12	.	21

the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 3rd February, 1900. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 3rd Feb., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th Jan., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th Jan., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 28 Town Districts	1,062,188	12·3	30·6	28·8	1·1	623	586	81	202	.	7	1	.	5	2	.	3	5	59	166	10	38	165	°	°	°	.	°	°	°	.	°	°	°	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	27·4	33·6	1·6	184	225	30	78	.	4	1	.	.	2	.	2	2	24	64	4	8	77	§42·7	26·5	35·6	0·92	§53·3	29·0	43·8	0·53	§51·1	28·9	40·7	0·56
City	245,001	65·6	30·0	34·5	1·9	141	162	28	53	.	3	1	.	.	1	.	2	2	17	48	4	8	69	42·8	30·2	37·3	0·82	55·7	35·0	45·7	0·44	52·8	34·9	42·9	0·45
Registrars' Districts. Clontarf &c. No. 1,	4,188	1·5	25·2	25·2	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	29·2	43·7	.	6	9	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a).	4,240	0·8	12·3	12·8	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	43·6	28·0	36·3	1·09	53·7	28·0	43·9	0·60	50·9	31·0	41·0	0·50
Palmerston, part of and Crumlin part of (b),	7,273	8·0	21·5	43·0	.	3	6	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	16·9	16·9	.	9	9	.	5	.	.	.	.	.	.	.	.	.	1	3	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	27·5	36·0	2·1	13	17	1	8	.	1	.	.	.	.	.	.	.	3	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	12·4	31·0	.	2	5	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,856	11·9	21·0	42·0	3·0	7	14	1	1	.	.	.	.	.	1	.	.	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts.																																			
Belfast,	359,000	21·8	29·6	19·6	1·2	204	135	22	34	.	1	.	.	4	.	.	1	2	12	39	3	15	25	42·9	32·0	37·7	0·48	51·0	31·5	44·4	0·55	51·0	31·0	40·8	0·59
Cork,	75,345	33·3	40·8	33·2	1·4	59	48	5	28	.	2	.	.	.	.	.	.	.	6	8	.	2	12	45	32	39·3	0·56	54	38	47·4	0·83	52	37	45·0	1·00
Limerick,	37,155	17·9	30·9	44·9	.	22	32	7	10	.	.	.	.	.	.	.	.	.	2	13	.	.	16	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	38,200	15·3	45·5	29·8	.	29	19	3	5	.	.	.	.	.	.	.	.	.	3	8	1	2	1	44·0	25·7	36·8	0·14	51·0	34·0	42·6	1·52	48·1	33·0	39·8	1·31
Waterford,	26,208	18·8	19·9	45·8	.	10	23	.	11	.	.	.	.	.	.	.	.	.	2	9	2	2	15	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,800	2·6	22·7	16·1	.	6	4	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	3	52	26	38	0·14	52	34	43	1·47	51	34	43	1·68
Drogheda	18,708	8·7	7·6	11·4	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	19·1	32·2	.	8	8	1	3	.	.	.	.	.	.	.	.	.	2	4	.	.	.	42·0	21·0	34·8	0·14	51·0	32·8	43·7	0·90	49·3	33·8	40·2	0·56
Dundalk,	12,449	9·0	67·0	33·5	.	16	8	4	2	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	34·1	42·6	.	8	10	2	2	.	.	.	.	.	.	.	.	.	2	3	.	.	5	42·0	21·0	34·8	0·14	51·0	32·8	43·7	0·90	49·3	33·8	40·2	0·56
Wexford,	11,545	24·0	36·1	31·6	.	8	7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	27·4	27·4	.	6	6	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	3	42·0	21·0	34·8	0·14	51·0	32·8	43·7	0·90	49·3	33·8	40·2	0·56
Kilkenny,	11,048	12·0	61·4	42·5	9·4	13	9	4	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.	43	28	35·4	0·32	53	35	43·5	0·56	50	30	40·3	0·74
Clonmel,	10,708	8·2	39·0	34·1	.	8	7	2	4	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	40·6	35·5	.	8	7	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	3	44·2	21·4	35·9	0·05	51·9	32·5	43·7	1·04	48·2	29·7	40·3	1·37
Tralee,	9,818	15·9	5·6	67·2	.	1	12	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·8	56·4	28·2	.	10	5	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	28·8	17·0	.	5	3	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	43	30	37·9	0·14	52	33	43·5	0·66	50	33	40·0	0·43
Queenstown,	9,082	17·0	51·7	28·0	.	9	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	45	32	39·3	0·56	54	38	47·4	0·88	52	37	45·0	1·00
Carrickfergus,	8,928	0·5	28·4	28·4	.	4	4	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,480	11·0	12·4	12·4	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	42·0	21·0	34·8	0·14	51·0	32·8	43·7	0·90	49·3	33·8	40·2	0·56
Armagh,	7,187	21·4	42·8	35·6	.	6	5	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	42·0	21·0	34·8	0·14	51·0	32·8	43·7	0·90	49·3	33·8	40·2	0·56

(a) That portion of the Districts situated in Glasnevin District Electoral Divisions. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude.

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roches Point for Cork and Queenstown.

‡ Exclusive of 18 deaths of persons (including 1 under one year old and 1 at 64 years), admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1899-1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.)	Dec. 16,	34·6	1·9	18	.	.	.	.	1	.	.	.	.	4	6	1
		„ 23,	28·0	3·8	12	.	.	.	.	1	.	.	.	1	.	3	1
		„ 30,	36·5	.	19	.	.	.	.	.	.	.	.	.	3	8	2
	(*Office, Clarence-street, Nth.*)	Jan. 6,	34·6	1·9	18	.	.	.	.	.	.	.	1	.	2	10	.
		„ 13,	46·1	1·9	24	.	1	.	.	.	.	.	.	.	3	7	.
		„ 20,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 27,	25·0	.	13	.	.	.	.	.	.	.	.	.	4	4	1
	Pop. (in 1891) 27,147.	Feb. 3,	23·0	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	North City, No. 1 (W.)	Dec. 16,	52·4	6·0	35	.	2	.	.	1	.	.	1	.	3	12	.
		„ 23,	44·9	3·0	30	.	.	.	.	.	.	.	.	2	2	9	.
		„ 30,	38·9	3·0	26	.	1	.	.	1	.	.	.	.	4	9	1
	(*Office, Summer-hill.*)	Jan. 6,	62·9	3·0	42	.	.	.	.	.	.	.	1	1	5	18	.
		„ 13,	50·9	4·5	34	.	.	.	.	.	.	.	.	3	2	13	.
		„ 20,	53·9	3·0	36	.	.	.	.	.	1	.	.	1	4	15	.
		„ 27,	43·4	.	29	.	.	.	.	.	.	.	.	.	5	6	.
	Pop. (in 1891) 34,836.	Feb. 3,	35·9	3·0	24	.	.	.	.	.	.	.	1	1	1	7	.
	North City, No. 2.	Dec. 16,	41·5	9·0	23	.	2	.	.	.	2	.	.	1	4	7	.
		„ 23,	56·0	1·8	31	.	.	.	.	.	1	.	.	.	5	9	.
		„ 30,	47·0	3·6	26	.	1	.	.	.	.	.	1	.	3	9	.
	(*Office, Lisburn-street.*)	Jan. 6,	59·6	1·8	33	.	1	.	.	.	.	.	.	.	7	9	.
		„ 13,	50·6	.	28	.	.	.	.	.	.	.	.	.	2	11	.
		„ 20,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	3	8	2
		„ 27,	41·5	1·8	23	.	1	.	.	.	.	.	.	.	1	6	.
	Pop. (in 1891) 28,871.	Feb. 3,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	3	10	1
	North City, No. 3.	Dec. 16,	42·0	6·0	21	.	3	.	.	.	.	.	.	.	4	6	1
		„ 23,	30·0	6·0	15	.	3	.	.	.	.	.	.	.	2	6	.
		„ 30,	58·0	4·0	29	.	1	.	.	.	.	.	1	.	2	6	1
	(*Office, Blackhall-place.*)	Jan. 6,	66·0	4·0	33	.	1	.	.	1	.	.	.	.	4	10	.
		„ 13,	68·0	6·0	34	.	2	.	.	.	.	.	1	.	5	12	.
		„ 20,	50·0	2·0	25	.	.	.	.	.	1	.	.	.	4	10	1
		„ 27,	66·0	6·0	33	.	2	.	.	.	.	.	1	.	2	7	1
	Pop. (in 1891) 26,055.	Feb. 3,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	3	1
	South City, No. 1.	Dec. 16,	55·0	4·7	35	.	3	.	.	.	.	.	.	.	6	9	3
		„ 23,	62·8	4·7	40	.	2	.	.	.	.	.	.	1	2	11	1
		„ 30,	55·0	.	35	.	.	.	.	.	.	.	.	.	3	15	.
	(*Office, South Earl-street.*)	Jan. 6,	61·3	1·6	39	.	1	.	.	.	.	.	.	.	8	11	1
		„ 13,	66·0	3·1	42	.	1	.	.	1	.	.	.	.	4	15	1
		„ 20,	45·6	3·1	29	.	1	.	.	.	.	.	.	1	2	5	.
		„ 27.	44·0	1·6	28	.	.	.	.	1	.	.	.	.	6	4	.
	Pop. (in 1891) 33,194.	Feb. 3,	37·7	.	24	.	.	.	.	.	.	.	.	.	3	10	.
	South City, No. 2.	Dec. 16,	30·9	5·6	11	.	1	.	.	.	.	.	1	.	3	4	.
		„ 23,	39·4	3·4	14	.	.	1	.	.	1	.	1	.	1	4	.
		„ 30,	73·1	2·8	26	.	1	.	.	.	.	.	.	.	.	17	.
	(*Office, Castle-street.*)	Jan. 6,	42·2	.	15	.	.	.	.	.	.	.	.	.	.	9	.
		„ 13,	53·4	5·6	19	.	.	1	.	.	.	.	1	.	1	10	.
		„ 20,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	7	.
		„ 27,	28·1	2·8	10	.	.	.	.	1	.	.	.	.	1	4	.
	Pop. (in 1891) 18,547.	Feb. 3,	22·5	2·8	8	.	1	.	.	.	.	.	.	.	1	1	.
	South City, No. 3.	Dec. 16,	28·3	.	22	.	.	.	.	.	.	.	.	.	3	6	.
		„ 23,	36·0	3·9	28	.	2	.	.	.	.	.	.	1	3	7	.
		„ 30,	37·3	3·9	29	.	1	.	.	.	1	.	.	1	5	9	.
	(*Office, Peter-street.*)	Jan. 6,	45·0	1·3	35	.	1	.	.	.	.	.	.	.	6	15	1
		„ 13,	34·7	2·6	27	.	2	.	.	.	.	.	.	.	1	8	.
		„ 20,	43·7	2·6	34	.	.	.	.	1	.	.	.	1	1	13	1
		„ 27,	27·0	.	21	.	.	.	.	.	.	.	.	.	4	2	.
	Pop. (in 1891) 40,558.	Feb. 3,	37·8	2·6	29	.	.	1	.	.	.	.	.	1	5	8	1
	South City, No. 4.	Dec. 16,	46·6	8·7	32	.	5	.	.	1	.	.	.	.	5	7	1
		„ 23,	43·7	5·8	30	.	1	.	.	1	1	.	1	.	5	6	1
		„ 30,	32·0	2·9	22	.	2	.	.	.	.	.	.	.	1	8	.
	(*Office, Grand Canal-street.*)	Jan. 6,	37·9	.	26	.	.	.	.	.	.	.	.	.	2	6	.
		„ 13,	52·4	5·8	36	.	1	.	.	.	1	.	2	.	7	9	.
		„ 20,	36·4	2·9	25	.	1	.	.	1	.	.	.	.	.	6	1
		„ 27,	30·6	1·5	21	.	.	.	.	1	.	.	.	.	5	5	.
	Pop. (in 1891) 35,798.	Feb. 3,	37·9	4·4	26	.	1	.	.	.	1	.	1	.	.	4	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1899-1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Dec. 16,	31·2	1·9	17	.	.	.	.	.	.	.	.	1	2	3	.
	„ 23,	41·3	1·9	22	.	1	.	.	.	.	.	.	.	3	8	.
	„ 30,	31·2	1·9	17	.	1	.	.	.	.	.	.	.	4	5	.
	Jan. 6,	35·6	1·9	19	.	.	.	.	.	.	.	1	.	2	4	.
	„ 13,	43·1	1·9	23	.	1	.	.	.	.	.	.	.	1	7	.
	„ 20,	33·8	1·9	18	.	.	.	.	.	.	.	1	.	1	4	.
	„ 27,	24·4	.	13	.	.	.	.	.	.	.	.	.	2	5	.
	Feb. 3,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	3	.
Donnybrook. Pop. (in 1891) 24,629.	Dec. 16,	36·0	6·5	17	.	4	.	.	.	.	.	.	.	2	2	.
	„ 23,	50·8	21·2	24	.	9	.	.	.	.	.	1	.	.	6	.
	„ 30,	44·5	2·1	21	.	1	.	.	.	.	.	.	.	2	5	1
	Jan. 6,	57·2	10·6	27	.	3	.	.	.	.	.	1	1	1	4	1
	„ 13,	29·6	6·4	14	.	3	.	.	.	.	.	.	.	.	6	1
	„ 20,	55·0	12·7	26	.	4	.	.	.	.	.	1	1	3	8	.
	„ 27,	40·2	2·1	19	.	1	.	.	.	.	.	.	.	2	5	.
	Feb. 3,	36·0	2·1	17	.	1	.	.	.	.	.	.	.	3	2	.
Kingstown. Pop. (in 1891) 17,886.	Dec. 16,	24·0	6·0	8	.	1	.	.	.	.	.	.	1	.	2	.
	„ 23,	36·0	6·0	12	.	2	.	.	.	.	.	.	.	2	1	.
	„ 30,	27·0	12·0	9	.	3	.	.	1	.	.	.	.	.	3	.
	Jan. 6,	24·0	3·0	8	.	1	.	.	.	.	.	.	.	.	3	.
	„ 13,	45·0	9·0	15	.	3	.	.	.	.	.	.	.	.	3	.
	„ 20,	48·0	6·0	16	.	1	.	.	1	.	.	.	.	2	3	.
	„ 27,	48·0	3·0	16	.	1	.	.	.	.	.	.	.	1	1	.
	Feb. 3,	42·0	3·0	14	.	.	.	.	.	1	.	.	.	2	5	.
Belfast. Pop. in 1900 (Est.) 359,000.	Dec. 16,	20·7	1·3	139	.	1	.	.	2	3	.	2	1	29	34	2
	„ 23,	19·7	1·0	132	.	2	1	.	1	2	.	1	.	14	27	6
	„ 30,	28·6	2·1	192	.	1	1	.	6	1	.	4	1	31	64	2
	Jan. 6,	28·8	2·6	198	.	1	.	.	6	2	2	4	3	27	74	5
	„ 13,	30·5	2·0	210	.	4	.	.	2	.	.	4	4	21	86	2
	„ 20,	24·1	2·3	166	.	.	1	.	9	1	.	4	1	17	72	.
	„ 27,	24·7	1·3	170	.	1	.	.	5	.	.	1	2	21	66	.
	Feb. 3,	19·6	1·2	135	.	1	.	.	4	.	.	1	2	12	39	3
Cork. Pop. (in 1891) 75,345.	Dec. 16,	28·4	.	41	.	.	.	.	.	.	.	.	.	12	12	.
	„ 23,	51·2	0·7	74	.	1	.	.	.	.	.	.	.	8	28	.
	„ 30,	56·7	1·4	82	.	.	.	.	.	1	.	.	1	18	25	1
	Jan. 6,	57·4	.	83	.	.	.	.	.	.	.	.	.	8	34	.
	„ 13,	58·1	0·7	84	.	1	.	.	.	.	.	.	.	7	31	.
	„ 20,	35·3	.	51	.	.	.	.	.	.	.	.	.	9	13	.
	„ 27,	45·0	2·1	65	.	2	.	.	.	.	.	.	1	13	14	1
	Feb. 3,	33·2	1·4	48	.	2	.	.	.	.	.	.	.	6	8	.
Limerick. Pop. (in 1891) 37,155.	Dec. 16,	19·6	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 23,	14·0	.	10	.	.	.	.	.	.	.	.	.	1	5	.
	„ 30,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	9	.
	Jan. 6,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	„ 13,	23·9	.	17	.	.	.	.	.	.	.	.	.	.	5	.
	„ 20,	22·5	.	16	.	.	.	.	.	.	.	.	.	1	12	.
	„ 27,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	7	.
	Feb. 3,	44·9	.	32	.	.	.	.	.	.	.	.	.	2	13	.
Londonderry Pop. (in 1891) 33,200.	Dec. 16,	34·6	1·6	22	.	.	.	.	.	.	.	1	.	2	7	.
	„ 23,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 30,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	1	1
	Jan. 6,	44·0	.	28	.	.	.	.	.	.	.	.	.	3	6	.
	„ 13,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	6	1
	„ 20,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	1	1
	„ 27,	37·7	.	24	.	.	.	.	.	.	.	.	.	4	3	.
	Feb. 3,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	8	1
Waterford. Pop. (in 1891) 26,200.	Dec. 16,	23·9	.	12	.	.	.	.	.	.	.	.	.	2	1	1
	„ 23,	33·8	4·0	17	.	.	1	.	.	.	.	.	1	1	2	.
	„ 30,	31·8	4·0	16	.	.	1	.	.	.	.	1	.	2	6	.
	Jan. 6,	51·7	2·0	26	.	.	.	.	1	.	.	.	.	3	7	.
	„ 13,	23·9	2·0	12	.	.	1	.	.	.	.	.	.	2	1	.
	„ 20,	35·8	6·0	18	.	.	3	.	.	.	.	.	.	2	4	.
	„ 27,	39·8	2·0	20	.	.	.	.	1	.	.	.	.	2	7	1
	Feb. 3,	45·8	.	23	.	.	.	.	.	.	.	.	.	2	9	2

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK* registered during the week ended 3rd February, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	6	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		11	1	1	4	5	.	.	.	.	.	.	.	.	.	1	2	.	.	4
" 2 "	37,589	31			22	3	2	11	6	.	.	.	.	1	.	.	.	1	3	6	.	1	1
" 3 "	38,843	29			18	4	2	11	1	.	.	.	.	.	.	.	.	.	3	7	.	3	
" 4 "	38,391	21			16	3	2	6	5	.	.	.	.	.	.	.	.	.	.	4	1	2	7
" 5 "	21,284	14			5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	2
" 6 "	43,451	13			9	1	2	4	2	.	1	.	.	.	.	.	.	.	1	4	1	1	1
" 7 "	1,112	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	.			5	.	.	3	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.
" 9 "	12,866	12			3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 10 "	12,256	19			11	1	2	4	4	.	.	.	.	1	.	.	1	.	.	1	.	.	3
" 11 "	19,881	23			15	4	2	6	3	.	.	.	.	.	.	.	.	.	2	3	1	3	4
" 12 "	28,282	29			14	3	2	6	3	.	.	.	.	2	.	.	.	.	.	4	.	4	.
" 13 "	6,804	6			6	.	.	5	1	.	.	.	.	.	.	.	.	1	1	2	.	1	.
" 14 "	862	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	204			135	22	17	63	34	.	1	.	.	4	.	.	1	2	12	39	3	15	25
City of Cork.*																							
CORK URBAN, No. 1 DISTRICT,																							
" 2 "																							
" 3 "																							
" 4 "																							
" 5 "																							
" 6 "																							
" 7 "																							
Total,	75,345	59	33·2	1·4	43	5	4	13	23	.	2	.	.	.	.	.	.	.	6	8	.	2	13

* A new arrangement of the Cork Districts having come into operation on the 1st February, the compilation of a Summary for that City, by Districts, for this week is not practicable.

Boundaries of Registrars' Districts—Belfast.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre of Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square. Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary, thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the grea er portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.
No. of week in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered,	215	231	199	228	223	239	209	201	263	252	231	218	203	246	202	237	192	189	199	203	175	239	263	199	230	204
DEATHS registered.	165	146	178	162	159	158	153	147	175	150	143	164	131	127	176	137	118	113	139	132	192	198	210	166	170	135
Annual Death-rate per 1,000 of estimated Population,	24·6	21·8	26·5	24·1	23·7	23·5	22·8	21·9	26·1	22·3	21·3	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6
AGES, Under 1 year,	51	42	58	62	64	51	60	47	50	44	35	40	35	30	38	40	28	21	26	19	39	34	40	26	32	22
AGES, 1–5 years,	19	22	27	21	18	21	16	16	20	19	24	21	15	18	25	17	14	10	19	9	25	31	23	24	22	17
AGES, 5–60 years,	73	61	71	61	58	67	59	64	80	60	57	84	60	49	90	57	46	63	73	74	75	93	88	71	71	62
AGES, 60 years and upwards,	22	21	22	18	19	19	18	20	25	27	27	19	21	30	23	23	30	19	21	30	53	40	59	45	45	34
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	3	.	1	1	.	.	1	2	1	1	1	.	.	.	1	2	.	1	1	2	1	1	4	.	1	1
" Scarlet Fever,	.	.	1	.	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.	1	1	.	.	1	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	5	5	5	6	4	2	6	1	4	3	4	2	1	5	1	4	4	.	2	1	6	6	2	9	5	4
" Diphtheria,	1	.	.	.	.	.	2	1	.	.	.		.	2	1	3	2	.	3	2	1	2	.	1	.	.
" Simple continued and Ill-defined Fever,	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.
" Enteric Fever,	6	8	11	8	8	9	6	9	14	9	8	9	3	6	10	4	5	1	2	1	4	4	4	4	1	1
" Diarrhœa, Dysentery,	15	13	30	33	19	18	19	15	9	4	2	4	.	2	.	.	.	.	1	.	1	3	4	1	2	2
" Phthisis,	28	14	19	25	18	22	13	21	20	15	10	16	17	14	35	12	13	19	29	14	31	27	21	17	21	12
" Diseases of Respiratory System,	12	14	20	12	20	16	22	19	38	32	43	50	43	37	49	35	38	37	34	27	64	74	86	72	66	39
Violent Deaths,	5	6	2	3	2	1	3	4	2	4	3	8	3	1	3	7	4	1	2	6	2	5	2	.	.	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Feb. 7,	2,497	1,722	19·6	.	27	10	46	45	17	14
EDINBURGH,	302,262	„ 3,	159	158	27·2	.	1	1	1	2	.	1
GLASGOW,	743,969	„ 3,	514	299	20·9	.	21	9	3	3	5	5
CALCUTTA,	466,460	Dec. 2,	.	332	37·1	1	.	.	.	2	76‡	61*
BOMBAY,	821,764	Jan. 9,	217	1,817	115·0	96	74	?	?	?	172§	171*
MADRAS,	452,518	Dec. 8,	403	358	41·1	.	13	?	?	?	72	79
PARIS,	2,511,629	Jan. 27,	1,218	1,075	22·2	1	18	1	3†	1	11	29
BRUSSELS (with 8 Faubourgs).	561,130	„ 20,	296	181	16·8	.	1	.	.	1	2	17
AMSTERDAM,	523,743	„ 13,	293	338	33·7	.	.	.	.	5	.	.
ROTTERDAM,	319,491	„ 13,	251	173	28·2	.	3	2	2	.	2	.
THE HAGUE,	196,325	„ 13,	115	80	20·9	.	1	.	.	1	.	.
COPENHAGEN,	349,000	„ 27,	222	142	21·2	.	.	5	1	.	.	3
CHRISTIANIA,	221,255	„ 27,	193	74	17·6	.	.	1	.	1	.	2
ST. PETERSBURG,	1,132,677	„ 20,	672	629	28·9	5	15	16	44	1	23	63
BERLIN,	1,848,269	„ 13,	951	592	16·7	.	2	11	11	15	1	25
HAMBURG,	691,349	„ 20,	.	227	17·1	.	.	1	.	2	.	4
DRESDEN,	400,400	Dec. 23,	.	139	18·0	.	.	.	.	.	1	5
BRESLAU,	406,012	Jan. 27,	.	179	22·9	.	.	.	1	2	.	19
MUNICH,	445,000	Oct. 28,	332	175	20·5	.	.	.	2†	1	.	48
		Nov. 4,	311	212	24·8	.	.	.	2†	4	.	34
VIENNA (with suburbs).	1,639,811	Jan. 6,	973	615	19·5	.	14	8	6†	2	2	19
BUDA-PESTH,	685,340	„ 20,	451	270	20·5	.	1	2	3	1	1	4
PRAGUE and Faubourgs.	385,952	„ 20,	196	172	23·1	.	2	1	3	.	.	5
ROME,	507,244	Dec. 30.	213	229	23·5	.	4	.	1	.	7	14
TURIN (10 days),	344,203	„ 10,	186	197	20·9	.	2	.	1†	.	3	5
VENICE,	171,779	Jan. 6,	82	94	28·5	.	.	.	2†	.	1	1
NEW YORK,	3,654,594	„ 6,	1,773	1,316	18·8	1	18	10	39	14	14	9
PHILADELPHIA,	1,266,832	„ 6,	.	513	21·1	.	2	4	29	.	1	2

* Including 16 deaths from cholera in Calcutta and 4 in Bombay. † Including deaths from croup
‡ Exclusive of 31 deaths from bubonic fever. § Exclusive of 324 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., P.R.C.P.I., has kindly supplied the following remarks on the weather during the week ended Saturday, 3rd February, 1900 :—

"A remarkable falling-off in temperature occurred this week, the mean being no less than 8·4 degrees below that of the previous week. While the distribution of atmospheric pressure remained cyclonic, gradients for northerly and then for easterly winds took the place of those previously existing for south-westerly and westerly winds. On Sunday a complex barometric depression was central over Wales, England, Belgium, and Holland. Brisk N. winds blew in Ireland, accompanied by showers of hail, sleet and snow. Next morning the depression, still larger and deeper than before, lay over the Gulf of Genoa, and cold N. and N.E. winds were prevalent in all parts of Europe. An anticyclone now spread south-westwards from Lapland to the British Isles, the result being to intensify the polar air current and its attendant cold weather. On Thursday a new depression advanced in a N.N.E. direction from Spain to France, causing a freshening easterly wind in the British Isles and a renewed snowfall in many places. The week closed with very winterly conditions prevailing everywhere and a hard frost in the inland parts of Ireland, which were snow-covered. In Dublin the mean height of the barometer was 29·863 inches, pressure varying from 29·413 inches at 7.30 a.m. of Sunday (wind, N.) and 30·027 inches at 9 a.m. of Monday (wind, W.N.W.). The corrected mean temperature was 37·3°, or 8·4° below that of the preceding week. The mean dry bulb reading at 9 a.m. and 9 p.m. was 36·4°. The screened thermometers rose to 42·8 on Monday, and fell to 30·2° on Saturday. Rain fell daily to the amount of ·821 inch, ·237 inch being measured on Thursday. N.E. winds predominated. The estimated number of hours of bright sunshine was 10·0."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·880 inches. The highest reading (30·035) was on Monday at 9 A.M., wind N.W., and the lowest (29·493) on Sunday at 9 A.M., wind N.

The mean temperature for the week was 35·6°, being 5·2° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Monday, when the thermometer registered 42·7°, and was lowest on Saturday, the mercury having fallen to 26·5°. The mean of the Dry Bulb for the week was 34·8°, and of the Wet Bulb 33·6°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 20·1 hours. The rainfall measured ·920 inch.

At Greenwich the mean temperature for the week was 35·2°, the maximum 39·9°, and the minimum 30·2° ; at Glasgow the maximum was 42·2°, the minimum 23·0°, and the mean 33·9° ; and at Edinburgh the maximum was 40·3°, the minimum 24·7°, and the mean 34·1°. The rainfall at Greenwich measured 0·96 in. ; at Glasgow, 0·06 in. ; and at Edinburgh, 0·48 in.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Jan. 28,	29·707	40·9	33·7	37·3	36·6	34·8	·85	·3	5·2	—	N.	W.
Monday, " 29,	30·014	42·7	29·6	36·2	34·2	33·1	·89	·6	7·2	·085	N.W.	N.E.
Tuesday, " 30,	29·903	39·7	32·9	36·3	36·4	35·8	·94	·8	0·0	·325	E.	N.E.
Wednesday, " 31,	29·932	40·3	36·8	38·6	38·0	37·0	·92	·6	0·0	·205	N.E.	N.E.
Thursday, Feb. 1,	29·712	40·4	32·0	36·2	33·4	32·8	·91	·5	4·2	·245	N.	Calm.
Friday, " 2,	29·940	37·2	31·4	34·3	34·4	32·0	·76	·4	0·6	·030	E.	N.E.
Saturday, " 3,	29·955	36·7	26·5	31·6	30·4	29·8	·90	·5	2·9	·030	Calm.	N.E.
Mean, . .	29·880	39·7	31·8	35·6	34·8	33·6	·88	·5	Total 20·1	Total ·920	Prevailing wind, N.E.	

Sunday—A fine but cloudy day ; night clear. *Monday*—A beautiful day to 5 p.m. ; snow 8.15 to 8.30 p.m. ; night cloudy and showery. *Tuesday*—A dull day ; rain 10.15 to 12.30 ; night overcast and showery. *Wednesday*—A dull day ; rain 9.15 to 11.30, and 2 to 4 p.m. ; night overcast ; showery 6 to 11 p.m. *Thursday*—A cloudy day ; snow 5 p.m. to 1 a.m. ; night overcast. *Friday*—A cloudy day ; snow showers 9.30 to 2 p.m. ; night cloudy ; snow 8 to 9 a.m. *Saturday*—A cloudy day ; snow 9 to 9.45, 1.15 to 1.30, 2 to 2.30 ; night cloudy, 10.45 to 11.30, and 8.45 to 9 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for Her Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office

1. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 10TH FEBRUARY, 1900. [No. 6.

General Register Office, Charlemont House, Dublin, 12th February, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 20·4), was equal to an average annual death-rate of 22·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 27·1 per 1,000, the rate for Glasgow being 26·8, and for Edinburgh 27·5.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 28·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.* The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Jan. 20.	Week ending Jan. 27.	Week ending Feb. 3.	Week ending Feb. 10.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 20.	Week ending Jan. 27.	Week ending Feb. 3.	Week ending Feb. 10.	Average Rate for 4 weeks.
23 Town Dists.	31·4	33·2	28·8	28·3	30·4	Limerick, . .	22·5	23·9	44·9	29·5	30·2
Armagh, . .	7·1	21·4	35·6	35·6	24·9	Lisburn, . .	29·8	42·6	42·6	17·0	33·0
Ballymena, .	16·9	22·5	28·2	16·9	21·1	Londonderry, .	15·7	37·7	29·8	20·4	25·9
Belfast, .	24·1	24·7	19·6	27·2	23·9	Lurgan, . .	63·9	27·4	27·4	31·9	37·6
Carrickfergus, .	11·7	29·2	23·4	5·8	17·5	Newry, . .	0·0	12·1	32·2	20·1	16·1
Clonmel, . .	34·1	73·0	34·1	19·5	40·2	Newtownards, .	39·7	39·7	17·0	45·4	35·4
Cork, . . .	35·3	45·0	33·2	22·1	33·9	Portadown, .	24·7	24·7	12·4	6·2	17·0
Drogheda, . .	26·6	19·0	11·4	72·3	32·3	Queenstown, .	23·0	40·2	23·0	34·4	30·2
Dublin, Reg. Area,	42·5	37·0	33·6	29·1	35·6	Sligo, . . .	25·4	40·6	35·5	5·1	26·7
Dundalk, . .	8·4	16·8	33·5	33·5	23·1	Tralee, .	16·8	78·3	67·2	44·8	51·8
Galway, .	60·5	60·5	15·1	79·3	53·8	Waterford, .	35·8	39·8	45·8	19·9	35·3
Kilkenny, . .	18·9	37·8	42·5	61·4	40·2	Wexford, . .	31·6	58·7	31·6	22·6	36·1

The deaths from the principal zymotic diseases registered in the 23 districts during last week were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·8 in Carrickfergus. Among the 187 deaths registered in Belfast are 3 from whooping-cough, 3 from diphtheria, one from ill-defined fever, one from enteric fever, and one from diarrhœa; and the 10 deaths in Waterford comprise 2 from whooping-cough.

* See Note (*), Table VI.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 174—92 boys and 82 girls; and the deaths to 199—100 males and 99 females.

The deaths, which are 12 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 29·7 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 29·1 per 1,000. During the six weeks ending with Saturday last the death-rate averaged 41·3, and was 7·6 over the mean rate for the corresponding portions of the ten years 1890–99.

Thirty-two deaths from zymotic diseases were registered, being equal to the number for the preceding week, but 8 in excess of the average for the corresponding week of the last ten years: the 32 deaths comprise 3 from measles, 13 from influenza and its complications—against 18 under that heading in the preceding week and 27 in the week ended the 27th ultimo—5 from whooping-cough, 5 from diphtheria, 2 from scarlet fever (scarlatina), 2 from diarrhœa; &c.

Four cases of measles were admitted to hospital during the week, against 4 for the preceding week and 9 for the week ended the 27th ultimo; 11 measles patients were discharged during the week; and 29 remained under treatment on Saturday last, being 7 under the number in hospital at the close of the preceding week.

Fifteen cases of scarlatina were admitted to hospital, being 2 over the admissions for the preceding week, and 7 over the number for the week ended the 27th ultimo: 15 patients were discharged during the week; and 71* remained under treatment on Saturday last, being equal to the number in hospital on Saturday the 3rd instant.

The number of cases of enteric fever admitted to hospital is 10, being 3 over the admissions for the preceding week, and 3 under the number for the week ended the 27th ultimo: 13 patients were discharged during the week; one died; and 71 remained under treatment on Saturday last, being 4 under the number in hospital at the close of the preceding week.

The weekly number of cases of diphtheria admitted to hospital which had risen from 8 for the week ended the 27th ultimo to 10 for the following week, fell to 5 last week; 10 patients were discharged during the week; 2 died; and 21 remained under treatment in hospital on Saturday last.

Deaths from diseases of the respiratory system, which had risen from 55 for the week ended the 27th ultimo to 67 for the following week, fell last week to 65, but this number is 10 over the average for the corresponding week of the last ten years: the 65 deaths comprise 45 from bronchitis and 17 from pneumonia or inflammation of the lungs.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals, during the week ended Saturday, 10th February, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th February.			
	Jan. 20.	Jan. 27.	Feb. 3.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.		.	.
Measles,	40	40	36	4	11	.	29
Scarlet Fever,	68	64	71	15	15	.	71*
Typhus „	.	1	.	.	.	.	.
Diphtheria,	29	30	28	5	10	2	21
Enteric Fever,	82	76	75	10	13	1	71
Pneumonia,	20	29	23	7	5	1	24

The deaths of 6 children under one year of age (including 2 infants under one month old) were ascribed to convulsions.

Six deaths were caused by apoplexy, 10 by other diseases of the brain and nervous system (exclusive of convulsions), and 11 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 23 deaths, mesenteric disease 4, tubercular meningitis 5, and cancer 3.

Three accidental deaths were registered.

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

In 14 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age (including 6 infants under one year old) and the deaths of 6 persons aged 60 years and upwards.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 7 were under one month old) and 66 were aged 60 years and upwards, including 32 persons aged 70 and upwards, of whom 12 were octogenarians, and one (a man) was stated to have been aged over 100 years.

Fifty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 29·1 per 1,000; the rate in the city was 30·0 (29·4 on the North side, and 30·5 on the South), and in the Suburbs 26·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the city being 3·0 (1·8 in the North City Districts, and 4·1 in the South), and for the Suburbs 1·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 30·7 per 1,000. They comprise 4 from zymotic diseases, viz.:—2 from diarrhœa and 2 from influenza. Three deaths were caused by bronchitis and 2 by phthisis.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 23·9 per 1,000. Two were caused by zymotic diseases, viz.:—one by whooping-cough and one by influenza. Of the 14 remaining deaths 2 were caused by bronchitis, 3 by pneumonia, 3 by phthisis, and 2 by diseases of the brain and nervous system.

No. 2 North City District (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 32·5 per 1,000. They comprise 2 from zymotic diseases, including one from influenza. Six deaths were caused by bronchitis, 2 by pneumonia, and 3 by diseases of the brain and nervous system.

No. 3 North City District (Blackhall-place).—The deaths (16) represent an annual rate of 32·0 per 1,000. Two were from zymotic diseases, viz.:—one from diphtheria and one from influenza. Among the 14 deaths from other causes are 5 from bronchitis and 2 from pneumonia.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 31·4 per 1,000. They comprise 3 from zymotic diseases, viz.:—one from scarlatina, one from whooping-cough, and one from influenza. Nine deaths were caused by bronchitis, 3 by phthisis, and 2 by diseases of the circulatory system.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·3 per 1,000. Two were from zymotic diseases, viz.:—one from diphtheria and one from influenza. Three deaths were caused by bronchitis and 2 by phthisis.

No. 3 South City District (Peter-street).—The deaths (25) are equal to an annual rate of 32·1 per 1,000. Two were caused by whooping-cough, but no deaths from any other zymotic disease were recorded. Bronchitis caused 7 deaths, pneumonia 2, phthisis 5, and convulsions 3.

No. 4 South City District (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 30·6 per 1,000. They comprise 7 from zymotic diseases, viz.:—3 from measles, 2 from influenza, one from diphtheria, and one from whooping-cough. Three deaths were caused by inflammatory diseases of the respiratory system, 2 by phthisis, and 2 by mesenteric disease.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 37·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 48·6; Finglas and Glasnevin, part of, 24·6; Palmerston, part of, and Crumlin, part of, 14·3; Rathmines, 24·4; Donnybrook, 16·9; Blackrock, 37·2; and Kingstown, 30·0. The deaths from zymotic diseases tabulated for these districts comprise one from influenza for Coolock and Drumcondra, No. 1; one from scarlatina and one from diphtheria for Rathmines; one from influenza for Donnybrook; one from influenza for Blackrock, and one from diphtheria and one from influenza for Kingstown. Of the 10 deaths tabulated for Coolock and Drumcondra, No. 1, 3 were from pneumonia and 2 from phthisis; the 13 deaths for Rathmines comprise 3 from bronchitis and 3 from diseases of the brain and nervous system; 2 of the 8 deaths for Donnybrook were from diseases of the brain and nervous system; the 6 deaths for Blackrock comprise 4 from diseases of the respiratory system; and 2 of the 10 deaths for Kingstown were from diseases of the circulatory system.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 6th Week of the 10 years 1890–99.	In the week ending Saturday, 10th February, 1900.								
												Deaths of persons of the Ages of								
	Feb. 8, 1890	Feb. 14, 1891	Feb. 13, 1892	Feb. 11, 1893	Feb. 10, 1894	Feb. 9, 1895	Feb. 8, 1896	Feb. 13, 1897	Feb. 12, 1898	Feb. 11, 1899		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 39·8	° 39·7	° 44·9	° 44·9	° 46·4	° 23·4	° 45·5	° 43·4	° 43·8	° 46·1	° 42·3	Mean Temp. ° 29·9								
ALL CAUSES,	226	182	218	168	222	214	165	276	234	212	210·7	199	7	23	24	14	30	35	53	18
I. FEBRILE OR ZYMOTIC DISEASES,	22	7	19	11	30	23	16	71	29	13	24·1	32	1	.	12	2	2	6	9	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	.	1	4	.	.	1	.	.	1	·8	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	52	36	47	36	50	38	38	45	56	58	45·6	43	.	3	3	10	15	8	4	.
V. DEVELOPMENTAL "	13	12	16	11	14	13	9	13	17	20	14·3	13	1	1	.	.	.	.	4	7
VI. LOCAL "	123	117	112	90	113	132	93	123	117	109	112·8	105	4	18	8	2	10	21	35	6
VII. VIOLENT DEATHS,	4	1	8	5	5	4	4	6	5	4	4·6	3	.	.	1	.	2	.	.	.
VIII. ILL-DEFINED CAUSES,	12	9	10	6	10	4	4	13	9	7	8·4	8	1	1	.	.	1	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	5	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	2	.	1	1	1	.	.	26	.	.	3·1	3	.	.	3	.	.	.	.	.
Scarlet Fever,	.	.	.	1	3	1	1	2	3	1	1·2	2	.	.	.	1	1	.	.	.
Typhus,	.	.	.	1	1	.	.	2	.	.	·4	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	7	.	12	.	6	1	4	6	9	3	4·8	13	.	.	.	.	1	4	8	.
Whooping Cough,	4	.	3	.	8	5	2	25	2	2	5·1	5	.	.	4	1	.	.	.	.
Diphtheria,	.	1	.	.	2	.	.	.	2	1	·6	5	.	.	5	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	6	2	1	3	2	4	2	1	7	4	3·2	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	.	1	1	3	2	5	1	3	.	1·6	2	1	.	.	.	.	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	.	.	1	1	3	.	.	·5	.	.	.	.	.	.	.	.	.
	1	.	.	1	.	1	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	1	1	.	1	1	1	.	·5	1	.	.	.	.	.	1	.	.
Puerperal Fever,	.	.	.	.	.	.	.	1	1	1	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	4	1	2	1	1	.	2	.	.	1·3	1	.	.	.	.	.	1	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	1	3	.	.	1	.	.	1	·7	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	2	2	.	.	.	.	.	1	1	.	·6	.	.	.	.	.	.	.	.	.
Rheumatism,	.	1	.	.	2	.	.	1	.	.	·4	1	.	.	.	.	.	.	1	.
Gout,	.	1	.	.	.	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	5	3	2	3	6	10	5	4	7	11	5·6	3	.	.	.	.	.	1	2	.
Tabes Mesenterica,	2	3	2	7	5	6	3	7	3	4	4·2	4	.	.	1	2	1	.	.	.
Tubercular Meningitis	3	.	6	4	5	2	5	2	6	7	4·0	5	.	2	1	2	.	.	.	.
Phthisis,	35	20	31	19	25	17	21	20	35	30	25·3	23	.	.	.	3	13	6	1	.
Scrofula, Tuberculosis,	2	6	6	3	6	3	3	7	4	5	4·5	5	.	1	1	2	1	.	.	.
Other Constitutional Diseases,	3	.	.	.	1	.	1	2	.	.	·7	2	.	.	.	1	.	1	.	.
V. Developmental Diseases—																				
Promature Birth,	3	4	4	3	3	1	2	4	8	1	3·3	1	1	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	.	.	2	1	1	.	.	.	1	·6	1	.	1	.	.	.	.	.	.
Old Age,	9	3	12	6	10	11	7	14	9	18	10·4	11	.	.	.	.	.	.	4	7

each Disease registered in the SIXTH WEEK ending Saturday, 10th February, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 6th Week of the 10 years 1890-99.	In the Week ending Saturday, 10th February, 1900. Deaths of Persons of the Ages of							
	Feb. 8, 1890	Feb. 14, 1891	Feb. 13, 1892	Feb. 11, 1893	Feb. 10, 1894	Feb. 9, 1895	Feb. 8, 1896	Feb. 13, 1897	Feb. 12, 1898	Feb. 11, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 39·3	° 39·7	° 44·9	° 44·0	° 46·4	° 29·4	° 45·5	° 43·4	° 43·8	° 46·1	° 42·3	° 29·9								
VI. Local Diseases.																				
Apoplexy,	2	3	1	6	3	7	3	3	1	3	3·2	6	.	.	.	.	.	2	3	1
Epilepsy,	.	.	.	2	2	1	.	1	2	2	1·0	1	.	.	.	.	1	.	.	.
Convulsions,	18	14	7	17	11	16	12	9	11	12	12·7	6	2	4	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	13	11	5	5	8	9	10	5	6	9	8·1	9	.	.	.	1	2	1	4	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	14	18	16	11	16	22	16	16	17	10	15·6	11	.	.	.	.	1	3	6	1
Croup,	2	.	1	1	.	.	1	1	2	.	·8	.	.	.	.	.	.	.	.	.
Bronchitis,	36	32	42	19	35	38	24	53	48	48	37·0	45	2	9	4	1	2	10	15	2
Pneumonia	13	12	14	6	15	13	7	23	16	9	12·8	17	.	2	4	.	2	3	5	1
Pleurisy,	1	1	.	1	.	.	.	1	.	2	·6	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	4	7	6	6	3	5	4	2	.	.	3·7	3	.	1	.	.	1	1	.	.
Teething,	2	1	5	2	2	2	1	.	1	2	1·8	2	.	2	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	.	.	.	1	2	.	.	1	·5	.	.	.	.	.	.	.	.	.
Peritonitis	1	1	2	.	2	1	.	1	3	.	1·1	.	.	.	.	.	.	.	.	.
Disease of Liver,	4	3	3	4	4	3	1	3	2	4	3·1	1	.	.	.	.	1	.	.	.
Other Diseases of Digestive System,	4	3	5	2	5	4	7	3	3	6	4·3	1	.	.	.	.	.	.	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	4	5	2	4	6	4	3	2	3	4	3·7	2	.	.	.	.	.	.	2	.
Diseases of Generative System,	1	3	2	.	.		.	.	.	.	·8	1	.	.	.	.	.	1	.	.
Accidents of Childbirth,	1	1	1	1	.	.	1	.	1	.	·6	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	1	.	1	.	1	1	.	1	1	·7	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	.	.	1	.	3	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	1	.	.	.	.		1	.	.	.	.	1	.	.	
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
By Burns, Scalds, Explosions	3	.	1	2	.	2	1	3	3	2	4·4	1	.	.	1	.	.	.	.	.
By Drowning,		1	5	1	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	2	.	.	.	1	1		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		.	2	1	3	1	2	3	.	.		1	.	.	.	.	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	12	9	10	6	10	4	4	13	9	7	8·		1	1	.	.	1	.	.	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899-1900—Week ending																									
	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered,	184	212	194	198	236	211	237	190	198	188	180	225	172	241	193	154	206	167	138	247	187	209	168	191	184	174
Average Births in corresponding week of previous 10 years,	201	183	196	181	207	202	198	178	166	179	170	172	175	185	181	184	181	184	154	168	188	199	195	202	206	200
DEATHS registered,	234	207	205	251	235	200	223	196	225	250	244	216	249	248	220	259	258	256	285	280	337	331	295	259	238	199
Annual Death-rate per 1,000,	34·9	30·9	30·6	37·4	35·1	29·8	33·3	29·2	33·6	37·3	36·4	32·2	37·1	37·0	32·8	38·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7
Average Deaths in corresponding week of previous 10 years,	150	158	161	158	158	161	159	149	157	152	163	178	166	174	177	183	177	184	184	207	211	239	249	228	221	211
AGES, Under 5 years,	106	102	110	111	120	94	110	93	114	167	95	111	118	133	98	93	103	81	87	86	81	85	70	60	60	54
5—20 "	9	12	14	17	24	12	18	13	26	18	23	22	11	27	16	12	17	23	22	13	15	16	15	20	19	14
20—40 "	33	26	25	34	34	24	36	29	23	29	32	14	36	27	28	36	35	35	46	32	49	38	44	33	34	30
40—60 "	46	29	30	47	25	34	26	27	32	38	39	29	36	32	33	31	51	61	55	57	78	84	61	50	46	35
60—80 "	33	32	23	34	26	26	34	29	24	33	45	32	37	28	36	33	44	44	63	74	94	85	83	79	64	58
80 years and upwards,	7	6	3	8	6	10	1	5	6	5	16	8	11	11	9	14	8	9	12	18	25	23	22	12	15	18
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	10	18	14	17	23	23	28	32	44	52	44	38	39	51	38	29	30	23	24	15	10	18	9	5	4	3
" Scarlet Fever,	.	2	.	2	1	2	.	.	2	1	1	.	1	2	1	2	1	1	1	1	.	1	.	.	1	2
" Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	7	1	3	2	1	1	2	2	.	1	.	2	1	2	.	1	1	3	2	2	1	1	3	3	.	5
" Diphtheria,	1	.	1	1	1	.	1	.	1	2	2	3	3	3	2	2	3	2	3	1	.	3	2	1	3	5
" Simple continued and Ill-defined Fever,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	1	6	4	7	9	5	11	4	7	4	6	2	5	.	.	6	2	2	3	2	5	5	2	1	2	.
" Diarrhœa, Dysentery,	43	39	6	42	45	20	27	16	14	1	9	6	6	5	3	4	.	3	5	1	2	3	6	.	2	2
" Phthisis,	26	19	22	31	29	18	23	20	22	26	29	15	21	17	20	35	27	36	30	28	40	27	29	36	29	23
" Heart Diseases,	13	10	13	6	12	7	11	14	10	23	13	9	18	13	17	17	15	26	15	21	24	20	16	25	15	11
" Diseases of Respiratory System,	29	24	13	31	21	24	30	31	29	39	40	53	57	50	51	66	70	66	73	98	110	110	92	53	67	65
Violent Deaths,	5	8	6	6	5	4	5	4	3	5	8	4	8	6	7	4	6	6	3	7	4	5	5	2	5	3
Mean Temperature of the Air Phœnix Park),	61·0	61·7	59·1	59·1	57·4	52·4	47·5	46·1	48·0	49·5	48·9	50·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	39·9
Average Mean Temperature in corresponding week of previous 10 years,	58·8	56·9	55·7	56·4	56·6	5 ·6	52·7	51·1	48·4	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·	41·7	40·6	40·8	42·3
Rainfall in inches,	·195	·095	1·295	·150	·455	·575	1·470	·360	·355	·470	·325	1·085	·710	·050	·030	·240	·455	·200	·355	2·055	·715	·535	·560	·530	·920	·690
Mean Humidity of the Air, complete Saturation 1·0,	·86	·84	·86	·82	·88	·78	·86	·85	·86	·88	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88	·88

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 10th February, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	NAMES OF REGISTRARS' DISTRICTS.																		
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CHUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	282	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1463	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	3	.
Scarlet Fever (Scarlatina),	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	1	.	.	1	.	2	1	.	.	.	.	.	.	.	.	5	.
Diphtheria,	.	.	.	1	.	1	.	1	.	.	.	.	1	.	.	1	5	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Other Zymotic Diseases	2	1	2	1	1	1	.	2	.	1	.	.	1	1	1	1	15	.
Total,	4	2	2	2	3	2	2	7	.	1	.	.	3	1	1	2	32	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	2	3	1	.	3	2	5	2	.	2	1	.	1	.	.	1	23	.
Other Constitutional Diseases,	2	3	2	2	.	.	1	5	.	1	1	.	1	.	1	.	19	1
Total,	4	6	3	2	3	2	6	7	.	3	2	.	2	.	1	1	42	1
V. DEVELOPMENTAL DISEASES,	.	1	.	3	1	.	1	.	1	1	.	.	1	1	.	2	12	1
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	1	2	3	.	1	1	3	2	2	1	.	1	3	2	.	.	22	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	.	.	1	.	2	1	3	1	.	.	.	.	.	1	.	2	11	.
Diseases of Respiratory System,	4	5	3	7	9	3	10	3	.	4	.	1	3	1	4	1	63	2
Diseases of Digestive System,	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	4	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diseases of Generative System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	7	13	9	13	5	16	6	2	5	.	2	6	4	4	4	103	2
VII. VIOLENT DEATHS,	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.
Deaths from all Causes,	16	16	18	16	20	9	25	21	3	10	2	2	13	8	6	10	195	4
Annual Rate of Mortality in every 1,000 of the population.	30·7	23·9	32·5	32·0	31·4	25·3	32·1	30·6	37·8	48·6	24·6	14·3	24·4	16·9	37·2	30·0	29·1	
	29·4				30·5				26·9									
	30·0																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	2	1	2	1	.	3	7	.	1	.	.	3	2	.	1	25	4
Workhouse Hospitals,	.	5	5	6	4	4	2	1	.	.	.	.	.	.	.	.	27	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 88, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St. Jude.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th February, 1900: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 10th February, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	29·7	199	54	14	30	35	33	13	.	3	2	.	5	5	.	.	2	17	23	6	65	3	85
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	23·4	7	.	.	1	2	2	2															
II.	MIDDLE CLASS,	31,469	21·1	33	5	3	5	6	10	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	39,377	22·6	42	11	5	11	3	11	1	.	.	.	.	.	1	.	.	.	2	4	1	8	1	17
IV.	GENERAL SERVICE CLASS,	147,978	39·7	90	35	4	12	16	18	5	.	1	.	.	1	.	.	.	2	4	9	2	14	.	13
											.	2	1	.	3	4	.	.	.	10	5	3	31	2	39
V.	INMATES OF WORKHOUSES,	5,191		27	3	2	1	8	12	1	.	.	.	.	1	.	.	.	.	1	4	.	11	.	11
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	19·5	8	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,857	28·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	3. Persons of Rank and Property, not otherwise described,	5,733	25·2	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,377	17·7	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	14·0	7	3	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	6. Clerks and Commercial Assistants,	25,091	22·9	11	2	3	2	2	2	.	.	.	.	.	.	1	.	.	.	1	.	1	1	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,535	27·5	13	.	.	1	3	6	2	.	.	1	.	.	.	.	.	.	1	3	.	.	1	6
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	14·0	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6	.	6
	9. Building and Furnishing Trades,	26,294	33·6	17	4	.	6	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	10. Clothing Trades,	23,927	18·0	6	.	1	1	.	4	.	.	1	.	.	1	.	.	.	.	2	3	2	7	.	3
	11. Food Supply Trades,	7,949	32·7	5	2	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	1
	12. Other Trades and Callings ranking with Trades,	26,937	21·2	11	3	2	2	.	3	1	.	.	.	.	.	.	.	.	1	1	2	.	1	.	1
	13. Petty Shopkeepers,	6,839	7·3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	8
IV.	GENERAL SERVICE CLASS.																						1	.	.
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	34·1	9	4	.	.	1	3	1	.	.	.	.	.	2	.	.	.	2	.	.	3	.	4
	15. Domestic Servants,	39,967	7·8	6	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	48·1	10	2	.	5	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	4	1	3
	17. Hawkers, Porters, Labourers, &c.,	83,472	40·5	65	29	4	6	12	10	4	.	2	1	.	3	2	.	.	.	8	3	3	22	1	28
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	27	3	2	1	8	12	1	.	.	.	.	1	.	.	.	.	1	4	.	11	.	11

The undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Persons to an Acre	Registration—Week ending Saturday, 10th February, 1900. Annual Rate per 1,000 persons represented by Births	Deaths: From all Causes.	Deaths: From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	Non-Public Institutions.
Total of 23 Town Districts	1,062,188	12·2	29·2	28·3	1·6	595	577	73	187	.	3	2	.	11	9	1	1	6	67	135	13	19	149
Dublin Registration Area:—																							
Registrars' Districts. Total, ‡	349,584	14·2	26·0	29·1	2·5	174	185	19	65	.	3	2	.	5	5	.	.	2	23	63	3	5	52
City	245,061	65·6	27·9	30·9	3·0	133	143	24	58	.	3	1	.	5	3	.	.	2	18	49	1	4	45
Clontarf &c. No. 1	4,138	1·5	37·8	37·8	.	3	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	10,780	1·8	14·6	48·6	.	3	10	.	7	.	.	.	.	.	.	.	.	.	2	4	.	.	1
Finglas & Glasnevin, pt. of (a)	4,946	0·8	24·6	24·6	.	2	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Palmerstown, part of and Crumlin part of (b)	7,573	8·0	21·5	14·	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Rathmines ‖	27,796	16·2	22·5	24·	3·8	12	13	.	7	.	.	1	.	.	1	.	.	.	1	3	1	1	3
Donnybrook	24,699	12·4	23·3	16·9	.	11	8	1	3	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Blackrock ‖	8,401	7·8	12·4	37·2	.	2	6	1	1	.	.	.	.	.	.	.	.	.	.	4	.	.	.
Kingstown, 1 & 2, ‖	17,386	11·9	21·0	30·0	3·0	7	10	2	5	.	.	.	.	.	1	.	.	.	1	1	.	.	1
Urban Districts.																							
Belfast	350,000	21·8	34·0	27·2	1·5	240	187	30	43	.	.	.	.	3	3	1	1	1	26	59	8	12	39
Cork	75,845	33·3	24·9	22·1	.	36	32	5	8	.	.	.	.	.	.	.	.	.	4	2	.	.	11
Limerick	38,155	17·9	25·5	23·5	.	21	21	.	11	.	.	.	.	.	.	.	.	.	1	3	.	.	11
Londonderry	33,200	15·3	23·6	19·4	3·1	15	13	1	5	.	.	.	.	.	.	.	.	2	1	4	.	.	.
Waterford	26,993	18·2	29·8	19·9	4·0	15	10	1	3	.	.	.	.	2	.	.	.	.	.	4	.	.	.
Galway	15,850	8·6	22·7	79·3	.	6	21	1	13	.	.	.	.	.	.	.	.	.	1	6	1	.	7
Drogheda	13,798	8·7	34·2	78·3	8·8	9	19	1	3	.	.	.	.	.	.	.	.	1	.	1	.	1	7
Newry	13,561	18·5	32·2	50·1	.	8	5	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Dundalk	13,449	9·0	20·9	38·5	.	5	8	1	2	.	.	.	.	.	.	.	.	.	1	3	.	.	.
Lisburn	12,230	16·8	29·8	17·0	.	7	4	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Wexford	11,245	24·0	18·1	22·6	.	4	5	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Lurgan	11,189	13·4	13·7	31·9	4·6	3	7	1	2	.	.	.	.	1	.	.	.	.	1	3	.	.	.
Kilkenny	11,048	12·0	28·3	61·4	.	6	13	.	8	.	.	.	.	.	.	.	.	.	3	.	.	.	12
Clonmel	10,708	8·2	33·0	19·5	.	8	4	1	2	.	.	.	.	.	.	.	.	.	.	1	1	1	2
Sligo	10,274	8·4	30·5	5·1	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	9,348	15·9	33·6	44·8	.	6	8	.	6	.	.	.	.	.	.	.	.	.	2	2	.	.	1
Ballymena	9,252	9·3	33·8	16·9	.	6	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Newtownards	9,197	19·0	17·0	45·3	.	3	8	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	5
Queenstown	9,082	17·0	23·0	34·4	.	4	6	1	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Carrickfergus	8,223	0·5	11·7	5·8	5·8	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	36·9	6·2	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh	7,137	21·4	42·8	55·6	.	6	5	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Towns and Districts.	Meteorology.† Week ending 10th Feb., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd Feb., 1900. Air Temperature. Absolute High st.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th Jan., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—												
Registrars' Districts. Total, ‡	37·7	13·2	29·9	0·09	42·7	26·5	35·6	0·92	53·2	29·0	43·8	0·53
City	39·6	21·7	33·2	0·34	42·8	30·2	37·3	0·82	55·7	35·0	45·7	0·44
Clontarf &c. No. 1	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a)	39·4	16·0	31·5	0·46	43·6	23·0	36·3	1·09	63·7	28·0	43·9	0·60
Palmerstown, part of and Crumlin part of (b)	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines ‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock ‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2, ‖	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts.												
Belfast	43·9	19·8	31·9	0·03	42·0	32·0	37·7	0·48	51·0	31·5	44·4	0·55
Cork	41	29	35·7	0·48	45	32	39·3	0·56	54	28	47·4	0·82
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry	43·0	15·7	32·0	0·31	44·0	29·7	36·8	0·14	51·0	24·0	42·6	1·52
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	.	.	.	.	52	26	38	0·14	52	34	45	1·47
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	40·8	21·1	31·2	0·03	42·0	21·0	31·8	0·14	51·0	32·8	43·7	0·90
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn	40·8	21·1	31·2	0·03	42·0	21·0	31·8	0·14	51·0	32·8	43·7	0·90
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	40·8	21·1	31·2	0·03	42·0	21·0	31·8	0·14	51·0	32·8	43·7	0·90
Kilkenny	38	10	26·5	0·58	43	28	35·4	0·32	53	35	43·5	0·56
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	41·7	15·6	30·5	0·18	44·2	21·4	35·9	0·05	51·9	32·5	43·7	1·04
Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	41	23	33·3	0·06	43	30	37·9	0·14	52	33	43·5	0·66
Queenstown	43	29	35·7	0·48	45	32	39·3	0·56	54	38	47·4	0·83
Carrickfergus	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	40·8	21·1	31·2	0·03	42·0	21·0	31·8	0·14	51·0	32·8	43·7	0·90
Armagh	40·8	21·1	31·2	0·03	42·0	21·0	31·8	0·14	51·0	32·8	43·7	0·90

(*a*) That portion of the District situated in Glasnevin District Electoral Divisions. (*b*) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude.

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roches Point for Cork and Queenstown.

‡ Observations at Ordnance Survey Office, Phœnix Park. ‖ Exclusive of 4 deaths of persons (including 1 under one year old and 1 aged 67 years), admitted to hospital from localities outside the district.

‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN: the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1899-1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. (in 1891) 27,147.	Dec. 23,	23·0	8·8	12	.	.	.	.	1	.	.	.	1	.	8	1
		„ 30,	36·5	.	19	.	.	.	.	.	.	.	.	.	3	8	2
		Jan. 6,	34·6	1·9	18	.	.	.	.	.	.	.	1	.	2	10	.
		„ 13,	46·1	1·9	24	.	1	.	.	.	.	.	.	.	3	7	.
		„ 20,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		„ 27,	25·0	.	13	.	.	.	.	.	.	.	.	.	4	4	1
		Feb. 3,	23·0	.	12	.	.	.	.	.	.	.	.	.	2	5	.
		„ 10,	30·7	3·8	16	.	.	.	.	.	.	.	.	2	2	4	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	Dec. 23,	44·9	3·0	30	.	.	.	.	.	.	.	.	2	2	9	.
		„ 30,	38·9	3·0	26	.	1	.	.	1	.	.	.	.	4	9	1
		Jan. 6,	62·9	3·0	42	.	.	.	.	.	.	.	1	1	5	18	.
		„ 13,	50·9	4·5	34	.	.	.	.	.	.	.	.	3	2	18	.
		„ 20,	53·9	3·0	36	.	.	.	.	.	1	.	.	1	4	15	.
		„ 27,	43·4	.	29	.	.	.	.	.	.	.	.	.	5	6	.
		Feb. 3,	35·9	3·0	24	.	.	.	.	.	.	.	1	1	1	7	.
		„ 10,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	3	5	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Dec. 23,	56·0	1·8	31	.	.	.	.	.	1	.	.	.	5	9	.
		„ 30,	47·0	3·6	26	.	1	.	.	.	.	.	1	.	3	9	.
		Jan. 6,	59·6	1·8	33	.	1	.	.	.	.	.	.	.	7	9	.
		„ 13,	50·6	.	28	.	.	.	.	.	.	.	.	.	2	11	.
		„ 20,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	5	8	2
		„ 27,	41·5	1·8	23	.	1	.	.	.	.	.	.	.	1	6	.
		Feb. 3,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	3	10	1
		„ 10,	32·5	.	18	.	.	.	.	.	.	.	.	.	1	8	.
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Dec. 23,	30·0	6·0	15	.	8	.	.	.	.	.	.	.	2	6	.
		„ 30,	58·0	4·0	29	.	1	.	.	.	.	.	1	.	2	6	1
		Jan. 6,	66·0	4·0	33	.	1	.	.	1	.	.	.	.	4	10	.
		„ 13,	68·0	6·0	34	.	2	.	.	.	.	.	1	.	5	12	.
		„ 20,	50·0	2·0	25	.	.	.	.	.	1	.	.	.	4	10	1
		„ 27,	66·0	6·0	33	.	2	.	.	.	.	.	1	.	2	7	1
		Feb. 3,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	3	1
		„ 10,	32·0	2·0	16	.	.	.	.	.	1	.	.	.	.	7	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 33,194.	Dec. 23,	62·8	4·7	40	.	2	.	.	.	.	.	.	1	2	11	1
		„ 30,	55·0	.	35	.	.	.	.	.	.	.	.	.	3	15	.
		Jan. 6,	61·3	1·6	39	.	1	.	.	.	.	.	.	.	8	11	1
		„ 13,	66·0	3·1	42	.	1	.	.	1	.	.	.	.	4	15	1
		„ 20,	45·6	3·1	29	.	1	.	.	.	.	.	.	1	2	5	.
		„ 27,	44·0	1·6	28	.	.	.	.	1	.	.	.	.	6	4	.
		Feb. 3,	37·7	.	24	.	.	.	.	.	.	.	.	.	2	10	.
		„ 10,	31·4	3·1	20	.	.	1	.	1	.	.	.	.	3	9	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Dec. 23,	29·4	8·4	14	.	.	1	.	.	1	.	1	.	1	4	.
		„ 30,	73·1	2·8	26	.	1	.	.	.	.	.	.	.	.	17	.
		Jan. 6,	42·2	.	15	.	.	.	.	.	.	.	.	.	.	9	.
		„ 13,	51·4	5·6	19	.	.	1	.	.	.	.	1	.	1	10	.
		„ 20,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	7	.
		„ 27,	28·1	2·8	10	.	.	.	.	1	.	.	.	.	1	4	.
		Feb. 3,	22·5	2·8	8	.	1	.	.	.	.	.	.	.	1	1	.
		„ 10,	25·3	2·8	9	.	.	.	.	.	1	.	.	.	2	3	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Dec. 23,	36·0	3·9	28	.	2	.	.	.	.	.	.	1	3	7	.
		„ 30,	37·8	5·9	29	.	1	.	.	.	1	.	.	1	5	9	.
		Jan. 6,	45·0	1·3	35	.	1	.	.	.	.	.	.	.	6	15	1
		„ 13,	34·7	2·6	27	.	2	.	.	.	.	.	.	.	1	8	.
		„ 20,	43·7	2·6	34	.	.	.	.	1	.	.	.	1	1	13	1
		„ 27,	27·0	.	21	.	.	.	.	.	.	.	.	.	4	2	.
		Feb. 3,	37·8	2·6	29	.	.	1	.	.	.	.	.	1	5	8	1
		„ 10,	32·1	2·6	25	.	.	.	.	2	.	.	.	.	5	10	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798.	Dec. 23,	43·7	5·8	30	.	1	.	.	1	1	.	1	.	5	6	1
		„ 30,	32·0	2·9	22	.	2	.	.	.	.	.	.	.	1	8	.
		Jan. 6,	37·9	.	26	.	.	.	.	.	.	.	.	.	2	6	.
		„ 13,	52·4	5·8	36	.	1	.	.	.	1	.	2	.	7	9	.
		„ 20,	36·4	2·9	25	.	1	.	.	1	.	.	.	.	.	6	1
		„ 27,	30·6	1·5	21	.	.	.	.	1	.	.	.	.	5	5	.
		Feb. 3,	37·9	4·4	26	.	1	.	.	.	1	.	1	.	.	4	1
		„ 10,	30·6	7·3	21	.	3	.	.	1	1	.	.	.	2	3	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1899-1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Dec. 23,	41·3	1·9	22	.	1	.	.	.	.	.	.	.	3	8	.
	„ 30,	31·9	1·9	17	.	1	.	.	.	.	.	.	.	4	5	.
	Jan. 6,	35·6	1·9	19	.	.	.	.	.	.	.	1	.	2	4	.
	„ 13,	43·1	1·9	23	.	1	.	.	.	.	.	.	.	1	7	.
	„ 20,	33·8	1·9	18	.	.	.	.	.	.	.	1	.	1	4	.
	„ 27,	24·4	.	13	.	.	.	.	.	.	.	.	.	2	5	.
	Feb. 3,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	„ 10,	24·4	3·3	13	.	.	1	.	.	1	.	.	.	1	3	1
Donnybrook. Pop. (in 1891) 24,629.	Dec. 23,	50·8	21·2	24	.	9	.	.	.	.	.	1	.	.	6	.
	„ 30,	44·5	2·1	21	.	1	.	.	.	.	.	.	.	2	5	1
	Jan. 6,	57·2	10·6	27	.	3	.	.	.	.	.	1	1	1	4	1
	„ 13,	29·6	6·4	14	.	3	.	.	.	.	.	.	.	.	6	1
	„ 20,	55·0	12·7	26	.	4	.	.	.	.	.	1	1	3	8	.
	„ 27,	40·2	2·1	19	.	1	.	.	.	.	.	.	.	2	5	.
	Feb. 3,	36·0	2·1	17	.	1	.	.	.	.	.	.	.	3	2	.
	„ 10,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
Kingstown. Pop. (in 1891) 17,336.	Dec. 23,	36·0	6·0	12	.	2	.	.	.	.	.	.	.	2	1	.
	„ 30,	27·0	12·0	9	.	3	.	.	1	.	.	.	.	.	3	.
	Jan. 6,	24·0	3·0	8	.	1	.	.	.	.	.	.	.	.	3	.
	„ 13,	45·0	9·0	15	.	3	.	.	.	.	.	.	.	.	3	.
	„ 20,	48·0	6·0	16	.	1	.	.	1	.	.	.	.	2	3	.
	„ 27,	48·0	3·0	16	.	1	.	.	.	.	.	.	.	1	1	.
	Feb. 3,	42·0	3·0	14	.	.	.	.	.	1	.	.	.	2	5	.
	„ 10,	30·0	3·0	10	.	.	.	.	.	1	.	.	.	1	1	.
Belfast. Pop. in 1900 (Est.) 359,000.	Dec. 23,	19·7	1·0	189	.	2	1	.	1	2	.	1	.	14	27	6
	„ 30,	28·6	2·1	192	.	1	1	.	6	1	.	4	1	31	64	2
	Jan. 6,	28·3	2·6	198	.	1	.	.	6	2	2	4	3	27	74	5
	„ 13,	30·5	2·0	210	.	4	.	.	2	.	.	4	4	21	86	2
	„ 20,	24·1	2·3	166	.	.	1	.	9	1	.	4	1	17	72	.
	„ 27,	24·7	1·3	170	.	1	.	.	5	.	.	1	2	21	66	.
	Feb. 3,	19·6	1·2	135	.	1	.	.	4	.	.	1	2	13	39	5
	„ 10,	27·2	1·3	187	.	.	.	.	3	3	1	1	1	26	50	8
Cork. Pop. (in 1891) 75,345.	Dec. 23,	51·2	0·7	74	.	1	.	.	.	.	.	.	.	8	28	.
	„ 30,	56·7	1·4	82	.	.	.	.	.	1	.	.	1	13	25	1
	Jan. 6,	57·4	.	83	.	.	.	.	.	.	.	.	.	8	34	.
	„ 13,	58·1	0·7	84	.	1	.	.	.	.	.	.	.	7	31	.
	„ 20,	35·3	.	51	.	.	.	.	.	.	.	.	.	9	13	.
	„ 27,	45·0	2·1	65	.	2	.	.	.	.	.	.	1	13	14	1
	Feb. 3,	33·2	1·4	48	.	2	.	.	.	.	.	.	.	6	8	.
	„ 10,	22·1	.	32	.	.	.	.	.	.	.	.	.	4	2	.
Limerick. Pop. (in 1891) 37,155.	Dec. 23,	14·0	.	10	.	.	.	.	.	.	.	.	.	1	5	.
	„ 30,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	9	.
	Jan. 6,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	„ 13,	23·9	.	17	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	22·5	.	16	.	.	.	.	.	.	.	.	.	1	12	.
	„ 27,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	7	.
	Feb. 3,	44·9	.	32	.	.	.	.	.	.	.	.	.	2	13	.
	„ 10,	29·5	.	21	.	.	.	.	.	.	.	.	.	1	8	.
Londonderry Pop. (in 1891) 33,200.	Dec. 23,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 30,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	1	1
	Jan. 6,	44·0	.	28	.	.	.	.	.	.	.	.	.	3	6	.
	„ 13,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	6	1
	„ 20,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	1	1
	„ 27,	37·7	.	24	.	.	.	.	.	.	.	.	.	4	8	.
	Feb. 3,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	8	1
	„ 10,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	1	4	.
Waterford. Pop. (in 1891) 26,200.	Dec. 23,	33·8	4·0	17	.	.	1	.	.	.	.	.	1	1	2	.
	„ 30,	31·8	4·0	16	.	.	1	.	.	.	.	1	.	2	6	.
	Jan. 6,	51·7	2·0	26	.	.	.	.	1	.	.	.	.	3	7	.
	„ 13,	23·9	2·0	12	.	.	1	.	.	.	.	.	.	2	1	.
	„ 20,	35·8	6·0	18	.	.	3	.	.	.	.	.	.	2	4	.
	„ 27,	39·8	2·0	20	.	.	.	.	1	.	.	.	.	2	7	1
	Feb. 3,	45·8	.	23	.	.	.	.	.	.	.	.	.	2	9	2
	„ 10,	19·9	4·0	10	.	.	.	.	2	.	.	.	.	.	4	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 10th February, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT. . . .	17,122	12	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		13	2	.	6	5	.	.	.	.	.	.	.	.	.	1	5	.	1	4
" 2 "	37,539	40			23	4	2	15	2	.	.	.	.	.	.	.	.	.	3	6	1	2	2
" 3 "	38,845	28			20	2	2	10	5	.	.	.	.	.	1	.	.	.	2	5	1	2	2
" 4 "	33,591	40			32	4	3	14	11	.	.	.	.	2	.	.	.	.	4	7	2	3	14
" 5 "	21,284	14			10	3	1	5	1	.	.	.	.	1	.	.	.	.	1	5	.	.	2
" 6 "	43,431	27			28	1	2	16	9	.	.	.	.	.	.	1	.	.	4	8	4	1	8
" 7 "	1,112	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	7			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 9 "	12,866	12			10	2	.	6	2	.	.	.	.	.	.	.	.	.	1	3	.	1	2
" 10 "	12,256	10			12	1	.	9	2	.	.	.	.	.	.	.	.	.	3	2	.	.	3
" 11 "	19,881	14			14	2	.	10	2	.	.	.	.	.	.	.	.	1	2	2	.	1	1
" 12 "	23,282	29			20	7	2	7	4	.	.	.	.	.	1	.	.	.	3	6	.	1	1
" 13 "	6,804	7			4	1	3	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
" 14 " . . .	352	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	273,079	240			187	30	15	99	43	.	.	.	.	3	3	1	1	1	26	50	8	12	39
City of Cork.																							
CORK URBAN, No. 1 DISTRICT. . . .	11,927	8	8·7	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 2 "	9,252	5	5·6	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 3 "	9,816	5	31·9	.	6	2	1	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	4
" 4 "	10,856	6	20·1	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 5 " . . . . }	16,960	5	21·5	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
" 6 " . . . . }					4	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2
" 7 "	17,034	7	36·7	.	12	1	1	7	3	.	.	.	.	.	.	.	.	.	2	.	.	.	4
Total, ...	75,845	36	22·1	.	32	5	3	16	8	.	.	.	.	.	.	.	.	.	4	2	.	.	14

Boundaries of Registrars' Districts—Belfast.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre of Old Lisburn road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square. Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary, thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.
No. of week in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered,	231	199	228	223	239	269	201	263	252	231	218	203	246	202	237	192	189	199	203	175	239	263	199	230	204	240
DEATHS registered,	146	178	162	159	158	153	147	175	150	143	164	131	127	176	137	118	113	139	132	192	198	210	166	170	135	187
Annual Death-rate per 1,000 of estimated Population,	21·8	26·5	24·1	22·7	23·5	22·8	21·9	26·1	22·3	21·3	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2
AGES, Under 1 year,	42	38	62	64	51	60	47	50	44	35	40	35	30	38	40	28	21	26	19	39	34	40	26	32	22	30
AGES, 1–5 years,	22	27	21	18	21	16	16	20	19	24	21	15	18	25	17	14	10	19	9	25	31	23	24	22	17	15
AGES, 5–60 years,	61	71	61	58	67	59	64	86	60	57	84	60	49	90	57	46	63	73	74	75	93	88	71	71	62	99
AGES, 60 years and upwards,	21	22	18	19	19	18	20	25	27	27	19	21	30	23	23	32	19	21	30	53	40	59	45	45	34	43
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	1	.	.	1	2	1	1	1	.	.	.	1	2	.	1	1	2	1	1	4	.	1	1	.
" Scarlet Fever,	.	1	.	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.	1	1	.	.	1	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	5	5	6	4	2	6	1	4	3	4	2	1	5	1	4	4	.	2	1	6	6	2	9	5	4	3
" Diphtheria,	.	.	.	.	.	2	1	.	.	.		.	2	1	3	2	.	3	2	1	2	.	1	.	.	3
" Simple continued and Ill-defined Fever,	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1
" Enteric Fever,	8	11	8	8	9	6	9	14	9	8	9	3	6	10	4	5	1	2	1	4	4	4	4	1	1	1
" Diarrhœa, Dysentery,	13	30	33	19	18	19	15	9	4	2	4	.	2	.	.	.	.	1	.	1	3	4	1	2	2	1
" Phthisis,	14	19	25	13	22	13	21	20	15	10	16	17	14	35	12	13	19	29	14	31	27	21	17	21	12	26
" Diseases of Respiratory System,	14	20	12	20	16	22	19	38	32	43	50	43	37	49	35	38	37	34	27	64	74	86	72	66	39	50
Violent Deaths,	6	2	3	2	1	3	4	2	4	3	8	3	1	3	7	4	1	2	6	2	5	2	.	.	3	8

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Feb. 10,	2,889	1,792	20·4	.	33	7	51	37	22	12
EDINBURGH,	302,262	.	.	.	.	.	.	.	.	.	.	.
GLASGOW,	743,969	.	.	.	.	.	.	.	.	.	.	.
CALCUTTA,	466,460	Dec. 9,	.	377	42·1	6	1	.	.	.	81‡	72*
BOMBAY,	821,764	Jan. 16,	247	2,153	136·2	143	85	?	?	?	204§	237*
MADRAS,	452,518	Dec. 15,	442	357	41·0	.	7	?	?	?	90	66
PARIS,	2,511,629	Feb. 3,	1,182	1,104	22·8	2	18	3	4†	3	4	25
BRUSSELS (with 8 Faubourgs).	561,130	Jan. 27,	293	191	17·6	.	.	1	3	.	9	14
AMSTERDAM,	523,743	„ 20,	289	265	26·4	.	.	1	2	1	1	.
ROTTERDAM,	319,491	„ 20,	219	153	24·9	.	2	.	2	1	2	.
THE HAGUE,	196,325	„ 20,	99	95	24·8	.	.	.	.	.	.	.
COPENHAGEN,	349,000	Feb. 2,	200	133	19·8	.	.	1	3	1	.	2
CHRISTIANIA,	221,255	„ 3,	112	53	12·0	.	.	.	.	.	.	4
ST. PETERSBURG,	1,132,677	Jan. 27,	553	625	28·7	6	17	11	28	7	15	50
BERLIN,	1,848,269	„ 20,	974	638	16·7	1	15	10	13	14	1	30
HAMBURG,	691,349	„ 27,	.	234	17·9	.	.	3	.	.	1	1
DRESDEN,	400,400	.	.	.	.	.	.	.	.	.	.	.
BRESLAU,	406,012	Feb. 3,	.	199	25·5	.	.	.	.	3	.	26
MUNICH,	445,000	Nov. 11,	342	206	24·1	.	.	1	4†	2	.	44
		„ 18,	325	172	20·1	.	.	.	2†	.	.	33
VIENNA (with suburbs).	1,639,811	Jan. 13,	765	634	20·1	.	6	4	8†	1	.	38
BUDA-PESTH,	685,340	„ 27,	483	278	21·1	.	1	6	4	.	3	9
PRAGUE and Faubourgs.	385,952	„ 27,	167	161	21·7	.	.	.	.	2	1	3
ROME,	507,244	„ 6,	287	199	20·4	.	10	.	2	.	2	6
TURIN (10 days),	344,203	Dec. 20.	199	210	23·0	.	.	.	.	3	3	6
VENICE,	171,779	Jan. 13,	80	73	23·0	.	.	.	4†	.	.	3
NEW YORK,	3,654,594	„ 13,	1,616	1,348	19·3	1	25	6	41	13	15	5
PHILADELPHIA,	1,266,832	„ 13,	.	504	20·7	.	1	6	28	.	1	2

* Including 30 deaths from cholera in Calcutta and 3 in Bombay. † Including deaths from croup.
‡ Exclusive of 42 deaths from bubonic fever. § Exclusive of 428 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., P.R.C.P.I., has kindly supplied the following remarks on the weather during the week ended Saturday, 10th February, 1900 :—

"The severest weather experienced in the present season characterised this week—frost, snow, and hail prevailing day after day. So far as the British Islands are concerned the area of greatest cold was at first situated in Central Ireland—the minima at Birr, King's County, being 20° on Sunday, 21° on Monday and Tuesday, 18° on Wednesday. Later on, Great Britain was colder, the screened thermometer falling in the course of Thursday night or Friday morning to 9° at Nairn, 12° at Wick, 14° at Loughborough, 15° at Aberdeen and Oxford, and 18° even in London. As is usual in northerly and northeasterly winds in winter, Dublin came in for clouds and frequent showers of snow and hail at the beginning of the week. Inland clear skies and hard frost were prevalent. On Tuesday light land breezes set in, and temperature fell in and around the city—on Thursday morning the thermometer at Fitzwilliam-square fell to 21·7° in the screen and to 17·6° on the snow. These were the lowest readings recorded in Dublin since February 7, 1895. A heavy fall of snow took place in the course of Thursday night; and on Friday there was a S.W. wind with a snow-covered country. On Saturday the wind shifted to E.N.E. with an overcast sky and finally a fall of snow. In Dublin the mean height of the barometer was 29·833 inches, pressure varying between 30·029 inches at 9 p.m. of Tuesday (wind, N.W.) and 29·382 inches at 9 p.m. of Saturday (wind, N.N.E.). The mean temperature was 33·2°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 31·3°. The screened thermometers rose to 37·6° on Sunday, and fell to 17·7° on Thursday. The rain fall (exclusively melted snow and hail) was ·342 inch on six days, ·203 inch being measured on Thursday. Northerly winds prevailed. The estimated duration of bright sunshine was 24·5 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·854 inches. The highest reading (30·049) was on Tuesday at 9 P.M., air calm, and the lowest (29·708) on Saturday at 9 P.M., wind N.

The mean temperature for the week was 29·9°, being 12·4° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Sunday, when the thermometer registered 37·7°, and was lowest on Thursday, the mercury having fallen to 13·2°. The mean of the Dry Bulb for the week was 28·6°, and of the Wet Bulb 27·9°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 26·8 hours. The rainfall measured ·690 inch.

At Greenwich the mean temperature for the week was 31·0°, the maximum 38·7°, and the minimum 18·0°: the rainfall measured ·29 in.

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind 9 A.M.	Direction of the Wind 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 4,	29·816	37·7	28·7	33·2	29·9	29·3	·90	·6	2·3	·110	N.	Calm.
Monday, „ 5,	29·808	37·6	26·9	32·8	29·8	29·1	·88	·6	4·6	—	N.	N.E.
Tuesday, „ 6,	30·010	37·4	20·3	28·9	26·1	25·3	·82	·5	5·6	·005	Calm.	Calm.
Wednesday, „ 7,	29·973	34·8	20·1	27·5	24·3	23·6	·83	·5	6·8	·010	N.W.	Calm.
Thursday, „ 8,	29·984	37·1	13·2	25·2	27·1	26·4	·87	·8	3·0	·515	Calm.	S.W.
Friday, „ 9,	29·876	36·4	29·5	33·0	31·0	30·5	·93	·9	4·5	—	S.W.	W.
Saturday, „ 10,	29·508	34·8	22·9	28·9	31·7	31·2	·93	·7	0·0	·050	N.E.	N.
Mean,	29·854	36·5	23·1	29·9	28·6	27·9	·88	·7	Total 26·8	Total ·690	——	

Sunday—A cloudy day; snow showers a.m.; night cloudy; snow 5 to 8 a.m. *Monday*—A fine but cloudy day; night clear to 5 a.m. *Tuesday*—Cloudy a.m.; bright p.m.; snow 9.15 to 9.30 a.m.; night clear. *Wednesday*—A cloudy day from 10 a.m. to 8 p.m.; snow 11 to 11.30; night clear to 8 a.m. *Thursday*—A cloudy day; snow 3.30 to 7 p.m. and 2 to 8 a.m.; night overcast. *Friday*—Dull and cloudy a.m.; bright p.m.; night clear to 10 p.m. then cloudy. *Saturday*—A dull day; snow 2 to 8 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrar-General of England.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office,

P 517. 2. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 17TH FEBRUARY, 1900. [No. 7.

General Register Office, Charlemont House,
Dublin, 19th February, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 22·9), was equal to an average annual death-rate of 25·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 31·0 per 1,000, the rate for Glasgow being 33·6, and for Edinburgh 26·1.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 36·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.* The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.			Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	
23 Town Dists.	**33·2**	**28·8**	**28·3**	**36·2**	**31·6**	Limerick, . .	23·9	44·9	29·5	42·1	35·1
Armagh, . .	21·4	35·6	35·6	28·5	30·3	Lisburn, . .	42·6	42·6	17·0	12·8	28·8
Ballymena, .	22·5	28·2	16·9	33·8	25·4	Londonderry, .	37·7	29·8	26·4	40·8	32·2
Belfast, .	24·7	19·6	27·2	32·8	26·1	Lurgan, . .	27·4	27·4	31·9	36·5	30·8
Carrickfergus, .	29·2	23·4	5·8	35·1	23·4	Newry, . .	12·1	32·2	20·1	48·3	28·2
Clonmel, .	73·0	34·1	19·5	9·7	34·1	Newtownards, .	39·7	17·0	45·4	28·3	32·6
Cork, . . .	45·0	33·2	22·1	29·1	32·3	Portadown, .	24·7	12·4	6·2	18·6	15·5
Drogheda, . .	19·0	11·4	72·3	41·8	36·1	Queenstown, .	40·2	23·0	34·4	23·0	30·2
Dublin, Reg. Area,	37·0	33·6	29·1	40·9	35·1	Sligo, . . .	40·6	35·5	5·1	15·2	24·1
Dundalk, . .	16·8	33·5	33·5	4·2	22·0	Tralee, .	78·3	67·2	44·8	83·9	68·5
Galway, .	60·5	15·1	79·3	56·7	52·9	Waterford, .	39·8	45·8	19·9	59·7	41·3
Kilkenny, . .	37·8	42·5	61·4	28·3	42·5	Wexford, . .	58·7	31·6	22·6	27·1	35·0

The deaths from the principal zymotic diseases registered in the 23 districts during last week were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in eleven of the districts to 6·2 in Portadown. Among the 226 deaths from all causes registered in Belfast are 4 from whooping-cough, 2 from diphtheria, one from enteric fever, and 3 from diarrhœa; and the 30 deaths in Waterford comprise 2 from whooping-cough.

* See Note (*), Table VI.

DUBLIN AND SUBURBS.

In the Dublin Registration Area the births registered during the week amounted to 175—86 boys and 89 girls; and the deaths to 284—124 males and 160 females.

The deaths, which are 68 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 42·4 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 40·9 per 1,000. During the seven weeks ending with Saturday last the death-rate averaged 41·4, and was 8·0 over the mean rate for the corresponding portions of the ten years 1890–99.

Thirty-six deaths from zymotic diseases were registered during last week, being 8 over the average for the corresponding week of the last ten years, and 4 over the number for the week ended the 10th instant: they consist of one from measles, one from scarlet fever (scarlatina), 20 from influenza and its complications—an increase of 7 as compared with the number under that heading for the preceding week and 2 over the number for the week ended the 3rd instant—5 from whooping-cough, 3 from diphtheria, 3 from enteric fever, 2 from diarrhœa, and one from erysipelas.

The number of cases of measles admitted to hospital during the week is 3, being one under the admissions for each of the two weeks preceding, and 6 under the number for the week ended the 27th ultimo: 7 measles patients were discharged during the week; and 25 remained under treatment on Saturday last, being 4 under the number in hospital on Saturday the 10th instant.

The weekly number of cases of scarlatina admitted to hospital, which had risen from 8 for the week ended the 27th ultimo to 13 for the following week and to 15 for the week ended the 10th instant, fell to 8 last week: 14 patients were discharged during the week; one died; and 64* remained under treatment on Saturday last, being 7 under the number in hospital at the close of the preceding week.

Eleven cases of enteric fever were admitted to hospital, against 10 for the preceding week and 7 for the week ended the 3rd instant: 14 patients were discharged during the week; one died; and 67 remained under treatment on Saturday last, being 4 under the number in hospital on Saturday the 10th instant.

There was but one case of diphtheria admitted to hospital during the week: in the preceding week 5, and in the week ended the 3rd instant 10, cases of the disease were received; 6 patients were discharged during the week; and 16 remained under treatment on Saturday last, being 5 under the number in hospital at the close of the preceding week.

The deaths from diseases of the respiratory system registered amount to 74, being 22 in excess of the average for the corresponding week of the last ten years, and 9 over the number for the week ended the 10th instant: they comprise 51 from bronchitis, 19 from pneumonia or inflammation of the lungs, and 2 from pleurisy.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals, during the week ended Saturday, 17th February, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th February.			
	Jan. 27.	Feb. 3.	Feb. 10.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	40	36	29	3	7	.	25
Scarlet Fever,	64	71	71	8	14	1	64*
Typhus „	1	.	.	.	.	.	.
Diphtheria,	30	28	21	1	6	.	16
Enteric Fever,	76	75	71	11	14	1	67
Pneumonia,	29	23	24	6	3	.	27

The deaths of 4 children (including 3 infants under one year old) were ascribed to convulsions.

Ten deaths were caused by apoplexy, 10 by other diseases of the brain and nervous system (exclusive of convulsions), and 28 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 32 deaths, mesenteric disease 10, tubercular meningitis 7, and cancer 5.

Eight accidental deaths were registered.

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

In 18 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 children under 5years of age (including 5 infants under one year old) and the deaths of 8 persons aged 60 years and upwards.

Sixty-three of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 12 were under one month old) and 84 were aged 60 years and upwards, including 44 persons aged 70 and upwards, of whom 9 were octogenarians, and two (a man and a woman) were stated to have been aged 94 and 91 years respectively.

Ninety-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 24 took place in the North Dublin Union Workhouse and 23 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 40·9 per 1,000; the rate in the city was 45·5 (44·6 on the North side, and 46·4 on the South), and in the Suburbs 29·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the city being 2·8 (2·2 in the North City Districts, and 3·3 in the South), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (26) are equal to an annual rate of 49·9 per 1,000. Among them are 5 from influenza, but no deaths from any other zymotic disease were recorded. Three deaths were caused by bronchitis, 2 by phthisis, 3 by mesenteric disease, and 2 by diseases of the circulatory system.

No. 1 North City District, West (Summer-hill).—The deaths (28) are equal to an annual rate of 41·9 per 1,000. Enteric fever caused one death, but no deaths from any other zymotic disease were recorded. Of the 27 deaths from other causes, 9 were from bronchitis, 2 from pneumonia, 3 from phthisis, 3 from diseases of the circulatory system, and 3 from diseases of the brain and nervous system.

No. 2 North City District (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 41·5 per 1,000. They comprise 2 from diseases of the respiratory system, 2 from diseases of the circulatory system, 5 from phthisis, and 3 from mesenteric disease. No deaths from any zymotic disease were recorded.

No. 3 North City District (Blackhall-place).—The deaths (23) represent an annual rate of 46·0 per 1,000. Among them are 4 from zymotic diseases, viz.:—3 from whooping-cough and one from diphtheria. Bronchitis caused 4 deaths, phthisis 3, and diseases of the brain and nervous system 3.

No. 1 South City District (South Earl-street).—The deaths (37) represent an annual rate of 58·1 per 1,000. They comprise 5 from zymotic diseases, viz.:—4 from influenza and one from diarrhœa. Five deaths were caused by bronchitis, an equal number by pneumonia, 3 by diseases of the circulatory system, 3 by phthisis, 2 by mesenteric disease, and 4 by diseases of the brain and nervous system.

No. 2 South City District (Castle-street).—The deaths (16) are equal to an annual rate of 45·0 per 1,000. The only death from any zymotic disease recorded is one from whooping-cough. Among the 15 deaths from other causes are 5 from bronchitis, 2 from pneumonia, and 2 from diseases of the circulatory system.

No. 3 South City District (Peter-street).—The deaths (26) are equal to an annual rate of 33·4 per 1,000. One death from measles and one from influenza constitute the mortality from zymotic diseases. The 24 deaths from other causes comprise 5 from bronchitis, 6 from diseases of the circulatory system, and 3 from tubercular meningitis.

No. 4 South City District (Grand Canal-street).—The deaths (35) are equivalent to an annual rate of 51·0 per 1,000. Among them are 8 from zymotic diseases, viz.:—one from scarlatina, 3 from influenza, one from whooping-cough, one from diphtheria, one from enteric fever, and one from diarrhœa. Six deaths were caused by bronchitis, 2 by diseases of the circulatory system, and 5 by phthisis.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 14·6; Finglas and Glasnevin, part of, 49·2; Palmerston, part of, and Crumlin, part of, 28·7; Rathmines, 33·8; Donnybrook, 29·6; Blackrock, 31·0; and Kingstown, 33·0. The deaths from zymotic diseases tabulated for these districts consist of one from influenza and one from erysipelas for Finglas and Glasnevin, part of; one from enteric fever for Palmerston, part of; 3 from influenza for Rathmines; 2 from influenza for Donnybrook; and one from influenza for Kingstown. Of the 18 deaths from all causes tabulated for Rathmines, 3 were from bronchitis, 3 from diseases of the brain and nervous system, and 2 from diseases of the circulatory system; among the 14 deaths for Donnybrook are 6 from bronchitis, and 2 from phthisis; of the 5 deaths for Blackrock 3 were from diseases of the respiratory system; and the 11 deaths for Kingstown comprise 2 from bronchitis, 2 from phthisis, and 4 from diseases of the brain and nervous system.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 7th Week of the 10 years 1890-99.	In the week ending Saturday, 17th February, 1900. Deaths of persons of the Ages of								
	Feb. 15, 1890	Feb. 21, 1891	Feb. 20, 1892	Feb. 18, 1893	Feb. 17 1894	Feb. 16, 1895	Feb. 15, 1896	Feb. 20, 1897	Feb. 19, 1898	Feb. 18, 1899		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upward.
Mean Temperature,	° 37·2	° 41·8	° 33·8	° 43·0	° 43·0	° 30·3	° 44·0	° 45·5	° 43·4	° 43·2	° 40·5	Mean Temp. ° 32·9								
ALL CAUSES,	256	185	251	199	223	229	151	291	191	183	215·9	284	12	28	23	24	48	65	73	11
I. FEBRILE OR ZYMOTIC DISEASES,	24	11	32	26	31	23	9	79	26	17	27·8	36	.	5	5	3	4	13	6	.
II. PARASITIC DISEASES,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	.	2	1	1	.	2	1	1	.	·9	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	48	40	48	52	48	50	32	56	44	45	46·3	61	.	6	7	12	25	9	2	.
V. DEVELOPMENTAL "	24	21	25	16	14	21	11	19	14	15	18·0	28	6	.	.	.	.	.	16	6
VI. LOCAL "	140	100	126	96	113	120	88	120	95	93	109·1	143	3	16	10	7	18	41	43	5
VII. VIOLENT DEATHS,	5	2	4	1	7	4	3	6	5	3	4·0	8	.	.	1	2	1	1	3	.
VIII. ILL-DEFINED CAUSES,	13	11	14	7	9	11	6	10	6	10	9·7	8	3	1	.	.	.	1	3	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	3	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	3	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Measles,	5	.	3	.	3	.	.	48	.	.	5·4	1	.	1	.	.	.	.	.	.
Scarlet Fever,	.	.	2	1	2	.	2	5	2	.	1·4	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	7	.	17	2	4	3	1	3	11	7	5·5	20	.	1	.	.	3	12	5	.
Whooping Cough,	1	2	3	1	10	1	2	16	2	4	4·2	5	.	2	2	1	.	.	.	.
Diphtheria,	.	1	.	4	1	1	.	1	1	2	1·1	3	.	.	1	2	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	5	.	1	7	3	2	3	3	4	2	3·0	3	.	.	.	.	2	1	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	.	4	1	4	5	1	2	2	.	2·0	2	.	1	1	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	1	.	1	.	.	1	2	·5	.	.	.	.	.	.	.	.	.
Erysipelas,	.	1	.	1	2	1	.	.	1	.	6	1	.	.	.	.	.	.	1	.
Pyæmia, Septicæmia,	.	1	.	1	1	.	.	2	.	.	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	3	1	4	.	.	.	.	.	.	·9	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	4	3	1	3	1	1	.	2	2	.	1·7	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	2	1	1	.	2	1	1	.	·9	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rheumatism,	.	1	1	1	.	1	1	1	.	1	·7	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Cancer,	1	1	4	3	4	7	5	8	4	4	4·1	5	.	.	.	.	.	3	2	.
Tabes Mesenterica,	2	.	2	.	3	3	1	6	3	3	2·6	10	.	2	6	2	.	.	.	.
Tubercular Meningitis	2	3	3	7	2	4	3	4	7	3	3·8	7	.	1	1	4	1	.	.	.
Phthisis,	39	29	30	31	27	31	20	28	26	30	29·1	32	.	.	.	5	21	6	.	.
Scrofula, Tuberculosis,	4	3	7	6	9	3	1	3	4	3	4·8	7	.	3	1	1	2	.	.	.
Other Constitutional Diseases,	.	.	.	.	2	1	1	.	.	1	·8	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	4	4	1	.	.	1	.	6	.	3	2·9	5	5	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	19	17	24	12	14	20	8	13	11	12	15·0	22	.	.	.	.	.	.	16	6

each Disease registered in the SEVENTH WEEK ending Saturday, 17th February, 1900, with ten years, 1890–99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 7th Week of the 10 years 1890–99.	In the Week ending Saturday, 17th February, 1900. Deaths of Persons of the Ages of								
	Feb. 15, 1890	Feb. 21, 1891	Feb. 20, 1892	Feb. 18, 1893	Feb. 17, 1894	Feb. 16, 1895	Feb. 15, 1896	Feb. 20, 1897	Feb. 19, 1898	Feb. 18, 1899		ALL AGES. Mean Temp.	0 to 5: Under 1 month.	0 to 5: 1 month and under 1 year.	0 to 5: 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 37·2	° 41·8	° 38·8	° 43·0	° 43·0	° 36·3	° 44·0	° 45·5	° 43·4	° 43·2	° 40·5	° 32·9								
VI. Local Diseases—																				
Apoplexy,	3	3	5	3	4	3	3	.	4	3	3·1	10	.	.	.	.	.	3	5	2
Epilepsy,	.	.	1	.	.	.	1	1	.	1	·4	.	.	.	.	.	.	.	.	.
Convulsions,	21	12	23	7	14	14	6	14	6	8	12·5	4	1	2	.	1	.	.	.	.
Other Diseases of Brain and Nervous System,	16	11	5	2	8	11	10	11	12	10	9·6	10	.	.	.	.	3	4	3	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	13	24	17	13	17	18	13	14	18	19	16·6	28	1	.	.	.	4	11	12	.
Croup,	.	1	4	2	2	.	2	4	.	.	1·5	.	.	.	.	.	.	.	.	.
Bronchitis,	52	24	36	25	34	45	19	44	30	29	33·8	51	.	7	5	3	5	13	16	2
Pneumonia	14	7	10	14	14	13	13	16	9	9	11·9	19	.	5	3	.	4	6	1	.
Pleurisy,	1	.	1	1	1	1	.	.	.	.	·5	2	.	.	.	1	.	1	.	.
Other Diseases of Respiratory System,	4	7	10	4	7	3	2	3	2	2	4·4	2	.	.	.	.	.	.	2	.
Teething,	.	1	1	1	1	.	1	1	.	.	·6	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	1	.	.	.	.	1	1	1	·4	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	.	.	.	3	.	.	.	.	·3	1	1	.	.	.	.	.	.	.
Peritonitis	1	.	1	.	1	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Disease of Liver,	3	4	3	2	2	1	3	.	2	3	2·3	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System,	6	3	3	7	4	2	6	6	.	4	4·1	6	.	2	1	.	1	1	1	.
Diseases of Lymphatics, &c.,	1	.	.	1	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	2	3	11	3	4	4	4	9	3	4·4	7	.	.	1	1	1	1	2	1
Diseases of Generative System,	1	.	1	3	1	1	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	1	1	.	.	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	1	.	1	.	.	·2	2	.	.	.	1	.	1	.	.
Diseases of Integumentary System,	1	.	.	.	.	.	3	.	.	.	·4	1	.	.	.	.	.	.	1	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	1	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	5	.	.	.	1	1	.	1	.	1	3·8	4	.	.	1	1	.	.	2	.
By Drowning,		1	1	.	1	.	3	.	.	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		1	2	1	4	2	.	4	4	1		4	.	.	.	1	1	1	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	13	11	14	7	9	11	6	10	6	10	9·7	8	3	1	.	.	.	1	3	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1899–1900—Week ending																									
	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.
No. of weeks in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
Births registered,	212	194	198	236	211	237	190	198	188	180	225	172	241	193	154	206	167	138	247	187	209	168	191	184	174	175
Average Births in corresponding week of previous 10 years,	183	196	181	207	202	198	178	166	179	170	172	175	185	181	184	181	184	154	168	188	199	195	202	206	200	196
Deaths registered,	207	205	251	235	200	223	196	225	250	244	216	249	248	220	259	258	256	285	280	337	331	295	259	288	199	284
Annual Death-rate per 1,000,	30·9	30·6	37·4	35·1	29·8	33·3	29·2	33·6	37·3	36·4	32·2	37·1	37·0	32·8	33·6	38·5	33·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4
Average Deaths in corresponding week of previous 10 years,	158	161	158	158	161	159	149	157	152	163	178	166	174	177	183	177	184	184	207	211	239	249	228	221	211	216
Ages, Under 5 years,	102	110	111	120	94	110	93	114	107	95	111	118	123	98	93	108	84	87	86	81	85	70	60	60	54	63
5—20 „	13	14	17	24	12	18	18	26	18	23	22	11	27	16	12	17	23	22	18	15	16	15	20	19	14	24
20—40 „	26	25	34	34	24	36	29	28	29	32	14	36	27	28	35	35	35	46	32	49	38	44	38	34	30	48
40—60 „	29	30	47	25	34	26	27	32	38	39	29	36	32	33	51	51	61	55	57	73	84	61	50	46	35	65
60—80 „	32	23	34	26	26	32	29	24	53	45	32	37	28	36	53	44	44	63	74	94	85	83	79	64	53	73
80 years and upwards,	6	3	8	6	10	1	5	6	5	10	8	11	11	9	14	8	9	12	18	25	23	22	12	15	18	11
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	18	14	17	23	23	28	32	44	52	44	38	39	51	38	29	30	23	24	15	10	18	9	5	4	3	1
„ Scarlet Fever,	2	.	2	1	2	.	.	2	1	1	.	1	3	1	2	1	1	1	1	.	1	.	.	1	2	1
„ Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	1	3	2	1	1	2	2	.	1	.	2	1	2	.	1	1	3	2	2	1	1	3	3	.	5	5
„ Diphtheria,	.	1	1	1	.	1	.	1	2	2	3	3	3	2	3	3	2	3	1	.	3	2	1	3	5	3
„ Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Enteric Fever,	6	4	7	9	5	11	4	7	4	6	2	5	9	4	6	2	2	3	2	5	5	2	1	2	.	3
„ Diarrhœa, Dysentery,	39	6	42	45	20	27	16	14	4	9	6	6	5	3	4	4	3	5	1	2	3	6	.	3	2	2
„ Phthisis,	19	22	31	29	18	23	20	22	26	29	15	21	17	20	35	27	36	30	28	40	27	29	36	29	23	32
„ Heart Diseases,	10	13	6	12	7	11	14	10	23	13	9	13	13	17	17	15	26	15	21	24	20	16	25	15	11	28
„ Diseases of Respiratory System,	24	13	31	21	24	30	31	29	39	40	53	57	50	51	66	70	66	73	98	110	110	92	55	67	65	74
Violent Deaths,	8	6	6	5	4	5	4	3	5	8	4	8	6	7	4	6	6	3	7	4	5	5	2	5	3	8
Mean Temperature of the Air (Phœnix Park),	61·7	59·1	59·1	57·4	52·4	47·5	46·1	48·0	49·5	48·9	50·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9
Average Mean Temperature in corresponding week of previous 10 years,	56·9	55·7	56·4	56·6	53·6	52·7	51·1	48·4	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5
Rainfall in inches,	·095	1·295	·150	·455	·575	1·470	·360	·355	·470	·325	1·035	·710	·050	·030	·240	·455	·200	·855	2·055	·715	·535	·560	·530	·920	·690	·680
Mean Humidity of the Air, complete Saturation 1·0,	·81	·86	·82	·88	·78	·86	·85	·86	·83	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88	·88	·87

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 17th February, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	3	.	1	.	1	.	.	.	.	.	.	.	.	5	.
Diphtheria,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
Diarrhœa, Dysentery,	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.
Other Zymotic Diseases	5	.	.	.	4	.	1	3	.	.	2	.	3	2	.	1	21	.
Total,	5	1	.	4	5	1	2	8	.	.	2	1	3	2	.	1	35	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	2	3	5	3	3	1	1	5	.	1	.	1	.	2	.	2	29	3
Other Constitutional Diseases,	6	2	4	2	2	2	5	1	.	1	1	.	2	.	.	.	23	1
Total,	8	5	9	5	5	3	6	6	.	2	1	1	2	2	.	2	57	4
V. DEVELOPMENTAL DISEASES,	1	1	1	5	5	2	4	5	.	.	.	.	2	1	.	1	28	.
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	1	3	2	3	4	.	1	1	.	.	.	1	3	.	1	4	24	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	2	3	2	.	3	2	6	2	1	.	1	.	2	1	1	1	27	1
Respiratory System,	4	13	2	5	10	7	6	7	.	1	.	.	5	7	3	2	72	2
Digestive System,	2	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	5	2
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	1	2	.	1	1	.	.	.	.	.	.	.	1	.	.	7	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
" Integumentary System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Total,	10	21	8	8	19	10	13	13	1	1	1	1	11	9	5	7	138	5
VII. VIOLENT DEATHS,	.	.	3	1	3	.	1	.	.	.	.	.	.	.	.	.	8	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	2	.	2	.	.	.	.	3	.	.	.	1	.	.	.	.	8	.
Deaths from all Causes,	26	28	28	23	37	16	26	35	1	3	4	4	18	14	5	11	274	10
Annual Rate of Mortality in every 1,000 of the population.	49·9	41·9	41·5	46·0	58·1	45·0	33·4	51·0	12·6	14·6	49·2	28·7	33·8	29·6	31·0	33·0		
	44·6				46·4				29·9									
	45·5																40·9	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	4	6	5	2	2	8	1	.	.	.	2	.	.	2	38	10
Workhouse Hospitals,	5	5	6	8	7	5	2	5	.	.	1	1	1	1	.	.	47	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary.—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St. Jude.
(c) The Urban District.

Table V.—Showing in Five General Classes and Eighteen Groups the Occupations or Social Position of the Persons whose Deaths were registered in the Dublin Registration Area during the Week ending Saturday, 17th February, 1900: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 17th February, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	42·4	284	63	24	48	65	73	11	.	1	1	.	5	3	.	3	2	15	32	4	71	8	151
	CLASSES. Deaths in Families of the—																								
I.	Professional and Independent Class,	15,579	26·7	8	1	.	1	2	4	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	5
II.	Middle Class,	81,469	24·3	38	3	2	9	9	12	3	.	.	.	.	.	.	.	1	.	1	3	1	10	.	23
III.	Artisan Class and Petty Shopkeepers	99,377	34·0	65	15	8	9	16	13	4	.	.	.	.	1	1	.	.	.	2	7	1	16	.	39
IV.	General Service Class,	147,978	58·7	126	40	13	20	21	31	1	.	.	1	.	3	2	.	1	2	9	14	2	36	8	57
V.	Inmates of Workhouses,	5,191		47	4	1	9	17	13	3	.	1	.	.	1	.	.	1	.	3	5	.	12	.	27
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	32·5	5	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,857	56·0	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	3. Persons of Rank and Property, not otherwise described,	5,738	9·1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	53·1	6	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	4
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	24·0	12	2	.	3	2	3	2	.	.	.	.	.	.	.	.	.	.	.	.	6	.	6
	6. Clerks and Commercial Assistants,	25,001	20·8	10	.	2	2	2	4	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	21·2	10	.	.	3	4	2	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	7
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	49·0	7	2	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	4
	9. Building and Furnishing Trades,	26,294	37·6	19	4	4	3	5	2	1	.	.	.	.	1	.	.	.	.	1	2	.	5	.	11
	10. Clothing Trades,	23,927	26·0	12	2	.	1	3	4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	10
	11. Food Supply Trades,	7,949	19·6	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	12. Other Trades and Callings ranking with Trades,	26,987	34·7	18	4	3	2	4	4	1	.	.	.	.	.	.	.	.	.	.	2	.	6	.	10
	13. Petty Shopkeepers,	6,889	45·6	6	2	1	1	1	1	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	3
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	49·2	13	4	2	2	1	4	.	.	.	1	.	.	1	.	.	.	2	2	.	4	.	5
	15. Domestic Servants,	39,967	13·0	10	3	.	3	2	2	.	.	.	.	.	1	.	.	.	.	1	1	.	1	.	7
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	77·2	16	2	2	5	2	5	.	.	.	.	.	.	.	.	.	.	.	5	.	5	2	4
	17. Hawkers, Porters, Labourers, &c.,	38,472	54·2	87	31	9	10	16	20	1	.	.	.	.	2	1	.	1	2	6	6	2	26	6	41
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	5,191	—	47	4	1	9	17	13	3	.	1	.	.	1	.	.	1	.	3	5	.	12	.	27

the undermentioned 23 URBAN DISTRICTS (exclusive of Deaths of Persons 23 Public Institutions) in the Week ending Saturday, 17th February, 1900, with the Annual Rate of Mortality per 1,000 persons represented by the Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births	Annual Rate per 1,000 persons represented by Deaths. From all Causes.	Annual Rate per 1,000 persons represented by Deaths. From Principal Zymotic Diseases.	Registration—Week ending Saturday, 17th February, 1900. Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 17th Feb., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th Feb., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd Feb., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	25·1	36·2	1·7	512	788	103	242	.	2	1	2	18	5	.	4	8	79	212	20	34	191	°	°	°		°	°	°		°	°	°	
Dublin Registration Area:—																								.	.	.	.	.	.	.	.	.	.	.	.
Total,‡	349,594	14·2	26·1	40·9	2·1	175	274	40	80	.	1	1	.	5	2	.	3	2	29	72	8	10	85	$51·3	12·7	32·9	0·68	$37·7	13·2	29·9	0·69	$42·7	26·5	35·6	0·92
City	245,001	65·6	30·9	45·5	2·8	145	214	34	55	.	1	1	.	5	2	.	2	2	23	54	8	9	76	48·8	21·9	35·8	0·88	39·6	21·7	33·2	0·34	42·8	30·2	37·3	0·82
Registrars' Districts. Clontarf &c. No. 1	4,188	1·5	.	12·6	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	10,780	1·8	9·7	14·6	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a)	4,240	0·8	24·6	49·2	.	2	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	49·3	12·4	33·3	0·70	39·4	16·0	31·5	0·46	43·6	28·0	36·3	1·09
Palmerston, part of and Crumlin part of (b)	7,278	8·0	14·3	28·7	7·2	2	4	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	20·6	33·8	.	11	18	2	9	.	.	.	.	.	.	.	.	.	.	5	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	24,629	12·4	10·6	29·6	.	5	14	2	6	.	.	.	.	.	.	.	.	.	2	7	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	18·6	31·0	.	3	5	1	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	15·0	33·0	.	5	11	1	5	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts.																																			
Belfast,	359,000	21·8	27·0	32·8	1·5	186	226	41	60	.	.	.	.	4	2	.	1	3	27	73	8	16	47	46·4	21·0	34·3	1·45	40·9	19·8	31·9	0·03	42·9	32·0	37·7	0·48
Cork,	75,845	33·3	15·9	29·1	0·7	23	42	2	17	.	.	.	.	.	.	.	.	1	4	10	.	3	15	50	25	37·5	1·36	43	29	35·7	0·48	45	32	39·3	0·56
Limerick,	37,155	17·9	12·6	42·1	1·4	9	30	2	11	.	.	.	1	.	.	.	.	.	3	12	.	.	11	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	26·7	40·8	1·6	17	26	2	6	.	.	.	.	.	.	.	.	1	4	10	.	1	3	46·0	20·0	34·8	1·19	42·0	15·0	32·0	0·31	44·0	29·7	36·8	0·14
Waterford,	26,208	18·3	37·8	59·7	4·0	19	30	5	6	.	.	.	.	2	.	.	.	.	7	5	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,800	2·6	45·3	56·7	3·8	12	15	2	11	.	.	.	.	.	.	.	.	1	2	5	1	.	6	46	22	35	0·73	44	28	33	.	52	26	38	0·14
Drogheda	13,708	8·7	15·2	41·8	3·8	4	11	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	12·1	48·3	.	3	12	1	8	.	.	.	.	.	.	.	.	.	.	5	.	.	.	46·2	19·8	34·7	0·84	40·8	21·1	31·2	0·03	42·0	21·0	34·8	0·14
Dundalk,	12,449	9·0	16·8	4·2	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	8·5	12·8	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	46·2	19·8	34·7	0·84	40·8	21·1	31·2	0·03	42·0	21·0	34·8	0·14
Wexford,	11,545	24·0	31·6	27·1	.	7	6	1	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	31·9	36·5	4·6	7	8	1	3	.	.	.	.	1	.	.	.	.	.	2	1	.	3	46·2	19·8	34·7	0·84	40·8	21·1	31·2	0·03	42·0	21·0	34·8	0·14
Kilkenny,	11,048	12·0	51·9	28·3	.	11	6	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	45	11	26·1	0·84	38	10	26·5	0·53	43	28	35·4	0·32
Clonmel,	10,708	8·2	4·9	9·7	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	25·4	15·2	5·1	5	3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	47·5	19·0	33·5	1·45	41·7	15·6	30·5	0·18	44·2	21·4	35·9	0·05
Tralee,	9,818	15·9	22·4	33·9	.	4	15	3	11	.	.	.	.	.	.	.	.	.	1	4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·8	50·7	33·8	.	9	6	.	5	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	34·0	28·3	.	6	5	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	46	22	35·0	0·94	41	23	33·3	0·06	43	30	37·9	0·14
Queenstown,	9,082	17·0	11·5	23·0	.	2	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	50	25	37·5	1·36	43	29	35·7	0·48	45	32	39·3	0·56
Carrickfergus,	8,923	0·5	11·7	35·1	5·8	2	6	1	2	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,480	11·0	12·4	18·6	6·2	2	3	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	46·2	19·8	34·7	0·84	40·8	21·1	31·2	0·03	42·0	21·0	34·8	0·14
Armagh,	7,187	21·4	14·8	28·5	.	2	4	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	46·2	19·8	34·7	0·84	40·8	21·1	31·2	0·03	42·0	21·0	34·8	0·14

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude.

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roches Point for Cork and Queenstown.

‡ Exclusive of 10 deaths of persons (including 1 aged 69 years), admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin. DISTRICTS.	1899-1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
North City, No. 1 (E.)	Dec. 30,	36·5	.	19	.	.	.	.	.	.	.	.	.	3	3	2
	Jan. 6,	34·6	1·9	18	.	.	.	.	.	.	.	1	.	2	10	.
	„ 13,	46·1	1·9	24	.	1	.	.	.	.	.	.	.	3	7	.
	„ 20,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	2	.
(Office,	„ 27,	25·0	.	13	.	.	.	.	.	.	.	.	.	4	4	1
Clarence-street, Nth.)	Feb. 3,	23·0	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	„ 10,	30·7	3·8	16	.	.	.	.	.	.	.	.	2	2	4	.
Pop. (in 1891) 27,147.	„ 17,	49·9	.	26	.	.	.	.	.	.	.	.	.	2	4	.
North City, No. 1 (W.)	Dec. 30,	38·9	3·0	26	.	1	.	.	1	.	.	.	.	4	9	1
	Jan. 6,	62·9	3·0	42	.	.	.	.	.	.	.	1	1	5	18	.
	„ 13,	50·9	4·5	34	.	.	.	.	.	.	.	.	3	2	13	.
	„ 20,	53·9	3·0	36	.	.	.	.	.	1	.	.	1	4	15	.
(Office,	„ 27,	43·4	.	29	.	.	.	.	.	.	.	.	.	5	6	.
Summer-hill.)	Feb. 3,	35·9	3·0	24	.	.	.	.	.	.	.	1	1	1	7	.
	„ 10,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	3	5	.
Pop. (in 1891) 34,886.	„ 17,	41·9	1·5	28	.	.	.	.	.	.	.	1	.	3	13	.
North City, No. 2.	Dec. 30,	47·0	3·3	26	.	1	.	.	.	.	.	1	.	3	9	.
	Jan. 6,	59·6	1·8	33	.	1	.	.	.	.	.	.	.	7	9	.
	„ 13,	50·6	.	28	.	.	.	.	.	.	.	.	.	2	11	.
	„ 20,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	3	8	2
(Offices,	„ 27,	41·5	1·8	23	.	1	.	.	.	.	.	.	.	1	6	.
Lisburn-street.)	Feb. 3,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	3	10	1
	„ 10,	32·5	.	18	.	.	.	.	.	.	.	.	.	1	8	.
Pop. (in 1891) 28,871.	„ 17,	41·5	.	23	.	.	.	.	.	.	.	.	.	5	2	3
North City, No. 3.	Dec. 30,	53·0	4·0	29	.	1	.	.	.	.	.	1	.	2	6	1
	Jan. 6,	66·0	4·0	33	.	1	.	.	1	.	.	.	.	4	10	.
	„ 13,	63·0	6·0	34	.	2	.	.	.	.	.	1	.	5	12	.
	„ 20,	50·0	2·0	25	.	.	.	.	.	1	.	.	.	4	10	1
(Office,	„ 27,	63·0	6·0	33	.	2	.	.	.	.	.	1	.	2	7	1
Blackhall-place.)	Feb. 3,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	3	1
	„ 10,	32·0	2·0	16	.	.	.	.	.	1	.	.	.	.	7	.
Pop. (in 1891) 26,053.	„ 17,	46·0	8·0	23	.	.	.	.	3	1	.	.	.	3	5	1
South City, No. 1.	Dec. 30,	55·0	.	35	.	.	.	.	.	.	.	.	.	3	15	.
	Jan. 6,	61·3	1·6	39	.	1	.	.	.	.	.	.	.	8	11	1
	„ 13,	66·0	3·1	42	.	1	.	.	1	.	.	.	.	4	15	1
	„ 20,	45·6	3·1	29	.	1	.	.	.	.	.	.	1	2	5	.
(Office,	„ 27,	44·0	1·6	28	.	.	.	.	1	.	.	.	.	6	4	.
South Earl-street.)	Feb. 3,	37·7	.	24	.	.	.	.	.	.	.	.	.	2	10	.
	„ 10,	31·4	3·1	20	.	.	1	.	1	.	.	.	.	3	9	.
Pop. (in 1891) 33,194.	„ 17,	58·1	1·6	37	.	.	.	.	.	.	.	.	1	3	10	3
South City, No. 2.	Dec. 30,	73·1	2·8	26	.	1	.	.	.	.	.	.	.	.	17	.
	Jan. 6,	42·2	.	15	.	.	.	.	.	.	.	.	.	.	9	.
	„ 13,	53·4	5·6	19	.	.	1	.	.	.	.	1	.	1	10	.
	„ 20,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	7	.
(Office,	„ 27,	28·1	2·8	10	.	.	.	.	1	.	.	.	.	1	4	.
Castle-street.)	Feb. 3,	23·5	2·8	8	.	1	.	.	.	.	.	.	.	1	1	.
	„ 10,	25·3	2·8	9	.	.	.	.	.	1	.	.	.	2	3	.
Pop. (in 1891) 18,547.	„ 17,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	1	7	.
South City, No. 3.	Dec. 30,	37·3	3·9	29	.	1	.	.	.	1	.	.	1	3	9	.
	Jan. 6,	45·0	1·3	35	.	1	.	.	.	.	.	.	.	6	15	1
	„ 13,	34·7	2·6	27	.	2	.	.	.	.	.	.	.	1	8	.
	„ 20,	43·7	2·6	34	.	.	.	.	1	.	.	.	1	1	13	1
(Office,	„ 27,	27·0	.	21	.	.	.	.	.	.	.	.	.	4	2	.
Peter-street.)	Feb. 3,	37·3	2·6	29	.	.	1	.	.	.	.	.	1	5	8	1
	„ 10,	32·1	2·6	25	.	.	.	.	2	.	.	.	.	5	10	.
Pop. (in 1891) 40,558.	„ 17,	33·4	1·3	26	.	1	.	.	.	.	.	.	.	1	6	1
South City, No. 4.	Dec. 30,	33·0	2·9	23	.	2	.	.	.	.	.	.	.	1	8	.
	Jan. 6,	37·9	.	26	.	.	.	.	.	.	.	.	.	2	6	.
	„ 13,	52·4	5·8	36	.	1	.	.	.	1	.	2	.	7	9	.
	„ 20,	36·4	2·9	25	.	1	.	.	1	.	.	.	.	.	6	1
(Office,	„ 27,	30·6	1·5	21	.	.	.	.	1	.	.	.	.	5	5	.
Grand Canal-street).	Feb. 3,	37·9	4·4	26	.	1	.	.	.	1	.	1	.	.	4	1
	„ 10,	30·6	7·3	21	.	3	.	.	1	1	.	.	.	2	3	1
Pop. (in 1891) 35,793.	„ 17,	51·0	7·3	35	.	.	1	.	1	1	.	1	1	5	7	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1899-1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Dec. 30,	31·9	1·9	17	.	1	.	.	.	.	.	.	.	4	5	.
	Jan. 6,	35·6	1·9	19	.	.	.	.	.	.	.	1	.	2	4	.
	,, 13,	43·1	1·9	23	.	1	.	.	.	.	.	.	.	1	7	.
	,, 20,	33·8	1·9	18	.	.	.	.	.	.	.	1	.	1	4	.
	,, 27,	24·4	.	13	.	.	.	.	.	.	.	.	.	2	5	.
	Feb. 3,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	,, 10,	24·4	3·8	13	.	.	1	.	.	1	.	.	.	1	3	1
	,, 17,	33·8	.	18	.	.	.	.	.	.	.	.	.	.	5	.
Donnybrook. Pop. (in 1891) 24,629.	Dec. 30,	44·5	2·1	21	.	1	.	.	.	.	.	.	.	2	5	1
	Jan. 6,	57·2	10·6	27	.	3	.	.	.	.	.	1	1	1	4	1
	,, 13,	29·6	6·4	14	.	3	.	.	.	.	.	.	.	.	6	1
	,, 20,	55·0	12·7	26	.	4	.	.	.	.	.	1	1	3	8	.
	,, 27,	40·2	2·1	19	.	1	.	.	.	.	.	.	.	2	5	.
	Feb. 3,	36·0	2·1	17	.	1	.	.	.	.	.	.	.	3	2	.
	,, 10,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	,, 17,	29·6	.	14	.	.	.	.	.	.	.	.	.	2	7	.
Kingstown. Pop. (in 1891) 17,386.	Dec. 30,	27·0	12·0	9	.	3	.	.	1	.	.	.	.	.	3	.
	Jan. 6,	24·0	3·0	8	.	1	.	.	.	.	.	.	.	.	3	.
	,, 13,	45·0	9·0	15	.	3	.	.	.	.	.	.	.	.	3	.
	,, 20,	48·0	6·0	16	.	1	.	.	1	.	.	.	.	2	3	.
	,, 27,	48·0	3·0	16	.	1	.	.	.	.	.	.	.	1	1	.
	Feb. 3,	42·0	3·0	14	.	.	.	.	.	1	.	.	.	2	5	.
	,, 10,	30·0	3·0	10	.	.	.	.	.	1	.	.	.	1	1	.
	,, 17,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
Belfast. Pop. in 1900 (Est.) 359,000.	Dec. 30,	28·6	2·1	192	.	1	1	.	6	1	.	4	1	31	64	2
	Jan. 6,	28·8	2·6	198	.	1	.	.	6	2	2	4	3	27	74	5
	,, 13,	30·5	2·0	210	.	4	.	.	2	.	.	4	4	21	86	2
	,, 20,	24·1	2·3	166	.	.	1	.	9	1	.	4	1	17	72	.
	,, 27,	24·7	1·3	170	.	1	.	.	5	.	.	1	2	21	66	.
	Feb. 3,	19·6	1·2	135	.	1	.	.	4	.	.	1	2	12	39	3
	,, 10,	27·2	1·3	187	.	.	.	.	3	3	1	1	1	26	50	3
	,, 17,	32·8	1·5	226	.	.	.	.	4	2	.	1	3	27	73	8
Cork. Pop. (in 1891) 75,345.	Dec. 30,	56·7	1·4	82	.	.	.	.	.	1	.	.	1	13	25	1
	Jan. 6,	57·4	.	83	.	.	.	.	.	.	.	.	.	8	34	.
	,, 13,	58·1	0·7	84	.	1	.	.	.	.	.	.	.	7	31	.
	,, 20,	35·3	.	51	.	.	.	.	.	.	.	.	.	9	13	.
	,, 27,	45·0	2·1	65	.	2	.	.	.	.	.	.	1	13	14	1
	Feb. 3,	33·2	1·4	48	.	2	.	.	.	.	.	.	.	6	8	.
	,, 10,	22·1	.	32	.	.	.	.	.	.	.	.	.	4	2	.
	,, 17,	29·1	0·7	42	.	.	.	.	.	.	.	.	1	4	10	.
Limerick. Pop. (in 1891) 37,155.	Dec. 30,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	9	.
	Jan. 6,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	,, 13,	23·9	.	17	.	.	.	.	.	.	.	.	.	.	3	.
	,, 20,	22·5	.	16	.	.	.	.	.	.	.	.	.	1	12	.
	,, 27,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	7	.
	Feb. 3,	44·9	.	32	.	.	.	.	.	.	.	.	.	2	13	.
	,, 10,	29·5	.	21	.	.	.	.	.	.	.	.	.	1	6	.
	,, 17,	42·1	1·4	30	.	.	.	1	.	.	.	.	.	3	12	.
Londonderry Pop. (in 1891) 33,200.	Dec. 30,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	1	1	1
	Jan. 6,	44·0	.	28	.	.	.	.	.	.	.	.	.	3	6	.
	,, 13,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	6	1
	,, 20,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	1	1
	,, 27,	37·7	.	24	.	.	.	.	.	.	.	.	.	4	8	.
	Feb. 3,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	8	1
	,, 10,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	1	4	.
	,, 17,	40·8	1·6	26	.	.	.	.	.	.	.	.	1	4	10	.
Waterford. Pop. (in 1891) 26,200.	Dec. 30,	31·8	4·0	16	.	.	1	.	.	.	.	1	.	2	6	.
	Jan. 6,	51·7	2·0	26	.	.	.	.	1	.	.	.	.	3	7	.
	,, 13,	23·9	2·0	12	.	.	1	.	.	.	.	.	.	2	1	.
	,, 20,	35·8	6·0	18	.	.	3	.	.	.	.	.	.	2	4	.
	,, 27,	39·8	2·0	20	.	.	.	.	1	.	.	.	.	2	7	1
	Feb. 3,	45·8	.	23	.	.	.	.	.	.	.	.	.	2	9	2
	,, 10,	19·9	4·0	10	.	.	.	.	2	.	.	.	.	.	4	.
	,, 17,	59·7	4·0	30	.	.	.	.	2	.	.	.	.	7	5	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 17th February, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	11	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		19	4	1	10	4	.	.	.	.	.	.	.	.	.	4	5	1	.	9
" 2 "	37,589	19			19	1	8	10	5	.	.	.	.	.	.	.	.	.	1	8	2	2	8
" 3 "	38,845	25			24	6	4	7	7	.	.	.	.	1	.	.	1	.	2	9	1	2	5
" 4 "	33,391	27			32	8	3	18	3	.	.	.	.	.	.	.	.	1	4	10	1	1	9
" 5 "	21,284	15			23	5	1	11	6	.	.	.	.	.	.	.	.	.	3	8	.	1	5
" 6 "	43,431	11			21	5	1	12	3	.	.	.	.	1	.	.	.	.	4	5	.	.	2
" 7 "	1,112	2			2	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 8 "	4,904	1			4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	2	2	1
" 9 "	12,866	9			12	2	.	5	5	.	.	.	.	.	.	.	.	1	.	3	.	2	1
" 10 "	12,256	10			21	6	4	8	3	.	.	.	.	.	2	.	.	.	3	7	1	2	5
" 11 "	19,881	23			21	2	2	9	8	.	.	.	.	1	.	.	.	.	1	6	.	1	4
" 12 "	23,282	29			20	3	4	8	5	.	.	.	.	1	.	.	.	1	2	9	.	3	3
" 13 "	6,804	4			8	4	.	2	2	.	.	.	.	.	.	.	.	.	2	3	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	186			226	41	23	102	60	.	.	.	.	4	2	.	1	3	27	72	8	16	47
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	1	35·0	.	8	.	.	4	4	.	.	.	.	.	.	.	.	.	1	1	.	1	2
" 2 "	9,252	4	45·1	5·6	8	1	1	4	2	.	.	.	.	.	.	.	.	1	1	2	.	.	4
" 3 "	9,816	4	32·5	.	6	.	1	3	2	.	.	.	.	.	.	.	.	.	1	3	.	.	3
" 4 "	10,356	4	25·2	.	5	.	2	2	1	.	.	.	.	.	.	.	.	.	1	2	.	.	2
" 5 "	16,960	4	27·6	.	7	.	1	2	4	.	.	.	.	.	.	.	.	.	.	1	.	1	
" 6 "					2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	6	18·4	.	6	1	.	2	3	.	.	.	.	.	.	.	.	.	.	1	.		
Total,	3,345	23	29·1	0·7	42	2	5	18	17	.	.	.	.	.	.	.	.	1	4	10	.	2	

Boundaries of Registrars' Districts—Belfast.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre of Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square. Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary, thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.
No. of week in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered,	199	228	223	239	209	201	263	252	231	218	203	246	202	237	192	189	199	203	175	239	263	199	230	204	240	186
DEATHS registered.	178	162	159	158	153	147	175	150	148	164	131	127	176	137	118	113	139	132	192	198	210	166	170	135	187	226
Annual Death-rate per 1,000 of estimated Population,	26·5	24·1	23·7	23·5	22·8	21·9	26·1	22·3	21·3	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8
AGES, Under 1 year,	58	62	64	51	60	47	50	44	35	40	35	30	38	40	28	21	26	19	39	34	40	26	32	22	30	41
AGES, 1–5 years,	27	21	18	21	16	16	20	19	24	21	15	18	25	17	14	10	19	9	25	31	23	24	22	17	15	23
AGES, 5–60 years,	71	61	58	67	59	64	80	60	57	84	60	49	90	57	46	68	73	74	75	93	88	71	71	62	99	102
AGES, 60 years and upwards,	22	18	19	19	18	20	25	27	27	19	21	30	23	23	30	19	21	30	53	40	59	45	45	34	43	60
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	.	.	1	2	1	1	1	.	.	.	1	2	.	1	1	2	1	1	4	.	1	1	.	.
" Scarlet Fever,	1	.	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.	1	1	.	.	1	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	5	6	4	2	6	1	4	3	4	2	1	5	1	4	4	.	2	1	6	6	2	9	5	4	3	4
" Diphtheria,	.	.	.	.	2	1	.	.	.		.	2	1	3	2	.	3	2	1	2	.	1	.	.	3	2
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
" Enteric Fever,	11	8	8	9	6	9	14	9	8	9	3	6	10	4	5	1	2	1	4	4	4	4	1	1	1	1
" Diarrhœa, Dysentery,	30	33	19	18	19	15	9	4	2	4	.	2	.	.	.	.	1	.	1	3	4	1	2	2	1	3
" Phthisis,	19	25	18	22	13	21	20	15	10	16	17	14	35	12	13	19	29	14	31	27	21	17	21	12	26	27
" Diseases of Respiratory System,	20	12	20	16	22	19	38	32	43	50	43	37	49	35	38	37	34	27	64	74	86	72	56	39	50	73
Violent Deaths,	2	3	2	1	3	4	2	4	3	8	3	1	3	7	4	1	2	6	2	5	2	.	.	3	8	8

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Feb. 17,	2,456	2,013	22·9	.	50	5	35	51	18	6
EDINBURGH,	302,262	„ 17,	140	152	26·1	.	.	.	3	1	.	2
GLASGOW,	743,969	„ 17,	502	480	33·6	.	17	11	3	10	1	7
CALCUTTA,	466,460	Dec. 16,	.	299	33·4	1	.	.	.	.	69‡	64*
BOMBAY,	821,764	Jan. 23,	226	2,335	147·8	186	97	?	?	?	225§	245*
MADRAS,	452,518	Dec. 22,	412	400	45·9	.	8	?	?	?	107	73
PARIS,	2,511,629	Feb. 10,	1,219	1,255	25·9	4	11	5	3†	.	14	33
BRUSSELS (with 8 Faubourgs).	561,130	„ 3,	258	167	15·5	.	.	1	5†	2	1	9
AMSTERDAM,	523,743	Jan. 27,	298	194	19·3	.	.	.	.	2	1	.
ROTTERDAM,	319,491	„ 27,	246	105	17·1	.	1	.	.	.	.	.
THE HAGUE,	205,328	„ 27,	121	85	22·2	.	.	.	.	.	.	.
COPENHAGEN,	349,000	Feb. 10,	174	122	18·2	.	.	2	.	.	.	8
CHRISTIANIA,	221,255	„ 10,	195	72	16·0	.	.	2	.	2	.	2
ST. PETERSBURG,	1,132,677	„ 3,	564	658	30·2	6	19	23	25	2	24	49
BERLIN,	1,848,269	Jan. 27,	998	625	17·6	.	5	3	15	15	1	36
HAMBURG,	691,349	Feb. 3,	.	244	18·4	.	1	2	3†	3	.	2
DRESDEN,	400,400	Dec. 30,	268	151	19·6	.	.	.	2†	2	1	5
BRESLAU,	406,012	Feb. 10,	.	204	26·1	.	2	.	1	1	1	20
MUNICH,	445,000	Nov. 25,	320	173	20·2	.	.	1	2†	.	1	26
		Dec. 2,	291	191	22·3	.	.	.	4†	1	1	30
VIENNA (with suburbs).	1,639,811	Jan. 20,	879	607	19·2	.	18	2	9†	2	1	17
BUDA-PESTH,	685,340	Feb. 3,	486	278	21·1	.	1	3	1	2	.	3
PRAGUE and Faubourgs.	385,952	„ 3,	237	173	23·3	.	.	3	.	4	1	2
ROME,	507,244	Jan. 13,	253	168	17·2	.	6	.	2	.	3	9
TURIN (11 days),	344,203	Dec. 31,	234	231	22·3	.	13	.	1†	.	2	7
VENICE,	171,779	Jan. 20,	74	83	25·1	.	.	.	1†	.	.	2
NEW YORK,	3,654,594	„ 20,	1,563	1,351	19·3	.	28	13	41	11	10	2
PHILADELPHIA,	1,266,832	„ 20,	.	525	21·5	.	1	4	38	2	8	2

* Including 20 deaths from cholera in Calcutta and 5 in Bombay. † Including deaths from croup.
‡ Exclusive of 27 deaths from bubonic fever. § Exclusive of 478 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., P.R.C.P.I., has kindly supplied the following remarks on the weather during the week ended Saturday, 17th February, 1900 :—

"The severe weather which set in on the evening of Friday, January 26, lasted until Thursday, February 15, when a rapid and complete thaw succeeded a tempest of cold rain, sleet, hail, and wind. Until Wednesday sharp frosts occurred—the cold on Sunday being particularly intense in the wake of a cyclonic system, which had travelled from St. George's Channel across Wales and Central England in an east-north-easterly direction. At 8 a.m. of this day the thermometer in the screen stood at 11° at Wick having been as low as 8°. The depression subsequently changed its course and by Monday morning was disappearing over the Atlantic to the northwestward of Scotland. The changes in atmospheric pressure during Tuesday and Wednesday were very irregular and complex—a deep depression, central over Belgium on Wednesday morning, causing heavy falls of snow and sleet in England, France, Belgium, and parts of Germany. The formation of this depression seemed to be connected with a remarkable disturbance of temperature—equilibrium on Tuesday—at 8 a.m. the thermometer read 64° at Biarritz and 14° at Loughborough—a divergence of 50°, which represents a very steep thermometric gradient. But the greatest disturbance of the week was a very large and deep depression which appeared off the S.W. of Ireland on Thursday morning, thence travelling north-eastwards across the British Isles to Scandinavia. It was accompanied by downpours of rain, sleet, or snow, and wrought great destruction on both land and sea. In Dublin the mean height of the barometer was 29·302 inches, pressure falling from 29·814 inches at 9 p.m. of Wednesday (wind, S.W.) to 28·585 inches at 7 p.m. of Thursday (wind, S.W.). The mean temperature was 35·8°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 33·9°. The screened thermometers fell to 21·9° on Sunday, and rose to 48·8° on Thursday. On Monday the grass minimum was 17·1°. The rainfall was ·881 inch on five days, ·452 inch being measured on Wednesday. The prevailing wind was W.S.W. Bright sunshine was estimated at 24 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·325 inches. The highest reading (29·861) was on Wednesday at 9 P.M., air calm, and the lowest (28·735) on Thursday at 9 P.M., wind W.

The mean temperature for the week was 32·9°, being 7·6° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Thursday, when the thermometer registered 51·3°, and was lowest on Monday, the mercury having fallen to 12·7°. The mean of the Dry Bulb for the week was 31·8°, and of the Wet Bulb 30·8°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 28·5 hours. The rainfall measured ·680 inch.

At Greenwich the mean temperature for the week was 35·2°, the maximum 47·9°, and the minimum 21·4°; at Glasgow the maximum was 46·0°, the minimum 7·9°, and the mean 33·3°; and at Edinburgh the maximum was 44·2°, the minimum 18·1°, and the mean 33·5°. The rainfall at Greenwich measured 1·46 ins.; at Glasgow 0·88 in.; and at Edinburgh 0·71 in.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M. W.	9 P.M. S.W.
Sunday, Feb. 11,	29·480	31·8	16·2	24·0	25·1	24·7	·91	·9	3·0	—		
Monday, „ 12,	29·376	38·7	12·7	25·7	22·9	22·4	·86	·4	7·6	—	Calm.	Calm.
Tuesday, „ 13,	29·478	35·9	17·7	26·8	26·4	25·6	·84	·3	0·2	·245	Calm.	Calm.
Wednesday, „ 14,	29·838	40·8	22·7	31·8	32·0	30·3	·79	1·0	7·0	·195	Calm.	Calm.
Thursday, „ 15,	29·014	51·3	30·5	40·9	37·7	36·8	·93	1·0	0·0	·135	S.E.	W.
Friday, „ 16,	29·041	47·3	34·3	40·8	41·2	39·8	·86	·8	5·6	·050	W.S.W.	S.W.
Saturday, „ 17,	29·050	45·2	35·8	40·5	37·1	35·8	·89	·8	5·1	·055	S.W.	S.W.
Mean, . .	29·325	41·6	24·3	32·9	31·8	30·8	·87	·7	Total 28·5	Total ·680	—	

Sunday—A cloudy day; night clear. *Monday*—A beautiful day; lunar halo p.m.; night clear to 8 a.m. *Tuesday*—Cloudy a.m.; dull p.m.; solar halo a.m.; snow 5.15 p.m. to 2 a.m.; night overcast p.m. and cloudy a.m. *Wednesday*—A beautiful day; light clouds; night cloudy; rain 3 to 9 a.m. *Thursday*—A dull day; rain 9 to 10 and 11 to 3; showers 7 to 10 p.m.; night cloudy. *Friday*—A cloudy day; rain 6 to 7 p.m. and 4 to 5 a.m.; night cloudy. *Saturday*—A fine but cloudy day; night cloudy; rain 12.15 to 2.30 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office

P. 517. 2. 1900.—375

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 24TH FEBRUARY, 1900. [No. 8.

General Register Office, Charlemont House,
Dublin, 26th February, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in London was equal to an annual death-rate of 24·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 31·7 per 1,000, the rate for Glasgow being 35·1, and for Edinburgh 25·8.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 37·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Feb. 3.	Week ending Feb. 10.	Week ending Feb. 17.	Week ending Feb. 24.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 3.	Week ending Feb. 10.	Week ending Feb. 17.	Week ending Feb. 24.	Average Rate for 4 weeks.
23 Town Dists.	**28·8**	**28·3**	**36·2**	**37·5**	**32·7**	Limerick, . .	44·9	29·5	42·1	51·9	42·1
Armagh, . .	35·6	35·6	28·5	42·8	35·6	Lisburn, . .	42·6	17·0	12·8	34·1	26·6
Ballymena, .	28·2	16·9	33·8	33·8	28·2	Londonderry, .	29·8	26·4	40·8	46·8	33·0
Belfast, . .	19·6	27·2	22·8	26·3	26·5	Lurgan, . .	27·4	31·9	36·5	54·7	37·6
Carrickfergus, .	23·4	5·8	35·1	17·5	20·5	Newry, . .	32·2	20·1	48·3	56·3	39·2
Clonmel, . .	34·1	19·5	9·7	58·4	30·4	Newtownards, .	17·0	45·4	28·3	45·4	34·0
Cork, . . .	33·2	22·1	29·1	33·9	29·6	Portadown, .	12·4	6·2	18·6	49·5	21·7
Drogheda, . .	11·4	72·3	41·8	41·8	41·8	Queenstown, .	23·0	34·4	23·0	17·2	24·4
Dublin, Reg. Area,	33·6	29·1	40·9	48·0	37·9	Sligo, . . .	35·5	5·1	15·2	15·2	17·8
Dundalk, . .	33·5	33·5	4·2	25·1	24·1	Tralee, .	67·2	44·8	83·9	61·6	64·4
Galway, . .	15·1	79·3	56·7	45·3	49·1	Waterford, .	45·8	19·9	59·7	21·9	36·8
Kilkenny, . .	42·5	61·4	28·3	42·5	43·7	Wexford, . .	31·6	22·6	27·1	22·6	26·0

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in fifteen of the districts to 11·2 in Tralee; the 11 deaths from all causes registered in that district comprising one from typhus and one from enteric fever. Among the 181 deaths from all causes registered in Belfast are 2 from scarlatina, 3 from whooping-cough, one from diphtheria, one from ill-defined fever, 2 from enteric fever, and 3 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table VI.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 257—152 boys and 105 girls; and the deaths to 342—171 males and 171 females.

The deaths, which are 130 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 51·0 in every 1,000 of the population; omitting the deaths (numbering 20) of persons admitted into public institutions from localities outside the Area, the rate was 48·0 per 1,000. The 342 deaths registered include 78 in the South Dublin Union Workhouse, *of which number 51 occurred before Saturday, the 17th instant.* During the eight weeks ending with Saturday last the death-rate averaged 42·6, and was 9·4 over the mean rate for the corresponding portions of the ten years 1890–99.

The number of deaths from zymotic diseases registered during last week is 30, being 6 under the number for the preceding week, but 6 over the average for the eighth week of the last ten years: the 30 deaths comprise 5 from measles, one from scarlet fever (scarlatina), 17 from influenza and its complications, one from enteric fever, 4 from diarrhœa, one from erysipelas; &c.

Six cases of measles were admitted to hospital during the week, against 3 for the preceding week: 6 measles patients were discharged during the week; and 25 remained under treatment on Saturday last, being equal to the number in hospital on Saturday the 17th instant.

The number of cases of scarlatina admitted to hospital is 10, being 2 over the admissions for the preceding week, but 5 under the number for the week ended the 10th instant: 14 patients were discharged during the week; 2 died; and 58* remained under treatment on Saturday last, being 6 under the number in hospital at the close of the preceding week.

Sixteen cases of enteric fever were admitted to hospital, against 11 for the preceding week and 10 for the week ended the 10th instant: 14 patients were discharged during the week; one died; and 68 remained under treatment on Saturday last, being one over the number in hospital on Saturday the 17th instant.

The weekly number of cases of diphtheria admitted to hospital, which had fallen from 10 for the week ended the 3rd instant to 5 for the following week and to one for the week ended the 17th instant, rose to 12 last week; 5 patients were discharged during the week; and 23 remained under treatment on Saturday last, being 7 over the number in hospital at the close of the preceding week.

The deaths from diseases of the respiratory system registered amount to 94, being 37 in excess of the average for the corresponding week of the last ten years, and 20 over the number for the week ended the 17th instant: they comprise 74 from bronchitis and 19 from pneumonia or inflammation of the lungs.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals, during the week ended Saturday, 24th February, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases	No. of Cases in Hospital at close of week ended			Week ended 24th February.			
	Feb. 3.	Feb. 10.	Feb. 17.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	36	29	25	6	6	.	25
Scarlet Fever,	71	71	64	10	14	2	58*
Typhus ,,	.	.	.	.	.	.	.
Diphtheria,	28	21	16	12	5	.	23
Enteric Fever,	75	71	67	16	14	1	68
Pneumonia,	23	24	27	4	3	.	28

The deaths of 14 children under 5 years of age (including 11 infants under one year old) were ascribed to convulsions.

Fourteen deaths were caused by diseases of the brain and nervous system (exclusive of convulsions), and 33 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 40 deaths, mesenteric disease 4, tubercular meningitis 15, and cancer 10.

Four accidental deaths were registered.

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 9 children under 5 years of age (including 8 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Seventy-four of the persons whose deaths were registered during the week were under 5 years of age (51 being infants under one year, of whom 20 were under one month old) and 121 were aged 60 years and upwards, including 50 persons aged 70 and upwards, of whom 15 were octogenarians, and two (women) were stated to have been aged 90 years.

One hundred and eighty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 32 took place in the North Dublin Union Workhouse and 78 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 48·0 per 1,000; the rate in the city was 54·6 (50·0 on the North side, and 57·8 on the South), and in the Suburbs 33·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the city being 1·7 (2·2 in the North City Districts, and 1·2 in the South), and for the Suburbs 1·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (30) are equal to an annual rate of 57·6 per 1,000. They comprise 5 from zymotic diseases, including one from influenza and 3 from diarrhœa. Five deaths were caused by bronchitis, 2 by diseases of the circulatory system, 3 by phthisis, 2 by tubercular meningitis, and 3 by diseases of the brain and nervous system.

No. 1 North City District, West (Summer-hill).—The deaths (27) are equal to an annual rate of 40·4 per 1,000. One death from influenza constitutes the mortality from zymotic disease. Among the 26 deaths from other causes are 4 from bronchitis, 4 from diseases of the circulatory system, 2 from tubercular meningitis, and 3 from convulsions.

No. 2 North City District (Lisburn-street).—The deaths (29) are equivalent to an annual rate of 52·4 per 1,000. Enteric fever caused one death, but no deaths from any other zymotic disease were recorded. The 28 deaths from other causes comprise 5 from bronchitis, 3 from pneumonia, 3 from diseases of the circulatory system, and 7 from phthisis.

No. 3 North City District (Blackhall-place).—The deaths (26) represent an annual rate of 52·0 per 1,000. Among them are one from measles (the only death from any zymotic disease), 5 from bronchitis, 2 from diseases of the circulatory system, 4 from phthisis, 4 from tubercular meningitis, and 2 from cancer.

No. 1 South City District (South Earl-street).—The deaths (41) represent an annual rate of 64·4 per 1,000. Influenza caused one death, but no deaths from any other zymotic disease were recorded. The 40 deaths from other causes comprise 16 from bronchitis, 7 from diseases of the circulatory system, 2 from phthisis, 2 from tubercular meningitis, 2 from cancer, and 2 from convulsions.

No. 2 South City District (Castle-street).—The deaths (18) are equal to an annual rate of 50·6 per 1,000. The only death from any zymotic disease recorded is one from diarrhœa. Bronchitis caused 4 deaths and phthisis 3.

No. 3 South City District (Peter-street).—The deaths (45) are equal to an annual rate of 57·9 per 1,000. Among them are 4 from zymotic diseases, viz.:—one from scarlatina and 3 from influenza. Thirteen deaths were caused by bronchitis, 2 by pneumonia, 3 by diseases of the circulatory system, 3 by phthisis, and 6 by convulsions.

No. 4 South City District (Grand Canal-street). The deaths (38) are equivalent to an annual rate of 55·4 per 1,000. They comprise 7 from zymotic diseases, viz.:—one from measles, 5 from influenza, and one from erysipelas. Bronchitis caused 9 deaths, pneumonia 3, phthisis 6, tubercular meningitis 2, and diseases of the brain and nervous system 2.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 37·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 38·9; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 57·4; Rathmines, 28·1; Donnybrook, 36·0; Blackrock, 43·4; and Kingstown, 27·0. The deaths from zymotic diseases tabulated for these districts consist of one from measles and 2 from influenza for Palmerston, part of; 3 from influenza for Donnybrook; and 2 from measles and one from influenza for Kingstown. Among the 8 deaths from all causes tabulated for Coolock and Drumcondra, No. 1 District, are 2 from bronchitis and 2 from diseases of the circulatory system; 2 of the 8 deaths for Palmerston, part of, were from phthisis; the 15 deaths for Rathmines comprise 3 from bronchitis, and 3 from diseases of the circulatory system; among the 17 deaths for Donnybrook are 4 from bronchitis and 2 from diseases of the circulatory system; of the 7 deaths for Blackrock 3 were from pneumonia and 2 from phthisis; and the 9 deaths for Kingstown comprise 2 from pneumonia.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years 1890-99.	In the week ending Saturday, 24th February, 1900. Deaths of persons of the Ages of							
	Feb. 22, 1890	Feb. 28, 1891	Feb. 27, 1892	Feb. 25, 1893	Feb. 24, 1894	Feb. 23, 1895	Feb. 22, 1896	Feb. 27, 1897	Feb. 26, 1898	Feb. 25, 1899		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 42·1	° 45·2	° 40·9	° 37·8	° 33·6	° 38·4	° 40·8	° 47·5	° 37·1	° 41·2	° 40·4	Mean Temp ° 41·4							
ALL CAUSES,	239	199	265	184	196	235	133	252	209	203	211·5	312	20	31	23	20	47	80	104	17
I. FEBRILE OR ZYMOTIC DISEASES,	21	12	34	8	25	18	8	65	27	20	23·8	30	.	6	2	2	8	8	8	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	56	38	55	51	35	38	32	51	52	50	45·8	77	3	3	11	7	28	19	6	.
V. DEVELOPMENTAL "	15	15	20	13	11	17	13	13	19	19	15·5	33	3	1	1	.	.	.	18	10
VI. LOCAL "	126	119	135	96	115	147	65	110	103	103	111·9	184	7	18	9	7	16	52	69	6
VII. VIOLENT DEATHS,	7	5	6	7	5	8	4	1	6	3	5·2	4	.	1	.	3	.	.	.	.
VIII. ILL-DEFINED CAUSES,	14	9	15	9	5	7	11	11	2	8	9·1	14	7	2	.	1	.	1	3	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.		.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	4	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	3	.	3	.	2	.	.	34	.	.	4·2	5	.	3	1	1	.	.	.	.
Scarlet Fever,	.	.	2	.	.	1	1	2	.	3	·9	1	.	.	.	1	.	.	.	.
Typhus,	.	.	1	.	2	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	.	6	.	9	4	5	5	13	6	5·0	17	.	.	1	.	3	7	6	1
Whooping Cough,	4	1	8	2	5	1	.	12	.	2	3·5	.	.	.	.	.	.	.	.	.
Diphtheria,	.	1	.	.	.	1	.	3	4	.	9	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	2	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	6	8	4	2	2	1	1	2	4	4	2·9	1	.	.	.	.	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	4	2	.	2	1	.	2	1	3	1·6	4	.	3	.	.	.	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	1	1	.	2	.	·4	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	.	.	1	.	.	.	1	·2	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	1	.	2	1	.	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	3	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	4	3	4	.	1	1	.	3	3	1	2·0	1	.	.	.	.	.	.	1	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
Rheumatism,	.	.	.	2	.	1	.	.	2	1	·6	.	.	.	.	.	.	.	.	.
Gout,	2	.	1	1	.	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.
Cancer,	4	2	8	4	7	1	2	7	9	6	5·0	10	.	.	.	.	1	6	3	.
Tabes Mesenterica,	6	4	3	8	4	1	3	5	3	2	3·9	4	1	.	3	.	.	.	.	.
Tubercular Meningitis	1	5	2	3	4	4	5	6	4	3	3·7	15	2	3	6	2	1	1	.	.
Phthisis,	36	18	35	27	19	27	18	23	28	32	26·4	40	.	.	1	4	22	10	3	.
Scrofula, Tuberculosis,	6	7	5	4	.	3	4	8	5	5	4·7	4	.	.	1	1	1	1	.	.
Other Constitutional Diseases,	1	2	.	1	1	1	.	.	1	.	·7	3	.	.	.	.	2	1	.	.
V. Developmental Diseases—																				
Premature Birth,	4	4	1	.	2	2	2	2	.	8	2·5	4	3	1	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	1	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	1	.	.	.	.	.
Old Age,	11	11	19	18	9	18	11	11	18	10	12·6	28	.	.	.	.	.	.	18	10

each Disease registered in the EIGHTH WEEK ending Saturday, 24th February, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years 1890-99.	In the Week ending Saturday, 24th February, 1900. Deaths of Persons of the Ages of							
	Feb. 22, 1890	Feb. 28, 1891	Feb. 27, 1892	Feb. 25, 1893	Feb. 24, 1894	Feb. 23, 1895	Feb. 22, 1896	Feb. 27, 1897	Feb. 26, 1898	Feb. 25, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 42·1	° 45·2	° 40·9	° 37·3	° 38·6	° 38·4	° 40·8	° 47·5	° 37·1	° 41·2	° 40·4	° 41·4								
VI. Local Diseases.																				
Apoplexy,	1	6	6	1	.	4	2	4	4	2	3·0	1	.	.	.	.	.	.	1	.
Epilepsy,	1	.	2	1	1	3	1	.	2	2	1·3	.	.	.	.	.	.	.	.	.
Convulsions,	16	19	13	10	11	9	6	9	10	13	11·6	14	5	6	3	.	.	.	.	.
Other Diseases of Brain and Nervous System,	6	6	10	9	12	6	7	5	8	6	7·5	13	1	.	1	.	3	5	3	.
Diseases of Organs of Special Sense,	.	.	.	1	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	18	19	21	18	18	27	14	15	18	18	16·1	33	1	.	.	.	2	14	13	3
Croup,	3	2	1	.	.	.	1	1	1	1	1·0	.	.	.	.	.	.	.	.	.
Bronchitis,	44	37	52	28	39	60	10	33	39	31	37·3	74	.	6	3	.	1	21	40	3
Pneumonia	20	8	11	12	16	17	7	17	8	15	13·1	19	.	4	2	2	4	4	3	.
Pleurisy,	2	.	.	.	1	.	1	2	2	1	·9	1	.	.	.	.	.	.	1	.
Other Diseases of Respiratory System,	5	7	1	6	6	5	6	10	1	2	4·9	.	.	.	.	.	.	.	.	.
Teething,	.	1	2	1	1	1	.	1	1	1	·9	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	1	.	1	.	·2	2	.	.	.	.	.	1	1	.
Enteritis,	.	1	.	1	1	.	.	.	3	1	·7	2	.	1	.	.	.	1	.	.
Peritonitis	.	1	1	1	.	.	1	.	1	.	·5	2	.	.	.	.	1	1	.	.
Disease of Liver,	3	.	4	3	5	1	5	1	2	2	2·6	3	.	.	.	.	.	2	1	.
Other Diseases of Digestive System,	5	7	5	4	3	9	1	5	2	5	4·2	7	.	.	.	2	.	1	4	.
Diseases of Lymphatics, &c.,	.	.	2	.	.	1	.	.	.	.	3	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	7	4	4	1	4	4	2	6	5	6	4·3	10	.	1	.	2	3	2	2	.
Diseases of Generative System,	1	.	1	2	.	.	.	.	.	1	·5	1	.	.	.	.	1	.	.	.
Accidents of Childbirth,	1	.	1	.	.	.	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	.	.	.	2	1	.	.	1	.	.	·4	1	.	.	.	1	.	.	.	.
Diseases of Integumentary System,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		1	2	.	.	1	2	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		1	.	.	.	1	.	.	.	
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	7	2	2	2	.	5	.	.	3	.	5·1	2	.	.	.	2	.	.	.	.
By Drowning,		.	.	1	2	1	1	.	1	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		1	2	4	2	1	1	1	2	2		1	.	1	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	14	9	15	9	5	7	11	11	2	8	9·1	14	7	2	.	1	.	1	3	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899–1900—Week ending																									
	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered,	194	198	236	211	237	190	198	188	180	225	172	241	193	154	206	167	188	247	187	209	168	191	184	174	175	257
Average Births in corresponding week of previous 10 years,	196	181	207	202	198	178	166	179	170	172	175	185	181	184	181	184	154	168	188	199	195	202	206	200	196	208
DEATHS registered,	205	251	285	200	228	196	225	250	244	216	249	248	220	259	258	256	285	280	337	331	295	259	238	199	284	342
Annual Death-rate per 1,000,	30·6	37·4	35·1	29·8	33·3	29·2	33·6	37·3	36·4	32·2	37·1	37·0	32·8	38·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0
Average Deaths in corresponding week of previous 10 years,	161	158	158	161	159	149	157	152	163	178	166	174	177	183	177	184	184	207	211	239	249	228	221	211	216	212
AGES, Under 5 years,	110	111	120	94	110	93	114	107	95	111	118	123	93	93	103	84	87	86	81	85	70	60	60	54	63	74
5—20 ,,	14	17	24	12	18	13	26	18	23	22	11	27	16	12	17	23	22	18	15	16	15	20	19	14	24	20
20—40 ,,	25	34	34	24	36	29	23	29	32	14	36	27	28	36	35	35	46	32	49	38	44	38	34	30	48	47
40—60 ,,	30	47	25	34	26	27	32	38	39	29	36	32	38	51	51	61	55	57	73	84	61	50	46	35	65	80
60—80 ,,	23	34	26	26	32	29	24	53	45	32	37	28	36	53	44	41	63	74	94	85	83	79	64	53	73	104
80 years and upwards,	8	8	6	10	1	5	6	5	10	8	11	11	9	14	8	9	12	18	25	23	22	12	15	18	11	17
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	14	17	23	23	28	32	44	52	44	38	39	51	38	29	30	23	24	15	10	18	9	5	4	3	1	5
,, Scarlet Fever,	.	2	1	2	.	.	2	1	1	.	1	2	1	2	1	1	1	1	.	1	.	.	1	2	1	1
,, Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	3	2	2	1	1	3	3	.	5	5	.
,, Whooping-cough,	2	1	1	2	.	1	2	2	3	3	3	2	2	3	2	3	1	.	3	2	1	3	5	3	.	.
,, Diphtheria,	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	.	2	5	9	4	6	2	2	3	2	5	5	2	1	2	.	3	1
,, Enteric Fever,	4	7	9	5	11	4	7	4	6	6	6	5	8	4	4	3	5	1	2	3	6	.	2	2	2	4
,, Diarrhœa, Dysentery,	6	42	45	20	27	16	14	4	9	6	8	17	20	35	27	36	30	28	40	27	29	33	29	23	32	40
,, Phthisis,	22	31	29	18	23	20	22	26	29	15	21	13	17	17	15	26	15	21	24	20	16	25	15	11	28	33
,, Heart Diseases,	13	6	12	7	11	14	10	23	13	9	18	13	17	17	16	26	15	21	24	20	16	25	15	11	28	33
,, Diseases of Respiratory System,	13	31	21	24	30	31	29	39	40	53	57	50	51	66	70	66	73	98	110	110	92	55	67	65	74	94
Violent Deaths,	6	6	5	4	5	4	3	5	8	4	8	6	7	4	6	6	3	7	4	5	5	2	5	3	8	4
Mean Temperature of the Air Phœnix Park),	59·1	59·1	57·4	52·4	47·5	46·1	48·0	49·5	48·9	50·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4
Average Mean Temperature in corresponding week of previous 10 years,	55·7	56·4	56·6	53·6	52·7	51·1	48·4	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4
Rainfall in inches,	1·295	·150	·455	·575	1·470	·860	·355	·470	·825	1·085	·710	·050	·030	·240	·455	·200	·855	2·055	·715	·535	·560	·530	·920	·690	·680	·520
Mean Humidity of the Air, complete Saturation 1·0,	·86	·82	·88	·78	·86	·85	·86	·88	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88	·88	·87	·83

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 24th February, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	NAMES OF REGISTRARS' DISTRICTS.																		
	North City.* Districts.				South City.† Districts.				Clontarf & Howth. No. 1.	Coolock and Drumcondra, No. 1.	Finglas and Glasnevin, part of (a).	Palmerston, pt. of, & Crumlin, pt of (b).	Rathfininess (c).	Donnybrook.	Blackrock (c).	Kingstown, Nos. 1 and 2 (c).	Total for Dublin Registration Area.	Deaths in Institutions of Persons from without the Area.
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	2	5	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	3	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	4	.
Other Zymotic Diseases	2	1	.	.	1	.	3	6	.	.	.	2	.	3	.	1	19	.
Total,	5	1	1	1	1	1	4	7	.	.	.	3	.	3	.	3	30	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	3	1	7	4	2	3	3	6	.	1	1	2	1	.	2	1	37	3
Other Constitutional Diseases,	3	5	2	7	4	2	4	3	.	1	.	.	1	1	.	.	33	4
Total,	6	6	9	11	6	5	7	9	.	2	1	2	2	1	2	1	70	7
V. DEVELOPMENTAL DISEASES,	4	2	5	4	2	2	2	3	2	.	.	.	2	4	.	.	32	1
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	3	4	1	.	4	1	7	2	.	1	.	.	.	1	.	1	25	3
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	2	4	3	2	7	1	3	1	.	2	.	1	3	2	.	.	31	2
Respiratory System,	7	5	8	6	17	5	15	12	1	2	.	1	4	4	3	2	92	2
Digestive System,	1	2	1	1	1	2	1	2	.	.	.	.	1	.	1	.	13	3
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	1	1	.	.	.	2	1	.	.	.	1	2	1	.	.	10	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	14	16	14	9	30	9	28	18	1	5	.	3	10	8	4	3	172	12
VII. VIOLENT DEATHS,	1	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	4	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	.	1	2	1	3	1	.	.	.	.	1	1	1	2	14	.
Deaths from all Causes,	30	27	29	26	41	18	45	38	3	8	1	8	15	17	7	9	322	20
Annual Rate of Mortality in every 1,000 of the population.	57·6	40·4	52·4	53·0	64·4	50·6	57·9	55·4	37·8	38·9	12·3	57·4	28·1	36·0	43·4	27·0		
	50·0				57·8				33·9									
	54·1																48·0	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	6	3	7	6	2	1	8	14	.	.	.	2	3	4	1	2	60	12
Workhouse Hospitals,	7	6	10	5	22	8	17	13	.	1	1	2	3	6		.	102	8

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St. Jude.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th February, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	51·0	342	74	20	47	80	104	17	.	5	1	.	.	.	.	1	4	11	40	14	94	4	179
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	16·7	5	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	2
II.	MIDDLE CLASS,	81,469	33·9	53	7	4	10	12	16	4	.	.	1	.	.	.	.	1	.	2	7	1	7	.	36
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	30·4	58	17	4	9	15	12	1	.	3	.	.	.	.	.	.	1	4	6	4	17	1	26
IV.	GENERAL SERVICE CLASS,	147,978	76·9	116	41	12	17	29	16	1	.	2	.	.	.	.	.	.	2	4	17	9	29	3	54
V.	INMATES OF WORKHOUSES,	5,191		110	9	.	11	24	58	8	.	.	.	.	.	.	.	.	1	1	10	.	38	.	61
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	6·5	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	36·3	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	8·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	18·0	9	2	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	6
	6. Clerks and Commercial Assistants,	25,001	35·4	17	4	2	5	4	2	.	.	.	.	.	.	.	.	1	.	1	3	1	3	.	9
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	55·2	26	1	2	4	5	12	2	.	.	1	.	.	.	.	.	.	1	3	.	1	.	21
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	63·0	9	4	.	1	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	4	.	4
	9. Building and Furnishing Trades,	26,294	35·6	18	5	3	4	3	3	.	.	1	.	.	.	.	.	.	.	1	1	4	3	1	8
	10. Clothing Trades,	23,927	10·9	5	1	1	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	11. Food Supply Trades,	7,949	52·3	8	3	.	1	2	2	.	.	1	.	.	.	.	.	.	.	1	1	.	2	.	4
	12. Other Trades and Callings ranking with Trades,	26,987	27·0	14	4	.	1	4	5	.	.	1	.	.	.	.	.	.	.	1	2	.	6	.	5
	13. Petty Shopkeepers,	6,839	30·4	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	34·1	9	2	.	1	3	2	1	.	.	.	.	.	.	.	.	.	.	2	1	3	1	2
	15. Domestic Servants,	39,967	9·1	7	1	1	1	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	28·9	6	2	1	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	4
	17. Hawkers, Porters, Labourers, &c.,	83,472	58·7	94	36	10	14	22	12	.	.	2	.	.	.	.	.	.	1	3	14	8	24	2	43
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	110	9	.	11	24	58	8	.	.	.	.	.	.	.	.	1	1	10	.	38	.	61

from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 24th February, 1900. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Meteorology.† Week ending 24th Feb., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th Feb., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th Feb., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 28 Town Districts	1,062,188	12·2	28·0	37·5	1·5	672	763	117	272	.	6	3	1	4	2	1	5	9	81	231	10	28	245	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	38·3	48·0	1·6	257	322	51	110	.	5	1	.	.	.	.	1	4	37	92	4	8	162	§56·4	28·9	41·4	0·52	§51·3	12·7	32·9	0·68	§37·7	13·2	29·9	0·69
Registrars' Districts. City	245,001	65·6	48·0	54·1	1·7	202	254	41	81	.	2	1	.	.	.	.	1	4	29	75	3	7	187	55·9	31·4	43·0	0·61	48·8	21·9	35·8	0·88	39·6	21·7	33·2	0·34
Clontarf &c. No. 1	4,188	1·5	88·2	37·8	.	7	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	9·7	38·9	.	2	8	2	4	.	.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	24·6	12·3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	57·8	29·0	41·0	0·63	49·3	12·4	33·3	0·70	39·4	16·0	31·5	0·46
Palmerston, part of and Crumlin part of (b),	7,273	8·0	7·2	57·4	7·2	1	3	1	3	.	1	.	.	.	.	.	.	.	2	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	30·0	28·1	.	16	15	2	9	.	.	.	.	.	.	.	.	.	1	4	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	21·2	36·0	.	10	17	1	10	.	.	.	.	.	.	.	.	.	.	4	.	.	10	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	6·2	43·4	.	1	7	1	1	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,§	17,386	11·9	48·0	27·0	6·0	16	9	2	1	.	2	.	.	.	.	.	.	.	1	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts.																																			
Belfast,	359,000	21·8	38·4	26·3	1·7	230	181	31	50	.	.	2	.	3	1	1	2	3	19	67	5	14	20	55·0	30·0	40·5	1·00	46·4	21·0	34·3	1·45	40·9	19·8	31·9	0·03
Cork,	75,845	33·3	26·3	33·9	1·4	38	49	6	20	.	1	.	.	.	.	.	.	1	7	7	.	1	16	54	32	43·9	1·84	50	25	37·5	1·36	43	29	35·7	0·48
Limerick,	37,155	17·9	35·1	51·9	.	25	37	6	14	.	.	.	.	.	.	.	.	.	3	16	.	.	12	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	31·4	40·8	.	20	26	3	12	.	.	.	.	.	.	.	.	.	2	12	.	.	.	51·0	30·0	39·4	0·77	45·0	20·0	34·8	1·19	42·0	15·0	32·0	0·31
Waterford,	26,208	18·8	15·9	21·9	.	8	11	2	6	.	.	.	.	.	.	.	.	.	2	2	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	22·7	45·3	.	6	12	3	6	.	.	.	.	.	.	.	.	.	.	4	.	.	4	50	29	42	1·20	46	22	35	0·73	44	23	35	.
Drogheda	13,708	8·7	11·4	41·8	.	3	11	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	48·5	56·3	.	12	14	2	6	.	.	.	.	.	.	.	.	.	.	6	.	.	1	55·0	28·5	40·5	1·19	46·2	19·8	34·7	0·84	40·8	21·1	31·2	0·03
Dundalk,	12,449	9·0	29·3	25·1	.	7	6	.	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	21·3	34·1	4·3	5	8	1	3	.	.	.	.	.	.	.	1	.	1	1	.	1	3	55·0	28·5	40·5	1·19	46·2	19·8	34·7	0·84	40·8	21·1	31·2	0·03
Wexford,	11,545	24·0	27·1	22·6	.	6	5	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	27·4	54·7	4·6	6	12	3	6	.	.	.	.	1	.	.	.	.	.	3	.	.	.	55·0	28·5	40·5	1·19	46·2	19·8	34·7	0·84	40·8	21·1	31·2	0·03
Kilkenny,	11,048	12·0	42·5	42·5	4·7	9	9	1	7	.	.	.	.	.	1	.	.	.	.	.	.	.	16	.	.	.	.	47	11	26·1	0·84	38	10	26·5	0·53
Clonmel,	10,708	8·2	34·1	58·4	4·9	7	12	2	6	.	.	.	.	.	.	.	.	1	1	4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	20·3	15·2	.	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	2	52·7	25·4	39·3	1·73	47·5	19·0	33·5	1·45	41·7	15·6	30·5	0·18
Tralee,	9,818	15·9	16·8	61·6	11·2	3	11	2	7	.	.	.	1	.	.	.	1	.	2	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	39·5	33·3	.	7	6	1	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	22·7	45·4	.	4	8	.	2	.	.	.	.	.	.	.	.	.	1	5	.	.	.	52	30	40·3	1·18	46	22	35·0	0·94	41	23	38·3	0·06
Queenstown,	9,082	17·0	40·2	17·2	.	7	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	54	32	43·9	1·84	50	25	37·5	1·36	43	29	35·7	0·48
Carrickfergus,	8,923	0·5	5·8	17·5	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,430	11·0	24·7	49·5	.	4	8	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	55·0	28·5	40·5	1·19	46·2	19·8	34·7	0·84	40·8	21·1	31·2	0·03
Armagh,	7,187	21·4	28·5	42·8	.	4	6	.	1	.	.	.	.	.	.	.	.	.	1	3	.	.	1	55·0	28·5	40·5	1·19	46·2	19·8	34·7	0·84	40·8	21·1	31·2	0·03

(*a* That portion of the District situated in Glasnevin District Electoral Division. (*b*) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude.

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roches Point for Cork and Queenstown.

‡ Exclusive of 20 deaths of persons (including 11 aged 60 years or upwards), admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the Districts, and the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin. DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
North City, No. 1 (E.)	Jan. 6,	34·5	1·9	18	.	.	.	.	.	.	.	1	.	2	10	.
	,, 13,	46·1	1·9	24	.	1	.	.	.	.	.	.	.	3	7	.
	,, 20,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	,, 27,	25·0	.	13	.	.	.	.	.	.	.	.	.	4	4	1
(*Office, Clarence-street, Mth.*)	Feb. 3	28·0	.	14	.	.	.	.	.	.	.	.	.	2	5	.
	,, 10,	30·7	3·8	15	.	.	.	.	.	.	.	.	2	2	4	.
	,, 17,	49·9	.	26	.	.	.	.	.	.	.	.	.	2	4	.
Pop. (in 1891) 27,147.	,, 24,	57·6	5·8	30	.	.	.	.	.	.	.	.	3	3	7	1
North City, No. 1 (W.)	Jan. 6,	62·9	3·0	42	.	.	.	.	.	.	.	1	1	5	18	.
	,, 13,	50·9	4·5	34	.	.	.	.	.	.	.	.	3	2	18	.
	,, 20,	53·9	3·0	36	.	.	.	.	.	1	.	.	1	4	15	.
	,, 27,	43·4	.	29	.	.	.	.	.	.	.	.	.	5	6	.
(*Office, Summer-hill.*)	Feb. 3,	35·9	3·0	24	.	.	.	.	.	.	.	1	1	1	7	.
	,, 10,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	3	5	.
	,, 17,	41·9	1·5	28	.	.	.	.	.	.	.	1	.	3	13	.
Pop. (in 1891) 34,836.	,, 24,	40·4	.	27	.	.	.	.	.	.	.	.	.	1	5	1
North City, No. 2.	Jan. 6,	52·6	1·8	33	.	1	.	.	.	.	.	.	.	7	9	.
	,, 13,	50·6	.	28	.	.	.	.	.	.	.	.	.	3	11	.
	,, 20,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	3	5	2
	,, 27,	41·5	1·8	23	.	1	.	.	.	.	.	.	.	1	6	.
(*Office, Lisburn-street.*)	Feb. 3,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	3	10	1
	,, 10,	32·5	.	18	.	.	.	.	.	.	.	.	.	1	8	.
	,, 17,	41·5	.	23	.	.	.	.	.	.	.	.	.	5	9	3
Pop. (in 1891) 29,871.	,, 24,	52·4	1·8	29	.	.	.	.	.	.	.	1	.	7	3	.
North City, No. 3.	Jan. 6,	66·0	4·0	33	.	1	.	.	1	.	.	.	.	4	10	.
	,, 13,	58·0	6·0	34	.	2	.	.	.	.	.	1	.	5	12	.
	,, 20,	50·0	2·0	25	.	.	.	.	.	1	.	.	.	4	10	1
	,, 27,	65·0	6·0	33	.	2	.	.	.	.	.	1	.	3	7	1
(*Office, Blackhall-place.*)	Feb. 3,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	3	1
	,, 10,	32·0	2·0	16	.	.	.	.	.	1	.	.	.	.	7	.
	,, 17,	46·0	6·0	23	.	.	.	.	3	1	.	.	.	3	5	1
Pop. (in 1891) 26,055.	,, 24,	52·0	2·0	26	.	1	.	.	.	.	.	.	.	4	6	.
South City, No. 1.	Jan. 6,	61·3	1·6	39	.	1	.	.	.	.	.	.	.	8	11	1
	,, 13,	66·0	3·1	42	.	1	.	.	1	.	.	.	.	4	15	1
	,, 20,	45·6	3·1	29	.	1	.	.	.	.	.	.	1	3	5	.
	,, 27,	44·0	1·6	28	.	.	.	.	1	.	.	.	.	3	4	.
(*Office, South Earl-street.*)	Feb. 3,	37·7	.	24	.	.	.	.	.	.	.	.	.	3	14	.
	,, 10,	31·4	3·1	20	.	.	1	.	1	.	.	.	.	3	9	.
	,, 17,	58·1	1·6	37	.	.	.	.	.	.	.	.	1	3	10	3
Pop. (in 1891) 33,194.	,, 24,	64·4	.	41	.	.	.	.	.	.	.	.	.	3	17	.
South City, No. 2.	Jan. 6,	42·2	.	15	.	.	.	.	.	.	.	.	.	.	9	.
	,, 13,	53·4	5·6	19	.	.	1	.	1	.	.	1	.	1	10	.
	,, 20,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	7	.
	,, 27,	28·1	2·8	10	.	.	.	.	1	.	.	.	.	1	4	.
(*Office, Castle-street.*)	Feb. 3,	22·5	2·8	8	.	1	.	.	.	.	.	.	.	1	1	.
	,, 10,	25·3	2·8	9	.	.	.	.	.	1	.	.	.	3	3	.
	,, 17,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	1	7	.
Pop. (in 1891) 13,547.	,, 24,	50·6	2·8	18	.	.	.	.	.	.	.	.	1	3	5	.
South City, No. 3.	Jan. 6,	45·0	1·3	35	.	1	.	.	.	.	.	.	.	6	15	1
	,, 13,	34·7	2·6	27	.	2	.	.	.	.	.	.	.	1	8	.
	,, 20,	43·7	2·6	34	.	.	.	.	1	.	.	.	1	1	13	1
	,, 27,	27·0	.	21	.	.	.	.	.	.	.	.	.	4	2	.
(*Office, Peter-street.*)	Feb. 3,	37·3	2·6	29	.	.	1	.	.	.	.	.	1	5	8	1
	,, 10,	31·1	2·6	25	.	.	.	.	2	.	.	.	.	5	10	.
	,, 17,	33·4	1·3	26	.	1	.	.	.	.	.	.	.	1	6	1
Pop. (in 1891) 40,558.	,, 24,	37·9	1·3	45	.	.	1	.	.	.	.	.	.	3	15	1
South City, No. 4.	Jan. 6,	37·9	.	26	.	.	.	.	.	.	.	.	.	2	6	.
	,, 13,	52·4	5·8	36	.	1	.	.	.	1	.	2	.	7	9	.
	,, 20,	36·4	2·9	25	.	1	.	.	1	.	.	.	.	.	6	1
	,, 27,	30·6	1·5	31	.	.	.	.	1	.	.	.	.	5	5	.
(*Office, Grand Canal-street.*)	Feb. 3,	37·9	4·4	26	.	1	.	.	.	1	.	1	.	.	4	1
	,, 10,	30·6	7·3	21	.	3	.	.	1	1	.	.	.	2	3	1
	,, 17,	51·0	7·3	35	.	.	1	.	1	1	.	1	1	5	7	.
Pop. (in 1891) 35,793.	,, 24,	55·4	1·5	38	.	1	.	.	.	.	.	.	.	6	12	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases; *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Jan. 6,	35·6	1·9	19	.	.	.	.	.	.	.	1	.	2	4	.
	„ 13,	43·1	1·9	23	.	1	.	.	.	.	.	.	.	1	7	.
	„ 20,	33·8	1·9	18	.	.	.	.	.	.	.	1	.	1	4	.
	„ 27,	24·4	.	13	.	.	.	.	.	.	.	.	.	2	5	.
	Feb. 3,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	„ 10,	24·4	3·3	13	.	.	1	.	.	1	.	.	.	1	3	1
	„ 17,	33·8	.	18	.	.	.	.	.	.	.	.	.	.	5	.
	„ 24,	28·1	.	15	.	.	.	.	.	.	.	.	.	1	4	.
Donnybrook. Pop. (in 1891) 24,629.	Jan. 6,	57·2	10·6	27	.	3	.	.	.	.	.	1	1	1	4	1
	„ 13,	29·6	6·4	14	.	3	.	.	.	.	.	.	.	.	6	1
	„ 20,	55·0	12·7	26	.	4	.	.	.	.	.	1	1	3	3	.
	„ 27,	40·2	2·1	19	.	1	.	.	.	.	.	.	.	2	5	.
	Feb. 3,	36·0	2·1	17	.	1	.	.	.	.	.	.	.	3	2	.
	„ 10,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 17,	29·6	.	14	.	.	.	.	.	.	.	.	.	2	7	.
	„ 24,	36·0	.	17	.	.	.	.	.	.	.	.	.	.	4	.
Kingstown. Pop. (in 1891) 17,986.	Jan. 6,	24·0	3·0	8	.	1	.	.	.	.	.	.	.	.	3	.
	„ 13,	45·0	9·0	15	.	3	.	.	.	.	.	.	.	.	3	.
	„ 20,	48·0	6·0	16	.	1	.	.	1	.	.	.	.	2	3	.
	„ 27,	48·0	3·0	16	.	1	.	.	.	.	.	.	.	1	1	.
	Feb. 3,	42·0	3·0	14	.	.	.	.	.	1	.	.	.	2	5	.
	„ 10,	30·0	3·0	10	.	.	.	.	.	1	.	.	.	1	1	.
	„ 17,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 24,	27·0	6·0	9	.	2	.	.	.	.	.	.	.	1	2	.
Belfast. Pop. in 1900 (Est.) 359,000.	Jan. 6,	28·8	2·6	193	.	1	.	.	6	2	2	4	3	27	74	5
	„ 13,	30·5	2·0	210	.	4	.	.	2	.	.	4	4	21	86	2
	„ 20,	24·1	2·3	166	.	.	1	.	9	1	.	4	1	17	72	.
	„ 27,	24·7	1·3	170	.	1	.	.	5	.	.	1	2	21	66	.
	Feb. 3,	19·6	1·2	135	.	1	.	.	4	.	.	1	2	12	32	2
	„ 10,	27·2	1·3	187	.	.	.	.	3	3	1	1	1	26	50	8
	„ 17,	32·8	1·5	226	.	.	.	.	4	2	.	1	3	27	73	8
	„ 24,	26·3	1·7	181	.	.	2	.	3	1	1	2	3	19	67	5
Cork. Pop. (in 1891) 75,345.	Jan. 6,	57·4	.	83	.	.	.	.	.	.	.	.	.	8	34	.
	„ 13,	58·1	0·7	84	.	1	.	.	.	.	.	.	.	7	21	.
	„ 20,	35·3	.	51	.	.	.	.	.	.	.	.	.	9	13	.
	„ 27,	45·0	2·1	65	.	2	.	.	.	.	.	.	1	13	14	1
	Feb. 3,	33·2	1·4	48	.	2	.	.	.	.	.	.	.	6	8	.
	„ 10,	22·1	.	32	.	.	.	.	.	.	.	.	.	4	2	.
	„ 17,	29·1	0·7	42	.	.	.	.	.	.	.	.	1	4	10	.
	„ 24,	33·9	1·4	49	.	1	.	.	.	.	.	.	1	7	7	.
Limerick. Pop. (in 1891) 37,155.	Jan. 6,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	„ 13,	23·9	.	17	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	22·5	.	16	.	.	.	.	.	.	.	.	.	1	12	.
	„ 27,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	7	.
	Feb. 3,	44·9	.	32	.	.	.	.	.	.	.	.	.	2	13	.
	„ 10,	29·5	.	21	.	.	.	.	.	.	.	.	.	1	8	.
	„ 17,	42·1	1·4	30	.	.	.	1	.	.	.	.	.	3	12	.
	„ 24,	51·9	.	37	.	.	.	.	.	.	.	.	.	3	16	.
Londonderry Pop. (in 1891) 33,200.	Jan. 6,	44·0	.	28	.	.	.	.	.	.	.	.	.	3	6	.
	„ 13,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	6	1
	„ 20,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	1	1
	„ 27,	37·7	.	24	.	.	.	.	.	.	.	.	.	4	3	.
	Feb. 3,	29·8	.	19	.	.	.	.	.	.	.	.	.	5	3	1
	„ 10,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	1	4	.
	„ 17,	40·8	1·6	26	.	.	.	.	.	.	.	.	1	4	10	.
	„ 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	2	12	.
Waterford. Pop. (in 1891) 26,200.	Jan. 6,	51·7	2·0	26	.	.	.	.	1	.	.	.	.	2	7	.
	„ 13,	23·9	2·0	12	.	.	1	.	.	.	.	.	.	2	1	.
	„ 20,	35·8	6·0	18	.	.	3	.	.	.	.	.	.	2	4	.
	„ 27,	39·8	2·0	20	.	.	.	.	1	.	.	.	.	2	7	1
	Feb. 3,	45·8	.	23	.	.	.	.	.	.	.	.	.	2	9	2
	„ 10,	19·9	4·0	10	.	.	.	.	2	.	.	.	.	.	4	.
	„ 17,	59·7	4·0	30	.	.	.	.	2	.	.	.	.	7	5	.
	„ 24,	21·9	.	11	.	.	.	.	.	.	.	.	.	2	2	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 24th February, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.			The estimate of the present Population of Belfast now adopted here (Table VII.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.																				
BELFAST URBAN, No. 1 DISTRICT,	17,122	9			10	.	2	6	2	.	.	.	.	.	.	.	.	.	3	3	1	1	2
" 2 "	37,589	25			21	3	2	11	5	.	.	.	.	1	.	.	.	.	1	6	1	3	3
" 3 "	38,845	38			29	6	2	13	8	.	.	2	.	.	.	.	1	.	3	12	.	.	4
" 4 "	33,391	22			19	3	1	8	7	.	.	.	.	.	.	.	.	.	1	6	.	1	3
" 5 "	21,284	11			10	2	.	6	2	.	.	.	.	.	.	.	.	.	3	4	.	.	2
" 6 "	43,431	27			26	4	1	10	11	.	.	.	.	1	.	1	.	1	2	13	.	1	1
" 7 "	1,112	1			1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 8 "	4,904	6			2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 9 "	12,866	6			6	1	1	1	3	.	.	.	.	.	.	.	.	.	.	4	1	1	2
" 10 "	12,256	15			20	5	2	10	3	.	.	.	.	.	.	.	.	.	2	10	1	3	2
" 11 "	19,881	25			15	1	1	8	5	.	.	.	.	.	.	.	.	.	1	3	.	1	.
" 12 "	28,282	36			15	3	3	8	1	.	.	.	.	.	1	.	1	.	1	3	.	2	.
" 13 "	6,804	9			6	2	.	2	2	.	.	.	.	1	.	.	.	1	1	2	.	.	.
" 14 "	362	.			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Total,	278,079	230			181	31	16	84	50	.	.	2	.	3	1	1	2	3	19	67	5	14	20
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	4	30·6	.	7	.	.	2	4	.	.	.	.	.	.	.	.	.	1	.	.	.	5
" 2 "	9,252	9	45·1	.	8	1	.	6	1	.	.	.	.	.	.	.	.	.	2	2	.	.	5
" 3 "	9,816	4	31·9	.	6	.	1	2	3	.	.	.	.	.	.	.	.	.	1	2	.	.	1
" 4 "	10,356	2	30·2	.	6	.	.	3	3	.	.	.	.	.	.	.	.	.	1	.	.	1	4
" 5 "	8,187	6	57·6	12·8	9	1	3	2	3	.	1	.	.	.	.	.	.	1	2	1	.	.	1
" 6 "	8,823	2	38·5	.	6	3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 7 "	17,034	11	21·4	.	7	1	.	2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Total,	75,345	38	33·9	1·4	49	6	4	19	20	.	1	.	.	.	.	.	.	1	7	7	.	1	16

Boundaries of Registrars' Districts—Belfast.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre of Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square. Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary, thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899-1900—Week ending																									
	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.
No. of week in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered,	228	223	239	209	201	263	252	231	218	203	246	202	187	192	189	199	203	175	239	263	199	230	204	240	186	230
DEATHS registered,	162	159	158	153	147	175	150	143	164	131	127	176	137	118	113	139	132	192	198	210	166	170	135	187	226	181
Annual Death-rate per 1,000 of estimated Population,	24·1	23·7	23·5	22·8	21·9	26·1	22·3	21·3	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3
AGES, Under 1 year,	62	64	51	60	47	50	44	35	40	35	30	38	40	28	21	26	19	39	34	40	26	32	22	30	41	31
AGES, 1–5 years,	21	18	21	16	16	20	19	24	21	15	18	25	17	14	10	19	9	25	31	23	24	22	17	15	23	16
AGES, 5–60 years,	61	58	67	59	64	80	60	57	84	60	49	90	57	46	63	73	74	75	93	88	71	71	62	99	102	84
AGES, 60 years and upwards,	18	19	19	18	20	25	27	27	19	21	30	23	23	30	19	21	30	53	40	59	45	45	34	43	60	50
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	.	.	1	2	1	1	1	.	.	.	1	2	.	1	1	2	1	1	4	.	1	1	.	.	.
" Scarlet Fever,	.	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.	1	1	.	.	1	.	.	.	.	2
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	6	4	2	6	1	4	3	4	2	1	5	1	4	4	.	2	1	6	6	2	9	5	4	3	4	3
" Diphtheria,	.	.	.	2	1	.	.	.		.	2	1	2	2	.	3	2	1	2	.	1	.	.	3	2	1
" Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1
" Enteric Fever,	8	8	9	6	9	14	9	8	9	3	6	10	4	5	1	2	1	4	4	4	4	1	1	1	1	2
" Diarrhœa, Dysentery,	33	19	18	19	15	9	4	2	4	.	2	.	.	.	.	1	.	1	3	4	1	2	2	1	3	3
" Phthisis,	25	13	22	13	21	20	15	10	16	17	14	35	12	13	19	29	14	31	27	21	17	21	12	26	27	19
" Diseases of Respiratory System,	12	20	16	22	19	38	32	43	50	43	37	49	35	38	37	34	27	64	74	86	72	66	39	50	73	67
Violent Deaths,	3	2	1	3	4	2	4	3	8	3	1	3	7	4	1	2	6	2	5	2	.	.	3	8	8	5

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Feb. 24,	2,796	1,894	21·5	.	42	4	48	40	17	12
EDINBURGH,	302,262	„ 24,	148	150	25·8	.	.	2	.	1	.	3
GLASGOW,	743,969	„ 24,	474	602	35·1	.	9	5	5	9	2	8
CALCUTTA,	466,460	Dec. 23,	.	356	39·8	3	1	.	1	1	93‡	73*
BOMBAY,	821,764	Jan. 30,	239	2,385	150·9	229	106	?	?	?	222§	216*
MADRAS,	452,518	Dec. 29,	336	420	48·2	.	7	?	?	?	117	52
PARIS,	2,511,629	Feb. 17,	1,223	1,423	29·4	.	21	1	4†	2	29	25
BRUSSELS (with 8 Faubourgs).	561,130	„ 10,	278	220	20·4	.	1	.	1†	1	3	14
AMSTERDAM,	523,743	„ 3,	206	186	18·5	.	.	.	.	6	3	.
ROTTERDAM,	319,491	„ 3,	239	120	19·6	.	3	.	3	2	1	.
THE HAGUE,	205,328	„ 3,	121	76	19·2	.	.	.	.	.	.	.
COPENHAGEN,	349,000	„ 17,	182	126	18·8	.	.	.	1	3	1	3
CHRISTIANIA,	221,255	„ 17,	122	100	23·5	.	.	2	2	.	.	.
ST. PETERSBURG,	1,132,677	„ 10,	668	619	28·4	7	21	19	35	6	19	57
BERLIN,	1,848,269	„ 3,	964	650	18·3	.	4	7	9	14	1	24
HAMBURG,	491,349	„ 10,	.	293	22·0	.	.	2	3†	4	.	5
DRESDEN,	400,400	Jan. 6,	263	128	16·7	.	1	.	1†	8	.	1
BRESLAU,	406,012	Feb. 17,	.	237	30·4	.	3	2	3	3	1	28
MUNICH,	445,000	Dec. 9,	313	202	23·8	.	.	.	3†	1	.	21
VIENNA (with suburbs).	1,639,811	Jan. 27,	861	634	20·[illegible]	.	7	.	3†	.	3	32
BUDA-PESTH,	685,340	—	.	.	.	.	.	.	.	.	.	.
PRAGUE and Faubourgs.	385,952	Feb. 10,	235	175	23·6	.	1	2	2	4	1	2
ROME,	512,423	Jan. 20,	274	278	28·2	.	8	.	3	1	.	8
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	172,491	Jan. 27,	73	101	30·4	.	.	.	2†	.	.	4
NEW YORK.	3,654,594	„ 27,	1,571	1,281	18·3	.	32	16	53	9	7	8
PHILADELPHIA,	1,266,832	„ 27,	.	498	20·4	.	4	5	27	5	9	5

* Including 14 deaths from cholera in Calcutta and 4 in Bombay. † Including deaths from croup.
‡ Exclusive of 21 deaths from bubonic fever. § Exclusive of 391 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., P.R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 24th February, 1900:—

"This week witnessed the complete and final triumph of the warm equatorial or south-westerly air-current in Western and North-western Europe. In the earlier part of the period there was a considerable mixture of the cold and warm air currents, but on and after Thursday the polar current disappeared from our area and the weather became very mild, though changeable. On Sunday night a very deep depression approached St. George's Channel from S.W. It was central near Pembroke at 8 a.m. of Monday, when the barometer read only 28·48 inches at that station, where a S.W. gale was blowing with a temperature of 49°. At the same time a fresh E.N.E. wind was reported from Holyhead with the thermometer at 39°. Northeasterly to northerly winds blew over Ireland, which was some 10° colder than England. Large quantities of rain fell in many places, and serious floods occurred in the English fens owing to the rapid thaw and heavy rains. Thunder and lightning were reported from Valentia (Kerry) both on Monday evening and on Wednesday night. At Shields the barometer fell to 28·21 inches at 10 p.m. of Monday, as the centre of the depression noticed above reached that neighbourhood. From Wednesday onwards a series of less deep depressions arrived in rapid succession from the Atlantic, travelling northeastwards across Ireland and Scotland. In Dublin the mean height of the barometer was only 29·172 inches, pressure ranging between 28·522 inches at 9 a.m. of Monday (wind, N.E.) and 29·642 inches at 9 p.m. of Saturday (wind, S.). The mean temperature was 43·0°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 41·6°. The screened thermometers fell to 31·4° on Wednesday, and rose to 55·9° on Saturday. The rainfall was ·612 inch on five days, ·428 inch being recorded on Sunday. N.W. to S.W. and S. winds predominated. The duration of bright sunshine was estimated at 32½ hours. At Biarritz a shade temperature of 72° was recorded on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·196 inches. The highest reading (29·677) was on Saturday at 9 P.M., wind S.W., and the lowest (28·540) on Monday at 9 A.M., wind N.E.

The mean temperature for the week was 41·4°, being 1·0° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Saturday, when the thermometer registered 56·4°, and was lowest on Wednesday, the mercury having fallen to 28·9°. The mean of the Dry Bulb for the week was 41·4°, and of the Wet Bulb 39·2°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 25·6 hours. The rainfall measured ·520 inch.

At Greenwich the mean temperature for the week was 45·4°, the maximum 58·9°, and the minimum 33·0°; at Glasgow the maximum was 54·2°, the minimum 29·8°, and the mean 39·9°; and at Edinburgh the maximum was 52·7°, the minimum 26·0°, and the mean 38·4°. The rainfall at Greenwich measured ·51 in.; at Glasgow 1·40 ins.; and at Edinburgh 1·50 ins.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind 9 A.M.	Direction of the Wind 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 18,	29·076	46·9	35·5	41·2	38·5	36·9	·87	·8	1·7	·330	S.W.	W.
Monday, „ 19,	28·588	40·7	32·9	36·8	36·5	35·8	·94	·8	0·3	·070	N.E.	W.
Tuesday, „ 20,	29·073	41·0	31·7	36·4	34·4	32·7	·82	·5	2·1	·020	W.	N.W.
Wednesday, „ 21,	29·388	43·9	28·9	36·4	39·5	37·0	·79	·4	3·3	·020	W.	S.E.
Thursday, „ 22,	29·301	50·8	37·9	44·4	43·2	41·2	·86	·4	3·7	·080	S.W.	Calm.
Friday, „ 23,	29·339	54·6	34·9	44·8	49·3	45·8	·77	·3	8·8	—	S.W.	S.W.
Saturday, „ 24,	29·606	56·4	42·9	49·7	48·1	45·0	·79	·3	5·7	—	S.	S.W.
Mean, . .	29·196	47·8	35·0	41·4	41·4	39·2	·83	·5	Total 25·6	Total ·520	Prevailing wind S.W.	

Sunday—A cloudy day; rain 1.30 to 3 p.m. and 3.30 to 9 a.m.; night cloudy. *Monday*—Dull a.m.; cloudy p.m.; rain 9 to 12 a.m.; night cloudy. *Tuesday*—Dull a.m.; cloudy p.m.; rain and snow 9.30 to 11.30 a.m.; night clear to 8 a.m. *Wednesday*—A cloudy day; rain 6 to 7.30 p.m.; showery 7 to 8.30 a.m.; night cloudy. *Thursday*—A cloudy day; showery 11 a.m. to 2 p.m. and 11.30 p.m. to 4 a.m.; night cloudy; squally 7 to 9. *Friday*—A beautiful day; light clouds; squally 9 a.m. to 8 p.m.; night clear to 6 a.m. *Saturday*—Cloudy a.m.; bright p.m.; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office

P. 517. 2. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½d.

VOL. XXXVII.] WEEK ENDING SATURDAY, 3RD MARCH, 1900. [No. 9.

General Register Office, Charlemont House, Dublin, 5th March, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 19·0), was equal to an average annual death-rate of 21·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 29·0 per 1,000, the rate for Glasgow being 34·2, and for Edinburgh 22·7.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 32·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Feb. 10.	Week ending Feb. 17.	Week ending Feb. 24.	Week ending Mar. 3.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 10.	Week ending Feb. 17.	Week ending Feb. 24.	Week ending Mar. 3.	Average Rate for 4 weeks.
23 Town Dists.	28·3	36·2	37·5	32·2	33·6	Limerick, . .	29·5	42·1	51·9	43·5	41·7
Armagh, . .	35·6	28·5	42·8	42·8	37·4	Lisburn, . .	17·0	12·8	34·1	42·6	26·6
Ballymena, .	16·9	33·8	33·8	56·4	35·2	Londonderry, .	26·4	40·8	46·8	39·3	35·3
Belfast, . .	27·2	22·8	26·3	30·1	29·1	Lurgan, . .	31·9	36·5	54·7	36·5	39·9
Carrickfergus, .	5·8	35·1	17·5	11·7	17·5	Newry, . .	20·1	48·3	56·3	52·3	44·2
Clonmel, . .	19·5	9·7	58·4	24·3	28·0	Newtownards, .	45·4	28·3	45·4	11·3	32·6
Cork, . . .	22·1	29·1	33·9	29·1	28·6	Portadown, .	6·2	18·6	49·5	6·2	20·1
Drogheda, . .	72·3	41·8	41·8	38·0	48·5	Queenstown, .	34·4	23·0	17·2	57·4	33·0
Dublin, Reg. Area,	29·1	40·9	48·0	33·6	37·9	Sligo, . . .	5·1	15·2	15·2	15·2	12·7
Dundalk, . .	33·5	4·2	25·1	0·0	15·7	Tralee, .	44·8	83·9	61·6	61·6	63·0
Galway, . .	79·3	56·7	45·3	34·0	53·8	Waterford, .	19·9	59·7	21·9	29·8	32·8
Kilkenny, . .	61·4	28·3	42·5	37·8	42·5	Wexford, . .	22·6	27·1	22·6	9·0	20·3

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in sixteen of the districts to 7·6 in Drogheda; the 10 deaths from all causes registered in that district comprising 2 from measles. Among the 207 deaths from all causes registered in Belfast are one from measles, one from scarlatina, 4 from whooping-cough, 2 from

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table VI.

diphtheria, and 5 from enteric fever; the 42 deaths in Cork comprise one from measles and one from diarrhœa; and the 15 deaths in Waterford comprise one from whooping-cough and one from enteric fever.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 179—79 boys and 100 girls; and the deaths to 230—96 males and 134 females.

The deaths, which are 16 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 34·3 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 32·6 per 1,000. During the nine weeks ending with Saturday last the death-rate averaged 41·7, and was 8·7 over the mean rate for the corresponding portions of the ten years 1890–99.

The number of deaths from zymotic diseases registered during last week is 28, being equal to the average for the corresponding week of the last ten years, but 2 under the number for the week ended the 24th ultimo: the 28 deaths comprise one from measles, one from scarlet fever (scarlatina), 13 from influenza and its complications, one from diphtheria, 4 from enteric fever, 5 from diarrhœa, 2 from erysipelas; &c.

Seventeen cases of scarlatina were admitted to hospital during the week, against 10 for the preceding week: 8 scarlatina patients were discharged during the week; one died; and 66* remained under treatment on Saturday last, being 8 over the number in hospital at the close of the preceding week.

The number of cases of measles admitted to hospital is 5, being one under the admissions for the preceding week: 4 patients were discharged during the week; one died; and 25 remained under treatment on Saturday last, being equal to the number in hospital on Saturday the 24th ultimo.

The weekly number of cases of enteric fever admitted to hospital, which had risen from 10 for the week ended the 10th ultimo to 11 for the following week and 16 for the week ended the 24th ultimo, fell to 5 last week: 8 patients were discharged during the week; 2 died; and 63 remained under treatment on Saturday last, being 5 under the number in hospital on Saturday the 24th ultimo.

There were but 2 cases of diphtheria admitted to hospital during last week; in the course of the preceding week 12 cases were admitted, but in the week ended the 17th ultimo there was only one case received: 7 patients were discharged during the week; one died; and 17 remained under treatment on Saturday last, being 6 under the number in hospital at the close of the preceding week.

Fifty-five deaths from diseases of the respiratory system were registered, being 4 over the average for the corresponding week of the last ten years: they consist of 38 from bronchitis, 16 from pneumonia or inflammation of the lungs, and one from pleurisy.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals, during the week ended Saturday, 3rd March, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd March.			
	Feb. 10.	Feb. 17.	Feb. 24.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox, .	.	.	.	.	.	.	.
Measles, .	29	25	25	5	4	1	25
Scarlet Fever, .	71	64	58	17	8	1	66*
Typhus „ .	.	.	.	.	.	.	.
Diphtheria, .	21	16	23	2	7	1	17
Enteric Fever, .	71	67	68	5	8	2	63
Pneumonia, .	24	27	28	13	8	3	30

The deaths of 9 children under 5 years of age (including 8 infants under one year old) were ascribed to convulsions.

Two deaths were caused by apoplexy, 6 by other diseases of the brain and nervous system (exclusive of convulsions), and 24 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 30 deaths, mesenteric disease 2, tubercular meningitis 6, and cancer 8.

Two accidental deaths were registered.

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 infants under one year old and the deaths of 5 persons aged 60 years and upwards.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 9 were under one month old) and 69 were aged 60 years and upwards, including 37 persons aged 70 and upwards, of whom 9 were octogenarians, and one (a woman) was stated to have been aged 94 years.

Eighty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse, 24 in the South Dublin Union Workhouse, and 1 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 33·6 per 1,000; the rate in the city was 36·0 (36·1 on the North side, and 35·8 on the South), and in the Suburbs 27·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the city being 1·9 (3·1 in the North City Districts, and 0·8 in the South), and for the Suburbs 1·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 25·0 per 1,000. They comprise 3 from zymotic diseases, viz.:—two from enteric fever and one from influenza. Two deaths were caused by inflammatory diseases of the respiratory system, 2 by diseases of the circulatory system, and 3 by phthisis.

No. 1 North City District, West (Summer-hill).—The deaths (24) are equal to an annual rate of 35·9 per 1,000. Among them are 3 from zymotic diseases, including one from measles and one from enteric fever. The 21 deaths from other causes comprise 6 from bronchitis and 3 from phthisis.

No. 2 North City District (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 37·9 per 1,000. They include 2 from zymotic diseases, viz.:—one from influenza and one from diarrhœa. Among the 19 deaths from other causes are 8 from bronchitis, 2 from pneumonia, and 2 from diseases of the circulatory system.

No. 3 North City District (Blackhall-place).—The deaths (23) represent an annual rate of 46·0 per 1,000. They comprise 2 from zymotic diseases, viz.:—one from scarlatina and one from diarrhœa. Two deaths were caused by bronchitis, 2 by pneumonia, 3 by diseases of the circulatory system, 4 by phthisis, and 4 by convulsions.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 31·4 per 1,000. The only death from any zymotic disease recorded is one from influenza. The 19 deaths from other causes comprise 2 from bronchitis, 3 from diseases of the circulatory system, 4 from phthisis, and 2 from convulsions.

No. 2 South City District (Castle-street).—The deaths (21) are equal to an annual rate of 59·0 per 1,000. They comprise 3 from zymotic diseases, viz.:—one from enteric fever, one from influenza, and one from diarrhœa. Three deaths were caused by bronchitis, 4 by diseases of the circulatory system, and 2 by diseases of the brain and nervous system.

No. 3 South City District (Peter-street).—The deaths (25) are equal to an annual rate of 32·1 per 1,000. They comprise 4 from bronchitis, 2 from pneumonia, 3 from diseases of the circulatory system, 3 from phthisis, 2 from cancer, and 2 from convulsions. No deaths from any zymotic disease were recorded.

No. 4 South City District (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·0 per 1,000. Influenza caused 2 deaths, but no deaths from any other zymotic disease were recorded. The 20 deaths from other causes comprise 4 from bronchitis, 3 from phthisis, 2 from cancer, and 2 from diseases of the brain and nervous system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 37·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 34·0; Finglas and Glasnevin, part of, 24·6; Palmerston, part of, and Crumlin, part of, 7·2; Rathmines, 24·4; Donnybrook, 31·8; Blackrock, 24·8; and Kingstown, 33·0. The deaths from zymotic diseases tabulated for these districts consist of one from diarrhœa for Clontarf and Howth, No. 1; one from influenza for Coolock and Drumcondra, No. 1; one from erysipelas for Finglas and Glasnevin, part of; one from influenza for Palmerston, part of; one from diphtheria, 2 from influenza, and one from diarrhœa for Rathmines; one from influenza for Donnybrook; one from influenza and one from erysipelas for Blackrock; and one from influenza for Kingstown. Of the 7 deaths from all causes tabulated for Coolock and Drumcondra, No. 1 District, 2 were from tubercular meningitis; among the 13 deaths for Rathmines are 3 from bronchitis and 3 from pneumonia; 4 of the 15 deaths for Donnybrook were from bronchitis and 3 from phthisis; and the 11 deaths for Kingstown comprise 2 from inflammatory diseases of the respiratory system and 3 from phthisis.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 9th Week of the 10 years 1890–99.	In the week ending Saturday, 3rd March, 1900. Deaths of persons of the Ages of							
	Mar. 1, 1890	Mar. 7, 1891	Mar. 5, 1892	Mar. 4, 1893	Mar. 3, 1894	Mar. 2, 1895	Mar. 1, 1896	Mar. 6, 1897	Mar. 5, 1898	Mar. 4, 1899		ALL AGES. Mean Temp. 40·2	Under 1 month.	1 month and under 1 year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	39·5	45·2	34·4	42·2	44·1	37·1	42·1	39·4	38·9	41·1	40·4									
ALL CAUSES,	208	191	219	186	202	219	178	303	218	214	213·8	230	9	26	20	22	33	51	59	10
I. FEBRILE OR ZYMOTIC DISEASES,	28	8	35	20	25	14	15	87	27	23	28·2	28	.	4	3	5	4	6	3	3
II. PARASITIC DISEASES,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	1	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	47	40	44	49	46	42	51	52	38	62	47·1	54	1	4	5	10	11	18	5	.
V. DEVELOPMENTAL "	16	12	16	13	22	15	10	14	18	15	15·1	25	1	.	.	.	.	.	17	7
VI. LOCAL "	106	120	109	88	93	131	79	133	119	98	107·9	112	6	12	11	6	17	27	33	.
VII. VIOLENT DEATHS,	2	2	5	5	2	5	8	5	7	8	4·9	2	.	.	1	1	.	.	.	.
VIII. ILL-DEFINED CAUSES,	9	9	8	11	14	9	14	12	8	8	10·2	9	1	6	.	.	1	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	4	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Measles,	8	1	7	.	2	.	.	44	.	.	5·7	1	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	2	4	5	4	1·5	1	.	1	.	.	.	.	.	.
Typhus,	.	.	.	1	1	.	1	.	.	.	·8	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	.	8	.	6	4	2	3	7	3	3·5	13	.	.	.	2	2	4	2	3
Whooping Cough,	8	.	8	5	7	1	1	21	2	5	5·8	.	.	.	.	.	.	.	.	.
Diphtheria,	.	2	.	.	.	.	.	.	.	.	·2	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	9	.	4	4	3	1	4	7	7	6	4·5	4	.	.	1	2	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	1	2	2	1	.	1	3	2	2	1·5	5	.	2	1	.	.	1	1	.
Remittent Fever,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	1	1	.	1	1	2	·6	1	.	1	.	.	.	.	.	.
Erysipelas,	.	.	.	1	1	1	1	.	1	.	·5	2	.	.	.	.	1	1	.	.
Pyæmia, Septicæmia,	.	.	.	.	1	.	1	2	.	.	·4	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	1	1	2	.	.	.	.	1	1	·7	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	4	3	5	4	2	2	1	2	1	.	2·4	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	1	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	3	.	.	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	2	1	1	2	.	.	2	.	·8	1	.	.	.	.	.	1	.	.
Gout,	1	.	1	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
Cancer,	4	4	5	7	3	5	3	6	6	6	4·9	8	.	.	.	.	.	5	3	.
Tabes Mesenterica,	2	4	2	7	5	5	1	5	3	6	4·0	2	.	.	1	1	.	.	.	.
Tubercular Meningitis	3	2	2	2	5	2	4	3	1	8	3·2	6	.	2	3	1	.	.	.	.
Phthisis,	30	25	26	26	25	19	37	25	19	32	26·4	30	.	1	1	4	10	12	2	.
Scrofula, Tuberculosis,	3	5	4	5	5	8	4	9	5	7	5·5	7	1	1	.	4	1	.	.	.
Other Constitutional Diseases,	1	.	2	1	1	1	2	3	1	2	1·4	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	.	1	.	3	2	2	.	2	3	.	1·3	1	1	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	1	1	.	.	.	2	2	2	.	·9	.	.	.	.	.	.	.	.	.
Old Age,	15	10	15	10	20	13	8	10	13	15	12·9	24	.	.	.	.	.	.	17	7

each Disease registered in the NINTH WEEK ending Saturday, 3rd March, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 9th Week of the 10 years 1890-99.	In the Week ending Saturday, 3rd March, 1900.								
													Deaths of Persons of the Ages of							
	Mar. 1, 1890	Mar. 7, 1891	Mar. 5, 1892	Mar. 4, 1893	Mar. 3, 1894	Mar. 2, 1895	Mar. 1, 1896	Mar. 6, 1897	Mar. 5, 1898	Mar. 4, 1899		ALL AGES. Mean Temp.	Under 1 month.	0 to 5: 1 month and under 1 year.	0 to 5: 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	39·5°	45·2°	34·4°	42·2°	44·1°	37·1°	42·1°	39·4°	38·9°	41·1°	40·4°	40·2°								
VI. Local Diseases.																				
Apoplexy,	3	3	2	3	3	1	4	5	5	3	3·2	2	.	.	.	.	.	1	1	.
Epilepsy,	2	.	1	.	2	.	.	.	.	.	·5	1	.	.	.	.	.	.	1	.
Convulsions,	12	18	13	16	13	11	5	16	9	4	11·7	9	4	4	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	4	9	14	4	5	5	7	8	12	5	7·3	5	.	.	.	.	1	.	4	.
Diseases of Organs of Special Sense,	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	15	18	21	11	19	32	13	21	18	15	18·3	24	1	.	1	2	4	7	9	.
Croup,	.	.	.	.	.	1	1	2	.	1	·5	.	.	.	.	.	.	.	.	.
Bronchitis,	45	38	30	22	25	56	24	27	44	28	33·9	38	.	7	4	.	3	12	12	.
Pneumonia	9	9	11	5	12	11	11	29	10	17	12·4	16	1	1	4	2	3	3	2	.
Pleurisy,	.	1	1	2	.	1	.	.	.	.	·5	1	.	.	.	.	1	.	.	.
Other Diseases of Respiratory System,	3	5	2	7	4	6	2	4	1	2	3·6	.	.	.	.	.	.	.	.	.
Teething,	.	1	.	.	.	1	.	1	4	.	·7	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	1	1	1	1	.	·4	.	.	.	.	.	.	.	.	.
Enteritis,	1	3	.	2	.	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Peritonitis	2	.	.	6	.	1	1	1	.	2	1·3	1	.	.	.	.	.	.	1	.
Disease of Liver,	5	1	5	3	2	2	4	5	1	2	3·0	3	.	.	.	.	.	2	1	.
Other Diseases of Digestive System,	1	5	6	3	4	2	3	3	3	10	4·0	6	.	.	1	1	2	1	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	1	.	.	·1	.	.		.	.	.	.	.	.
Diseases of Urinary System,	3	7	2	4	1	.	2	5	6	7	3·7	2	.	.	.	.	.	1	1	.
Diseases of Generative System,	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	2	.	.	1	2	1	·6	2	.	.	.	1	1	.		.
Diseases of Locomotive System,	.	.	.	.	.	2	1	1	1	.	·5	1	.	.	.	.	1	.	.	.
Diseases of Integumentary System,	1	.	.	.	1	1	.	1	2	1	·7	1	.	.	.	.	1	.	.	
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	1	.	.	.	.	1	1	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	1	1	2	.	4	2	.	2	2	4·3	1	.	.	1	.	.	.	.	.
By Drowning,		.	1	.	.	.	2	.	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	1	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		1	.	1	.	.	.	.	1	1		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		.	2	1	.	1	2	2	3	2		1	.	.	.	1	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	1	.	2	.	.	1	·4	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	9	8	11	14	9	14	12	8	8	10·2	9	1	6	.	.	1	.	1	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899–1900—Week ending																									
	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.
No. of weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered,	198	236	211	237	190	198	188	180	225	172	241	193	154	206	167	188	247	187	209	168	191	184	174	175	257	179
Average Births in corresponding week of previous 10 years,	181	207	202	198	178	166	179	170	172	175	185	181	184	181	184	154	168	188	199	195	202	206	200	196	208	225
DEATHS registered,	251	235	200	223	196	225	250	244	216	249	248	220	259	258	256	285	280	337	331	295	259	238	199	284	342	230
Annual Death-rate per 1,000,	37·4	35·1	29·8	33·3	29·2	33·6	37·3	36·4	32·2	37·1	37·0	32·8	38·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3
Average Deaths in corresponding week of previous 10 years,	158	158	161	159	149	157	152	163	178	166	174	177	183	177	184	184	207	211	239	249	228	221	211	216	212	214
AGES, Under 5 years,	111	120	94	110	93	114	107	95	111	118	123	98	98	103	84	87	86	81	85	70	60	60	54	63	74	55
5—20 „	17	24	12	18	15	26	18	23	22	11	27	16	12	17	23	22	13	15	16	15	20	19	14	24	20	22
20—40 „	34	34	24	36	29	23	29	32	14	36	27	28	6	35	35	46	32	49	38	44	38	34	30	48	47	33
40—60 „	47	25	34	26	27	32	38	39	29	36	32	33	51	51	61	55	57	73	84	61	50	46	35	65	80	51
60—80 „	34	26	26	32	29	24	53	45	32	37	28	36	53	44	44	63	74	94	85	63	79	64	53	73	104	59
80 years and upwards,	8	6	10	1	5	6	5	10	8	11	11	9	14	8	9	12	18	25	23	22	12	15	13	11	17	10
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	17	23	23	28	32	44	52	44	38	39	51	38	29	30	23	24	15	10	18	9	5	4	3	1	5	1
„ Scarlet Fever,	2	1	2	.	.	2	1	1	.	1	2	1	2	1	1	1	1	.	1	.	.	1	2	1	1	1
„ Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	2	1	1	2	2	.	1	.	2	1	2	.	1	1	3	2	2	1	1	3	3	.	5	5	.	.
„ Diphtheria,	1	1	.	1	.	1	2	2	3	3	3	2	2	3	2	3	1	.	3	2	1	3	5	3	.	1
„ Simple continued and Ill-defined Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Enteric Fever,	7	9	5	11	4	7	4	6	2	5	9	4	6	2	2	3	2	5	5	2	1	2	.	3	1	4
„ Diarrhœa, Dysentery,	42	45	20	27	16	14	4	9	6	6	5	3	4	4	3	5	1	2	3	6	.	2	2	2	4	5
„ Phthisis,	31	29	18	23	20	22	26	29	15	21	17	20	35	27	36	30	28	40	27	29	36	29	23	32	40	36
„ Heart Diseases,	6	12	7	11	14	10	23	18	9	18	13	17	17	15	26	15	21	24	20	16	25	15	11	28	33	24
„ Diseases of Respiratory System,	31	21	24	30	31	29	39	40	53	57	50	51	66	70	66	73	98	110	110	92	55	67	65	74	94	55
Violent Deaths,	6	5	4	5	4	3	5	8	4	8	6	7	4	6	6	3	7	4	5	5	2	5	3	8	4	2
Mean Temperature of the Air Phœnix Park),	59·1	57·4	52·4	47·5	46·1	48·0	49·5	48·9	50·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2
Average Mean Temperature in corresponding week of previous 10 years,	56·4	56·6	53·6	52·7	51·1	48·4	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4
Rainfall in inches,	·150	·455	·575	1·470	·360	·355	·470	·325	1·085	·710	·050	·080	·240	·455	·200	·355	2·055	·715	·535	·560	·530	·920	·690	·680	·520	1·025
Mean Humidity of the Air, complete Saturation 1·0,	·82	·88	·78	·86	·85	·86	·88	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88	·88	·87	·83	·87

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 3rd March, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	NAMES OF REGISTRARS' DISTRICTS.																	
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROOK (c).	KINGSTOWN, Nos. 1 and 2 (c).	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	282	564	797	161	897	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	4	.
Diarrhœa, Dysentery,	.	.	1	1	.	1	.	.	1	.	.	.	1	.	.	.	5	.
Other Zymotic Diseases	1	1	1	.	1	1	.	2	.	1	1	1	2	1	2	1	16	.
Total,	3	3	2	2	1	3	.	2	1	1	1	1	4	1	2	1	28	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	3	3	1	4	4	.	3	3	.	1	1	.	.	3	1	3	30	.
Other Constitutional Diseases,	.	1	3	1	1	4	4	3	.	2	.	.	1	2	.	.	22	2
Total,	3	4	4	5	5	4	7	6	.	3	1	.	1	5	1	3	52	2
V. DEVELOPMENTAL DISEASES,	1	4	1	2	3	2	4	3	.	.	.	.	1	1	1	3	25	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	.	.	1	4	3	2	3	2	.	.	.	.	.	1	.	1	17	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	3	1	2	3	3	4	3	1	1	1	.	.	.	1	.	1	23	1
Diseases of Respiratory System,	2	7	10	4	2	4	6	5	1	1	.	.	6	5	.	2	55	.
Diseases of Digestive System,	.	2	.	1	1	1	.	.	.	1	.	.	1	1	.	.	8	2
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diseases of Locomotive System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Integumentary System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Total,	5	12	14	12	10	11	12	9	2	3	.	.	7	8	.	4	109	3
VII. VIOLENT DEATHS,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	.	1	1	1	2	3	.	.	.	.	.	.	.	.	9	.
Deaths from all Causes,	13	24	21	23	20	21	25	22	3	7	2	1	13	15	4	11	225	5
Annual Rate of Mortality in every 1,000 of the population.	25·0	35·9	37·9	46·0	31·4	59·0	32·1	32·0	37·8	34·0	24·6	7·2	24·4	31·8	24·8	33·0		
	36·1				35·8				27·9									
	36·0																33·6	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	4	5	5	1	3	4	4	1	2	1	.	2	1	1	.	37	3
Workhouse Hospitals,	1	9	4	4	4	6	5	4	.	.	.	.	1	3	.	1	42	2

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 88, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St. Jude.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd March, 1900: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 3rd March, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	34·3	230	55	22	33	51	59	10	.	1	1	.	.	1	.	4	5	12	30	9	55	2	122
	CLASSES. Deaths in Families of—																								
I.	Professional and Independent Class,	15,579	30·0	9	.	.	.	3	4	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	8
II.	Middle Class,	81,469	22·3	35	2	7	7	7	9	3	.	.	.	.	.	1	.	2	.	3	2	1	5	.	24
III.	Artisan Class and Petty Shopkeepers	99,377	29·3	56	14	5	12	13	10	2	.	1	.	.	.	.	.	1	2	4	7	.	16	.	29
IV.	General Service Class,	147,978	44·1	86	35	10	10	18	12	1	.	.	1	.	.	.	.	1	3	5	15	7	27	2	30
V.	Inmates of Workhouses,	5,191		44	4	.	4	10	24	2	.	.	.	.	.	.	.	.	.	.	5	1	7	.	31
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	45·6	7	.	.	.	2	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	18·1	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	8·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	22·0	11	2	1	2	2	4	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	8
	6. Clerks and Commercial Assistants,	25,001	12·5	6	.	3	1	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	36·0	17	.	3	4	5	2	3	.	.	.	.	.	1	.	.	.	1	2	.	1	.	13
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	28·0	4	2	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	3
	9. Building and Furnishing Trades,	26,294	33·6	17	4	2	5	2	3	1	.	1	.	.	.	.	.	.	1	2	2	.	4	.	9
	10. Clothing Trades,	28,927	21·7	10	2	1	1	3	3	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.	5
	11. Food Supply Trades,	7,949	52·3	8	2	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	5
	12. Other Trades and Callings ranking with Trades,	26,937	30·9	16	4	2	2	4	4	.	.	.	.	.	.	.	.	.	1	1	4	.	4	.	7
	13. Petty Shopkeepers,	6,889	7·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	41·7	11	.	1	2	6	2	.	.	.	.	.	.	.	.	.	.	.	2	.	3	1	5
	15. Domestic Servants,	39,967	10·4	8	3	1	.	1	2	1	.	.	.	.	.	.	.	.	2	2	1	.	1	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	38·5	8	3	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	2	3	.	2
	17. Hawkers, Porters, Labourers, &c.,	88,472	36·8	59	29	8	6	9	7	.	.	.	1	.	.	.	.	1	1	3	11	5	20	1	19
V.	Inmates of Workhouses. 18. Workhouse Inmates,	5,191	—	44	4	.	4	10	24	2	.	.	.	.	.	.	.	.	.	.	5	1	7	.	31

the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 3rd March, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 3rd March, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th Feb., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th Feb., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	29·8	32·2	1·6	608	655	110	195	.	5	3	.	5	3	.	10	7	86	175	8	20	192	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																				
Total,‡	349,594	14·2	26·7	33·6	1·8	179	235	35	67	.	1	1	.	.	1	.	4	5	30	55	2	4	79	§50·2	33·6	40·2	1·03	§56·4	28·9	41·4	0·52	§51·3	12·7	32·9	0·68
City	245,001	65·6	31·1	36·0	1·9	140	169	33	46	.	1	1	.	.	.	.	4	2	21	40	2	4	66	47·6	36·8	41·7	1·02	55·9	31·4	43·0	0·61	48·8	21·9	35·8	0·88
Registrars' Districts. Clontarf &c. No. 1,	4,188	1·5	25·2	37·8	12·6	2	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	19·4	34·0	.	4	7	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a).	4,240	0·8	.	4·6	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	48·9	34·2	40·6	1·16	57·8	29·0	41·0	0·63	49·3	12·4	33·3	0·70
Palmerston, part of and Crumlin part of (b),	7,278	8·0	28·7	7·2	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	18·8	24·4	3·8	10	13	.	7	.	.	.	.	.	1	.	.	1	.	6	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,620	12·4	16·6	31·8	.	5	15	1	6	.	.	.	.	.	.	.	.	.	3	5	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	18·6	24·8	.	3	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	15·0	3·0	.		11	1	6	.	.	.	.	.	.	.	.	.	3	2	.	.	1	44	36	40·6	0·72	.	.	.	.	.	.	.	.
Urban Districts.																																				
Belfast,	359,000	21·8	31·4	30·1	1·9	16	207	43	51	.	1	1	.	4	2	.	5	.	26	57	4	11	58	56·5	35·0	40·9	0·71	55·0	30·0	40·5	1·00	46·4	21·0	34·3	1·45
Cork,	75,845	33·3	33·2	9·1	·4	48	42	5	10	.	1	.	.	.	.	.	.	1	9	8	.	.	16	50	37	42·9	0·64	54	32	43·9	1·84	50	25	37·5	1·36
Limerick,	37,155	17·9	26·7	43·5	.	19	31	4	11	.	.	.	.	.	.	.	.	.	4	10	.	2	7	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	38,200	15·3	42·4	39·8	.	27	25	5	10	.	.	.	.	.	.	.	.	.	2	11	.	.	1	49·0	33·0	40·6	0·39	51·0	30·0	39·4	0·77	46·0	20·0	34·8	1·19
Waterford,	26,308	18·3	27·9	29·8	4·0	14	16	3	2	.	.	.	.	1	.	.	1	.	3	3	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,800	2·6	30·2	34·0	.	8	9	.	3	.	.	.	.	.	.	.	.	.	.	4	.	.	3	54	32	41	0·48	50	29	42	1·20	46	22	35	0·73
Drogheda	13,708	8·7	22·8	38·0	7·6	6	10	2	3	.	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	20·1	52·3	.	5	13	2	5	.	.	.	.	.	.	.	.	.	2	4	1	1	.	48·8	30·8	39·0	0·40	55·0	28·5	40·5	1·19	46·2	19·8	34·7	0·84
Dundalk,	12,449	9·0	29·3	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	25·7	42·6	4·3	6	10	.	3	.	.	1	.	.	.	.	.	.	2	2	.	.	1	48·8	30·8	39·0	0·40	55·0	28·5	40·5	1·19	46·2	19·8	34·7	0·84
Wexford,	11,545	24·0	22·6	9·0	.	5	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	27·4	36·5	.	6	8	2	4	.	.	.	.	.	.	.	.	.	.	2	.	.	1	48·8	30·8	39·0	0·40	55·0	28·5	40·5	1·19	46·2	19·8	34·7	0·84
Kilkenny,	11,048	12·0	47·2	37·8	.	10	8	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	52·0	35	40·3	0·35	.	.	.	.	45	11	26·1	0·84
Clonmel,	10,708	8·2	39·0	24·3	.	8	5	2	1	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	3·4	50·8	15·2	.	10	3	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	51·1	25·9	40·0	0·12	52·7	25·4	39·3	1·73	47·5	19·0	33·5	1·45
Tralee,	9,818	15·9	44·8	61·6	.	8	11	1	10	.	.	.	.	.	.	.	.	.	1	4	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·8	28·2	56·4	.	5	10	1	5	.	.	.	.	.	.	.	.	.	1	5	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	22·7	11·3	.	4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	46	34	40·7	0·50	52	30	40·3	1·18	46	22	35·0	0·94
Queenstown,	9,082	17·0	34·4	57·4	.	6	10	1	2	.	.	.	.	.	.	.	.	.	2	2	1	.	5	50	37	42·9	0·64	54	32	43·9	1·84	50	25	37·5	1·36
Carrickfergus,	8,923	0·5	17·5	11·7	5·8	3	2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,430	11·0	24·7	6·2	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	48·8	30·8	39·0	0·40	55·0	28·5	40·5	1·19	46·2	19·8	34·7	0·84
Armagh,	7,187	21·4	28·5	42·8	.	4	6	1	1	.	.	.	.	.	.	.	.	.	2	2	.	.	.	48·8	30·8	39·0	0·40	55·0	28·5	40·5	1·19	46·2	19·8	34·7	0·84

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude.

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roches Point for Cork and Queenstown. ‡ Exclusive of 5 deaths of persons (including 2 aged 60 years or upwards), admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park. ‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin. DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
North City, No. 1 (E.)	Jan. 13,	46·1	1·9	24	.	1	.	.	.	.	.	.	.	2	7	.
	„ 20,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	„ 27,	25·0	.	13	.	.	.	.	.	.	.	.	.	4	4	1
(Offices,	Feb. 3	23·0	.	12	.	.	.	.	.	.	.	.	.	2	5	.
Clarence-street, Nth.	„ 10,	30·7	3·8	16	.	.	.	.	.	.	.	.	2	2	4	.
	„ 17,	49·9	.	26	.	.	.	.	.	.	.	.	.	2	4	.
	„ 24,	57·6	5·8	30	.	.	.	.	.	.	.	.	3	5	7	1
Pop. (in 1891) 27,147.	Mar. 3,	25·0	3·8	13	.	.	.	.	.	.	.	2	.	3	2	1
North City, No. 1 (W.)	Jan. 13,	50·9	4·5	34	.	.	.	.	.	.	.	.	3	2	13	.
	„ 20,	53·9	3·0	36	.	.	.	.	.	1	.	.	1	4	15	.
	„ 27,	43·4	.	29	.	.	.	.	.	.	.	.	.	5	6	.
	Feb. 3,	35·9	3·0	24	.	.	.	.	.	.	.	1	1	1	7	.
(Offices,	„ 10,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	3	5	.
Summer-hill.)	„ 17,	41·9	1·5	28	.	.	.	.	.	.	.	1	.	3	13	.
	„ 24,	40·4	.	27	.	.	.	.	.	.	.	.	.	1	5	1
Pop. (in 1891) 34,886.	Mar. 3,	35·9	3·0	24	.	1	.	.	.	.	.	1	.	3	7	.
North City, No. 2.	Jan. 13,	50·6	.	28	.	.	.	.	.	.	.	.	.	2	11	.
	„ 20,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	3	6	2
	„ 27,	41·5	1·8	23	.	1	.	.	.	.	.	.	.	1	6	.
(Offices,	Feb. 3,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	2	10	1
Lisburn-street.)	„ 10,	32·5	.	18	.	.	.	.	.	.	.	.	.	1	8	.
	„ 17,	41·5	.	23	.	.	.	.	.	.	.	.	.	5	2	3
	„ 24,	52·4	1·8	29	.	.	.	.	.	.	.	1	.	7	8	.
Pop. (in 1891) 28,871.	Mar. 3,	37·9	1·8	21	.	.	.	.	.	.	.	.	1	1	10	.
North City, No. 3.	Jan. 13,	68·0	6·0	34	.	2	.	.	.	.	.	1	.	5	12	.
	„ 20,	50·0	2·0	25	.	.	.	.	.	1	.	.	.	4	10	1
	„ 27,	66·0	6·0	33	.	2	.	.	.	.	.	1	.	2	7	1
	Feb. 3,	26·0	.	13	.	.	.	.	.	.	.	.	.	2	3	1
(Offices,	„ 10,	32·0	2·6	16	.	.	.	.	.	1	.	.	.	.	7	.
Blackhall-place.)	„ 17,	46·0	3·0	23	.	.	.	.	3	1	.	.	.	3	5	1
	„ 24,	52·0	2·0	26	.	1	.	.	.	.	.	.	.	4	6	.
Pop. (in 1891) 26,055	Mar. 3,	46·0	4·0	23	.	.	1	.	.	.	.	.	1	4	4	1
South City, No. 1.	Jan. 13,	66·0	3·1	42	.	1	.	.	1	.	.	.	.	4	15	1
	„ 20,	45·6	3·1	29	.	1	.	.	.	.	.	.	1	2	5	.
	„ 27,	44·0	1·6	28	.	.	.	.	1	.	.	.	.	6	4	.
(Office,	Feb. 3,	37·7	.	24	.	.	.	.	.	.	.	.	.	2	10	.
South Earl-street.	„ 10,	31·4	3·1	20	.	.	1	.	1	.	.	.	.	3	9	.
	„ 17,	58·1	1·6	37	.	.	.	.	.	.	.	.	1	3	10	3
	„ 24,	64·4	.	41	.	.	.	.	.	.	.	.	.	2	17	.
Pop. (in 1891) 33,194.	Mar. 3,	31·4	.	20	.	.	.	.	.	.	.	.	.	4	2	.
South City, No. 2.	Jan. 13,	53·4	5·6	19	.	.	1	.	.	.	.	1	.	1	10	.
	„ 20,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	7	.
	„ 27,	28·1	2·8	10	.	.	.	.	1	.	.	.	.	1	4	.
	Feb. 3,	22·5	2·8	8	.	1	.	.	.	.	.	.	.	1	1	.
(Office,	„ 10,	25·3	2·8	9	.	.	.	.	.	1	.	.	.	2	3	.
Castle-street.)	„ 17,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	1	7	.
	„ 24,	50·6	2·8	18	.	.	.	.	.	.	.	.	1	3	5	.
Pop. (in 1891) 18,547.	Mar. 3,	59·0	5·6	21	.	.	.	.	.	.	.	1	1	.	4	.
South City, No. 3.	Jan. 13,	34·7	2·6	27	.	2	.	.	.	.	.	.	.	1	8	.
	„ 20,	43·7	2·6	34	.	.	.	.	1	.	.	.	1	1	13	1
	„ 27,	27·0	.	21	.	.	.	.	.	.	.	.	.	4	2	.
	Feb. 3,	37·3	2·6	29	.	.	1	.	.	.	.	.	1	5	8	1
(Office,	„ 10,	32·1	2·6	25	.	.	.	.	2	.	.	.	.	5	10	.
Peter-street.)	„ 17,	33·4	1·3	26	.	1	.	.	.	.	.	.	.	1	6	1
	„ 24,	57·9	1·3	45	.	.	1	.	.	.	.	.	.	3	15	1
Pop. (in 1891) 40,558.	Mar. 3,	32·1	.	25	.	.	.	.	.	.	.	.	.	3	6	.
South City, No. 4.	Jan. 13,	52·4	5·8	36	.	1	.	.	.	1	.	2	.	7	9	.
	„ 20,	36·4	2·9	25	.	1	.	.	1	.	.	.	.	.	6	1
	„ 27,	30·6	1·5	21	.	.	.	.	1	.	.	.	.	5	5	.
	Feb. 3,	37·9	4·4	26	.	1	.	.	.	1	.	1	.	.	4	1
(Office,	„ 10,	30·6	7·3	21	.	3	.	.	1	1	.	.	.	2	3	1
Grand Canal-street).	„ 17,	51·0	7·3	35	.	.	1	.	1	1	.	1	1	5	7	.
	„ 24,	45·4	1·5	38	.	1	.	.	.	.	.	.	.	6	12	.
Pop. (in 1891) 35,798.	Mar. 3,	32·0	.	22	.	.	.	.	.	.	.	.	.	3	5	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases; *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Jan. 13,	43·1	1·9	23	.	1	.	.	.	.	.	.	.	1	7	.
	„ 20,	33·8	1·9	18	.	.	.	.	.	.	.	1	.	1	4	.
	„ 27,	24·4	.	18	.	.	.	.	.	.	.	.	.	2	5	.
	Feb. 3,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	„ 10,	24·4	3·8	13	.	.	1	.	.	1	.	.	.	1	3	1
	„ 17,	33·8	.	18	.	.	.	.	.	.	.	.	.	.	5	.
	„ 24,	28·1	.	15	.	.	.	.	.	.	.	.	.	1	4	.
	Mar. 3,	24·4	3·8	13	.	.	.	.	.	1	.	.	1	.	6	.
Donnybrook. Pop. (in 1891) 24,629.	Jan. 13,	29·6	6·4	14	.	3	.	.	.	.	.	.	.	.	6	1
	„ 20,	55·0	12·7	26	.	4	.	.	.	.	.	1	1	3	8	.
	„ 27,	40·2	2·1	19	.	1	.	.	.	.	.	.	.	2	5	.
	Feb. 3,	36·0	2·1	17	.	1	.	.	.	.	.	.	.	3	2	.
	„ 10,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 17,	29·6	.	14	.	.	.	.	.	.	.	.	.	2	7	.
	„ 24,	36·0	.	17	.	.	.	.	.	.	.	.	.	.	4	.
	Mar. 3,	31·8	.	15	.	.	.	.	.	.	.	.	.	3	5	.
Kingstown. Pop. (in 1891) 17,886.	Jan. 13,	45·0	9·0	15	.	3	.	.	.	.	.	.	.	.	3	.
	„ 20,	48·0	6·0	16	.	1	.	.	1	.	.	.	.	2	3	.
	„ 27,	48·0	3·0	16	.	1	.	.	.	.	.	.	.	1	1	.
	Feb. 3,	42·0	3·0	14	.	.	.	.	.	1	.	.	.	2	5	.
	„ 10,	30·0	3·0	10	.	.	.	.	.	1	.	.	.	1	1	.
	„ 17,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 24,	27·0	6·0	9	.	2	.	.	.	.	.	.	.	1	2	.
	Mar. 3,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
Belfast. Pop. in 1900 (Est.) 359,000.	Jan. 13,	30·5	2·0	210	.	4	.	.	2	.	.	4	4	21	36	2
	„ 20,	24·1	2·3	166	.	.	1	.	9	1	.	4	1	17	72	.
	„ 27,	24·7	1·3	170	.	1	.	.	5	.	.	1	2	21	66	.
	Feb. 3,	19·6	1·2	135	.	1	.	.	4	.	.	1	2	12	39	3
	„ 10,	27·2	1·3	187	.	.	.	.	3	3	1	1	1	26	50	3
	„ 17,	32·8	1·5	226	.	.	.	.	4	2	.	1	3	27	73	3
	„ 24,	26·3	1·7	181	.	.	2	.	3	1	1	2	3	19	67	5
	Mar. 3,	30·1	1·9	207	.	1	1	.	4	2	.	5	.	26	57	4
Cork. Pop. (in 1891) 75,345.	Jan. 13,	58·1	0·7	84	.	1	.	.	.	.	.	.	.	7	31	.
	„ 20,	35·3	.	51	.	.	.	.	.	.	.	.	.	9	13	.
	„ 27,	45·0	2·1	65	.	2	.	.	.	.	.	.	1	13	14	1
	Feb. 3,	33·2	1·4	48	.	2	.	.	.	.	.	.	.	6	8	.
	„ 10,	22·1	.	32	.	.	.	.	.	.	.	.	.	4	2	.
	„ 17,	29·1	0·7	42	.	.	.	.	.	.	.	.	1	4	10	.
	„ 24,	33·9	1·4	49	.	1	.	.	.	.	.	.	1	7	7	.
	Mar. 3,	29·1	1·4	42	.	1	.	.	.	.	.	.	1	9	8	.
Limerick. Pop. (in 1891) 37,155.	Jan. 13,	23·9	.	17	.	.	.	.	.	.	.	.	.	.	3	.
	„ 20,	22·5	.	16	.	.	.	.	.	.	.	.	.	1	12	.
	„ 27,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	7	.
	Feb. 3,	44·9	.	32	.	.	.	.	.	.	.	.	.	2	13	.
	„ 10,	29·5	.	21	.	.	.	.	.	.	.	.	.	1	8	.
	„ 17,	42·1	1·4	30	.	.	.	1	.	.	.	.	.	3	12	.
	„ 24,	51·9	.	37	.	.	.	.	.	.	.	.	.	3	16	.
	Mar. 3,	43·5	.	31	.	.	.	.	.	.	.	.	.	2	5	.
Londonderry Pop. (in 1891) 33,200.	Jan. 13,	26·7	.	17	.	.	.	.	.	.	.	.	.	.	6	1
	„ 20,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	1	1
	„ 27,	37·7	.	24	.	.	.	.	.	.	.	.	.	4	8	.
	Feb. 3,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	8	1
	„ 10,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	1	4	.
	„ 17,	40·8	1·6	26	.	.	.	.	.	.	.	.	1	4	10	.
	„ 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	2	12	.
	Mar. 3,	39·3	.	25	.	.	.	.	.	.	.	.	.	2	11	.
Waterford. Pop. (in 1891) 26,200.	Jan. 13,	23·9	2·0	12	.	.	1	.	.	.	.	.	.	2	1	.
	„ 20,	35·8	6·0	18	.	.	3	.	.	.	.	.	.	2	4	.
	„ 27,	39·8	2·0	20	.	.	.	.	1	.	.	.	.	2	7	1
	Feb. 3,	45·8	.	23	.	.	.	.	.	.	.	.	.	2	9	2
	„ 10,	19·9	4·0	10	.	.	.	.	2	.	.	.	.	.	4	.
	„ 17,	59·7	4·0	30	.	.	.	.	2	.	.	.	.	7	5	.
	„ 24,	21·9	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	Mar. 3,	29·8	4·0	15	.	.	.	.	1	.	.	1	.	3	3	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 3rd March, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	5	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		10	1	.	3	6	.	.	.	.	.	.	.	.	.	1	2	.	2	5
" 2 "	37,539	29			27	4	2	15	6	.	1	.	.	.	.	.	2	.	2	8	1	3	5
" 3 "	38,845	36			25	5	5	12	3	.	.	.	.	.	.	.	1	.	3	13	.	3	5
" 4 "	33,391	21			35	12	2	12	9	.	.	.	.	.	.	.	.	.	4	5	1	1	20
" 5 "	21,284	9			18	5	2	6	5	.	.	.	.	.	.	.	.	.	5	4	.	.	6
" 6 "	43,431	20			22	2	1	11	8	.	.	.	.	.	.	.	.	.	2	8	1	1	10
" 7 "	1,112	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	3			4	1	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 9 "	12,866	13			13	3	1	7	2	.	.	.	.	.	.	.	1	.	3	2	.	.	3
" 10 "	12,256	13			8	.	1	6	1	.	.	1	.	.	.	.	1	.	2	2	.	.	1
" 11 "	19,881	24			16	4	2	7	3	.	.	.	.	.	1	.	.	.	1	4	1	1	1
" 12 "	28,282	28			20	2	5	9	4	.	.	.	.	3	.	.	.	.	1	7	.	.	2
" 13 "	6,804	15			9	4	.	2	3	.	.	.	.	1	1	.	.	.	1	2	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	216			207	43	21	92	51	.	1	1	.	4	2	.	5	.	26	57	4	11	58
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	8	39·3	.	9	.	1	5	3	.	.	.	.	.	.	.	.	.	3	2	.	.	6
" 2 "	9,252	5	33·8	.	6	1	1	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 3 "	9,816	5	31·9	.	6	.	1	5	.	.	.	.	.	.	.	.	.	.	.	3	.	.	2
" 4 "	10,856	4	25·2	.	5	2	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2
" 5 "	8,187	2	19·2	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" 6 "	3,823	18	29·5	5·9	5	1	3	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.
" 7 "	17,034	6	24·5	3·1	8	1	.	5	2	.	.	.	.	.	.	.	.	1	3	1	.	.	3
Total,	75,345	48	29·1	1·4	42	5	7	20	10	.	1	.	.	.	.	.	.	1	9	8	.	.	16

Boundaries of Registrars' Districts—Belfast.

The Registrar's District of Belfast Urban, No. 1, is bounded by line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland ; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland ; thence by the Municipal boundary to Old Lisburn-road ; thence through the centre of Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square. Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary, thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road ; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the grea er portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.
No. of week in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered,	223	239	209	201	263	252	231	218	203	246	202	237	192	189	199	203	175	239	263	199	230	204	240	186	230	216
DEATHS registered,	159	158	153	147	175	150	143	164	181	127	176	137	118	113	139	132	192	198	210	166	170	135	187	226	181	207
Annual Death-rate per 1,000 of estimated Population,	23·7	23·5	22·8	21·9	26·1	22·3	21·8	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1
AGES, Under 1 year,	64	51	60	47	50	44	35	40	35	30	38	40	28	21	26	19	39	34	40	26	32	22	30	41	31	43
AGES, 1–5 years,	18	21	16	16	20	19	24	21	15	18	25	17	14	10	19	9	25	31	23	24	22	17	15	23	16	21
AGES, 5–60 years,	58	67	59	64	80	60	57	84	60	49	90	57	46	63	73	74	75	93	88	71	71	62	99	102	84	92
AGES, 60 years and upwards,	19	19	18	20	25	27	27	19	21	30	23	23	30	19	21	30	53	40	59	45	45	34	43	60	50	51
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	1	2	1	1	1	.	.	.	1	2	.	1	1	2	1	1	4	.	1	1	.	.	.	1
" Scarlet Fever,	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.	1	1	.	.	1	.	.	.	.	2	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	4	2	6	1	4	3	4	2	1	5	1	4	4	.	2	1	6	6	2	9	5	4	3	4	3	4
" Diphtheria,	.	.	2	1	.	.	.		.	2	1	3	2	.	3	2	1	2	.	1	.	.	3	2	1	2
" Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.
" Enteric Fever,	8	9	6	9	14	9	8	9	3	6	10	4	5	1	2	1	4	4	4	4	1	1	1	1	2	5
" Diarrhœa, Dysentery,	19	18	19	15	9	4	2	4	.	2	.	.	.	.	1	.	1	3	4	1	2	2	1	3	3	.
" Phthisis,	13	22	13	21	20	15	10	16	17	14	35	12	13	19	29	14	31	27	21	17	21	12	26	27	19	26
" Diseases of Respiratory System,	20	16	22	19	38	32	43	50	43	37	49	35	38	37	34	27	64	74	86	72	66	39	50	73	67	57
Violent Deaths,	2	1	3	4	2	4	3	8	3	1	3	7	4	1	2	6	2	5	2	.	.	3	8	8	5	4

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillbord.)	Deaths. (Exclusive of Stillbord.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	Mar. 3,	2,551	1,668	19·0	1	41	9	26	43	18	7
EDINBURGH, .	302,262	„ 3,	179	132	22·7	.	1	.	.	2	1	3
GLASGOW, . .	743,969	„ 3,	490	490	34·2	.	10	9	4	6	4	8
CALCUTTA, . .	466,460	Dec. 30,	.	361	40·3	2	1	.	.	.	91‡	69*
BOMBAY, . .	821,764	Feb. 6,	219	2,398	151·7	225	96	?	?	?	242§	242*
MADRAS, . .	452,518	Jan. 5,	326	385	44·2	.	5	?	?	?	97	62
PARIS, . . .	2,511,629	Feb. 24,	1,204	1,385	28·6	.	26	5	6†	2	26	36
BRUSSELS (with 8 Faubourgs).	561,130	„ 17,	286	201	18·6	.	.	.	1†	1	4	13
AMSTERDAM, .	523,743	„ 10,	307	163	16·2	.	1	.	.	2	1	.
ROTTERDAM, .	319,491	„ 10,	238	121	19·7	.	1	1	1	1	2	.
THE HAGUE, .	205,328	„ 10,	142	78	19·7	.	.	.	.	.	1	.
COPENHAGEN, .	349,000	„ 24,	249	147	21·9	.	.	1	2	1	.	5
CHRISTIANIA, .	221,255	„ 24,	141	86	20·4	.	2	2	.	5	.	.
ST. PETERSBURG,	1,132,677	„ 17,	726	611	28·1	4	13	16	28	5	24	44
BERLIN, . .	1,848,269	„ 10,	970	703	19·8	.	4	8	7	16	2	32
HAMBURG, . .	691,349	„ 17,	.	317	23·8	.	2	.	2†	2	.	4
DRESDEN, . .	400,400	Jan. 13,	231	140	18·2	.	2	1	2†	1	.	7
BRESLAU, . .	406,012	Feb. 24,	.	197	25·2	.	1	.	.	1	.	18
MUNICH, . .	445,000	Dec. 16,	318	209	24·4	.	.	.	4†	3	1	24
VIENNA (with suburbs).	1,639,811	Feb. 3,	976	620	19·7	.	7	1	8†	2	.	33
BUDA-PESTH, .	685,340	„ 17,	493	253	19·2	.	3	3	1	1	1	8
PRAGUE and Faubourgs.	385,952	„ 17,	242	166	22·4	.	.	.	.	4	.	2
ROME, . . .	512,423	Jan. 27,	277	314	31·9	.	4	.	4	1	3	7
TURIN, . . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	172,491	Feb. 3,	81	115	34·7	.	.	.	.	.	1	8
NEW YORK, .	3,654,594	„ 3,	1,570	1,309	18·7	.	21	21	55	11	13	8
PHILADELPHIA,	1,266,832	„ 3,	.	507	20·8	.	5	5	28	1	6	2

* Including 13 deaths from cholera in Calcutta and 7 in Bombay. † Including deaths from croup.
‡ Exclusive of 24 deaths from bubonic fever. § Exclusive of 468 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., P.R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 3rd March, 1900:—

"Fine at the beginning and close of this week, the weather in the intervening period was gloomy, wet, and raw in the extreme. On Sunday morning atmospheric pressure was very uniform over the British Isles, so that calm, cool, foggy weather prevailed. At this time, however, a barometric depression was advancing northeastwards from Portugal to the South of England. The approach of this disturbance produced freshening N.E. winds in Ireland, with continuous rain on the E. coast and over the greater part of Great Britain. For three days and nights there was no break in the clouds, and rain fell almost unceasingly, at times heavily. By the morning of Thursday, March 1, the depression had pretty well dispersed and an anticyclone had formed over Scotland and Ireland. Northerly winds were everywhere prevalent. They blew with the force of a whole gale in the Baltic, accompanied by very low temperatures and snow. On Friday morning the anticyclone lay directly over Ireland, the barometer standing as high as 30·57 inches both at Blacksod Point and at Valentia, Co. Kerry. The week closed with cold and dry, but changeable weather. In Dublin the mean height of the barometer was 30·074 inches, pressure ranging from 29·652 inches at 9 a.m. of Tuesday (wind, N. by W.) to 30·506 inches at 9 p.m. of Thursday (wind, N.E.). The corrected mean temperature was 41·7°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 40·7°. Rain fell on four days to the amount of 1·017 inches, ·538 inch being measured on Monday. N.E. and N.W. winds predominated. A little hail fell on Thursday. There was a vapour fog on Sunday. Only 12 hours of bright sunshine were estimated to have occurred."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·093 inches. The highest reading (30·525) was on Thursday at 9 P.M., wind N.E., and the lowest (29·679) on Tuesday at 9 A.M., wind N.

The mean temperature for the week was 40·2°, being 0·2° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Sunday, when the thermometer registered 50·2°, and was also lowest on that day, the mercury having fallen to 33·6°. The mean of the Dry Bulb for the week was 39·8°, and of the Wet Bulb 38·2°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 8·7 hours. The rainfall measured 1·025 inches.

At Greenwich the mean temperature for the week was 43·1°, the maximum 57·5°, and the minimum 33·3°; at Glasgow the maximum was 48·8°, the minimum 28·4°, and the mean 39·4°; and at Edinburgh the maximum was 47·5°, the minimum 31·1°, and the mean 38·8°. The rainfall at Greenwich measured 0·65 in.; at Glasgow 0·39 in.; and at Edinburgh 1·02 ins.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind 9 A.M.	Direction of the Wind 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 25,	29·849	50·2	33·6	41·9	41·1	40·3	·94	·6	3·9	·185	Calm.	N.E.
Monday, „ 26,	29·712	43·5	39·9	41·7	41·4	40·8	·95	·5	0·0	·405	N.E.	N.E
Tuesday, „ 27,	29·766	42·8	37·3	40·1	39·6	38·6	·92	·6	0·0	·385	N.	N.E.
Wednesday, „ 28,	30·151	41·5	38·8	40·2	40·5	38·1	·82	·5	0·0	·010	N.E.	N.E.
Thursday, Mar. 1,	30·455	42·1	36·9	39·5	38·5	35·1	·74	·4	4·1	—	N.E.	N.E.
Friday, „ 2,	30·445	43·3	34·9	39·1	38·7	36·7	·83	·8	0·7	·005	N.W.	Calm.
Saturday, „ 3,	30·275	43·2	35·1	39·2	38·7	37·7	·92	·6	0·0	·005	N.W.	Calm.
Mean, .	30·093	43·8	36·5	40·2	39·8	38·2	·87	·6	Total 8·7	Total 1·025	Prevailing wind N.E.	

Sunday—Bright a.m.; dull p.m.; night overcast: rain 2.30 to 9 a.m. *Monday*—A dull wet day; night overcast; rain to 12.15 a.m. *Tuesday*—A dull wet day to 8.30 p.m.; night overcast; rain 11 p.m. to 1.30 and 4 to 8 a.m. *Wednesday*—A dull day; rain 9.15 to 2.15 p.m.; night cloudy. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—A cloudy day; rain 9.45 to 10.15 a.m.; night cloudy. *Saturday*—A cloudy day; rain 2.30 to 2.45 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 517. 2. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 10TH MARCH, 1900. [No. 10.

General Register Office, Charlemont House,
Dublin, 12th March, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 18·8), was equal to an average annual death-rate of 20·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 27·7 per 1,000, the rate for Glasgow being 31·7, and for Edinburgh 22·4.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 32·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Feb. 17.	Week ending Feb. 24.	Week ending Mar. 3.	Week ending Mar. 10.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 17.	Week ending Feb. 24.	Week ending Mar. 3.	Week ending Mar. 10.	Average Rate for 4 weeks.
23 Town Dists.	36·2	37·5	32·2	32·2	34·5	Limerick, . .	42·1	51·9	43·5	46·3	45·9
Armagh, . .	28·5	42·8	42·8	14·3	32·1	Lisburn, . .	12·8	34·1	42·6	38·3	22·0
Ballymena, .	33·8	33·8	56·4	45·1	42·3	Londonderry, .	40·8	46·8	39·3	29·8	37·7
Belfast, . .	32·8	26·3	30·1	28·3	29·4	Lurgan, . .	36·5	54·7	36·5	18·2	36·5
Carrickfergus, .	35·1	17·5	11·7	23·4	21·9	Newry, . .	48·3	56·3	52·3	24·1	45·2
Clonmel, . .	9·7	58·4	24·3	39·0	32·9	Newtownards, .	28·3	45·4	11·3	28·3	28·3
Cork, . . .	29·1	33·9	29·1	23·5	28·9	Portadown, .	18·6	49·5	6·2	49·5	31·0
Drogheda, . .	41·8	41·8	38·0	60·9	45·6	Queenstown, .	23·0	17·2	57·4	34·4	33·0
Dublin, Reg. Area,	40·9	48·0	33·6	36·2	39·7	Sligo, . . .	15·2	15·2	15·2	15·2	15·2
Dundalk, . .	4·2	25·1	0·0	25·1	13·6	Tralee, . .	83·9	61·6	61·6	33·6	60·2
Galway, . .	56·7	45·3	34·0	60·5	49·1	Waterford, .	59·7	21·9	29·8	23·9	33·8
Kilkenny, . .	28·3	42·5	37·8	33·0	35·4	Wexford, . .	27·1	22·6	9·0	27·1	21·5

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in fourteen of the districts to 7·6 in Drogheda; the 16 deaths from all causes registered in that district comprising one from measles and one from scarlatina. Among the 195 deaths

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table VI.

from all causes registered in Belfast are 2 from measles, 3 from whooping-cough, one from diphtheria, one from simple continued fever, 3 from enteric fever, and one from diarrhœa.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 215 – 90 boys and 125 girls; and the deaths to 247—116 males and 131 females.

The deaths, which are 29 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 36·8 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 36·2 per 1,000. During the ten weeks ending with Saturday last the death-rate averaged 41·2, and was 8·2 over the mean rate for the corresponding portions of the ten years 1890–99.

The number of deaths from zymotic diseases registered last week is 21, being 6 below the average for the corresponding week of the last ten years, and 7 under the number for the week ended the 3rd instant: the 21 deaths comprise 2 from measles, one from scarlet fever (scarlatina), 6 from influenza and its complications, 2 from diphtheria, 2 from enteric fever, 3 from diarrhœa, 2 from cerebro-spinal meningitis; &c.

The weekly number of cases of scarlatina admitted to hospital which had risen from 10 for the week ended the 24th ultimo to 17 for the following week, fell to 11 last week; 7 scarlatina patients were discharged during the week; 2 died; and 68* remained under treatment on Saturday last, being 2 over the number in hospital at the close of the preceding week.

Eight cases of measles were admitted to hospital, against 5 for the preceding week: 8 patients were discharged during the week; and 25 remained under treatment on Saturday last, being equal to the number in hospital on Saturday the 3rd instant.

The number of cases of enteric fever admitted to hospital is 4, being one under the admissions for the preceding week, and 12 under the number for the week ended the 24th ultimo: 16 patients were discharged during the week; one died; and 50 remained under treatment on Saturday last, being 13 under the number in hospital at the close of the preceding week.

Seven cases of diphtheria were admitted to hospital, being 5 over the admissions for the preceding week, but 5 under the number for the week ended the 24th ultimo: 7 patients were discharged during the week; and 17 remained under treatment on Saturday last, being equal to the number in hospital on Saturday the 3rd instant.

Seventy-eight deaths from diseases of the respiratory system were registered, being 23 over the average for the corresponding week of the last ten years, and 23 over the number for the week ended the 3rd instant: they comprise 54 from bronchitis and 23 from pneumonia or inflammation of the lungs.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the week ended Saturday, 10th March, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases	No. of Cases in Hospital at close of week ended			Week ended 10th March			
	Feb. 17.	Feb. 24.	Mar. 3.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	25	25	25	8	8	.	25
Scarlet Fever,	64	58	66	11	7	2	68*
Typhus ,,	.	.	.	1	.	.	1
Diphtheria,	16	23	17	7	7	.	17
Enteric Fever,	67	68	63	4	16	1	50
Pneumonia,	27	28	30	8	9	2	27

The deaths of 8 infants under one year old were ascribed to convulsions.

Five deaths were caused by apoplexy, 9 by other diseases of the brain and nervous system (exclusive of convulsions), and 18 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 37 deaths, mesenteric disease 3, tubercular meningitis 8, and cancer 6.

Two accidental deaths were registered.

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 11 children under 5 years of age (including 9 infants under one year old) and the death of one person aged 60 years.

Sixty-six of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 10 were under one month old) and 64 were aged 60 years and upwards, including 29 persons aged 70 and upwards, of whom 6 were octogenarians, and two (women) were stated to have been aged 93 and 94 years respectively.

Eighty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 26 took place in the North Dublin Union Workhouse, 21 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 36·2 per 1,000; the rate in the city was 41·1 (39·7 on the North side, and 42·3 on the South), and in the Suburbs 24·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the city being 1·5 (1·3 in the North City Districts, and 1·6 in the South), and for the Suburbs 1·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 30·7 per 1,000. Diphtheria caused one death, but no deaths from any other zymotic disease were recorded. Seven deaths were caused by bronchitis and 2 by pneumonia.

No. 1 North City District, West (Summer-hill).—The deaths (34) are equal to an annual rate of 50·9 per 1,000. They comprise 8 from bronchitis, 4 from pneumonia, 5 from diseases of the circulatory system, and 8 from phthisis. No deaths from any zymotic disease were recorded.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 36·1 per 1,000. The only death from any zymotic disease recorded is one from diarrhœa. The 19 deaths from other causes comprise 6 from bronchitis, 2 from pneumonia, 2 from diseases of the brain and nervous system, 2 from mesenteric disease, and 3 from phthisis.

No. 3 North City District (Blackhall-place).—The deaths (19) represent an annual rate of 38·0 per 1,000. They comprise 2 from zymotic diseases, including one from enteric fever. Three deaths were caused by bronchitis, 3 by pneumonia, 2 by diseases of the circulatory system, 2 by diseases of the brain and nervous system, and 4 by phthisis.

No. 1 South City District (South Earl-street).—The deaths (33) represent an annual rate of 51·8 per 1,000. Among them are 2 from zymotic diseases, including one from influenza. Ten deaths were caused by bronchitis, 4 by diseases of the circulatory system, 3 by phthisis, and 6 by diseases of the brain and nervous system.

No. 2 South City District (Castle-street).—The deaths (17) are equal to an annual rate of 47·8 per 1,000. They comprise 2 from bronchitis, 2 from pneumonia, 2 from diseases of the brain and nervous system, and 4 from phthisis. No deaths from any zymotic disease were recorded.

No. 3 South City District (Peter-street). The deaths (32) are equal to an annual rate of 41·1 per 1,000. The only death from any zymotic disease recorded is one from influenza. Among the 31 deaths from other causes are 8 from bronchitis, 2 from pneumonia, 2 from diseases of the circulatory system, 4 from phthisis, 4 from tubercular meningitis, and 2 from convulsions.

No. 4 South City District (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·0 per 1,000. They comprise 5 from zymotic diseases, viz.:—2 from measles, one from scarlatina, one from diarrhœa, and one from cerebro-spinal meningitis. Four deaths were caused by bronchitis, 2 by phthisis, 2 by cancer, and 3 by diseases of the brain and nervous system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 50·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 14·6; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 28·7; Rathmines, 26·3; Donnybrook, 19·1; Blackrock, 18·6; and Kingstown, 36·0. The deaths from zymotic diseases tabulated for these districts comprise one from diarrhœa for Palmerston, part of; one from diphtheria and one from influenza for Donnybrook; and 3 from influenza for Kingstown. The 4 deaths from all causes tabulated for Clontarf and Howth, No. 1, comprise 2 from bronchitis; among the 14 deaths for Rathmines are 3 from bronchitis, 2 from diseases of the circulatory system, and 2 from phthisis; 2 of the 9 deaths for Donnybrook were from pneumonia, and the 12 deaths for Kingstown comprise 2 from pneumonia and 2 from phthisis.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 10th Week of the 10 years 1890-99.	In the week ending Saturday, 10th March, 1900. Deaths of persons of the Ages of								
	Mar. 2, 1890	Mar. 14, 1891	Mar. 12, 1892	Mar. 11, 1893	Mar. 10, 1894	Mar. 9, 1895	Mar. 7, 1896	Mar. 13, 1897	Mar. 12, 1898	Mar. 11, 1899		ALL AGES.	0 to 5.							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	41·5	32·8	31·4	46·7	43·2	38·9	43·1	40·7	40·2	42·3	40·1	38·3								
ALL CAUSES,	191	190	288	169	204	327	157	262	250	191	217·9	247	10	30	26	15	42	60	56	8
I. FEBRILE OR ZYMOTIC DISEASES,	26	11	32	15	22	31	11	67	31	23	26·9	21	1	2	4	3	6	3	.	2
II. PARASITIC DISEASES,	1	.	.	.	.	.	.	1	1	.	·3	1	.	.	1	.	.	.	.	.
III. DIETETIC "	1	1	1	1	1	.	1	1	.	.	·7	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL "	38	43	52	51	58	49	33	42	65	44	47·5	62	.	4	4	7	26	13	8	.
V. DEVELOPMENTAL "	24	17	21	10	11	31	12	20	28	12	18·9	20	6	1	.	.	.	.	10	3
VI. LOCAL "	93	106	117	81	98	193	93	117	112	100	111·0	131	2	22	15	4	9	42	37	3
VII. VIOLENT DEATHS,	3	2	3	4	4	4	3	5	1	6	3·5	2	.	.	1	.	.	1	.	.
VIII. ILL-DEFINED CAUSES,	5	10	12	7	10	16	4	9	12	6	9·1	6	1	1	1	1	.	1	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	3	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	5	.	12	1	1	.	.	43	.	.	6·2	2	.	.	2	.	.	.	.	.
Scarlet Fever,	.	.	.	1	1	.	.	2	6	.	1·0	1	.	.	.	1	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	6	.	9	1	5	8	1	1	11	7	4·9	6	.	.	.	.	3	2	.	2
Whooping Cough,	8	3	6	1	6	3	3	9	3	5	4·7	.	.	.	.	.	.	.	.	.
Diphtheria,	.	1	.	1	.	.	.	1	1	1	·5	2	.	.	1	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	4	.	6	3	6	2	1	5	6	3·5	2	.	.	.	.	2	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	.	2	.	2	3	2	5	1	2	1·9	3	1	1	1	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	1	.	.	1	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	.	.	4	.	.	1	1	·6	1	.	.	.	1	.	.	.	.
Puerperal Fever,	.	.	.	2	.	.	2	1	1	.	·6	2	.	.	.	.	2	.	.	.
Other Zymotic Diseases,	3	3	2	2	4	1	1	3	1	.	2·0	2	.	1	.	.	.	1	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	1	.	.	.	.	.	.	1	1	.	·3	1	.	.	1	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	1	1	1	1	.	1	1	.	.	·7	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	1	.	1	1	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	1	1	.	.	.	1	1	1	2	.	·7	2	.	.	.	.	.	.	2	.
Gout,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Cancer,	4	5	4	4	6	7	5	7	8	6	5·6	6	.	.	.	.	3	3	.	.
Tabes Mesenterica,	4	2	5	3	4	4	4	9	6	3	4·4	3	.	3	.	.	.	.	.	.
Tubercular Meningitis	4	7	5	2	1	4	2	4	4	4	3·7	8	.	1	3	3	1	.	.	.
Phthisis,	23	28	29	37	42	27	17	15	39	25	27·7	37	.	.	.	4	22	10	1	.
Scrofula, Tuberculosis,	1	3	7	1	3	4	4	2	4	3	3·2	3	.	.	1	.	2	.	.	.
Other Constitutional Diseases,	.	1	2	3	1	2	.	4	1	2	1·6	3	.	.	.	.	1	.	2	.
V. Developmental Diseases—																				
Premature Birth,	2	1	4	2	2	2	.	6	5	1	2·5	7	6	1	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	22	16	17	8	9	32	11	14	22	11	16·2	13	.	.	.	.	.	10	3	.

each Disease registered in the TENTH WEEK ending Saturday, 10th March, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 10th Week of the 10 years 1890-99.	In the Week ending Saturday, 10th March, 1900. Deaths of Persons of the Ages of								
	Mar. 8, 1890	Mar. 14, 1891	Mar. 12, 1892	Mar. 11, 1893	Mar. 10, 1894	Mar. 9, 1895	Mar. 7, 1896	Mar. 13, 1897	Mar. 12, 1898	Mar. 11, 1899		All Ages.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 41·5	° 32·8	° 31·4	° 46·7	° 43·2	° 38·9	° 43·1	° 40·7	° 40·2	° 42·3	° 40·1	° 38·3								
VI. Local Diseases.																				
Apoplexy,	2	8	3	4	2	2	1	3	5	4	3·4	5	.	.	.	.	3	2	.
Epilepsy,	.	1	2	1	1	.	.	.	1	1	·7	.	.	.	.	.	.	.	.
Convulsions,	7	9	10	11	12	21	14	13	4	9	11·0	8	1	7	.	.	.	.	.
Other Diseases of Brain and Nervous System,	5	9	8	8	4	15	12	7	8	7	8·3	9	.	2	.	2	.	1	4	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	14	14	20	13	21	28	8	15	20	11	16·4	18	1	.	.	.	1	7	7	2
Croup,	4	3	.	.	.	1	.	1	.	1	1·0	.	.	.	.	.	.	.	.	.
Bronchitis,	32	31	39	15	30	67	26	41	46	38	36·5	54	.	9	5	1	.	19	19	1
Pneumonia	12	13	12	7	9	25	14	18	14	18	13·7	23	.	2	8	1	3	6	3	.
Pleurisy,	.	1	.	1	1	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	4	5	5	2	5	6	2	5	.	2	3·6	1	.	.	.	.	.	1	.	.
Teething,	.	1	.	.	2	2	2	2	2	3	1·4	3	.	2	1	.	.	.		.
Quinsy, Sore Throat,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	.	.	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Peritonitis	2	.	2	.	1	1	.	.	2	1	·9	.	.	.	.	.	.	.	.	.
Disease of Liver,	1	4	1	4	2	2	.	2	2	1	1·9	2	.	.	.	.	.	2	.	.
Other Diseases of Digestive System,	4	2	4	5	6	9	4	6	4	3	4·7	5	.	.	1	.	3	.	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Diseases of Urinary System,	3	2	8	5	1	12	5	2	2	2	4·2	4	.	.	.	.	2	1	1	.
Diseases of Generative System,	1	.	.	2	.	.	2	.	.	1	·6	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	1	2	.	1	.	1	1	1	·8	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	1	1	1	.	.	2	.	.	.	·6	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	1	.	.	.	.	1	.	.	·3	1	.	.	.	.	.	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	3	1	1	1	.	.	.	2	.	1	3·3	1	.	.	1	.	.	.	.	.
By Drowning,		.	.	.	.	1	.	1	1	2		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		.	2	3	4	3	3	1	.	2		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	5	10	12	7	10	16	4	9	12	6	9·1	6	1	1	1	1	.	1	1	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899–1900—Week ending																									
	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered,	236	211	237	190	198	188	180	225	172	241	193	154	206	167	188	247	187	209	168	191	184	174	175	257	179	215
Average Births in corresponding week of previous 10 years,	207	202	198	178	166	179	170	172	175	185	181	184	181	184	154	168	188	199	195	202	206	200	196	208	225	195
DEATHS registered,	235	200	223	196	225	250	244	216	249	248	220	259	258	256	285	280	337	331	295	259	238	199	284	342	230	247
Annual Death-rate per 1,000,	35·1	29·8	33·3	29·2	33·6	37·3	36·4	32·2	37·1	37·0	32·8	38·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·8
Average Deaths in corresponding week of previous 10 years,	158	161	159	149	157	152	163	178	166	174	177	183	177	184	184	207	211	239	249	228	221	211	216	212	214	217·9
AGES, Under 5 years,	120	94	110	93	114	107	95	111	118	128	98	93	108	84	87	86	81	85	70	60	60	54	63	74	55	66
5—20 "	24	12	18	13	26	18	23	22	11	27	16	12	17	23	22	13	15	16	15	20	19	14	24	20	22	15
20—40 "	34	24	36	29	23	29	32	14	36	27	28	6	35	35	46	32	49	38	44	38	34	30	48	47	33	42
40—60 "	25	34	26	27	32	38	39	29	36	32	33	51	51	61	55	57	73	84	61	60	46	35	65	80	51	60
60—80 "	26	26	32	29	24	53	45	32	37	28	36	53	44	44	63	74	94	85	83	79	64	53	73	104	59	56
80 years and upwards,	6	10	1	5	6	5	10	8	11	11	9	14	8	9	12	18	25	23	22	12	15	13	11	17	10	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	23	23	28	32	44	52	44	38	39	51	38	29	30	23	24	15	10	18	9	5	4	3	1	5	1	2
" Scarlet Fever,	1	2	.	.	2	1	1	.	1	2	1	2	1	1	1	1	.	1	.	.	1	2	1	1	1	1
" Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	1	2	2	.	1	.	2	1	2	.	1	1	3	2	2	1	1	3	3	.	5	5	.	.	.
" Diphtheria,	1	.	1	.	1	2	2	3	3	3	2	2	3	2	3	1	.	3	2	1	3	5	3	.	1	2
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	9	5	11	4	7	4	6	2	5	9	4	6	2	2	3	2	5	5	2	1	2	.	3	1	4	2
" Diarrhœa, Dysentery,	45	20	27	16	14	1	9	6	6	5	3	4	4	3	5	1	2	3	6	.	2	2	2	4	5	3
" Phthisis,	29	18	23	20	22	26	29	15	21	17	20	35	27	36	30	28	40	27	29	36	29	23	32	40	30	37
" Heart Diseases,	12	7	11	14	10	23	13	9	18	13	17	17	15	26	15	21	24	20	16	25	15	11	23	33	24	18
" Diseases of Respiratory System,	21	24	30	31	29	39	40	53	57	50	51	66	70	66	73	98	110	110	92	55	67	65	74	94	55	78
Violent Deaths,	5	4	5	4	3	5	8	4	8	6	7	4	6	6	3	7	4	5	5	2	5	3	8	4	2	2
Mean Temperature of the Air Phœnix Park),	57·4	52·4	47·5	46·1	48·0	49·5	48·9	50·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3
Average Mean Temperature in corresponding week of previous 10 years,	56·6	53·6	52·7	51·1	48·4	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1
Rainfall in inches,	·455	·575	1·470	·360	·350	·470	·325	1·085	·710	·050	·030	·240	·455	·200	·855	2·055	·715	·535	·560	·530	·920	·690	·680	·520	1·025	·000
Mean Humidity of the Air, complete Saturation 1·0,	·88	·78	·86	·85	·86	·88	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88	·88	·87	·88	·87	·80

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 10th March, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).			
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.											
Area in Statute Acres,	674	321	282	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462		24,640	.
I. ZYMOTIC DISEASES:																			
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Measles,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.		2	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		2	.
Diphtheria,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1	1
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.		3	.
Diarrhœa, Dysentery,	.	.	1	.	.	.	1	1	.	1	.	.	1	1	.	3		11	.
Other Zymotic Diseases	.	.	.	1	2	.	1	1	.	1	.	1	1	2	.	3		20	1
Total,	1	.	1	2	2	.	1	5	.	1	.	1	1	2	.	3		20	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1	.
IV. CONSTITUTIONAL DISEASES:																			
Phthisis, or Pulmonary Consumption,	1	8	3	4	3	4	4	2	.	1	.	.	2	1	.	2		35	2
Other Constitutional Diseases,	3	2	2	1	2	1	6	3	.	.	.	.	2	.	1	1		24	1
Total,	4	10	5	5	5	5	10	5	.	1	.	.	4	1	1	3		59	3
V. DEVELOPMENTAL DISEASES,	.	3	2	2	1	3	4	.	.	1	.	.	.	2		2		20	.
VI. LOCAL DISEASES:																			
Diseases of Brain & Nervous System,	1	.	2	2	6	2	2	3	1	.	.	1	.	.	1	1		22	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Circulatory System,	1	5	.	2	4	1	2	1	.	.	.	.	2	.	.	.		18	.
Diseases of Respiratory System,	9	12	8	6	11	4	10	5	2	.	1	1	5	2	1	2		78	.
Diseases of Digestive System,	.	2	.	.	1	.	3	.	1	.	1	.	2	.	.	.		10	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1	.
Diseases of Urinary System,	.	1	.	.	1	1	.	.	.	.	.	.	.	1	.	.		4	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
" Integumentary System,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1	.
Total,	11	20	16	10	23	9	17	10	4	.	1	2	9	3	2	3		134	.
VII. VIOLENT DEATHS,	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		2	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	2	.	1	.	.	3	.	.	.	.	.	1	.	.		6	.
Deaths from all Causes,	16	34	20	19	33	17	32	22	4	3	1	4	14	9	3	12		213	4
Annual Rate of Mortality in every 1,000 of the population.	30·7	50·9	36·1	33·0	51·8	47·8	41·1	32·0	50·4	14·6	12·3	25·7	26·3	19·1	8·6	36·0		36·2	
	39·7				42·3				24·9										
	41·1																		

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	5	3	5	6	3	2	3	.	.	.	.	2	2	.	.		32	3
Workhouse Hospitals,	3	6	9	6	8	4	6	4	.		.			.		2		48	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th March, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 10th March, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	36·8	247	66	15	42	60	56	8	.	2	1	.	.	2	.	2	3	10	37	8	78	2	112
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	30·0	9	2	.	3	.	3	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	7
II.	MIDDLE CLASS,	81,469	17·2	27	4	1	5	8	8	1	.	.	.	.	.	1	.	.	.	1	7	.	5	.	14
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	30·9	59	12	6	9	19	10	3	.	.	.	.	.	.	.	.	.	.	11	2	19	2	25
IV.	GENERAL SERVICE CLASS,	147,978	51·7	103	46	7	17	16	16	1	.	2	1	.	.	1	.	2	2	8	10	6	37	.	42
V.	INMATES OF WORKHOUSES,	5,191		49	2	1	8	17	19	2	.	.	.	.	.	.	.	.	.	.	8	.	17	.	24
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	39·1	6	2	.	3	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	4
	2. Merchants and Manufacturers, Higher Class,	1,857	28·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,733	18·1	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	12·0	6	1	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	2
	6. Clerks and Commercial Assistants,	25,001	25·0	12	2	1	3	4	1	1	.	.	.	.	.	1	.	.	.	1	5	.	.	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	19·1	9	1	.	2	2	4	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	6
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	42·0	6	2	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	4
	9. Building and Furnishing Trades,	26,294	41·5	21	5	3	1	8	3	1	.	.	.	.	.	.	.	.	.	.	2	1	8	1	9
	10. Clothing Trades,	23,927	17·4	8	2	1	1	2	1	1	.	.	.	.	.	.	.	.	.	.	3	.	3	.	2
	11. Food Supply Trades,	7,949	32·7	5	1	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3
	12. Other Trades and Callings ranking with Trades,	26,937	34·7	18	2	1	6	6	2	1	.	.	.	.	.	.	.	.	.	.	6	.	6	.	6
	13. Petty Shopkeepers,	6,839	7·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	37·9	10	6	1	1	2	.	.	.	1	.	.	.	.	.	1	.	2	1	.	5	.	2
	15. Domestic Servants,	39,967	14·3	11	3	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	2	.	4	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	33·7	7	1	1	3	2	.	.	.	.	1	.	.	.	.	.	.	1	1	1	2	.	2
	17. Hawkers, Porters, Labourers, &c.,	88,472	46·7	75	36	5	9	10	15	.	.	1	.	.	.	1	.	1	2	5	6	5	26	.	33
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	49	2	1	8	17	19	2	.	.	.	.	.	.	.	.	.	.	8	.	17	.	24

THE TOTAL OF THE PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 10th March, 1900. Annual Rate per 1,000 persons represented by Births	Deaths From all Causes	Deaths From Principal Zymotic Diseases	Births. Total Number	Deaths. Total Number	Under 1 year of Age	At 60 years & upwards	Small Pox	Measles	Scarlet Fever	Typhus	Whooping Cough	Diphtheria	Simple continued & Ill-defined Fever	Enteric Fever	Diarrhœa, Dysentery	Phthisis	Diseases of Respiratory System	Violence	Inquest Cases	No. in Public Institutions
Total of 28 Town Districts	1,062,188	12·2	34·9	32·2	1·4	711	656	108	176	.	5	2	2	4	4	1	4	6	86	212	4	15	162
Dublin Registration Area :—																							
Total,‡	349,594	14·2	32·1	36·2	1·3	215	248	40	63	.	2	1	.	.	2	.	1	3	35	78	2	6	80
Registrars' Districts. City	245,001	65·6	31·5	41·1	1·5	148	193	31	49	.	2	1	.	.	1	.	1	2	29	65	2	6	74
Clontarf &c. No. 1,	4,188	1·5	25·2	50·4	.	2	4	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	43·7	14·6	.	9	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	12·3	12·3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Palmerston, part of and Crumlin part of (b),	7,273	8·0	43·0	28·7	7·2	6	4	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Rathmines,‖	27,796	16·2	33·8	26·3	.	18	14	.	6	.	.	.	.	.	.	.	.	.	2	5	.	.	2
Donnybrook,	24,629	12·4	55·8	19·1	2·1	24	9	3	1	.	.	.	.	.	1	.	.	.	1	2	.	.	2
Blackrock,‖	8,401	7·8	6·2	18·6	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	18·0	36·0	.	6	12	2	4	.	.	.	.	.	.	.	.	.	2	2	.	.	2
Urban Districts.																							
Belfast,	359,000	21·8	39·1	28·3	1·6	269	195	42	35	.	2	.	.	3	1	1	3	1	28	75	2	6	37
Cork,	75,845	33·3	26·3	23·5	0·7	38	34	1	9	.	.	.	.	.	.	.	.	1	6	9	.	.	8
Limerick,	37,155	17·9	44·9	46·3	.	32	33	4	10	.	.	.	.	.	.	.	.	.	3	13	.	.	10
Londonderry,	38,200	15·3	56·5	29·8	1·6	36	19	1	6	.	.	.	.	.	.	.	.	1	2	5	.	.	2
Waterford,	26,208	18·3	25·9	23·9	2·0	18	12	.	2	.	.	.	1	.	.	.	.	.	1	3	.	.	3
Galway,	18,800	2·6	26·4	60·5	.	7	16	2	4	.	.	.	.	.	.	.	.	.	2	1	.	.	4
Drogheda	18,708	8·7	41·8	60·9	7·6	11	16	1	5	.	1	1	.	.	.	.	.	.	.	1	.	1	5
Newry,	12,961	18·5	40·2	24·1	.	10	6	1	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.
Dundalk,	12,449	9·0	25·1	25·1	.	6	6	.	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.
Lisburn,	12,260	10·8	51·1	38·8	.	12	9	3	1	.	.	.	.	.	.	.	.	.	1	2	.	1	.
Wexford,	11,545	24·0	31·6	27·1	.	7	6	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	2
Lurgan,	11,429	18·4	27·4	18·2	.	6	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny	11,048	12·0	14·2	33·0	.	3	7	1	3	.	.	.	.	.	.	.	.	.	2	.	.	.	8
Clonmel,	10,708	8·2	53·6	39·0	.	11	8	2	4	.	.	.	.	.	.	.	.	.	.	4	.	.	1
Sligo,	10,274	8·4	15·2	15·2	5·1	3	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Tralee,	9,818	15·9	50·4	33·6	.	9	6	1	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Ballymena,	9,252	9·3	11·3	45·1	5·6	2	8	1	3	.	.	.	.	.	1	.	.	.	1	3	.	.	.
Newtownards,	9,197	19·0	28·3	28·3	.	5	5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown,	9,082	17·0	28·7	34·4	.	5	6	2	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.
Carrickfergus,	8,923	0·5	5·8	28·4	5·8	1	4	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Portadown,	8,430	11·0	37·1	49·5	.	6	8	.	3	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Armagh,	7,137	21·4	28·5	14·3	.	4	2	.	1	.	.	.	.	.	.	.	.	.	1	4	.	.	.
																			1	1	.	.	1

Towns and Districts.	Meteorology.† Week ending 10th Mar., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd March, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th Feb., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 28 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area :—												
Total,‡	44·8	26·1	38·3	0·00	50·2	33·6	40·2	1·03	56·4	28·9	41·4	0·52
Registrars' Districts. City	48·7	33·9	40·8	0·02	47·6	36·8	41·7	1·02	55·9	31·4	43·0	0·61
Clontarf &c. No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	.	.	.	.	.	.	.	.	.	.	.	.
Palmerston, part of and Crumlin part of (b),	46·9	32·0	39·7	0·00	48·9	34·2	40·6	1·16	57·8	29·0	41·0	0·63
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	47	36	41·2	0·01	44	36	40·6	0·72	.	.	.	.
Urban Districts.												
Belfast,	48·0	31·0	40·1	0·00	56·5	35·0	40·9	0·71	55·0	30·0	40·5	1·00
Cork,	49	35	42·2	0·09	50	37	42·9	0·64	54	32	43·9	1·84
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	49·1	28·0	39·4	0·03	49·0	38·0	40·6	0·39	51·0	30·0	39·4	0·77
Waterford,	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	.	.	.	.	54	32	41	0·43	50	29	42	1·20
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	47·0	29·8	39·0	0·00	48·8	30·8	39·0	0·40	55·0	28·5	40·5	1·19
Dundalk,	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	47·0	29·8	39·0	0·00	48·8	30·8	39·0	0·40	55·0	28·5	40·5	1·19
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	47·0	29·8	39·0	0·00	48·8	30·8	39·0	0·40	55·0	28·5	40·5	1·19
Kilkenny	46	32	39·5	0·00	52·0	35	40·3	0·35	.	.	.	.
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	47·2	23·7	37·8	0·00	51·1	25·9	40·0	0·12	52·7	25·4	39·3	1·73
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	44	36	39·9	0·00	46	34	40·7	0·50	52	30	40·3	1·18
Queenstown,	49	35	42·2	0·09	50	37	42·9	0·64	54	32	43·9	1·84
Carrickfergus,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	47·0	29·8	39·0	0·00	48·8	30·8	39·0	0·40	55·0	28·5	40·5	1·19
Armagh,	47·0	29·8	39·0	0·00	48·8	30·8	39·0	0·40	55·0	28·5	40·5	1·19

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude.

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 4 deaths of persons (including one aged 60 years), admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
North City, No. 1 (E.)	Jan. 20,	26·9	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	„ 27,	25·0	.	13	.	.	.	.	.	.	.	.	.	4	4	1
	Feb. 3	23·0	.	12	.	.	.	.	.	.	.	.	.	2	5	.
	„ 10,	30·7	3·8	16	.	.	.	.	.	.	.	.	2	2	4	.
(*Office,*	„ 17,	49·9	.	26	.	.	.	.	.	.	.	.	.	2	4	.
Clarence-street, Nth.	„ 24,	57·6	5·8	30	.	.	.	.	.	.	.	.	3	3	7	1
	Mar. 3,	25·0	3·8	13	.	.	.	.	.	.	.	2	.	3	2	1
Pop. (in 1891) 27,147.	„ 10,	30·7	1·9	16	.	.	.	.	.	1	.	.	.	1	9	.
North City, No. 1 (W.)	Jan. 20,	53·9	3·0	36	.	.	.	.	.	1	.	.	1	4	15	.
	„ 27,	43·4	.	29	.	.	.	.	.	.	.	.	.	5	6	.
	Feb. 3,	35·9	3·0	24	.	.	.	.	.	.	.	1	1	1	7	.
	„ 10,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	3	5	.
(*Office,*	„ 17,	41·9	1·5	28	.	.	.	.	.	.	.	1	.	3	13	.
Summer-hill.)	„ 24,	40·4	.	27	.	.	.	.	.	.	.	.	.	1	5	1
	Mar. 3,	35·9	3·0	24	.	1	.	.	.	.	.	1	.	3	7	.
Pop. (in 1891) 34,836.	„ 10,	50·9	.	34	.	.	.	.	.	.	.	.	.	3	12	1
North City, No. 2.	Jan. 20,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	3	8	2
	„ 27,	41·5	1·8	23	.	1	.	.	.	.	.	.	.	1	6	.
	Feb. 3,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	3	10	1
	„ 10,	32·5	.	18	.	.	.	.	.	.	.	.	.	1	8	.
(*Office,*	„ 17,	41·5	.	23	.	.	.	.	.	.	.	.	.	5	2	3
Lisburn-street.)	„ 24,	52·4	1·8	29	.	.	.	.	.	.	.	1	.	7	8	.
	Mar. 3,	37·9	1·8	21	.	.	.	.	.	.	.	.	1	1	10	.
Pop. (in 1891) 28,871.	„ 10,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	3	8	.
North City, No. 3.	Jan. 20,	50·0	2·0	25	.	.	.	.	.	1	.	.	.	4	10	1
	„ 27,	65·0	6·0	33	.	3	.	.	.	.	.	1	.	2	7	1
	Feb. 3,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	3	1
	„ 10,	32·0	2·0	16	.	.	.	.	.	1	.	.	.	.	7	.
(*Office,*	„ 17,	46·0	8·0	23	.	.	.	.	3	1	.	.	.	3	5	1
Blackhall-place.)	„ 24,	52·0	2·0	26	.	1	.	.	.	.	.	.	.	4	6	.
	Mar. 3,	46·0	4·0	23	.	.	1	.	.	.	.	.	1	4	4	1
Pop. (in 1891) 26,055.	„ 10,	38·0	2·0	19	.	.	.	.	.	.	.	1	.	4	6	.
South City, No. 1.	Jan. 20,	45·6	3·1	29	.	1	.	.	.	.	.	.	1	2	5	.
	„ 27,	44·0	1·6	28	.	.	.	.	1	.	.	.	.	6	4	.
	Feb. 3,	37·7	.	24	.	.	.	.	.	.	.	.	.	2	10	.
	„ 10,	31·4	3·1	20	.	.	1	.	1	.	.	.	.	3	9	.
(*Office,*	„ 17,	58·1	1·6	37	.	.	.	.	.	.	.	.	1	3	10	3
South Earl-street.	„ 24,	61·4	.	41	.	.	.	.	.	.	.	.	.	2	17	.
	Mar. 3,	31·4	.	20	.	.	.	.	.	.	.	.	.	4	3	.
Pop. (in 1891) 33,194.	„ 10,	51·8	.	33	.	.	.	.	.	.	.	.	.	3	11	1
South City, No. 2.	Jan. 20,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	7	.
	„ 27,	28·1	2·8	10	.	.	.	.	1	.	.	.	.	1	4	.
	Feb. 3,	22·5	2·8	8	.	1	.	.	.	.	.	.	.	1	1	.
	„ 10,	25·3	2·8	9	.	.	.	.	.	1	.	.	.	2	3	.
(*Office,*	„ 17,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	1	7	.
Castle-street.)	„ 24,	50·6	2·8	18	.	.	.	.	.	.	.	.	1	3	5	.
	Mar. 3,	59·0	5·6	21	.	.	.	.	.	.	.	1	1	.	4	.
Pop. (in 1891) 18,547.	„ 10,	47·8	.	17	.	.	.	.	.	.	.	.	.	4	4	.
South City, No. 3.	Jan. 20,	43·7	2·6	34	.	.	.	.	1	.	.	.	1	1	13	1
	„ 27,	27·0	.	21	.	.	.	.	.	.	.	.	.	4	2	.
	Feb. 3,	37·3	2·6	29	.	.	1	.	.	.	.	.	1	5	8	1
	„ 10,	32·1	2·6	25	.	.	.	.	2	.	.	.	.	5	10	.
(*Office,*	„ 17,	33·4	1·3	26	.	1	.	.	.	.	.	.	.	1	6	1
Peter-street.)	„ 24,	57·9	1·3	45	.	.	1	.	.	.	.	.	.	3	15	1
	Mar. 3,	32·1	.	25	.	.	.	.	.	.	.	.	.	3	6	.
Pop. (in 1891) 40,558.	„ 10,	41·1	.	32	.	.	.	.	.	.	.	.	.	4	10	.
South City, No. 4.	Jan. 20,	36·4	2·9	25	.	1	.	.	1	.	.	.	.	.	6	1
	„ 27,	30·6	1·5	21	.	.	.	.	1	.	.	.	.	5	5	.
	Feb. 3,	37·9	4·4	26	.	1	.	.	.	1	.	1	.	.	4	1
	„ 10,	30·6	7·3	21	.	3	.	.	1	1	.	.	.	2	3	1
(*Office,*	„ 17,	51·0	7·3	35	.	.	1	.	1	1	.	1	1	5	7	.
Grand Canal-street.)	„ 24,	55·4	1·5	38	.	1	.	.	.	.	.	.	.	6	12	.
	Mar. 3,	32·0	.	22	.	.	.	.	.	.	.	.	.	3	5	.
Pop. (in 1891) 35,798	„ 10,	32·0	5·8	22	.	2	1	.	.	.	.	.	1	2	5	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Jan. 20,	33·8	1·9	18	.	.	.	.	.	.	.	1	.	1	4	.
	„ 27,	24·4	.	13	.	.	.	.	.	.	.	.	.	2	5	.
	Feb. 3,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	„ 10,	24·4	3·8	13	.	.	1	.	.	1	.	.	.	1	3	1
	„ 17,	33·8	.	18	.	.	.	.	.	.	.	.	.	.	5	.
	„ 24,	28·1	.	15	.	.	.	.	.	.	.	.	.	1	4	.
	Mar. 3,	24·4	3·8	13	.	.	.	.	.	1	.	.	1	.	6	.
	„ 10,	26·3	.	14	.	.	.	.	.	.	.	.	.	2	5	.
Donnybrook. Pop. (in 1891) 24,629.	Jan. 20,	55·0	12·7	26	.	4	.	.	.	.	.	1	1	3	8	.
	„ 27,	40·2	2·1	19	.	1	.	.	.	.	.	.	.	2	5	.
	Feb. 3,	36·0	2·1	17	.	1	.	.	.	.	.	.	.	3	2	.
	„ 10,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 17,	29·6	.	14	.	.	.	.	.	.	.	.	.	2	7	.
	„ 24,	36·0	.	17	.	.	.	.	.	.	.	.	.	.	4	.
	Mar. 3,	31·8	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 10,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
Kingstown. Pop. (in 1891) 17,836.	Jan. 20,	48·0	6·0	16	.	1	.	.	1	.	.	.	.	2	3	.
	„ 27,	48·0	3·0	16	.	1	.	.	.	.	.	.	.	1	1	.
	Feb. 3,	42·0	3·0	14	.	.	.	.	.	1	.	.	.	2	5	.
	„ 10,	30·0	3·0	10	.	.	.	.	.	1	.	.	.	1	1	.
	„ 17,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 24,	27·0	6·0	9	.	2	.	.	.	.	.	.	.	1	2	.
	Mar. 3,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 10,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	2	.
Belfast. Pop. in 1900 (Est.) 359,000.	Jan. 20,	24·1	2·8	166	.	.	1	.	9	1	.	4	1	17	72	.
	„ 27,	24·7	1·3	170	.	1	.	.	5	.	.	1	2	21	66	.
	Feb. 3,	19·6	1·2	135	.	1	.	.	4	.	.	1	2	12	39	3
	„ 10,	27·2	1·3	187	.	.	.	.	3	3	1	1	1	26	50	8
	„ 17,	32·8	1·5	226	.	.	.	.	4	2	.	1	3	27	73	8
	„ 24,	26·3	1·7	181	.	.	2	.	3	1	1	2	3	19	67	5
	Mar. 3,	30·1	1·9	207	.	1	1	.	4	2	.	5	.	26	57	4
	„ 10,	28·3	1·6	195	.	2	.	.	3	1	1	3	1	28	75	2
Cork. Pop. (in 1891) 75,345.	Jan. 20,	35·3	.	51	.	.	.	.	.	.	.	.	.	9	13	.
	„ 27,	45·0	2·1	65	.	2	.	.	.	.	.	.	1	13	14	1
	Feb. 3,	33·2	1·4	48	.	2	.	.	.	.	.	.	.	6	8	.
	„ 10,	22·1	.	32	.	.	.	.	.	.	.	.	.	4	2	.
	„ 17,	29·1	0·7	42	.	.	.	.	.	.	.	.	1	4	10	.
	„ 24,	33·9	1·4	49	.	1	.	.	.	.	.	.	1	7	7	.
	Mar. 3,	29·1	1·4	42	.	1	.	.	.	.	.	.	1	9	8	.
	„ 10,	23·5	0·7	34	.	.	.	.	.	.	.	.	1	6	9	.
Limerick. Pop. (in 1891) 37,155.	Jan. 20,	22·5	.	16	.	.	.	.	.	.	.	.	.	1	12	.
	„ 27,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	7	.
	Feb. 3,	44·9	.	32	.	.	.	.	.	.	.	.	.	2	13	.
	„ 10,	29·5	.	21	.	.	.	.	.	.	.	.	.	1	8	.
	„ 17,	42·1	1·4	30	.	.	.	1	.	.	.	.	.	3	12	.
	„ 24,	51·9	.	37	.	.	.	.	.	.	.	.	.	3	16	.
	Mar. 3,	43·5	.	31	.	.	.	.	.	.	.	.	.	2	5	.
	„ 10,	46·8	.	33	.	.	.	.	.	.	.	.	.	3	13	.
Londonderry Pop. (in 1891) 33,200.	Jan. 20,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	1	1
	„ 27,	37·7	.	24	.	.	.	.	.	.	.	.	.	4	8	.
	Feb. 3,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	8	1
	„ 10,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	1	4	.
	„ 17,	40·8	1·6	26	.	.	.	.	.	.	.	.	1	4	10	.
	„ 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	2	12	.
	Mar. 3,	39·3	.	25	.	.	.	.	.	.	.	.	.	2	11	.
	„ 10,	29·8	1·6	19	.	.	.	.	.	.	.	.	1	2	5	.
Waterford. Pop. (in 1891) 26,200.	Jan. 20,	35·8	6·0	18	.	.	3	.	.	.	.	.	.	2	4	.
	„ 27,	39·8	2·0	20	.	.	.	.	1	.	.	.	.	2	7	1
	Feb. 3,	45·8	.	23	.	.	.	.	.	.	.	.	.	2	9	2
	„ 10,	19·9	4·0	10	.	.	.	.	2	.	.	.	.	.	4	.
	„ 17,	59·7	4·0	30	.	.	.	.	2	.	.	.	.	7	5	.
	„ 24,	21·9	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	Mar. 3,	29·8	4·0	15	.	.	.	.	1	.	.	1	.	3	3	.
	„ 10,	23·9	2·0	12	.	.	.	1	.	.	.	.	.	1	3	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 10th March, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS.																						
			Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from		Total No. of Deaths.	Ages at Death.				Deaths from														
										Principal Zymotic Diseases.														
			All Causes.	The principal Zymotic Diseases.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																									
BELFAST URBAN, No. 1 DISTRICT,	17,122	8	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		10	8	.	6	1	.	.	.	.	.	.	.	.	.	2	5	1	1	3
" 2 "	37,589	48			19	1	2	13	3	.	.	.	.	.	.	.	1	1	8	2	.	.	6
" 3 "	38,845	36			26	10	2	10	4	.	.	.	.	.	.	.	.	.	4	11	.	.	1
" 4 "	33,391	44			33	7	9	12	5	.	.	.	.	.	.	.	.	.	3	16	.	.	8
" 5 "	21,284	9			12	3	.	7	2	.	.	.	.	.	.	.	.	.	1	4	1	1	6
" 6 "	48,431	21			31	2	4	17	8	.	.	.	.	1	1	1	1	.	3	11	.	1	6
" 7 "	1,112	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	1			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 9 "	12,866	18			9	3	2	3	1	.	.	.	.	.	.	.	1	.	.	4	.	.	.
" 10 "	12,256	13			13	2	3	6	2	.	.	.	.	1	.	.	.	.	2	7	.	.	2
" 11 "	19,881	26			11	3	3	2	3	.	1	.	.	.	.	.	.	.	1	4	.	.	1
" 12 "	28,282	36			22	6	3	9	4	.	1	.	.	1	.	.	.	.	4	6	.	2	4
" 13 "	6,804	9			7	1	.	4	2	.	.	.	.	.	.	.	.	.	.	4	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	269			195	42	28	90	35	.	2	.	.	3	1	1	3	1	28	75	2	6	37
City of Cork.																									
CORK URBAN, No. 1 DISTRICT,	11,927	9	39·3	.	9	.	.	6	3	.	.	.	.	.	.	.	.	.	1	3	.	.	4
" 2 "	9,252	8	11·3	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 3 "	9,816	5	15·9	5·3	3	.	1	2	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.
" 4 "	10,356	3	25·2	.	5	.	.	3	2	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" 5 "	8,187	5	6·4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 6 "	8,828	7	11·8	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	1	36·7	.	12	1	1	8	2	.	.	.	.	.	.	.	.	.	3	3	.	.	.
Total,	75,345	38	23·5	0·7	34	1	4	20	9	.	.	.	.	.	.	.	.	1	6	9	.	.	8

Boundaries of Registrars' Districts—Belfast.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre of Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square. Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary, thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Sept. 16.	Sept. 23.	Sept. 30	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.
No. of week in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered,	239	209	201	263	252	231	218	203	246	202	237	192	189	199	203	175	239	263	199	230	204	240	186	230	216	269
DEATHS registered.	158	153	147	175	150	143	164	181	127	176	137	118	113	139	132	192	198	210	166	170	135	187	226	181	207	195
Annual Death-rate per 1,000 of estimated Population,	23·5	22·8	21·9	26·1	22·3	21·3	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·8
AGES, Under 1 year,	51	60	47	50	44	35	40	35	30	38	40	28	21	26	19	39	34	40	26	32	22	30	41	31	43	42
AGES, 1–5 years,	21	16	16	20	19	24	21	15	18	25	17	14	10	19	9	25	31	23	24	22	17	15	23	16	21	28
AGES, 5–60 years,	67	59	64	80	60	57	84	60	49	90	57	46	68	73	74	75	93	88	71	71	62	99	102	84	92	90
AGES, 60 years and upwards,	19	18	20	25	27	27	19	21	30	23	28	30	19	21	30	53	40	59	45	45	34	43	60	50	51	35
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	2	1	1	1	.	.	.	1	2	.	1	1	2	1	1	4	.	1	1	.	.	.	1	2
" Scarlet Fever,	.	.	.	1	.	.	1	.	.	1	.	.	1	.	1	1	.	.	1	.	.	.	.	2	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	2	6	1	4	3	4	2	1	5	1	4	4	.	2	1	6	6	2	9	5	4	3	4	3	4	3
" Diphtheria,	.	2	1	.	.	.		.	2	1	3	2	.	3	2	1	2	.	1	.	.	3	2	1	2	1
" Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.	1
" Enteric Fever,	9	6	9	14	9	8	9	3	6	10	4	5	1	2	1	4	4	4	4	1	1	1	1	2	5	3
" Diarrhœa, Dysentery,	18	19	15	9	4	2	4	.	2	.	.	.	.	1	.	1	3	4	1	2	2	1	3	3	.	1
" Phthisis,	22	18	21	20	15	10	16	17	14	35	12	13	19	29	14	31	27	21	17	21	12	26	27	19	26	28
" Diseases of Respiratory System,	16	22	19	38	32	43	50	43	37	49	35	38	37	34	27	64	74	86	72	66	39	50	73	67	57	75
Violent Deaths,	1	3	4	2	4	3	8	5	1	3	7	4	1	2	6	2	5	2	.	.	3	8	8	5	4	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Mar. 10,	2,841	1,652	18·8	.	59	8	41	37	13	6
EDINBURGH,	302,262	„ 10,	180	130	22·4	.	1	3	.	3	3	3
GLASGOW,	743,969	„ 10,	495	453	31·7	.	12	5	5	11	5	14
CALCUTTA,	466,460	Jan. 6,	.	326	36·4	10	1	.	.	.	69‡	60*
BOMBAY,	821,764	Feb. 13,	241	2,585	163·6	268	122	?	?	?	230§	240*
MADRAS,	452,518	Jan 12,	314	390	44·8	.	12	?	?	?	85	68
PARIS,	2,511,629	Mar. 3,	1,216	1,259	26·0	.	21	6	9†	5	25	43
BRUSSELS (with 8 Faubourgs).	561,130	Feb. 24,	271	236	21·9	.	2	1	1†	1	2	12
AMSTERDAM,	523,743	„ 17,	297	184	18·3	.	.	1	1	4	1	.
ROTTERDAM,	319,491	„ 17,	263	131	21·4	.	5	.	2	1	1	.
THE HAGUE,	205,328	„ 17,	132	98	24·8	.	.	.	2	.	1	.
COPENHAGEN,	349,000	Mar. 3,	151	168	25·0	.	.	2	1	4	.	1
CHRISTIANIA,	221,255	„ 3,	132	96	22·6	.	.	1	.	3	.	5
ST. PETERSBURG,	1,132,677	Feb. 24,	686	669	30·7	8	14	13	23	3	17	39
BERLIN,	1,848,269	„ 17,	1,037	861	24·2	.	9	6	11	21	4	36
HAMBURG,	691,349	„ 24,	420	349	26·3	.	2	.	2†	.	.	3
DRESDEN,	400,400	Jan. 20,	220	139	18·0	.	2	.	1†	1	.	3
BRESLAU,	406,012	Mar. 3,	.	221	28·3	.	4	.	.	2	.	21
MUNICH,	445,000	Dec. 23,	317	200	23·4	.	4	.	3†	2	.	27
VIENNA (with suburbs).	1,639,811	Feb. 10,	895	633	20·1	.	10	3	5†	3	.	38
BUDA-PESTH,	685,340	—	.	.	.	.	.	.	.	.	.	.
PRAGUE and Faubourgs.	385,952	Feb. 24,	203	154	20·8	.	.	.	.	4	.	6
ROME,	512,453	„ 3,	283	372	37·8	.	8	.	.	.	2	9
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	172,491	Feb. 10,	77	102	30·7	.	.	.	.	.	.	1
NEW YORK,	3,654,594	—	.	.	.	.	.	.	.	.	.	.
PHILADELPHIA,	1,266,832	Feb. 10,	.	531	21·8	.	7	7	26	2	6	1

* Including 10 deaths from cholera in Calcutta and 2 in Bombay. † Including deaths from croup.
‡ Exclusive of 30 deaths from bubonic fever. § Exclusive of 570 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., P.R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 10th March, 1900:—

"Quiet, cold, dull, dry anticyclonic weather held throughout this week. On Sunday the sun shone for some hours, and again in the course of Saturday there was some bright sunshine, but in the interval the sky was covered by an almost unbroken cloud-canopy both by night and by day. One result of this state of things was that the diurnal range of temperature was trifling, the thermometer neither falling much by night nor rising much in the day-time On Sunday an anticyclone, with central readings of 30·30 inches lay over Ireland and Scotland, frost prevailing in Central Ireland. Until Friday there was very little change, but on the morning of that day a shallow depression was found over the Bay of Biscay, moving slowly northwards. This system caused some increase of temperature and light showers on both Friday and Saturday, and the clouds rose and became less dense. A good deal of lofty cirrus was observed on Saturday. In Dublin the mean height of the barometer was 30·289 inches, pressure ranging only between 30·379 inches at 9 p.m. of Tuesday (wind, N.) and 30·227 inches at 9 a.m. of Saturday (wind, E.S.E.). The corrected mean temperature was 40·8°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 40·0°. The screened thermometers fell to 33·9° on Sunday and rose to 48·7° on Saturday. The prevalent wind was E.S.E. The rainfall was only ·015 inch, of which ·009 inch fell on Saturday and ·005 inch on Sunday. Bright sunshine was estimated at 7½ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·305 inches. The highest reading (30·400) was on Tuesday at 9 P.M., air calm, and the lowest (30·247) on Saturday at 9 A.M., wind E.

The mean temperature for the week was 38·3°, being 1·8° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Sunday, when the thermometer registered 44·8°, and was also lowest on that day, the mercury having fallen to 26·1°. The mean of the Dry Bulb for the week was 38·5°, and of the Wet Bulb 35·9°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 6·1 hours. There was no rain during the week.

At Greenwich the mean temperature for the week was 39·2°, the maximum 55·0°, and the minimum 35·0°; at Glasgow the maximum was 50·4°, the minimum 28·7°, and the mean 38·3°; and at Edinburgh the maximum was 49·7°, the minimum 28·4°, and the mean 39·0°. The rainfall at Greenwich measured ·02 in.; and at Edinburgh ·01 in. There was no rain at Glasgow.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Mar. 4,	30·300	44·8	26·1	35·5	34·4	32·9	·86	·3	4·9	—	Calm.	Calm.
Monday, " 5,	30·315	43·8	34·8	39·3	39·6	37·5	·84	·2	0·0	—	Calm.	Calm.
Tuesday, " 6,	30·392	43·7	36·3	40·0	39·3	35·8	·74	·2	0·7	—	Calm.	Calm.
Wednesday, " 7,	30·349	40·7	34·9	37·8	37·9	35·1	·77	·2	0·0	—	Calm.	Calm.
Thursday, " 8,	30·269	40·6	36·1	38·4	38·5	35·9	·79	·1	0·0	—	N.N.W.	Calm.
Friday, " 9,	30·258	42·1	34·9	38·5	38·9	35·3	·72	·1	0·0	—	Calm.	E.
Saturday, " 10,	30·255	41·2	35·5	38·4	40·6	39·0	·88	·1	0·5	—	E.	Calm.
Mean,	30·305	42·4	34·1	38·3	38·5	35·9	·80	·2	Total 6·1	Total —	—	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A cloudy day; night cloudy. *Tuesday*—A cloudy day; night overcast. *Wednesday*—A dull day; night overcast. *Thursday*—A dull day; night overcast. *Friday*—A dull day; night overcast. *Saturday*—A cloudy day; night cloudy; fog 6 to 9 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 517. 2. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS
IN
DUBLIN
(INCLUDING ITS SUBURBAN DISTRICTS)
AND IN
TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 17TH MARCH, 1900. [No. 11.

General Register Office, Charlemont House,
Dublin, 19th March, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 18·8), was equal to an average annual death-rate of 20·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 22·7 per 1,000, the rate for Glasgow being 25·4, and for Edinburgh 19·6.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 26·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Feb. 24.	Week ending Mar. 3.	Week ending Mar. 10.	Week ending Mar. 17.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 24.	Week ending Mar. 3.	Week ending Mar. 10.	Week ending Mar. 17.	Average Rate for 4 weeks.
23 Town Dists.	37·5	32·2	32·2	26·9	32·2	Limerick, . .	51·9	43·5	46·3	32·3	43·5
Armagh, . .	42·8	42·8	14·3	21·4	30·3	Lisburn, . .	34·1	42·6	38·3	29·8	36·2
Ballymena, . .	33·8	56·4	45·1	22·5	39·5	Londonderry, .	40·8	39·3	29·8	31·4	35·3
Belfast, . . .	26·3	30·1	28·3	22·8	26·9	Lurgan, . .	54·7	36·5	18·2	41·1	37·6
Carrickfergus, .	17·5	11·7	23·4	11·7	16·1	Newry, . .	56·3	52·3	24·1	16·1	37·2
Clonmel, . .	58·4	24·3	39·0	24·3	36·5	Newtownards, .	45·4	11·3	28·3	11·3	24·1
Cork, . . .	33·9	29·1	23·5	28·1	31·2	Portadown, .	49·5	6·2	49·5	24·7	32·5
Drogheda, . .	41·8	38·0	60·9	26·6	41·8	Queenstown, .	17·2	57·4	34·4	11·5	30·1
Dublin, Reg. Area,	48·0	33·6	36·2	29·7	36·9	Sligo, . . .	15·2	15·2	15·2	5·1	12·7
Dundalk, . .	25·1	0·0	25·1	8·4	14·7	Tralee, . .	61·6	61·6	33·6	16·8	43·4
Galway, . .	45·3	34·0	60·5	30·2	42·5	Waterford, . .	21·9	29·8	23·9	27·9	25·9
Kilkenny, . .	42·5	37·8	33·0	42·5	38·9	Wexford, . .	22·6	9·0	27·1	36·1	23·7

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in sixteen of the districts to 9·4 in Kilkenny; the 9 deaths from all causes registered in that dis-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table VI.

trict comprising one from diphtheria and one from diarrhœa. Among the 157 deaths from all causes registered in Belfast are one from measles, 2 from whooping-cough, one from diphtheria, 4 from enteric fever, and one from diarrhœa.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 217—114 boys and 103 girls; and the deaths to 209—101 males and 108 females.

The deaths, which are 9 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 31·2 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 29·7 per 1,000. During the eleven weeks ending with Saturday last the death-rate averaged 40·3, and was 7·4 over the mean rate for the corresponding portions of the ten years 1890–99.

There were only 14 deaths from zymotic diseases registered last week, being 16 below the average for the corresponding week of the last ten years, and 7 under the number for the week ended the 10th instant: they consist of 4 from measles, 5 from influenza and its complications, one from whooping-cough, and 4 from diarrhœa.

The hospital statistics show that 17 cases of scarlatina were admitted to hospital during the week, being 6 over the admissions for the preceding week, and equal to the number for the week ended the 3rd instant: 11 scarlatina patients were discharged during the week; and 74* remained under treatment on Saturday last, being 6 over the number in hospital at the close of the preceding week,

Nine cases of measles were admitted to hospital, against 8 for the preceding week: 6 patients were discharged during the week; one died; and 27 remained under treatment on Saturday last, being 2 over the number in hospital at the close of the preceding week.

Seven cases of enteric fever were admitted to hospital, being 3 over the admissions for the preceding week, and 2 over the number for the week ended the 3rd instant: 10 patients were discharged during the week; and 47 remained under treatment on Saturday last, being 3 under the number in hospital on Saturday the 10th instant.

The number of cases of diphtheria admitted to hospital is 3, being 4 under the admissions for the preceding week, but one over the number for the week ended the 3rd instant: 7 patients were discharged during the week; and 13 remained under treatment on Saturday last, being 4 under the number in hospital at the close of the preceding week.

Deaths from diseases of the respiratory system, which had risen from 55 for the week ended the 3rd instant to 78 for the following week, fell last week to 39, or 11 under the average for the corresponding week of the last ten years: they comprise 27 from bronchitis and 10 from pneumonia or inflammation of the lungs.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the week ended Saturday, 17th March, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th March.			
	Feb. 24.	Mar. 3.	Mar. 10	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox, .	.	.	.	.	.	.	.
Measles. .	25	25	25	9	6	1	27
Scarlet Fever, .	58	66	68	17	11	.	74*
Typhus „ .	.	.	1	1	.	.	2
Diphtheria, .	23	17	17	3	7	.	13
Enteric Fever, .	68	63	50	7	10	.	47
Pneumonia, .	28	30	27	9	5	1	30

The deaths of 12 children under 5 years of age (including 9 infants under one year old) were ascribed to convulsions.

Three deaths were caused by apoplexy, 8 by other diseases of the brain and nervous system (exclusive of convulsions), and 17 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 29 deaths, mesenteric disease 4, tubercular meningitis 6, and cancer 4.

Four accidental deaths (including 3 from burns or scalds) were registered.

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

In 17 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age (including 6 infants under one year old) and the deaths of 4 persons aged 60 years or upwards.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 10 were under one month old) and 58 were aged 60 years and upwards, including 28 persons aged 70 and upwards, of whom 12 were octogenarians, and 4 (2 men and 2 women) were stated to have been aged 100, 93, 93 and 91 years respectively.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 23 took place in the North Dublin Union Workhouse and 23 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 29·7 per 1,000; the rate in the city was 33·6 (37·0 on the North side, and 30·5 on the South), and in the Suburbs 20·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the city being 1·5 (1·8 in the North City Districts, and 1·2 in the South), and for the Suburbs 1·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 26·9 per 1,000. Two deaths were caused by diseases of the circulatory system and 5 by phthisis. No deaths from any zymotic disease were recorded.

No. 1 North City District, West (Summer-hill).—The deaths (26) are equal to an annual rate of 38·9 per 1,000. They comprise one from measles, but none from any other zymotic disease. Seven deaths were caused by bronchitis, 3 by diseases of the circulatory system, and 4 by phthisis.

No. 2 North City District (Lisburn-street).—The deaths (25) are equivalent to an annual rate of 45·2 per 1,000. Two deaths were caused by diarrhœa, but no deaths from any other zymotic disease were recorded. Of the remaining 23 deaths 3 were caused by bronchitis, 2 by diseases of the circulatory system, 2 by phthisis, 3 by tubercular meningitis, 2 by convulsions, and 2 by diseases of the brain and nervous system, exclusive of convulsions.

No. 3 North City District (Blackhall-place).—The deaths (18) represent an annual rate of 36·0 per 1,000. The only death from any zymotic disease recorded is one from whooping-cough. Three deaths were caused by pneumonia and 5 by phthisis.

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 39·3 per 1,000. They comprise 3 from zymotic diseases, viz.:—one from measles, one from diarrhœa, and one from influenza. Of the 22 deaths from other causes, 5 were from bronchitis and 2 from diseases of the circulatory system.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 33·7 per 1,000. Among them are 3 from bronchitis and 2 from diseases of the circulatory system. No deaths from any zymotic disease were recorded.

No. 3 South City District (Peter-street).—The deaths (25) are equal to an annual rate of 32·1 per 1,000. Influenza caused 2 deaths, but no deaths from any other zymotic disease were recorded. The 23 deaths from other causes comprise 2 from bronchitis, 2 from pneumonia, 4 from convulsions, and 3 from diseases of the brain and nervous system, exclusive of convulsions.

No. 4 South City District (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 18·9 per 1,000. One death from diarrhœa constitutes the mortality from zymotic disease. Three deaths were caused by diseases of the respiratory system, 2 by diseases of the circulatory system, and 2 by phthisis.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 9·7; Finglas and Glasnevin, part of, 36·9; Palmerston, part of, and Crumlin, part of, 21·5; Rathmines, 18·8; Donnybrook, 12·7; Blackrock, 43·4; and Kingstown, 27·0. The deaths from zymotic diseases tabulated for these districts consist of one from measles for Palmerston, part of; one from influenza for Rathmines; one from influenza for Donnybrook; and 1 from measles for Blackrock. Two of the 3 deaths from all causes tabulated for Palmerston, part of, were from diseases of the respiratory system; of the 10 deaths for Rathmines 2 were caused by phthisis and 2 by convulsions; and the 6 deaths for Donnybrook comprise 2 from bronchitis.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years 1890–99.	In the week ending Saturday, 17th March, 1900. Deaths of persons of the Ages of								
	Mar. 15, 1890.	Mar. 21, 1891.	Mar. 19, 1892.	Mar. 18, 1893.	Mar. 17, 1894.	Mar. 16, 1895.	Mar. 14, 1896.	Mar. 20, 1897.	Mar. 19, 1898.	Mar. 18, 1899.		ALL AGES.	0 to 5.							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 46·4	° 39·6	° 43·0	° 42·4	° 40·3	° 42·4	° 45·0	° 45·2	° 45·3	° 44·8	° 43·4	° 41·1								
ALL CAUSES,	196	192	247	174	173	284	190	271	237	217	218·1	209	10	24	22	12	39	44	42	16
I. FEBRILE OR ZYMOTIC DISEASES,	23	17	39	21	20	27	18	30	30	23	29·8	14	.	4	6	1	.	1	2	.
II. PARASITIC DISEASES,	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	1	.	2	1	1	.	1	.	.	·7	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	50	44	65	59	41	48	50	59	47	58	51·6	56	.	6	6	8	20	14	4	.
V. DEVELOPMENTAL "	17	15	14	12	12	18	16	17	27	23	17·1	20	1	.	.	.	.	.	7	12
VI. LOCAL "	97	107	112	71	88	171	88	102	119	110	106·5	103	8	10	10	3	18	29	26	4
VII. VIOLENT DEATHS,	.	8	8	6	8	2	5	6	4	8	8·5	4	.	8	.	.	1	.	.	.
VIII. ILL-DEFINED CAUSES,	8	5	14	3	7	17	18	6	9	5	8·7	12	6	1	.	.	.	2	3	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	4	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	3	.	12	2	1	.	.	46	.	.	6·4	4	.	1	3	.	.	.	.	.
Scarlet Fever,	.	.	2	1	.	.	4	2	4	.	1·3	.	.	.	.	.	.	.	.	.
Typhus,	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	3	.	6	1	8	14	3	4	11	9	5·9	5	.	1	1	.	.	1	2	.
Whooping Cough,	7	5	5	4	5	3	2	20	3	10	6·4	1	.	1	.	.	.	.	.	.
Diphtheria,	.	2	.	1	.	1	.	.	1	2	·7	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	4	3	3	2	.	3	2	7	.	2·6	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	4	.	2	1	1	1	1	4	2	.	1·6	4	.	1	2	1	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Erysipelas,	1	.	.	3	.	.	.	.	1	1	·6	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	1	1	.	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	2	.	.	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	5	5	4	3	1	4	1	1	.	2·5	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	1	.	2	1	1	.	1	.	.	·7	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	1	.	.	.	.	1	.	1	1	·4	1	.	.	.	1	.	.	.	.
Rheumatism,	.	1	1	.	1	1	.	.	.	1	·5	3	.	.	.	.	1	2	.	.
Gout,	1	.	.	.	.	2	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	2	6	5	5	8	4	7	6	5	3	5·1	4	.	.	.	.	.	.	4	.
Tabes Mesenterica,	7	4	3	11	2	4	7	6	3	7	5·4	4	.	1	2	.	1	.	.	.
Tubercular Meningitis	4	3	6	5	4	1	2	3	7	4	3·9	6	.	2	2	2	.	.	.	.
Phthisis,	33	25	43	33	20	32	27	38	26	33	31·0	29	.	.	.	4	16	9	.	.
Scrofula, Tuberculosis,	2	4	6	3	5	4	4	6	1	4	3·9	5	.	3	1	1	.	.	.	.
Other Constitutional Diseases,	1	.	1	2	1	.	1	.	3	.	·9	4	.	.	1	.	2	1	.	.
V. Developmental Diseases—																				
Premature Birth,	2	1	4	.	4	.	.	1	.	5	2·0	1	1	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	.	.	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Old Age,	14	14	10	11	7	18	13	16	26	18	14·7	19	.	.	.	.	.	.	7	12

each Disease registered in the ELEVENTH WEEK ending Saturday, 17th March, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years 1890-99.	In the Week ending Saturday, 17th March, 1900. Deaths of Persons of the Ages of								
	Mar. 15, 1890	Mar. 21, 1891	Mar. 19, 1892	Mar. 18, 1893	Mar. 17, 1894	Mar. 16, 1895	Mar. 14, 1896	Mar. 20, 1897	Mar. 19, 1898	Mar. 18, 1899		ALL AGES.	0 to 5				5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.						
Mean Temperature.	° 45·4	° 39·6	° 43·0	° 42·4	° 40·3	° 42·4	° 45·0	° 45·2	° 45·3	° 44·8	° 43·4	° 41·1									
VI. Local Diseases.																					
Apoplexy,	1	3	1	3	4	1	6	6	7	1	3·3	3	.	.	.	.	1	1	.	1
Epilepsy,	2	1	2	.	.	1	1	.	.	1	·8	.	.	.	.	.	.	.	.	.
Convulsions,	9	14	10	9	10	13	7	9	10	8	9·9	12	3	6	3	.	.	.	.	.
Other Diseases of Brain and Nervous System,	9	8	5	3	3	15	11	7	6	9	7·6	8	.	.	.	.	2	2	4	.
Diseases of Organs of Special Sense,	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	14	20	28	13	15	19	10	16	29	18	17·7	17	.	.	.	.	5	6	5	1
Croup,	1	.	.	1	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Bronchitis,	31	31	43	13	29	62	24	27	35	38	33·3	27	.	3	3	2	1	9	9	.
Pneumonia	6	6	9	12	14	23	9	15	7	19	12·0	10	.	1	2	.	2	3	1	1
Pleurisy,	2	.	.	1	.	2	.	1	.	1	·7	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	6	6	3	1	1	8	.	5	.	1	3·1	2	.	.	.	.	.	2	.	.
Teething,	1	.	.	1	2	4	1	2	4	2	1·7	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	1	.	.	.	1	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	2	.	1	.	.	.	.	1	·5	1	.	.	.	.	1	.	.	.
Peritonitis	2	.	1	2	.	.	1	1	1	1	·9	.	.	.	.	.	.	.	.	.
Disease of Liver,	3	6	7	3	2	2	1	1	4	.	2·9	6	.	.	.	.	2	1	2	1
Other Diseases of Digestive System,	2	6	2	3	1	9	5	5	5	4	4·2	5	.	.	1	.	1	1	2	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	4	1	3	4	3	6	5	4	6	4	4·0	9	.	.	.	1	3	3	2	.
Diseases of Generative System,	.	1	.	.	.	1	1	.	.	.	·3	1	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	2	.	1	1	1	1	.	1	1	·8	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	1	1	1	2	3	.	1	1	1·0	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	2	.	.	.	1	.	.	2	.	·6	1	.	.	.	.	.	1	.	.
VII. Violent Deaths																					
(ACCIDENT.)																					
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	2	3	.	.	.	3	.	2	.	3·4	3	.	3	.	.		.	.	.
By Drowning,		1	.	1	1	.	.	2	1	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		.	.	4	.	2	2	4	1	2		1	.	.	.	.	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																					
HOMICIDE,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	8	5	14	3		17		6	9	5	8·7	12	6	1	.	.	.	2	3	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899–1900—Week ending																										
	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.
No. of weeks in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered,	211	237	190	198	188	180	225	172	241	193	154	206	167	138	247	187	209	168	191	184	174	175	257	179	215	217
Average Births in corresponding week of previous 10 years,	202	198	178	166	179	170	172	175	185	181	184	181	184	154	168	188	199	195	202	206	200	196	208	225	195	192
DEATHS registered,	200	223	196	225	250	244	216	249	248	220	259	258	256	285	280	337	331	295	259	238	199	284	342	230	247	209
Annual Death-rate per 1,000,	29·8	33·3	29·2	33·6	37·3	36·4	32·2	37·1	37·0	32·8	33·6	38·5	33·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·8	31·2
Average Deaths in corresponding week of previous 10 years,	161	159	149	157	152	163	178	166	174	177	183	177	184	184	207	211	239	249	228	221	211	216	212	214	217·9	218·1
AGES, Under 5 years,	94	110	93	114	107	95	111	118	123	98	98	108	84	87	86	81	85	70	60	60	54	63	74	55	66	56
5—20 ,,	12	18	13	26	18	23	22	11	27	16	12	17	23	22	18	15	16	15	20	19	14	24	20	22	15	12
20—40 ,,	24	36	29	23	29	52	14	36	27	28	6	35	35	46	32	49	38	44	33	34	30	48	47	33	42	39
40—60 ,,	34	26	27	32	38	39	29	36	32	33	51	51	61	55	57	73	84	61	50	46	35	65	80	51	60	44
60—80 ,,	26	34	29	24	53	45	32	37	28	36	53	44	44	63	74	94	85	83	79	64	53	73	104	59	56	42
80 years and upwards,	10	1	5	6	5	10	8	11	11	9	14	8	9	12	18	25	23	22	12	15	18	11	17	10	8	16
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	23	28	32	44	52	44	38	39	51	38	29	30	23	24	15	10	18	9	5	4	3	1	5	1	2	4
,, Scarlet Fever,	2	.	.	2	1	1	.	1	2	1	2	1	1	1	1	.	1	.	.	1	2	1	1	1	1	.
,, Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	2	2	.	1	.	2	1	2	.	1	1	3	2	2	1	1	3	3	.	5	5	.	.	.	1
,, Diphtheria,	.	1	.	1	2	2	3	3	3	2	2	3	2	3	1	.	3	2	1	3	5	3	.	1	2	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	5	11	4	7	4	6	2	5	9	4	6	2	2	3	2	5	5	2	1	2	.	3	1	4	2	.
,, Diarrhœa, Dysentery,	20	27	16	14	4	9	6	6	5	3	4	4	3	5	1	2	3	6	.	2	2	2	4	5	3	4
,, Phthisis,	18	23	20	22	26	29	15	21	17	20	35	27	36	30	28	40	27	29	36	29	28	32	40	30	37	29
,, Heart Diseases,	7	11	14	10	23	13	9	18	13	17	17	15	26	15	21	24	20	16	25	15	11	28	33	24	18	17
,, Diseases of Respiratory System,	24	30	31	29	39	40	53	57	50	51	66	70	66	73	98	110	110	92	55	67	65	74	94	55	78	39
Violent Deaths,	4	5	4	3	5	8	4	8	6	7	4	6	6	3	7	4	5	5	2	5	3	8	4	2	2	4
Mean Temperature of the Air (Phœnix Park),	52·4	47·5	46·1	48·0	49·5	48·9	50·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1
Average Mean Temperature in corresponding week of previous 10 years,	53·6	52·7	51·1	48·4	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4
Rainfall in inches,	·575	1·470	·360	·855	·470	·825	1·085	·710	·050	·030	·240	·455	·200	·855	2·055	·715	·535	·560	·530	·920	·690	·680	·520	1·025	·000	·115
Mean Humidity of the Air, complete Saturation 1·0,	·78	·86	·85	·86	·88	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 17th March, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	1	.	.	.	.	.	.	1	.	.	1	.	4	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	.	2	.	1	.	.	1	.	.	.	.	.	.	.	.	4	.
Other Zymotic Diseases	.	.	.	.	1	.	2	.	.	.	.	.	1	1	.	.	5	.
Total,	.	1	2	1	3	.	2	1	.	.	.	1	1	1	1	.	14	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	5	4	2	5	1	1	1	2	.	1	1	.	2	1	1	1	28	1
Other Constitutional Diseases,	2	1	5	1	4	2	1	2	.	.	1	.	2	1	1	1	24	3
Total,	7	5	7	6	5	3	2	4	.	1	2	.	4	2	2	2	52	4
V. DEVELOPMENTAL DISEASES,	1	2	1	3	2	.	4	1	.	.	.	.	2	.	2	1	19	1
VI. LOCAL DISEASES: Diseases of																		
Brain & Nervous System,	1	2	4	.	2	1	7	1	.	.	.	.	2	1	1	1	23	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	2	3	2	1	2	2	.	2	1	.	.	.	.	.	.	1	16	1
Respiratory System,	1	8	3	4	6	3	4	3	.	.	.	2	1	2	1	1	39	.
Digestive System,	.	1	2	.	1	1	3	1	.	1	.	.	.	.	.	1	11	2
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	2	.	1	1	2	.	.	.	.	1	.	.	.	.	1	9	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Total,	5	16	11	6	12	9	15	7	1	1	1	2	3	3	2	5	99	4
VII. VIOLENT DEATHS,	1	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	4	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	2	3	2	3	.	.	.	.	.	.	.	.	.	.	1	11	1
Deaths from all Causes,	14	26	25	18	25	12	25	13	1	2	3	3	10	6	7	9	199	10
Annual Rate of Mortality in every 1,000 of the population.	26·9	38·9	45·2	36·0	39·3	33·7	32·1	18·9	12·6	9·7	36·9	21·5	18·8	12·7	43·4	27·0		
	37·0				30·5				20·4									
	33·6																29·7	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	3	1	4	2	3	1	.	.	1	.	1	1	2	.	25	7
Workhouse Hospitals,	5	6	1	9	8	3	5	3	.	.	1	.	.	.	1	1	43	3

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island, to O'Connell-bridge, and South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Judo.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th March, 1900: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 17th March, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	31·2	209	56	12	39	44	42	16	.	4	.	.	1	.	.	.	4	9	29	12	39	4	116
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	33·4	10	1	.	.	2	4	3	.	.	.	.	.	.	.	.	.	.	.	1	3	.	6
II.	MIDDLE CLASS,	81,469	20·4	32	5	2	5	8	10	2	.	2	.	.	1	.	.	.	1	4	6	.	4	1	17
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,877	24·6	47	16	3	9	13	2	4	.	1	.	.	.	.	.	.	.	1	5	2	14	.	25
IV.	GENERAL SERVICE CLASS,	147,978	40·7	74	31	5	18	10	8	2	.	1	.	.	.	.	.	.	3	4	10	8	12	3	37
V.	INMATES OF WORKHOUSES,	5,191		46	3	2	7	11	18	5	.	.	.	.	.	.	.	.	.	.	8	1	6	.	31
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	45·6	7	1	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	1	2	.	4
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	27·2	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	8·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	20·0	10	3	.	1	2	3	1	.	1	.	.	1	.	.	.	.	2	1	.	1	1	5
	6. Clerks and Commercial Assistants,	25,001	16·6	8	1	1	3	3	.	.	.	.	.	.	.	.	.	.	1	1	4	.	3	.	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	27·5	13	1	1	1	2	7	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	12
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	14·0	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	9. Building and Furnishing Trades,	26,294	29·7	15	6	2	3	1	1	2	.	1	.	.	.	.	.	.	.	1	.	.	3	.	11
	10. Clothing Trades,	23,927	15·2	7	1	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4	.	1
	11. Food Supply Trades,	7,949	26·2	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	12. Other Trades and Callings ranking with Trades,	26,987	25·1	13	5	.	2	5	.	1	.	.	.	.	.	.	.	.	.	.	2	2	5	.	4
	13. Petty Shopkeepers,	6,889	45·6	6	3	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	18·9	5	.	1	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3
	15. Domestic Servants,	39,967	7·8	6	.	.	5	.	.	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	24·0	5	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	2
	17. Hawkers, Porters, Labourers, &c.,	83,472	36·1	58	29	4	9	10	6	.	.	1	.	.	.	.	.	.	3	4	5	8	9	3	29
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	46	3	2	7	11	18	5	.	.	.	.	.	.	.	.	.	.	8	1	6	.	31

the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 17th March, 1900. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 98 Town Districts	1,062,188	12·2	30·1	26·9	1·3	613	548	92	163	.	7	.	.	3	2	.	6	8	76	124	10	19	129
Dublin Registration Area:—																							
Total,‡	349,594	14·2	32·3	29·7	1·3	217	199	34	53	.	4	.	.	1	.	.	.	4	28	39	4	7	68
Registrars' Districts. City	245,001	65·6	34·7	33·6	1·5	143	158	27	41	.	2	.	.	1	.	.	.	4	21	32	4	7	60
Clontarf &c. No. 1,	4,188	1·5	.	12·6	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	43·7	9·7	.	9	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	24·6	36·9	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Palmerston, part of and Crumlin part of (b),	7,278	8·0	21·5	21·5	7·2	3	3	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.
Rathmines,‖	27,796	16·2	26·3	18·8	.	14	10	2	2	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Donnybrook,	24,629	12·4	25·4	12·7	.	12	6	3	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1
Blackrock,‖	8,401	7·8	49·7	43·4	.	8	7	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3
Kingstown, 1 & 2,‖	17,386	11·9	18·0	27·0	3·0	6	9	1	5	.	1	.	.	.	.	.	.	.	1	1	.	.	1
Urban Districts.																							
Belfast,	359,000	21·8	31·7	22·8	1·3	218	157	27	36	.	1	.	.	2	1	.	4	1	26	35	6	8	20
Cork,	75,845	33·3	24·9	36·1	1·4	36	55	8	19	.	.	.	.	.	.	.	1	1	7	12	.	.	14
Limerick,	37,155	17·9	26·7	32·3	1·4	19	28	5	12	.	.	.	.	.	.	.	1	.	3	10	.	.	6
Londonderry,	33,200	15·3	47·1	31·4	.	30	20	3	5	.	.	.	.	.	.	.	.	.	.	6	.	.	1
Waterford,	26,208	18·3	21·9	27·9	.	11	14	.	6	.	.	.	.	.	.	.	.	.	3	3	.	.	5
Galway,	18,800	2·6	11·3	30·2	.	3	8	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	13,708	8·7	34·2	26·6	7·6	9	7	2	.	.	2	.	.	.	.	.	.	.	.	1	.	1	.
Newry,	12,961	18·5	32·2	16·1	.	8	4	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Dundalk,	12,449	9·0	20·9	8·4	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	34·1	29·8	.	8	7	.	3	.	.	.	.	.	.	.	.	.	2	3	.	.	1
Wexford,	11,545	24·6	13·5	36·1	.	3	8	.	5	.	.	.	.	.	.	.	.	.	1	3	.	.	.
Lurgan,	11,429	18·4	27·4	41·1	4·6	6	9	3	.	.	.	.	.	.	.	.	.	1	.	2	.	.	8
Kilkenny,	11,048	12·0	4·7	42·5	9·4	1	9	2	1	.	.	.	.	.	1	.	.	1	.	2	.	.	2
Clonmel,	10,708	8·2	9·7	24·3	.	2	5	1	4	.	.	.	.	.	.	.	.	.	.	2	.	.	3
Sligo,	10,274	8·4	30·5	5·1	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Tralee,	9,818	15·9	5·6	16·8	.	1	3	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	3
Ballymena,	9,252	9·3	33·8	22·5	.	6	4	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Newtownards,	9,197	19·0	17·6	11·3	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Queenstown,	9,082	17·6	28·0	11·5	.	4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Carrickfergus,	8,923	0·5	40·9	11·7	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,480	11·0	30·9	24·7	.	5	4	.	1	.	.	.	.	.	.	.	.	.	1	2	.	1	.
Armagh,	7,187	21·4	35·6	21·4	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 17th Mar., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th Mar., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd March, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 98 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§54·7	23·9	41·1	0·12	§44·8	26·1	38·3	0·00	§50·2	33·6	40·2	1·08
City	53·5	27·1	42·6	0·15	48·7	33·9	40·8	0·02	47·6	36·8	41·7	1·02
Clontarf &c. No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	54·9	24·0	41·5	0·20	46·9	32·0	39·7	0·00	48·9	34·2	40·6	1·16
Palmerston, part of and Crumlin part of (b),	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	53	27	42·3	0·12	47	36	41·2	0·01	44	36	40·6	0·72
Urban Districts.												
Belfast,	52·0	27·0	42·8	0·10	48·0	31·0	40·1	0·00	56·5	35·0	40·9	0·71
Cork,	53	32	43·6	0·12	49	35	42·2	0·09	50	37	42·9	0·64
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	54·5	26·0	41·2	0·63	49·1	28·0	39·4	0·03	49·0	33·0	40·6	0·39
Waterford,	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	55	25	43	0·04	52	30	40	.	54	32	41	0·43
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	54·0	24·9	42·1	0·18	47·0	29·8	39·0	0·00	48·8	30·8	39·0	0·40
Dundalk,	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	54·0	24·9	42·1	0·18	47·0	29·8	39·0	0·00	48·8	30·8	39·0	0·40
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	54·0	24·9	42·1	0·18	47·0	29·8	39·0	0·00	48·8	30·8	39·0	0·40
Kilkenny,	53	25	41·3	0·04	46	32	39·5	0·00	52·0	35	40·3	0·35
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	50·9	21·5	40·0	0·54	47·2	23·7	37·8	0·00	51·1	25·9	40·0	0·12
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	49	27	41·0	0·29	44	36	39·9	0·00	46	34	40·7	0·50
Queenstown,	53	32	43·6	0·12	49	35	42·2	0·09	50	37	42·9	0·64
Carrickfergus,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	54·0	24·9	42·1	0·18	47·0	29·8	39·0	0·00	48·8	30·8	39·0	0·40
Armagh,	54·0	24·9	42·1	0·18	47·0	29·8	39·0	0·00	48·8	30·8	39·0	0·40

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. ‡ Exclusive of 10 deaths of persons (including 5 aged 60 years or upwards), admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park. ‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	Jan. 27,	25·0	.	13	.	.	.	.	.	.	.	.	.	4	4	1
		Feb. 3,	23·0	.	12	.	.	.	.	.	.	.	.	.	2	5	.
		„ 10,	30·7	3·8	16	.	.	.	.	.	.	.	.	2	2	4	.
		„ 17,	49·9	.	26	.	.	.	.	.	.	.	.	.	2	4	.
		„ 24,	57·6	5·8	30	.	.	.	.	.	.	.	.	3	3	7	1
		Mar. 5,	25·0	3·8	13	.	.	.	.	.	.	.	2	.	3	2	1
		„ 10,	30·7	1·9	16	.	.	.	.	.	1	.	.	.	1	9	.
		„ 17,	26·9	.	14	.	.	.	.	.	.	.	.	.	5	1	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	Jan. 27,	42·4	.	29	.	.	.	.	.	.	.	.	.	5	6	.
		Feb. 3,	35·9	3·0	24	.	.	.	.	.	.	.	1	1	1	7	.
		„ 10,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	3	5	.
		„ 17,	41·9	1·5	28	.	.	.	.	.	.	.	1	.	3	13	.
		„ 24,	40·4	.	27	.	.	.	.	.	.	.	.	.	1	5	1
		Mar. 3,	35·9	3·0	24	.	1	.	.	.	.	.	1	.	3	7	.
		„ 10,	50·9	.	34	.	.	.	.	.	.	.	.	.	8	12	1
		„ 17,	38·9	1·5	26	.	1	.	.	.	.	.	.	.	4	8	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Jan. 27,	41·5	1·8	23	.	1	.	.	.	.	.	.	.	1	6	.
		Feb. 3,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	3	10	1
		„ 10,	32·5	.	18	.	.	.	.	.	.	.	.	.	1	8	.
		„ 17,	41·5	.	23	.	.	.	.	.	.	.	.	.	5	2	3
		„ 24,	52·4	1·8	29	.	.	.	.	.	.	.	1	.	7	8	.
		Mar. 3,	37·9	1·8	21	.	.	.	.	.	.	.	.	1	1	10	.
		„ 10,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	3	8	.
		„ 17,	45·2	3·6	25	.	.	.	.	.	.	.	.	2	2	3	1
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Jan. 27,	66·0	6·0	33	.	2	.	.	.	.	.	1	.	2	7	1
		Feb. 3,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	3	1
		„ 10,	32·0	2·0	16	.	.	.	.	.	1	.	.	.	.	7	.
		„ 17,	46·0	3·0	23	.	.	.	.	3	1	.	.	.	3	5	1
		„ 24,	52·0	2·0	26	.	1	.	.	.	.	.	.	.	4	6	.
		Mar. 3,	46·0	4·0	23	.	.	1	.	.	.	.	.	1	4	4	1
		„ 10,	38·0	2·0	19	.	.	.	.	.	.	.	1	.	4	6	.
		„ 17,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	5	4	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 38,194.	Jan. 27,	44·0	1·6	28	.	.	.	.	1	.	.	.	.	6	4	.
		Feb. 3,	37·7	.	24	.	.	.	.	.	.	.	.	.	2	10	.
		„ 10,	31·4	3·1	29	.	.	1	.	1	.	.	.	.	3	9	.
		„ 17,	58·1	1·6	37	.	.	.	.	.	.	.	.	1	3	10	3
		„ 24,	64·4	.	41	.	.	.	.	.	.	.	.	.	2	17	.
		Mar. 3,	31·4	.	20	.	.	.	.	.	.	.	.	.	4	2	.
		„ 10,	51·8	.	33	.	.	.	.	.	.	.	.	.	3	11	1
		„ 17,	39·3	3·1	25	.	1	.	.	.	.	.	.	1	1	6	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Jan. 27,	28·1	2·8	10	.	.	.	.	1	.	.	.	.	1	4	.
		Feb. 3,	22·5	2·8	8	.	1	.	.	.	.	.	.	.	1	1	.
		„ 10,	25·3	2·8	9	.	.	.	.	.	1	.	.	.	2	3	.
		„ 17,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	1	7	.
		„ 24,	50·6	2·8	18	.	.	.	.	.	.	.	.	1	3	5	.
		Mar. 3,	59·0	5·6	21	.	.	.	.	.	.	.	1	1	.	4	.
		„ 10,	47·8	.	17	.	.	.	.	.	.	.	.	.	4	4	.
		„ 17,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Jan. 27,	27·0	.	21	.	.	.	.	.	.	.	.	.	4	2	.
		Feb. 3,	37·3	2·6	29	.	.	1	.	.	.	.	.	1	5	8	1
		„ 10,	32·1	2·6	25	.	.	.	.	2	.	.	.	.	5	10	.
		„ 17,	33·4	1·3	26	.	1	.	.	.	.	.	.	.	1	6	1
		„ 24,	57·9	1·3	45	.	.	1	.	.	.	.	.	.	3	15	1
		Mar. 3,	32·1	.	25	.	.	.	.	.	.	.	.	.	3	6	.
		„ 10,	41·1	.	32	.	.	.	.	.	.	.	.	.	4	10	.
		„ 17,	32·1	.	25	.	.	.	.	.	.	.	.	.	1	4	2
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798.	Jan. 27,	30·6	1·5	21	.	.	.	.	1	.	.	.	.	5	5	.
		Feb. 3,	37·9	4·4	26	.	1	.	.	.	1	.	1	.	.	4	1
		„ 10,	30·6	7·3	21	.	3	.	.	1	1	.	.	.	2	3	1
		„ 17,	51·0	7·3	35	.	.	1	.	1	1	.	1	1	5	7	.
		„ 24,	55·4	1·5	38	.	1	.	.	.	.	.	.	.	6	12	.
		Mar. 3,	32·0	.	22	.	.	.	.	.	.	.	.	.	3	5	.
		„ 10,	32·0	5·8	22	.	2	1	.	.	.	.	.	1	2	5	.
		„ 17,	18·9	1·5	13	.	.	.	.	.	.	.	.	1	2	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Jan. 27,	24·4	.	13	.	.	.	.	.	.	.	.	.	2	5	.
	Feb. 3,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	" 10,	24·4	3·8	13	.	.	1	.	.	1	.	.	.	1	3	1
	" 17,	33·8	.	16	.	.	.	.	.	.	.	.	.	.	5	.
	" 24,	28·1	.	15	.	.	.	.	.	.	.	.	.	1	4	.
	Mar. 3,	24·4	3·8	13	.	.	.	.	.	1	.	.	1	.	6	.
	" 10,	26·3	.	14	.	.	.	.	.	.	.	.	.	2	5	.
	" 17,	19·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.
Donnybrook. Pop. (in 1891) 24,629.	Jan. 27,	40·2	2·1	19	.	1	.	.	.	.	.	.	.	2	5	.
	Feb. 3,	36·0	2·1	17	.	1	.	.	.	.	.	.	.	3	2	.
	" 10,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	" 17,	29·6		14	.	.	.	.	.	.	.	.	.	2	7	.
	" 24,	36·0		17	.	.	.	.	.	.	.	.	.	.	4	.
	Mar. 3,	31·8		15	.	.	.	.	.	.	.	.	.	3	5	.
	" 10,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
	" 17,	12·7		6	.	.	.	.	.	.	.	.	.	1	2	.
Kingstown. Pop. (in 1891) 17,386.	Jan. 27,	48·0	3·0	16	.	1	.	.	.	.	.	.	.	1	1	.
	Feb. 3,	42·0	3·0	14	.	.	.	.	.	1	.	.	.	2	5	.
	" 10,	30·0	3·0	10	.	.	.	.	.	1	.	.	.	1	1	.
	" 17,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	" 24,	27·0	6·0	9	.	2	.	.	.	.	.	.	.	1	2	.
	Mar. 3,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	" 10,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	" 17,	27·0		9	.	.	.	.	.	.	.	.	.	1	1	.
Belfast. Pop. in 1900 (Est.) 359,000.	Jan. 27,	24·7	1·3	170	.	1	.	.	5	.	.	1	2	21	65	.
	Feb. 3,	19·6	1·2	135	.	1	.	.	4	.	.	1	2	12	39	3
	" 10,	27·2	1·3	187	.	.	.	.	3	3	1	1	1	26	50	8
	" 17,	32·8	1·5	226	.	.		.	4	2	.	1	3	27	73	8
	" 24,	26·3	1·7	181	.	.	2	.	3	1	1	2	3	19	67	5
	Mar. 3,	30·1	1·9	207	.	1	1	.	4	2	.	5	.	26	57	4
	" 10,	28·3	1·6	195	.	2	.	.	3	1	1	3	1	28	75	2
	" 17,	22·8	1·3	157	.	1	.	.	2	1	.	4	1	26	35	6
Cork. Pop. (in 1891) 75,345.	Jan. 27,	45·0	2·1	65	.	2	.	.	.	.	.	.	1	13	14	1
	Feb. 3,	33·2	1·4	48	.	2	.	.	.	.	.	.	.	6	8	.
	" 10,	22·1	.	32	.	.	.	.	.	.	.	.	.	4	2	.
	" 17,	29·1	0·7	42	.	.	.	.	.	.	.	.	1	4	10	.
	" 24,	33·9	1·4	49	.	1	.	.	.	.	.	.	1	7	7	.
	Mar. 3,	29·1	1·4	42	.	1	.	.	.	.	.	.	1	9	8	.
	" 10,	23·5	0·7	34	.	.	.	.	.	.	.	.	1	6	9	.
	" 17,	38·1	1·4	55	.	.	.	.	.	.	.	1	1	7	12	.
Limerick. Pop. (in 1891) 37,155.	Jan. 27,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	7	.
	Feb. 3,	44·9	.	31	.	.	.	.	.	.	.	.	.	2	13	.
	" 10,	29·5	.	21	.	.	.	.	.	.	.	.	.	1	8	.
	" 17,	42·1	1·4	30	.	.	.	1	.	.	.	.	.	3	12	.
	" 24,	51·9	.	37	.	.	.	.	.	.	.	.	.	3	16	.
	Mar. 3,	43·5	.	31	.	.	.	.	.	.	.	.	.	2	5	.
	" 10,	46·3	.	33	.	.	.	.	.	.	.	.	.	3	13	.
	" 17,	32·3	1·4	23	.	.	.	.	.	.	.	1	.	3	10	.
Londonderry Pop. (in 1891) 33,200.	Jan. 27,	37·7	.	24	.	.	.	.	.	.	.	.	.	4	8	.
	Feb. 3,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	8	1
	" 10,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	1	4	.
	" 17,	40·8	1·6	26	.	.	.	.	.	.	.	.	1	4	10	.
	" 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	2	12	.
	Mar. 3,	39·3	.	25	.	.	.	.	.	.	.	.	.	2	11	.
	" 10,	29·8	1·6	19	.	.	.	.	.	.	.	.	1	2	5	.
	" 17,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	6	.
Waterford. Pop. (in 1891) 26,200.	Jan. 27,	39·8	2·0	20	.	.	.	.	1	.	.	.	.	2	7	1
	Feb. 3,	45·8	.	23	.	.	.	.	.	.	.	.	.	2	9	2
	" 10,	19·9	4·0	10	.	.	.	.	2	.	.	.	.	.	4	.
	" 17,	59·7	4·0	30	.	.	.	.	2	.	.	.	.	7	5	.
	" 24,	21·9	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	Mar. 3,	29·8	4·0	15	.	.	.	.	1	.	.	1	.	3	3	.
	" 10,	23·9	2·0	12	.	.	.	1	.	.	.	.	.	1	3	.
	" 17,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	3	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 17th March, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlating).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	10	The estimate of the present Population of Belfast now adopted (see Table VII.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		8	2	1	5	.	.	.	.	.	1	.	.	.	.	4	.	.	1	.
" 2 "	37,539	25			22	3	2	10	7	.	.	.	.	.	.	.	1	.	3	3	1	1	5
3 "	38,845	34			23	3	3	11	6	.	.	.	.	.	.	.	1	1	5	10	.	1	2
" 4 "	38,391	38			17	2	6	5	4	.	.	.	.	.	.	.	.	.	1	6	.	.	5
5 "	21,284	10			10	1	2	4	3	.	.	.	.	.	.	.	.	.	2	4	.	.	4
" 6 "	43,431	26			17	4	1	9	3	.	.	.	.	.	.	.	1	.	3	2	.	.	2
7 "	1,112	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8 "	4,904	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9 "	12,866	11			10	2	2	5	1	.	.	.	.	.	.	.	.	.	3	2	.	.	.
" 10 "	12,256	15			16	5	1	6	4	.	.	.	.	.	.	.	.	.	2	6	.	.	.
" 11 "	19,881	22			12	.	1	6	5	.	.	.	.	.	1	.	.	.	.	.	2	2	2
" 12 "	28,282	23			16	5	5	5	1	.	1	.	.	1	.	.	.	.	3	1	3	3	.
" 13 "	6,804	6			6	.	2	2	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	218			157	27	26	68	36	.	1	.	.	2	1	.	4	1	26	35	6	8	20
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	4	39·3	.	9	1	2	3	3	.	.	.	.	.	.	.	.	.	1	3	.	.	2
" 2 "	9,252	4	22·3	.	4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 3 "	9,816	4	42·5	5·3	8	2	.	1	5	.	.	.	.	.	.	.	.	1	.	2	.	.	.
" 4 "	10,356	4	25·2	.	5	1	.	1	3	.	.	.	.	.	.	.	.	.	1	1	.	.	3
" 5 "	8,137	5	51·3	.	8	2	.	3	3	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 6 "	8,828	5	59·1	.	10	.	4	4	2	.	.	.	.	.	.	.	.	.	3	.	.	.	2
" 7 "	17,034	10	33·7	3·1	11	2	1	5	3	.	.	.	.	.	.	.	1	.	1	4	.	.	4
Total,	75,345	36	38·1	1·4	55	8	8	20	19	.	.	.	.	.	.	.	1	1	7	12	.	.	14

Boundaries of Registrars' Districts—Belfast.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre o Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square. Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary, thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.
No. of week in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered,	209	201	263	252	231	218	203	246	202	237	192	189	199	203	175	239	263	199	230	204	240	186	230	216	269	218
DEATHS registered,	153	147	175	150	148	164	131	127	176	137	118	113	139	132	192	198	210	166	170	185	187	226	181	207	195	157
Annual Death-rate per 1,000 of estimated Population,	22·8	21·9	26·1	22·3	21·3	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	33·8	26·3	30·1	28·3	22·8
AGES, Under 1 year,	60	47	50	44	35	40	35	30	38	40	28	21	26	19	39	34	40	26	32	22	30	41	31	43	42	27
AGES, 1–5 years,	16	16	20	19	24	21	15	18	25	17	14	10	19	9	25	31	23	24	22	17	15	23	16	21	28	26
AGES, 5–60 years,	59	64	80	60	57	84	60	49	90	57	46	68	73	74	75	93	88	71	71	62	99	102	84	92	90	68
AGES, 60 years and upwards,	18	20	25	27	27	19	21	30	23	23	30	19	21	30	53	40	59	45	45	34	43	60	50	51	35	36
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	2	1	1	1	.	.	.	1	2	.	1	1	2	1	1	4	.	1	1	.	.	.	1	2	1
" Scarlet Fever,	.	.	1	.	.	1	.	.	1	.	.	1	.	1	1	.	.	1	.	.	.	.	2	1	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	6	1	4	3	4	2	1	5	1	4	4	.	2	1	6	6	2	9	5	4	3	4	3	4	3	2
" Diphtheria,	2	1	.	.	.		.	2	1	3	2	.	3	2	1	2	.	1	.	.	3	2	1	2	1	1
" Simple continued and Ill-defined Fever,	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.	1	.
" Enteric Fever,	6	9	14	9	8	9	3	6	10	4	5	1	2	1	4	4	4	4	1	1	1	1	2	5	3	4
" Diarrhœa, Dysentery,	19	15	9	4	2	4	.	2	.	.	.	.	1	.	1	3	4	1	2	2	1	3	3	.	1	1
" Phthisis,	13	21	20	15	10	16	17	14	35	12	13	19	29	14	31	27	21	17	21	12	26	27	19	26	28	26
" Diseases of Respiratory System,	22	19	38	32	43	50	43	37	49	35	38	37	34	27	64	74	86	72	66	39	50	73	67	57	75	35
Violent Deaths,	3	4	2	4	3	8	3	1	3	7	4	1	2	6	2	5	2	.	.	3	8	8	5	4	2	6

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	Mar. 17,	2,628	1,659	18·8	.	56	6	35	35	13	8
EDINBURGH, .	302,262	„ 17,	153	114	19·6	.	1	1	1	5	.	5
GLASGOW, . .	743,969	„ 17,	499	364	25·4	.	7	3	2	5	3	3
CALCUTTA, . .	466,460	Jan. 13,	.	352	39·3	8	.	.	.	.	67‡	78*
BOMBAY, . .	821,764	Feb. 20,	243	2,655	168·0	228	103	?	?	?	246§	291*
MADRAS, . .	452,518	Jan. 19,	379	408	46·8	1	11	?	?	?	106	69
PARIS, . . .	2,511,629	Mar. 10,	1,174	1,165	24·1	.	22	2	8†	3	21	32
BRUSSELS (with 8 Faubourgs).	561,130	„ 3,	297	215	19·9	.	1	.	.	3	1	13
AMSTERDAM, .	523,743	Feb. 24,	381	181	18·0	.	.	.	1	2	4	.
ROTTERDAM, .	319,491	„ 24,	263	126	20·4	.	.	.	1	2	.	.
THE HAGUE, .	205,328	„ 24,	126	52	13·2	.	.	.	1	.	.	.
COPENHAGEN, .	349,000	Mar. 10,	297	155	23·1	.	.	2	4	.	.	2
CHRISTIANIA, .	221,255	„ 10,	228	87	20·4	.	.	.	.	3	.	6
ST. PETERSBURG,	1,132,677	„ 3,	1,020	650	29·8	2	17	20	24	4	17	44
BERLIN, . .	1,848,269	Feb. 24,	940	815	22·9	.	7	5	13	15	3	34
HAMBURG, . .	691,349	Mar. 3,	424	242	18·2	.	2	1	1†	.	.	1
DRESDEN, . .	400,400	Jan. 27,	230	153	19·8	.	.	.	3†	5	.	8
BRESLAU, . .	406,012	Mar. 10,	.	225	28·8	.	2	.	1	1	3	14
MUNICH, . .	445,000	Dec. 30,	.	207	24·2	.	1	.	.	1	1	29
VIENNA (with suburbs).	1,639,811	Feb. 17,	1,034	607	19·2	.	8	4	4†	3	.	30
BUDA-PESTH, .	685,340	Mar. 3,	475	285	21·6	.	9	3	.	1	.	4
PRAGUE and Faubourgs.	385,952	„ 3,	225	211	28·4	.	.	3	.	8	2	.
ROME, . . .	512,423	Feb. 10,	272	300	30·4	1	11	.	2	.	1	11
TURIN (10 days),	344,203	Jan. 10,	206	211	22·4	.	6	2	.	.	1	8
VENICE, . .	172,491	Feb. 17,	78	112	33·8	.	.	.	5†	.	.	1
NEW YORK, .	3,654,594	Feb. 10,	1,526	1,481	21·1	.	39	23	55	17	10	11
PHILADELPHIA,	1,266,832	Feb. 17,	.	503	20·6	.	7	3	27	1	14	3

* Including 22 deaths from cholera in Calcutta and 1 in Bombay. † Including deaths from croup.
‡ Exclusive of 32 deaths from bubonic fever. § Exclusive of 641 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., P.R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 17th March, 1900:—

"The weather was generally favourable—fine and dry and (in a word) March-like. A very decided relapse into winter occurred on Thursday night, and snow fell on Friday afternoon, followed by sharp frost at night. The general movements of the atmosphere over Europe were cyclonic in the north and east, anticyclonic in the extreme west. On Monday and again on Thursday very large and deep barometric depressions swept across Scandinavia in a south-easterly or southerly direction. The centre of the former of these disturbances travelled across the North of Norway and the Gulf of Bothnia; that of the latter pursued a more southerly course and was central over the South of Norway on Friday morning, and subsidiary being found over Eastern France on Saturday morning. In both depressions the barometer fell below 29 inches, and at 8 a.m. of Friday the reading at Staidesnaes (Norway) was as low as 28·82 inches. This reduction of pressure was all the more remarkable as the abnormally high reading of 30·91 inches had been recorded at Valentia in Kerry at 10 p.m. of Tuesday, March 13. The low Scandinavian pressures brought strong N.W. and N. winds, low temperatures and snow showers to the British-Islands. In Dublin snow fell heavily on Friday afternoon but only for a short time. In that city the mean atmospheric pressure was 30·230 inches, the barometer rising to 30·838 inches at 9 p.m. of Tuesday (wind, N.) and falling to 29·489 inches at 9 p.m. of Saturday (wind, calm). The corrected mean temperature was 42·6°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 41·0°. The screened thermometers rose to 53·5° on Sunday and fell to 27·1° on Saturday. The rainfall was ·153 inch, on three days, ·100 inch being measured on Saturday. N.W. winds prevailed. Bright sunshine was estimated at 27 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·245 inches. The highest reading (30·845) was on Tuesday at 9 P.M., wind N.W., and the lowest (29·488) on Saturday at 9 P.M., air calm.

The mean temperature for the week was 41·1°, being 2·3° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Sunday, when the thermometer registered 54·7°, and was lowest on Saturday, the mercury having fallen to 23·9°. The mean of the Dry Bulb for the week was 39·7°, and of the Wet Bulb 37·9°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 24·2 hours. The rainfall measured ·115 in.

At Greenwich the mean temperature for the week was 40·8°, the maximum 55·3°, and the minimum 25·5°; at Glasgow the maximum was 57·1°, the minimum 28·8°, and the mean 42·0°; and at Edinburgh the maximum was 54·8°, the minimum 28·1°, and the mean 41·2°. The rainfall at Greenwich measured ·08 in.; at Glasgow ·06 in.; and at Edinburgh ·16 in.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Mar. 11,	30·349	54·7	35·1	44·9	42·5	42·1	·97	·4	1·3	0·15	Calm.	S.
Monday, „ 12,	30·636	50·4	32·2	41·3	43·0	41·0	·85	·4	0·1	—	S.	W.
Tuesday, „ 13,	30·777	51·8	41·0	46·4	44·7	41·0	·74	·4	7·7	—	N.W.	N.W.
Wednesday, „ 14,	30·693	48·2	36·9	42·6	44·7	42·7	·85	·7	0·2	—	W.	W.
Thursday, „ 15,	30·017	49·8	39·7	44·8	42·2	40·0	·83	·6	2·3	0·30	W.	W.
Friday, „ 16,	29·691	42·7	29·3	36·0	31·7	30·4	·83	·9	7·5	0·20	W.	W.
Saturday, „ 17,	29·552	38·8	23·9	31·4	29·3	28·2	·81	·8	5·1	0·50	W.	Calm.
Mean,	30·245	48·1	34·0	41·1	39·7	37·9	·84	·6	Total 24·2	Total ·115	Prevailing wind, W.	

Sunday—A cloudy day, fog to 9.30 a.m., thunderstorm 6 to 6.30 p.m.; night cloudy. *Monday*—A cloudy day; night cloudy. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—A cloudy day; night cloudy. *Thursday*—A cloudy day, rain 4.15 to 6 p.m.; night cloudy, snow 8.30 to 9 a.m. *Friday*—A cloudy day, snow 9 to 9.15 a.m. and 3.30 to 4 p.m.; night cloudy. *Saturday*—A fine but cloudy day; night cloudy snow 5 to 7 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 517. 2. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 24TH MARCH, 1900. [No. 12.

General Register Office, Charlemont House, Dublin, 26th March, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 20·6), was equal to an average annual death-rate of 21·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 22·2 per 1,000, the rate for Glasgow being 23·3, and for Edinburgh 23·7.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 29·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Mar. 3.	Week ending Mar. 10.	Week ending Mar. 17.	Week ending Mar. 24.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 3.	Week ending Mar. 10.	Week ending Mar. 17.	Week ending Mar. 24.	Average Rate for 4 weeks.
23 Town Dists.	32·2	32·2	26·9	29·8	30·3	Limerick, . .	43·5	46·3	32·3	30·9	38·2
Armagh, . .	42·8	14·3	21·4	14·3	23·2	Lisburn, . .	42·6	38·3	29·8	21·3	33·0
Ballymena, .	56·4	45·1	22·5	11·3	33·8	Londonderry, .	39·3	29·8	31·4	22·0	30·6
Belfast, . .	30·1	28·3	22·8	24·5	26·4	Lurgan, . .	36·5	18·2	41·1	22·8	29·7
Carrickfergus, .	11·7	23·4	11·7	17·5	16·1	Newry, . .	52·3	24·1	16·1	28·2	30·2
Clonmel, . .	24·3	39·0	24·3	107·1	48·7	Newtownards, .	11·3	28·3	11·3	11·3	15·6
Cork, . . .	29·1	23·5	28·1	29·1	30·0	Portadown, .	6·2	49·5	24·7	30·9	27·8
Drogheda, . .	38·0	60·9	26·6	41·8	41·8	Queenstown, .	57·4	34·4	11·5	17·2	30·1
Dublin, Reg. Area,	33·6	36·2	29·7	33·9	33·3	Sligo, . . .	15·2	15·2	5·1	40·6	19·0
Dundalk, . .	0·0	25·1	8·4	16·8	12·6	Tralee, . .	61·6	33·6	16·3	22·4	33·6
Galway, . .	34·0	60·5	30·2	56·7	45·3	Waterford, .	29·8	23·9	27·9	29·8	27·9
Kilkenny, . .	37·8	33·0	42·5	75·5	47·2	Wexford, . .	9·0	27·1	36·1	22·6	23·7

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in seventeen of the districts to 11·4 in Drogheda; the 11 deaths from all causes registered in that district comprising 3 from measles. Among the 169 deaths from all causes regis-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
See Note (*), Table VI.

tered in Belfast are one from measles, one from scarlatina, 4 from whooping-cough, 2 from diphtheria, 3 from enteric fever, and 3 from diarrhœa; and the 22 deaths in Clonmel comprise 2 from diarrhœa.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 226—120 boys and 106 girls; and the deaths to 236—122 males and 114 females.

The deaths, which are 18 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 35·2 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 33·9 per 1,000. During the twelve weeks ending with Saturday last the death-rate averaged 39·9, and was 7·0 over the mean rate for the corresponding portions of the ten years 1890–99.

The number of deaths from zymotic diseases registered last week is 15, being one over the low number for the preceding week, but 14 under the average for the 12th week of the last ten years: the 15 deaths comprise one from scarlet fever (scarlatina), 3 from influenza and its complications, one from diphtheria, 3 from diarrhœa, one from dysentery; &c.

The number of cases of scarlatina admitted to hospital during the week is 12, being 5 under the admissions for the previous week, but one over the number for the week ended the 10th instant: 15 scarlatina patients were discharged during the week; and 71* remained under treatment on Saturday last, being 3 under the number in hospital at the close of the preceding week

The weekly number of cases of measles admitted to hospital, which had risen from 5 for the week ended the 3rd instant to 8 for the following week and to 9 for the week ended the 17th instant, fell to 5 last week: 6 patients were discharged during the week; and 26 remained under treatment on Saturday last, being one under the number in hospital at the close of the preceding week.

The number of cases of enteric fever admitted to hospital is 6, being one under the admissions for the preceding week: 10 patients were discharged during the week and 43 remained under treatment on Saturday last, being 4 under the number in hospital on Saturday the 17th instant.

Deaths from diseases of the respiratory system, which, after having risen from 55 for the week ended the 3rd instant to 78 for the following week, fell to 39 for the week ended the 17th instant, rose last week to 72, or 20 over the average for the corresponding week of the last ten years: the 72 deaths comprise 48 from bronchitis and 22 from pneumonia or inflammation of the lungs.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the week ended Saturday, 24th March, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases	No. of Cases in Hospital at close of week ended			Week ended 24th March			
	Mar. 3.	Mar. 10.	Mar. 17.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	..		.	.
Measles,	25	25	27	5	6	.	26
Scarlet Fever,	66	68	74	12	15	.	71*
Typhus „	.	1	2	.	.	.	2
Diphtheria,	17	17	13	5	6	.	12
Enteric Fever,	63	50	47	6	10	.	43
Pneumonia,	30	27	30	7	3	3	31

The deaths of 13 children (including 10 infants under one year old) were ascribed to convulsions.

Two deaths were caused by apoplexy, 2 by epilepsy, 5 by other diseases of the brain and nervous system (exclusive of convulsions), and 20 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 27 deaths, mesenteric disease 10, tubercular meningitis 3, and cancer 10.

Eight accidental deaths (including 6 caused by burns or scalds) and one case of suicide were registered.

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 infants under one year old and the deaths of 4 persons aged 60 years and upwards.

Sixty-nine of the persons whose deaths were registered during the week were under 5 years of age (42 being infants under one year, of whom 8 were under one month old) and 65 were aged 60 years and upwards, including 33 persons aged 70 and upwards, of whom 12 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Ninety of the deaths registered during the week occurred in hospitals and other public institutions; of this number 23 took place in the North Dublin Union Workhouse and 24 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 33·9 per 1,000; the rate in the city was 38·1 (40·1 on the North side, and 36·2 on the South), and in the Suburbs 23·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·9 per 1,000 inhabitants, the rate for the city being 0·4 (0·4 in the North City Districts, and 0·4 in the South), and for the Suburbs 2·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 19·2 per 1,000. They include 2 from influenza, but none from any other zymotic disease. Three deaths were caused by convulsions.

No. 1 North City District, West (Summer-hill).—The deaths (31) are equal to an annual rate of 46·4 per 1,000. The only death from any zymotic disease recorded is one from influenza. Of the 30 deaths from other causes 12 were from bronchitis, 2 from diseases of the circulatory system, 4 from phthisis, and 2 from diseases of the brain and nervous system.

No. 2 North City District (Lisburn-street).—The deaths (34) are equivalent to an annual rate of 61·4 per 1,000. Those from zymotic diseases consist of 2 from cerebro-spinal meningitis. Eight deaths were caused by bronchitis, 3 by pneumonia, 2 by diseases of the circulatory system, 3 by phthisis, 3 by mesenteric disease, and 2 by convulsions.

No. 3 North City District (Blackhall-place).—The deaths (15) represent an annual rate of 30·0 per 1,000. Three were caused by bronchitis, 3 by pneumonia, and 3 by phthisis. No deaths from any zymotic disease were recorded.

No. 1 South City District (South Earl-street).—The deaths (26) represent an annual rate of 40·8 per 1,000. They comprise 3 from zymotic diseases, including one from influenza. Among the 21 deaths from other causes are 2 from bronchitis, 2 from pneumonia, 4 from phthisis, 2 from mesenteric disease, 3 from convulsions, and 2 from diseases of the brain and nervous system, exclusive of convulsions.

No. 2 South City District (Castle-street).—The deaths (15) are equal to an annual rate of 42·2 per 1,000. Bronchitis caused 5 deaths and phthisis 4.

No. 3 South City District (Peter-street).—The deaths (21) are equal to an annual rate of 27·0 per 1,000. Among them are 4 from bronchitis, 2 from diseases of the circulatory system, 2 from phthisis, and 2 from tubercular meningitis. No deaths from any zymotic disease were recorded.

No. 4 South City District (Grand Canal-street).—The deaths (27) are equivalent to an annual rate of 39·3 per 1,000. The only death from any zymotic disease recorded is one from diarrhœa. The 26 deaths from other causes comprise 3 from bronchitis, 4 from pneumonia, 4 from diseases of the circulatory system, 3 from phthisis, 2 from mesenteric disease, and 2 from cancer.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 24·3; Finglas and Glasnevin, part of, 0·0; Palmerston, part of, and Crumlin, part of, 28·7; Rathmines, 30·0; Donnybrook, 19·1; Blackrock, 6·2; and Kingstown, 33·0. The deaths from zymotic diseases tabulated for these districts comprise one from diphtheria for Palmerston, part of; one from scarlatina and one from diarrhœa for Rathmines; and one from diarrhœa for Kingstown. Three of the 5 deaths from all causes tabulated for Coolock and Drumcondra, No. 1, were from diseases of the respiratory system; among the 16 deaths for Rathmines are 4 from pneumonia, 2 from diseases of the circulatory system, and 2 from diseases of the brain and nervous system; of the 9 deaths for Donnybrook 3 were from bronchitis, 2 from phthisis, and 2 from diseases of the brain and nervous system; and the 11 deaths for Kingstown comprise 4 from diseases of the respiratory system.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 13th Week of the 10 years 1890-99.	In the week ending Saturday, 24th March, 1900. Deaths of persons of the Ages of								
	Mar. 22, 1890	Mar. 28, 1891	Mar. 26, 1892	Mar. 25, 1893	Mar. 24, 1894	Mar. 23, 1895	Mar. 21, 1896	Mar. 27, 1897	Mar. 26, 1898	Mar. 25, 1899		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 40·6	° 41·2	° 40·5	° 45·4	° 43·9	° 48·0	° 43·6	° 51·2	° 39·7	° 35·3	° 42·9	° Mean Temp. 36·4								
ALL CAUSES,	209	197	269	179	197	302	170	242	198	214	217·7	236	8	34	27	17	34	51	52	13
I. FEBRILE OR ZYMOTIC DISEASES,	18	10	39	17	28	44	17	71	22	22	28·8	15	.	4	3	3	1	2	2	.
II. PARASITIC DISEASES,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	.	.	1	.	2	1	.	1	2	·8	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	45	50	51	53	46	87	47	50	60	52	49·1	59	.	7	7	9	18	12	6	.
V. DEVELOPMENTAL "	21	10	29	11	9	16	16	12	16	20	16·0	18	1	.	.	.	.	.	7	10
VI. LOCAL "	105	111	135	80	101	183	83	96	87	102	108·3	130	3	22	14	4	13	33	35	3
VII. VIOLENT DEATHS,	8	8	3	7	4	4	4	5	6	7	5·6	9	1	.	3	1	2	1	1	.
VIII. ILL-DEFINED CAUSES,	11	8	12	10	8	16	2	8	6	9	9·0	5	3	1	.	.	.	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	3	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	6	.	22	1	3	.	.	37	.	.	6·9	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	5	.	1	1	2	.	·9	1	.	.	1	.	.	.	.	.
Typhus,	1	.	.	2	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	6	1	4	35	6	1	9	12	7·5	3	.	1	.	1	.	1	.	.
Whooping Cough,	4	3	5	3	3	.	2	19	3	2	4·4	.	.	.	.	.	.	.	.	.
Diphtheria,	1	.	.	.	1	.	3	1	.	1	·7	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	3	1	5	1	2	1	.	6	4	2·4	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	2	3	.	3	.	.	7	.	1	1·7	4	.	2	.	.	.	1	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	.	.	.	1	.	.	1	1	1	·5	1	.	1	.	.	.	.	.	.
Erysipelas,	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	.	1	1	3	.	.	1	·6	1	.	.	.	.	.	.	1	.
Puerperal Fever,	.	.	.	1	2	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	2	2	3	4	.	1	2	.	.	1·5	4	.	.	1	2	1	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	.	1	.	1	1	.	1	2	·7	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	1	.	.	.	.	.	1	.	1	1	·4	1	.	.	.	.	1	.	.	.
Rheumatism,	1	2	2	.	.	1	.	.	1	2	·9	1	.	.	.	.	.	.	1	.
Gout,	.	.	1	.	.	.	.	.	.	2	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	5	6	6	9	3	5	5	4	6	5	5·4	10	.	.	.	.	3	4	3	.
Tabes Mesenterica,	5	5	1	5	1	5	3	6	9	7	4·7	10	.	7	3	.	.	.	.	.
Tubercular Meningitis	4	4	6	4	3	7	4	2	6	4	4·4	8	.	.	1	2	.	.	.	.
Phthisis,	27	31	30	30	35	15	27	32	36	26	28·9	27	.	.	1	7	11	7	1	.
Scrofula, Tuberculosis,	1	2	3	3	2	2	5	4	1	4	2·7	6	.	.	2	.	3	1	.	.
Other Constitutional Diseases,	1	.	2	2	2	2	1	2	.	1	1·3	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	3	4	2	3	1	.	1	5	1	2	2·2	1	1	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	18	6	27	8	7	16	15	7	15	18	13·7	17	.	.	.	.	.	.	7	10

each Disease registered in the TWELFTH WEEK ending Saturday, 24th March, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 12th Week of the 10 years 1890-99.	In the Week ending Saturday, 24th March, 1900. Deaths of Persons of the Ages of							
	Mar. 22, 1890	Mar. 28, 1891	Mar. 26, 1892	Mar. 25, 1893	Mar. 24, 1894	Mar. 23, 1895	Mar. 21, 1896	Mar. 27, 1897	Mar. 26, 1898	Mar. 25, 1899		All Ages.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 40·6	° 41·2	° 40·5	° 45·4	° 48·9	° 48·0	° 43·6	° 51·2	° 39·7	° 35·3	° 42·9	° 36·4								
VI. Local Diseases--																				
Apoplexy,	.	4	2	1	.	4	5	3	4	8	3·1	2	.	.	.	.	.	2	.	.
Epilepsy,	.	.	1	.	.	.	.	1	.	.	·2	2	.	.	.	.	1	.	1	.
Convulsions,	11	7	12	9	9	13	9	14	10	9	10·6	13	2	8	2	1	.	.	.	.
Other Diseases of Brain and Nervous System,	8	9	14	2	5	13	9	7	7	4	7·8	5	.	.	.	1	1	3	.	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	15	22	22	16	18	24	16	17	16	18	18·4	20	1	.	1	.	4	5	9	.
Croup,	.	.	1	.	2	.	1	3	.	1	·8	.	.	.	.	.	.	.	.	.
Bronchitis,	40	39	44	16	42	76	17	18	26	30	34·8	48	.	7	6	.	.	14	18	3
Pneumonia	6	7	11	15	10	21	9	14	12	17	12·2	22	.	4	3	2	3	3	5	.
Pleurisy,	1	.	.	.	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	6	2	7	1	3	12	3	1	.	.	3·5	2	.	.	1	.	.	1	.	.
Teething,	1	2	3	2	.	3	1	.	.	3	1·5	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	1	.	.	.	1	.	1	·3	1	.	1	.	.	.	.	.	.
Enteritis,	.	2	5	1	2	.	.	1	.	.	1·1	2	.	.	.	.	1	1	.	.
Peritonitis	1	2	.	.	1	1	.	1	1	1	·8	.	.	.	.	.	.	.	.	.
Disease of Liver,	4	1	4	3	.	3	1	3	2	2	2·3	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	.	6	2	3	4	4	3	5	4	2	3·3	6	.	1	1	.	.	3	1	.
Diseases of Lymphatics, &c.,	1	.	.	1	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	4	5	3	4	4	4	6	3	4	5	4·2	4	.	.	.	.	.	3	1	.
Diseases of Generative System,	.	1	1	2	.	1	1	1	.	.	·7	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	.	1	.	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	.	1	1	1	2	1	1	.	.	·8	1	.	.	.	.	1	.	.	.
Diseases of Integumentary System,	2	2	2	1	.	.	.	1	.	1	·9	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	1	1	.	.	.	.	2	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	6	1	.	1	2	1	2	1	.	.		6	.	.	3	1	.	1	1	.
By Drowning,		.	.	2	.	.	1	3	2	4		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	2	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		6	.	1	2	2	.	1	.	1		2	1	.	.	.	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	1	.	1	1	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	1	1	.	1	.	.	.	.	·4	1	.	.	.	.	1	.	.	.
EXECUTION,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	11	8	12	10	6	16	2	8	6	9		5	3	1	.	.	.	.	1	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899–1900—Week ending																									
	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered,	237	190	198	188	180	225	172	241	193	154	206	167	188	247	187	209	168	191	184	174	175	257	179	215	217	226
Average Births in corresponding week of previous 10 years,	198	178	166	179	170	172	175	185	181	184	181	184	154	168	188	199	195	202	206	200	196	208	225	195	192	195
DEATHS registered,	223	196	225	250	244	216	249	248	220	259	258	256	285	280	337	331	295	259	238	199	284	342	230	247	209	236
Annual Death-rate per 1,000,	33·3	29·2	33·6	37·3	36·4	32·2	37·1	37·0	32·8	33·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·	31·2	35·2
Average Deaths in corresponding week of previous 10 years,	159	149	157	152	163	178	166	174	177	183	177	184	184	207	211	239	249	228	221	211	216	212	214	218	218	218
AGES, Under 5 years,	110	93	114	107	95	111	118	123	98	93	103	84	87	86	81	85	70	60	60	54	63	74	55	63	56	69
5—20 „	18	13	26	18	23	22	11	27	16	12	17	23	22	18	15	16	15	20	19	14	24	20	22	15	12	17
20—40 „	36	29	23	29	32	14	36	27	28	6	35	35	46	32	49	38	44	38	34	30	48	47	33	42	39	34
40—60 „	26	27	32	38	39	29	36	32	33	51	51	61	55	57	73	84	61	60	46	35	65	80	51	60	44	51
60—80 „	32	29	24	53	45	32	37	28	36	53	41	44	63	74	94	85	83	79	64	53	73	104	59	56	42	52
80 years and upwards,	1	5	6	5	10	8	11	11	9	14	8	9	12	18	25	23	22	12	15	13	11	17	10	8	16	13
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	28	32	44	52	44	38	39	51	38	29	30	23	24	15	10	18	9	5	4	3	1	5	1	2	4	.
„ Scarlet Fever,	.	.	2	1	1	.	1	2	1	2	1	1	1	1	.	1	.	.	1	2	1	1	1	1	.	1
„ Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	2	2	.	1	.	2	1	2	.	1	1	3	2	2	1	1	3	3	.	5	5	.	.	.	1	.
„ Diphtheria,	1	.	1	2	2		3	3	2	2	3	2	3	1	.	3	2	1	3	5	3	.	1	2	.	1
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Enteric Fever,	11	4	7	4	6	2	5	9	4	6	2	2	3	2	5	5	2	1	2	.	3	1	4	2	.	.
„ Diarrhœa, Dysentery,	27	16	14	4	9	6	6	5	3	4	4	3	5	1	2	3	6	.	2	2	2	4	5	3	4	4
„ Phthisis,	23	20	22	26	29	15	21	17	20	5	27	36	30	28	40	27	29	36	29	23	32	40	30	37	29	27
„ Heart Diseases,	11	14	10	23	13	9	18	13	17	17	15	26	15	21	24	20	16	25	15	11	28	33	24	18	17	20
„ Diseases of Respiratory System,	30	31	29	39	40	53	57	50	51	66	70	66	73	98	110	110	92	55	67	65	74	94	55	78	39	72
Violent Deaths,	5	4	3	5	8	4	8	6	7	4	6	6	3	7	4	5	5	2	5	3	8	4	2	2	4	9
Mean Temperature of the Air Phœnix Park),	47·5	46·1	48·0	49·5	48·9	50·0	47·7	48·0	48·2	47·1	41·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4
Average Mean Temperature in corresponding week of previous 10 years,	52·7	51·1	48·4	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·[illegible]	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9
Rainfall in inches,	1·470	·360	·355	·470	·325	1·085	·710	·050	·030	·240	·455	·200	·855	2·055	·715	·585	·560	·530	·920	·690	·680	·520	1·025	·003	·115	·305
Mean Humidity of the Air, complete Saturation 1·0,	·86	·85	·86	·88	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 24th March, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH, No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CROMLIN, pt of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	171	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	1	4	.
Other Zymotic Diseases	2	.	2	.	3	1	.	.	.	.	.	.	.	.	.	1	9	.
Total,	2	1	2	.	3	1	.	1	.	.	.	1	2	.	.	2	15	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	1	4	3	3	4	4	2	3	.	.	.	.	1	2	.	.	27	.
Other Constitutional Diseases,	1	2	6	1	4	.	5	6	.	.	.	.	1	2	.	1	29	3
Total,	2	6	9	4	8	4	7	9	.	.	.	.	2	4	.	1	56	3
V. DEVELOPMENTAL DISEASES,	.	2	1	2	3	2	1	1	.	1	.	.	2	.	.	1	16	2
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	3	2	2	1	5	1	2	1	.	.	.	.	2	2	.	.	21	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	1	2	2	1	1	1	2	4	1	.	.	1	2	.	.	1	19	1
Diseases of Respiratory System,	1	13	12	6	4	6	5	7	1	3	.	1	5	3	.	4	71	1
Diseases of Digestive System,	.	2	2	1	1	.	1	2	.	1	.	.	.	.	1	.	11	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	22	19	9	11	8	10	14	2	4	.	2	10	5	1	5	127	3
VII. VIOLENT DEATHS,	.	.	2	.	.	.	2	2	.	.	.	1	.	.	.	1	8	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	1	.	1	.	1	2	1	.	.	.	.	.	.	.	.	1	5	.
Deaths from all Causes,	10	31	34	15	26	15	21	27	2	5	.	4	16	9	1	11	227	9
Annual Rate of Mortality in every 1,000 of the population.	19·2	46·4	61·4	30·0	40·8	42·2	27·0	39·3	25·2	24·3	.	23·7	30·0	19·1	6·2	33·0	33·9	
	40·1				36·2				23·9									
	38·1																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	5	2	3	3	5	5	1	.	.	1	4	1	.	.	35	8
Workhouse Hospitals,	.	5	11	6	11	3	3	6	.	1	.	.	.	.	.	.	46	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th March, 1900: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 24th March, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	35·2	235	69	17	34	51	52	13	.	.	1	.	.	1	.	.	4	6	27	13	72	9	109
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	10·0	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
II.	MIDDLE CLASS,	81,469	28·1	44	8	2	9	11	11	3	.	.	.	.	.	.	.	.	2	2	5	.	14	1	22
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	28·3	54	17	2	10	10	11	4	.	.	.	.	.	1	.	.	1	2	4	3	18	3	24
IV.	GENERAL SERVICE CLASS,	147,978	45·8	88	38	10	9	13	17	1	.	.	1	.	.	.	.	.	.	1	9	10	25	5	38
V.	INMATES OF WORKHOUSES,	5,191		47	6	3	6	15	12	5	.	.	.	.	.	.	.	.	1	1	9	.	14	.	23
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	19·5	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,783	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	53·1	6	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	26·0	13	3	.	2	5	3	.	.	.	.	.	.	.	.	.	1	1	2	.	4	.	6
	6. Clerks and Commercial Assistants,	25,091	25·0	12	3	1	4	1	2	1	.	.	.	.	.	.	.	.	.	.	3	.	4	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	27·5	13	1	1	2	4	3	2	.	.	.	.	.	.	.	.	1	1	.	.	1	1	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	49·0	7	4	.	1	.	2	.	.	.	.	.	.	.	.	.	1	1	1	1	2	.	2
	9. Building and Furnishing Trades,	26,294	33·6	17	7	1	1	3	2	3	.	.	.	.	.	.	.	.	.	.	1	1	5	1	9
	10. Clothing Trades,	23,927	17·4	8	3	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	4	1	1
	11. Food Supply Trades,	7,949	32·7	5	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	30·9	16	3	1	5	3	4	.	.	.	.	.	.	1	.	.	.	1	1	.	4	1	9
	13. Petty Shopkeepers,	6,839	7·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	26·5	7	4	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	3	1	2
	15. Domestic Servants,	39,967	10·4	8	2	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	14·4	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	17. Hawkers, Porters, Labourers, &c.,	83,472	43·6	70	32	9	8	9	12	.	.	.	1	.	.	.	.	.	.	1	6	10	19	4	30
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	47	6	3	6	15	12	5	.	.	.	.	.	.	.	.	1	1	9	.	14	.	23

TABLE VI.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 24th March, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 24th March, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 24th March, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th Mar., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th Mar., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	32·5	29·8	1·3	662	608	101	173	.	4	2	.	4	4	.	4	9	78	178	12	21	169	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	38·7	33·9	0·9	226	227	42	63	.	.	1	.	.	1	.	.	4	27	71	8	7	81	§45·0	21·9	36·4	0·80	§54·7	28·9	41·1	0·12	§44·8	26·1	38·3	0·00
City	245,001	65·6	40·9	38·1	0·4	192	179	35	44	.	.	.	.	.	.	.	.	2	24	54	6	5	73	44·8	30·1	38·6	0·63	53·5	27·1	42·6	0·15	48·7	33·9	40·8	0·02
Registrars' Districts. Clontarf &c. No. 1	4,188	1·5	.	25·2	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	10,730	1·8	14·6	24·3	.	3	5	1	2	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a)	4,240	0·8	12·3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	44·8	25·8	37·2	0·78	54·9	24·0	41·5	0·20	48·9	32·0	39·7	0·00
Palmerston, part of and Crumlin part of (b)	7,273	8·0	.	28·7	7·2	.	4	.	2	.	.	.	.	.	1	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	30·0	30·0	3·8	16	16	2	6	.	.	1	.	.	.	.	.	1	1	5	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	24,629	12·4	10·6	19·1	.	5	9	2	3	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	12·4	6·2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	21·0	33·0	3·0	7	11	2	4	.	.	.	.	.	.	.	.	1	.	4	1	.	.	45	32	39·7	0·52	53	27	42·3	0·12	47	36	41·2	0·01
Urban Districts.																																			
Belfast	359,000	21·8	34·3	24·5	2·0	236	169	26	36	.	1	1	.	4	2	.	3	3	30	49	2	7	25	45·9	25·0	37·8	0·23	52·0	27·0	42·8	0·10	48·0	31·0	40·1	0·00
Cork	75,845	33·3	36·7	29·1	.	53	42	5	14	.	.	.	.	.	.	.	.	.	7	12	1	4	12	51	32	39·8	0·27	53	32	43·6	0·12	49	35	42·2	0·09
Limerick	37,155	17·9	29·5	30·9	.	21	22	7	4	.	.	.	.	.	.	.	.	.	3	10	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry	53,200	15·3	42·4	22·0	.	27	14	2	6	.	.	.	.	.	.	.	.	.	1	7	.	1	2	52·0	22·0	38·6	0·28	54·5	26·0	41·2	0·63	49·1	28·0	39·4	0·03
Waterford	26,208	18·3	31·8	29·8	.	16	15	2	7	.	.	.	.	.	.	.	.	.	.	4	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,800	2·6	3·8	56·7	.	1	15	.	8	.	.	.	.	.	.	.	.	.	1	4	.	.	8	47	28	38	0·09	55	25	43	0·04	52	30	40	.
Drogheda	13,708	8·7	3·8	41·8	11·4	1	11	1	3	.	3	.	.	.	.	.	.	.	1	4	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,961	18·5	16·1	28·2	4·9	4	7	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	45·0	27·4	36·9	0·26	54·0	24·9	42·1	0·18	47·0	29·8	39·0	0·00
Dundalk	12,449	9·0	29·3	16·8	.	7	4	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn	12,250	10·8	55·3	21·3	.	13	5	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	45·0	27·4	36·9	0·26	54·0	24·9	42·1	0·18	47·0	29·8	39·0	0·00
Wexford	11,545	24·0	31·6	22·6	.	7	5	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	11,429	18·4	28·8	22·8	.	5	5	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	45·0	27·4	36·9	0·26	54·0	24·9	42·1	0·18	47·0	29·8	39·0	0·00
Kilkenny	11,048	12·0	33·3	75·5	4·7	6	16	2	5	.	.	.	.	.	1	.	.	.	.	1	.	.	6	46	27	35·3	0·62	53	25	41·3	0·04	46	32	39·5	0·00
Clonmel	10,708	8·2	39·0	107·1	9·7	8	22	.	8	.	.	.	.	.	.	.	.	2	7	4	.	.	19	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,274	8·4	50·8	40·6	.	10	8	3	4	.	.	.	.	.	.	.	.	.	.	1	.	.	2	46·2	28·9	36·5	0·16	50·9	21·5	40·0	0·54	47·2	23·7	37·8	0·00
Tralee	9,818	15·9	16·8	22·4	.	3	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	9,252	9·8	11·3	11·3	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,197	19·0	11·3	11·3	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	45	27	38·5	0.17	49	27	41·0	0·29	44	36	39·9	0·00
Queenstown	9,082	17·0	28·7	17·2	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51	32	39·8	0·27	53	32	43·6	0·12	49	35	42·2	0·09
Carrickfergus	8,923	0·5	40·9	17·5	.	7	8	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	6·2	30·9	.	1	5	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	45·0	27·4	36·9	0·26	54·0	24·9	42·1	0·18	47·0	29·8	39·0	0·00
Armagh	7,137	21·4	7·1	14·3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	45·0	27·4	36·9	0·26	54·0	24·9	42·1	0·18	47·0	29·8	39·0	0·00

(*a*) That portion of the District situated in Glasnevin District Electoral Division. (*b*) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 9 deaths of persons (including 2 aged 60 years or upwards), admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. (in 1891) 27,147.	Feb. 3,	23·0	.	12	.	.	.	.	.	.	.	.	.	2	5	.
		„ 10,	30·7	3·3	16	.	.	.	.	.	.	.	.	2	2	4	.
		„ 17,	42·9	.	26	.	.	.	.	.	.	.	.	.	2	4	.
		„ 24,	57·6	5·8	30	.	.	.	.	.	.	.	.	3	3	7	1
		Mar. 3,	25·0	3·8	13	.	.	.	.	.	.	.	3	.	3	2	1
		„ 10,	30·7	1·9	16	.	.	.	.	.	1	.	.	.	1	9	.
		„ 17,	26·9	.	14	.	.	.	.	.	.	.	.	.	5	1	1
		„ 24,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,836.	Feb. 3,	35·9	3·0	24	.		.	.	.	.	.	1	1	1	7	.
		„ 10,	23·9	1·5	16	.	.		.	1	.	.	.	.	3	5	.
		„ 17,	41·9	1·5	28	.	.	.		.	.	.	1	.	3	13	.
		„ 24,	40·4	.	27	.	.	.	.	.	.	.	.	.	1	5	1
		Mar. 3,	35·9	3·0	24	.	1	.	.	.	.	.	1	.	3	7	.
		„ 10,	50·9	.	34	.	.	.	.	.	.	.	.	.	8	12	1
		„ 17,	38·9	1·5	26	.	1	.	.	.	.	.	.	.	4	8	.
		„ 24,	46·4	1·5	31	.	.	.	.	.	.	.	.	1	4	13	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Feb. 3,	47·0	1·8	26	.	1	.	.	.	.	.	.	.	3	10	1
		„ 10,	32·5	.	18	.	.	.	.	.	.	.	.	.	1	8	.
		„ 17,	41·5	.	23	.	.	.	.	.	.	.	.	.	5	2	3
		„ 24,	52·4	1·8	29	.	.	.	.	.	.	.	1	.	7	8	.
		Mar. 3,	37·9	1·8	21	.	.	.	.	.	.	.	.	1	1	10	.
		„ 10,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	3	8	.
		„ 17,	45·2	3·6	25	.	.	.	.	.	.	.	.	2	2	3	1
		„ 24,	61·4	.	34	.	.	.	.	.	.	.	.	.	3	12	2
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055	Feb. 3,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	3	1
		„ 10,	32·0	2·0	16	.	.	.	.	.	1	.	.	.	.	7	.
		„ 17,	46·0	3·0	23	.	.	.	.	3	1	.	.	.	3	5	1
		„ 24,	52·0	2·0	26	.	1	.	.	.	.	.	.	.	4	6	.
		Mar. 3,	46·0	4·0	23	.	.	1	.	.	.	.	.	1	4	4	1
		„ 10,	38·0	2·0	19	.	.	.	.	.	.	.	1	.	4	6	.
		„ 17,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	5	4	.
		„ 24,	30·0	.	15	.	.	.	.	.	.	.	.	.	3	6	.
	South City, No. 1. (Office, South Earl-street. Pop. (in 1891) 38,194.	Feb. 3,	37·7	.	24	.	.	.	.	.	.	.	.	.	2	10	.
		„ 10,	31·4	3·1	20	.	.	1	.	1	.	.	.	.	3	9	.
		„ 17,	58·1	1·6	37	.	.	.	.	.	.	.	.	1	3	10	3
		„ 24,	64·4	.	41	.	.	.	.	.	.	.	.	.	2	17	.
		Mar. 3,	31·4	.	20	.	.	.	.	.	.	.	.	.	4	2	.
		„ 10,	51·8	.	33	.	.	.	.	.	.	.	.	.	3	11	1
		„ 17,	39·3	3·1	25	.	1	.	.	.	.	.	.	1	1	6	.
		„ 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	4	4	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Feb. 3,	22·5	2·8	8	.	1	.	.	.	.	.	.	.	1	1	.
		„ 10,	25·3	2·8	9	.	.	.	.	.	1	.	.	.	2	3	.
		„ 17,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	1	7	.
		„ 24,	50·6	2·8	18	.	.	.	.	.	.	.	.	1	3	5	.
		Mar. 3,	59·0	5·6	21	.	.	.	.	.	.	.	1	1	.	4	.
		„ 10,	47·8	.	17	.	.	.	.	.	.	.	.	.	4	4	.
		„ 17,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 24,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	6	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Feb. 3,	37·3	2·6	29	.	.	1	.	.	.	.	.	1	5	8	1
		„ 10,	32·1	2·6	25	.	.	.	.	2	.	.	.	.	5	10	.
		„ 17,	33·4	1·3	26	.	1	.	.	.	.	.	.	.	1	6	1
		„ 24,	57·9	1·3	45	.	.	1	.	.	.	.	.	.	3	15	1
		Mar. 3,	32·1	.	25	.	.	.	.	.	.	.	.	.	3	6	.
		„ 10,	41·1	.	32	.	.	.	.	.	.	.	.	.	4	10	.
		„ 17,	32·1	.	25	.	.	.	.	.	.	.	.	.	1	4	2
		„ 24,	27·0	.	21	.	.	.	.	.	.	.	.	.	2	5	2
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798.	Feb. 3,	37·9	4·4	26	.	1	.	.	.	1	.	1	.	.	4	1
		„ 10,	30·6	7·3	21	.	2	.	.	1	1	.	.	.	2	3	1
		„ 17,	51·0	7·3	35	.	.	1	.	1	1	.	1	1	5	7	.
		„ 24,	55·4	1·5	38	.	1	.	.	.	.	.	.	.	6	12	.
		Mar. 3,	32·0	.	22	.	.	.	.	.	.	.	.	.	3	5	.
		„ 10,	32·0	5·8	22	.	2	1	.	.	.	.	.	1	2	5	.
		„ 17,	18·9	1·5	13	.	.	.	.	.	.	.	.	1	2	3	.
		„ 24,	39·3	1·5	27	.	.	.	.	.	.	.	.	1	3	7	2

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Feb. 3,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	„ 10,	24·4	3·8	13	.	.	1	.	.	1	.	.	.	1	3	1
	„ 17,	33·8	.	18	.	.	.	.	.	.	.	.	.	.	5	.
	„ 24,	28·1	.	15	.	.	.	.	.	.	.	.	.	1	4	.
	Mar. 3,	24·4	3·8	13	.	.	.	.	.	1	.	.	1	.	6	.
	„ 10,	26·3	.	14	.	.	.	.	.	.	.	.	.	2	5	.
	„ 17,	18·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.
	„ 24,	30·0	3·8	16	.	.	1	.	.	.	.	.	1	1	5	.
Donnybrook. Pop. (in 1891) 24,629.	Feb. 3,	36·0	2·1	17	.	1	.	.	.	.	.	.	.	3	2	.
	„ 10,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 17,	29·6	.	14	.	.	.	.	.	.	.	.	.	2	7	.
	„ 24,	36·0	.	17	.	.	.	.	.	.	.	.	.	.	4	.
	Mar. 3,	31·8	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 10,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
	„ 17,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 24,	19·1	.	9	.	.	.	.	.	.	.	.	.	2	3	.
Kingstown. Pop. (in 1891) 17,886.	Feb. 3,	42·0	3·0	14	.	.	.	.	.	1	.	.	.	2	5	.
	„ 10,	30·0	3·0	10	.	.	.	.	.	1	.	.	.	1	1	.
	„ 17,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 24,	27·0	6·0	9	.	2	.	.	.	.	.	.	.	1	2	.
	Mar. 3,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 10,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	„ 17,	27·0	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 24,	33·0	3·0	11	.	.	.	.	.	.	.	.	1	.	4	1
Belfast. Pop. in 1900 (Est.) 359,000.	Feb. 3,	19·6	1·2	135	.	1	.	.	4	.	.	1	2	12	39	3
	„ 10,	27·2	1·3	187	.	.	.	.	3	3	1	1	1	26	50	8
	„ 17,	32·8	1·5	226	.	.	.	.	4	2	.	1	3	27	73	8
	„ 24,	26·3	1·7	181	.	.	2	.	3	1	1	2	3	19	67	5
	Mar. 3,	30·1	1·9	207	.	1	1	.	4	2	.	5	.	26	57	4
	„ 10,	28·3	1·6	195	.	2	.	.	3	1	1	3	1	28	75	2
	„ 17,	22·8	1·3	157	.	1	.	.	2	1	.	4	1	26	35	6
	„ 24,	24·5	2·0	169	.	1	1	.	4	2	.	3	3	30	49	2
Cork. Pop. (in 1891) 75,345.	Feb. 3,	33·2	1·4	48	.	2	.	.	.	.	.	.	.	6	8	.
	„ 10,	22·1	.	32	.	.	.	.	.	.	.	.	.	4	2	.
	„ 17,	29·1	0·7	42	.	.	.	.	.	.	.	.	1	4	10	.
	„ 24,	33·9	1·4	49	.	1	.	.	.	.	.	.	1	7	7	.
	Mar. 3,	29·1	1·4	42	.	1	.	.	.	.	.	.	1	9	8	.
	„ 10,	23·5	0·7	34	.	.	.	.	.	.	.	.	1	6	9	.
	„ 17,	38·1	1·4	55	.	.	.	.	.	.	.	1	1	7	12	.
	„ 24,	29·1	.	42	.	.	.	.	.	.	.	.	.	7	12	1
Limerick. Pop. (in 1891) 37,155.	Feb. 3,	44·9	.	32	.	.	.	.	.	.	.	.	.	2	13	.
	„ 10,	29·5	.	21	.	.	.	.	.	.	.	.	.	1	8	.
	„ 17,	42·1	1·4	30	.	.	.	1	.	.	.	.	.	3	12	.
	„ 24,	51·9	.	37	.	.	.	.	.	.	.	.	.	3	16	.
	Mar. 3,	43·5	.	31	.	.	.	.	.	.	.	.	.	2	5	.
	„ 10,	46·3	.	33	.	.	.	.	.	.	.	.	.	3	13	.
	„ 17,	32·3	1·4	23	.	.	.	.	.	.	.	1	.	3	10	.
	„ 24,	30·9	.	22	.	.	.	.	.	.	.	.	.	3	10	.
Londonderry Pop. (in 1891) 33,200.	Feb. 3,	29·8	.	19	.	.	.	.	.	.	.	.	.	3	8	1
	„ 10,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	1	4	.
	„ 17,	40·8	1·6	26	.	.	.	.	.	.	.	.	1	4	10	.
	„ 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	2	12	.
	Mar. 3,	39·3	.	25	.	.	.	.	.	.	.	.	.	2	11	.
	„ 10,	29·8	1·6	19	.	.	.	.	.	.	.	.	1	2	5	.
	„ 17,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	6	.
	„ 24,	22·0	.	14	.	.	.	.	.	.	.	.	.	1	7	.
Waterford. Pop. (in 1891) 26,200.	Feb. 3,	45·8	.	23	.	.	.	.	.	.	.	.	.	2	2	2
	„ 10,	19·9	4·0	10	.	.	.	.	2	.	.	.	.	.	4	.
	„ 17,	59·7	4·0	30	.	.	.	.	2	.	.	.	.	7	5	.
	„ 24,	21·9	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	Mar. 3,	29·8	4·0	15	.	.	.	.	1	.	.	1	.	3	3	.
	„ 10,	23·9	2·0	12	.	.	.	1	.	.	.	.	.	1	3	.
	„ 17,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	3	.
	„ 24,	29·8	.	15	.	.	.	.	.	.	.	.	.	.	4	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 24th March, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	8	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		5	1	2	2	.	.	.	.	.	1	.	.	.	.	.	1	1	2	.
" 2 "	37,589	37			23	5	3	10	5	.	.	.	.	.	.	.	.	.	4	6	.	1	3
" 3 "	38,845	41			13	1	4	6	2	.	.	1	.	.	.	.	.	1	3	3	.	.	1
" 4 "	33,391	39			23	2	3	10	8	.	.	.	.	1	.	.	1	.	4	7	.	.	4
" 5 "	21,284	5			8	1	.	5	2	.	.	.	.	.	.	.	.	.	4	1	.	.	4
" 6 "	43,431	26			26	1	3	14	8	.	.	.	.	1	.	.	.	1	4	9	1	1	6
" 7 "	1,112	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	4			3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
9 "	12,866	13			11	2	1	7	1	.	.	.	.	.	.	.	.	.	.	3	.	.	1
" 10 "	12,256	13			16	2	3	8	3	.	.	.	.	1	.	.	1	1	3	7	.	1	1
" 11 "	19,881	20			11	4	1	4	2	.	.	.	.	.	.	.	.	.	3	2	.	.	2
" 12 "	23,282	24			22	6	9	5	2	.	1	.	.	.	2	.	.	.	3	7	.	2	1
" 13 "	6,804	5			7	1	.	4	2	.	.	.	.	.	.	.	.	.	2	2	.	.	1
" 14 "	362	.			1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Total,	278,079	236			169	26	30	77	36	.	1	1	.	4	2	.	2	3	30	49	2	7	25
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	5	30·6	.	7	.	1	.	6	.	.	.	.	.	.	.	.	.	.	3	.	1	3
" 2 "	9,252	8	28·2	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 3 "	9,816	8	15·9	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1
" 4 "	10,356	7	35·2	.	7	.	2	3	2	.	.	.	.	.	.	.	.	.	1	2	.	2	4
" 5 "	8,137	6	32·0	.	5	1	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" 6 "	3,823	22	29·5	.	5	1	1	2	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.
" 7 "	17,034	2	30·6	.	10	2	1	5	2	.	.	.	.	.	.	.	.	.	2	2	1	1	1
Total,	75,345	53	29·1	.	42	5	5	18	14	.	.	.	.	.	.	.	.	.	7	12	1	4	12

Boundaries of Registrars' Districts—Belfast.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre o Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square. Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary, thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.
No. of week in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered,	201	263	252	231	218	203	246	202	237	192	189	199	203	175	239	263	199	230	204	240	186	230	216	269	218	236
DEATHS registered.	147	175	150	148	164	131	127	176	137	118	113	139	132	192	193	210	166	170	135	187	226	181	207	195	157	169
Annual Death-rate per 1,000 of estimated Population,	21·9	26·1	22·3	21·3	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5
AGES, Under 1 year,	47	50	44	35	40	33	30	38	40	28	21	26	19	39	34	40	26	32	22	30	41	31	43	42	27	26
AGES, 1–5 years,	16	20	19	24	21	15	18	25	17	14	10	19	9	25	31	28	24	22	17	15	23	16	21	28	26	30
AGES, 5–60 years,	64	80	60	57	84	60	49	90	57	46	68	73	74	75	93	88	71	71	62	99	102	84	92	90	68	77
AGES, 60 years and upwards,	20	25	27	27	19	21	30	28	23	30	19	21	30	53	40	59	45	45	34	43	60	50	51	35	36	36
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	1	1	1	.	.	.	1	2	.	1	1	2	1	1	4	.	1	1	.	.	.	1	2	1	1
" Scarlet Fever,	.	1	.	.	1	.	.	1	.	.	1	.	1	1	.	.	1	.	.	.	.	2	1	.	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	4	3	4	2	1	5	1	4	4	.	2	1	6	6	2	9	5	4	3	4	3	4	3	2	4
" Diphtheria,	1	.	.	.		.	2	1	3	2	.	3	2	1	2	.	1	.	.	3	2	1	2	1	1	2
" Simple continued and Ill-defined Fever,	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.	1	.	.
" Enteric Fever,	9	14	9	8	9	3	6	10	4	5	1	2	1	4	4	4	4	1	1	1	1	2	5	3	4	3
" Diarrhœa, Dysentery,	15	9	4	2	4	.	2		.		.	1	.	1	3	4	1	2	2	1	3	3		1	1	3
" Phthisis,	21	20	15	10	16	17	14	35	12	13	19	29	14	31	27	21	17	21	12	26	27	19	26	28	26	30
" Diseases of Respiratory System,	19	38	32	43	50	43	37	49	35	38	37	34	27	64	74	86	72	66	39	50	73	67	57	75	35	49
Violent Deaths,	4	2	4	3	8	3	1	3	7	4	1	2	6	2	5	2	.	.	3	8	8	5	4	2	6	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	Mar. 24,	2,675	1,817	20·6	.	50	3	36	49	7	17
EDINBURGH, .	302,262	„ 24,	153	138	23·7	.	1	.	.	2	3	5
GLASGOW, . .	743,969	„ 24,	470	331	23·3	.	13	4	3	10	1	8
CALCUTTA, . .	466,460	Jan. 20,	.	323	36·1	6	.	.	.	.	57‡	68*
BOMBAY, . .	821,764	Feb. 27,	213	2,761	174·7	263	107	?	?	?	256§	265*
MADRAS, . .	452,518	Jan. 26,	358	344	39·5	.	11	?	?	?	83	49
PARIS, . . .	2,511,629	—	.	.	.	.	.	.	.	.	.	.
BRUSSELS (with 8 Faubourgs).	561,130	Mar. 10,	290	209	19·3	.	1	.	1†	3	2	23
AMSTERDAM, .	523,743	„ 3,	297	155	15·4	.	.	.	1	4	1	.
ROTTERDAM, .	319,491	„ 3,	223	119	19·3	.	3	2	2	1	.	.
THE HAGUE, .	205,328	„ 3,	109	68	17·2	.	1	.	.	.	.	.
COPENHAGEN, .	349,000	„ 17,	219	195	29·1	.	1	1	2	2	.	4
CHRISTIANIA, .	221,255	„ 17,	176	75	17·6	.	.	.	.	2	.	5
ST. PETERSBURG,	1,132,677	„ 10,	515	708	32·5	3	17	21	23	6	23	45
BERLIN, . .	1,848,269	„ 3,	892	765	21·5	.	6	7	10	15	.	33
HAMBURG, . .	691,349	„ 10,	402	270	20·3	.	1	.	1†	.	.	6
DRESDEN, . .	400,400	Feb. 3,	274	121	15·7	.	.	.	4†	1	.	4
BRESLAU, . .	406,012	Mar. 17,	.	226	28·9	.	.	.	2	1	.	13
MUNICH, . .	445,000	—	.	.		.	.	.	.	.	.	.
VIENNA (with suburbs).	1,639,811	Feb. 24,	1,072	706	22·5	.	18	4	11†	10	1	39
BUDA-PESTH, .	685,340	Mar. 10,	489	300	22·8	.	1	1	5	1	2	6
PRAGUE and Faubourgs.	385,952	„ 10,	210	151	20·8	.	2	1	.	4	.	3
ROME, . . .	512,423	Feb. 17,	273	220	22·3	.	11	.	1	.	3	11
TURIN (10 days),	344,203	Jan. 20,	195	276	29·3	.	7	.	.	1	2	6
VENICE, . .	172,491	Feb. 24,	79	76	22·9	.	.	.	1†	.	.	6
NEW YORK, .	3,654,594	„ 17,	1,482	1,447	20·7	.	21	21	43	13	5	12
PHILADELPHIA,	1,266,832	„ 24,	.	445	18·3	.	12	.	20	5	15	1

* Including 12 deaths from cholera in Calcutta and 10 in Bombay. † Including deaths from croup.
‡ Exclusive of 40 deaths from bubonic fever. § Exclusive of 768 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., P.R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 24th March 1900:—

"Very inclement and generally dull weather prevailed this week. On Sunday morning a depression was central off the coast of Kerry. It subsequently moved southeastwards to the Land's End, growing deeper by degrees until on Monday morning the barometer was down to 29 inches in the Scilly Islands. It then changed its course and passed northeastwards to the Bristol Channel and finally northwestwards to Cardigan Bay, over which it was found on Tuesday morning, rapidly filling up. During all this time very severe weather prevailed—on Sunday snow and sleet fell heavily in Dublin and the wind blew a gale, first from S.E. and afterwards from E. Snow and hail fell again on the mornings of both Monday and Tuesday. As the depression dispersed, a new disturbance travelled northwards from the Peninsula, causing freshening easterly winds and continued dull, cold weather both in France and over the British Islands. Showers of cold rain and hail fell in many places. At the beginning of the week an extreme depression of temperature was observed over the North and East of Scotland—on Sunday morning the shade thermometer fell to 10° at Wick, 11° at Aberdeen, and 13° at Nairn. At this lastnamed station the reading at 8 a.m. of Monday was 18°. In Dublin the mean height of the barometer was 29·720 inches, pressure ranging from 29·216 inches at 9 p.m. of Sunday (wind, E.) to 30·120 inches at 9 p.m. of Saturday (wind, E.N.E.). The mean dry bulb temperature was 38·6°. The mean dry bulb reading at 9 a.m. and 9 p.m. was also 38·6. The screened thermometers fell to 30·1° on Sunday and rose to 44·8° on Tuesday. The prevalent winds were E. and N.E. Bright sunshine was estimated at 8 hours. The rainfall was ·630 inch on six days, ·234 inch being measured on Monday, and ·198 inch on Sunday, as the product of snowfalls."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·738 inches. The highest reading (30·142) was on Saturday at 9 P.M., wind E., and the lowest (29·273) on Sunday at 9 P.M., wind N.E.

The mean temperature for the week was 36·4°, being 6·5° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Tuesday, when the thermometer registered 45·0°, and was lowest on Sunday, the mercury having fallen to 21·9°. The mean of the Dry Bulb for the week was 37·2°, and of the Wet Bulb 35·9°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 4·9 hours. The rainfall measured ·805 in.

At Greenwich the mean temperature for the week was 38·8°, the maximum 52·8°, and the minimum 21·6°; at Glasgow the maximum was 43·8°, the minimum 22·4°, and the mean 36·9°; and at Edinburgh the maximum was 40·5°, the minimum 21·1°, and the mean 35·4°. The rainfall at Greenwich measured ·61 in.; at Glasgow ·21 in.; and at Edinburgh ·49 in.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Mar. 18,	29·288	37·3	21·9	29·6	34·5	33·8	·91	·8	0·3	·350	E.S.E.	N.E.
Monday, „ 19,	29·366	35·9	29·2	32·6	31·7	30·8	·87	·9	0·2	·260	N.	N.
Tuesday, „ 20,	29·641	45·0	27·8	36·4	35·0	34·2	·93	·7	3·3	·020	Calm.	S.E.
Wednesday, „ 21,	29·877	44·0	29·2	36·6	39·3	38·1	·90	·9	0·1	·035	N.E.	N.
Thursday, „ 22,	29·815	42·7	35·7	39·2	40·6	39·0	·88	·8	0·0	·085	N.	N.E.
Friday, „ 23,	30·049	43·3	39·4	41·4	41·1	39·3	·86	·6	0·1	·015	E.N.E.	N.E.
Saturday, „ 24,	30·130	41·4	35·7	38·6	38·2	36·0	·83	·7	0·9	·040	N.E.	E.
Mean, .	29·738	41·4	31·3	36·4	37·2	35·9	·89	·8	Total 4·9	Total ·805	Prevailing wind, N.E.	

Sunday—Cloudy a.m., dull p.m.; snow 3 to 10 p.m.; night overcast; snow 3 to 6.30 a.m. *Monday*—A cloudy day; night cloudy; snow 2.30 to 7.30 a.m. *Tuesday*—A cloudy day, rain and hail 10.30 to 12 a.m.; night clear to 4.30 a.m. *Wednesday*—A cloudy day; rain 6.45 to 7.30 p.m.; night cloudy. *Thursday*—A dull day; rain 9.30 to 3 p.m. and 6 to 8 p.m.; night overcast. *Friday*—A dull day; night cloudy; rain 6 to 8 a.m. *Saturday*—A cloudy day; rain 9.30 to 11.30 a.m.; showery 2 to 5 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 517. 2. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 31ST MARCH, 1900. [No. 13.

General Register Office, Charlemont House, Dublin, 2nd April, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 20·3), was equal to an average annual death-rate of 21·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 22·8 per 1,000, the rate for Glasgow being 25·2, and for Edinburgh 25·3.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 32·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Mar. 10.	Week ending Mar. 17.	Week ending Mar. 24.	Week ending Mar. 31.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 10.	Week ending Mar. 17.	Week ending Mar. 24.	Week ending Mar. 31.	Average Rate for 4 weeks.
23 Town Dists.	32·2	26·9	29·8	32·8	30·4	Limerick, . .	46·3	32·3	30·9	98·2	51·9
Armagh, . .	14·3	21·4	14·3	28·5	19·6	Lisburn, . .	38·3	29·8	21·3	34·1	30·9
Ballymena, .	45·1	22·5	11·3	0·0	19·7	Londonderry, .	29·8	31·4	22·0	26·7	27·5
Belfast, . .	28·3	22·8	24·5	25·6	25·3	Lurgan, . .	18·2	41·1	22·8	41·1	30·8
Carrickfergus, .	23·4	11·7	17·5	11·7	16·1	Newry, . .	21·1	16·1	28·2	24·1	23·1
Clonmel, . .	39·0	24·3	107·1	43·8	53·5	Newtownards, .	28·3	11·3	11·3	39·7	22·7
Cork, . . .	23·5	38·1	29·1	22·8	28·4	Portadown, .	49·5	24·7	30·9	55·7	40·2
Drogheda, . .	60·9	26·6	41·8	38·0	41·8	Queenstown, .	34·4	11·5	17·2	11·5	18·7
Dublin, Reg. Area,	36·2	29·7	33·9	35·2	33·7	Sligo, . . .	15·2	5·1	40·6	15·2	19·0
Dundalk, . .	25·1	8·4	16·8	92·1	35·6	Tralee, . .	33·6	16·3	22·4	83·9	39·2
Galway, . .	60·5	30·2	56·7	18·9	41·6	Waterford, .	23·9	27·9	29·8	23·9	26·4
Kilkenny, . .	33·0	42·5	75·5	33·0	46·0	Wexford, . .	27·1	36·1	22·6	27·1	28·2

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in fourteen of the districts to 7·6 in Drogheda; the 10 deaths from all causes registered in

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table VI.

that district comprising one from measles and one from enteric fever. Among the 176 deaths from all causes registered in Belfast are 2 from measles, 4 from whooping-cough, 2 from diphtheria, 6 from enteric fever, and 3 from diarrhœa.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 234—128 boys and 106 girls; and the deaths to 244—117 males and 127 females.

The deaths, which are 25 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 36·4 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 35·2 per 1,000. During the thirteen weeks ending with Saturday last the death-rate averaged 39·6, and was 6·7 over the mean rate for the corresponding portions of the ten years 1890–99.

There were only 11 deaths from zymotic diseases registered last week, being 4 under the low number for the preceding week, and 20 under the average for the 13th week of the last ten years: they comprise 4 from influenza and its complications, one from diphtheria, one from enteric fever; &c.

Twenty cases of scarlatina were admitted to hospital during the week, being 8 over the admissions for the preceding week, and 3 over the number for the week ended the 17th ultimo; 5 scarlatina patients were discharged during the week; one died; and 85* remained under treatment on Saturday last, being 14 over the number in hospital at the close of the preceding week.

The number of cases of measles admitted to hospital is 6, being one over the admissions for the preceding week, but 3 under the number for the week ended the 17th ultimo: 7 patients were discharged during the week; and 25 remained under treatment on Saturday last, being one under the number in hospital at the close of the preceding week.

There were only 4 cases of enteric fever admitted to hospital, being 2 under the admissions for the preceding week, and 3 under the number for the week ended the 17th ultimo: 14 patients were discharged during the week; 2 died; and 31 remained under treatment on Saturday last, being 12 under the number in hospital on Saturday the 24th ultimo.

During last week, as in the week preceding, 5 cases of diphtheria were admitted to hospital: 14 cases of the disease remained under treatment in hospital on Saturday last.

The number of deaths from diseases of the respiratory system registered is 56, being 7 over the average for the corresponding week of the last ten years, but 16 under the number for the week ended the 24th ultimo: the 56 deaths comprise 39 from bronchitis and 13 from pneumonia or inflammation of the lungs.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the week ended Saturday, 31st March, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases	No. of Cases in Hospital at close of week ended			Week ended 31st March			
	Mar. 10.	Mar. 17.	Mar. 24.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.		.	.
Measles,	25	27	26	6	7	.	25
Scarlet Fever,	68	74	71	20	5	1	85*
Typhus ,,	1	2	2	.	1	.	1
Diphtheria,	17	13	12	5	3	.	14
Enteric Fever,	50	47	43	4	14	2	31
Pneumonia,	27	30	31	7	9	2	27

The deaths of 13 children under 5 years of age (including 10 infants under one year old) were ascribed to convulsions.

Seven deaths were caused by apoplexy, 10 by other diseases of the brain and nervous system (exclusive of convulsions), and 23 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 30 deaths, mesenteric disease 7, tubercular meningitis 7, and cancer 4.

Four accidental deaths, one case of homicide, and one of suicide were registered.

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 9 children under 5 years of age (including 8 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 11 were under one month old) and 78 were aged 60 years and upwards, including 51 persons aged 70 and upwards, of whom 17 were octogenarians, and 2 (both women) were stated to have been each aged 90 years.

Ninety-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 22 took place in the North Dublin Union Workhouse, 20 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 35·2 per 1,000; the rate in the city was 38·9 (37·9 on the North side, and 39·9 on the South), and in the Suburbs 26·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·3 per 1,000 inhabitants, the rate for the city being 0·2 (0·5 in the North City Districts, and 0·0 in the South), and for the Suburbs 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 30·7 per 1,000. One from influenza is the only death from any zymotic disease recorded. Five deaths were caused by bronchitis, 2 by pneumonia, and 4 by phthisis.

No. 1 *North City District, West* (Summer-hill).—The deaths (28) are equal to an annual rate of 41·9 per 1,000. They include 4 from bronchitis, 2 from diseases of the circulatory system, 3 from phthisis, 3 from tubercular meningitis, 2 from cancer, and 2 from convulsions.

No. 2 *North City District* (Lisburn-street).—The deaths (26) are equivalent to an annual rate of 47·0 per 1,000. They comprise 2 from zymotic diseases, viz.:—one from enteric fever and one from cerebro-spinal meningitis. Five deaths were caused by bronchitis, 2 by pneumonia, 4 by diseases of the circulatory system, 2 by mesenteric disease, and 4 by convulsions.

No. 3 *North City District* (Blackhall-place).—The deaths (15) represent an annual rate of 30·0 per 1,000. One death from cerebro-spinal meningitis constitutes the mortality from zymotic disease. Four deaths were caused by phthisis.

No. 1 *South City District* (South Earl-street).—The deaths (35) represent an annual rate of 55·0 per 1,000. They include 2 from influenza, but no deaths from any other zymotic disease were recorded. Three deaths were caused by bronchitis, 3 by diseases of the circulatory system, 5 by phthisis, and 8 by diseases of the brain and nervous system.

No. 2 *South City District* (Castle-street).—The deaths (15) are equal to an annual rate of 42·2 per 1,000. They include 4 from diseases of the respiratory system. No deaths from any zymotic disease were recorded.

No. 3 *South City District* (Peter-street).—The deaths (30) are equal to an annual rate of 38·6 per 1,000. Among them are 9 from bronchitis, 3 from diseases of the circulatory system, 4 from phthisis, and 2 from tubercular meningitis.

No. 4 *South City District* (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·2 per 1,000. They comprise 3 from diseases of the respiratory system, 2 from diseases of the circulatory system, 3 from phthisis, and 3 from diseases of the brain and nervous system. No deaths from any zymotic disease were recorded.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 50·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 24·3; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 14·3; Rathmines, 24·4; Donnybrook, 23·3; Blackrock, 6·2; and Kingstown, 48·0. The deaths from zymotic diseases tabulated for these districts consist of one from influenza for Clontarf and Howth, No. 1; and one from diphtheria for Coolock and Drumcondra, No. 1. The 5 deaths from all causes tabulated for the latter district comprise 2 from diseases of the circulatory system of the 13 deaths for Rathmines 4 were from diseases of the respiratory system, and 3 from phthisis; among the 11 deaths for Donnybrook are 3 from bronchitis, and 2 from diseases of the circulatory system; and the 16 deaths for Kingstown comprise 3 from bronchitis, 2 from pneumonia, 2 from diseases of the circulatory system, and 4 from diseases of the brain and nervous system.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 13th Week of the 10 years 1890–99.	In the week ending Saturday, 31st March, 1900. Deaths of persons of the Ages of							
	Mar. 29, 1890	April 4, 1891	April 2, 1892	April 1, 1893	Mar. 31, 1894	Mar. 30, 1895	Mar. 28, 1896	April 3, 1897	April 2, 1898	April 1, 1899		ALL AGES.	0 to 5.						
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and upwards.
Mean Temperature,	° 46·8	° 40·7	° 38·2	° 46·1	° 45·7	° 42·5	° 41·9	° 38·5	° 40·1	° 51·9	° 48·5	° 37·3							
ALL CAUSES,	175	162	250	187	216	326	166	258	235	212	218·7	244	11	26	18	12	45	54	59	19
I. FEBRILE OR ZYMOTIC DISEASES,	17	12	40	27	24	60	14	58	34	29	31·5	11	.	.	1	1	4	4	1	.
II. PARASITIC DISEASES,	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	.	1	1	2	1	.	1	.	·6	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	38	46	58	47	56	51	48	61	56	56	51·7	52	.	7	5	6	19	11	3	1
V. DEVELOPMENTAL "	19	14	9	16	20	29	6	20	18	19	17·0	34	6	.	.	.	.	.	17	11
VI. LOCAL "	89	80	124	87	93	170	84	111	106	92	103·6	133	1	19	8	5	20	36	37	7
VII. VIOLENT DEATHS,	4	4	5	2	8	3	3	3	5	6	4·3	6	2	.	1	.	2	1	.	.
VIII. ILL-DEFINED CAUSES,	8	6	14	7	14	10	9	5	15	10	9·8	8	2	.	3	.	.	2	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	3	.	24	.	1	.	.	27	.	.	5·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	1	1	.	2	4	3	2	1·3	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	1	2	5	3	45	5	2	8	15	8·8	4	.	.	.	.	1	2	1	.
Whooping Cough,	5	3	8	2	5	3	.	9	5	8	3·8	.	.	.	.	.	.	.	.	.
Diphtheria,	1	.	.	1	1	1	1	1	4	2	1·2	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	.	.	1	1	1	.	·4	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	1	5	4	4	.	1	3	2	2·2	1	.	.	.	.	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	1	2	3	3	3	3	4	4	3	2·7	.	.	.	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	.	.	1	1	1	.	2	.	.	·6	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	.	2	.	.	1	2	.	·5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	.	.	.	.	.	1	1	1	·4	2	.	.	.	.	.	2	.	.
Puerperal Fever,	1	1	.	2	1	.	.	2	.	.	·7	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	4	8	5	2	2	2	2	2	1	3·0	3	.	.	1	.	2	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	1	1	2	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	.	.	2	.	.	2	.	.	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	.	1	.	1	1	2	1	.	.	.	·6	1	.	.	.	.	.	.	1	.
Gout,	.	.	1	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	2	2	7	8	4	8	4	6	5	12	5·8	4	.	.	.	.	.	3	.	1
Tabes Mesenterica,	5	3	8	2	7	4	5	10	2	2	4·8	7	.	4	3	.	.	.	.	.
Tubercular Meningitis	5	4	2	4	4	3	3	10	4	6	4·5	7	.	3	2	1	1	.	.	.
Phthisis,	20	32	33	27	33	27	31	24	37	29	29·3	30	.	.	.	3	13	8	1	.
Scrofula, Tuberculosis,	4	3	7	8	5	5	2	8	7	5	4·9	2	.	.	.	2	.	.	.	.
Other Constitutional Diseases,	2	1	.	1	.	2	2	.	1	2	1·1	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	3	3	.	2	3	3	2	6	1	1	2·4	6	6	.	.	.	.	.	.	.
Atelectasis	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	16	11	8	13	17	26	4	13	17	18	14·3	28	.	.	.	.	.	.	7	11

each Disease registered in the THIRTEENTH WEEK ending Saturday, 31st March, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 13th Week of the 10 years 1890-99.	In the Week ending Saturday, 31st March, 1900.								
													Deaths of Persons of the Ages of							
	Mar. 29, 1890.	April 4, 1891	April 2, 1892	April 1, 1893	Mar. 31, 1894	Mar. 30, 1895	Mar. 28, 1896	April 3, 1897	April 2, 1898	April 1, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 46·8	° 40·7	° 38·2	° 46·1	° 45·7	° 42·5	° 44·9	° 38·5	° 40·1	° 51·9	° 43·5	° 37·3								
VI. Local Diseases--																				
Apoplexy,	5	3	3	4	2	1	2	.	4	4	2·3	7	.	.	.	1	1	4	.	1
Epilepsy,	1	2	2	1	3	1	.	1	.	.	1·1	.	.	.	.	.	.	.	.	.
Convulsions,	15	14	12	12	7	16	6	10	13	10	11·5	13	1	9	3	.	.	.	.	.
Other Diseases of Brain and Nervous System,	12	7	9	10	12	12	8	6	5	12	9·3	10	.	.	1	1	1	3	4	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	9	16	12	17	23	18	13	15	14	8	14·5	23	.	.	.	1	6	4	12	.
Croup,	2	2	.	.	.	.	1	1	2	2	1·0	1	.	.	1	.	.	.	.	.
Bronchitis,	20	18	45	18	22	77	22	34	29	32	31·7	39	.	4	1	.	2	14	14	4
Pneumonia	4	10	17	5	9	17	11	19	19	11	12·2	13	.	1	.	1	3	4	2	2
Pleurisy,	.	.	1	2	1	.	3	.	.	.	·7	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	2	.	7	1	1	11	2	4	2	1	3·1	8	.	.	1	.	.	1	1	.
Teething,	3	.	2	1	3	4	2	2	1	.	1·8	3	.	3	.	.	.	.	.	.
Quinsy, Sore Throat,	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	1	1	1	.	.	1	1	1	1	.	·7	1	.	1	.	.	.	.	.	.
Peritonitis	.	1	2	4	1	2	.	1	.	.	1·1	3	.	1	.	.	1	1	.	.
Disease of Liver,	1	1	2	1	3	2	3	1	4	2	2·0	2	.	.	.	.	.	1	1	.
Other Diseases of Digestive System,	4	1	4	3	1	2	3	7	4	7	3·6	5	.	.	1	.	1	.	3	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	6	3	4	6	4	6	5	4	8	2	4·3	8	.	.	.	1	4	3	.	.
Diseases of Generative System,	1	.	1	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	.	1	1	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	.	.	.	.	.	2	1	.	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	.	.	.	.	.	1	.	.	·2	2	.	.	.	.	1	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	1	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	4	.	.	.	1	1	1	.	2	3	3·9	1	.	.	1	.	.	.	.	.
By Drowning,		2	.	1	1	.	1	.	1	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		1	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	1	.	.	.	1	.		1	.	.	.	.	1	.	.	.
Other or Not Stated Causes,		1	3	1	3	2	1	2	.	1		1	1	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	1	.	.	.	.	.	.	.	·1	1	1	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	2	.	.	.	.	1	·3	1	.	.	.	.	1	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	8	6	14	7	14	10	9	5	15	10	9·8	8	2	.	3	.	.	2	1	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899–1900—Week ending																									
	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.
No. of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered,	190	198	188	180	225	172	241	193	154	206	167	188	247	187	209	168	191	184	174	175	257	179	215	217	226	234
Average Births in corresponding week of previous 10 years,	178	166	179	170	172	175	185	181	184	181	184	154	168	183	199	195	202	206	200	196	208	225	195	192	195	217
DEATHS registered,	196	225	250	244	216	249	248	220	259	258	256	285	280	337	331	295	259	238	199	284	342	230	247	209	236	244
Annual Death-rate per 1,000,	29·2	33·6	37·3	36·4	32·2	37·1	37·0	32·8	38·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·	31·2	35·2	36·4
Average Deaths in corresponding week of previous 10 years,	149	157	152	163	178	166	174	177	183	177	184	184	207	211	239	249	228	221	211	216	212	214	218	218	218	219
AGES, Under 5 years,	93	114	107	95	111	118	123	98	93	103	84	87	86	81	85	70	60	60	54	63	74	55	66	56	69	55
5—20 „	13	26	18	23	22	11	27	16	12	17	23	22	13	15	16	15	20	19	14	24	20	22	15	12	17	12
20—40 „	29	23	29	32	14	36	27	28	6	35	25	46	32	49	38	44	33	34	30	48	47	33	42	39	34	45
40—60 „	27	32	38	39	29	36	32	33	51	51	61	55	57	73	84	61	50	46	35	65	80	51	60	44	51	54
60—80 „	29	24	53	45	32	37	28	36	53	44	44	63	74	94	85	83	79	64	53	78	104	59	56	42	52	59
80 years and upwards,	5	6	5	10	8	11	11	9	14	8	9	12	18	25	23	22	12	15	13	11	17	10	8	16	13	19
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	32	44	52	44	38	39	51	38	29	30	23	24	15	10	18	9	5	4	3	1	5	1	2	4	.	.
„ Scarlet Fever,	.	2	1	1	.	1	2	1	2	1	1	1	1	.	1	.	.	1	2	1	1	1	1	.	1	.
„ Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	2	.	1	.	2	1	2	.	1	1	3	2	2	1	1	3	3	.	5	5	.	.	.	1	.	.
„ Diphtheria,	.	1	2	2		3	3	2	2	3	2	3	1	.	3	2	1	3	5	3	.	1	2	.	1	1
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Enteric Fever,	4	7	4	6	2	5	9	4	6	2	2	3	2	5	5	2	1	2	.	3	1	4	2	.	.	1
„ Diarrhœa, Dysentery,	16	14	4	9	6	6	5	3	4	4	3	5	1	2	3	6	.	2	2	2	4	5	3	4	4	.
„ Phthisis,	20	22	26	29	15	21	17	20	5	27	36	30	28	40	27	29	36	29	23	32	40	30	37	29	27	30
„ Heart Diseases,	14	10	23	13	9	18	13	17	17	15	26	15	21	24	20	16	25	15	11	23	33	24	18	17	20	23
„ Diseases of Respiratory System,	31	29	39	40	53	57	50	51	66	70	66	73	98	110	110	92	55	67	65	74	94	55	78	39	73	56
Violent Deaths,	4	3	5	8	4	8	6	7	4	6	6	3	7	4	5	5	2	5	3	8	4	2	2	4	9	6
Mean Temperature of the Air (Phœnix Park),	46·1	48·0	49·5	48·9	50·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·8
Average Mean Temperature in corresponding week of previous 10 years,	51·1	48·4	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5
Rainfall in inches,	·860	·855	·470	·825	1·085	·710	·050	·030	·240	·455	·200	·855	2·055	·715	·535	·560	·580	·920	·690	·680	·520	1·025	·000	·115	·305	·075
Mean Humidity of the Air, complete Saturation 1·0,	·85	·86	·88	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 31st March, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No 4.										
Area in Statute Acres,	674	321	282	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	.
Other Zymotic Diseases	1	2	1	1	2	.	1	.	1	1	.	.	.	.	.	.	11	.
Total,	1	2	2	1	2	.	1	.	1	1	.	.	.	.	.	.		.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES																		
Phthisis, or Pulmonary Consumption,	4	3	1	4	5	1	4	3	.	1	.	.	3	.	.	1	30	.
Other Constitutional Diseases	1	5	3	.	2	2	4	2	.	.	.	.	.	2	.	1	22	.
Total,	5	8	4	4	7	3	8	5	.	1	.	.	3	2	.	2	52	.
V. DEVELOPMENTAL DISEASES,	2	4	1	4	6	3	4	1	1	.	1	.	4	2	.	1	34	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	.	3	5	1	8	1	.	3	1	1	.	1	.	1	.	4	29	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	2	4	1	3	1	3	2	.	2	.	.	.	2	.	2	22	1
Respiratory System,	7	5	8	1	3	4	11	3	.	.	.	.	4	3	.	5	54	2
Digestive System,	.	1	.	1	3	.	2	2	1	.	.	1	.	.	.	2	13	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	.	1	3	1	.	.	.	.	.	.	.	.	.	6	2
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.
Total,	7	12	17	4	20	9	17	10	2	3	.	2	4	6	.	13	126	7
VII. VIOLENT DEATHS,	.	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	5	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	1	1	1	2	.	.	.	2	.	.	.	.	.	.	1	.	8	.
Deaths from all Causes,	16	28	26	15	35	15	30	18	4	5	1	2	13	11	1	16	236	8
Annual Rate of Mortality in every 1,000 of the population.	30·7	41·9	47·0	30·0	55·0	42·2	38·6	26·2	50·4	24·3	12·3	14·3	24·4	23·3	6·2	48·0		
	37·9				39·9				26·4									
	38·9																35·2	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	8	8	3	5	4	7	5	.	.	.	.	.	2	.	.	45	8
Workhouse Hospitals,	2	7	7	5	7	5	6	2	1	.	.	.	1	1	.	1	43	.

* CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 31st March, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 31st March, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	36·4	244	55	12	45	54	59	19	.	.	.	.	.	1	.	1	.	2	30	13	56	6	137
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	20·0	6	.	.	1	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
II.	MIDDLE CLASS,	81,469	25·5	40	8	2	7	9	10	4	.	.	.	.	.	1	.	.	.	1	3	.	11	1	24
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	29·8	57	13	2	13	13	11	5	.	.	.	.	.	.	.	1	.	1	7	8	12	2	27
IV.	GENERAL SERVICE CLASS,	147,978	48·0	98	31	8	21	19	15	4	.	.	.	.	.	.	.	.	.	.	15	5	23	3	52
V.	INMATES OF WORKHOUSES,	5,191		43	3	.	3	13	19	5	.	.	.	.	.	.	.	.	.	.	5	.	9	.	29
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	19·5	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	2. Merchants and Manufacturers, Higher Class,	1,857	56·0	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	3. Persons of Rank and Property, not otherwise described,	5,733	9·1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	18·0	9	2	1	.	2	2	2	.	.	.	.	.	1	.	.	.	1	.	.	7	.	1
	6. Clerks and Commercial Assistants,	25,001	31·2	15	5	1	6	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	2	1	10
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	33·9	16	1	.	1	6	6	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	13
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	49·0	7	2	.	2	1	2	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	3
	9. Building and Furnishing Trades,	26,294	39·6	20	5	.	4	5	4	2	.	.	.	.	.	.	.	.	.	.	2	5	8	1	4
	10. Clothing Trades,	23,927	17·4	8	1	1	2	1	2	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	5
	11. Food Supply Trades,	7,949	19·6	3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	32·8	17	4	.	4	5	3	1	.	.	.	.	.	.	.	.	.	.	2	1	2	1	11
	13. Petty Shopkeepers,	6,839	15·2	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	34·1	9	3	1	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	7
	15. Domestic Servants,	39,967	18·0	10	2	1	2	1	1	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	8
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	43·3	9	1	.	3	2	3	.	.	.	.	.	.	.	.	.	.	.	2	.	3	.	4
	17. Hawkers, Porters, Labourers, &c.,	33,472	43·6	70	25	6	16	14	9	.	.	.	.	.	.	.	.	.	.	.	12	4	19	2	33
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	43	3	.	3	13	19	5	.	.	.	.	.	.	.	.	.	.	5	.	9	.	29

The undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Persons to an Acre	Registration—Week ending Saturday, 31st March, 1900. Annual Rate per 1,000 persons represented by Births	Deaths: From all Causes	Deaths: From Principal Zymotic Diseases	Numbers Registered. Births	Deaths. Total Number	Under 1 year of Age	At 60 years & upwards	Small Pox	Measles	Scarlet Fever	Typhus	Whooping Cough	Diphtheria	Simple continued & Ill-defined Fever	Enteric Fever	Diarrhœa, Dysentery	Phthisis	Diseases of Respiratory System	Violence	Inquest Cases	No. in Public Institutions	Meteorology.† Week ending 31st Mar., 1900. Air Temperature: Absolute Highest	Absolute Lowest	Mean	Rainfall in Inches	Week ending 24th March, 1900. Air Temperature: Absolute Highest	Absolute Lowest	Mean	Rainfall in Inches	Week ending 17th Mar., 1900. Air Temperature: Absolute Highest	Absolute Lowest	Mean	Rainfall in Inches
Total of 23 Town Districts	1,062,188	12·2	34·5	32·8	1·3	708	668	108	193	.	4	.	.	4	4	.	9	6	96	165	9	21	214	° ··	° ··	° ··	·	° ··	° ··	° ··	·	° ··	° ··	° ··	·
Dublin Registration Area:—																																			
Total,†	349,594	14·2	34·9	35·2	0·3	234	236	37	78	.	.	.	.	.	1	.	1	.	80	54	5	9	88	§53·2	22·9	37·3	0·08	§45·0	21·9	36·4	0·80	§54·7	23·9	41·1	0·12
Registrars' Districts. City	245,001	65·6	39·4	38·9	0·2	185	183	27	54	.	.	.	.	.	.	.	1	.	25	42	2	6	82	53·2	29·9	40·1	0·16	44·8	30·1	38·6	0·63	53·5	27·1	42·6	0·15
Clontarf &c. No. 1,	4,188	1·5	37·8	50·4	.	3	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	19·4	24·8	4·9	4	5	.	2	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	49·2	12·3	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52·9	24·0	38·1	0·11	44·8	25·8	7·2	0·78	54·9	24·0	41·5	0·20
Palmerston, part of and Crumlin part of (b),	7,278	8·0	43·0	14·3	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	30·0	24·4	.	16	13	4	6	.	.	.	.	.	.	.	.	.	3	4	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	19·1	23·3	.	9	11	1	6	.	.	.	.	.	.	.	.	.	.	3	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	6·2	6·2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	18·0	46·0	.	6	16	3	9	.	.	.	.	.	.	.	.	.	1	5	.	.	1	48	27	39·5	0·14	45	32	39·7	0·52	53	27	42·3	0·12
Urban Districts.																																			
Belfast,	359,000	21·8	33·3	25·6	2·5	229	176	37	33	.	2	.	.	4	2	.	6	3	39	43	2	5	38	50·5	27·5	39·5	0·27	45·9	25·0	37·8	0·23	52·0	27·0	42·8	0·10
Cork,	75,345	33·3	23·5	22·8	.	34	33	1	18	.	.	.	.	.	.	.	.	.	3	10	.	1	15	51	34	41·9	0·14	51	32	39·8	0·27	53	32	43·6	0·12
Limerick,	37,155	17·9	53·3	98·2	.	38	70	8	18	.	.	.	.	.	.	.	.	.	7	17	.	.	39	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	22·0	26·7	1·6	14	17	4	3	.	.	.	.	.	.	.	.	1	2	6	.	.	2	54·6	31·0	41·7	0·33	52·0	22·0	38·6	0·28	54·5	26·0	41·2	0·63
Waterford,	26,208	18·3	45·8	23·9	2·0	23	12	1	2	.	.	.	.	.	.	.	.	1	1	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,800	2·6	41·5	18·9	.	11	5	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2	55	30	41	0·20	47	28	38	0·09	55	25	48	0·04
Drogheda	13,708	8·7	38·0	38·0	7·6	10	10	3	1	.	1	.	.	.	.	.	1	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	32·2	24·1	4·0	8	6	2	3	.	.	.	.	.	.	.	.	1	1	2	.	.	.	52·0	28·8	39·5	0·15	45·0	27·4	36·9	0·26	54·0	24·9	42·1	0·18
Dundalk,	12,449	9·0	25·1	92·1	.	6	22	4	9	.	.	.	.	.	.	.	.	.	2	5	.	.	18	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	29·8	34·1	4·3	7	8	.	2	.	.	.	.	.	.	.	1	.	2	3	.	2	.	52·0	28·8	39·5	0·15	45·0	27·4	36·9	0·26	54·0	24·9	42·1	0·18
Wexford,	11,545	24·0	36·1	27·1	.	8	6	.	2	.	.	.	.	.	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	31·9	41·1	.	7	9	1	8	.	.	.	.	.	.	.	.	.	1	3	2	2	.	52·0	28·8	39·5	0·15	45·0	27·4	36·9	0·26	54·0	24·9	42·1	0·18
Kilkenny,	11,048	12·0	33·0	33·0	4·7	7	7	.	2	.	.	.	.	.	1	.	.	.	.	2	.	.	2	52	24	37·6	0·07	46	27	35·8	0·62	53	25	41·3	0·04
Clonmel,	10,708	8·2	19·5	43·8	.	4	9	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	35·5	15·2	.	7	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·8	25·8	39·2	0·20	46·2	23·9	36·5	0·16	50·9	21·5	40·0	0·54
Tralee,	9,818	15·9	190·3	83·9	.	34	15	3	12	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·8	16·9	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	28·3	39·7	.	5	7	1	4	.	.	.	.	.	.	.	.	.	1	2	.	.	.	52	29	39·0	0·19	45	27	38·5	0·17	49	27	41·0	0·29
Queenstown,	9,082	17·0	5·7	11·5	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51	34	41·9	0·14	51	32	39·8	0·27	53	32	43·6	0·12
Carrickfergus,	8,928	0·5	11·7	11·7	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,430	11·0	37·1	55·7	6·2	6	9	4	.	.	1	.	.	.	.	.	.	.	1	3	.	.	.	52·0	28·8	39·5	0·15	45·0	27·4	36·9	0·26	54·0	24·9	42·1	0·18
Armagh,	7,137	21·4	35·6	28·5	.	5	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	52·0	28·8	39·5	0·15	45·0	27·4	36·9	0·26	54·0	24·9	42·1	0·18

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 8 deaths of persons admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	Feb. 10,	30·7	3·8	16	.	.	.	.	.	.	.	.	2	2	4	.
		„ 17,	49·9	.	26	.	.	.	.	.	.	.	.	.	2	4	.
		„ 24,	57·6	5·8	30	.	.	.	.	.	.	.	.	3	3	7	1
		Mar. 3,	25·0	3·8	13	.	.	.	.	.	.	.	3	.	3	2	1
		„ 10,	30·7	1·9	16	.	.	.	.	.	1	.	.	.	1	9	.
		„ 17,	26·9	.	14	.	.	.	.	.	.	.	.	.	5	1	1
		„ 24,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 31,	30·7	.	16	.	.	.	.	.	.	.	.	.	4	7	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	Feb. 10,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	3	5	.
		„ 17,	41·9	1·5	28	.	.	.	.	.	.	.	1	.	3	13	.
		„ 24,	40·4	.	27	.	.	.	.	.	.	.	.	.	1	5	1
		Mar. 3,	35·9	3·0	24	.	1	.	.	.	.	.	1	.	3	7	.
		„ 10,	50·9	.	34	.	.	.	.	.	.	.	.	.	3	12	1
		„ 17,	38·9	1·5	26	.	1	.	.	.	.	.	.	.	4	8	.
		„ 24,	46·4	1·5	31	.	.	.	.	.	.	.	.	1	4	13	.
		„ 31,	41·9	.	28	.	.	.	.	.	.	.	.	.	3	5	1
	North City, No. 2. (Offices, Lisburn-street.) Pop. (in 1891) 28,871.	Feb. 10,	33·5	.	18	.	.	.	.	.	.	.	.	.	1	8	.
		„ 17,	41·5	.	23	.	.	.	.	.	.	.	.	.	5	2	3
		„ 24,	52·4	1·8	29	.	.	.	.	.	.	.	1	.	7	8	.
		Mar. 3,	37·9	1·8	21	.	.	.	.	.	.	.	.	1	1	10	.
		„ 10,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	3	8	.
		„ 17,	45·2	3·6	25	.	.	.	.	.	.	.	.	2	2	3	1
		„ 24,	61·4	.	34	.	.	.	.	.	.	.	.	.	3	12	2
		„ 31,	47·0	1·8	26	.	.	.	.	.	.	.	1	.	1	8	1
	North City, No. 3. (Offices, Blackhall-place.) Pop. (in 1891) 26,055.	Feb. 10,	32·0	2·0	16	.	.	.	.	.	1	.	.	.	.	7	.
		„ 17,	46·0	3·0	23	.	.	.	.	3	1	.	.	.	3	5	1
		„ 24,	52·0	2·0	26	.	1	.	.	.	.	.	.	.	4	6	.
		Mar. 3,	46·0	4·0	23	.	.	1	.	.	.	.	.	1	4	4	1
		„ 10,	38·0	2·0	19	.	.	.	.	.	.	.	1	.	4	6	.
		„ 17,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	5	4	.
		„ 24,	30·0	.	15	.	.	.	.	.	.	.	.	.	3	6	.
		„ 31,	30·0	.	15	.	.	.	.	.	.	.	.	.	4	1	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 33,194.	Feb. 10,	31·4	3·1	20	.	.	1	.	1	.	.	.	.	3	9	.
		„ 17,	58·1	1·6	37	.	.	.	.	.	.	.	.	1	3	10	3
		„ 24,	64·4	.	41	.	.	.	.	.	.	.	.	.	2	17	.
		Mar. 3,	31·4	.	20	.	.	.	.	.	.	.	.	.	4	2	.
		„ 10,	51·8	.	33	.	.	.	.	.	.	.	.	.	3	11	1
		„ 17,	39·3	3·1	25	.	1	.	.	.	.	.	.	1	1	6	.
		„ 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	4	4	.
		„ 31,	55·0	.	35	.	.	.	.	.	.	.	.	.	5	3	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Feb. 10,	25·3	2·3	9	.	.	.	.	.	1	.	.	.	2	3	.
		„ 17,	45·0	2·3	16	.	.	.	.	1	.	.	.	.	1	7	.
		„ 24,	50·6	2·3	18	.	.	.	.	.	.	.	.	1	3	5	.
		Mar. 3,	59·0	5·6	21	.	.	.	.	.	.	.	1	1	.	4	.
		„ 10,	47·8	.	17	.	.	.	.	.	.	.	.	.	4	4	.
		„ 17,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 24,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	6	.
		„ 31,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	4	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Feb. 10,	32·1	2·6	25	.	.	.	.	2	.	.	.	.	5	10	.
		„ 17,	33·4	1·3	26	.	1	.	.	.	.	.	.	.	1	6	1
		„ 24,	57·9	1·3	45	.	.	1	.	.	.	.	.	.	3	15	1
		Mar. 3,	32·1	.	25	.	.	.	.	.	.	.	.	.	3	6	.
		„ 10,	41·1	.	32	.	.	.	.	.	.	.	.	.	4	10	.
		„ 17,	32·1	.	25	.	.	.	.	.	.	.	.	.	1	4	2
		„ 24,	27·0	.	21	.	.	.	.	.	.	.	.	.	2	5	2
		„ 31,	38·6	.	30	.	.	.	.	.	.	.	.	.	4	11	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798.	Feb. 10,	30·6	7·3	21	.	3	.	.	1	1	.	.	.	2	3	1
		„ 17,	51·0	7·3	35	.	.	1	.	1	1	.	1	1	5	7	.
		„ 24,	55·4	1·5	38	.	1	.	.	.	.	.	.	.	6	12	.
		Mar. 3,	32·0	.	22	.	.	.	.	.	.	.	.	.	3	5	.
		„ 10,	32·0	5·8	22	.	2	1	.	.	.	.	.	1	2	5	.
		„ 17,	18·9	1·5	13	.	.	.	.	.	.	.	.	1	2	3	.
		„ 24,	39·3	1·5	27	.	.	.	.	.	.	.	.	1	3	7	2
		„ 31,	26·2	.	18	.	.	.	.	.	.	.	.	.	3	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Feb. 10,	24·4	8·8	18	.	.	1	.	.	1	.	.	.	1	3	1
	„ 17,	33·8	.	18	.	.	.	.	.	.	.	.	.	.	5	.
	„ 24,	28·1	.	15	.	.	.	.	.	.	.	.	.	1	4	.
	Mar. 3,	24·4	8·8	13	.	.	.	.	.	1	.	.	1	.	6	.
	„ 10,	26·8	.	14	.	.	.	.	.	.	.	.	.	2	5	.
	„ 17,	18·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.
	„ 24,	30·0	3·8	16	.	.	1	.	.	.	.	.	1	1	5	.
	„ 31,	24·4	.	13	.	.	.	.	.	.	.	.	.	3	4	2
Donnybrook. Pop. (in 1891) 24,629.	Feb. 10,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 17,	29·6	.	14	.	.	.	.	.	.	.	.	.	2	7	.
	„ 24,	36·0	.	17	.	.	.	.	.	.	.	.	.	.	4	.
	Mar. 3,	31·8	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 10,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
	„ 17,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 24,	19·1	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	„ 31,	25·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
Kingstown. Pop. (in 1891) 17,386.	Feb. 10,	30·0	3·0	10	.	.	.	.	.	1	.	.	.	1	1	.
	„ 17,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 24,	27·0	6·0	9	.	2	.	.	.	.	.	.	.	1	2	.
	Mar. 3,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 10,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	„ 17,	27·0	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 24,	33·0	3·0	11	.	.	.	.	.	.	.	.	1	.	4	1
	„ 31,	48·0	.	16	.	.	.	.	.	.	.	.	.	1	5	.
Belfast. Pop. in 1900 (Est.) 359,000.	Feb. 10,	27·2	1·3	187	.	.	.	.	3	3	1	1	1	26	50	3
	„ 17,	32·8	1·5	226	.	.	.	.	4	2	.	1	3	27	73	3
	„ 24,	26·3	1·7	181	.	.	2	.	3	1	1	2	3	19	67	5
	Mar. 3,	30·1	1·9	207	.	1	1	.	4	2	.	5	.	26	57	4
	„ 10,	28·3	1·6	195	.	2	.	.	3	1	1	3	1	28	75	2
	„ 17,	22·8	1·3	157	.	1	.	.	2	1	.	4	1	26	35	6
	„ 24,	24·5	2·0	169	.	1	1	.	4	2	.	3	3	30	49	2
	„ 31,	25·6	2·5	176	.	2	.	.	4	2	.	6	3	39	43	2
Cork. Pop. (in 1891) 75,345.	Feb. 10,	22·1	.	32	.	.	.	.	.	.	.	.	.	4	2	.
	„ 17,	29·1	0·7	42	.	.	.	.	.	.	.	.	1	4	10	.
	„ 24,	33·9	1·4	49	.	1	.	.	.	.	.	.	1	7	7	.
	Mar. 3,	29·1	1·4	42	.	1	.	.	.	.	.	.	1	9	8	.
	„ 10,	23·5	0·7	34	.	.	.	.	.	.	.	.	1	6	9	.
	„ 17,	38·1	1·4	55	.	.	.	.	.	.	.	1	1	7	12	.
	„ 24,	29·1	.	42	.	.	.	.	.	.	.	.	.	7	12	1
	„ 31,	22·8	.	33	.	.	.	.	.	.	.	.	.	3	10	.
Limerick. Pop. (in 1891) 37,155.	Feb. 10,	29·5	.	21	.	.	.	.	.	.	.	.	.	1	6	.
	„ 17,	42·1	1·4	30	.	.	.	1	.	.	.	.	.	3	13	.
	„ 24,	51·9	.	37	.	.	.	.	.	.	.	.	.	3	16	.
	Mar. 3,	43·5	.	31	.	.	.	.	.	.	.	.	.	2	5	.
	„ 10,	46·3	.	33	.	.	.	.	.	.	.	.	.	3	13	.
	„ 17,	32·3	1·4	23	.	.	.	.	.	.	.	1	.	3	10	.
	„ 24,	30·9	.	22	.	.	.	.	.	.	.	.	.	3	10	.
	„ 31,	98·2	.	70	.	.	.	.	.	.	.	.	.	7	17	.
Londonderry Pop. (in 1891) 33,200.	Feb. 10,	20·4	3·1	13	.	.	.	.	.	.	.	.	2	1	4	.
	„ 17,	40·8	1·6	26	.	.	.	.	.	.	.	.	1	4	10	.
	„ 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	2	12	.
	Mar. 3,	39·3	.	25	.	.	.	.	.	.	.	.	.	2	11	.
	„ 10,	29·8	1·6	19	.	.	.	.	.	.	.	.	1	2	5	.
	„ 17,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	6	.
	„ 24,	22·0	.	14	.	.	.	.	.	.	.	.	.	1	7	.
	„ 31,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	2	6	.
Waterford. Pop. (in 1891) 26,200.	Feb. 10,	19·9	4·0	10	.	.	.	.	2	.	.	.	.	.	4	.
	„ 17,	39·7	4·0	30	.	.	.	.	2	.	.	.	.	7	5	.
	„ 24,	21·9	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	Mar. 3,	29·8	4·0	15	.	.	.	.	1	.	.	1	.	3	3	.
	„ 10,	23·9	2·0	12	.	.	.	1	.	.	.	.	.	1	3	.
	„ 17,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	3	.
	„ 24,	29·8	.	15	.	.	.	.	.	.	.	.	.	.	4	.
	„ 31,	23·9	2·0	12	.	.	.	.	.	.	.	.	1	1	4	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 31st March, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	11	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the several distribution of the increase through the Districts not being at present practicable, Death-rates are omitted from this Table.		6	2	.	2	2	.	.	.	.	.	.	.	1	.	.	1	.	.	2
" 2 "	37,539	44			25	5	4	12	4	.	.	.	.	1	.	.	.	1	5	4	1	1	6
" 3 "	38,845	29			23	7	2	11	3	.	.	.	.	.	.	.	1	.	7	3	.	1	2
" 4 "	33,391	19			27	4	2	14	7	.	.	.	.	.	1	.	.	1	8	8	1	2	15
" 5 "	21,284	13			12	4	1	5	2	.	.	.	.	.	.	.	1	.	.	5	.	.	3
" 6 "	43,431	21			23	4	2	13	4	.	.	.	.	.	.	.	1	.	4	10	.	.	2
" 7 "	1,112				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	4			2	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" 9 "	12,866	17			7	1	2	3	1	.	.	.	.	1	.	.	.	.	8	1	.	.	.
" 10 "	12,256	20			17	6	1	7	3	.	.	.	.	2	.	.	.	.	8	3	.	.	4
" 11 "	19,881	19			14	2	2	5	5	.	1	.	.	.	.	.	.	.	4	1	.	.	1
" 12 "	23,282	20			20	2	6	10	2	.	1	.	.	.	1	.	1	1	5	7	.	1	3
" 13 "	6,804	11			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	229			176	37	22	84	33	.	2	.	.	4	2	.	6	3	39	43	2	5	38
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	4	17·5	.	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2
" 2 "	9,252	2	50·7	.	9	.	1	4	4	.	.	.	.	.	.	.	.	.	.	2	.	.	6
" 3 "	9,816	5	31·9	.	6	.	.	2	4	.	.	.	.	.	.	.	.	.	1	2	.	.	2
" 4 "	10,356	7	5·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 5 "	8,187	.	32·0	.	5	1	.	1	3	.	.	.	.	.	.	.	.	.	1	1	.	.	3
" 6 "	3,823	14	23·6	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.
" 7 "	17,034	2	12·2	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Total,	75,345	34	22·3	.	33	1	1	13	18	.	.	.	.	.	.	.	.	.	3	10	.	1	15

Boundaries of Registrars' Districts—Belfast.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre of Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square. Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary, thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.
No. of week in Annual Series.	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered,	263	252	231	218	203	246	202	237	192	189	199	203	175	239	263	199	230	204	240	186	230	216	269	218	236	229
DEATHS registered.	175	150	143	164	131	127	176	137	118	113	139	132	192	198	210	166	170	135	187	226	181	207	195	157	169	176
Annual Death-rate per 1,000 of estimated Population,	26·1	22·3	21·3	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6
AGES, Under 1 year,	50	44	35	40	35	30	38	40	28	21	26	19	39	34	40	26	32	22	30	41	31	43	42	27	26	37
AGES, 1–5 years,	20	19	24	21	15	18	25	17	14	10	19	9	25	31	23	24	22	17	15	23	16	21	28	26	30	22
AGES, 5–60 years,	80	60	57	84	60	49	90	57	46	63	73	74	75	93	88	71	71	62	99	102	84	92	90	68	77	84
AGES, 60 years and upwards,	25	27	27	19	21	30	23	23	30	19	21	30	53	40	49	45	45	34	43	60	50	51	35	36	36	33
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	1	.	.	.	1	2	.	1	1	2	1	1	4	.	1	1		.	.	1	2	1	1	2
" Scarlet Fever,	1	.	.	1	.	.	1	.	.	1	.	1	1	.	.	1	.	.	.	.	2	1	.	.	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	4	3	4	2	1	5	1	4	4	.	2	1	6	6	2	9	5	4	3	4	3	4	3	2	4	4
" Diphtheria,	.	.	.		.	2	1	3	2	.	3	2	1	2	.	1	.	.	3	2	1	2	1	1	2	2
" Simple continued and Ill-defined Fever,	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.	1	.	.	.
" Enteric Fever,	14	9	8	9	3	6	10	4	5	1	2	1	4	4	4	4	1	1	1	1	2	5	3	4	3	6
" Diarrhœa, Dysentery,	9	4	2	4	.	2	.	.	.	.	1	.	1	3	4	1	2	2	1	3	3	.	1	1	3	3
" Phthisis,	20	15	10	16	17	14	35	12	13	19	29	14	31	27	21	17	21	12	26	27	19	26	28	26	30	39
" Diseases of Respiratory System,	38	32	43	50	43	37	49	35	38	37	34	27	64	74	86	72	66	39	50	73	67	57	75	35	49	43
Violent Deaths,	2	4	3	8	3	1	3	7	4	1	2	6	2	5	2	.	.	3	8	8	5	4	2	6	2	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Mar. 31,	2,736	1,784	20·3	.	60	7	31	45	7	8
EDINBURGH,	302,262	„ 31,	170	147	25·3	.	.	.	3	3	.	4
GLASGOW,	743,969	„ 31,	477	360	25·2	.	9	4	7	13	2	6
CALCUTTA,	466,460	Jan. 27,	.	315	35·2	8	.	.	.	.	60‡	65*
BOMBAY,	821,764	Mar. 6,	227	2,580	163·3	269	81	?	?	?	256§	263*
MADRAS,	452,518	Feb. 2,	331	316	36·3	3	6	?	?	?	86	43
PARIS,	2,511,629	Mar. 24,	1,173	1,060	21·6	2	35	1	3†	3	19	25
BRUSSELS (with 8 Faubourgs).	561,130	„ 17,	273	216	20·0	.	1	.	.	3	2	16
AMSTERDAM,	524,809	„ 10,	311	167	16·6	.	.	.	.	4	3	.
ROTTERDAM,	319,491	„ 10,	229	148	24·0	.	2	.	3	.	.	.
THE HAGUE,	205,328	„ 10,	111	72	18·2	.	1	.	1	.	1	.
COPENHAGEN,	349,000	„ 24,	206	160	23·8	.	.	.	1	2	1	2
CHRISTIANIA,	221,255	„ 24,	152	91	21·4	.	.	.	.	5	.	7
ST. PETERSBURG,	1,132,677	„ 17,	659	629	28·9	5	10	18	23	7	12	48
BERLIN,	1,848,269	„ 10,	934	686	19·3	.	2	7	10	16	2	30
HAMBURG,	691,349	„ 17,	382	248	18·7	.	1	2	5†	.	1	5
DRESDEN,	400,400	Feb. 10,	281	114	14·8	.	1	.	.	.	.	8
BRESLAU,	406,012	Mar. 24,	.	206	26·4	.	.	.	.	.	1	19
MUNICH,	445,000	—	.	.		.	.	.	.	.	.	.
VIENNA (with suburbs).	1,639,811	Mar. 3,	955	667	21·1	.	9	4	8†	4	.	40
BUDA-PESTH,	685,340	„ 17,	495	336	25·5	.	1	5	5	2	2	5
PRAGUE and Faubourgs.	385,952	„ 17,	222	215	29·0	.	3	1	4	6	.	1
ROME,	512,423	Feb. 24,	250	202	20·5	.	11	.	1	.	.	2
TURIN (11 days),	344,203	Jan. 31,	255	589	56·8	.	3	1	3†	1	3	15
VENICE,	172,491	Mar. 3,	62	89	26·8	.	.	.	4†	.	1	7
NEW YORK,	3,654,594	Feb. 24,	1,615	1,671	23·9	.	60	17	50	16	10	20
PHILADELPHIA,	1,266,832	Mar. 3,	.	596	24·5	.	9	3	32	2	9	1

* Including 20 deaths from cholera in Calcutta and 9 in Bombay. † Including deaths from croup.
‡ Exclusive of 47 deaths from bubonic fever. § Exclusive of 700 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., P.R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 31st March, 1900:—

"Although temperature remained below the average, a marked improvement in the weather took place as the week advanced, and the month of March, 1900, having come in like a lion went out like a lamb, Saturday, the 31st, being a day of springlike mildness and bright sunshine. On Sunday an anticyclone was found off the west coasts of Scotland and Ireland. Northerly winds blew, and the air was peculiarly dry and cold. Lightning was seen at night, and snow, hail and graupel (soft hail) fell abundantly during the early morning hours of Monday. On Tuesday a depression appeared off the N.W. of Scotland, travelling southeastwards. This system caused rain and a temporary rise of temperature, but by Wednesday morning the wind was again N.N.E. and the thermometer low. Sharp frost occurred on Wednesday night, and there was a dense smoke fog on Thursday morning. With the setting in of an anticyclonic S.E. wind, the weather became more genial, and bright sunshine on Saturday sent the thermometer up to 53·2° in the screen. In Dublin the mean height of the barometer was 29·966 inches, pressure varying between 29·575 inches at 9 p.m. of Tuesday (wind, W.N.W.) and 30·327 inches at 9 a.m. of Saturday (wind, E.S.E.). The corrected mean temperature was 40·1°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 39·1°. The screened thermometers fell to 29·9° on Thursday and rose to 53·2° on Saturday. The prevalent winds were first N., then S.E. The rainfall was ·161 inch on two days, ·110 inch being measured on Sunday. The estimated duration of bright sunshine was 30½ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·982 inches. The highest reading (30·338) was on Saturday at 9 A.M., wind E.S.E., and the lowest (29·592) on Tuesday at 9 P.M., wind W.

The mean temperature for the week was 37·3°, being 6·2° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Saturday, when the thermometer registered 53·2°, and was lowest on Thursday, the mercury having fallen to 22·9°. The mean of the Dry Bulb for the week was 38·4°, and of the Wet Bulb 35·7°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 29·7 hours. The rainfall measured ·075 in.

At Greenwich the mean temperature for the week was 37·0°, the maximum 50·5°, and the minimum 27·6°; and at Glasgow the maximum was 52·6°, the minimum 27·5°, and the mean 38·3°. The rainfall at Greenwich measured 0·16 in. and at Glasgow 0·21 in.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Mar. 25,	30·023	42·9	35·4	39·2	36·7	33·8	·78	·7	1·8	·025	N.	N.E.
Monday, „ 26,	29·911	41·9	30·9	36·4	36·3	32·7	·70	·6	8·5	·005	N.	N.
Tuesday, „ 27,	29·699	46·2	28·0	37·1	37·4	35·3	·83	·9	2·5	·010	W.	W.
Wednesday, „ 28,	29·843	43·4	27·8	35·6	33·5	32·5	·89	·6	3·3	—	N.	Calm.
Thursday, „ 29,	29·931	46·6	22·9	34·8	38·9	35·7	·76	·4	1·7	·005	Calm.	Calm.
Friday, „ 30,	30·149	47·4	27·7	37·6	41·9	40·0	·86	·1	1·7	—	Calm.	Calm.
Saturday, „ 31,	30·321	53·2	27·4	40·3	44·3	39·9	·70	·4	10·2	—	E.S.E.	S.
Mean, .	29·982	45·9	28·6	37·3	38·4	35·7	·79	·5	Total 29·7	Total ·075	—	

Sunday—A cloudy day; rain and hail showers 5 to 8 p.m.; snow 3.45 to 4 a.m.; night cloudy. *Monday*—A cloudy day; snow 5 to 5.15 p.m.; night cloudy. *Tuesday*—A cloudy day; showery 4.30 to 6.30 p.m.; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy; thunder a.m. *Thursday*—A cloudy day; night cloudy; rain 4.15 to 4.30 a.m. *Friday*—A cloudy day; night cloudy to 8 a.m. *Saturday*—A beautiful day; light clouds; night clear p.m.; cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 517. 2. 1900.—375.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN

DUBLIN,

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN TWENTY-TWO OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS & CO. (LIMITED), 104, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER STREET, EDINBURGH, and 90, WEST NILE STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] QUARTER ENDING SATURDAY, 31ST MARCH, 1900. [No. 13A.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin, 20*th April,* 1900.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin, the districts of Rathmines, Donnybrook, Blackrock, Kingstown, Clontarf and Howth, No. 1, and Coolock and Drumcondra, No. 1, and portions of the districts of Finglas and Glasnevin, Palmerston, and Crumlin, the total area thereof being 24,640 statute acres, and the population according to the Census of 1891, 349,594, there were registered during the thirteen weeks ended on Saturday, 31st March, 1900, 2,616 births—1,316 boys and 1,300 girls—being equal to an annual ratio of 1 in 33·4, or 29·9 in every 1,000 of the population.

The number of births registered in the city was 2,051, equivalent to an annual rate of 33·5 in every 1,000 of the population; and in the suburban districts named above, 565, equal to an annual rate of 21·6 in every 1,000 of the population.

There were registered in London during the same period 34,797 births—being equal to an annual birth-rate of 30·3 in every 1,000 of the estimated population; in Glasgow there were registered 6,273, being equal to 33·7 per 1,000; and in Edinburgh, 2,076—a number affording an annual birth-rate of 27·5 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 3,451—1,613 males and 1,838 females—affording an annual ratio of 1 in 25·3, or 39·5 in every 1,000 of the population according to the Census of 1891; omitting the deaths (136) of persons admitted into Public Institutions from localities outside the district, the rate was 37·9 per 1,000. The average number of deaths registered in the first quarter of the ten years 1890–99 was 2,873, equivalent to an annual mortality of 32·9 per 1,000 persons; thus the deaths last quarter were 578, or

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

20·1 per cent., in excess of the average for the March quarter. The greater portion of the increase occurred in deaths from influenza and inflammatory diseases of the respiratory system.

The number of deaths of inhabitants* of that portion of the City of Dublin north of the Liffey registered last quarter was 1,226, representing an annual mortality of 41·9 in every 1,000 of the population; and the number in that portion south of the river was 1,294, equivalent to a rate of 40·4 per 1,000. In the suburban districts the number of deaths registered was 795, being equal to an annual death-rate of 30·4 in every 1,000.

The number of deaths registered in London during the quarter was 26,513—a number equal to an annual mortality of 23·1 in every 1,000 of the inhabitants; in Glasgow the number was 5,098, equal to 27·4 in every 1,000; and in Edinburgh, 1,796, affording an annual death-rate of 23·8 in every 1,000 of the estimated population.

Diseases.—The number of deaths from *zymotic diseases* registered in the Dublin Registration Area during last quarter is 397, being 318 under the number for the preceding quarter, but 34 in excess of the average for the first quarter of the ten years 1890–99, and 141 over the number for the first quarter of last year. The annual rate per 1,000 of the population, represented by the deaths from these diseases during last quarter, is 4·5, being 3·7 under the rate for the preceding three months, but 0·3 above the average rate for the first quarter of the ten years 1890–99.

Nearly one-half of the mortality from zymotic diseases last quarter was caused by *influenza* and its complications, the number of deaths under this heading being 189, or 113 over the average for the corresponding quarter of the last ten years.

Deaths from *measles*, which had risen from 189 for the third quarter of last year to 459 for the following three months, fell last quarter to 62; but this number is 8 in excess of the average for the first quarter of the last ten years.

There were 22 deaths from *diphtheria*, an increase of 12 over the average corresponding quarter of the last ten years. The number of cases admitted to hospital during the quarter was 70; there were discharged 90; there died 7; and 14 remained under treatment at the close of the quarter.

The number of deaths caused by *enteric fever* is 26, being 17 under the average for the first quarter of the past ten years, and 30 under the number registered in the last quarter of 1899; during the quarter 119 cases were admitted to hospital; 176 were discharged; 14 died; and 31 remained under treatment at the close of the quarter.

Diarrhœa caused 37 deaths, being 12 over the average for the corresponding quarter of the past ten years; 26 of these deaths occurred in children under 5 years of age.

There were only 19 deaths from *whooping-cough*, being 50 under the average for the corresponding quarter of the past ten years.

The number of deaths from *scarlatina* registered is 9, being 7 under the average for first quarter of the last ten years; 157 cases of the disease were admitted to hospital during the quarter; 152 were discharged; 10 died; and 85* remained under treatment at the close of the quarter.

Among the remaining deaths from zymotic disease there are 5 from *erysipelas*.

The mortality from diseases of the *respiratory system* (not including pulmonary tuberculosis) was much above the average for the March quarter, the deaths from these causes amounting to 967, being 233, or 32 per cent., in excess of the average for the first quarter of the last ten years. These deaths include 674 from *bronchitis*, and 252 from *pneumonia or inflammation of the lungs*.

* See note (*), page 211.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 31st March, 1900.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small Pox,	.	.	.	.	.
Measles,	92	78	138	7	25
Scarlet Fever,	90	157	152	10	85*
Typhus „	.	3	1	1	1
Diphtheria,	41	70	90	7	14
Enteric Fever,	102	119	176	14	31
Pneumonia,	18	100	69	22	27

The number of deaths of children ascribed to convulsions is 127, being 1 under that for the preceding quarter, and 21 under the average for the first quarter of the ten years 1890–99.

Sixty deaths were caused by apoplexy, 6 by epilepsy, 130 by other diseases of the brain and nervous system (exclusive of convulsions), and 274 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 409 deaths—being 52 above the average for the corresponding quarter of the ten years 1890–99—mesenteric disease 69, tubercular meningitis 93, and cancer 79.

Fifty-five accidental deaths, 2 cases of homicide, and 2 cases of suicide were registered.

In 169 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 169 cases, 87, or 51 per cent., were deaths of children under 5 years of age: these 87 deaths form 10 per cent. of the total number of deaths of children of that age. Of the deaths of 127 infants under 1 month old registered, there were 31 (or 24 per cent.) regarding which the cause was uncertified.

From Table II., on page 212, it will be seen that, excluding 136 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 3,315, equal to an annual rate of 37·9 per 1,000 of the population according to the Census of 1891, and that 167 of these deaths, representing an annual rate of 1·9 per 1,000 persons, were caused by the principal zymotic diseases.† The death-rate for the city (from all causes) was 41·1 per 1,000, and for the suburbs 30·4 per 1,000, the district rates ranging from 22·6 for Finglas and Glasnevin, part of, to 48·1 for No. 1 South City (South Earl-street) District. The death-rate represented by the mortality from the principal zymotic diseases† in the city is 1·8, and in the suburbs 2·1, the rates for the several districts varying from 0·0 in Finglas and Glasnevin, part of, to 4·4 in Palmerston, part of; the 48 deaths from all causes tabulated for the last-named locality comprising 5 from measles, 1 from diphtheria, 1 from enteric fever, and 1 from diarrhœa.

Occupations.—Table III., on page 213, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 30·3 per 1,000 of the persons in that class according to the Census of 1891; in the "Middle Class" the death-rate was 26·7 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 31·3; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 52·5.

* Exclusive of 21 patients in "Boncavin," the Convalescent Home of Cork-street Fever Hospital.
† See note (*) on page 214.

Ages.—Of the 3,451 persons whose deaths were registered in the Dublin Area during the quarter, 848 were under 5 years of age, this number being equal to an annual mortality of 91·7 in every 1,000 children at that age (according to the Census of 1891); 221 were between the ages of 5 and 20, representing an annual death-rate of 8·7 per 1,000 persons of that age period: the total number under 20 years being equal to an annual mortality of 30·8 per 1,000 of the population at that age (according to the Census of 1891):—521, or 17·4 per 1,000 persons, were between 20 and 40; —754, or 46·2 per 1,000, between 40 and 60;—903, or 152·0 per 1,000, between 60 and 80; and 204, or 448·4 per 1,000, were aged 80 and upwards, including 28 persons (6 males and 22 females) stated to have been nonagenarians.

Public Institutions.—Of the 3,451 deaths recorded during the quarter, 1,256, or 36·4 per cent., occurred in public institutions, viz., 576 in the various hospitals, prisons, and lunatic asylums; 333 in the North Dublin Union Workhouse; 338 in the South Dublin Union Workhouse; and 9 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for the quarter, deduced from the mean weekly temperature, as returned from the Ordnance Survey Office, Phœnix Park, was 38·4°. At Greenwich the mean temperature was 39·2°; at Glasgow, 38·0°; and at Edinburgh, 37·4°.

The rainfall at Dublin during the thirteen weeks measured 7·170 inches; at Greenwich, 6·76 inches; at Glasgow, 8·34 inches; and at Edinburgh, 7·54 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 31st March, 1900,** the number of DEATHS c Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Annual Rate pe 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principa Zymotic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions bein assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS.	POPULATION, 1891.	QUARTER (13 WEEKS) ENDED 31ST MARCH, 1900.															
		ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		TOTAL DEATHS.	NUMBER OF DEATHS FROM												
					PRINCIPAL ZYMOTIC DISEASES.												
		FROM ALL CAUSES.	FROM THE PRINCIPAL ZYMOTIC DISEASES.*		Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).
NORTH CITY, No. 1, E.,	27,147	32·7	1·5	222	.	1	.	.	.	1	.	3	5	35	63	4
" " W.,	34,836	43·5	1·7	379	.	2	.	.	1	1	.	4	7	46	127	3
" 2,	28,871	46·0	1·4	332	.	4	.	.	.	.	.	2	4	39	103	10
" 3,	26,055	45·0	2·9	293	.	6	1	.	5	3	.	3	1	45	81	5
SOUTH CITY, No. 1,	33,194	48·1	1·3	399	.	4	1	.	3	.	.	.	3	47	107	6
" 2,	18,547	41·0	1·9	190	.	1	1	.	2	1	.	2	2	23	67	.
" 3,	40,558	37·0	1·1	375	.	4	2	.	3	.	.	.	2	40	113	9
" 4,	35,793	36·9	3·0	330	.	9	2	.	4	4	.	4	4	40	75	5
CLONTARF & HOWTH, No. 1,	4,138	34·8	1·0	36	.	.	.	.	.	.	.	.	1	.	11	.
COOLOCK & DRUMCONDRA, No. 1,	10,730	28·3	0·7	76	.	1	.	.	.	1	.	.	.	11	19	1
FINGLAS AND GLASNEVIN, part of,	4,240	22·6	.	24	.	.	.	.	.	.	.	.	.	4	3	.
PALMERSTON, part of, and CRUMLIN, part of,	7,273	26·4	4·4	48	.	5	.	.	.	1	.	1	1	3	11	1
RATHMINES,†	27,796	27·9	1·3	194	.	1	2	.	.	2	.	2	2	17	56	3
DONNYBROOK,	24,629	31·2	2·8	192	.	12	.	.	.	1	.	2	2	18	52	4
BLACKROCK,†	8,401	31·9	2·4	67	.	1	.	.	.	1	.	1	2	5	25	.
KINGSTOWN, Nos. 1 and 2 †	17,386	36·3	3·0	158	.	9	.	.	1	2	.	.	1	16	34	1
TOTAL CITY, NORTH,	116,909	41·9	1·8	1,226	.	13	1	.	6	5	.	12	17	165	374	22
TOTAL CITY, SOUTH,	128,092	40·4	1·8	1,294	.	18	6	.	12	5	.	6	11	150	362	20
TOTAL CITY, N. & S.,	245,001	41·1	1·8	2,520	.	31	7	.	18	10	.	18	28	315	736	42
TOTAL SUBURBS,	104,593	30·4	2·1	795	.	29	2	.	1	8	.	6	9	74	211	10
TOTAL REGISTRATION AREA,	349,594	37·9	1·9	3,315	.	60	9	.	19	18	.	24	37	389	947	52
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				136	.	2	.	.	.	4	.	2	.	20	20	7

* See note (*) on page 214. † The Urban District.

TABLE III.—Showing in Five General Classes and Eighteen Groups, the Occupations of Persons in the Dublin Registration Area during the **13 weeks ending Saturday, 31st March, 1900;** the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class.	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths (13 Weeks) ending Saturday, 31st March, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	39·5	3,451	848	221	521	754	903	204	.	62	9	.	19	22	.	26	37	175	409	127	967	59	1,714
	CLASSES.																								
	Deaths in Families of the—																								
I.	Professional and Independent Class,	15,579	30·3	118	7	2	10	16	53	30	.	.	.	.	.	.	.	1	3	4	9	1	21	.	83
II.	Middle Class,	81,469	26·7	544	71	29	92	132	171	49	.	4	2	.	1	5	.	8	4	24	56	10	131	6	317
III.	Artisan Class and Petty Shopkeepers,	99,377	31·3	778	208	56	129	182	161	42	.	18	1	.	2	4	.	5	8	38	93	30	243	10	364
IV.	General Service Class,	147,978	52·5	1331	502	118	200	238	238	35	.	38	6	.	13	13	.	11	20	101	150	83	390	42	565
V.	Inmates of Workhouses,	5,191		680	60	16	90	186	280	48	.	2	.	.	3	.	.	1	2	8	101	3	182	1	385
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,989	40·1	80	6	2	10	14	31	17	.	.	.	.	.	.	.	1	3	4	9	1	13	.	53
	2. Merchants and Manufacturers, Higher Class,	1,857	23·7	11	1	.	.	1	8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	10
	3. Persons of Rank and Property, not otherwise described,	5,733	18·8	27	.	.	.	1	14	12	.	.	.	.	.	.	.	.	.	.	.	.	7	.	20
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.	5,877	17·0	25	3	.	3	4	13	2	.	.	.	.	.	.	.	.		.	1	1	10	.	13
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	26,036	23·2	151	27	4	21	44	42	13	.	1	.	.	1	2	.	2	1	7	12	3	48	1	80
	6. Clerks and Commercial Assistants,	25,001	23·7	148	29	17	42	33	24	3	.	.	1	.	.	1	.	4	2	8	28	4	28	2	78
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	24,555	35·8	220	12	8	26	51	92	31	.	3	1	.	.	2	.	2	1	9	15	2	45	3	146
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	7,431	44·7	83	33	7	11	13	16	3	.	3	1	.	.	1	.	3	2	10	6	4	20	.	43
	9. Building and Furnishing Trades,	26,294	33·0	217	62	20	39	46	37	13	.	4	.	.	2	.	.	.	3	9	25	14	70	5	94
	10. Clothing Trades,	23,927	19·6	117	26	9	16	30	28	8	.	2	.	.	.	.	.	.	1	3	18	7	36	1	52
	11. Food Supply Trades,	7,949	34·2	68	16	5	11	19	14	3	.	3	.	.	.	.	.	.	1	4	3	2	26	1	32
	12. Other Trades and Callings ranking with Trades,	26,937	36·4	245	57	11	45	62	57	13	.	5	.	.	.	2	.	2	1	10	34	3	78	2	118
	13. Petty Shopkeepers,	6,839	28·1	48	14	4	7	12	9	2	.	1	.	.	.	1	.	.	.	2	7	.	13	1	25
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	35·0	120	42	11	11	22	26	8	.	2	1	.	.	3	.	1	1	8	12	4	38	5	53
	15. Domestic Servants,	39,967	13·5	135	23	4	25	33	37	13	.	.	.	.	1	2	.	3	2	8	17	3	33	2	72
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	44·4	120	30	10	35	25	19	1	.	1	1	.	.	.	.	1	3	6	24	7	41	4	38
	17. Hawkers, Porters, Labourers, &c.,	83,472	45·8	956	407	93	129	158	156	13	.	35	4	.	12	8	.	6	14	79	97	69	278	31	402
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	5,191	–	680	60	16	90	186	280	48	.	2	.	.	3	.	.	1	2	8	101	3	182	1	385

Twenty-three Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-two of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 32·6 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest:—

Carrickfergus, 15·7; Sligo, 21·4: Dundalk, 24·1; Ballymena, 25·5; Armagh, 26·2; Belfast, 26·5; Newry, 26·9; Queenstown, 26·9; Newtownards, 27·0; Portadown, 29·4; Londonderry, 31·1; Wexford, 31·5; Waterford, 33·3; Cork, 35·0; Drogheda, 36·2; Lisburn, 36·6; Lurgan, 38·2; Limerick, 38·8; Kilkenny, 39·1; Clonmel, 39·2; Galway, 43·8; Tralee, 50·2.

The average annual rate represented by the deaths from the principal zymotic diseases* in the 23 districts is 1·6 per 1,000 of the population, the rates varying from 0·0 in Armagh, Queenstown, and Dundalk, to 3·8 per 1,000 in Drogheda; the 124 deaths from all causes in Drogheda comprising 10 from measles, 1 from scarlet fever, 1 from enteric fever, and 1 from diarrhœa.

The following is a synopsis of the mortality from the principal zymotic diseases* in the *twenty-two provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter.

Small-pox.—No deaths from small-pox were registered in any of the 22 districts during the quarter.

Measles.—Deaths from measles occurred in 5 of the 22 districts: the total number is 35, of which 14 occurred in Belfast, 10 in Drogheda, 7 in Cork, 3 in Portadown, and 1 in Wexford.

Scarlatina caused 12 deaths—5 in Belfast, 4 in Waterford, 2 in Lisburn, and 1 in Drogheda.

Typhus caused 6 deaths—3 in Sligo, 1 in Limerick, 1 in Waterford, 1 in Tralee.

Whooping-cough caused 70 deaths, of these 53 occurred in Belfast, 7 in Waterford, 6 in Lurgan, 2 in Carrickfergus, and 1 each in Kilkenny and Newtownards.

Diphtheria caused 26 deaths; of these 17 occurred in Belfast, 5 in Kilkenny, and 1 each in Tralee, Ballymena, Carrickfergus, Portadown.

Simple continued and ill-defined Fever.—The only deaths returned under this heading are 5, which occurred in Belfast.

Enteric Fever caused 47 deaths, namely, 39 in Belfast, 2 in Lisburn, and 1 each in Cork, Limerick, Waterford, Drogheda, Newry, and Tralee. During the preceding quarter there were 76 deaths from this disease in Belfast, and in the first quarter of 1899 there were 43.

Diarrhœa, Dysentery, caused 59 deaths, including 27 in Belfast, 7 in Clonmel, 6 in Cork, and 6 in Londonderry.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and ill-defined fever, enteric fever, diarrhœa, and dysentery

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 31st March, 1900**, in the Dublin Registration Area, and in each of the undermentioned Twenty-two Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes.

TOWNS AND DISTRICTS.	Census Statistics of Districts.*		REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 31ST MARCH, 1900.																					
			Annual Rate per 1,000 persons represented by			NUMBER REGISTERED.																		
							DEATHS.																	
				DEATHS from						Number caused by														
	Population.	Persons to an Acre.	BIRTHS.	All Causes.	Principal Zymotic Diseases.†	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years and upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
TOTAL OF 23 TOWN DISTRICTS,	1,062,188	12·2	30·6	32·6	1·6	8,130	8,649	1,265	2,773	.	95	21	6	89	44	5	71	96	1,021	2,571	125	287	2,358
DUBLIN REGISTRATION AREA,	349,594	14·2	29·9	37·9	1·9	2,616	3,315	482	1,064	.	60	9	.	19	18	.	24	37	389	947	52	89	1,120
URBAN DISTRICTS.																								
BELFAST,	350,000	21·2	33·0	26·5	1·8	2,959	2,377	431	567	.	14	5	.	53	17	5	39	27	319	786	47	120	459
CORK,	75,345	33·3	27·7	35·0	0·7	521	660	74	240	.	7	.	.	.	.	.	1	6	90	170	2	19	216
LIMERICK,	37,155	17·9	28·2	38·8	0·2	262	360	45	129	.	.	.	1	.	.	.	1	.	34	136	.	3	138
LONDONDERRY,	33,200	15·3	36·7	31·1	0·7	305	258	32	82	.	.	.	.	.	.	.	.	6	26	90	3	10	24
WATERFORD,	26,203	18·3	26·3	33·3	2·1	172	218	18	79	.	.	4	1	7	.	.	1	1	28	56	3	5	72
GALWAY,	13,800	2·6	25·2	43·8	0·6	87	151	19	74	.	.	.	.	.	.	.	.	2	9	40	3	1	52
DROGHEDA,	13,708	8·7	25·4	36·2	3·8	87	124	15	23	.	10	1	.	.	.	.	1	1	5	13	.	8	32
NEWRY,	12,961	18·5	28·1	26·9	0·9	91	87	12	39	.	.	.	.	.	.	.	1	2	7	30	1	2	2
DUNDALK,	12,449	9·0	26·0	24·1	.	81	75	16	25	.	.	.	.	.	.	.	.	.	7	19	2	3	19
LISBURN,	12,250	10·8	31·7	36·6	1·6	97	112	16	29	.	.	2	.	.	.	.	2	1	16	44	.	5	10
WEXFORD,	11,545	24·0	26·0	31·5	0·3	75	91	12	46	.	1	.	.	.	.	.	.	.	6	31	.	.	14
LURGAN,	11,429	13·4	32·2	38·2	2·5	92	109	20	42	.	.	.	.	6	.	.	.	1	7	36	3	2	12
KILKENNY,	11,048	12·0	32·6	39·1	3·6	90	108	11	56	.	.	.	.	1	5	.	.	4	7	5	1	3	57
CLONMEL,	10,708	8·2	22·2	39·2	2·6	62	105	11	47	.	.	.	.	.	.	.	.	7	17	37	3	3	50
SLIGO,	10,274	3·4	32·3	21·4	1·2	83	55	5	22	.	.	.	3	.	.	.	.	.	1	8	.	3	16
TRALEE,	9,318	15·9	39·1	50·2	1·3	91	117	17	78	.	.	.	1	.	1	.	1	.	19	22	3	3	38
BALLYMENA,	9,252	9·3	31·1	25·5	0·4	72	59	8	26	.	.	.	.	.	1	.	.	.	7	23	.	1	5
NEWTOWNARDS,	9,197	19·0	25·2	27·0	0·4	58	62	1	35	.	.	.	.	1	.	.	.	.	4	26	1	1	11
QUEENSTOWN,	9,082	17·0	28·6	26·9	.	65	61	5	25	.	.	.	.	.	.	.	.	.	8	12	1	2	5
CARRICKFERGUS,	8,923	0·5	21·5	15·7	1·8	48	35	3	15	.	.	.	.	2	1	.	.	1	4	10	.	2	.
PORTADOWN,	8,430	11·0	28·0	29·4	1·9	59	62	9	16	.	3	.	.	.	1	.	.	.	6	19	.	2	.
ARMAGH,	7,317	21·4	31·2	26·2	.	57	48	3	14	.	.	.	.	.	.	.	.	.	5	11	.	.	6

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. See note (*) on page 214.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITY (or URBAN DISTRICT) of BELFAST registered during the **Quarter** (13 weeks) ended 31st MARCH, 1900, Deaths in Public Institutions of persons *admitted from without the City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1891 represented by the Deaths from All Causes and from the principal Zymotic Diseases; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	125	The estimate of the present Population of Belfast now adopted, being so much in excess of the Population in 1891, and a more equal distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		132	28	13	61	35	.	.	.	.	2	.	.	1	.	21	44	4	10	37
,, 2 ,,	37,539	428			290	45	29	152	64	.	1	.	.	6	.	1	7	5	37	80	10	19	54
,, 3 ,,	38,845	409			281	59	37	130	55	.	.	3	.	5	1	.	6	2	44	110	3	15	32
,, 4 ,,	33,391	372			349	59	48	138	104	.	.	.	.	8	2	.	3	3	39	102	8	12	126
,, 5 ,,	21,284	137			167	34	15	83	35	.	.	.	.	2	.	.	3	.	28	64	1	7	56
,, 6 ,,	43,431	298			297	37	24	149	87	.	1	.	.	7	1	4	3	5	37	112	8	9	51
,, 7 ,,	1,112	9			12	2	.	4	6	.	.		.	.	.	.	.	2	2	3	.	1	2
,, 8 ,,	4,904	48			28	3	2	15	8	.	.	.	.	.	.	.	1	.	3	10	2	2	3
,, 9 ,,	12,866	149			120	26	14	58	22	.	.	.	.	1	1	.	3	2	17	34	1	5	13
,, 10 ,,	12,256	220			194	41	24	94	35	.	.	2	.	5	2	.	4	1	32	66	2	8	29
,, 11 ,,	19,881	305			190	34	28	75	53	.	3	.	.	3	2	.	.	3	20	54	4	9	28
,, 12 ,,	23,282	349			243	50	54	95	44	.	4	.	.	12	6	.	4	2	31	81	3	21	24
,, 13 ,,	6,304	111			71	18	9	25	19	.	.	.	.	2	2	.	3	2	8	25	.	1	2
,, 14 ,,	362	4			3	.	1	2	.	.	.	.	.	.	.	.	1	.	.	1	1	1	2
Total,	278,079	2,959			2,377	481	298	1,081	567	.	14	5	.	53	17	5	39	27	319	786	47	120	459

NOTE.—A new arrangement of the Cork Districts having come into operation on the 1st February, 1900, the compilation of a Summary for that City by Districts is not practicable.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 7TH APRIL, 1900. [No. 14.

General Register Office, Charlemont House,
Dublin, 9th April, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 21·9), was equal to an average annual death-rate of 23·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·7 per 1,000, the rate for Glasgow being 24·3, and for Edinburgh 21·7.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 26·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Mar. 17.	Week ending Mar. 24.	Week ending Mar. 31.	Week ending April 7.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 17.	Week ending Mar. 24.	Week ending Mar. 31.	Week ending April 7.	Average Rate for 4 weeks.
23 Town Dists.	26·9	29·8	32·8	26·4	29·0	Limerick, . .	32·3	30·9	98·2	26·7	47·0
Armagh, . .	21·4	14·3	28·5	64·1	32·1	Lisburn, . .	29·8	21·3	34·1	17·0	25·6
Ballymena, .	22·5	11·3	0·0	22·5	14·1	Londonderry, .	31·4	22·0	26·7	6·3	21·6
Belfast, . .	22·8	24·5	25·6	26·0	24·7	Lurgan, . .	41·1	22·8	41·1	22·8	31·9
Carrickfergus, .	11·7	17·5	11·7	29·2	17·5	Newry, . .	16·1	28·2	24·1	36·2	26·2
Clonmel, . .	24·3	107·1	43·8	9·7	46·2	Newtownards, .	11·3	11·3	39·7	22·7	21·3
Cork, . . .	28·1	29·1	22·8	33·2	36·8	Portadown, .	24·7	30·9	55·7	18·6	32·5
Drogheda, . .	26·6	41·8	38·0	53·3	39·9	Queenstown, .	11·5	17·2	11·5	28·7	17·2
Dublin, Reg. Area,	29·7	33·9	35·2	28·3	31·8	Sligo, . . .	5·1	40·6	15·2	10·2	17·8
Dundalk, . .	8·4	16·8	92·1	12·6	32·5	Tralee, . .	16·8	22·4	83·9	22·4	36·4
Galway, . .	30·2	56·7	18·9	26·4	33·0	Waterford, .	27·9	29·8	23·9	15·9	24·4
Kilkenny, . .	42·5	75·5	33·0	18·9	42·5	Wexford, . .	36·1	22·6	27·1	27·1	28·2

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 0·9 per 1,000, the rates varying from 0·0 in seventeen

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table VI.

of the districts to 4·6 in Lurgan. Among the 179 deaths from all causes registered in Belfast are one from measles, one from whooping-cough, 2 from diphtheria, one from enteric fever, and one from diarrhœa.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 128—59 boys and 69 girls; and the deaths to 194—98 males and 96 females.

The deaths, which are 10 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 28·9 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 28·3 per 1,000. During the fourteen weeks ending with Saturday last the death-rate averaged 38·8, and was 6·1 over the mean rate for the corresponding portions of the ten years 1890–99.

The number of deaths from zymotic diseases registered last week is 14, being 3 over the low number for the preceding week, but 16 under the average for the 14th week of the last ten years: they comprise 3 from measles, 3 from whooping-cough, 3 from enteric fever, 2 from influenza and its complications, 2 from cerebro-spinal meningitis; &c.

Nineteen cases of scarlatina were admitted to hospital during the week, being one under the admissions for the preceding week, but 3 over the number for the week ended the 24th ultimo: 7 scarlatina patients were discharged during the week; 4 died; and 93* remained under treatment on Saturday last, being 8 over the number in hospital at the close of the preceding week.

The number of cases of measles admitted to hospital is 4, being 2 under the admissions for the preceding week, and one under the number for the week ended the 24th ultimo: 6 patients were discharged during the week; and 23 remained under treatment on Saturday last, being 2 under the number in hospital at the close of the preceding week.

Five cases of enteric fever were admitted to hospital, being one over the number for the preceding week, but one under the admissions for the week ended the 24th ultimo: 5 patients were discharged during the week; and 31 remained under treatment on Saturday last, being equal to the number in hospital on Saturday the 31st ultimo.

During last week 6 cases of diphtheria were admitted to hospital, against 5 in the preceding week; three patients were discharged during the week; one died; and 16 remained under treatment in hospital on Saturday last.

Diseases of the respiratory system caused 46 deaths, being 10 under the number for the week ended the 31st ultimo, and 2 below the average for the 14th week of the last ten years: the 46 deaths comprise 29 from bronchitis and 15 from pneumonia or inflammation of the lungs.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the week ended Saturday, 7th April, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases	No. of Cases in Hospital at close of week ended			Week ended 7th April			
	Mar. 17.	Mar. 24.	Mar. 31.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.		.	.
Measles,	27	26	25	4	6	.	23
Scarlet Fever,	74	71	85	19	7	4	93*
Typhus ,,	2	2	1	.	1	.	.
Diphtheria,	13	12	14	6	3	1	16
Enteric Fever,	47	43	31	5	5	.	31
Pneumonia,	30	31	27	3	2	1	27

The deaths of 6 children under 5 years of age (including 3 infants under one year old) were ascribed to convulsions.

Six deaths were caused by diseases of the brain and nervous system (exclusive of convulsions), and 16 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 27 deaths, mesenteric disease 8, tubercular meningitis 6, and cancer 3.

Two accidental deaths were registered.

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

In 14 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 8 children under 5 years of age (including 5 infants under one year old) and the deaths of 4 persons aged 60 years and upwards.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 6 were under one month old) and 64 were aged 60 years and upwards, including 31 persons aged 70 and upwards, of whom 10 were octogenarians, and one (a man) was stated to have been aged 95 years.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 28·3 per 1,000; the rate in the city was 32·4 (31·2 on the North side, and 33·4 on the South), and in the Suburbs 18·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the city being 1·5 (1·8 in the North City Districts, and 1·2 in the South), and for the Suburbs 1·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (21) are equal to an annual rate of 40·3 per 1,000. One from influenza was the only death from any zymotic disease recorded. Four deaths were caused by bronchitis and 5 by phthisis.

No. 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 22·5 per 1,000. One from whooping-cough constitutes the mortality from zymotic disease. Two deaths were caused by bronchitis and 2 by diseases of the brain and nervous system.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 34·3 per 1,000. They include 2 from measles, but no deaths from any other zymotic disease. Two deaths were caused by bronchitis, 3 by pneumonia, and 4 by diseases of the circulatory system.

No. 3 *North City District* (Blackhall-place).—The deaths (15) represent an annual rate of 30·0 per 1,000. One from enteric fever was the only death from any zymotic disease. Seven deaths were caused by diseases of the respiratory system and 2 by phthisis.

No. 1 *South City District* (South Earl-street).—The deaths (26) represent an annual rate of 40·8 per 1,000. They comprise 2 from zymotic diseases, viz.:—one from enteric fever and one from influenza. Four deaths were caused by diseases of the respiratory system, 4 by diseases of the circulatory system, 5 by phthisis, and 2 by convulsions.

No. 2 *South City District* (Castle-street).—The deaths (13) are equal to an annual rate of 36·5 per 1,000. Four deaths were caused by diseases of the respiratory system, and 3 by phthisis. No deaths from any zymotic disease were recorded.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 25·7 per 1,000. They include 6 from bronchitis, 2 from pneumonia, and 2 from phthisis. No deaths from any zymotic disease were recorded.

No. 4 *South City District* (Grand Canal-street).—The deaths (23) are equivalent to an annual rate of 33·5 per 1,000. They comprise 4 from zymotic diseases, including 2 from whooping-cough and one from cerebro-spinal meningitis. Four deaths were caused by diseases of the respiratory system, 2 by diseases of the circulatory system, 2 by phthisis, 2 by mesenteric disease, 2 by tubercular meningitis, and 3 by diseases of the brain and nervous system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, 29·2 per 1,000 inhabitants; Clontarf and Howth, No. 1, 0·0; Finglas and Glasnevin, part of, 24·6; Palmerston, part of, and Crumlin, part of, 14·3; Rathmines, 22·5; Donnybrook, 16·9; Blackrock, 12·4; and Kingstown, 18·0. The deaths from zymotic diseases tabulated for these districts consist of one from measles for Palmerston, part of; and one from enteric fever and one from cerebro-spinal meningitis for Rathmines. The 12 deaths from all causes tabulated for the latter district comprise 2 from diseases of the respiratory system, and 3 from phthisis; and 2 of the 8 deaths for Donnybrook and 2 of the 6 deaths for Kingstown were caused by diseases of the respiratory system.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 14th Week of the 10 years 1890–99.	In the week ending Saturday, 7th April, 1900. Deaths of persons of the Ages of							
	April 5, 1890	April 11, 1891	April 9, 1892	April 8, 1893	April 7, 1894	April 6, 1895	April 4, 1896	April 10, 1897	April 9, 1898	April 8, 1899		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 43·3	° 40·8	° 48·1	° 45·9	° 46·2	° 40·6	° 44·1	° 42·4	° 49·0	° 48·6	° 44·9	° 42·6								
ALL CAUSES,	180	207	221	193	155	290	171	241	163	220	204·1	194	6	17	27	14	24	42	53	11
I. FEBRILE OR ZYMOTIC DISEASES,	25	18	36	21	25	59	18	48	19	30	29·9	14	.	1	8	1	2	.	2	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	1	1	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	32	48	43	46	17	39	35	50	48	56	41·4	49	.	2	10	7	15	11	3	1
V. DEVELOPMENTAL "	14	18	11	13	17	21	17	12	6	17	14·1	30	2	1	.	.	.	.	17	10
VI. LOCAL "	99	117	114	95	86	159	86	112	84	102	105·4	91	2	12	8	5	7	30	27	.
VII. VIOLENT DEATHS,	4	5	5	8	3	3	3	7	.	9	4·2	2	.	.	.	1	.	.	1	.
VIII. ILL-DEFINED CAUSES,	6	5	11	14	7	9	12	12	5	4	8·5	8	2	1	1	.	.	1	3	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	3	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	6	.	23	.	2	.	.	25	.	2	5·8	3	.	.	3	.	.	.	.	.
Scarlet Fever,	.	.	1	.	3	.	2	3	.	.	·9	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	3	4	3	46	4	3	9	15	8·8	2	.	.	1	.	.	.	1	.
Whooping Cough,	5	2	3	6	5	4	1	9	2	5	4·2	3	.	1	2	.	.	.	.	.
Diphtheria,	1	1	.	2	.	.	1	2	2	3	1·2	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	1	.	1	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	5	.	2	6	1	1	.	3	4	2·6	3	.	.	1	.	2	.	.	.
Cholera and Chol. Diarr.,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	.	1	2	1	3	2	1	2	.	1·2	.	.	.	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	.	1	1	.	2	.	.	·5	.	.	.	.	.	.	.	.	.
Erysipelas,	.	1	.	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	2	.	.	2	1	.	1	1	.	.	·7	1	.	.	.	.	.	.	1	.
Puerperal Fever,	2	1	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	7	3	3	2	1	4	1	1	.	2·5	2	.	.	1	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	1	.	.	1	.	1	.	3	·6	.	.	.	.	.	.	.	.	.
Rheumatism,	1	2	.	.	1	.	.	2	.	.	·6	1	.	.	.	.	.	.	1	.
Gout,	1	1	.	1	.	.	.	.	.	.	·3	1	.	.	.	.	.	.	1	.
Rickets,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Cancer,	3	4	3	5	2	6	7	7	6	9	5·2	3	.	.	.	.	.	2	1	.
Tabes Mesenterica,	1	3	3	1	3	4	2	3	10	5	3·5	8	.	2	4	1	1	.	.	.
Tubercular Meningitis	1	1	2	4	.	3	4	4	4	4	2·7	6	.	.	5	1	.	.	.	.
Phthisis,	22	33	27	30	10	23	19	28	23	30	24·5	27	.	.	.	4	13	9	.	1
Scrofula, Tuberculosis,	3	4	5	3	.	1	2	5	5	4	3·2	1	.	.	.	.	1	.	.	.
Other Constitutional Diseases,	.	.	2	2	1	1	1	.	.	.	·7	3	.	.	1	1	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	1	1	.	5	2	2	5	2	.	4	2·2	3	2	1	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	13	12	11	8	15	18	12	9	6	13	11·7	27	.	.	.	.	.	17	10	.

each Disease registered in the FOURTEENTH WEEK ending Saturday, 7th April, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 14th Week of the 10 years 1890-99.	In the Week ending Saturday, 7th April, 1900. Deaths of Persons of the Ages of								
	April 5, 1890	April 11, 1891	April 9, 1892	April 8, 1893	April 7, 1894	April 6, 1895	April 4, 1896	April 10, 1897	April 9, 1898	April 8, 1899		ALL AGES.	0 to 5							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 43·3	° 40·8	° 48·1	° 45·9	° 46·2	° 40·6	° 44·1	° 42·4	° 49·0	° 48·6	° 44·9	° 42·6								
VI. Local Diseases.																				
Apoplexy,	4	7	2	5	1	2	3	5	4	1	3·4	.	.	.	.	.	.	.	.	.
Epilepsy,	2	.	.	.	.	1	2	.	.	.	·5	.	.	.	.	.	.	.	.	.
Convulsions,	17	24	16	7	11	7	9	10	7	12	12·0	6	2	1	3	.	.	.	.	.
Other Diseases of Brain and Nervous System,	10	9	10	9	10	12	5	7	7	4	8·3	6	.	.	1	1	.	2	2	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	17	15	19	18	23	20	10	18	15	18	17·3	16	.	.	.	1	2	6	7	.
Croup,	2	3	.	1	1	1	.	3	1	1	1·2	.	.	.	.	.	.	.	.	.
Bronchitis,	20	28	32	25	20	73	22	24	23	28	29·5	29	.	4	2	.	1	9	13	.
Pneumonia	11	8	13	9	8	19	16	21	10	23	13·7	15	.	6	1	2	.	5	1	.
Pleurisy,	.	1	.	.	1	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	4	7	.	3	5	4	1	6	2	1	3·3	2	.	.	.	.	1	.	1	.
Teething,	.	.	3	.	1	1	.	3	.	1	·9	2	.	1	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	1	.	.	.	1	.	2	1	·6	1	.	.	.	1	.	.	.	.
Peritonitis	3	.	.	2	.	1	1	2	1	1	1·1	1	.	.	.	.	.	1	.	.
Disease of Liver,	2	3	4	6	1	4	1	1	2	4	2·8	1	.	.	.	.	.	.	1	.
Other Diseases of Digestive System,	1	2	6	3	1	6	4	3	2	4	3·2	4	.	.	.	.	1	2	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	5	2	6	.	5	6	6	5	3	4·0	5	.	.	.	.	.	4	1	.
Diseases of Generative System,	.	.	2	1	1	.	2	.	.	1	·7	1	.	.	.	.	.	1	.	.
Accidents of Childbirth,	3	.	2	.	1	.	1	1	.	.	·8	2	.	.	.	.	2	.	.	.
Diseases of Locomotive System,	.	3	1	.	.	1	.	.	2	.	·7	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	2	1	.	1	1	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		1	1	1	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	4	.	1	.	1	2	2	1	.	.	4·0	1	.	.	.	1	.	.	.	.
By Drowning,		1	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		2	3	2	2	1	1	5	.	6		1	.	.	.	.	.	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	6	5	11	14	7	9	12	12	5	4	8·5	8	2	1	1	.	.	1	3	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899-1900—Week ending																									
	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered,	198	188	180	225	172	241	198	154	206	167	188	247	187	209	168	191	184	174	175	257	179	215	217	226	284	128
Average Births in corresponding week of previous 10 years,	166	179	170	172	175	185	181	184	181	184	154	168	188	199	195	202	206	200	196	208	225	195	192	195	217	199
DEATHS registered,	225	250	244	216	249	248	220	259	258	256	285	280	337	331	295	259	288	199	284	342	230	247	209	236	244	194
Annual Death-rate per 1,000,	33·6	37·3	36·4	32·2	37·1	37·0	32·8	38·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·	31·2	35·2	36·4	28·9
Average Deaths in corresponding week of previous 10 years,	157	152	163	178	166	174	177	183	177	184	184	207	211	239	249	228	221	211	216	212	214	218	218	218	219	204
AGES, Under 5 years,	114	107	95	111	118	123	98	93	103	84	87	86	81	85	70	60	60	54	63	74	55	66	56	69	55	50
5—20 "	26	18	23	22	11	27	16	12	17	23	22	13	15	16	15	20	19	14	24	20	22	15	12	17	12	14
20—40 "	23	29	32	14	36	27	28	6	35	35	46	32	49	38	44	38	34	30	48	47	38	42	39	34	45	24
40—60 "	32	38	39	29	36	32	33	51	51	61	55	57	73	84	61	50	46	35	65	80	51	60	44	51	54	42
60—80 "	24	53	45	32	37	28	36	53	44	44	63	74	94	85	83	79	64	53	73	104	59	56	42	52	59	53
80 years and upwards,	6	5	10	8	11	11	9	14	8	9	12	18	25	23	22	12	15	13	11	17	10	8	16	13	19	11
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	44	52	44	38	39	51	38	29	30	23	24	15	10	18	9	5	4	3	1	5	1	2	4	.	.	3
" Scarlet Fever,	2	1	1	.	1	2	1	2	1	1	1	1	.	1	.	.	1	2	1	1	1	1	.	1	.	.
" Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	.	1	.	2	1	2	.	1	1	3	2	2	1	1	3	3	.	5	5	.	.	.	1	.	.	3
" Diphtheria,	1	2	2		3	3	2	2	3	2	3	1	.	3	2	1	3	5	3	.	1	2	.	1	1	.
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	7	4	6	2	5	9	4	6	2	2	3	2	5	5	2	1	2	.	3		4	2	.	.	1	3
" Diarrhœa, Dysentery,	14	4	9	6	6	5	3	4	4	3	5	1	2	3	6	.	2	2	2	4	5	3	4	4	.	.
" Phthisis,	22	26	29	15	21	17	20	5	27	36	30	28	40	27	29	36	29	23	32	40	30	37	29	27	30	27
" Heart Diseases,	10	23	13	9	18	13	17	17	15	26	15	21	24	20	16	25	15	11	28	33	24	18	17	20	23	16
" Diseases of Respiratory System,	29	39	40	53	57	50	51	66	70	66	73	98	110	110	92	55	67	65	74	94	55	78	39	72	56	46
Violent Deaths,	8	5	8	4	8	6	7	4	6	6	3	7	4	5	5	2	5	3	8	4	2	2	4	9	6	2
Mean Temperature of the Air Phœnix Park),	48·0	49·5	48·9	50·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6
Average Mean Temperature in corresponding week of previous 10 years,	8·4	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9
Rainfall in inches,	·855	·470	·825	1·085	·710	·050	·030	·240	·455	·200	·855	2·055	·715	·535	·560	·530	·920	·690	·680	·520	1·025	·000	·115	·305	·075	·535
Mean Humidity of the Air, complete Saturation 1·0,	·86	·88	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 7th April, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	821	282	564	797	161	897	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	3	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases	1	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	5	.
Total,	1	1	2	1	2	.	.	4	.	.	.	1	2	.	.	.	14	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	5	1	1	2	5	3	2	2	.	1	1	.	3	.	.	.	26	1
Other Constitutional Diseases	3	2	2	.	2	.	3	4	.	.	.	1	2	1	.	.	20	2
Total,	8	3	3	2	7	3	5	6	.	1	1	1	5	1	.	.	46	3
V. DEVELOPMENTAL DISEASES,	2	2	2	3	6	1	3	2	.	2	1	.	1	3	1	1	30	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	1	2	1	1	2	1	.	3	.	.	.	.	1	.	.	.	12	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	1	.	4	.	4	1	.	2	.	1	.	.	1	1	.	1	16	.
Diseases of Respiratory System,	4	2	5	7	4	4	8	4	.	1	.	.	2	2	.	2	45	1
Diseases of Digestive System,	2	2	.	.	1	2	1	.	.	.	.	.	.	.	1	.	9	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	.	.	.	.	.	1	1	.	.	.	.	.	1	.	1	5	.
Diseases of Generative System,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	9	7	10	8	11	8	12	10	.	2	.	.	4	4	1	4	90	1
VII. VIOLENT DEATHS,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	2	2	.	.	1	.	1	.	1	.	.	.	.	.	1	8	.
Deaths from all Causes,	21	15	19	15	26	18	20	23	.	6	2	2	12	8	2	6	190	4
Annual Rate of Mortality in every 1,000 of the population.	40·3	22·5	34·3	30·0	40·8	36·5	25·7	33·5	.	29·2	24·6	14·3	22·5	16·9	12·4	18·0	28·3	
	31·2				33·4				18·9									
	32·4																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	2	3	4	1	.	3	4	.	.	.	.	2	.	1	.	23	3
Workhouse Hospitals,	4	4	4	3	8	5	1	3	.	2	2	.	1	1	.	.	33	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary.—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th April, 1900: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 7th April, 1900: Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	28·9	194	50	14	24	42	53	11	.	3	.	.	3	.	.	3	.	9	27	6	46	2	104
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	20·0	6	.	.	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
II.	MIDDLE CLASS,	81,469	19·1	30	5	3	3	8	9	2	.	.	.	.	.	.	.	1	.	1	4	1	5	1	18
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	20·9	40	11	4	5	9	8	3	.	.	.	.	.	.	.	1	.	1	7	2	7	.	23
IV.	GENERAL SERVICE CLASS,	147,978	40·1	79	32	6	10	13	13	5	.	2	.	.	2	.	.	1	.	5	8	3	25	1	37
V.	INMATES OF WORKHOUSES,	5,191		39	2	1	6	10	19	1	.	1	.	.	1	.	.	.	.	2	8	.	8	.	21
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	19·5	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	27·2	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	16·0	8	.	.	.	5	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	6
	6. Clerks and Commercial Assistants,	25,001	12·5	6	1	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	33·9	16	4	2	2	2	5	1	.	.	.	.	.	.	.	1	.	1	2	1	2	.	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	56·0	8	3	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	5
	9. Building and Furnishing Trades,	26,294	19·3	10	4	.	2	1	1	2	.	.	.	.	.	.	.	1	.	1	1	1	3	.	4
	10. Clothing Trades,	23,927	19·6	9	.	2	.	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	8
	11. Food Supply Trades,	7,949	13·1	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	19·3	10	3	1	.	3	3	.	.	.	.	.	.	.	.	.	.	.	4	1	2	.	3
	13. Petty Shopkeepers,	6,889	7·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	41·7	11	3	1	2	1	4	.	.	.	.	.	.	.	.	.	.	.	4	.	4	.	3
	15. Domestic Servants,	39,967	7·8	6	.	1	3	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	48·1	10	5	.	.	1	2	2	.	1	.	.	.	.	.	.	.	1	.	1	4	.	4
	17. Hawkers, Porters, Labourers, &c.,	88,472	32·4	52	24	4	5	11	7	1	.	1	.	.	2	.	.	1	.	4	2	2	17	1	26
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	39	2	1	6	10	19	1	.	1	.	.	1	.	.	.	.	2	8	.	8	.	21

the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total.*	Persons to an Acre	REGISTRATION—WEEK ENDING SATURDAY, 7TH APRIL, 1900. Annual Rate per 1,000 persons represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From Principal Zymotic Diseases.	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	METEOROLOGY.† WEEK ENDING 7TH APRIL, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 31ST MARCH, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 24TH MARCH, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
TOTAL OF 98 TOWN DISTRICTS	1,062,188	12·2	23·3	26·4	0·9	474	538	75	158	.	4	.	2	5	2	.	4	2	74	123	7	23	147	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																				
TOTAL,‡	349,594	14·2	19·1	28·3	1·3	128	190	23	64	.	3	.	.	3	.	.	3	.	26	45	2	4	61	55·1	31·7	42·6	0·54	53·2	22·9	37·3	0·08	45·0	21·9	36·4	0·80
Registrars' Districts. CITY.	245,001	65·6	20·9	32·4	1·5	98	152	19	46	.	2	.	.	3	.	.	2	.	21	38	2	4	52	53·8	36·4	44·8	0·87	53·2	29·9	40·1	0·16	44·8	30·1	38·6	0·63
CLONTARF &c. No. 1,	4,188	1·5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
COOLOCK & DRUMCONDRA, No. 1,	10,730	1·8	14·6	29·2	.	3	6	1	4	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
FINGLAS & GLASNEVIN, pt. of (a),	4,240	0·8	.	24·6	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	55·1	1·8	3·1	0·74	52·9	24·0	38·1	0·11	44·8	25·8	7·2	0·78
PALMERSTON, part of and CRUMLIN part of (b),	7,273	8·0	28·7	14·3	7·2	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
RATHMINES,‖	27,796	16·2	13·1	22·5	1·9	7	12	.	8	.	.	.	.	.	.	.	1	.	3	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
DONNYBROOK,	24,629	12·4	16·9	16·9	.	8	8	1	5	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,‖	8,401	7·8	12·4	12·4	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, 1 & 2,‖	17,886	11·9	18·0	18·0	.	6	6	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	53	36	44·2	0·44	48	27	39·5	0·14	45	32	39·7	0·52
URBAN DISTRICTS.																																				
BELFAST,	359,000	21·8	27·8	26·0	0·9	188	179	31	47	.	1	.	.	1	2	.	1	1	25	46	5	18	45	54·1	31·5	44·5	0·66	50·5	27·5	39·5	0·27	45·9	25·0	37·8	0·23
CORK,	75,845	33·3	19·4	33·2	0·7	28	48	7	9	.	.	.	.	.	.	.	.	1	4	14	.	.	14	55	38	46·2	1·72	51	34	41·9	0·14	51	32	39·8	0·27
LIMERICK,	37,155	17·9	32·3	26·7	.	23	19	3	6	.	.	.	.	.	.	.	.	.	2	6	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.
LONDONDERRY,	33,200	15·3	44·0	6·3	.	28	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	53	34	43·9	0·71	54·6	31·0	41·7	0·33	52·0	22·0	38·6	0·28
WATERFORD,	26,203	18·3	8·0	15·9	.	4	8	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,800	2·6	22·7	26·4	3·8	6	7	.	4	.	.	.	1	.	.	.	.	.	1	.	.	.	4	57	37	48	1·02	55	30	41	0·20	47	28	38	0·09
DROGHEDA	13,708	8·7	3·8	58·3	3·8	1	14	.	7	.	.	.	1	.	.	.	.	.	.	1	.	1	9	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,961	18·5	24·1	36·2	.	6	9	2	4	.	.	.	.	.	.	.	.	.	2	2	.	.	.	57·7	33·0	43·4	0·57	52·0	28·8	39·5	0·15	45·0	27·4	36·9	0·26
DUNDALK,	12,449	9·0	29·3	12·6	.	7	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN,	12,250	10·8	25·7	17·0	.	6	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	57·7	33·0	43·4	0·57	52·0	28·8	39·5	0·15	45·0	27·4	36·9	0·26
WEXFORD,	11,545	24·0	31·6	27·1	.	7	6	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN,	11,429	18·4	27·4	22·8	4·6	6	5	.	2	.	.	.	1	.	.	.	.	.	1	1	.	.	.	57·7	33·0	43·4	0·57	52·0	28·8	39·5	0·15	45·0	27·4	36·9	0·26
KILKENNY,	11,048	12·0	4·7	18·9	.	1	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	51	31	43·0	0·93	52	24	37·6	0·07	46	27	35·3	0·62
CLONMEL,	10,708	8·2	9·7	9·7	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10 274	8·4	30·5	10·2	.	6	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	52·8	32·2	42·5	0·98	55·3	25·8	39·2	0·20	46·2	28·9	36·5	0·16
TRALEE,	9,318	15·9	.	22·4	.	.	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	9,252	9·3	33·8	22·5	.	6	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,197	19·0	28·3	22·7	.	5	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	51	31	41·2	0·85	52	29	39·0	0·19	45	27	38·5	0·17
QUEENSTOWN,	9,082	17·0	23·0	28·7	.	4	5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55	38	46·2	1·72	51	34	41·9	0·14	51	32	39·8	0·27
CARRICKFERGUS,	8,223	0·5	35·1	29·2	.	6	5	1	1	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	8,430	11·0	30·9	18·6	.	5	3	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	57·7	33·0	43·4	0·57	52·0	28·8	39·5	0·15	45·0	27·4	36·9	0·26
ARMAGH,	7,187	21·4	7·1	64·1	.	1	9	1	1	.	.	.	.	.	.	.	.	.	3	.	.	3	.	57·7	33·0	43·4	0·57	52·0	28·8	39·5	0·15	45·0	27·4	36·9	0·26

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

†It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 4 deaths of persons admitted to hospital from localities outside the district.

§Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	Feb. 17,	49·9	.	26	.	.	.	.	.	.	.	.	.	2	4	.
		„ 24,	57·6	5·8	30	.	.	.	.	.	.	.	.	3	3	7	1
		Mar. 3,	25·0	3·8	13	.	.	.	.	.	.	.	3	.	3	2	1
		„ 10,	30·7	1·9	16	.	.	.	.	.	1	.	.	.	1	9	.
		„ 17,	26·9	.	14	.	.	.	.	.	.	.	.	.	5	1	1
		„ 24,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 31,	30·7	.	16	.	.	.	.	.	.	.	.	.	4	7	.
		Apr. 7,	40·8	.	21	.	.	.	.	.	.	.	.	.	5	4	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,836.	Feb. 17,	41·9	1·5	28	.	.	.	.	.	.	.	1	.	3	13	.
		„ 24,	40·4	.	27	.	.	.	.	.	.	.	.	.	1	5	1
		Mar. 3,	35·9	3·0	24	.	1	.	.	.	.	.	1	.	3	7	.
		„ 10,	50·9	.	34	.	.	.	.	.	.	.	.	.	8	12	1
		„ 17,	38·9	1·5	26	.	1	.	.	.	.	.	.	.	4	8	.
		„ 24,	46·4	1·5	31	.	.	.	.	.	.	.	.	1	4	13	.
		„ 31,	41·9	.	28	.	.	.	.	.	.	.	.	.	3	5	1
		Apr. 7,	22·5	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Feb. 17,	41·5	.	23	.	.	.	.	.	.	.	.	.	5	2	3
		„ 24,	52·4	1·8	29	.	.	.	.	.	.	.	1	.	7	8	.
		Mar. 3,	37·9	1·8	21	.	.	.	.	.	.	.	.	1	1	10	.
		„ 10,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	3	8	.
		„ 17,	45·2	3·6	25	.	.	.	.	.	.	.	.	2	2	3	1
		„ 24,	61·4	.	34	.	.	.	.	.	.	.	.	.	3	12	2
		„ 31,	47·0	1·8	26	.	.	.	.	.	.	.	1	.	1	8	1
		Apr. 7,	34·3	3·6	19	.	2	.	.	.	.	.	.	.	1	5	.
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Feb. 17,	46·0	8·0	23	.	.	.	.	3	1	.	.	.	2	5	1
		„ 24,	52·0	2·0	26	.	1	.	.	.	.	.	.	.	4	6	.
		Mar. 3,	46·0	4·0	23	.	.	1	.	.	.	.	.	1	4	4	1
		„ 10,	38·0	2·0	19	.	.	.	.	.	.	.	1	.	4	6	.
		„ 17,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	5	4	.
		„ 24,	30·0	.	15	.	.	.	.	.	.	.	.	.	3	6	.
		„ 31,	30·0	.	15	.	.	.	.	.	.	.	.	.	4	1	.
		Apr. 7,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	2	7	1
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 38,194.	Feb. 17,	58·1	1·6	37	.	.	.	.	.	.	.	.	1	3	10	3
		„ 24,	64·4	.	41	.	.	.	.	.	.	.	.	.	2	17	.
		Mar. 3,	31·4	.	20	.	.	.	.	.	.	.	.	.	4	2	.
		„ 10,	51·8	.	33	.	.	.	.	.	.	.	.	.	3	11	1
		„ 17,	39·3	3·1	25	.	1	.	.	.	.	.	.	1	1	6	.
		„ 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	4	4	.
		„ 31,	55·0	.	35	.	.	.	.	.	.	.	.	.	5	3	.
		Apr. 7,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	5	4	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Feb. 17,	45·0	2·8	16	.	.	.	.	1	.	.	.	.	1	7	.
		„ 24,	50·6	2·8	18	.	.	.	.	.	.	.	.	1	3	5	.
		Mar. 3,	59·0	5·6	21	.	.	.	.	.	.	.	1	1	.	4	.
		„ 10,	47·8	.	17	.	.	.	.	.	.	.	.	.	4	4	.
		„ 17,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 24,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	6	.
		„ 31,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	4	.
		Apr. 7,	36·5	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Feb. 17,	33·4	1·3	26	.	1	.	.	.	.	.	.	.	1	6	1
		„ 24,	57·9	1·3	45	.	.	1	.	.	.	.	.	.	3	15	1
		Mar. 3,	32·1	.	25	.	.	.	.	.	.	.	.	.	3	6	.
		„ 10,	41·1	.	32	.	.	.	.	.	.	.	.	.	4	10	.
		„ 17,	32·1	.	25	.	.	.	.	.	.	.	.	.	1	4	2
		„ 24,	27·0	.	21	.	.	.	.	.	.	.	.	.	2	5	2
		„ 31,	38·6	.	30	.	.	.	.	.	.	.	.	.	4	11	.
		Apr. 7,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	8	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	Feb. 17,	51·0	7·3	35	.	.	1	.	1	1	.	1	1	5	7	.
		„ 24,	55·4	1·5	38	.	1	.	.	.	.	.	.	.	6	12	.
		Mar. 3,	32·0	.	22	.	.	.	.	.	.	.	.	.	3	5	.
		„ 10,	32·0	5·8	22	.	2	1	.	.	.	.	.	1	2	5	.
		„ 17,	18·9	1·5	13	.	.	.	.	.	.	.	.	1	2	3	.
		„ 24,	39·3	1·5	27	.	.	.	.	.	.	.	.	1	3	7	2
		„ 31,	26·2	.	18	.	.	.	.	.	.	.	.	.	3	3	.
		Apr. 7,	33·5	2·9	23	.	.	.	.	2	.	.	.	.	2	4	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Feb. 17,	33·8	.	18	.	.	.	.	.	.	.	.	.	.	5	.
	„ 24,	28·1	.	15	.	.	.	.	.	.	.	.	.	1	4	.
	Mar. 3,	24·4	3·8	13	.	.	.	.	.	1	.	.	1	.	6	.
	„ 10,	26·3	.	14	.	.	.	.	.	.	.	.	.	2	5	.
	„ 17,	18·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.
	„ 24,	30·0	3·8	16	.	.	1	.	.	.	.	.	1	1	5	.
	„ 31,	24·4	.	13	.	.	.	.	.	.	.	.	.	3	4	2
	Apr. 7,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	3	2	.
Donnybrook. Pop. (in 1891) 24,629.	Feb. 17,	29·6	.	14	.	.	.	.	.	.	.	.	.	2	7	.
	„ 24,	36·0	.	17	.	.	.	.	.	.	.	.	.	.	4	.
	Mar. 3,	31·3	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 10,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
	„ 17,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 24,	19·1	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	„ 31,	23·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
	Apr. 7,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
Kingstown. Pop. (in 1891) 17,386.	Feb. 17,	33·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 24,	27·0	6·0	9	.	2	.	.	.	.	.	.	.	1	2	.
	Mar. 3,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 10,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	„ 17,	27·0	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 24,	33·0	3·0	11	.	.	.	.	.	.	.	.	1	.	4	1
	„ 31,	48·0	.	16	.	.	.	.	.	.	.	.	.	1	5	.
	Apr. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
Belfast. Pop. In 1900 (Est.) 359,000.	Feb. 17,	32·8	1·5	226	.	.	.	.	4	2	.	1	3	27	73	8
	„ 24,	26·3	1·7	181	.	.	2	.	3	1	1	2	3	19	67	5
	Mar. 3,	30·1	1·9	207	.	1	1	.	4	2	.	5	.	26	57	4
	„ 10,	28·3	1·6	195	.	3	.	.	3	1	1	3	1	28	75	2
	„ 17,	22·8	1·3	157	.	1	.	.	2	1	.	4	1	26	35	6
	„ 24,	24·5	2·0	169	.	1	1	.	4	2	.	3	3	30	49	2
	„ 31,	25·6	2·5	176	.	2	.	.	4	2	.	6	3	39	43	2
	Apr. 7,	26·0	0·9	179	.	1	.	.	1	2	.	1	1	25	46	5
Cork. Pop. (in 1891) 75,845.	Feb. 17,	29·1	0·7	42	.	.	.	.	.	.	.	.	1	4	10	.
	„ 24,	33·9	1·4	49	.	1	.	.	.	.	.	.	1	7	7	.
	Mar. 3,	29·1	1·4	42	.	1	.	.	.	.	.	.	1	9	8	.
	„ 10,	23·5	0·7	34	.	.	.	.	.	.	.	.	1	6	9	.
	„ 17,	38·1	1·4	55	.	.	.	.	.	.	.	1	1	7	12	.
	„ 24,	29·1	.	42	.	.	.	.	.	.	.	.	.	7	12	1
	„ 31,	22·8	.	33	.	.	.	.	.	.	.	.	.	3	10	.
	Apr. 7,	33·2	0·7	48	.	.	.	.	.	.	.	.	1	4	14	.
Limerick. Pop. (in 1891) 37,155.	Feb. 17,	42·1	1·4	30	.	.	.	1	.	.	.	.	.	3	12	.
	„ 24,	51·9	.	37	.	.	.	.	.	.	.	.	.	3	16	.
	Mar. 3,	43·5	.	31	.	.	.	.	.	.	.	.	.	2	5	.
	„ 10,	46·3	.	33	.	.	.	.	.	.	.	.	.	3	13	.
	„ 17,	32·3	1·4	23	.	.	.	.	.	.	.	1	.	3	10	.
	„ 24,	30·9	.	22	.	.	.	.	.	.	.	.	.	3	10	.
	„ 31,	98·2	.	70	.	.	.	.	.	.	.	.	.	7	17	.
	Apr. 7,	26·7	.	19	.	.	.	.	.	.	.	.	.	2	6	.
Londonderry Pop. (in 1891) 33,200.	Feb. 17,	40·8	1·6	26	.	.	.	.	.	.	.	.	1	4	10	.
	„ 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	2	12	.
	Mar. 3,	39·3	.	25	.	.	.	.	.	.	.	.	.	2	11	.
	„ 10,	29·8	1·6	19	.	.	.	.	.	.	.	.	1	2	5	.
	„ 17,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	6	.
	„ 24,	22·0	.	14	.	.	.	.	.	.	.	.	.	1	7	.
	„ 31,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	2	6	.
	Apr. 7,	6·3	.	4	.	.	.	.	.	.	.	.	.	2	.	.
Waterford. Pop. (in 1891) 26,200.	Feb. 17,	52·7	4·0	30	.	.	.	.	2	.	.	.	.	7	5	.
	„ 24,	21·9	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	Mar. 3,	29·8	4·0	13	.	.	.	.	1	.	.	1	.	3	3	.
	„ 10,	23·9	2·0	12	.	.	.	1	.	.	.	.	.	1	3	.
	„ 17,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	„ 24,	29·8	.	15	.	.	.	.	.	.	.	.	.	.	4	.
	„ 31,	23·9	2·0	12	.	.	.	.	.	.	.	.	1	1	4	.
	Apr. 7,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 7th April, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	10	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		9	1	.	6	2	.	.	.	.	.	.	.	.	.	4	1	.	2	2
" 2 "	37,589	18			20	5	2	6	7	.	.	.	.	.	1	.	.	.	.	5	1	3	4
" 3 "	38,845	22			21	5	1	8	7	.	.	.	.	.	.	.	.	.	4	3	.	2	4
" 4 "	33,391	37			29	5	1	17	6	.	.	.	.	.	.	.	1	1	2	10	.	.	12
" 5 "	21,284	9			13	1	3	2	7	.	.	.	.	.	.	.	.	.	.	5	1	1	7
" 6 "	43,431	17			18	4	3	8	3	.	.	.	.	.	.	.	.	.	5	5	1	1	5
" 7 "	1,112	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	2			5	1	.	2	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.
" 9 "	12,866	13			13	3	1	7	2	.	.	.	.	1	.	.	.	.	2	3	1	1	.
" 10 "	12,256	12			12	1	2	8	1	.	.	.	.	.	.	.	.	.	1	3	.	.	3
" 11 "	19,881	21			19	1	3	9	6	.	.	.	.	.	.	.	.	.	4	5	.	.	6
" 12 "	23,282	19			12	2	3	4	3	.	.	.	.	.	.	.	.	.	1	3	.	1	.
" 13 "	6,804	8			7	2	2	2	1	.	1	.	.	.	1	.	.	.	1	2	.	.	1
" 14 "	362	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Total,	273,079	188			179	31	21	80	47	.	1	.	.	1	2	.	1	1	25	46	5	13	45
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	3	35·0	.	8	.	.	5	3	.	.	.	.	.	.	.	.	.	1	.	.	.	5
" 2 "	9,252	3	28·2	.	5	.	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 3 "	9,816	5	21·2	.	4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1
" 4 "	10,356	1	35·2	.	7	1	2	2	2	.	.	.	.	.	.	.	.	.	1	5	.	.	3
" 5 "	8,187	1	12·8	6·4	10	3	.	4	3	.	.	.	.	.	.	.	.	1	1	3	.	.	2
" 6 "	8,823	9	28·6	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	6	30·6	.	10	2	3	4	1	.	.	.	.	.	.	.	.	.	.	4	.	.	2
Total,	75,345	28	33·2	0·7	48	7	6	26	9	.	.	.	.	.	.	.	.	1	4	14	.	.	14

Boundaries of Registrars' Districts—Belfast.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre of Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square. Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.
No. of week in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered,	252	231	218	203	246	202	237	192	189	199	203	175	239	263	199	230	204	240	186	230	216	269	218	236	229	188
DEATHS registered.	150	148	164	181	127	176	137	118	113	139	132	192	198	210	166	170	135	187	226	181	207	195	157	169	176	179
Annual Death-rate per 1,000 of estimated Population,	22·8	21·3	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0
AGES, Under 1 year,	44	35	40	35	30	38	40	28	21	26	19	39	34	40	26	32	22	30	41	31	43	42	27	26	37	31
AGES, 1–5 years,	19	24	21	15	18	25	17	14	10	19	9	25	31	23	24	22	17	15	23	16	21	28	26	30	22	21
AGES, 5–60 years,	60	57	84	60	49	90	57	46	68	73	74	75	93	88	71	71	62	99	102	84	92	90	68	77	84	80
AGES, 60 years and upwards,	27	27	19	21	30	23	23	30	19	21	30	53	40	59	45	45	34	43	60	50	51	35	36	36	33	47
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	.	.	.	1	2	.	1	1	2	1	1	4	.	1	1	.	.	.	1	2	1	1	2	1
" Scarlet Fever,	.	.	1	.	.	1	.	.	1	.	1	1	.	.	1	.	.	.	.	2	1	.	.	1	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	3	4	2	1	5	1	4	4	.	2	1	6	6	2	9	5	4	3	4	3	4	3	2	4	4	1
" Diphtheria,	.	.		.	2	1	3	2	.	3	2	1	2	.	1	.	.	3	2	1	2	1	1	2	2	2
" Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.	1	.	.	.	.
" Enteric Fever,	9	8	9	3	6	10	4	5	1	2	1	4	4	4	4	1	1	1	1	2	5	3	4	3	6	1
" Diarrhœa, Dysentery,	4	2	4	.	2	.	.	.	.	1	.	1	3	4	1	2	2	1	3	3	.	1	1	3	3	1
" Phthisis,	15	10	16	17	14	35	12	13	19	29	14	31	27	21	17	21	12	26	27	19	26	28	26	30	39	25
" Diseases of Respiratory System,	32	43	50	43	37	49	35	38	37	34	27	64	74	86	72	66	39	50	73	67	57	75	35	49	43	46
Violent Deaths,	4	3	8	5	1	3	7	4	1	2	6	2	5	2	.	.	3	8	8	5	4	2	6	2	2	5

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	April 7,	2,580	1,931	21·9	.	62	7	32	50	20	6
EDINBURGH,	302,262	„ 7,	165	126	21·7	.	1	.	1	1	.	3
GLASGOW,	743,969	„ 7,	485	347	24·3	.	9	4	3	10	3	8
CALCUTTA,	466,460	Feb. 3,	.	359	40·1	11	.	.	3	.	70‡	64*
BOMBAY,	821,764	Mar. 13,	227	2,668	168·8	222	85	?	?	?	278§	257*
MADRAS,	452,518	Feb. 9,	313	342	39·3	1	10	?	?	?	76	57
PARIS,	2,511,629	Mar. 31,	1,154	1,111	22·9	.	26	1	4†	6	33	17
BRUSSELS (with 8 Faubourgs).	561,130	„ 24,	324	223	20·6	.	2	1	1†	2	1	14
AMSTERDAM,	524,809	„ 17,	303	157	15·6	.	.	.	.	4	.	.
ROTTERDAM,	319,491	„ 17,	253	122	19·8	.	1	.	4	1	.	.
THE HAGUE,	205,328	„ 17,	116	64	16·2	.	1	.	.	.	.	.
COPENHAGEN,	349,000	„ 31,	206	156	23·2	.	.	2	1	1	1	3
CHRISTIANIA,	221,255	„ 31,	136	91	21·4	.	.	1	1	10	.	8
ST. PETERSBURG,	1,132,677	—	.	.	.	.	.	.	.	.	.	.
BERLIN,	1,848,269	Mar. 17,	919	681	19·2	.	8	10	9	10	1	34
HAMBURG,	691,349	„ 24,	.	247	18·6	.	1	1	.	1	.	3
DRESDEN,	400,400	Feb. 17,	257	155	20·1	.	.	.	1†	.	.	6
BRESLAU,	406,012	Mar. 31,	.	253	32·4	.	.	.	.	.	.	23
MUNICH,	445,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,639,811	Mar. 10,	968	763	24·2	.	15	2	5†	2	.	37
BUDA-PESTH,	685,340	„ 24,	464	358	27·2	.	3	2	1	4	.	6
PRAGUE and Faubourgs.	385,952	„ 24,	226	223	30·0	.	.	1	2	4	1	3
ROME,	512,423	„ 3,	240	209	21·2	.	12	.	5	1	.	10
TURIN (10 days),	344,203	Feb. 10,	196	485	51·4	.	2	.	2†	1	1	7
VENICE,	172,491	Mar. 10,	67	80	24·1	.	.	.	3†	.	.	9
NEW YORK,	3,654,594	„ 3,	1,711	1,801	25·7	.	33	23	54	27	3	13
PHILADELPHIA,	1,266,832	„ 10,	.	511	21·0	.	10	3	21	1	10	1

* Including 26 deaths from cholera in Calcutta and 9 in Bombay. † Including deaths from croup.
‡ Exclusive of 73 deaths from bubonic fever § Exclusive of 736 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., P.R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 7th April, 1900:—

"Although unsettled, the weather showed an improvement and there was a marked advance of temperature. On Sunday a large but not deep depression was found off the West of Ireland, where the weather was dull and rainy. In Dublin it remained dry, but the sky became overcast as the day wore on, a solar halo appearing in the forenoon. Lightning was seen at 9.30 p.m. and rain fell during the night. Monday was at first gloomy and damp, but afterwards fine. Tuesday proved very dull and rainy until 2 p.m., when the wind suddenly shifted to W. from S.S.E. On Wednesday morning a large and complex V.-shaped depression stretched southeastwards from Scotland to Holland. The weather was cold but chiefly fine and bright in Ireland, where the N.W. winds of the depression were blowing. There were, however, a few passing showers of rain and hail. By Thursday morning the depression had become modified in shape and was filling up, though retaining its geographical position. On Friday a new disturbance appeared off the West of Ireland, causing a renewed break in the weather and rain. On Saturday there was again a change. Sunshine and a keen easterly breeze taking the place of clouds and rain as the depression travelled southeastwards. In Dublin the mean height of the barometer was 29·760 inches, the highest reading being 30·153 inches at 9 a.m. of Sunday (wind, S.S.E.), the lowest being 29·263 inches at 9 p.m. of Tuesday (wind, N.W.). The corrected mean temperature was 44·8°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 44·1°. The screened thermometers rose to 53·8° on Monday and fell to 36·4° on Friday. The rainfall was ·369 inch on five days, ·200 inch being measured on Tuesday. The prevailing winds were S.E. and N.W. Bright sunshine was estimated at 29½ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·770 inches. The highest reading (30·147) was on Sunday at 9 A.M., wind S.E., and the lowest (29·273) on Tuesday at 9 P.M., wind W.

The mean temperature for the week was 42·6°, being 2·3° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Monday, when the thermometer registered 53·1°, and was lowest on Friday, the mercury having fallen to 31·7°. The mean of the Dry Bulb for the week was 42·5°, and of the Wet Bulb 40·1°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 24·4 hours. The rainfall measured ·535 in.

At Greenwich the mean temperature for the week was 41·9°, the maximum 56·1°, and the minimum 25·7°; at Glasgow the maximum was 53·5°, the minimum 30·9°, and the mean 42·4°; and at Edinburgh the maximum was 51·8°, the minimum 31·4°, and the mean 41·4°. The rainfall at Greenwich measured 0·45 in.; at Glasgow 0·22 in.; and at Edinburgh 0·23 in.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 1,	30·136	49·8	33·1	41·5	43·8	39·9	·74	·4	1·6	·100	S.E.	Calm.
Monday, „ 2,	30·062	53·1	39·6	46·4	44·1	42·7	·89	·7	2·2	·025	S.	N.
Tuesday, „ 3,	29·467	49·6	35·1	42·4	43·8	42·2	·88	·6	0·0	·290	S.W.	W.
Wednesday, „ 4,	29·385	52·0	38·1	45·1	42·1	39·7	·82	·4	9·1	—	W.	N.W.
Thursday, „ 5,	29·777	50·0	34·7	42·4	39·7	36·7	·77	·4	6·8	·005	W.	W.
Friday, „ 6,	29·677	46·6	31·7	39·2	44·1	40·6	·75	·4	1·2	·115	S.	S.S.W.
Saturday, „ 7,	29·888	47·6	35·3	41·5	40·0	39·1	·92	·5	3·5	—	S.S.W.	Calm.
Mean,	29·770	49·8	35·4	42·6	42·5	40·1	·82	·5	Total 24·4	Total ·535	Prevailing W.	Wind.

Sunday—Cloudy a.m.; dull p.m.; rain 7.30 p.m. to 9 a.m.; night overcast. *Monday*—Dull a.m.; cloudy p.m.; rain 9 to 10 a.m.; night cloudy, rain 7.30 to 9 a.m. *Tuesday*—Dull a.m.; cloudy p.m.; rain 9 to 1.30 and 4 to 5 p.m.; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A cloudy day; rain 4 to 4.15 p.m.; night clear to 6 a.m. *Friday*—A cloudy day; rain 10.45 to 3 p.m.; night cloudy. *Saturday*—A fine but cloudy day; night clear p.m.; cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printin Office.

4. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & Co. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & Co., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 14TH APRIL, 1900. [No. 15.

General Register Office, Charlemont House,
Dublin, 17th April, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 21·0), was equal to an average annual death-rate of 22·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·3 per 1,000, the rate for Glasgow being 21·1, and for Edinburgh 21·3.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 25·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks.
	Mar. 24.	Mar. 31.	April 7.	April 14.			Mar. 24.	Mar. 31.	April 7.	April 14.	
23 Town Dists.	29·8	32·8	26·4	25·6	28·6	Limerick, . .	30·9	98·2	26·7	25·3	45·3
Armagh, . .	14·3	28·5	64·1	21·4	32·1	Lisburn, . .	21·3	34·1	17·0	8·5	20·2
Ballymena, .	11·3	0·0	22·5	22·5	14·1	Londonderry, .	22·0	26·7	6·3	20·4	18·9
Belfast, . .	24·5	25·6	26·0	21·6	24·4	Lurgan, . .	22·8	41·1	22·8	0·0	21·7
Carrickfergus, .	17·5	11·7	29·2	17·5	19·0	Newry, . .	28·2	24·1	36·2	8·1	24·2
Clonmel, . .	107·1	43·8	9·7	19·5	45·0	Newtownards, .	11·3	39·7	22·7	34·0	26·9
Cork, . . .	29·1	22·8	33·2	29·1	28·6	Portadown, .	30·9	55·7	18·6	24·7	32·5
Drogheda, . .	41·3	38·0	53·3	19·0	38·0	Queenstown, .	17·2	11·5	28·7	28·7	21·5
Dublin, Reg. Area,	33·9	35·2	28·3	33·4	32·7	Sligo, . . .	40·6	15·2	10·2	30·5	24·1
Dundalk, . .	16·8	92·1	12·6	16·8	34·6	Tralee, . .	22·4	83·9	22·4	11·2	35·0
Galway, . .	56·7	18·9	26·4	26·4	32·1	Waterford, .	29·8	23·9	15·9	21·9	22·9
Kilkenny, . .	75·5	33·0	18·9	4·7	33·0	Wexford, . .	22·6	27·1	27·1	31·6	27·1

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in fourteen

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table VI.

of the districts to 5·8 in Carrickfergus. Among the 149 deaths from all causes registered in Belfast are one from whooping-cough, 2 from diphtheria, 5 from enteric fever, and one from diarrhœa; and the 42 deaths in Cork comprise 2 from measles and one from diarrhœa.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 184—87 boys and 97 girls; and the deaths to 230—107 males and 123 females.

The deaths, which are 46 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 34·3 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 33·4 per 1,000. During the fifteen weeks ending with Saturday last the death-rate averaged 38·5, and was 6·2 over the mean rate for the corresponding portions of the ten years 1890–99.

The number of deaths from zymotic diseases registered last week is 22, being 8 over the low number registered during the preceding week, but one under the average for the 15th week of the last ten years: they consist of 2 from measles, 6 from influenza, one from whooping-cough, 2 from diphtheria, 2 from enteric fever, one from diarrhœa, and 8 from meningitis.

The number of cases of scarlatina admitted to hospital during the week is 8, being 11 under the admissions for the previous week: 14 scarlatina patients were discharged during the week; and 87* remained under treatment on Saturday last, being 6 under the number in hospital at the close of the preceding week.

Five cases of enteric fever were admitted to hospital, being equal to the number for the preceding week: 10 patients were discharged during the week; 2 died; and 24 remained under treatment on Saturday last, being 7 under the number in hospital on Saturday, 7th instant.

During last week, as in the preceding week, 6 cases of diphtheria were admitted to hospital; 3 patients were discharged; 3 died; and 16 remained under treatment at the close of the week.

The hospital admissions for the week include, also, 2 cases of measles; 20 cases of the disease remained under treatment in hospital on Saturday last.

Deaths from diseases of the respiratory system, which had fallen from 56 for the week ended the 31st ultimo to 46 for the following week, rose last week to 53, or 16 over the average for the corresponding week of the last ten years: the 53 deaths comprise 35 from bronchitis and 17 from pneumonia or inflammation of the lungs.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the week ended Saturday, 14th April, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th April.			
	Mar. 24.	Mar. 31.	April 7.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	26	25	23	2	5	.	20
Scarlet Fever,	71	85	93	8	14	.	87*
Typhus „	2	1	.	.	.	.	.
Diphtheria,	12	14	16	6	3	3	16
Enteric Fever,	43	31	31	5	10	2	24
Pneumonia,	31	27	27	6	6	5	22

The deaths of 13 children (including 10 under one year old) were ascribed to convulsions.

Four deaths were caused by apoplexy, 2 by epilepsy, 7 by other diseases of the brain and nervous system (exclusive of convulsions), and 17 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 28 deaths, mesenteric disease 9, tubercular meningitis 4, and cancer 4.

Eight accidental deaths and one case of suicide were registered.

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

In 18 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 12 children under 5 years of age (including 8 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 12 were under one month old) and 63 were aged 60 years and upwards, including 38 persons aged 70 and upwards, of whom 15 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Eighty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 20 took place in the North Dublin Union Workhouse, 15 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 33·4 per 1,000; the rate in the city was 34·7 (36·6 on the North side, and 33·0 on the South), and in the Suburbs 30·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the city being 0·9 (1·3 in the North City Districts, and 0·4 in the South), and for the Suburbs 2·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 21·1 per 1,000. They include 2 from influenza, but no deaths from any other zymotic disease were recorded. Two deaths were caused by diseases of the respiratory system and 2 by phthisis.

No. 1 North City District, West (Summer-hill).—The deaths (31) are equal to an annual rate of 46·4 per 1,000. Three were caused by zymotic diseases, viz.:—2 by meningitis and one by influenza. Five deaths were caused by bronchitis, 4 by pneumonia, 4 by phthisis, and 6 by diseases of the brain and nervous system.

No. 2 North City District (Lisburn-street).—The deaths (26) are equivalent to an annual rate of 47·0 per 1,000. They comprise 2 from zymotic diseases, viz.:—one from diphtheria and one from whooping-cough. Five deaths were caused by bronchitis, 2 by pneumonia, 2 by diseases of the circulatory system, 2 by phthisis, and 4 by mesenteric disease.

No. 3 North City District (Blackhall-place).—The deaths (14) represent an annual rate of 28·0 per 1,000. They include 2 from zymotic diseases, viz.:—one from diphtheria and one from cerebro-spinal meningitis. The 12 deaths from other causes comprise 4 from phthisis and 2 from convulsions.

No. 1 South City District (South Earl-street).—The deaths (26) represent an annual rate of 40·8 per 1,000. They comprise 2 from zymotic diseases, viz.:—one from enteric fever and one from influenza. Six deaths were caused by bronchitis, 2 by pneumonia, 3 by phthisis, and 2 by convulsions.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 33·7 per 1,000. They comprise 3 from diseases of the respiratory system. No deaths from any zymotic disease were recorded.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 29·6 per 1,000. One from cerebro-spinal meningitis constitutes the mortality from zymotic diseases. The 22 deaths from other causes comprise 6 from bronchitis and 2 from diseases of the circulatory system.

No. 4 South City District (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·1 per 1,000. One from influenza is the only death from any zymotic disease. Three deaths were caused by bronchitis, 4 by phthisis, 2 by tubercular meningitis, and 2 by diseases of the brain and nervous system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 37·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 38·9; Finglas and Glasnevin, part of, 36·9; Palmerston, part of, and Crumlin, part of, 64·5; Rathmines, 31·9; Donnybrook, 12·7; Blackrock, 18·6; and Kingstown, 36·0. The deaths from zymotic diseases tabulated for these districts consist of one from influenza for Coolock and Drumcondra, No. 1; one from measles and one from enteric fever for Palmerston, part of; one from measles for Rathmines; one from diarrhœa and one from cerebro-spinal meningitis for Donnybrook; and 2 from cerebro-spinal meningitis for Blackrock. Of the 8 deaths tabulated for Coolock and Drumcondra, No. 1, 2 were caused by diseases of the circulatory system and 2 by diseases of the brain and nervous system; the 3 deaths for Finglas and Glasnevin, part of, were caused by diseases of the respiratory system; 4 of the 9 deaths for Palmerston, part of, were caused by diseases of the respiratory system; the 17 deaths for Rathmines comprise 2 from pneumonia, 3 from diseases of the circulatory system, 2 from phthisis, and 2 from diseases of the brain and nervous system; 2 of the 6 deaths for Donnybrook were from pneumonia; and the 12 deaths for Kingstown comprise 2 from phthisis and 2 from convulsions.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 15th Week of the 10 years 1890–99.	In the week ending Saturday, 14th April, 1900. Deaths of persons of the Ages of								
	April 12, 1890	April 18, 1891	April 16, 1892	April 15, 1893	April 14, 1894	April 13, 1895	April 11, 1896	April 17, 1897	April 16, 1898	April 15, 1899		ALL AGES.	0 to 5.							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 43·1	° 44·3	° 39·5	° 43·4	° 51·2	° 46·6	° 49·8	° 45·1	° 46·9	° 42·8	° 45·3	° 46·9								
ALL CAUSES,	166	186	205	144	175	196	170	189	182	224	183·7	230	12	22	25	26	29	53	47	10
I. FEBRILE OR ZYMOTIC DISEASES,	13	10	36	19	15	32	18	40	23	25	28·1	22	.	2	7	5	3	4	.	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.
III. DIETETIC "	.	.	1	.	2	1	1	2	.	1	·8	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	39	49	42	34	47	43	38	42	58	52	44·4	53	.	5	7	12	14	13	2	.
V. DEVELOPMENTAL "	20	18	14	8	8	22	15	8	15	13	14·1	27	5	.	.	.	.	.	14	8
VI. LOCAL "	74	96	99	79	86	91	86	88	78	117	89·4	107	4	13	10	6	10	34	24	6
VII. VIOLENT DEATHS,	10	8	7	2	3	3	4	4	4	3	4·3	9	.	.	.	2	2	1	3	1
VIII. ILL-DEFINED CAUSES,	10	10	6	2	14	4	8	5	4	13	7·6	10	3	2	.	.	.	1	4	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	2	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	14	2	1	.	.	15	.	.	3·4	2	.	.	2	.	.	.	.	.
Scarlet Fever,	.	.	.	1	.	.	2	2	2	.	·7	.	.	.	.	.	.	.	.	.
Typhus,	.	.	2	1	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	5	.	2	1	3	26	3	1	9	15	6·5	6	.	.	.	.	1	4	.	1
Whooping Cough,	3	7	5	3	2	1	1	14	3	4	4·3	1	.	.	1	.	.	.	.	.
Diphtheria,	.	.	2	.	.	.	1	2	2	2	·9	2	.	1	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	4	2	3	2	1	1	3	4	2·1	2	.	.	1	1	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	.	2	2	3	1	4	1	.	.	1·4	1	.	.	1	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	.	1	1	2	.	·4	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	3	5	6	3	.	3	1	2	.	2·4	8	.	1	1	4	2	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	1	.	2	1	1	2	.	1	·8	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	.	1	.	.
Rheumatism,	.	.	.	1	.	1	1	.	3	.	·6	1	.	.	.	.	.	.	1	.
Gout,	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Cancer,	.	4	3	2	5	2	7	3	6	5	3·7	4	.	.	.	.	.	4	.	.
Tabes Mesenterica,	5	3	5	3	6	6	3	5	3	7	4·6	9	.	4	3	2	.	.	.	.
Tubercular Meningitis	2	8	.	.	4	2	3	6	8	7	4·0	4	.	1	2	1	.	.	.	.
Phthisis,	28	27	28	23	30	26	23	20	32	27	26·4	28	.	.	2	6	11	8	1	.
Scrofula, Tuberculosis,	4	6	5	5	1	4	1	6	5	4	4·1	5	.	.	.	3	2	.	.	.
Other Constitutional Diseases,	.	1	1	.	.	2	.	2	.	.	·6	1	.	.	.	.	1	.	.	.
V. Developmental Diseases—																				
Promature Birth,	4	.	.	2	1	2	2	1	1	4	1·7	5	5	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
Old Age,	16	18	14	6	7	20	12	7	13	9	12·2	22	.	.	.	.	.	.	14	8

each Disease registered in the FIFTEENTH WEEK ending Saturday, 14th April, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday April 12, 1890	April 18, 1891	April 16, 1892	April 15, 1893	April 14, 1894	April 13, 1895	April 11, 1896	April 17, 1897	April 16, 1898	April 15, 1899	Averages in 15th Week of the 10 years 1890-99.	In the Week ending Saturday, 14th April, 1900. Deaths of Persons of the Ages of ALL AGES.	0 to 5 Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 43·1	° 41·3	° 39·5	° 43·4	° 51·2	° 46·6	° 49·8	° 45·1	° 46·9	° 42·8	° 45·3	° 46·9								
VI. Local Diseases--																				
Apoplexy,	4	4	5	2	3	1	2	4	3	2	3·0	4	.	.	.	.	.	4	.	.
Epilepsy,	.	1	1	.	2	1	2	2	1	1	1·1	2	.	.	.	.	.	1	1	.
Convulsions,	11	17	12	7	11	9	12	9	6	11	10·5	13	4	6	2	1	.	.	.	.
Other Diseases of Brain and Nervous System,	11	7	7	7	6	9	7	10	8	13	8·5	7	.	.	.	1	1	3	1	1
Diseases of Organs of Special Sense,	.	1	.	.	1	.	.	.	2	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	10	11	19	17	16	9	11	13	15	27	14·8	17	.	.	.	.	2	7	6	2
Croup,	.	.	1	.	.	1	1	.	.	.	·3	1	.	.	.	1	.	.	.	.
Bronchitis,	12	22	26	19	25	31	18	25	19	29	22·6	35	.	4	4	.	1	11	13	2
Pneumonia	7	11	14	13	6	14	14	12	11	13	11·5	17	.	2	2	2	3	4	3	1
Pleurisy,	.	.	.	.	.	1	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	1	5	4	3	2	.	2	.	1	.	1·8	.	.	.	.	.	.	.	.	.
Teething,	1	1	3	1	.	2	.	3	.	1	1·2	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	2	3	1	1	2	.	.	.	.	2	1·1	.	.	.	.	.	.	.	.	.
Peritonitis	1	2	1	.	.	1	1	.	2	1	·9	1	.	.	.	.	.	1	.	.
Disease of Liver,	3	1	1	2	2	3	10	2	3	4	3·1	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System,	7	2	2	3	2	3	1	1	2	5	2·8	2	.	1	.	.	.	1	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	2	2	2	5	3	3	2	4	5	3·0	4	.	.	.	1	1	2	.	.
Diseases of Generative System,	.	3	.	1	.	1	.	2	.	1	·8	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	1	.	.	.	1	1	.	.	1	·5	2	.	.	.	.	2	.	.	.
Diseases of Locomotive System,	1	1	.	.	2	1	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	.	1	1	.	1	1	.	.	·5	1	.	.	1	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	2	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	1	1	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	9	.	.	2	.	1	.	1	1	2	3·9	2	.	.	.	2	.	.	.	.
By Drowning,		1	.	.	.	1	1	1	1	.		1	.	.	.	.	.	.	1	.
By Suffocation in Bed,		.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		2	4	.	2	.	3	.	.	1		5	.	.	.	.	1	1	2	1
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	.	.	.	1	.	.	1	.	·3	1	.	.	.	.	1	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	10	10	6	2	14	4	8	5	4	13	7·6	10	3	2	.	.	.	1	4	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899–1900—Week ending																										
	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered,	188	180	225	172	241	193	154	206	167	188	247	187	209	168	191	184	174	175	257	179	215	217	226	234	128	184
Average Births in corresponding week of previous 10 years,	179	170	172	175	185	181	184	181	184	154	168	188	199	195	202	206	200	196	208	225	195	192	195	217	199	194
DEATHS registered,	250	244	216	249	248	220	259	258	256	285	280	337	331	295	259	238	199	284	342	230	247	209	236	244	194	230
Annual Death-rate per 1,000,	37·3	36·4	32·2	37·1	37·0	32·8	8·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·	31·2	35·2	36·4	28·9	34·3
Average Deaths in corresponding week of previous 10 years,	152	163	178	166	174	177	183	177	184	184	207	211	239	249	228	221	211	216	212	214	218	218	218	219	204	184
AGES, Under 5 years,	107	95	111	118	123	98	93	103	84	87	86	81	85	70	60	60	54	63	74	55	66	56	69	55	50	59
5—20 „	18	23	22	11	27	16	12	17	23	22	18	15	16	15	20	19	14	24	20	22	15	12	17	12	14	26
20—40 „	29	32	14	36	27	23	6	35	35	46	32	49	38	44	38	34	30	48	47	33	42	39	34	45	24	29
40—60 „	38	39	29	36	32	33	51	51	61	55	57	73	84	61	50	46	35	65	80	51	60	44	51	54	42	53
60—80 „	53	45	32	37	28	36	53	44	44	63	74	94	85	83	79	64	53	73	104	59	56	42	52	59	53	47
80 years and upwards,	5	16	8	11	11	9	14	8	9	12	18	25	23	22	12	15	13	11	17	10	8	16	13	19	11	16
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	52	44	38	39	51	38	29	30	23	24	15	10	18	9	5	4	3	1	5	1	2	4	.	.	3	2
„ Scarlet Fever,	1	1	.	1	2	1	2	1	1	1	1	.	1	.	.	1	2	1	1	1	1	.	1	.	.	.
„ Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	1	.	2	1	2	.	1	1	3	2	2	1	1	3	3	.	5	5	.	.	.	1	.	.	3	1
„ Diphtheria,	2	2			3	2	2	3	2	3	1	.	3	2	1	3	5	3	.	1	2	.	1	1	.	2
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Enteric Fever,	4	6	2	5	9	4	6	2	2	3	2	5	5	2	1	2	.	3	.	4	2	.	.	1	3	2
„ Diarrhœa, Dysentery,	4	9	6	6	5	3	4	4	3	5	1	2	3	6	.	2	2	2	4	5	3	4	4	.	.	1
„ Phthisis,	26	29	15	21	17	20	5	27	36	30	28	40	27	29	36	29	23	32	40	30	37	29	27	30	27	28
„ Heart Diseases,	23	18	9	18	18	17	17	15	26	15	21	24	20	16	25	15	11	28	33	24	18	17	20	23	16	17
„ Diseases of Respiratory System,	39	40	53	57	50	51	66	70	66	73	98	110	110	92	55	67	65	74	94	55	73	39	72	56	46	53
Violent Deaths,	5	8	4	8	6	7	4	6	6	3	7	4	5	5	2	5	3	8	4	2	2	4	9	6	2	9
Mean Temperature of the Air (Phœnix Park),	49·5	48·9	50·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6	46·9
Average Mean Temperature in corresponding week of previous 10 years,	47·3	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3
Rainfall in inches,	·470	·825	1·085	·710	·050	·030	·240	·455	·200	·855	2·055	·715	·535	·560	·530	·920	·690	·680	·520	1·025	·000	·115	·305	·075	·535	·735
Mean Humidity of the Air, complete Saturation 1·0,	·88	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 14th April, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																	
	North City.* Districts.				South City.† Districts.				Clontarf & Howth. No. 1.	Coolock and Drumcondra, No. 1.	Finglas and Glasnevin, part of (a).	Palmerston, pt. of, & Crumlin, pt. of (b).	Rathmines (c).	Donnybrook.	Blackrock (c).	Kingstown, Nos. 1 and 2 (c).	Total for Dublin Registration Area.	Deaths in Institutions of Persons from without the Area.
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	282	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	2	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Other Zymotic Diseases	2	3	.	1	1	.	1	1	.	1	.	.	.	1	2	.	13	1
Total,	2	3	2	2	2	.	1	1	.	1	.	2	1	2	2	.	21	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	2	4	2	4	3	1	1	4	.	1	.	.	2	1	.	2	27	1
Other Constitutional Diseases	1	3	4	2	.	2	3	4	.	.	.	.	2	.	1	1	23	2
Total,	3	7	6	6	3	3	4	8	.	1	.	.	4	1	1	3	50	3
V. DEVELOPMENTAL DISEASES,	.	3	3	.	3	3	6	1	.	.	.	.	4	.	.	4	27	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	1	6	1	3	3	.	1	2	.	2	.	1	2	.	.	2	24	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	1	1	2	1	1	1	2	1	1	2	.	.	3	1	.	.	17	.
Respiratory System,	2	9	7	1	8	3	6	4	1	.	3	4	2	2	.	1	53	.
Digestive System,	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	1	4	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	1	1	.	1	.	1	.	.	.	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	4	16	12	6	13	6	9	8	2	6	3	5	7	3	.	5	105	2
VII. VIOLENT DEATHS,	.	2	2	.	2	.	1	1	1	.	.	.	.	.	.	.	9	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	2	.	1	.	3	.	2	1	.	.	.	.	1	.	.	.	10	.
Deaths from all Causes,	11	31	26	14	26	12	23	20	3	8	3	9	17	6	3	12	234	6
Annual Rate of Mortality in every 1,000 of the population.	21·1	46·4	47·0	28·0	40·8	33·7	29·6	29·1	37·8	38·9	36·9	64·5	31·9	12·7	18·6	36·0		
	36·6				33·0				30·4									
	34·7																33·4	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	7	6	3	6	.	4	3	.	1	.	1	.	2	1	.	40	5
Workhouse Hospitals,	2	7	6	4	9	.	5	1	.	.	.	.	.	.	.	2	36	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th April, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 14th April, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	34·8	230	59	26	29	58	47	16	.	2	.	.	1	2	.	2	1	8	28	1[3]	58	9	119
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	6·7	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	MIDDLE CLASS,	81,469	26·2	41	5	4	6	11	9	6	.	.	.	.	.	.	.	.	.	.	5	2	9	1	24
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	38·1	63	14	6	8	18	10	7	.	.	.	.	.	1	.	1	1	3	7	1	17	1	34
IV.	GENERAL SERVICE CLASS,	147,978	42·1	87	36	15	8	19	8	1	.	2	.	.	1	1	.	1	.	5	11	9	18	7	37
V.	INMATES OF WORKHOUSES,	5,191		37	4	.	7	5	20	1	.	.	.	.	.	.	.	.	.	.	5	1	9	.	22
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	13·0	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,788	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	26·5	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	20·0	10	2	.	.	5	1	2	.	.	.	.	.	.	.	.	.	.	1	1	3	.	5
	6. Clerks and Commercial Assistants,	25,001	20·8	10	3	1	3	2	1	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	38·1	18	.	2	3	3	6	4	.	.	.	.	.	.	.	.	.	.	2	.	5	1	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	98·0	14	6	1	3	4	.	.	.	.	.	.	.	1	.	1	.	2	2	.	3	.	7
	9. Building and Furnishing Trades,	26,294	13·8	7	1	2	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	4
	10. Clothing Trades,	28,927	23·9	11	2	1	2	2	2	2	.	.	.	.	.	.	.	.	.	.	2	1	3	.	5
	11. Food Supply Trades,	7,949	13·1	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	26,937	48·3	25	2	2	2	9	6	4	.	.	.	.	.	.	.	.	1	1	2	.	7	1	14
	13. Petty Shopkeepers,	6,889	30·4	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	15·2	4	2	1	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	2
	15. Domestic Servants,	39,967	6·5	5	2	1	.	2	.	.	.	1	.	.	.	1	.	.	.	2	1	.	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	57·7	12	6	.	1	5	.	.	.	1	.	.	.	.	.	.	.	1	3	1	3	1	3
	17. Hawkers, Porters, Labourers, &c.,	38,472	41·1	66	26	13	7	12	7	1	.	.	.	.	.	.	.	1	.	1	7	8	15	5	30
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	37	4	.	7	5	20	1	.	.	.	.	.	.	.	.	.	.	5	1	9	.	22

TABLE VI.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 14th April, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 14th April, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 14th April, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th April, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 31st March, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	26·4	25·6	1·3	587	522	81	131	.	5	.	1	2	5	.	8	5	75	131	10	16	133	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	27·4	33·4	1·2	184	224	38	68	.	2	.	.	1	2	.	2	1	27	53	9	9	76	59·7	31·9	46·9	0·76	58·1	31·7	42·6	0·54	53·2	22·9	37·3	0·08
City	245,001	65·6	29·4	34·7	0·9	138	163	26	46	.	.	.	.	1	2	.	1	.	21	40	8	8	69	61·7	35·9	49·1	0·64	58·8	36·4	44·8	0·37	58·2	29·9	40·1	0·16
Registrars' Districts. Clontarf &c. No. 1,	4,188	1·5	25·2	37·8	.	2	3	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	24·3	38·9	.	5	8	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	12·3	36·9	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	59·2	32·6	48·1	0·71	55·1	31·8	43·1	0·74	52·9	24·0	38·1	0·11
Palmerston, part of and Crumlin part of (b),	7,278	8·0	35·8	64·5	14·3	5	9	.	1	.	1	.	.	.	.	.	1	.	.	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	22·5	21·9	1·9	12	17	3	5	.	1	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	16·9	12·7	2·1	8	6	.	1	.	.	.	.	.	.	.	.	1	1	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	12·4	18·6	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	33·0	36·0	.	11	12	3	5	.	.	.	.	.	.	.	.	.	2	1	.	.	2	60	41	50·8	.	58	36	44·2	0·44	48	27	39·5	0·14
Urban Districts.																																			
Belfast,	359,000	21·8	28·6	21·6	1·3	197	149	29	23	.	.	.	.	1	2	.	5	1	31	38	.	5	19	54·5	31·6	45·8	1·38	54·1	31·5	44·5	0·66	50·5	27·5	39·5	0·27
Cork,	75,845	33·3	16·6	29·1	2·1	24	42	6	8	.	2	.	.	.	.	.	.	1	6	7	.	.	18	56	42	48·6	0·31	55	38	46·2	1·72	51	34	41·9	0·14
Limerick,	37,155	17·9	30·9	25·3	.	22	18	2	8	.	.	.	.	.	.	.	.	.	1	4	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	20·4	20·4	1·6	13	13	.	5	.	.	.	1	.	.	.	.	.	1	4	.	.	2	57·0	35·0	45·5	1·37	58	34	43·9	0·71	54·6	31·0	41·7	0·33
Waterford,	26,208	18·3	9·9	21·9	.	5	11	2	2	.	.	.	.	.	.	.	.	.	.	6	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,800	2·6	7·6	26·4	.	2	7	1	4	.	.	.	.	.	.	.	.	.	.	2	.	.	2	59	40	45	1·15	57	37	48	1·02	55	30	41	0·20
Drogheda	18,708	8·7	41·8	19·0	3·8	11	5	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	64·4	8·1	.	16	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	60·1	32·4	46·5	0·82	57·7	33·0	43·4	0·57	52·0	28·8	39·5	0·15
Dundalk,	12,449	9·0	.	16·8	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	17·0	8·5	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	60·1	32·4	46·5	0·82	57·7	33·0	43·4	0·57	52·0	28·8	39·5	0·15
Wexford,	11,545	24·0	13·5	31·6	.	3	7	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	54·7	.	.	12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60·1	32·4	46·5	0·82	57·7	33·0	43·4	0·57	52·0	28·8	39·5	0·15
Kilkenny,	11,048	12·0	18·9	4·7	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	57	38	48·5	0·78	51	31	43·0	0·93	52	24	37·6	0·07
Clonmel,	10,708	8·2	39·0	19·5	.	8	4	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	15·2	30·5	5·1	3	6	.	3	.	.	.	.	.	.	.	.	1	2	2	.	.	2	59·3	36·5	47·6	1·36	52·8	32·2	42·5	0·98	55·3	25·8	39·2	0·20
Tralee,	9,318	15·9	28·0	11·2	5·6	5	2	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·8	.	22·5	.	.	4	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	17·0	34·0	5·7	3	6	.	5	.	.	.	.	.	.	.	.	1	1	1	.	.	3	59	34	45·5	1·05	51	31	41·2	0·85	52	29	39·0	0·19
Queenstown,	9,082	17·0	40·2	28·7	.	7	5	2	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.	56	42	48·6	0·81	55	38	46·2	1·72	51	34	41·9	0·14
Carrickfergus,	8,923	0·5	40·9	17·5	5·8	7	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,430	11·0	18·6	24·7	.	3	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	60·1	32·4	46·5	0·82	57·7	33·0	43·4	0·57	52·0	28·8	39·5	0·15
Armagh,	7,187	21·4	28·5	21·4	.	4	3	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	60·1	32·4	46·5	0·82	57·7	33·0	43·4	0·57	52·0	28·8	39·5	0·15

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish o St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 6 deaths of persons (including one under 1 year old), admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin.	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	Feb. 24,	57·6	5·8	30	.	.	.	.	.	.	.	.	5	3	7	1
		Mar. 3,	25·0	3·8	13	.	.	.	.	.	.	.	3	.	3	2	1
		„ 10,	30·7	1·9	16	.	.	.	.	.	1	.	.	.	1	2	.
		„ 17,	26·9	.	14	.	.	.	.	.	.	.	.	.	5	1	1
		„ 24,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 31,	30·7	.	16	.	.	.	.	.	.	.	.	.	4	7	.
		Apr. 7,	40·8	.	21	.	.	.	.	.	.	.	.	.	5	4	1
		„ 14,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	Feb. 24,	40·4	.	27	.	.	.	.	.	.	.	.	.	1	5	1
		Mar. 3,	35·9	3·0	24	.	1	.	.	.	.	.	1	.	3	7	.
		„ 10,	50·9	.	34	.	.	.	.	.	.	.	.	.	3	12	1
		„ 17,	38·9	1·5	26	.	1	.	.	.	.	.	.	.	4	8	.
		„ 24,	46·4	1·5	31	.	.	.	.	.	.	.	.	1	4	13	.
		„ 31,	41·9	.	28	.	.	.	.	.	.	.	.	.	3	5	1
		Apr. 7,	22·5	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
		„ 14,	46·4	.	31	.	.	.	.	.	.	.	.	.	4	9	2
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Feb. 24,	52·4	1·8	29	.	.	.	.	.	.	.	1	.	7	2	.
		Mar. 3,	37·9	1·8	21	.	.	.	.	.	.	.	.	1	1	10	.
		„ 10,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	3	8	.
		„ 17,	45·2	3·6	25	.	.	.	.	.	.	.	.	2	2	8	1
		„ 24,	61·4	.	34	.	.	.	.	.	.	.	.	.	3	12	2
		„ 31,	47·0	1·8	26	.	.	.	.	.	.	.	1	.	1	8	1
		Apr. 7,	34·3	3·6	19	.	2	.	.	.	.	.	.	.	1	5	.
		„ 14,	47·0	3·6	26	.	.	.	.	1	1	.	.	.	2	7	2
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Feb. 24,	52·0	2·0	28	.	1	.	.	.	.	.	.	.	4	6	.
		Mar. 3,	46·0	4·0	23	.	.	1	.	.	.	.	.	1	4	4	1
		„ 10,	36·0	2·0	19	.	.	.	.	.	.	.	1	.	4	6	.
		„ 17,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	5	4	.
		„ 24,	30·0	.	15	.	.	.	.	.	.	.	.	.	3	6	.
		„ 31,	30·0	.	15	.	.	.	.	.	.	.	.	.	4	1	.
		Apr. 7,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	2	7	1
		„ 14,	28·0	2·0	14	.	.	.	.	.	1	.	.	.	4	1	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 38,194.	Feb. 24,	64·4	.	41	.	.	.	.	.	.	.	.	.	2	17	.
		Mar. 3,	31·4	.	20	.	.	.	.	.	.	.	.	.	4	2	.
		„ 10,	51·8	.	33	.	.	.	.	.	.	.	.	.	3	11	1
		„ 17,	39·3	3·1	25	.	1	.	.	.	.	.	.	1	1	6	.
		„ 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	4	4	.
		„ 31,	55·0	.	35	.	.	.	.	.	.	.	.	.	5	3	.
		Apr. 7,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	5	4	.
		„ 14,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	3	8	2
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Feb. 24,	50·6	2·8	18	.	.	.	.	.	.	.	.	1	3	5	.
		Mar. 3,	59·0	5·6	21	.	.	.	.	.	.	.	1	1	.	4	.
		„ 10,	47·3	.	17	.	.	.	.	.	.	.	.	.	4	4	.
		„ 17,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 24,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	6	.
		„ 31,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	4	.
		Apr. 7,	26·5	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 14,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Feb. 24,	57·9	1·3	45	.	.	1	.	.	.	.	.	.	3	15	1
		Mar. 3,	32·1	.	25	.	.	.	.	.	.	.	.	.	3	6	.
		„ 10,	41·1	.	32	.	.	.	.	.	.	.	.	.	4	10	.
		„ 17,	32·1	.	25	.	.	.	.	.	.	.	.	.	1	4	2
		„ 24,	27·0	.	21	.	.	.	.	.	.	.	.	.	2	5	2
		„ 31,	38·6	.	30	.	.	.	.	.	.	.	.	.	4	11	.
		Apr. 7,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	8	.
		„ 14,	29·6	.	23	.	.	.	.	.	.	.	.	.	1	6	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	Feb. 24,	55·4	1·5	38	.	1	.	.	.	.	.	.	.	6	12	.
		Mar. 3,	32·0	.	22	.	.	.	.	.	.	.	.	.	3	5	.
		„ 10,	32·0	5·8	22	.	2	1	.	.	.	.	.	1	2	5	.
		„ 17,	18·9	1·5	13	.	.	.	.	.	.	.	.	1	2	3	.
		„ 24,	39·3	1·5	27	.	.	.	.	.	.	.	.	1	3	7	2
		„ 31,	26·2	.	18	.	.	.	.	.	.	.	.	.	3	3	.
		Apr. 7,	33·5	2·9	23	.	.	.	.	2	.	.	.	.	2	4	.
		„ 14,	29·1	.	20	.	.	.	.	.	.	.	.	.	4	4	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Feb. 24,	28·1	.	15	.	.	.	.	.	.	.	.	.	1	4	.
	Mar. 3,	24·4	3·8	13	.	.	.	.	.	1	.	.	1	.	6	.
	" 10,	26·3	.	14	.	.	.	.	.	.	.	.	.	2	5	.
	" 17,	18·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.
	" 24,	30·0	3·8	16	.	.	1	.	.	.	.	.	1	1	5	.
	" 31,	24·4	.	13	.	.	.	.	.	.	.	.	.	3	4	2
	Apr. 7,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	3	2	.
	" 14,	31·9	1·9	17	.	1	.	.	.	.	.	.	.	2	2	.
Donnybrook. Pop. (in 1891) 24,629.	Feb. 24,	26·0	.	17	.	.	.	.	.	.	.	.	.	.	4	.
	Mar. 3,	31·3	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	" 10,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
	" 17,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	" 24,	19·1	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	" 31,	23·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
	Apr. 7,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	" 14,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	1	2	.
Kingstown. Pop. (in 1891) 17,386.	Feb. 24,	27·0	6·0	9	.	2	.	.	.	.	.	.	.	1	2	.
	Mar. 3,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	" 10,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	" 17,	27·0	.	9	.	1	.	.	.	.	.	.	.	1	1	.
	" 24,	33·0	3·0	11	.	.	.	.	.	.	.	.	1	.	4	1
	" 31,	48·0	.	16	.	.	.	.	.	.	.	.	.	1	5	.
	Apr. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	" 14,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
Belfast. Pop. in 1900 (Est.) 359,000.	Feb. 24,	26·8	1·7	181	.	.	2	.	3	1	1	2	3	19	67	5
	Mar. 3,	30·1	1·9	207	.	1	1	.	4	2	.	5	.	26	57	4
	" 10,	28·3	1·6	195	.	2	.	.	3	1	1	3	1	28	75	2
	" 17,	22·8	1·3	157	.	1	.	.	2	1	.	4	1	26	35	6
	" 24,	24·5	2·0	169	.	1	1	.	4	2	.	3	3	30	49	2
	" 31,	25·6	2·5	176	.	2	.	.	4	2	.	6	3	39	43	2
	Apr. 7,	26·0	0·9	179	.	1	.	.	1	2	.	1	1	25	46	5
	" 14,	21·6	1·3	149	.	.	.	.	1	2	.	5	1	31	38	.
Cork. Pop. (in 1891) 75,845.	Feb. 24,	38·9	1·4	49	.	1	.	.	.	.	.	.	1	7	7	.
	Mar. 3,	29·1	1·4	42	.	1	.	.	.	.	.	.	1	9	8	.
	" 10,	23·5	0·7	34	.	.	.	.	.	.	.	.	1	6	9	.
	" 17,	38·1	1·4	55	.	.	.	.	.	.	.	1	1	7	12	.
	" 24,	29·1	.	42	.	.	.	.	.	.	.	.	.	7	12	1
	" 31,	22·8	.	33	.	.	.	.	.	.	.	.	.	3	10	.
	Apr. 7,	33·2	0·7	48	.	.	.	.	.	.	.	.	1	4	14	.
	" 14,	29·1	2·1	42	.	2	.	.	.	.	.	.	1	6	7	.
Limerick. Pop. (in 1891) 37,155.	Feb. 24,	51·9	.	37	.	.	.	.	.	.	.	.	.	3	16	.
	Mar. 3,	45·5	.	31	.	.	.	.	.	.	.	.	.	2	5	.
	" 10,	46·3	.	33	.	.	.	.	.	.	.	.	.	3	13	.
	" 17,	32·3	1·4	23	.	.	.	.	.	.	.	1	.	3	10	.
	" 24,	30·9	.	22	.	.	.	.	.	.	.	.	.	3	10	.
	" 31,	98·2	.	70	.	.	.	.	.	.	.	.	.	7	17	.
	Apr. 7,	26·7	.	19	.	.	.	.	.	.	.	.	.	2	6	.
	" 14,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	4	.
Londonderry Pop. (in 1891) 33,200.	Feb. 24,	40·3	.	26	.	.	.	.	.	.	.	.	.	2	12	.
	Mar. 3,	39·3	.	25	.	.	.	.	.	.	.	.	.	2	11	.
	" 10,	29·8	1·6	19	.	.	.	.	.	.	.	.	1	2	5	.
	" 17,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	6	.
	" 24,	22·0	.	14	.	.	.	.	.	.	.	.	.	1	7	.
	" 31,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	2	6	.
	Apr. 7,	6·3	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	" 14,	20·4	1·6	13	.	.	.	1	.	.	.	.	.	1	4	.
Waterford. Pop. (in 1891) 26,200.	Feb. 24,	21·9	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	Mar. 3,	29·8	4·0	15	.	.	.	.	1	.	.	1	.	3	3	.
	" 10,	28·9	2·0	12	.	.	.	1	.	.	.	.	.	1	3	.
	" 17,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	3	.
	" 24,	29·8	.	15	.	.	.	.	.	.	.	.	.	.	4	.
	" 31,	28·9	2·0	12	.	.	.	.	.	.	.	.	1	1	4	.
	Apr. 7,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	" 14,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	6	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 14th April, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 60 years.	Ages at Death: 60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
Belfast Urban, No. 1 District,	17,122	8	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		6	1	2	2	1	.	.	.	.	.	.	.	1	.	.	2	.	.	1
" 2 "	37,589	24			19	4	1	11	3	.	.	.	.	.	.	.	.	1	3	6	.	.	2
" 3 "	38,845	34			11	2	.	8	1	.	.	.	.	.	.	.	.	.	2	2	.	.	2
" 4 "	38,391	19			20	3	2	10	5	.	.	.	.	.	.	.	.	.	5	5	.	2	.
" 5 "	21,284	10			8	1	.	7	.	.	.	.	.	.	.	.	.	.	4	2	.	.	1
" 6 "	43,481	24			19	2	1	14	2	.	.	.	.	.	.	.	1	.	5	2	.	.	4
" 7 "	1,112	3			2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 8 "	4,904	6			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	6			8	1	.	7	.	.	.	.	.	.	.	.	.	.	3	.	.	1	2
" 10 "	12,256	13			9	1	2	2	4	.	.	.	.	.	.	.	.	.	2	2	.	.	2
" 11 "	19,881	24			16	2	3	9	2	.	.	.	.	.	.	.	2	.	3	5	.	1	.
" 12 "	23,282	25			27	11	6	7	3	.	.	.	.	1	1	.	1	.	3	9	.	1	5
" 13 "	6,804	6			4	1	1	2	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	197			149	29	18	79	23	.	.	.	.	1	2	.	5	1	31	38	.	5	19
City of Cork.																							
Cork Urban, No. 1 District.	11,927	4	18·1	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3
" 2 "	9,252	3	33·8	.	6	2	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
" 3 "	9,816	2	21·2	5·3	4	1	.	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1
" 4 "	10,356	2	30·2	5·0	6	.	2	3	1	.	1	.	.	.	.	.	.	.	2	1	.	.	2
" 5 "	8,187	1	6·4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	8,823	3	41·4	.	7	.	2	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 7 "	17,034	9	45·9	3·1	15	1	4	7	3	.	1	.	.	.	.	.	.	.	3	3	.	.	3
Total,	75,345	24	29·1	2·1	42	6	9	19	8	.	2	.	.	.	.	.	.	1	6	7	.	.	13

Boundaries of Registrars' Districts—Belfast.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre of Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square. Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.
No. of week in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered,	231	218	203	246	202	237	192	189	199	203	175	239	263	199	230	204	240	186	230	216	269	218	236	229	188	197
DEATHS registered,	143	164	181	127	176	187	118	113	139	132	192	198	210	166	170	185	187	226	181	207	195	157	169	176	179	149
Annual Death-rate per 1,000 of estimated Population,	21·3	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6
AGES, Under 1 year,	35	40	35	30	38	40	28	21	26	19	39	34	40	26	32	22	30	41	31	43	42	27	26	37	31	29
AGES, 1–5 years,	24	21	15	18	25	17	14	10	19	9	25	31	23	24	22	17	15	23	16	21	28	26	30	22	21	18
AGES, 5–60 years,	57	84	60	49	90	57	46	63	73	74	75	93	88	71	71	62	99	102	84	92	90	68	77	84	80	79
AGES, 60 years and upwards,	27	19	21	30	23	23	30	19	21	30	53	40	59	45	45	34	43	60	50	51	35	36	36	38	47	23
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	.	.	.	1	2	.	1	1	2	1	1	4	.	1	1	.	.	.	1	2	1	1	2	1	.
" Scarlet Fever,	.	1	.	.	1	.	.	1	.	1	1	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	4	2	1	5	1	4	4	.	2	1	6	6	2	9	5	4	3	4	3	4	3	2	4	4	1	1
" Diphtheria,	.		.	2	1	3	2	.	3	2	1	2	.	1	.	.	3	2	1	2	1	1	2	2	2	2
" Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.	1	.	.	.	.	.
" Enteric Fever,	8	9	8	6	10	4	5	1	2	1	4	4	4	4	1	1	1	1	2	5	3	4	3	6	1	5
" Diarrhœa, Dysentery,	2	4	.	2	.	.	.	.	1	.	1	3	4	1	2	2	1	3	3	.	1	1	3	3	1	1
" Phthisis,	10	16	17	14	35	12	13	19	29	14	31	27	21	17	21	13	26	27	19	26	28	26	30	39	25	31
" Diseases of Respiratory System,	43	50	43	37	49	35	38	37	34	27	64	74	86	72	66	39	50	73	67	57	75	35	49	43	46	38
Violent Deaths,	3	8	3	1	3	7	4	1	2	6	2	5	2	.	.	3	8	8	5	4	2	6	2	2	5	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	April 14,	2,301	1,844	21·0	.	59	8	19	51	12	8
EDINBURGH, .	302,262	„ 14,	153	124	21·3	.	1	.	.	2	1	2
GLASGOW, . .	743,969	„ 14,	465	302	21·1	.	13	3	1	8	3	6
CALCUTTA, . .	466,460	Feb. 10,	.	402	44·9	18	1	.	1	.	70‡	70*
BOMBAY, . .	821,764	Mar. 20,	201	2,636	166·8	138	57	?	?	?	248§	235*
MADRAS, . .	452,518	Feb. 16,	303	320	36·7	1	18	?	?	?	82	46
PARIS, . . .	2,511,629	April 7,	1,202	1,111	22·9	2	29	7	8†	6	26	23
BRUSSELS (with 8 Faubourgs).	561,130	Mar. 31,	278	218	20·2	.	1	.	2†	1	1	13
AMSTERDAM, .	524,809	„ 24,	334	161	16·0	.	.	.	.	3	1	.
ROTTERDAM, .	319,491	„ 24,	237	125	20·3	.	.	.	.	3	2	.
THE HAGUE, .	205,328	„ 24,	103	62	15·7	.	5	.	.	.	.	.
COPENHAGEN, .	349,000	April 7,	199	117	17·4	.	.	2	2	3	.	4
CHRISTIANIA, .	221,255	„ 7,	166	55	12·9	.	1	.	.	2	.	2
ST. PETERSBURG,	1,132,677	Mar. 31,	795	665	30·5	4	11	17	14	6	16	50
BERLIN, . .	1,848,269	„ 24,	931	720	20·3	.	6	7	14	18	1	36
HAMBURG, . .	691,349	„ 31,	426	248	18·7	.	1	3	1†	2	.	4
DRESDEN, . .	400,400	Feb. 24,	243	119	15·4	.	.	.	.	3	.	10
BRESLAU, . .	406,012	April 7,	.	195	25·0	.	.	.	3	2	.	12
MUNICH, . .	445,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,639,811	Mar. 17,	934	863	27·4	.	19	1	5†	3	4	41
BUDA-PESTH, .	685,340	„ 31,	531	382	29·0	.	2	6	2	1	.	8
PRAGUE and Faubourgs.	385,952	„ 31,	197	212	28·6	.	.	.	.	.	1	2
ROME, . . .	512,423	„ 10,	265	210	21·3	1	17	.	3	.	2	10
TURIN (10 days),	344,203	—		.	.	.	.	.	.	.	.	.
VENICE, . .	172,491	Mar. 17,	81	70	21·1	.	.	.	1†	.	1	4
NEW YORK, .	3,654,594	„ 10,	1,464	1,773	25·3	.	30	19	46	18	6	10
PHILADELPHIA,	1,266,832	„ 17,	.	580	23·8	.	26	3	23	1	17	.

* Including 27 deaths from cholera in Calcutta and 6 in Bombay. † Including deaths from croup.
‡ Exclusive of 98 deaths from bubonic fever. § Exclusive of 648 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., PRES.R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 14th April, 1900:—

"Weather of the 'westerly' and 'cyclonic' type became fully established this week, and the spring advance of temperature observed in the previous week developed almost daily. Sunday broke fair and cold, but as the day wore on a southerly current spread over Ireland, filling the sky with clouds and finally bringing rain even to the east coast of this country. In Dublin the weather was very wet from 5 p.m. Monday held up well, Sunday's depressions having passed eastwards to Great Britain, leaving a dry north-westerly wind in their rear. On Tuesday afternoon a new and large depression approached the West of Scotland from the Atlantic. This system brought very broken, showery weather to all parts of the Kingdom—at 8 a.m. of Wednesday the barometer was down to 29·00 inches at Stornoway in the Hebrides; by 4 p.m. it had sunk to 29·13 inches even in Dublin. The air now became much more genial and so continued to the end of the week. Very strong and even stormy westerly winds prevailed from Wednesday, the afternoon of Good-Friday, however, witnessed a lull in the force of the wind, which rose again on Saturday. In Dublin the mean height of the barometer was 29·724 inches, the range being from 29·986 inches at 9 a.m. of Sunday (wind, N.W.), to 29·131 inches at 4 p.m. of Wednesday (wind, S.W.). The corrected mean temperature was 49·1°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 48·2°. On Sunday the screened thermometers fell to 35·9°, on Saturday they rose to 61·7°—the highest reading since November 4, 1899. Westerly winds predominated. The rainfall was ·635 inch on five days, ·180 inch being registered on Wednesday. Bright sunshine was estimated at 25 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·736 inches. The highest reading (29·992) was on Sunday at 9 A.M., wind W., and the lowest (29·445) on Wednesday at 9 A.M., wind S.W.

The mean temperature for the week was 46·9°, being 1·6° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Saturday, when the thermometer registered 59·7°, and was lowest on Sunday, the mercury having fallen to 31·9°. The mean of the Dry Bulb for the week was 47·1°, and of the Wet Bulb 44·4°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 27·5 hours. The rainfall measured ·735 in.

At Greenwich the mean temperature for the week was 48·0°, the maximum 64·1°, and the minimum 32·5°; at Glasgow the maximum was 56·4°, the minimum 29·2°, and the mean 45·6°; and at Edinburgh the maximum was 55·9°, the minimum 33·4°, and the mean 44·4°. The rainfall at Greenwich measured 0·22 in.; at Glasgow 1·10 ins.; and at Edinburgh 0·57 in.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 8,	29·903	50·3	31·9	41·1	41·4	40·8	·95	·6	2·1	·090	W.	Calm.
Monday, „ 9,	29·785	50·3	40·9	45·1	44·0	41·2	·80	·6	3·0	—	W.N.W.	N.W.
Tuesday, „ 10,	29·718	54·8	38·1	46·5	46·6	43·6	·80	·5	7·0	·085	W.	S.W.
Wednesday, „ 11,	29·472	54·6	44·9	49·8	47·7	44·9	·80	·5	1·7	·225	S.W.	W.
Thursday, „ 12,	29·564	55·8	38·3	47·1	48·8	45·2	·76	·6	0·5	·220	S.W.	W.S.W.
Friday, „ 13,	29·846	56·1	37·8	47·0	48·7	44·6	·73	·5	10·5	—	W.	W.
Saturday, „ 14,	29·867	59·7	44·3	52·0	52·7	50·5	·86	·6	2·7	·115	W.S.W.	S.W.
Mean, .	29·736	54·5	39·5	46·9	47·1	44·4	·81	·6	Total 27·5	Total ·735	Prevailing W.	Wind.

Sunday—A cloudy day; rain 6 to 10.30 p.m.; night cloudy. *Monday*—A cloudy day; night clear to 8 a.m. *Tuesday*—A cloudy day; rain 5 to 10.30 p.m.; night overcast. *Wednesday*—A cloudy day; rain 9.5 to 12 a.m.; showery 1.30 to 7 p.m.; night cloudy. *Thursday*—A cloudy day; squally from 12 p.m.; rain 10 to 12 a.m. and 2.45 to 5.45 p.m.; night cloudy and squally. *Friday*—A fine but cloudy day; squally to 1 p.m.; night cloudy. *Saturday*—A cloudy day; night cloudy; rain 5.30 to 7.30 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

4. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 21ST APRIL, 1900. [No. 16.

General Register Office, Charlemont House,
Dublin, 23rd April, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 20·6), was equal to an average annual death-rate of 21·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·0 per 1,000, the rate for Glasgow being 21·4, and for Edinburgh 18·4.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 24·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Mar. 31.	Week ending April 7.	Week ending April 14.	Week ending April 21.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 31.	Week ending April 7.	Week ending April 14.	Week ending April 21.	Average Rate for 4 weeks.
23 Town Dists.	32·8	26·4	25·6	24·8	27·4	Limerick, . .	98·2	26·7	25·3	36·5	46·7
Armagh, . .	28·5	64·1	21·4	35·6	37·4	Lisburn, . .	34·1	17·0	8·5	21·3	20·2
Ballymena, .	0·0	22·5	22·5	22·5	16·9	Londonderry, .	26·7	6·3	20·4	33·0	21·6
Belfast, . .	25·6	26·0	21·6	18·0	22·8	Lurgan, . .	41·1	22·8	0·0	13·7	19·4
Carrickfergus, .	11·7	29·2	17·5	17·5	19·0	Newry, . .	24·1	36·2	8·1	32·2	25·1
Clonmel, . .	43·8	9·7	19·5	9·7	20·7	Newtownards, .	39·7	22·7	34·0	17·0	28·3
Cork, . . .	22·8	33·2	29·1	34·6	29·9	Portadown, .	55·7	18·6	24·7	43·3	35·6
Drogheda, . .	38·0	53·3	19·0	3·8	28·5	Queenstown, .	11·5	28·7	28·7	34·4	25·8
Dublin, Reg. Area,	35·2	28·3	33·4	29·4	31·6	Sligo, . . .	15·2	10·2	30·5	10·2	16·5
Dundalk, . .	92·1	12·6	16·8	12·6	33·5	Tralee, . .	83·9	22·4	11·2	5·6	30·8
Galway, . .	18·9	26·4	26·4	15·1	21·7	Waterford, .	23·9	15·9	21·9	43·8	26·4
Kilkenny, . .	33·0	18·9	4·7	28·3	21·2	Wexford, . .	27·1	27·1	31·6	9·0	23·7

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table VI.

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·5 in Wexford. Among the 124 deaths from all causes registered in Belfast are one from measles, one from whooping-cough, one from diphtheria, 5 from enteric fever, and 2 from diarrhœa; and the 50 deaths in Cork comprise one from typhus and one from diarrhœa.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 225—109 boys and 116 girls; and the deaths to 204—104 males and 100 females.

The deaths, which are 19 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 30·4 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 29·4 per 1,000. During the sixteen weeks ending with Saturday last the death-rate averaged 38·0, and was 6·0 over the mean rate for the corresponding portions of the ten years 1890–99.

Twenty-five deaths from zymotic diseases were registered last week, being 3 over the number for the preceding week, and 2 over the average for the 16th week of the last ten years: they comprise 2 from measles, 4 from influenza and its complications, 2 from whooping-cough, 2 from diphtheria, 3 from enteric fever, 3 from diarrhœa, 5 from meningitis; &c.

Six cases of scarlatina were admitted to hospital during the week, 13 were discharged, and 80* remained under treatment at the end of the week. No death from this disease occurred: the number of cases under treatment on Saturday last was 7 less than on the previous Saturday.

Five cases of enteric fever were admitted to hospital, 5 were discharged, and none died, leaving the number under treatment the same as at the end of last week.

Three cases of diphtheria were admitted during the week; 3 were discharged; leaving 16 in hospital at the close of the week.

One case of measles was admitted to hospital: 8 were discharged, leaving only 13 cases under treatment at the close of the week.

The number of deaths from diseases of the respiratory system registered last week is 47, being 6 under the number for the preceding week, but 6 over the average for the 16th week of the last ten years: the 47 deaths consist of 26 from bronchitis and 21 from pneumonia or inflammation of the lungs.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the week ended Saturday, 21st April, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st April.			
	Mar. 31.	April 7.	April 14.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	25	23	20	1	8	.	13
Scarlet Fever,	85	93	87	6	13	.	80*
Typhus ,,	1	.	.	.	.	.	.
Diphtheria,	14	16	16	3	3	.	16
Enteric Fever,	31	31	24	5	5	.	24
Pneumonia,	27	27	22	10	6	1	25

The deaths of 10 children under 5 years of age (including 7 infants under one year old) were ascribed to convulsions.

Four deaths were caused by apoplexy, 15 by other diseases of the brain and nervous system (exclusive of convulsions), and 11 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 27 deaths, mesenteric disease 7, tubercular meningitis 7, and cancer 4.

Three accidental deaths were registered.

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age (including 6 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Sixty-six of the persons whose deaths were registered during the week were under 5 years of age (42 being infants under one year, of whom 12 were under one month old) and 63 were aged 60 years and upwards, including 36 persons aged 70 and upwards, of whom 16 were octogenarians, and two (both men) were stated to have been aged 90 and 93 years respectively.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 29·4 per 1,000; the rate in the city was 32·4 (28·5 on the North side, and 35·8 on the South), and in the Suburbs 22·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the city being 1·3 (1·3 in the North City Districts, and 1·2 in the South), and for the Suburbs 3·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 23·0 per 1,000. One death from enteric fever constitutes the mortality from zymotic disease. Bronchitis caused 3 deaths and phthisis 2.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 26·9 per 1,000. One from whooping-cough was the only death recorded from any zymotic disease. Three deaths were caused by bronchitis, 4 by pneumonia, 3 by diseases of the circulatory system, and 2 by convulsions.

No. 2 North City District (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 41·5 per 1,000. They comprise 3 from zymotic diseases, including one from meningitis. Three deaths were caused by bronchitis, 2 by pneumonia, 2 by phthisis, and 4 by mesenteric disease.

No. 3 North City District (Blackhall-place).—The deaths (11) represent an annual rate of 22·0 per 1,000. Two were caused by zymotic diseases, viz.:—one by diarrhœa and 1 by meningitis. Pneumonia caused 3 deaths and phthisis 2.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 37·7 per 1,000. They comprise 4 from zymotic diseases, viz.:—one from measles, one from diarrhœa, one from influenza, and one from meningitis. Three deaths were caused by pneumonia, 2 by diseases of the circulatory system, 2 by phthisis, 2 by mesenteric disease, and 7 by diseases of the brain and nervous system.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 30·9 per 1,000. Five deaths were caused by bronchitis and 2 by diseases of the brain and nervous system. No deaths from any zymotic disease were recorded.

No. 3 South City District (Peter-street).—The deaths (29) are equal to an annual rate of 37·3 per 1,000. They comprise 3 from zymotic diseases, viz.:—2 from influenza and one from meningitis. Three deaths were caused by bronchitis, 2 by pneumonia, 6 by phthisis, 2 by tubercular meningitis, and 7 by diseases of the brain and nervous system.

No. 4 South City District (Grand Canal-street).—The deaths (24) are equivalent to an annual rate of 35·0 per 1,000. Three were from zymotic diseases, viz.:—one from whooping-cough, one from influenza, and one from meningitis. The 21 deaths from other causes comprise 3 from bronchitis, 2 from pneumonia, 3 from phthisis, and 2 from convulsions.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 9·7; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 21·5; Rathmines, 20·6; Donnybrook, 33·9; Blackrock, 18·6; and Kingstown, 21·0. The deaths from zymotic diseases tabulated for these districts comprise one from measles for Palmerston, part of; one from enteric fever, and one from diarrhœa for Rathmines; 2 from diphtheria and one from enteric fever for Donnybrook. The 11 deaths tabulated for Rathmines comprise 2 from diseases of the respiratory system, and 3 from phthisis; 2 of the 16 deaths for Donnybrook were caused by diseases of the respiratory system, 2 by phthisis, 2 by tubercular meningitis, and 3 by diseases of the brain and nervous system; of the 3 deaths for Blackrock 2 were caused by phthisis; and the 7 deaths for Kingstown comprise 2 from diseases of the respiratory system.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 16th Week of the 10 years 1890-99.	In the week ending Saturday, 21st April, 1900.							
												Deaths of persons of the Ages of							
	April 19, 1890	April 25, 1891	April 23, 1892	April 22, 1893	April 21, 1894	April 20, 1895	April 18, 1896	April 24, 1897	April 23, 1898	April 22, 1899		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 45·0	° 42·1	° 45·7	° 53·9	° 47·1	° 45·3	° 47·7	° 45·6	° 48·6	° 42·7	° 46·4	° 50·2								
ALL CAUSES,	179	156	240	194	156	199	138	232	156	202	185·2	204	12	30	24	13	30	32	45	18
I. FEBRILE OR ZYMOTIC DISEASES,	12	8	55	22	13	21	10	45	25	19	28·0	25	.	5	4	2	5	5	3	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	1	.	.	.	.	.	.	2	·4	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	50	29	46	47	37	50	39	55	39	48	44·0	50	.	7	6	9	14	7	5	2
V. DEVELOPMENTAL "	14	17	12	13	11	13	15	12	15	16	13·8	20	5	2	.	.	.	.	8	5
VI. LOCAL "	92	87	115	103	81	101	62	111	76	108	93·6	100	5	15	14	2	11	18	26	9
VII. VIOLENT DEATHS,	5	5	3	2	5	3	7	4	1	4	3·9	3	1	.	.	.	.	.	1	1
VIII. ILL-DEFINED CAUSES,	6	9	8	7	9	11	5	5	.	5	6·5	6	1	1	.	.	.	2	2	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	33	2	.	.	.	19	.	.	5·5	2	.	1	1	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	1	4	1	5	1	1·2	.	.	.	.	.	.	.	.	.
Typhus,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	3	.	4	2	4	18	2	1	8	7	4·9	4	.	.	.	.	.	1	2	1
Whooping Cough,	2	4	10	3	2	.	1	14	2	3	4·1	2	.	2	.	.	.	.	.	.
Diphtheria,	.	.	.	1	1	.	.	1	1	2	·6	2	.	.	1	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	1	4	.	1	1	2	2	2	1·5	3	.	.	1	.	2	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	1	2	2	1	.	.	4	3	2	1·5	3	.	2	.	.	.	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	1	.	.	.	.	2	1	·5	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	2	.	.	.	1	.	.	·3	2	.	.	.	.	.	2	.	.
Pyæmia, Septicæmia,	.	.	2	1	.	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	.	.	1	.	.	1	2	.	.	·5	1	.	.	.	.	.	1	.	.
Other Zymotic Diseases,	3	2	2	3	5	.	1	.	1	.	1·7	5	.	.	1	1	3	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	1	.	.	.	.	.	.	2	·4	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	1	2	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	1	.	1	1	.	2	1	.	.	.	·6	1	.	.	.	.	.	.	.	1
Gout,	.	.	.	.	.	1	1	.	.	1	·8	1	.	.	.	.	.	.	.	1
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	4	1	5	7	5	2	1	10	5	7	4·7	4	.	.	.	.	1	1	2	.
Tabes Mesenterica,	4	3	7	7	2	4	2	7	2	6	4·4	7	.	4	2	1	.	.	.	.
Tubercular Meningitis,	5	4	1	.	.	10	3	3	7	5	3·8	7	.	3	3	1	.	.	.	.
Phthisis,	32	15	21	29	26	23	25	25	23	24	24·3	27	.	.	1	5	12	6	3	.
Scrofula, Tuberculosis,	4	5	7	3	3	6	4	8	.	5	4·5	3	.	.	.	2	1	.	.	.
Other Constitutional Diseases,	.	.	2	.	1	2	1	2	2	.	1·0	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	2	1	3	.	1	7	1	4	4	4	2·7	6	5	1	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	.	.	.	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	.
Old Age,	12	15	9	13	10	6	14	8	11	12	11·0	13	.	.	.	.	.	.	8	5

each Disease registered in the SIXTEENTH WEEK ending Saturday, 21st April, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday April 19, 1890	April 25, 1891	April 23, 1892	April 22, 1893	April 21, 1894	April 20, 1895	April 18, 1896	April 24, 1897	April 23, 1898	April 22, 1899	Averages in 16th Week of the 10 years 1890-99.	In the Week ending Saturday, 21st April, 1900. Deaths of Persons of the Ages of: All Ages.	0 to 5: Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 45·0	° 42·1	° 45·7	° 53·9	° 47·1	° 45·3	° 47·7	° 45·6	° 48·6	° 42·7	° 46·4	Mean Temp. ° 50·2								
VI. Local Diseases.																				
Apoplexy,	1	5	5	2	2	2	4	3	5	4	3·3	4	.	.	.	.	.	3	1	.
Epilepsy,	1	.	2	1	.	3	.	2	2	1	1·2	.	.	.	.	.	.	.	.	.
Convulsions,	16	6	13	12	16	11	7	14	7	8	11·0	10	3	4	3	.	.	.	.	.
Other Diseases of Brain and Nervous System,	13	13	7	5	4	7	6	4	6	5	7·0	15	.	.	1	.	2	4	6	2
Diseases of Organs of Special Sense,	.	.	.	1	.	.	.	.	.	.	·1	2	.	.	1	.	1	.	.	.
Diseases of Circulatory System,	13	16	29	18	15	18	9	12	15	18	16·3	11	1	1	.	.	4	2	1	2
Croup,	1	.	.	.	.	1	.	2	1	2	·7	.	.	.	.	.	.	.	.	.
Bronchitis,	18	19	29	26	18	30	13	32	19	33	23·7	26	1	4	3	.	.	5	10	3
Pneumonia	9	10	16	13	10	12	6	19	12	21	12·8	21	.	4	2	2	3	2	6	2
Pleurisy,	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	6	3	1	6	2	5	4	4	.	1	3·2	.	.	.	.	.	.	.	.	.
Teething,	.	1	1	.	2	2	2	2	1	2	1·3	2	.	1	1	.	.	.	.	.
Quinsy, Sore Throat,	1	.	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	.	1	1	.	.	.	.	1	·4	2	.	1	1	.	.	.	.	.
Peritonitis	1	.	1	1	1	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Disease of Liver,	2	3	5	1	4	2	.	4	.	1	2·2	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	1	4	2	8	2	5	3	5	2	7	3·9	2	.	.	1	.	1	.	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	7	5	2	5	1	2	4	8	5	1	4·0	3	.	.	1	.	.	1	1	.
Diseases of Generative System,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	2	2	.	.	1	.	.	2	·8	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	1	.	1	.	.	.	·2	1	.	.	.	.	.	.	1	.
Diseases of Integumentary System,	.	1	.	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	1			.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	2	.	1	.	.	.		1	.	.	.	.	.	.	1	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	5	2	.	.	1	1	1	2	.	1	3·6	.	.	.	.	.	.	.	.	.
By Drowning,		2	1	.	.	.	1	1	.	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		.	2	1	2	2	3	1	1	1		2	1	.	.	.	.	.	.	1
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	6	9	8	7	9	11	5	5	.	5	6·5	6	1	1	.	.	.	2	2	.

TABLE III.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899–1900—Week ending																									
	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.
No. of weeks in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered,	180	225	172	241	193	154	206	167	188	247	187	209	168	191	184	174	175	257	179	215	217	226	234	128	184	225
Average Births in corresponding week of previous 10 years,	170	172	175	185	181	184	181	184	154	168	188	199	195	202	206	200	196	203	225	195	192	195	217	199	194	192
DEATHS registered,	244	216	249	248	220	259	258	256	285	280	337	331	295	259	238	199	284	342	230	247	209	236	244	194	230	204
Annual Death-rate per 1,000,	36·4	33·2	37·1	37·0	32·8	8·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·	31·2	35·2	36·4	28·9	34·8	30·4
Average Deaths in corresponding week of previous 10 years,	163	178	166	174	177	183	177	184	184	207	211	239	249	228	221	211	216	212	214	218	218	218	219	204	184	185
AGES, Under 5 years,	95	111	118	123	98	93	103	84	87	86	81	85	70	60	60	54	63	74	55	66	56	69	55	50	59	66
5—20 „	23	22	11	27	16	12	17	23	22	13	15	16	15	20	19	14	24	20	22	15	12	17	12	14	26	13
20—40 „	32	14	36	27	28	6	35	35	46	32	49	38	44	38	34	30	48	47	33	42	39	34	45	24	29	30
40—60 „	39	29	36	32	33	51	51	61	55	57	73	84	61	50	46	35	65	80	51	60	44	51	54	42	53	32
60—80 „	45	32	37	28	36	53	44	44	63	74	94	85	83	79	64	53	73	104	59	56	42	52	59	53	47	45
80 years and upwards,	10	8	11	11	9	14	8	9	12	18	25	23	22	12	15	13	11	17	10	8	16	13	19	11	16	13
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	44	38	39	51	38	29	30	23	24	15	10	18	9	5	4	3	1	5	1	2	4	.	.	3	2	2
„ Scarlet Fever,	1	.	1	2	1	2	1	1	1	1	.	1	.	.	1	2	1	1	1	1	.	1	.	.	.	.
„ Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	.	2	1	2	.	1	1	3	2	2	1	1	3	3	.	5	5	.	.	.	1	.	.	3	1	2
„ Diphtheria,	2		3	3	2	2	3	2	3	1	.	3	2	1	3	5	3	.	1	2	.	1	1	.	2	2
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Enteric Fever,	6	2	5	9	4	6	2	2	3	2	5	5	2	1	2	.	3	.	4	2	.	.	1	3	2	3
„ Diarrhœa, Dysentery,		6	6	5	3	4	4	3	5	1	2	2	6	.	2	2	2	4	5	3	4	4	.	.	1	3
„ Phthisis,	29	15	21	17	20	5	27	36	30	28	40	27	29	36	29	23	32	40	30	37	29	27	30	27	23	27
„ Heart Diseases,	13	9	18	13	17	17	15	26	15	21	24	20	16	25	15	11	28	33	24	18	17	20	23	16	17	11
„ Diseases of Respiratory System,	40	53	57	50	51	66	70	66	73	98	110	110	92	55	67	65	74	94	55	78	39	73	56	46	53	47
Violent Deaths,	8	4	8	6	7	4	6	6	3	7	4	5	5	2	5	3	8	4	2	2	4	9	6	2	9	3
Mean Temperature of the Air Phœnix Park),	48·9	50·0	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6	46·9	50·2
Average Mean Temperature in corresponding week of previous 10 years,	46·1	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4
Rainfall in inches,	·825	1·085	·710	·050	·030	·240	·455	·200	·855	2·055	·715	·535	·560	·530	·920	·690	·680	·520	1·025	·000	·115	·305	·075	·535	·735	·170
Mean Humidity of the Air, complete Saturation 1·0,	·91	·82	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 21st April, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																	
	North City.* Districts.				South City.† Districts.				Clontarf & Howth, No. 1.	Coolock and Drumcondra, No. 1.	Finglas and Glasnevin, part of (a).	Palmerston, pt. of & Crumlin, pt of (b).	Rathmines (c).	Donnybrook.	Blackrock (c).	Kingstown, Nos. 1 and 2 (c).	Total for Dublin Registration Area.	Deaths in Institutions of Persons from without the Area.
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2787	5924	5095	904	1714	198	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	2	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.
Diarrhœa, Dysentery,	.	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	3	.
Other Zymotic Diseases	.	.	3	1	2	.	3	2	.	.	.	.	.	.	.	1	12	1
Total,	1	1	3	2	4	.	3	3	.	.	.	1	2	3	.	1	24	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	2	1	2	2	2	1	6	3	.	.	.	.	3	2	2	1	27	.
Other Constitutional Diseases	1	.	6	.	2	.	3	.	.	.	.	.	2	5	.	1	20	3
Total,	3	1	8	2	4	1	3	3	.	.	.	.	5	7	2	2	47	3
V. DEVELOPMENTAL DISEASES,	2	.	3	2	3	1	2	3	1	.	.	1	1	.	.	1	20	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	1	3	1	.	7	2	7	4	.	.	.	.	.	3	.	.	28	1
Diseases of Organs of Special Sense,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Diseases of Circulatory System,	.	3	1	1	2	1	.	1	.	1	.	.	.	.	.	.	10	1
Diseases of Respiratory System,	3	7	5	3	4	5	5	5	.	1	.	1	2	2	1	2	46	1
Diseases of Digestive System,	1	.	1	.	.	.	1	3	1	.	.	.	.	.	.	.	7	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	3	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	15	8	5	13	8	13	14	1	2	1	1	2	5	1	3	97	3
VII. VIOLENT DEATHS,	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	3	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	1	1	1	.	.	1	1	1	.	.	.	.	.	.	.	.	6	.
Deaths from all Causes,	12	18	23	11	24	11	29	24	2	2	1	3	11	16	3	7	197	7
Annual Rate of Mortality in every 1,000 of the population.	23·0	26·9	41·5	22·0	37·7	30·9	37·3	35·0	25·2	9·7	12·3	21·5	20·6	33·9	18·6	21·0		
	28·5				35·8				22·4									
	32·4																29·4	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	5	4	3	3	1	6	6	.	.	.	.	.	3	.	.	31	5
Workhouse Hospitals,	2	.	5	3	5	2	7	2	.	.	1	1	1	2	.	.	31	2

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office : 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office ; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office : Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st April, 1900: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 21st April, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	30·4	204	66	13	30	32	45	18	.	2	.	.	2	2	.	3	3	12	27	10	47	3	105
	CLASSES. Deaths in Families of the—																								
I.	Professional and Independent Class,	15,579	18·4	4	.	.	.	1	1	2	.	.	.	.	.	.	.	2	.	.	7	.	2	.	2
II.	Middle Class,	81,469	22·3	35	6	2	8	5	6	8	.	.	.	.	.	1	.	.	1	3	3	3	6	1	18
III.	Artisan Class and Petty Shopkeepers	99,377	22·0	42	16	2	9	4	9	2	.	1	.	.	.	1	.	1	1	6	13	7	11	.	22
IV.	General Service Class,	147,978	41·8	90	43	9	8	14	15	1	.	1	.	.	2	1	.	1	1	6	13	7	23	2	39
V.	Inmates of Workhouses,	5,191		33	1	.	5	8	14	5	.	.	.	.	.	.	.	.	.	.	4	.	5	.	24
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	26·0	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	16·0	8	4	.	1	1	2	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.	4
	6. Clerks and Commercial Assistants,	25,001	16·6	8	2	1	4	.	1	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	36·0	17	.	1	3	3	3	7	.	.	.	.	.	.	.	1	.	1	3	.	4	1	8
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	56·0	8	5	.	3	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	1	.	5
	9. Building and Furnishing Trades,	26,294	29·7	15	5	1	4	2	3	.	.	.	.	.	.	.	.	.	.	.	1	1	4	.	9
	10. Clothing Trades,	23,927	13·0	6	1	.	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	3	.	2
	11. Food Supply Trades,	7,949	13·1	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,937	17·4	9	3	1	1	2	1	1	.	.	.	.	.	1	.	.	.	1	2	.	2	.	4
	13. Petty Shopkeepers,	6,889	15·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	41·7	11	4	1	1	2	2	1	.	.	.	.	.	.	.	1	.	1	2	1	4	.	3
	15. Domestic Servants,	89,967	1·3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	57·7	12	7	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	2	1	2	.	7
	17. Hawkers, Porters, Labourers, &c.,	83,472	41·2	66	32	7	4	12	11	.	.	1	.	.	2	1	.	.	1	5	9	5	17	2	28
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	5,191	—	33	1	.	5	8	14	5	.	.	.	.	.	.	.	.	.	.	4	.	5	.	24

TABLE VI.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 21st April, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 21st April, 1900. Annual Rate per 1,000 persons represented by. Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 21st April, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th April, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th April, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	32·9	24·8	1·3	671	505	98	152	.	3	.	2	4	3	.	8	7	65	116	8	20	126	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																		
Total,‡	349,524	14·2	33·6	29·4	1·8	225	197	41	60	.	2	.	.	2	2	.	3	3	27	46	3	6	62	§68·8	51·5	50·2	0·17	§59·7	31·9	46·9	0·76	§53·1	31·7	42·6	0·54
Registrars' Districts. City.	245,001	65·6	39·6	32·4	1·3	186	152	31	46	.	1	.	.	2	.	.	1	2	19	37	1	5	54	70·7	42·1	52·8	0·15	61·7	35·9	49·1	0·64	53·8	36·4	44·8	0·37
Clontarf &c. No. 1,	4,138	1·5	50·4	25·2	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	14·6	9·7	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	.	12·3	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	65·9	41·0	50·8	0·17	59·2	32·6	48·1	0·71	55·1	31·8	43·1	0·74
Palmerston, part of and Crumlin part of (b),	7,278	8·0	7·2	21·5	7·2	1	3	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	24·4	20·6	3·8	18	11	4	3	.	.	.	.	.	.	.	1	1	3	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	16·9	33·9	6·4	8	16	2	4	.	.	.	.	.	2	.	1	.	2	2	1	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	24·8	18·6	.	4	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	18·0	21·0	.	6	7	2	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.	68	43	53·0	0·02	60	41	50·3	0·37	53	36	44·2	0·44
Urban Districts.																																		
Belfast,	359,000	21·8	32·7	18·0	1·5	225	124	21	35	.	1	.	.	1	1	.	5	2	14	26	2	7	28	66·6	41·6	51·4	0·25	54·5	31·6	45·8	1·38	54·1	31·5	44·5	0·66
Cork,	75,845	33·3	28·4	34·6	1·4	41	50	3	16	.	.	.	1	.	.	.	.	1	7	8	.	.	18	58	44	51·0	0·00	56	42	48·6	0·31	55	38	46·2	1·72
Limerick,	37,155	17·9	22·5	36·5	.	16	26	4	7	.	.	.	.	.	.	.	.	.	3	10	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	39·3	33·0	1·6	25	21	5	8	.	.	.	.	.	.	.	.	1	3	5	1	1	6	72·0	36·6	52·0	0·39	57·0	35·0	45·5	1·37	53	34	43·9	0·71
Waterford,	26,208	18·3	51·7	43·8	2·0	26	22	6	6	.	.	.	.	1	.	.	.	.	3	5	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	34·0	15·1	.	9	4	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	70	37	54	0·45	59	40	45·5	1·15	57	37	48	1·02
Drogheda	13,708	8·7	19·0	3·8	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	24·1	32·2	.	6	8	3	4	.	.	.	.	.	.	.	.	.	.	3	.	1	1	67·2	38·4	51·5	0·34	60·1	32·4	46·5	0·82	57·7	33·0	43·4	0·57
Dundalk,	12,449	9·0	20·9	12·6	.	5	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	17·0	21·3	.	4	5	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	67·2	38·4	51·5	0·34	60·1	32·4	46·5	0·82	57·7	33·0	43·4	0·57
Wexford,	11,545	24·0	22·6	9·0	4·5	5	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	54·7	13·7	.	12	3	1	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	67·2	38·4	51·5	0·34	60·1	32·4	46·5	0·82	57·7	33·0	43·4	0·57
Kilkenny,	11,048	12·0	51·9	28·3	.	11	6	1	2	.	.	.	.	.	.	.	.	.	1	1	.	1	1	65	40	52·2	0·22	57	38	48·5	0·78	51	31	43·0	0·93
Clonmel,	10,708	8·2	34·1	9·7	.	7	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	20·3	10·2	.	4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	68·2	39·1	51·1	0·40	59·3	36·5	47·0	1·36	52·8	32·2	42·5	0·98
Tralee,	9,318	15·9	5·6	5·6	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	45·1	22·5	.	8	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	45·4	17·0	.	8	3	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	65	41	50·4	0·22	59	34	45·5	1·05	51	31	41·2	0·85
Queenstown,	9,082	17·0	34·4	34·4	.	6	6	1	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.	58	44	51·0	0·00	56	42	48·6	0·31	55	38	46·2	1·72
Carrickfergus,	8,923	0·5	17·5	17·5	.	3	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,430	11·0	29·0	43·3	.	16	7	4	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	67·2	38·4	51·5	0·34	60·1	32·4	46·5	0·82	57·7	33·0	43·4	0·57
Armagh,	7,187	21·4	21·4	35·6	.	3	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	67·2	38·4	51·5	0·34	60·1	32·4	46·5	0·82	57·7	33·0	43·4	0·57

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 7 deaths of persons (including one under 1 year old and 3 at 60 years or upwards), admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin. DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
North City, No. 1 (E.)	Mar. 3,	25·0	3·8	18	.	.	.	.	.	.	.	3	.	3	2	1
	„ 10,	30·7	1·9	16	.	.	.	.	.	1	.	.	.	1	9	.
	„ 17,	26·9	.	14	.	.	.	.	.	.	.	.	.	5	1	1
(*Office, Clarence-street, Nth.*)	„ 24,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	„ 31,	30·7	.	16	.	.	.	.	.	.	.	.	.	4	7	.
	Apr. 7,	40·8	.	21	.	.	.	.	.	.	.	.	.	5	4	1
	„ 14,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	2	.
Pop. (in 1891) 27,147.	„ 21,	23·0	1·9	12	.	.	.	.	.	.	.	1	.	2	3	.
North City, No. 1 (W.)	Mar. 3,	35·9	3·0	24	.	1	.	.	.	.	.	1	.	3	7	.
	„ 10,	50·9	.	34	.	.	.	.	.	.	.	.	.	8	13	1
	„ 17,	38·9	1·5	26	.	1	.	.	.	.	.	.	.	4	8	.
(*Office, Summer-hill.*)	„ 24,	46·4	1·5	31	.	.	.	.	.	.	.	.	1	4	13	.
	„ 31,	41·9	.	28	.	.	.	.	.	.	.	.	.	3	5	1
	Apr. 7,	22·5	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
	„ 14,	46·4	.	31	.	.	.	.	.	.	.	.	.	4	9	2
Pop. (in 1891) 54,836.	„ 21,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	1	7	.
North City, No. 2.	Mar. 3,	37·9	1·8	21	.	.	.	.	.	.	.	.	1	1	10	.
	„ 10,	36·1	1·8	20	.	.	.	.	.	.	.	.	1	3	8	.
	„ 17,	45·2	3·6	25	.	.	.	.	.	.	.	.	2	2	8	1
(*Office, Lisburn-street.*)	„ 24,	61·4	.	34	.	.	.	.	.	.	.	.	.	3	12	2
	„ 31,	47·0	1·8	26	.	.	.	.	.	.	.	1	.	1	8	1
	Apr. 7,	34·3	3·6	19	.	2	.	.	.	.	.	.	.	1	5	.
	„ 14,	47·0	3·6	26	.	.	.	.	1	1	.	.	.	2	7	2
Pop. (in 1891) 28,871.	„ 21,	41·5	.	23	.	.	.	.	.	.	.	.	.	2	5	.
North City, No. 3.	Mar. 3,	46·0	4·0	23	.	.	1	.	.	.	.	.	1	4	4	1
	„ 10,	38·0	2·0	19	.	.	.	.	.	.	.	1	.	4	6	.
	„ 17,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	5	4	.
(*Office, Blackhall-place.*)	„ 24,	30·0	.	15	.	.	.	.	.	.	.	.	.	3	6	.
	„ 31,	30·0	.	15	.	.	.	.	.	.	.	.	.	4	1	.
	Apr. 7,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	2	7	1
	„ 14,	28·0	2·0	14	.	.	.	.	.	1	.	.	.	4	1	.
Pop. (in 1891) 26,055.	„ 21,	22·0	2·0	11	.	.	.	.	.	.	.	.	1	2	3	.
South City, No. 1.	Mar. 3,	31·4	.	20	.	.	.	.	.	.	.	.	.	4	2	.
	„ 10,	51·8	.	33	.	.	.	.	.	.	.	.	.	3	11	1
	„ 17,	39·3	3·1	25	.	1	.	.	.	.	.	.	1	1	6	.
(*Office, South Earl-street.*)	„ 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	4	4	.
	„ 31,	55·0	.	35	.	.	.	.	.	.	.	.	.	5	3	.
	Apr. 7,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	5	4	.
	„ 14,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	3	8	2
Pop. (in 1891) 33,194.	„ 21,	37·7	3·1	24	.	1	.	.	.	.	.	.	1	2	4	.
South City, No. 2.	Mar. 3,	59·0	5·6	21	.	.	.	.	.	.	.	1	1	.	4	.
	„ 10,	47·8	.	17	.	.	.	.	.	.	.	.	.	4	4	.
	„ 17,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
(*Office, Castle-street.*)	„ 24,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	6	.
	„ 31,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	4	.
	Apr. 7,	36·5	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 14,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
Pop. (in 1891) 18,547.	„ 21,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
South City, No. 3.	Mar. 3,	32·1	.	25	.	.	.	.	.	.	.	.	.	3	6	.
	„ 10,	41·1	.	32	.	.	.	.	.	.	.	.	.	4	10	.
	„ 17,	32·1	.	25	.	.	.	.	.	.	.	.	.	1	4	2
(*Office, Peter-street.*)	„ 24,	27·0	.	21	.	.	.	.	.	.	.	.	.	2	5	2
	„ 31,	38·6	.	30	.	.	.	.	.	.	.	.	.	4	11	.
	Apr. 7,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	8	.
	„ 14,	29·6	.	23	.	.	.	.	.	.	.	.	.	1	6	1
Pop. (in 1891) 40,558.	„ 21,	37·3	.	29	.	.	.	.	.	.	.	.	.	6	5	1
South City, No. 4.	Mar. 3,	32·0	.	22	.	.	.	.	.	.	.	.	.	3	5	.
	„ 10,	32·0	5·8	22	.	2	1	.	.	.	.	.	1	2	5	.
	„ 17,	18·9	1·5	13	.	.	.	.	.	.	.	.	1	2	3	.
(*Office, Grand Canal-street.*)	„ 24,	39·3	1·5	27	.	.	.	.	.	.	.	.	1	3	7	2
	„ 31,	26·2	.	18	.	.	.	.	.	.	.	.	.	3	3	.
	Apr. 7,	33·5	2·9	23	.	.	.	.	2	.	.	.	.	2	4	.
	„ 14,	29·1	.	20	.	.	.	.	.	.	.	.	.	4	4	1
Pop. (in 1891) 35,793.	„ 21,	35·0	1·5	24	.	.	.	.	1	.	.	.	.	3	5	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Mar. 3,	24·4	3·8	13	.	.	.	.	.	1	.	.	1	.	6	.
	„ 10,	26·3	.	14	.	.	.	.	.	.	.	.	.	2	5	.
	„ 17,	18·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.
	„ 24,	30·0	3·8	16	.	.	1	.	.	.	.	.	1	1	5	.
	„ 31,	24·4	.	13	.	.	.	.	.	.	.	.	.	3	4	2
	Apr. 7,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	3	2	.
	„ 14,	31·9	1·9	17	.	1	.	.	.	.	.	.	.	2	2	.
	„ 21,	20·6	3·8	11	.	.	.	.	.	.	.	1	1	3	2	1
Donnybrook. Pop. (in 1891) 24,629.	Mar. 3,	31·8	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 10,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
	„ 17,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 24,	19·1	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	„ 31,	23·8	.	11	.	.	.	.	.	.	.	.	.	.	3	1
	Apr. 7,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	1	2	.
	„ 21,	33·9	3·4	16	.	.	.	.	.	2	.	1	.	2	2	1
Kingstown. Pop. (in 1891) 17,886.	Mar. 3,	33·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 10,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	„ 17,	27·0	.	9	.	1	.	.	.	.	.	.	.	1	1	.
	„ 24,	33·0	3·0	11	.	.	.	.	.	.	.	.	1	.	4	1
	„ 31,	48·0	.	16	.	.	.	.	.	.	.	.	.	1	5	.
	Apr. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	.
Belfast. Pop. in 1900 (Est.) 359,000.	Mar. 3,	30·1	1·9	207	.	1	1	.	4	3	.	5	.	26	57	4
	„ 10,	28·3	1·6	195	.	2	.	.	3	1	1	3	1	28	75	2
	„ 17,	22·8	1·3	157	.	1	.	.	2	1	.	4	1	26	35	6
	„ 24,	24·5	2·0	169	.	1	1	.	4	2	.	3	3	30	49	2
	„ 31,	25·6	2·5	176	.	2	.	.	4	2	.	6	3	39	43	2
	Apr. 7,	26·0	0·9	179	.	1	.	.	1	2	.	1	1	25	46	5
	„ 14,	21·6	1·3	149	.	.	.	.	1	2	.	5	1	31	38	.
	„ 21,	18·0	1·5	124	.	1	.	.	1	1	.	5	2	14	26	2
Cork. Pop. (in 1891) 75,845.	Mar. 3,	29·1	1·4	43	.	1	.	.	.	.	.	.	1	9	8	.
	„ 10,	23·5	0·7	34	.	.	.	.	.	.	.	.	1	6	9	.
	„ 17,	38·1	1·4	55	.	.	.	.	.	.	.	1	1	7	12	.
	„ 24,	29·1	.	42	.	.	.	.	.	.	.	.	.	7	12	1
	„ 31,	22·8	.	38	.	.	.	.	.	.	.	.	.	3	10	.
	Apr. 7,	33·2	0·7	48	.	.	.	.	.	.	.	.	1	4	14	.
	„ 14,	29·1	2·1	42	.	2	.	.	.	.	.	.	1	6	7	.
	„ 21,	34·6	1·4	50	.	.	.	1	.	.	.	.	1	7	8	.
Limerick. Pop. (in 1891) 37,155.	Mar. 3,	43·5	.	31	.	.	.	.	.	.	.	.	.	2	5	.
	„ 10,	46·3	.	33	.	.	.	.	.	.	.	.	.	3	13	.
	„ 17,	32·3	1·4	23	.	.	.	.	.	.	.	1	.	3	10	.
	„ 24,	30·9	.	22	.	.	.	.	.	.	.	.	.	3	10	.
	„ 31,	98·2	.	70	.	.	.	.	.	.	.	.	.	7	17	.
	Apr. 7,	26·7	.	19	.	.	.	.	.	.	.	.	.	2	6	.
	„ 14,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	4	.
	„ 21,	36·5	.	26	.	.	.	.	.	.	.	.	.	3	10	1
Londonderry Pop. (in 1891) 33,200.	Mar. 3,	39·3	.	25	.	.	.	.	.	.	.	.	.	2	11	.
	„ 10,	29·8	1·6	19	.	.	.	.	.	.	.	.	1	2	5	.
	„ 17,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	6	.
	„ 24,	22·0	.	14	.	.	.	.	.	.	.	.	.	1	7	.
	„ 31,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	2	6	.
	Apr. 7,	6·3	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 14,	20·4	1·6	13	.	.	.	1	.	.	.	.	.	1	4	.
	„ 21,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	3	5	1
Waterford. Pop. (in 1891) 26,200.	Mar. 3,	29·3	4·0	15	.	.	.	.	1	.	.	1	.	3	3	.
	„ 10,	23·9	2·0	12	.	.	.	1	.	.	.	.	.	1	3	.
	„ 17,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	3	.
	„ 24,	29·8	.	15	.	.	.	.	.	.	.	.	.	.	4	.
	„ 31,	23·9	2·0	12	.	.	.	.	.	.	.	.	1	1	4	.
	Apr. 7,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 14,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	6	.
	„ 21,	43·8	2·0	22	.	.	.	.	1	.	.	.	.	3	5	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 21st April, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	6	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 2 "	37,539	23			8	2	.	3	3	.	.	.	.	.	.	.	.	.	2	2	.	.	2
" 3 "	38,845	39			25	4	1	11	9	.	.	.	.	.	.	.	2	.	2	4	1	4	3
" 4 "	33,391	24			24	4	3	12	5	.	.	.	.	.	.	.	2	1	.	5	1	1	13
" 5 "	21,284	18			4	1	.	2	1	.	.	.	.	1	.	.	.	.	.	1	.	1	1
" 6 "	43,431	22			18	2	1	11	4	.	.	.	.	.	.	.	1	.	5	3	.	.	3
" 7 "	1,112	2			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 8 "	4,904	6			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	13			7	.	2	5	.	.	1	.	.	.	.	.	.	.	1	1	.	.	2
" 10 "	12,256	18			10	4	2	2	2	.	.	.	.	.	.	.	.	1	2	3	.	.	.
" 11 "	19,881	24			9	1	1	5	2	.	.	.	.	.	1	.	.	.	1	1	.	.	2
" 12 "	28,282	19			10	1	2	4	3	.	.	.	.	.	.	.	.	.	1	3	.	.	1
" 13 "	6,804	11			4	.	.	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.
" 14 "	862	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	225			124	21	12	56	35	.	1	.	.	1	1	.	5	2	14	26	2	7	28
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	5	52·5	.	12	1	.	8	3	.	.	.	.	.	.	.	.	.	3	2	.	.	7
" 2 "	9,252	9	39·4	5·6	7	.	.	3	4	.	.	.	1	.	.	.	.	.	1	1	.	.	2
" 3 "	9,816	4	26·6	5·8	5	.	1	2	2	.	.	.	.	.	.	.	.	1	.	2	.	.	2
" 4 "	10,356	6	15·1	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	3
" 5 "	8,187	2	57·7	.	9	.	.	6	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	8,823	6	35·4	.	6	.	1	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 7 "	17,034	9	24·5	.	8	2	.	6	.	.	.	.	.	.	.	.	.	.	3	1	.	.	3
Total,	75,345	41	34·6	0·7	50	3	2	29	16	.	.	.	1	.	.	.	.	1	7	8	.	.	18

Boundaries of Registrars' Districts—Belfast.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre of Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square. Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.
No. of week in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered,	218	203	246	202	237	192	189	199	203	175	239	263	199	230	204	240	186	230	216	269	218	236	229	188	197	225
DEATHS registered,	164	131	127	176	137	118	113	139	132	192	199	210	166	170	165	187	256	181	207	195	157	169	176	179	149	124
Annual Death-rate per 1,000 of estimated Population,	24·4	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0
AGES, Under 1 year,	40	35	30	38	40	28	21	26	19	39	34	40	26	32	22	30	41	31	43	42	27	26	37	31	29	21
AGES, 1–5 years,	21	15	18	25	17	14	10	19	9	25	31	23	24	22	17	15	23	16	21	28	26	30	22	21	18	12
AGES, 5–60 years,	84	60	49	90	57	46	63	73	74	75	93	88	71	71	62	99	102	84	92	90	68	77	84	80	79	56
AGES, 60 years and upwards,	19	21	30	23	23	30	19	21	30	53	40	59	45	45	34	43	60	50	51	35	36	36	33	47	23	35
eaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	1	2	.	1	1	2	1	1	4	.	1	1	.	.	.	1	2	1	1	2	1	.	1
" Scarlet Fever,	1	.	.	1	.	.	1	.	1	1	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	2	1	5	1	4	4	.	2	1	6	6	2	9	5	4	3	4	3	4	3	2	4	4	1	1	1
" Diphtheria,	3	.	2	1	3	2	.	3	2	1	2	.	1	.	.	3	2	1	2	1	1	2	2	2	2	1
" Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.
" Enteric Fever,	9	3	6	10	4	5	1	2	1	4	4	4	4	1	1	1	1	2	5	3	4	3	6	1	5	5
" Diarrhœa, Dysentery,	4	.	2	.	.	.	.	1	.	1	3	4	1	2	2	1	3	3	.	1	1	3	3	1	1	2
" Phthisis,	16	17	14	35	12	13	19	29	14	31	27	21	17	21	12	26	27	19	26	28	26	30	39	25	31	14
" Diseases of Respiratory System,	50	43	37	49	35	38	37	34	27	64	74	86	72	66	39	50	73	67	57	75	35	49	43	46	38	26
Violent Deaths,	8	3	1	3	7	4	1	2	6	2	5	2	.	.	3	8	8	5	4	2	6	2	2	5	.	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	April 21,	2,610	1,811	20·6	.	53	5	17	49	9	8
EDINBURGH,	302,262	„ 21,	170	107	18·4	.	3	.	.	.	.	3
GLASGOW,	743,969	„ 21,	509	306	21·4	.	11	5	2	10	3	4
CALCUTTA,	466,460	Feb. 17,	.	506	56·5	6	.	.	.	.	97‡	87*
BOMBAY,	821,764	Mar. 27,	214	2,312	146·3	138	57	?	?	?	248§	235*
MADRAS,	452,518	Feb. 23,	308	357	41·0	.	19	?	?	?	99	43
PARIS,	2,511,629	April 14,	1,217	1,175	24·3	.	28	2	10†	6	23	34
BRUSSELS (with 8 Faubourgs).	561,130	„ 7,	329	206	19·1	.	2	1	2†	2	.	14
AMSTERDAM,	524,809	Mar. 31,	314	159	15·8	.	.	.	1	1	.	.
ROTTERDAM,	319,491	„ 31,	238	131	21·2	.	.	.	.	1	2	.
THE HAGUE,	205,328	„ 31,	109	72	18·2	.	4	.	.	.	.	.
COPENHAGEN,	349,000	—	.	.	.	.	.	.	.	.	.	.
CHRISTIANIA,	221,255	April 14,	146	79	18·6	.	.	.	1	4	.	3
ST. PETERSBURG,	1,132,677	„ 7,	765	647	29·7	6	11	16	13	5	19	55
BERLIN,	1,848,269	Mar. 31,	928	646	18·2	.	11	5	15	14	.	35
HAMBURG,	691,349	April 7,	390	209	15·7	.	.	.	.	3	.	4
DRESDEN,	400,400	Mar. 3,	224	123	15·9	.	.	.	1†	2	.	5
BRESLAU,	406,012	April 14,	.	219	28·0	.	1	1	.	1	.	25
MUNICH,	445,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,639,811	Mar. 24,	1,055	835	26·5	.	15	1	10†	3	6	40
BUDA-PESTH,	685,340	April 7,	508	393	29·8	.	2	7	4	.	1	3
PRAGUE and Faubourgs.	385,952	—	.	.	.	.	.	.	.	.	.	.
ROME,	512,423	Mar. 17,	236	232	23·5	.	17	.	1	.	.	4
TURIN (10 days),	344,203	Feb. 20,	222	283	30·0	.	13	.	4†	3	1	8
VENICE,	172,491	Mar. 24,	94	88	26·5	.	.	.	2†	1	.	4
NEW YORK,	3,654,594	„ 17,	1,522	1,622	23·2	.	18	15	45	19	9	11
PHILADELPHIA,	1,266,832	„ 24,	.	637	26·1	.	17	3	26	3	13	3

* Including 51 deaths from cholera in Calcutta and 6 in Bombay. † Including deaths from croup.
‡ Exclusive of 178 deaths from bubonic fever. § Exclusive of 648 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., PRES.R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 21st April, 1900:—

"Two diametrically opposite types of weather were experienced in the course of this week. At first, conditions were cyclonic, and rough, cold, and showery weather prevailed as atmospheric depressions passed eastwards across Scotland and the North Sea. Tuesday's Weather Chart showed a very general rise of the barometer in progress over Western and Northern Europe. Baric gradients were much less steep and the weather became finer as well as much warmer. The sky cleared in the course of the day and several hours of bright sunshine were enjoyed. At 8 a.m. on Wednesday an anticyclone covered Ireland, England, and the greater part of France. Fine, but dull grey weather prevailed in Dublin. In the S.W. of Ireland, however, and in the S.W. and S. of England there was much sunshine. On Thursday the sky cleared in Dublin, and Friday proved a day of unclouded sunshine from sunrise to sunset. The thermometer rose quickly—touching 69° at Aberdeen, Parsonstown, and Oxford on Thursday, 74° being recorded at both Aberdeen and Loughborough on Friday. At the last-named station temperature fell on Friday night to 37° in the screen and to 31° on the grass. On Saturday the barometer gave way slowly and much cirrus overspread the sky from the westward. Heavy and dangerous thunder showers occurred in many parts of England on Monday. In Dublin the mean height of the barometer was 30·246 inches, pressure ranging from 29·700 inches at 9 a.m. of Sunday (wind, W.S.W.) to 30·532 inches at 9 a.m. of Thursday (wind, S.E.). The corrected mean temperature was 52·8°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 52·5°. The screened thermometers fell to 42·1° on Monday and rose to the remarkable height for April of 70·7° on Saturday. The rainfall was ·146 inch on three days, ·094 inch being measured on Sunday. The prevalent winds were at first W.N.W., afterwards S.E. The duration of bright sunshine was estimated at 57 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·259 inches. The highest reading (30·529) was on Thursday at 9 A.M., wind S.E., and the lowest (29·724) on Sunday at 9 A.M., wind W.

The mean temperature for the week was 50·2°, being 3·8° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Saturday, when the thermometer registered 68·8°, and was lowest on Sunday, the mercury having fallen to 31·5°. The mean of the Dry Bulb for the week was 51·1°, and of the Wet Bulb 48·7°. The mean humidity of the air was ·76, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 64·0 hours. The rainfall measured ·170 in.

At Greenwich the mean temperature for the week was 51·8°, the maximum 76·1°, and the minimum 39·1°; and at Glasgow the maximum was 71·9°, the minimum 40·0°, and the mean 51·5°; The rainfall at Greenwich measured 0·15 in.; and at Glasgow 0·37 in.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 15,	29·756	53·1	31·5	42·3	45·6	41·3	·71	·4	9·0	·100	W.	W.S.W.
Monday, „ 16,	30·074	53·6	36·3	45·0	45·5	42·6	·79	·6	10·0	·065	W.	W.
Tuesday, „ 17,	30·259	59·6	41·1	50·4	49·9	47·5	·84	·4	7·8	·005	W.	N.W.
Wednesday, „ 18,	30·489	57·8	47·4	52·6	52·4	50·2	·86	·1	1·1	—	W.	Calm.
Thursday, „ 19,	30·519	59·8	46·9	53·4	51·6	48·7	·82	·1	11·4	—	S.E.	Calm.
Friday, „ 20,	30·419	66·4	40·6	53·5	56·2	49·2	·62	·2	12·7	—	S.E.	S.
Saturday, „ 21,	30·288	68·8	39·1	54·0	56·2	51·3	·71	·3	12·0	—	S.	S.W.
Mean, .	30·259	59·9	40·4	50·2	51·1	48·7	·76	·3	Total 64·0	Total ·170	Prevailing Wind. W.	

Sunday—A cloudy and squally day; rain 10.45 to 11 a.m.; night cloudy: rain 12.15 to 2 a.m. *Monday*—A fine but cloudy day; squally to 5 p.m.; night cloudy; rain 3.30 to 9 a.m. *Tuesday*—A cloudy day; rain 9 to 9.30 a.m.; night cloudy. *Wednesday*—A cloudy day; night clear from 5 a.m. *Thursday*—A beautiful day; night clear. *Friday*—A beautiful day; night clear. *Saturday*—A beautiful day; light clouds p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

4. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 28TH APRIL, 1900. [No. 17.

General Register Office, Charlemont House,
Dublin, 30*th April,* 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 19·5), was equal to an average annual death-rate of 20·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·7 per 1,000, the rate for Glasgow being 24·6, and for Edinburgh 20·0.

TOWN DISTRICTS OF IRELAND.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 23·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending April 7.	Week ending April 14.	Week ending April 21.	Week ending April 28.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 7.	Week ending April 14.	Week ending April 21.	Week ending April 28.	Average Rate for 4 weeks.
23 Town Dists.	26·4	25·6	24·8	23·3	25·0	Limerick, . .	26·7	25·3	36·5	25·3	28·4
Armagh, . .	64·1	21·4	35·6	21·4	35·6	Lisburn, . .	17·0	8·5	21·3	29·8	19·2
Ballymena, .	22·5	22·5	22·5	50·7	29·6	Londonderry, .	6·3	20·4	33·0	22·0	20·4
Belfast, . .	26·0	21·6	18·0	18·4	21·0	Lurgan, . .	22·8	0·0	13·7	41·1	19·4
Carrickfergus, .	29·2	17·5	17·5	11·7	19·0	Newry, . .	36·2	8·1	32·2	16·1	23·2
Clonmel, . .	9·7	19·5	9·7	63·3	25·6	Newtownards, .	22·7	34·0	17·0	22·7	24·1
Cork, . . .	33·2	29·1	31·6	27·7	31·1	Portadown, .	18·6	24·7	43·3	55·7	35·6
Drogheda, . .	53·3	19·0	3·8	11·4	21·9	Queenstown, .	23·7	28·7	34·4	17·2	27·2
Dublin, Reg. Area,	28·3	33·4	29·4	25·2	29·1	Sligo, . . .	10·2	30·5	10·2	10·2	15·3
Dundalk, . .	12·6	16·8	12·6	37·7	19·9	Tralee, . .	22·4	11·2	5·6	16·8	14·0
Galway, . .	26·4	26·4	15·1	41·5	27·3	Waterford, .	15·9	21·9	43·8	13·9	23·9
Kilkenny, . .	18·9	4·7	28·3	18·9	17·7	Wexford, . .	27·1	31·6	9·0	18·1	21·5

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in fifteen

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table VI.

T

of the districts to 6·2 in Portadown. Among the 127 deaths from all causes registered in Belfast are 4 from whooping-cough, one from diphtheria, 3 from enteric fever, and 3 from diarrhœa; and the 40 deaths in Cork comprise one from diphtheria and 2 from enteric fever.

Dublin and Suburbs.

In the Dublin Registration Area the births registered during the week amounted to 202—88 boys and 114 girls; and the deaths to 178—97 males and 81 females.

The deaths, which are 6 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 26·5 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 25·2 per 1,000. During the seventeen weeks ending with Saturday last the death-rate averaged 37·3, and was 5·6 over the mean rate for the corresponding portions of the ten years 1890–99.

Seventeen deaths from zymotic diseases were registered during the week, being 8 below the number for the preceding week, and 3 under the average for the 17th week of the last ten years: they comprise 3 deaths from influenza, 5 from enteric fever, 3 from diarrhœa, 2 from whooping-cough, one from epidemic cerebro-spinal meningitis, one from meningitis, &c.

Eighteen cases of scarlatina were admitted to hospital during the week: 15 were discharged, 1 died, and 82* remained under treatment at the close of the week. There were 12 admissions to hospital in excess of last week.

Eleven cases of enteric fever were admitted to hospital, being 6 over the number admitted last week; 3 were discharged, 2 died, and 30 remained under treatment at the end of the week, being 6 in excess of the past two weeks, but one below the week ending 7th April.

Four cases of diphtheria were admitted to hospital, 5 were discharged, and 15 remained under treatment at end of the week; no death occurred

Five cases of measles were admitted, against one the week before; 2 were discharged; no death occurred; 16 cases remained under treatment at close of the week.

Diseases of the respiratory system caused 40 deaths, being 7 less than the number last week, but 2 above the average for the 17th week of the last ten years: the 40 deaths comprise 26 from bronchitis, 9 from pneumonia or inflammation of the lungs, and 2 from pleurisy.

Table I.—The Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the week ended Saturday, 28th April, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th April.			
	April 7.	April 14.	April 21.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	23	20	13	5	2	.	16
Scarlet Fever,	93	87	80	18	15	1	82*
Typhus ,,	.	.	.	.	.	.	.
Diphtheria,	16	16	16	4	5	.	15
Enteric Fever,	31	24	24	11	3	2	30
Pneumonia,	27	22	25	10	1	.	34

The deaths of 9 children (including 8 under 5 years of age) 6 being infants under one year old, were ascribed to convulsions.

Four deaths were caused by meningitis, one by apoplexy, 4 by other diseases of the brain and nervous system (exclusive of convulsions), and 11 by diseases of the circulatory system.

Four accidental deaths were registered.

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 children under 5 years of age (including 5 infants under one year old).

Fifty-one of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 10 were under one month old) and 31 were aged 60 years and upwards, including 12 persons aged 70 and upwards, of whom 3 were octogenarians, and one (a woman) was stated to have been aged 96 years.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables IV. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·2 per 1,000; the rate in the city was 28·9 (27·2 on the North side, and 30·5 on the South), and in the Suburbs 16·5.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the city being 2·1 (2·2 in the North City Districts, and 2·0 in the South), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 23·0 per 1,000. They comprise 2 from zymotic diseases, viz.:—one from enteric fever and one from influenza. Four deaths were caused by bronchitis and 3 by diseases of the brain and nervous system.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 25·4 per 1,000. Two were caused by bronchitis, 2 by pneumonia, 3 by diseases of the circulatory system, 2 by cancer, and 2 by diseases of the brain and nervous system. No deaths from any zymotic disease were recorded.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 23·5 per 1,000. One from diarrhœa is the only death from any zymotic disease. Two deaths were caused by diseases of the respiratory system, 2 by phthisis, and 3 by diseases of the brain and nervous system, including 2 cases of meningitis.

No. 3 North City District (Blackhall-place).—The deaths (19) represent an annual rate of 38·0 per 1,000. They comprise 3 from zymotic diseases, viz.:—two from enteric fever and one from diarrhœa. Three deaths were caused by bronchitis and 5 by phthisis.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 37·7 per 1,000. Three were caused by zymotic diseases, viz.:—two from whooping-cough and one from enteric fever. Five deaths were caused by bronchitis, 3 by pneumonia, 2 by diseases of the circulatory system, 2 by phthisis, and 2 by diseases of the brain and nervous system.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 30·9 per 1,000. They comprise 2 from bronchitis, 2 from phthisis, and 2 from diseases of the brain and nervous system, including one from meningitis. No deaths from any zymotic diseases were recorded.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 19·3 per 1,000. One from enteric fever and one from diarrhœa constitute the mortality from zymotic disease. Two deaths were caused by diseases of the respiratory system and 4 by phthisis.

No. 4 South City District (Grand Canal-street).—The deaths (25) are equivalent to an annual rate of 36·4 per 1,000. They comprise 4 from zymotic diseases, viz.:—one from cerebro-spinal meningitis, one from meningitis, and 2 from influenza. Three deaths were caused by bronchitis, 2 by diseases of the circulatory system, 4 by phthisis, 2 by cancer, and 3 by diseases of the brain and nervous system, including one from meningitis.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 37·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 14·6; Finglas and Glasnevin, part of, 0·0; Palmerston, part of, and Crumlin, part of, 21·5; Rathmines, 24·4; Donnybrook, 6·4; Blackrock, 12·4; and Kingstown, 18·0. The 13 deaths tabulated for Rathmines comprise 3 from bronchitis and 5 from phthisis.

* See Table VII.

TABLE II.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 17th Week of the 10 years 1890–99.	In the week ending Saturday, 28th April, 1900.								
												Deaths of persons of the Ages of								
	April 26, 1890	May 2, 1891	April 30, 1892	April 29, 1893	April 28, 1894	April 27, 1895	April 25, 1896	May 1, 1897	April 30, 1898	April 29, 1899		ALL AGES.	0 to 5.							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 47·8	° 46·3	° 43·7	° 51·1	° 47·7	° 48·8	° 50·3	° 48·0	° 47·1	° 50·1	° 48·1	° 47·6								
ALL CAUSES,	149	165	294	174	159	181	156	198	170	199	184·5	178	10	20	21	15	33	48	27	4
I. FEBRILE OR ZYMOTIC DISEASES,	13	13	37	11	20	20	11	38	18	22	20·3	17	.	5	2	2	3	3	2	.
II. PARASITIC DISEASES,	.	.	1	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	.	1	.	.	.	.	3	.	3	·8	2	.	.	.	.	2	.	.	.
IV. CONSTITUTIONAL "	41	51	61	48	39	38	36	38	43	50	44·5	57	.	3	6	5	19	20	4	.
V. DEVELOPMENTAL "	8	16	26	16	13	16	10	18	24	17	16·4	9	2	.	.	.	.	.	5	2
VI. LOCAL "	74	76	146	87	73	98	78	85	76	92	88·5	84	5	11	12	8	11	20	15	2
VII. VIOLENT DEATHS,	2	3	7	3	2	6	6	9	3	7	4·3	4	1	.	.	.	.	2	1	.
VIII. ILL-DEFINED CAUSES,	10	6	15	9	11	2	15	7	6	8	8·9	5	2	1	1	.	.	1	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	20	1	4	.	.	16	.	.	4·3	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	2	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
Typhus,	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	1	1	1	13	4	.	5	10	3·6	3	.	.	.	.	.	2	1	.
Whooping Cough,	3	.	11	1	6	1	3	13	3	8	4·9	2	.	1	1	.	.	.	.	.
Diphtheria,	1	.	1	.	.	1	.	2	2	1	·8	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	2	1	2	1	1	.	3	2	3	1·6	5	.	.	.	1	3	1	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	2	1	.	3	1	.	2	1	.	1·0	3	.	3	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	.	1	.	2	.	4	.	·8	1	.	1	.	.	.	.	.	.
Erysipelas,	.	1	.	3	.	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.
Puerperal Fever,	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	4	6	1	1	2	1	1	1	.	.	1·7	2	.	.	1	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	1	.	.	.	.	2	.	3	·7	2	.	.	.	.	.	2	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	.	.	.	.	1	2	.	.	·3	1	.	.	.	.	1	.	.	.
Rheumatism,	.	1	.	.	.	1	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
Gout,	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Cancer,	1	3	7	5	5	3	2	4	2	11	4·3	10	.	.	.	.	1	3	1	.
Tabes Mesenterica,	1	6	8	3	1	3	1	2	3	11	3·9	4	.	2	1	.	1	.	.	.
Tubercular Meningitis,	6	5	9	4	1	2	5	2	4	3	4·1	1	.	.	1	.	.	.	.	.
Phthisis,	27	32	31	33	31	25	23	23	30	24	27·9	32	.	.	3	2	13	12	2	.
Scrofula, Tuberculosis,	4	3	2	3	1	3	3	4	1	.	2·4	5	.	1	1	3	.	.	.	.
Other Constitutional Diseases,	2	.	3	.	.	1	1	.	2	1	1·0	4	.	.	.	.	3	.	1	.
V. Developmental Diseases—																				
Premature Birth,	.	1	.	1	4	1	2	7	2	4	2·2	2	2	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	1	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
Old Age,	8	15	26	15	8	15	8	10	22	11	13·3	7	.	.	.	.	.	.	5	2

each Disease registered in the SEVENTEENTH WEEK ending Saturday, 28th April, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday April 26, 1890	May 2, 1891	April 30, 1892	April 29, 1893	April 28, 1894	April 27, 1895	April 25, 1896	May 1, 1897	April 30, 1898	April 29, 1899	Averages in 17th Week of the 10 years 1890-99.	In the Week ending Saturday, 28th April, 1900. Deaths of Persons of the Ages of: ALL AGES. Mean Temp.	0 to 5: Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 47·8	° 46·3	° 48·7	° 51·1	° 47·7	° 48·8	° 50·3	° 48·0	° 47·1	° 50·1	° 48·1	° 47·6								
VI. Local Diseases.																				
Apoplexy,	2	4	3	7	2	6	4	3	6	3	4·0	1	.	.	.	.	.	1	.	.
Epilepsy,	2	.	2	2	2	.	.	2	.	2	1·2	.	.	.	.	.	.	.	.	.
Convulsions,	10	12	11	8	7	9	12	10	6	8	9·3	9	3	3	2	1	.	.	.	.
Other Diseases of Brain and Nervous System,	5	9	17	9	4	5	4	8	11	4	7·6	8	.	.	2	3	1	2	.	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	10	15	11	13	16	23	15	12	20	16	15·1	11	.	.	.	1	2	3	4	1
Croup,	2	.	2	1	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Bronchitis,	25	19	27	17	15	28	20	20	20	25	21·6	26	.	5	5	.	1	5	10	.
Pneumonia	2	9	37	12	9	7	13	15	4	13	12·1	9	.	3	1	1	2	2	.	.
Pleurisy,	.	.	2	.	.	.	.	.	.	1	·3	2	.	.	.	1	.	.	.	1
Other Diseases of Respiratory System,	5	.	18	1	4	4	.	2	.	1	3·5	3	.	.	.	.	.	3	.	.
Teething,	2	.	3	.	.	.	2	1	.	2	1·0	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	1	.	.	.	.	1	.	.	·3	2	2	.	.	.	.	.	.	.
Peritonitis	.	.	1	1	3	.	1	1	.	1	·8	.	.	.	.	.	.	.	.	.
Disease of Liver,	.	1	3	4	3	4	1	1	2	1	2·0	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	2	3	3	4	3	4	1	3	3	3	2·9	4	.	.	1	.	1	1	1	.
Diseases of Lymphatics, &c.,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	2	1	2	3	6	5	4	2	8	3·6	7	.	.	1	1	3	2	.	.
Diseases of Generative System,		.	.	1	2	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	2	2	.	.	.	.	.	2	·7	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	1	.	1	1	.	1	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	2	1	1	1	.	1	.	.	.	2	·8	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	2	2	.	1	.	1	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	2	2	.	.	1	.	1	1	3	4·4	.	.	.	.	.	.	.	.	.
By Drowning,		.	.	.	.	2	2	1	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		.	2	1	2	1	4	6	1	2		4	1	.	.	.	.	2	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	.	.	.	1	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	10	6	15	9	11	2	15	7	6	8	8·9	5	2	1	1	.	.	1	.	.

TABLE III. **Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899–1900—Week ending																									
	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	18	14	15	16	17
BIRTHS registered,	225	172	241	193	154	206	167	188	247	187	209	168	191	184	174	175	257	179	215	217	226	234	128	184	225	202
Average Births in corresponding week of previous 10 years,	172	175	185	181	184	181	184	154	168	188	199	195	202	206	200	196	208	225	195	192	195	217	199	194	192	213
DEATHS registered,	216	249	248	220	259	258	256	285	280	337	331	295	259	238	199	284	342	230	247	209	236	244	194	230	204	178
Annual Death-rate per 1,000,	32·2	37·1	37·0	32·8	38·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5
Average Deaths in corresponding week of previous 10 years,	178	166	174	177	183	177	184	184	207	211	239	249	228	221	211	216	212	214	218	218	218	219	204	184	185	184
AGES, Under 5 years,	111	118	128	98	93	103	84	87	86	81	85	70	60	60	54	63	74	55	66	56	69	55	50	59	66	51
5—20 "	22	11	27	16	12	17	23	22	13	15	16	15	20	19	14	24	20	22	15	12	17	12	14	26	13	15
20—40 "	14	36	27	28	33	35	35	46	32	49	38	44	38	34	30	46	47	33	42	39	34	45	24	29	30	33
40—60 "	29	36	32	33	51	51	61	55	57	73	84	61	50	46	35	65	80	51	60	44	51	54	42	53	32	48
60—80 "	32	37	28	36	53	44	44	63	74	94	85	88	79	64	58	78	104	59	56	42	52	59	53	47	45	27
80 years and upwards,	8	11	11	9	14	8	9	12	18	25	23	22	12	15	13	11	17	10	8	16	13	19	11	16	13	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	38	39	51	38	29	30	23	24	15	10	18	9	5	4	3	1	5	1	2	4	.	.	3	2	2	.
" Scarlet Fever,	.	1	2	1	2	1	1	1	1	.	1	.	.	1	2	1	1	1	1	.	1	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	2	1	2	.	1	1	3	2	2	1	1	3	3	.	5	5	.	.	.	1	.	.	3	1	2	2
" Diphtheria,	3	3	3	2	2	3	2	3	1	.	3	2	1	3	5	3	.	1	2	.	1	1	.	2	2	.
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	2	5	9	4	6	2	2	3	2	5	5	2	1	2	.	3	.	4	2	.	.	1	3	2	3	5
" Diarrhœa, Dysentery,	6	6	5	3	4	4	3	5	1	2	3	6	.	2	2	2	4	5	3	4	4	.	.	1		3
" Phthisis,	15	21	17	20	5	27	36	30	28	40	27	29	36	29	28	32	40	36	37	29	27	30	27	28	27	32
" Heart Diseases,	9	18	13	17	17	15	26	15	21	24	20	16	25	15	11	28	33	24	18	17	20	28	16	17	11	11
" Diseases of Respiratory System,	53	57	50	51	66	70	66	73	98	110	110	92	55	67	65	74	94	55	78	39	72	56	46	53	47	40
Violent Deaths,	4	8	6	7	4	6	6	8	7	4	5	5	2	5	3	8	4	2	2	4	9	6	2	9	3	4
Mean Temperature of the Air Phœnix Park),	50·0	47·7	48·0	48·2	47·1	44·8	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·5	41·1	36·4	37·3	42·6	46·9	50·2	47·6
Average Mean Temperature in corresponding week of previous 10 years,	45·2	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1
Rainfall in inches,	1·085	·710	·050	·030	·240	·455	·200	·855	2·055	·715	·535	·560	·530	·920	·690	·680	·520	1·025	·000	·115	·905	·075	·535	·735	·170	·190
Mean Humidity of the Air, complete Saturation 1·0,	·82	·79	·87	·87	·84	·92	·84	·68	·89	·87	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81

TABLE IV.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 28th April, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	282	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	5	.
Diarrhœa, Dysentery,	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Other Zymotic Diseases	1	.	.	.	.	.	.	4	.	.	.	1	.	1	.	.	7	.
Total,	2	.	1	3	3	.	2	4	.	.	.	1	.	1	.	.	17	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	1	1	2	5	2	2	4	4	.	.	.	1	5	.	1	1	29	3
Other Constitutional Diseases	.	3	1	2	3	2	2	5	.	.	.	.	2	.	.	3	23	2
Total,	1	4	3	7	5	4	6	9	.	.	.	1	7	.	1	4	52	5
V. DEVELOPMENTAL DISEASES,	1	1	3	1	1	.	.	1	.	.	.	.	.	.	1	.	9	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	3	2	3	.	2	2	.	3	.	1	.	.	.	1	.	1	18	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	.	3	.	1	2	1	1	2	.	.	.	1	.	.	.	.	11	.
Diseases of Respiratory System,	5	5	2	5	8	3	2	3	1	1	.	.	3	1	.	.	39	1
Diseases of Digestive System,	.	.	.	.	1	.	2	1	1	.	.	.	1	.	.	.	6	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	.	.	1	1	.	2	.	.	.	.	.	.	.	.	5	2
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	11	5	6	14	7	5	11	2	2	.	.	5	2	.	2	80	4
VII. VIOLENT DEATHS,	.	.	.	1	.	.	1	.	1	1	.	.	.	.	.	.	4	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	1	.	1	.	.	.	.	.	.	1	1	.	.	.	5	.
Deaths from all Causes,	12	17	13	19	24	11	15	25	3	3	.	3	13	3	2	6	169	9
Annual Rate of Mortality in every 1,000 of the population.	23·0	25·4	23·5	38·0	37·7	30·9	19·3	36·4	37·8	14·6	.	21·5	24·4	6·4	12·4	18·0		
	27·2				30·5				16·5									
	28·9																25·2	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	2	4	9	4	1	4	6	.	.	.	.	2	.	.	1	34	8
Workhouse Hospitals,	2	4	2	2	1	6	2	5	.	.	.	.	.	1	.	.	25	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th April, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY 28TH APRIL, 1900.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	26·5	178	31	15	36	48	27	4	.	.	.	.	2	.	.	5	3	10	32	9	40	4	83
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	13·4	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
II.	MIDDLE CLASS,	81,469	21·7	34	8	3	7	7	6	3	.	.	.	.	.	.	.	1	.	1	7	1	8	.	17
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	24·1	46	12	5	6	16	7	.	.	.	.	.	2	.	.	1	1	4	8	.	9	.	25
IV.	GENERAL SERVICE CLASS,	147,978	31·9	68	29	7	16	13	3	.	.	.	.	.	.	.	.	3	2	5	12	8	15	4	24
V.	INMATES OF WORKHOUSES,	5,191		26	2	.	3	10	10	1	.	.	.	.	.	.	.	.	.	.	4	.	8	.	14
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,989	19·5	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	9·1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	10·0	5	.	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	2
	6. Clerks and Commercial Assistants,	25,001	27·0	13	6	1	2	1	3	.	.	.	.	.	.	.	.	.	.	.	2	1	4	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	29·6	14	1	2	5	3	2	1	.	.	.	.	.	.	.	1	.	1	4	.	2	.	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	42·0	6	2	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	9. Building and Furnishing Trades,	26,294	27·7	14	5	2	1	4	2	.	.	.	.	.	1	.	.	.	.	1	2	.	2	.	9
	10. Clothing Trades,	28,927	8·7	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	11. Food Supply Trades,	7,949	39·3	6	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	21·2	11	3	1	2	5	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	3
	13. Petty Shopkeepers,	6,889	38·0	5	2	.	.	2	1	.	.	.	.	.	1	.	.	.	1	2	1	.	1	.	1
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	34·1	9	3	.	4	2	.	.	.	.	.	.	.	.	.	1	1	2	1	.	3	.	3
	15. Domestic Servants,	39,967	5·2	4	.	.	3	.	1	.	.	.	.	.	.	.	.	2	.	2	1	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	38·5	8	3	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	4
	17. Hawkers, Porters, Labourers, &c.,	83,472	29·3	47	23	6	8	8	2	.	.	.	.	.	.	.	.	.	1	1	8	7	11	3	17
V.	INMATES OF WORKHOUSES.	5,191	—	26	2	.	3	10	10	1	.	.	.	.	.	.	.	.	.	.	4	.	8	.	14

TABLE VI.—BIRTHS and DEATHS registered during the week ending Saturday, April 28, 1900, and Meteorology, with the number of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 28th April, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 28th April, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st April, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th April, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 22 Town Districts	1,062,188	12·2	32·7	23·3	1·4	667	474	99	110	.	1	.	1	6	4	.	10	7	79	100	9	20	119	°	°	°		°	°	°		°	°	°	
Dublin Registration Area:—																																				
Total,‡	349,594	14·2	30·1	25·2	1·5	202	169	30	28	.	.	.	.	2	.	.	5	3	29	39	4	8	59	68·8	33·1	47·6	0·19	68·8	31·5	50·2	0·17	59·7	31·9	46·9	0·76
Registrars' Districts. City.	245,001	65·6	32·4	28·9	2·1	152	156	28	24	.	.	.	.	2	.	.	5	3	21	33	2	7	55	64·8	40·1	50·3	0·12	70·7	42·1	52·8	0·15	61·7	35·9	49·1	0·64
Clontarf &c. No. 1,	4,188	1·5	68·0	37·8	.	5	3	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	34·0	14·6	.	7	3	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·8	35·0	49·2	0·20	65·9	41·0	50·8	0·17	59·2	32·6	48·1	0·71
Palmerston, part of and Crumlin part of (b),	7,278	8·0	14·3	21·5	.	2	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	15·0	24·4	.	8	13	2	1	.	.	.	.	.	.	.	.	.	5	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	33·0	6·4	.	16	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	18·6	12·4	.	3	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	27·0	18·0	.	9	6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	64	40	50	0·01	63	43	53·0	0·02	60	41	50·3	0·37
Urban Districts.																																				
Belfast,	359,000	21·8	37·9	18·4	1·6	261	127	27	23	.	.	.	.	4	1	.	3	3	23	24	2	5	27	66·9	33·0	49·6	0·27	66·6	41·6	51·4	0·25	54·5	31·6	45·8	1·88
Cork,	75,845	33·3	29·1	27·7	2·1	42	40	6	11	.	.	.	.	.	1	.	2	.	3	11	.	1	12	58	45	50·8	0·00	58	44	51·0	0·00	56	42	48·6	0·31
Limerick,	37,155	17·9	21·1	25·3	1·4	15	18	6	4	.	.	.	.	.	.	.	.	1	2	4	1	1	8	.	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·8	23·6	22·0	.	15	14	6	2	.	.	.	.	.	.	.	.	.	4	4	.	.	.	66·0	34·0	49·8	0·23	72·0	36·6	52·0	0·39	57·0	35·0	43·5	1·37
Waterford,	26,208	18·3	39·8	13·9	.	20	7	2	4	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,800	2·6	30·2	41·5	.	8	11	1	8	.	.	.	.	.	.	.	.	.	1	1	1	2	2	62	35	53	0·00	70	37	54	0·45	59	40	45	1·15
Drogheda	13,708	8·7	30·4	11·4	.	8	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	26·2	16·1	.	7	4	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	62·5	30·3	48·8	0·26	67·2	38·4	51·5	0·34	60·1	32·4	46·5	0·82
Dundalk,	12,449	9·0	8·4	57·7	4·2	2	9	1	4	.	.	.	1	.	.	.	.	.	2	3	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	63·8	29·8	.	15	7	4	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	62·5	30·3	48·8	0·26	67·2	38·4	51·5	0·34	60·1	32·4	46·5	0·82
Wexford,	11,545	24·0	22·6	18·1	.	5	4	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	50·2	41·1	4·6	11	9	2	3	.	.	.	.	.	1	.	.	.	1	1	.	.	2	62·5	30·3	48·8	0·26	67·2	38·4	51·5	0·34	60·1	32·4	46·5	0·82
Kilkenny,	11,048	12·0	14·2	18·9	.	3	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	68	36	49·6	0·08	65	40	52·2	0·22	57	38	48·5	0·78
Clonmel,	10,708	8·2	34·1	63·3	.	7	13	3	3	.	.	.	.	.	.	.	.	.	3	2	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	35·5	10·2	.	7	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	61·2	28·8	47·0	0·18	68·2	39·1	51·1	0·40	59·3	36·5	47·0	1·36
Tralee,	9,318	15·3	22·4	16·8	.	4	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	22·5	50·7	5·6	4	9	3	2	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	62·4	22·7	.	11	4	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	56	34	46·0	0·61	65	41	50·4	0·22	59	34	45·5	1·05
Queenstown,	9,082	17·0	28·7	17·2	.	5	3	.	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	58	45	50·8	0·00	58	44	51·0	0·00	56	42	48·6	0·31
Carrickfergus,	8,928	0·5	28·4	11·7	.	4	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,430	11·0	43·3	55·7	6·2	7	9	3	2	.	1	.	.	.	.	.	.	.	1	1	.	.	.	62·5	30·3	48·8	0·26	67·2	38·4	51·5	0·34	60·1	32·4	46·5	0·82
Armagh,	7,187	21·4	28·5	21·4	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	62·5	30·3	48·8	0·26	67·2	38·4	51·5	0·34	60·1	32·4	46·5	0·82

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 9 deaths of persons (including 3 at 60 years or upwards) admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. (in 1891) 27,147.	Mar. 10,	30·7	1·9	16	.	.	.	.	.	1	.	.	.	1	9	.
		„ 17,	26·9	.	14	.	.	.	.	.	.	.	.	.	5	1	1
		„ 24,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 31,	30·7	.	16	.	.	.	.	.	.	.	.	.	4	7	.
		Apr. 7,	40·3	.	21	.	.	.	.	.	.	.	.	.	5	4	1
		„ 14,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	2	.
		„ 21,	23·0	1·9	12	.	.	.	.	.	.	.	1	.	2	3	.
		„ 28,	23·0	1·9	12	.	.	.	.	.	.	.	1	.	1	5	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,836.	Mar. 10,	50·9	.	34	.	.	.	.	.	.	.	.	.	8	12	1
		„ 17,	38·9	1·5	26	.	1	.	.	.	.	.	.	.	4	8	.
		„ 24,	46·4	1·5	31	.	.	.	.	.	.	.	.	1	4	13	.
		„ 31,	41·9	.	28	.	.	.	.	.	.	.	.	.	3	5	1
		Apr. 7,	22·5	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
		„ 14,	46·4	.	31	.	.	.	.	.	.	.	.	.	4	9	2
		„ 21,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	1	7	.
		„ 28,	25·4	.	17	.	.	.	.	.	.	.	.	.	1	5	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Mar. 10,	36·1	1·3	20	.	.	.	.	.	.	.	.	1	3	8	.
		„ 17,	45·2	3·6	25	.	.	.	.	.	.	.	.	2	2	3	1
		„ 24,	61·4	.	34	.	.	.	.	.	.	.	.	.	3	12	2
		„ 31,	47·0	1·8	26	.	.	.	.	.	.	.	1	.	1	8	1
		Apr. 7,	34·3	3·6	19	.	2	.	.	.	.	.	.	.	1	5	.
		„ 14,	47·0	3·6	26	.	.	.	.	1	1	.	.	.	2	7	2
		„ 21,	41·5	.	23	.	.	.	.	.	.	.	.	.	2	5	.
		„ 28,	23·5	1·8	13	.	.	.	.	.	.	.	.	1	2	2	.
	North City, No. 3. (Offices, Blackhall-place.) Pop. (in 1891) 26,055.	Mar. 10,	38·0	2·0	19	.	.	.	.	.	.	.	1	.	4	6	.
		„ 17,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	5	4	.
		„ 24,	30·0	.	15	.	.	.	.	.	.	.	.	.	3	6	.
		„ 31,	30·0	.	15	.	.	.	.	.	.	.	.	.	4	1	.
		Apr. 7,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	2	7	1
		„ 14,	28·0	2·0	14	.	.	.	.	.	1	.	.	.	4	1	.
		„ 21,	22·0	2·0	11	.	.	.	.	.	.	.	.	1	2	3	.
		„ 28,	38·0	6·0	19	.	.	.	.	.	.	.	2	1	5	5	1
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 53,194.	Mar. 10,	51·8	.	33	.	.	.	.	.	.	.	.	.	3	11	1
		„ 17,	39·3	3·1	25	.	1	.	.	.	.	.	.	1	1	6	.
		„ 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	4	4	.
		„ 31,	55·0	.	35	.	.	.	.	.	.	.	.	.	5	3	.
		Apr. 7,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	5	4	.
		„ 14,	40·6	1·6	26	.	.	.	.	.	.	.	1	.	3	8	2
		„ 21,	37·7	3·1	24	.	1	.	.	.	.	.	.	1	2	4	.
		„ 28,	37·7	4·7	24	.	.	.	.	2	.	.	1	.	2	8	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,517.	Mar. 10,	47·8	.	17	.	.	.	.	.	.	.	.	.	4	4	.
		„ 17,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 24,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	6	.
		„ 31,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	4	.
		Apr. 7,	36·5	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 14,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 28,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Mar. 10,	41·1	.	32	.	.	.	.	.	.	.	.	.	4	10	.
		„ 17,	32·1	.	25	.	.	.	.	.	.	.	.	.	1	4	2
		„ 24,	27·0	.	21	.	.	.	.	.	.	.	.	.	2	5	2
		„ 31,	38·6	.	30	.	.	.	.	.	.	.	.	.	4	11	.
		Apr. 7,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	8	.
		„ 14,	29·6	.	23	.	.	.	.	.	.	.	.	.	1	6	1
		„ 21,	37·3	.	29	.	.	.	.	.	.	.	.	.	6	5	1
		„ 28,	19·3	2·6	15	.	.	.	.	.	.	.	1	1	4	2	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	Mar. 10,	32·0	5·8	22	.	2	1	.	.	.	.	.	1	2	5	.
		„ 17,	18·9	1·5	13	.	.	.	.	.	.	.	.	1	2	3	.
		„ 24,	39·3	1·5	27	.	.	.	.	.	.	.	.	1	3	7	2
		„ 31,	26·2	.	18	.	.	.	.	.	.	.	.	.	3	3	.
		Apr. 7,	33·5	2·9	23	.	.	.	.	2	.	.	.	.	2	4	.
		„ 14,	29·1	.	20	.	.	.	.	.	.	.	.	.	4	4	1
		„ 21,	35·0	1·5	24	.	.	.	.	1	.	.	.	.	3	5	.
		„ 28,	36·4	.	25	.	.	.	.	.	.	.	.	.	4	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Mar. 10,	26·3	.	14	.	.	.	.	.	.	.	.	.	2	5	.
	„ 17,	18·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.
	„ 24,	30·0	3·8	16	.	.	1	.	.	.	.	.	1	1	5	.
	„ 31,	24·4	.	13	.	.	.	.	.	.	.	.	.	3	4	2
	Apr. 7,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	3	2	.
	„ 14,	31·9	1·9	17	.	1	.	.	.	.	.	.	.	2	2	.
	„ 21,	20·6	3·8	11	.	.	.	.	.	.	.	1	1	3	2	1
	„ 28,	24·4	.	13	.	.	.	.	.	.	.	.	.	5	3	.
Donnybrook. Pop. (in 1891) 24,629.	Mar. 10,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
	„ 17,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 24,	19·1	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	„ 31,	23·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
	Apr. 7,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	1	2	.
	„ 21,	33·9	6·4	16	.	.	.	.	.	2	.	1	.	2	2	1
	„ 28,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	1	.
Kingstown. Pop. (in 1891) 17,386.	Mar. 10,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	„ 17,	27·0	.	9	.	1	.	.	.	.	.	.	.	1	1	.
	„ 24,	33·0	3·0	11	.	.	.	.	.	.	.	.	1	.	4	1
	„ 31,	48·0	.	16	.	.	.	.	.	.	.	.	.	1	5	.
	Apr. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	„ 28,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	Mar. 10,	28·3	1·6	195	.	2	.	.	3	1	1	3	1	28	75	2
	„ 17,	22·8	1·3	157	.	1	.	.	2	1	.	4	1	26	35	6
	„ 24,	24·5	2·0	169	.	1	1	.	4	2	.	3	3	30	49	2
	„ 31,	25·6	2·5	176	.	2	.	.	4	2	.	6	3	39	43	2
	Apr. 7,	26·0	0·9	179	.	1	.	.	1	2	.	1	1	25	46	5
	„ 14,	21·6	1·3	149	.	.	.	.	1	2	.	5	1	31	38	.
	„ 21,	18·0	1·5	124	.	1	.	.	1	1	.	5	2	14	25	2
	„ 28,	18·4	1·6	127	.	.	.	.	4	1	.	3	3	23	24	2
Cork. Pop. (in 1891) 75,845.	Mar. 10,	23·5	0·7	34	.	.	.	.	.	.	.	.	1	6	9	.
	„ 17,	38·1	1·4	55	.	.	.	.	.	.	.	1	1	7	13	.
	„ 24,	29·1	.	42	.	.	.	.	.	.	.	.	.	7	12	1
	„ 31,	22·8	.	33	.	.	.	.	.	.	.	.	.	3	10	.
	Apr. 7,	33·2	0·7	48	.	.	.	.	.	.	.	.	1	4	11	.
	„ 14,	29·1	2·1	42	.	2	.	.	.	.	.	.	1	6	7	.
	„ 21,	34·6	1·4	50	.	.	.	1	.	.	.	.	1	7	8	.
	„ 28,	27·7	2·1	40	.	.	.	.	.	1	.	2	.	3	11	.
Limerick. Pop. (in 1891) 37,155.	Mar. 10,	46·3	.	33	.	.	.	.	.	.	.	.	.	3	13	.
	„ 17,	32·3	1·4	23	.	.	.	.	.	.	.	1	.	3	10	.
	„ 24,	30·9	.	22	.	.	.	.	.	.	.	.	.	3	10	.
	„ 31,	98·2	.	70	.	.	.	.	.	.	.	.	.	7	17	.
	Apr. 7,	26·7	.	19	.	.	.	.	.	.	.	.	.	2	6	.
	„ 14,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	4	.
	„ 21,	36·5	.	26	.	.	.	.	.	.	.	.	.	3	10	1
	„ 28,	25·3	1·4	18	.	.	.	.	.	.	.	.	1	2	4	1
Londonderry Pop. (in 1891) 73,200.	Mar. 10,	29·8	1·6	19	.	.	.	.	.	.	.	.	1	2	5	.
	„ 17,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	6	.
	„ 24,	22·0	.	14	.	.	.	.	.	.	.	.	.	1	7	.
	„ 31,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	2	6	.
	Apr. 7,	6·3	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 14,	20·4	1·6	13	.	.	.	1	.	.	.	.	.	1	4	.
	„ 21,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	3	5	1
	„ 28,	22·0	.	14	.	.	.	.	.	.	.	.	.	4	4	.
Waterford. Pop. (in 1891) 26,200.	Mar. 10,	23·9	2·0	12	.	.	.	1	.	.	.	.	.	1	3	.
	„ 17,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	3	.
	„ 24,	29·8	.	15	.	.	.	.	.	.	.	.	.	.	4	.
	„ 31,	23·9	2·0	12	.	.	.	.	.	.	.	.	1	1	4	.
	Apr. 7,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 14,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	6	.
	„ 21,	43·8	2·0	22	.	.	.	.	1	.	.	.	.	3	5	.
	„ 28,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 28th April, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	17	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		8	2	.	5	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 2 "	37,539	32			17	3	2	7	5	.	.	.	.	.	1	.	.	.	3	4	1	1	3
" 3 "	38,845	32			19	7	2	10	.	.	.	.	.	.	.	.	.	3	3	4	.	.	3
" 4 "	33,391	40			18	3	.	12	3	.	.	.	.	1	.	.	.	.	5	1	1	2	5
" 5 "	21,284	9			6	1	.	3	2	.	.	.	.	.	.	.	.	.	.	2	.	1	2
" 6 "	43,431	26			18	2	.	10	6	.	.	.	.	.	.	.	.	.	5	4	.	1	4
" 7 "	1,112	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	21			5	2	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 10 "	12,256	11			16	1	4	8	3	.	.	.	.	2	.	.	3	.	2	2	.	.	5
" 11 "	19,881	32			9	4	2	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	1
" 12 "	23,282	26			6	2	1	2	1	.	.	.	.	1	.	.	.	.	1	2	.	.	2
" 13 "	6,804	11			5	.	1	3	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.
" 14 "	352	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	261			127	27	13	64	23	.	.	.	.	4	1	.	3	3	23	24	2	5	27
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	11,927	7	39·3	.	9	1	.	4	4	.	.	.	.	.	.	.	.	.	1	.	.	1	1
" 2 "	9,252	9	39·4	16·9	7	.	1	4	2	.	.	.	.	.	1	.	2	.	.	2	.	.	6
" 3 "	9,816	4	21·2	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 4 "	10,356	2	40·3	.	8	.	.	6	2	.	.	.	.	.	.	.	.	.	1	3	.	.	2
" 5 "	8,137	7	25·6	.	4	.	2	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1
" 6 "	3,823	10	29·5	.	5	3	1	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 7 "	17,034	3	9·2	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Total,	75,345	42	27·7	2·1	40	6	4	19	11	.	.	.	.	.	1	.	2	.	3	11	.	1	12

Boundaries of Registrars' Districts—Belfast.

The Registrar's District of Belfast Urban, No. 1, is bounded by a line drawn from the centre of the Victoria Channel opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Marquis-street, Smithfield, Winetavern-street, North-street, Carrick-hill, Donegall-street, York-street, York-road and Carrickfergus-road, to the northern boundary of Skegoneill Townland, and thence to the Victoria Channel and through the centre of same to starting point.

Belfast Urban, No. 2, District is bounded by a line drawn from Carlisle Circus through the centre of Duncairn-street, along the western boundary of Skegoneill Townland and the Municipal boundary to Lowwood Townland; thence by the southern boundary of Lowwood Townland to Carrickfergus-road; thence through the centre of Carrickfergus-road, York-road, York-street, Donegall-street, Carrick-hill, Old Lodge-road, and Denmark-street to Carlisle Circus.

Belfast Urban, No. 3, District is bounded by a line drawn from Carlisle Circus, through the centre of Denmark-street, Old Lodge-road, Peter's-hill, Shankill-road, and Tennent-street, across Crumlin-road, and through the centre of Walton-street, Louisa-street, and Old Park-road, to the old Municipal boundary at Barleymill-road, thence the line runs just outside the old Municipal boundary to the western boundary of Skegoneill Townland, along said boundary to Duncairn-street, and through that street to Carlisle Circus.

Belfast Urban, No. 4, District is bounded by a line drawn from the intersection of Lisburn-road and Stockman's-lane through the centre of Lisburn-road, Dublin-road, Shaftesbury-square, Great Victoria-street, College-square, East and North, Durham-street, Albert-street, Falls-road, Leeson-street, across Grosvenor-street, through the centre of Distillery-street, and the Blackstaff River, to Ballygammon Townland; thence by the Municipal boundary to Old Lisburn-road; thence through the centre of Old Lisburn-road and Stockman's-lane to Lisburn-road.

Belfast Urban, No. 5, District is bounded by a line drawn through the centre of Wilton-street, Cupar-street, Falls-road, Divis-street, Mill-street, Marquis-street, Smithfield Winetavern-street, North-street, Peter's-hill, and Shankill-road to Wilton-street.

Belfast Urban, No. 6, District is bounded by a line drawn from the centre of the Victoria Channel, opposite Queen's-square, through the centre of Queen's-square, High-street, Castle-place, Castle-street, Mill-street, Divis-street, Albert-street, Durham-street, College-square, North, College-square, East, Great Victoria-street, Shaftesbury-square. Dublin-road, Lisburn-road, Stockman's-lane, and Old-Lisburn-road to the Municipal boundary thence along the Municipal boundary to the River Lagan; and through the centre of the river to Queen's-square.

Belfast Urban, No. 7, District.—This District consists of the Townlands of Greencastle and Lowwood.

Belfast Urban, No. 8, District.—The Townland of Ballysillan Lower, and parts of the Townlands of Ballygomartin, Edenderry, Ligoneil, and Old Park form this District. It is situated in the north-west of the City.

Belfast Urban, No. 9, District consists of portions of the Townlands of Ballymagarry and Ballymurphy, together with the portions of Edenderry and Townparks Townlands, south and west of a line drawn from the junction of the Forth River and Springfield-road, through the centre of said road, Cupar-street, Falls-road, Leeson-street, Grosvenor-street, Distillery-street, and the Blackstaff River to the Municipal boundary.

Belfast Urban, No. 10, District consists of the area bounded by a line drawn from the junction of Shankill-road and Wilton-street, through the centre of said street, Cupar-street, and Springfield-road, to the boundary of Edenderry Townland at the Forth River, northwards along said boundary to the Whiterock-road, through the centre of said road, Shankill or Woodvale-road and Crumlin-road to the old Municipal boundary, along same to the boundary of Old Park Townland, thence just outside the old Municipal boundary to Barleymill-road, through the centre of Old Park-road, Louisa-street, and Walton-street, across Crumlin-road, and through the centre of Tennent-street and Shankill-road to the junction of the latter with Wilton-street.

Belfast Urban, No. 11, District is bounded by a line drawn from the middle of Queen's-bridge, through the centre of the River Lagan to the Municipal boundary, thence by the Municipal boundary, the eastern boundary of Galwally Townland, and the old Municipal boundary to Castlereagh-road; and through the said road, Castlereagh-street, Mountpottinger-road, and Bridge-end to the middle of Queen's Bridge.

Belfast Urban, No. 12, District consists of that portion of the old Municipal Borough of Belfast, in the County of Down, lying north and east of a line drawn through the centre of Bridge-end, Mountpottinger-road, Castlereagh-street, and Castlereagh-road.

Belfast Urban, No. 13, District consists of the Townlands of Ballycloghan (part of), Ballyhackamore, Ballymisert, Strandtown, Victoria Park (part of), Ballymaconaghy (part of), Ballyrushboy, Knock and Multyhogy. It extends over a large area in the east of the City.

Belfast Urban, No. 14, District consists of the greater portion of Ballymaghan Townland and the small portion of Ballycloghan Townland lying north of Belmont.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.
No. of week in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered,	203	246	202	237	192	189	199	203	175	239	263	199	230	204	240	186	230	216	269	218	236	229	188	197	225	261
DEATHS registered.	181	127	176	137	118	113	139	132	192	198	210	166	170	135	187	226	181	207	195	157	169	176	179	149	124	127
Annual Death-rate per 1,000 of estimated Population,	19·5	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4
AGES, Under 1 year,	35	30	38	40	28	21	26	19	39	34	40	26	32	22	30	41	31	43	42	27	26	37	31	29	21	27
AGES, 1–5 years,	15	18	25	17	14	10	19	9	25	31	23	24	22	17	15	23	16	21	28	26	30	22	21	18	12	13
AGES, 5–60 years,	60	49	90	57	46	63	73	74	75	93	88	71	71	62	99	102	84	92	90	68	77	81	80	79	56	64
AGES, 60 years and upwards,	21	30	23	23	30	19	21	30	53	40	59	45	45	34	43	60	50	51	35	36	36	33	47	23	35	23
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	1	2	.	1	1	2	1	1	4	.	1	1	.	.	.	1	2	1	1	2	1	.	1	.
" Scarlet Fever,	.	.	1	.	.	1	.	1	1	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	5	1	4	4	.	2	1	6	6	2	9	5	4	3	4	3	4	3	2	4	4	1	1	1	4
" Diphtheria,	.	2	1	3	2	.	3	2	1	2	.	1	.	.	3	2	1	2	1	1	2	2	2	2	1	1
" Simple continued and Ill-defined Fever,	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.
" Enteric Fever,	3	6	10	4	5	1	2	1	4	4	4	4	1	1	1	1	2	5	3	4	3	6	1	5	5	3
" Diarrhœa, Dysentery,	.	2	.	.	.	.	1	.	1	3	4	1	2	2	1	3	3	.	1	1	3	3	1	1	2	3
" Phthisis,	17	14	35	12	13	19	29	14	31	27	21	17	21	13	28	27	19	26	28	26	30	39	25	31	14	23
" Diseases of Respiratory System,	43	37	49	35	38	37	34	27	64	74	86	72	66	39	50	73	67	57	75	35	49	43	46	38	26	24
Violent Deaths,	3	1	3	7	4	1	2	6	2	5	2	.	.	3	3	3	5	4	2	6	2	2	5	.	2	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	April 28,	2,697	1,720	19·5	1	67	11	20	40	8	18
EDINBURGH,	302,262	„ 28,	188	116	20·0	.	1	.	4	2	.	2
GLASGOW,	743,969	„ 28,	542	352	24·6	2	20	5	1	14	1	5
CALCUTTA,	466,460	Feb. 24,	.	588	65·7	9	1	.	.	.	107‡	82*
BOMBAY,	821,764	April 3,	191	2,405	152·2	120	65	?	?	?	263§	263*
MADRAS,	452,518	Mar. 2,	305	363	41·7	.	21	?	?	?	125	42
PARIS,	2,511,629	April 21,	1,151	1,015	21·0	.	24	1	7†	4	9	31
BRUSSELS (with 8 Faubourgs).	561,130	„ 14,	254	189	17·5	.	1	1	2†	.	2	9
AMSTERDAM,	525,429	„ 7,	303	166	16·5	.	.	.	2	4	1	.
ROTTERDAM,	319,491	„ 7,	269	123	19·9	.	1	1	1	1	2	.
THE HAGUE,	205,328	„ 7,	121	71	18·0	.	3	.	1	.	.	.
COPENHAGEN,	349,000	„ 14,	165	117	17·4	.	2	.	.	.	.	3
CHRISTIANIA,	221,255	„ 2,	153	105	24·7	.	.	1	.	1	.	8
ST. PETERSBURG,	1,132,677	„ 14,	622	661	30·3	8	6	8	13	4	6	75
BERLIN,	1,848,269	—	.	.	.	.	.	.	.	.	.	.
HAMBURG,	691,349	April 14,	.	226	17·0	.	2	.	1†	1	.	3
DRESDEN,	400,400	Mar. 10,	258	151	19·5	.	1	.	1†	2	.	4
BRESLAU,	406,012	April 21,	.	254	32·5	.	.	.	1	1	.	18
MUNICH,	463,000	Jan. 6,	320	206	23·1	.	6	.	3†	2	.	22
		„ 13,	320	196	22·0	.	11	.	2†	2	1	23
VIENNA (with suburbs).	1,639,811	Mar. 31,	953	876	27·7	.	19	4	6†	9	8	31
BUDA-PESTH,	685,340	April 14,	481	366	27·8	.	5	5	1	.	.	8
PRAGUE and Faubourgs.	385,952	—	.	.	.	.	.	.	.	.	.	.
ROME,	512,423	Mar. 24,	229	218	22·1	.	27	.	6	.	2	8
TURIN (10 days),	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	172,491	Mar. 31,	86	75	22·6	.	.	.	1†	.	1	3
NEW YORK,	3,654,594	„ 24,	1,614	1,729	24·7	.	34	10	46	19	8	18
PHILADELPHIA,	1,266,832	„ 31,	.	679	27·9	.	21	4	16	4	13	2

* Including 40 deaths from cholera in Calcutta and 7 in Bombay. † Including deaths from croup.
‡ Exclusive of 235 deaths from bubonic fever. § Exclusive of 685 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 28th April, 1900:—

"Very favourable and seasonable weather held throughout the week. Until Wednesday barometric gradients were unusually slight, so that light variable winds and calms prevailed. This condition was accompanied by fine weather. At first temperature was high for the time of year—on Sunday, for example, the minimum in Dublin was 54·0° and the maximum was 64·8°. On that day the thermometer rose in the shade to 74° in London, 73° at Oxford, and 71° at Loughborough. Already a brisk fall of temperature had occurred in Scotland, the maximum at Aberdeen being only 44° on Sunday compared with 74° on the previous Friday. The colder weather subsequently spread southwards, so that after Tuesday temperature was below average to the end of the week. Local irregularities in atmospheric pressure also appeared from time to time, having in general a southeasterly movement. These led to northerly (N.W. to N.E.) winds, and clouds and showers at intervals. Most rain fell in Scotland, but even there the precipitation was moderate in quantity. In Dublin the mean height of the barometer was 30·136 inches, pressure ranging from 30·268 inches at 9 a.m. of Sunday (wind, W.N.W.) to 29·978 inches at 9 p.m. of Saturday (wind also W.N.W.). The corrected mean temperature was 51·2°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 50·3°. The screened thermometers rose to 64·8° on Sunday and fell to 40·1° on Saturday. The prevailing wind was N.W. The rainfall was 1·24 inch on two days, of this amount ·070 inch was measured on Thursday. Bright sunshine was estimated at 32 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·145 inches. The highest reading (30·274) was on Sunday at 9 A.M., wind W., and the lowest (29·995) on Saturday at 9 P.M., wind W.

The mean temperature for the week was 47·6°, being 0·5° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Sunday, when the thermometer registered 63·8°, and was lowest on Saturday, the mercury having fallen to 33·1°. The mean of the Dry Bulb for the week was 48·3°, and of the Wet Bulb 45·4°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 26·8 hours. The rainfall measured ·190 in.

At Greenwich the mean temperature for the week was 47·5°, the maximum 72·4°, and the minimum 31·2°; at Glasgow the maximum was 64·3°, the minimum 32·0°, and the mean 48·0°; and at Edinburgh the maximum was 59·5°, the minimum 34·9°, and the mean 46·5°. The rainfall at Greenwich measured 0·06 in.; at Glasgow 0·02 in.; and at Edinburgh 0·18 in.*

TABLE XI.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 22,	30·255	63·8	52·1	58·0	55·6	53·2	·85	·3	3·0	—	W.	Calm.
Monday, „ 23,	30·168	57·8	48·9	53·4	53·6	50·8	·84	·3	0·9	·010	W.	Calm.
Tuesday, „ 24,	30·084	54·4	43·5	49·0	51·5	48·1	·78	·4	2·4	·005	Calm.	Calm.
Wednesday, „ 25,	30·141	51·4	35·1	43·3	40·2	39·1	·91	·4	5·4	—	E.N.E.	Calm.
Thursday, „ 26,	30·147	50·7	35·1	42·9	47·3	42·9	·71	·6	10·5	·110	Calm.	N.W.
Friday, „ 27,	30·134	49·4	37·5	43·5	43·5	41·3	·85	·4	1·5	·005	N.	Calm.
Saturday, „ 28,	30·085	52·8	33·1	43·0	46·4	42·6	·75	·9	3·1	·060	W.	W.
Mean,	30·145	54·3	40·8	47·6	48·3	45·4	·81	·5	Total 26·8	Total ·190	Prevailing Wind. Calm.	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A cloudy day; showery p.m.; night cloudy. *Tuesday*—A cloudy day; night cloudy; rain 7 to 7.30 a.m. *Wednesday*—A cloudy day; night cloudy. *Thursday*—A fine but cloudy day; night cloudy; rain 11 p.m. to 4.30 a.m. *Friday*—A cloudy day; showery 10 to 11.30 a.m.; night cloudy. *Saturday*—A cloudy day; night cloudy; showery a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

4. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & Co. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & Co., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 5TH MAY, 1900. [No. 18.

General Register Office, Charlemont House,
Dublin, 7th May, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 25·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending April 14.	Week ending April 21.	Week ending April 28.	Week ending May 5.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 14.	Week ending April 21.	Week ending April 28.	Week ending May 5.	Average Rate for 4 weeks.
23 Town Dists.	25·6	24·8	23·3	25·6	24·8	Limerick, . .	25·3	36·5	25·3	21·1	27·0
Armagh, . .	21·4	35·6	21·4	0·0	19·6	Lisburn, . .	8·5	21·3	29·8	25·7	21·3
Ballymena, .	22·5	22·5	50·7	16·9	28·2	Londonderry, .	20·4	33·0	22·0	14·1	22·4
Belfast, . .	21·6	18·0	18·4	24·8	20·7	Lurgan, . .	0·0	13·7	41·1	50·2	26·2
Carrickfergus, .	17·5	17·5	11·7	17·5	16·1	Newry, . .	8·1	32·2	16·1	16·1	18·1
Clonmel, . .	19·5	9·7	63·3	9·7	25·6	Newtownards, .	34·0	17·0	22·7	5·7	19·9
Cork, . . .	29·1	34·6	27·7	29·8	30·3	Portadown, .	24·7	43·3	55·7	24·7	37·1
Drogheda, . .	19·0	3·8	11·4	30·4	16·1	Queenstown, .	28·7	34·4	17·2	5·7	21·5
Dublin, Reg. Area,	33·4	29·4	25·2	29·7	29·4	Sligo, . . .	30·5	10·2	10·2	40·6	22·9
Dundalk, . .	16·8	12·6	37·7	16·8	21·0	Tralee, . .	11·2	5·6	16·8	28·0	15·4
Galway, . .	26·4	15·1	41·5	26·4	27·4	Waterford, .	21·9	43·8	13·9	15·9	23·9
Kilkenny, . .	4·7	28·3	18·9	9·4	15·3	Wexford, . .	31·6	9·0	18·1	36·1	23·7

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in eighteen of the districts to 15·1 in Galway; the 7 deaths from all causes registered in that district comprising 2 from measles and 2 from typhus. Among the 171 deaths from all causes registered in Belfast are 8 from whooping-cough, one from diphtheria, 8 from enteric fever, and 4 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 246—126 boys and 120 girls; and the deaths to 204—113 males and 91 females.

DEATHS.

The deaths, which are 26 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 30·4 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 29·7 per 1,000. During the eighteen weeks ending with Saturday last the death-rate averaged 37·0, and was 5·5 over the mean rate for the corresponding portions of the ten years 1890–99.

Nineteen deaths from zymotic diseases were registered during the week, being 2 above the number registered on the previous week, and 5 under the average for the 18th week of the last ten years. These deaths include 6 from enteric fever, 4 from whooping-cough, 3 from influenza, 1 from diarrhœa, and 2 from epidemic cerebro-spinal meningitis.

Diseases of the respiratory system caused 29 deaths, being 11 less than the number recorded during the preceding week, and 6 under the average for the 18th week of the last ten years: the 29 deaths consist of 19 from bronchitis and 10 from pneumonia.

The deaths of 16 children (including 15 under 5 years of age, 12 being infants under one year old) were ascribed to convulsions.

Four deaths were caused by apoplexy, one by epilepsy, 19 by other diseases of the brain and nervous system (exclusive of convulsions), and 17 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 29 deaths, mesenteric disease 6, tubercular meningitis 2, and cancer 4.

Six accidental deaths were registered.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 infants under one year old.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 6 were under one month old) and 44 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, 20 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 29·7 per 1,000; the rate in the city was 34·7 (35·2 on the North side, and 34·2 on the South), and in the Suburbs 17·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the city being 1·7 (0·9 in the North City Districts, and 2·4 in the South), and for the Suburbs 1·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (17) are equal to an annual rate of 32·7 per 1,000. They comprise one death from enteric fever; four deaths were caused by diseases of the respiratory system, and four by diseases of the brain and nervous system.

No. 1 North City District, West (Summer-hill).—The deaths (29) are equal to an annual rate of 43·4 per 1,000. Enteric fever caused one death, phthisis caused four deaths and diseases of the respiratory system caused five deaths.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 25·3 per 1,000. Cerebro-spinal meningitis caused one death, meningitis 2 deaths, phthisis 5 deaths, and diseases of the respiratory system caused 4 deaths.

* See Table VI.

No. 3 North City District (Blackhall-place).—The deaths (19) represent an annual rate of 38·0 per 1,000. Cerebro-spinal meningitis caused one death, phthisis caused three deaths, and diseases of the respiratory system caused 4 deaths.

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 39·3 per 1,000. Three deaths were caused by meningitis and one by enteric fever; 10 deaths were due to diseases of the brain and nervous system.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 30·9 per 1,000. There was no death from zymotic disease. Phthisis caused 2 deaths, and diseases of the brain and nervous system caused 3 deaths.

No. 3 South City District (Peter-street).—The deaths (28) are equal to an annual rate of 36·0 per 1,000. There were four deaths from zymotic diseases, including two from whooping-cough; diseases of the brain and nervous system caused 6 deaths and diseases of the respiratory system 5 deaths.

No. 4 South City District (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·1 per 1,000. There were two deaths from zymotic diseases—one from enteric fever and the other from whooping-cough. Phthisis caused five deaths and diseases of the respiratory system three deaths.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 9·7; Finglas and Glasnevin, part of, 0·0; Palmerston, part of, and Crumlin, part of, 43·0; Rathmines, 16·9; Donnybrook, 14·8; Blackrock, 18·6; and Kingstown, 24·0. The deaths from zymotic diseases tabulated for these districts consist of one from enteric fever and one from influenza for Rathmines; one from enteric fever for Donnybrook; and one from whooping-cough, and one from influenza for Kingstown. The six deaths from all causes tabulated for Palmerston, part of, include 2 from diseases of the brain and nervous system; two of the 9 deaths for Rathmines were caused by diseases of the circulatory system; of the 7 deaths for Donnybrook 2 were caused by diseases of the brain and nervous system; and the 8 deaths for Kingstown comprise 2 from phthisis.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	14th April,	51 cases.
,, ,,	21st April,	35 cases.
,, ,,	28th April,	52 cases.
,, ,,	5th May,	74 cases.

Of the 74 cases notified last week, 26 are erysipelas, 19 enteric fever, 11 scarlatina, 8 measles, 3 German measles, 4 diphtheria, 2 membranous croup, and one continued fever. Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th May.

From this it appears that:—

Seventeen cases of scarlatina were admitted to hospital during the week; 20 were discharged, and 79* remained under treatment at the end of the week.

Six cases of diphtheria were admitted to hospital, 7 were discharged, and 14 remained under treatment at the close of week.

Four cases of enteric fever were admitted to hospital; 5 were discharged; and one death took place, leaving 28 cases under treatment, being 2 less than at the end of the preceding week.

Three cases of measles were admitted to hospital, and 4 discharged, leaving the number under treatment in hospital 15, or one less than the number at the close of the preceding week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 19·0), was equal to an average annual death-rate of 19·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·5 per 1,000, the rate for Glasgow being 20·7, and for Edinburgh 23·1.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 5th May, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	REGISTRATION—Week ending Saturday, 5th May, 1900. Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	METEOROLOGY.† Week ending 5th May, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th April, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st April, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	31·0	25·6	1·9	681	522	93	108	.	2	1	2	12	1	.	14	6	84	90	11	23	146	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	849,594	14·2	36·7	29·7	1·6	246	199	33	44	.	.	.	.	4	.	.	6	1	29	29	6	12	69	§61·3	37·2	48·6	0·35	§63·8	33·1	47·6	0·19	§68·8	31·5	50·2	0·17
Registrars' Districts. City	245,001	65·6	41·3	34·7	1·7	194	163	29	29	.	.	.	.	3	.	.	4	1	24	28	5	10	61	64·6	42·2	51·6	0·50	64·8	40·1	50·3	0·12	70·7	42·1	52·8	0·15
Clontarf &c. No. 1,	4,188	1·5	12·6	12·6	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	29·2	9·7	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	24·6	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·8	37·0	50·3	0·36	64·8	35·0	49·2	0·20	65·9	41·0	50·8	0·17
Palmerston, part of and Crumlin part of (b),	7,273	8·0	50·2	43·0	.	7	6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	24·4	16·9	1·9	13	9	1	4	.	.	.	.	.	.	.	1	.	2	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	21·2	14·8	2·1	10	7	2	3	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	37·2	18·6	.	6	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	21·0	24·0	3·0	7	8	1	2	.	.	.	.	1	.	.	.	.	2	.	1	2	1	60	43	51·0	0·58	64	40	50	0·01	63	43	53·0	0·02
Urban Districts.																																			
Belfast,	359,000	21·8	36·9	24·8	3·1	213	171	33	29	.	.	.	.	8	1	.	8	4	31	33	2	6	43	61·1	34·0	47·6	1·04	66·9	38·0	49·6	0·27	66·6	41·6	51·4	0·25
Cork,	75,345	33·3	28·5	29·8	0·7	34	43	5	7	.	.	1	.	.	.	.	.	.	8	4	.	.	19	57	44	50·7	1·03	58	45	50·8	0·00	58	44	51·0	0·00
Limerick,	37,155	17·9	26·7	21·1	.	19	15	2	1	.	.	.	.	.	.	.	.	.	.	3	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	26·7	14·1	1·6	17	9	4	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	61·0	35·0	48·8	0·71	66·0	34·0	49·8	0·23	72·0	36·6	52·0	0·39
Waterford,	26,208	18·3	25·9	15·9	.	13	8	2	3	.	.	.	.	.	.	.	.	.	1	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	26·4	26·4	15·1	7	7	.	2	.	2	.	2	.	.	.	.	.	.	2	.	.	.	61·0	42	51	1·41	62	35	53	0·00	70	37	54	0·45
Drogheda	13,708	8·7	26·6	30·4	.	7	8	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	16·1	16·1	.	4	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	60·0	36·9	48·9	0·87	62·5	30·3	48·8	0·26	67·2	38·4	51·5	0·34
Dundalk,	12,449	9·0	25·1	16·8	.	6	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	21·3	25·7	.	5	6	1	2	.	.	.	.	.	.	.	.	.	1	2	.	1	1	60·0	36·9	48·9	0·87	62·5	30·3	48·8	0·26	67·2	38·4	51·5	0·34
Wexford,	11,545	24·0	36·1	36·1	.	8	8	2	2	.	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	27·4	50·2	.	6	11	3	2	.	.	.	.	.	.	.	.	.	2	4	2	2	2	60·0	36·9	48·9	0·87	62·5	30·3	48·8	0·26	67·2	38·4	51·5	0·34
Kilkenny,	11,048	12·0	23·6	9·4	.	5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60	36	49·4	0·83	63	36	49·6	0·08	65	40	52·2	0·22
Clonmel,	10,708	8·2	9·7	9·7	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	45·7	40·6	.	9	8	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	3	58·3	40·0	48·4	1·86	61·2	28·8	47·0	0·18	68·2	39·1	51·1	0·40
Tralee,	9,318	15·9	28·0	28·0	.	5	5	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	33·8	16·9	.	6	3	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	34·0	5·7	.	6	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	60	34	47·8	1·13	56	34	46·0	0·61	65	41	50·4	0·22
Queenstown,	9,082	17·0	23·0	5·7	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57	44	50·7	1·03	58	45	50·8	0·00	58	44	51·0	0·00
Carrickfergus,	8,923	0·5	.	17·5	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,480	11·0	43·3	24·7	.	7	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	60·0	36·9	48·9	0·87	62·5	30·3	48·8	0·26	67·2	38·4	51·5	0·34
Armagh,	7,187	21·4	14·3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60·0	36·9	48·9	0·87	62·5	30·3	48·8	0·26	67·2	38·4	51·5	0·34

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted, in several cases, thus: the readings at Donaghadee have been adopted for Newtownards; those at Armagh for Lisburn, Lurgan, Newry, and Portadown; those at Markree for Sligo, and those at St. Roche's

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 5th May, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH, No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	1	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	.	.	1	.	.	1	.	.	.	.	1	1	.	.	6	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Other Zymotic Diseases	.	1	2	1	1	.	1	.	.	.	.	.	1	.	.	1	8	.
Total,	1	2	2	1	2	.	4	2	.	.	.	.	2	1	.	2	19	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	1	4	5	3	1	2		5	.	.	.	.	2	.	1	2	29	.
Other Constitutional Diseases	2	4	1	2	1	1	1	2	.	.	.	.	.	.	1	.	15	4
Total,	3	8	6	5	2	3	4	7	.	.	.	.	2	.	2	2	44	4
V. DEVELOPMENTAL DISEASES,	1	3	.	3	.	.	3	4	.	1	.	1	.	1	.	1	18	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	4	4	2	1	12	[illegible]	6	2	.	.	.	2	1	2	.	1	40	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Circulatory System,	1	3	.	3	1	2	2	.	.	1	.	1	2	.	.	.	16	1
Respiratory System,	4	5	4	4	2	1	5	3	1	.	.	.	.	.	.	.	29	.
Digestive System,	2	3	.	.	1	2	1	2	.	.	.	.	1	.	.	.	12	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	1	.	1	.	.	.	.	1	.	2	1	.	6	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Total,	11	15	6	8	17	8	15	7	1	1	.	5	5	4	1	1	105	1
VII. VIOLENT DEATHS,	.	.	.	2	1	.	2	.	.	.	.	.	.	.	.	1	6	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	1	.	.	.	3	.	.	.	.	.	.	.	.	1	.	1	6	.
Deaths from all Causes,	17	29	14	19	25	11	23	20	1	2	.	6	9	7	3	8	199	5
Annual Rate of Mortality in every 1,000 of the population.	32·7	48·4	25·3	38·0	39·8	30·9	36·0	29·1	12·6	9·7	.	43·0	16·9	14·8	18·6	21·0		
	35·2				34·2				17·9									
	34·7																29·7	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	4	6	5	8	1	2	3	.	.	.	2	1	1	.	.	37	5
Workhouse Hospitals,	3	5	2	1	4	3	7	3	.	.	.		2	1	.	1	32	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary.—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years 1890–99.	In the week ending Saturday, 5th May, 1900. Deaths of persons of the Ages of								
	May 3, 1890	May 9, 1891	May 7, 1892	May 6, 1893	May 5, 1894	May 4, 1895	May 2, 1896	May 8, 1897	May 7, 1898	May 6, 1899		ALL AGES.	0 to 5.				5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 48·1	° 47·7	° 44·2	° 53·1	° 43·7	° 47·0	° 47·3	° 46·8	° 47·9	° 45·3	° 47·6	Mean Temp. ° 48·6	Under 1 month.	1 month and under 1 year.	1 to 5.					
ALL CAUSES,	172	179	221	149	165	183	159	226	164	166	178·4	201	6	27	21	17	47	42	35	9
I. FEBRILE OR ZYMOTIC DISEASES,	22	17	53	23	17	16	15	45	16	18	24·2	19	.	1	3	5	4	4	2	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	.	1	2	3	1	.	.	1	·9	1	.	.	.	.	.	1	.	.
IV. CONSTITUTIONAL "	48	46	40	40	37	44	49	58	40	43	44·0	48	.	4	6	4	20	12	2	.
V. DEVELOPMENTAL "	18	10	20	15	18	10	7	13	18	14	13·8	18	2	.	.	.	.	.	7	9
VI. LOCAL "	85	92	96	55	78	98	74	97	81	77	83·3	106	2	19	10	8	19	24	24	.
VII. VIOLENT DEATHS,	2	2	5	5	3	3	7	2	1	6	3·6	6	1	.	2	.	2	1	.	.
VIII. ILL-DEFINED CAUSES,	7	11	7	10	10	9	6	11	8	7	8·6	6	1	3	.	.	2	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	40	3	3	.	.	8	.	.	5·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	6	4	1	.	1·1	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	2	1	2	3	1	5	4	8	3·1	3	.	.	.	.	1	.	2	.
Whooping Cough,	2	4	4	6	3	4	2	16	3	4	4·8	4	.	1	2	1	.	.	.	.
Diphtheria,	3	.	1	.	.	1	.	2	1	1	·9	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	1	.	4	3	.	1	2	3	2	2·0	6	.	.	1	1	2	2	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	2	1	.	1	·4	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	3	1	2	2	.	.	1	2	1	.	1·2	1	.	.	.	1	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	2	1	.	1	.	1	3	1	.	1·0	.	.	.	.	.	.	.	.	.
Erysipelas,	1	1	.	2	.	1	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	2	2	.	.	1	.	.	.	.	1	·6	2	.	.	.	1	.	1	.	.
Puerperal Fever,	.	1	1	2	.	.	.	.	.	.	·4	1	.	.	.	.	1	.	.	.
Other Zymotic Diseases,	5	3	2	2	4	.	1	1	1	1	2·2	2	.	.	.	1	.	1	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	1	2	3	1	.	.	1	·9	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	1	.	1	1	.	2	2	2	.	·9	1	.	.	.	1	.	.	.	.
Rheumatism,	1	.	.	.	3	.	1	.	2	1	·8	2	.	.	.	.	.	2	.	.
Gout,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	9	3	3	3	5	3	4	7	6	7	5·0	4	.	.	.	.	1	2	1	.
Tabes Mesenterica,	4	2	5	2	2	5	3	5	1	6	3·5	6	.	2	3	1	.	.	.	.
Tubercular Meningitis,	2	5	6	2	2	4	2	7	5	4	3·9	2	.	1	1	.	.	.	.	.
Phthisis,	25	33	21	27	19	26	28	31	21	18	24·9	29	.	.	1	2	17	8	1	.
Scrofula, Tuberculosis,	2	2	4	3	4	5	6	5	2	7	4·0	4	.	1	1	.	2	.	.	.
Other Constitutional Diseases,	.	.	1	1	.	1	2	1	1	.	·7	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	2	1	5	6	2	2	1	2	8	1	3·0	2	2	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	.	1	1	1	·3	.	.	.	.	.	.	.	7	9
Old Age,	11	9	15	9	16	8	6	10	9	11	10·4	16	.	.	.	.	.	.	.	.

each Disease registered in the EIGHTEENTH WEEK ending Saturday, 5th May, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years 1890-99.	In the Week ending Saturday, 5th May, 1900. Deaths of Persons of the Ages of							
	May 8, 1890	May 9, 1891	May 7, 1892	May 6, 1893	May 5, 1894	May 4, 1895	May 2, 1896	May 8, 1897	May 7, 1898	May 6, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	48·1	47·7	44·2	53·1	48·7	47·0	47·3	46·8	47·9	45·3	47·6	Mean Temp. 48·6	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases.																				
Apoplexy,	4	7	4	1	2	2	3	2	6	2	3·3	4	.	.	.	.	1	2	1	.
Epilepsy,	.	2	3	.	1	.	1	1	.	1	·9	1	.	.	.	.	1	.	.	.
Convulsions,	10	18	10	5	10	10	13	10	4	7	9·7	16	2	10	3	1	.	.	.	.
Other Diseases of Brain and Nervous System,	5	6	6	4	4	8	6	7	8	7	6·1	19	.	.	1	6	4	1	7	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	1	.	·1	1	.	1	.	.	.	.	.	.
Diseases of Circulatory System,	14	17	11	7	18	13	15	14	8	8	12·5	17	.	.	.	1	4	7	5	.
Croup,	1	1	1	.	1	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Bronchitis,	22	11	23	9	18	28	11	22	27	24	19·5	19	.	5	.	.	1	7	6	.
Pneumonia	8	12	18	13	7	13	6	18	14	16	12·5	10	.	.	3	.	5	2	.	.
Pleurisy,	1	.	1	2	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	1	2	3	.	4	2	2	3	.	.	1·7	.	.	.	.	.	.	.	.	.
Teething,	2	2	3	.	1	2	1	5	1	.	1·7	1	.	2	2	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis,	2	.	1	2	1	.	.	3	.	.	·9	1	.	1	.	.	.	.	.	.
Peritonitis	.	.	.	2	.	1	.	3	.	1	·7	1	.	.	.	.	1	.	.	.
Disease of Liver,	3	4	4	2	1	4	3	3	2	3	2·9	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	5	8	4	1	3	3	6	2	4	1	3·7	5	.	.	1	.	2	1	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	4	2	1	5	4	3	6	2	3	6	4·1	3	.	.	.	.	.	2	4	.
Diseases of Generative System,	1	.	2	.	1	.	.	.	2	.	·6	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	1	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	.	.	1	1	1	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	.	.	.	.	2	1	.	1	.	·5	1	.	.	.	.	.	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		1	.	.	.	1	.	.	.	1		1	.	.	1	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	.	1	2	1	.	.	1	1	.	2·5	3	.	.	1	.	1	1	.	.
By Drowning,		.	1	1	.	2	2	1	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		1	2	2	1	.	4	.	.	3		2	1	.	.	.	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
SUICIDE,	.		.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.		.	.	.	.	.	.	.	.	.	.		.	.	.				
VIII. Deaths from ill-defined and unspecified Causes.	7	11	7	10	10	9	6	11	8	7	8·6	6	1	3	.	.	2	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899-1900—Week ending																									
	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.
No. of weeks in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered,	172	241	193	154	206	167	188	247	187	209	168	191	184	174	175	257	179	215	217	226	234	128	184	225	202	246
Average Births in corresponding week of previous 10 years,	175	185	181	184	81	184	154	168	188	199	195	202	206	200	196	208	225	195	192	195	217	199	194	192	213	214
DEATHS registered,	249	248	220	259	258	256	285	280	337	331	295	259	238	199	284	342	230	247	209	236	244	194	230	204	178	204
Annual Death-rate per 1,000,	37·1	37·0	32·8	38·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4
Average Deaths in corresponding week of previous 10 years,	166	174	177	183	177	184	184	207	211	239	249	228	221	211	216	212	214	218	218	218	219	204	184	185	184	178
AGES, Under 5 years,	118	123	98	93	103	84	87	86	81	85	70	60	60	54	63	74	55	66	56	69	55	50	59	66	51	54
5—20 "	11	27	16	12	17	23	22	18	15	16	15	20	19	14	24	20	22	15	12	17	12	14	26	13	15	17
20—40 "	36	27	28	35	35	35	46	32	49	38	44	38	34	30	48	47	33	42	39	34	45	24	29	30	33	47
40—60 "	36	32	33	51	51	61	55	57	73	84	61	50	46	35	65	80	51	60	44	51	54	42	53	32	48	42
60—80 "	37	28	36	53	44	44	63	74	94	85	83	79	64	53	73	104	59	56	42	52	59	53	47	45	27	35
80 years and upwards,	11	11	9	14	8	9	12	18	25	23	22	12	15	13	11	17	10	8	16	13	19	11	16	18	4	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	39	51	38	29	30	23	24	15	10	18	9	5	4	3	1	5	1	2	4	.	.	3	2	2	.	.
" Scarlet Fever,	1	2	1	2	1	1	1	1	.	1	.	.	1	2	1	1	1	1	.	1	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	2	.	1	1	3	2	2	1	1	3	3	.	5	5	.	.	.	1	.	.	3	1	2	2	4
" Diphtheria,	3	3	2	2	3	2	3	1	.	3	2	1	3	5	3	.	1	2	.	1	1	.	2	2	.	.
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	5	9	4	6	2	2	3	2	5	5	2	1	2	.	3			2	.	.	1	3	2	3	5	6
" Diarrhœa, Dysentery,	6	5	3	4	4	3	5	1	2	3	6	.	2	2	2		5	3	4	4	.	.	1		3	1
" Phthisis,	21	17	20	5	27	36	30	28	40	27	29	36	29	23	32	40	30	37	29	27	30	27	28	27	32	29
" Heart Diseases,	18	13	17	17	15	26	15	21	24	20	16	25	15	11	28	33	24	18	17	20	23	16	17	11	11	17
" Diseases of Respiratory System,	57	50	51	66	70	66	73	98	110	110	92	55	67	65	74	94	55	78	39	72	56	46	53	47	40	29
Violent Deaths,	8	6	7	4	6	6	3	7	4	5	5	2	5	3	8	4	2	2	4	9	6	2	9	3	4	6
Mean Temperature of the Air (Phœnix Park),	47·7	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6	46·9	50·2	47·6	45·6
Average Mean Temperature in corresponding week of previous 10 years,	45·6	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6
Rainfall in inches,	·710	·050	·080	·240	·455	·200	·855	2·055	·715	·585	·560	·530	·920	·690	·680	·520	1·025	·000	·115	·305	·075	·535	·735	·170	·190	·350
Mean Humidity of the Air, complete Saturation 1·0,	·79	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th May, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 5th May, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	30·4	204	34	17	47	42	35	9	.	.	.	.	4	.	.	6	1	11	29	16	29	6	118
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	16·7	5	.	.	1	2	1	1	.	.	.	.	.	.	.	1	.	1	1	.	.	.	3
II.	MIDDLE CLASS,	81,469	21·7	34	8	2	8	4	10	2	.	.	.	.	1	.	.	3	.	4	3	2	4	1	20
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	28·5	45	15	3	13	6	6	2	.	.	.	.	2	.	.	.	.	2	9	4	8	2	20
IV.	GENERAL SERVICE CLASS,	147,978	40·7	88	28	12	16	17	11	4	.	.	.	.	1	.	.	2	1	4	8	9	12	3	52
V.	INMATES OF WORKHOUSES,	5,191		32	3	.	9	13	7	.	.	.	.	.	.	.	.	.	.	.	8	1	5	.	18
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	32·5	5	.	.	1	2	1	1	.	.	.	.	.	.	.	1	.	1	1	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	24·0	12		.	2	1	5	1	.	.	.	.	1	.	.	.	.	1	1	2	2	.	6
	6. Clerks and Commercial Assistants,	25,001	16·6	8	1	1	3	1	2	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	25·4	12	3	1	2	2	3	1	.	.	.	.	.	.	.	2	.	2	1	.	1	1	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	34·0	12	3	1	5	1	.	2	.	.	.	.	.	.	.	.	.	.	3	1	1	.	7
	9. Building and Furnishing Trades,	26,294	23·7	12	7	.	2	1	2	.	.	.	.	.	1	.	.	.	.	1	1	2	4	.	4
	10. Clothing Trades,	23,927	8·7	4	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	11. Food Supply Trades,	7,949	26·2	4	1	1	1	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	26,937	21·2	11	2	.	3	2	4	.	.	.	.	.	.	.	.	.	.	.	3	.	1	2	5
	13. Petty Shopkeepers,	6,839	15·2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	58·0	14	3	1	2	4	3	1	.	.	.	.	.	.	.	.	.	.	1	2	2	.	9
	15. Domestic Servants,	39,967	7·8	6	.	1	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	28·9	6	2	.	2	2	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	3
	17. Hawkers, Porters, Labourers, &c.,	83,472	38·7	62	23	10	10	10	7	2	.	.	.	.	1	.	.	1	1	3	6	6	9	3	35
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	32	3	.	9	13	7	.	.	.	.	.	.	.	.	.	.	.	8	1	5	.	18

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	Mar. 17,	26·9	.	14	.	.	.	.	.	.	.	.	.	5	1	1
		„ 24,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 31,	30·7	.	16	.	.	.	.	.	.	.	.	.	4	7	.
		Apr. 7,	40·8	.	21	.	.	.	.	.	.	.	.	.	5	4	1
		„ 14,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	2	.
		„ 21,	23·0	1·9	12	.	.	.	.	.	.	.	1	.	2	3	.
		„ 28,	23·0	1·9	12	.	.	.	.	.	.	.	1	.	1	5	.
		May 5,	32·7	1·9	17	.	.	.	.	.	.	.	1	.	1	4	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,836.	Mar. 17,	38·9	1·5	26	.	1	.	.	.	.	.	.	.	4	8	.
		„ 24,	46·4	1·5	31	.	.	.	.	.	.	.	.	1	4	13	.
		„ 31,	41·9	.	28	.	.	.	.	.	.	.	.	.	3	5	1
		Apr. 7,	22·5	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
		„ 14,	46·4	.	31	.	.	.	.	.	.	.	.	.	4	9	2
		„ 21,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	1	7	.
		„ 28,	25·4	.	17	.	.	.	.	.	.	.	.	.	1	5	.
		May 5,	43·4	1·5	29	.	.	.	.	.	.	.	1	.	4	5	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Mar. 17,	45·2	3·6	25	.	.	.	.	.	.	.	.	2	2	3	1
		„ 24,	61·4	.	34	.	.	.	.	.	.	.	.	.	3	12	2
		„ 31,	47·0	1·8	26	.	.	.	.	.	.	.	1	.	1	8	1
		Apr. 7,	34·3	3·6	19	.	2	.	.	.	.	.	.	.	1	5	.
		„ 14,	47·0	3·6	26	.	.	.	.	1	1	.	.	.	2	7	2
		„ 21,	41·5	.	23	.	.	.	.	.	.	.	.	.	2	5	.
		„ 28,	23·5	1·8	13	.	.	.	.	.	.	.	.	1	2	2	.
		May 5,	25·3	.	14	.	.	.	.	.	.	.	.	.	5	4	.
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Mar. 17,	36·0	2·0	18	.	.	.	.	1	.	.	.	.	5	4	.
		„ 24,	30·0	.	15	.	.	.	.	.	.	.	.	.	3	6	.
		„ 31,	30·0	.	15	.	.	.	.	.	.	.	.	.	4	1	.
		Apr. 7,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	2	7	1
		„ 14,	28·0	2·0	14	.	.	.	.	.	1	.	.	.	4	1	.
		„ 21,	22·0	2·0	11	.	.	.	.	.	.	.	.	1	2	3	.
		„ 28,	38·0	6·0	19	.	.	.	.	.	.	.	2	1	5	5	1
		May 5,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	4	2
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 38,194.	Mar. 17,	39·3	3·1	25	.	1	.	.	.	.	.	.	1	1	6	.
		„ 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	4	4	.
		„ 31,	55·0	.	35	.	.	.	.	.	.	.	.	.	5	3	.
		Apr. 7,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	5	4	.
		„ 14,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	3	8	2
		„ 21,	37·7	3·1	24	.	1	.	.	.	.	.	.	1	2	4	.
		„ 28,	37·7	4·7	24	.	.	.	.	2	.	.	1	.	2	8	.
		May 5,	39·3	1·6	25	.	.	.	.	.	.	.	1	.	1	2	1
	South City, No. 2. (Offices, Castle-street.) Pop. (in 1891) 18,547.	Mar. 17,	38·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 24,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	6	.
		„ 31,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	4	.
		Apr. 7,	36·5	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 14,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 28,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
		May 5,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	1	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Mar. 17,	32·1	.	25	.	.	.	.	.	.	.	.	.	1	4	2
		„ 24,	27·0	.	21	.	.	.	.	.	.	.	.	.	2	5	2
		„ 31,	38·6	.	30	.	.	.	.	.	.	.	.	.	4	11	.
		Apr. 7,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	8	.
		„ 14,	29·6	.	23	.	.	.	.	.	.	.	.	.	1	6	1
		„ 21,	37·3	.	29	.	.	.	.	.	.	.	.	.	6	5	1
		„ 28,	19·3	2·6	15	.	.	.	.	.	.	.	1	1	4	2	1
		May 5,	36·0	3·9	28	.	.	.	.	2	.	.	.	1	3	5	2
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798.	Mar. 17,	18·9	1·5	13	.	.	.	.	.	.	.	.	1	2	3	.
		„ 24,	39·3	1·5	27	.	.	.	.	.	.	.	.	1	3	7	3
		„ 31,	26·2	.	18	.	.	.	.	.	.	.	.	.	3	3	.
		Apr. 7,	33·5	2·9	23	.	.	.	.	2	.	.	.	.	2	4	.
		„ 14,	29·1	.	20	.	.	.	.	.	.	.	.	.	4	4	1
		„ 21,	35·0	1·5	24	.	.	.	.	1	.	.	.	.	3	5	.
		„ 28,	36·4	.	25	.	.	.	.	.	.	.	.	.	4	3	.
		May 5,	29·1	2·9	20	.	.	.	.	1	.	.	1	.	5	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted*; also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Mar. 17,	18·8	.	10	.	.	.	.	.	.	.	.	.	2	1	.
	„ 24,	30·0	3·8	16	.	.	1	.	.	.	.	.	1	1	5	.
	„ 31,	24·4	.	13	.	.	.	.	.	.	.	.	.	3	4	2
	Apr. 7,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	3	2	.
	„ 14,	31·9	1·9	17	.	1	.	.	.	.	.	.	.	2	2	.
	„ 21,	20·6	3·8	11	.	.	.	.	.	.	.	1	1	3	2	1
	„ 28,	24·4	.	13	.	.	.	.	.	.	.	.	.	5	3	.
	May 5,	16·9	1·9	9	.	.	.	.	.	.	.	1	.	2	.	.
Donnybrook. Pop. (in 1891) 24,629.	Mar. 17,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 24,	19·1	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	„ 31,	23·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
	Apr. 7,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	1	2	.
	„ 21,	33·9	6·4	16	.	.	.	.	.	2	.	1	.	2	2	1
	„ 28,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	May 5,	14·8	2·1	7	.	.	.	.	.	.	.	1	.	.	.	.
Kingstown. Pop. (in 1891) 17,386.	Mar. 17,	27·0	.	9	.	1	.	.	.	.	.	.	.	1	1	.
	„ 24,	33·0	3·0	11	.	.	.	.	.	.	.	.	1	.	4	1
	„ 31,	48·0	.	16	.	.	.	.	.	.	.	.	.	1	5	.
	Apr. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	„ 28,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	May 5,	24·0	.	8	.	.	.	.	1	.	.	.	.	2	.	1
Belfast. Pop. in 1900 (Est.) 359,000.	Mar. 17,	22·8	1·3	157	.	1	.	.	2	1	.	4	1	26	35	6
	„ 24,	24·5	2·0	169	.	1	1	.	4	2	.	3	3	30	49	2
	„ 31,	25·6	2·5	176	.	2	.	.	4	2	.	6	3	39	43	2
	Apr. 7,	26·0	0·9	179	.	1	.	.	1	2	.	1	1	25	46	5
	„ 14,	21·6	1·3	149	.	.	.	.	1	2	.	5	1	31	38	.
	„ 21,	18·0	1·5	124	.	1	.	.	1	1	.	5	2	14	26	2
	„ 28,	18·4	1·6	127	.	.	.	.	4	1	.	3	3	23	24	2
	May 5,	24·8	3·1	171	.	.	.	.	8	1	.	8	4	31	33	2
Cork. Pop. (in 1891) 75,345.	Mar. 17,	38·1	1·4	55	.	.	.	.	.	.	.	1	1	7	12	.
	„ 24,	29·1	.	42	.	.	.	.	.	.	.	.	.	7	12	1
	„ 31,	22·8	.	33	.	.	.	.	.	.	.	.	.	3	10	.
	Apr. 7,	33·2	0·7	48	.	.	.	.	.	.	.	.	1	4	14	.
	„ 14,	29·1	2·1	42	.	2	.	.	.	.	.	.	1	6	7	.
	„ 21,	34·6	1·4	50	.	.	.	1	.	.	.	.	1	7	8	.
	„ 28,	27·7	2·1	40	.	.	.	.	.	1	.	2	.	3	11	.
	May 5,	29·8	0·7	43	.	.	1	.	.	.	.	.	.	8	4	.
Limerick. Pop. (in 1891) 37,155.	Mar. 17,	32·3	1·4	23	.	.	.	.	.	.	.	1	.	3	10	.
	„ 24,	30·9	.	22	.	.	.	.	.	.	.	.	.	3	10	.
	„ 31,	98·2	.	70	.	.	.	.	.	.	.	.	.	7	17	.
	Apr. 7,	26·7	.	19	.	.	.	.	.	.	.	.	.	2	6	.
	„ 14,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	4	.
	„ 21,	36·5	.	26	.	.	.	.	.	.	.	.	.	3	10	1
	„ 28,	25·3	1·4	18	.	.	.	.	.	.	.	.	1	2	4	1
	May 5,	21·1	.	15	.	.	.	.	.	.	.	.	.	6	3	.
Londonderry Pop. (in 1891) 33,200.	Mar. 17,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	6	.
	„ 24,	22·0	.	14	.	.	.	.	.	.	.	.	.	1	7	.
	„ 31,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	2	6	.
	Apr. 7,	6·3	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 14,	20·4	1·6	13	.	.	.	1	.	.	.	.	.	1	4	.
	„ 21,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	3	5	1
	„ 28,	22·0	.	14	.	.	.	.	.	.	.	.	.	4	4	.
	May 5,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	.	1	.
Waterford. Pop. (in 1891) 26,200.	Mar. 17,	27·9	.	14	.	.	.	.	.	.	.	.	.	3	3	.
	„ 24,	29·8	.	15	.	.	.	.	.	.	.	.	.	.	4	.
	„ 31,	23·9	2·0	12	.	.	.	.	.	.	.	.	1	1	4	.
	Apr. 7,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 14,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	6	.
	„ 21,	43·8	2·0	22	.	.	.	.	1	.	.	.	.	3	5	.
	„ 28,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	May 5,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 5th May, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	8	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the Population through the several Districts not being at present practicable, Death-rates are omitted from this Table.		9	2	1	6	.	.	.	.	.	.	.	.	.	.	3	2	.	.	3
" 2 "	37,539	24			17	3	4	7	3	.	.	.	.	1	.	.	1	.	2	4	.	.	6
" 3 "	38,843	41			32	7	1	20	4	.	.	.	.	.	.	.	1	2	8	4	.	.	4
" 4 "	33,391	22			25	5	5	11	4	.	.	.	.	3	.	.	2	.	4	6	1	1	15
" 5 "	21,284	14			16	4	4	6	2	.	.	.	.	1	.	.	.	.	4	4	.	2	3
" 6 "	43,431	19			18	2	.	9	7	.	.	.	.	1	.	.	2	.	1	4	.	.	5
" 7 "	1,112	1			2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 8 "	4,904	1			3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1
" 9 "	12,866	10			12	3	1	5	3	.	.	.	.	1	.	.	1	1	1	1	.	.	1
" 10 "	12,956	18			7	1	3	2	1	.	.	.	.	.	1	.	.	.	1	3	.	.	.
" 11 "	19,881	24			15	1	1	11	2	.	.	.	.	1	.	.	1	.	3	1	.	2	3
" 12 "	23,282	25			9	3	2	3	1	.	.	.	.	.	.	.	.	1	2	1	.	.	1
" 13 "	6,804	6			6	1	.	3	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	213			171	33	23	86	29	.	.	.	.	8	1	.	8	4	31	33	2	6	43
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	1	52·5	4·4	12	1	.	8	3	.	.	1	.	.	.	.	.	.	2	1	.	.	8
" 2 "	9,252	13	39·4	.	7	.	2	4	1	.	.	.	.	.	.	.	.	.	2	.	.	.	3
" 3 "	9,816	4	26·6	.	5	.	.	5	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2
" 4 "	10,356	2	20·1	.	4	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
" 5 "	8,137	2	12·8	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 6 "	3,823	4	23·6	.	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	8	27·5	.	9	2	2	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Total,	75,345	34	29·8	0·7	43	5	6	25	7	.	.	1	.	.	.	.	.	.	8	4	.	.	19

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.
No. of week in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered,	246	202	237	192	189	199	203	175	239	263	199	230	204	240	186	230	216	269	218	236	229	188	197	225	261	213
DEATHS registered.	127	176	137	118	113	139	132	192	198	210	166	170	135	187	226	181	207	195	157	169	176	179	149	124	127	171
Annual Death-rate per 1,000 of estimated Population,	18·9	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8
AGES, Under 1 year,	30	38	40	28	21	26	19	39	34	40	26	32	22	30	41	31	43	42	27	26	37	31	29	21	27	33
AGES, 1–5 years,	18	25	17	14	10	19	9	25	31	23	24	22	17	15	23	16	21	28	26	30	22	21	18	12	13	23
AGES, 5–60 years,	49	90	57	46	63	73	74	75	93	88	71	71	62	99	102	84	92	90	68	77	84	80	79	56	64	86
AGES, 60 years and upwards,	30	23	23	30	19	21	30	53	40	59	45	45	34	43	60	50	51	35	36	36	33	47	23	35	23	29
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	2	.	1	1	2	1	1	4	.	1	1	.	.	.	1	2	1	1	2	1	.	1	.	.
" Scarlet Fever,	.	1	.	.	1	.	1	1	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	5	1	4	4	.	2	1	6	6	2	9	5	4	3	4	3	4	3	2	4	4	1	1	1	4	8
" Diphtheria,	2	1	3	2	.	3	2	1	2	.	1	.	.	3	2	1	2	1	1	2	2	2	2	1	1	1
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.
" Enteric Fever,	6	10	4	5	1	2	1	4	4	4	4	1	1	1	1	2	5	3	4	3	6	1	5	5	3	3
" Diarrhœa, Dysentery,	2	.	.	.	.	1	.	1	3	4	1	2	2	1	3	3	.	1	1	3	3	1	1	2	3	4
" Phthisis,	14	35	12	13	19	29	14	31	27	21	17	21	12	26	27	19	26	28	26	30	39	25	31	14	23	31
" Diseases of Respiratory System,	37	49	35	38	37	34	27	64	74	86	72	66	39	50	73	67	57	75	35	49	43	46	38	26	24	33
Violent Deaths,	1	3	7	4	1	2	6	2	5	2	.	.	3	8	8	5	4	2	6	2	2	5	.	2	2	2

TABLE IX.—Showing the NUMBER of CASES of INFECTIVE DISEASES, notified to the Public Health Committee of the City of Dublin, for the week ending 5th May, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	2	1	.
" " 1, West,	.	.	.	3	.	.	.	.	1	7	4	.
" " 2,	.	.	.	.	.	.	1	.	.	6	2	.
" " 3,	.	.	3	1	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	2	15	.
" " 2,	.	1	.	.	.	.	.	1	.	.	2	.
" " 3,	.	2	.	4	.	.	3	.	.	2	.	.
" " 4,	.	5	.	3	.	.	.	1	.	.	2	.
Total,	.	8	3	11	.	.	4	2	1	19	26	.
Total for week ended April 28, 1900,	.	5	.	8	.	.	1	.	4	15	18	1
Total for week ended April 21, 1900,	.	12	.	3	.	.	3	.	.	9	8	.
Total for week ended April 14, 1900,	.	10	.	8	.	.	2	.	5	8	18	.

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th May, 1900, with the number under treatment at the close of each of the last four weeks.

Disease	No. of Cases in Hospital at close of week ended			Week ended 5th May.			
	April 14.	April 21.	April 28.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.		.	.
Measles,	20	13	16	3	4	.	15
Scarlet Fever,	87	80	82	17	20	.	79*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	16	16	15	6	7	.	14
Enteric Fever,	24	24	30	4	5	1	28
Pneumonia,	22	25	34	5	6	1	32

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	May 5,	2,737	1,675	19·0	.	72	4	21	42	6	11
EDINBURGH, .	302,262	„ 5,	182	134	23·1	.	2	.	2	2	1	1
GLASGOW, . .	743,969	„ 5,	511	296	20·7	.	11	2	1	14	5	4
CALCUTTA, . .	466,460	Mar. 3,	.	713	79·7	16	2	.	1	1	91‡	93*
BOMBAY, . .	821,764	April 10,	178	2,365	149·7	111	45	?	?	?	282§	249*
MADRAS, . .	452,518	Mar. 9,	296	310	35·6	1	18	?	?	?	79	39
PARIS, . . .	2,511,629	April 28,	1,204	1,044	21·6	.	30	4	6†	6	17	35
BRUSSELS (with 8 Faubourgs).	561,130	„ 21,	253	181	16·8	.	.	.	.	.	1	11
AMSTERDAM, .	525,429	„ 14,	281	153	15·2	.	.	.	2	2	1	.
ROTTERDAM, .	322,920	„ 14,	243	84	13·5	.	1	.	1	2	.	.
THE HAGUE, .	205,328	„ 14,	111	64	16·2	.	2	.	.	.	.	.
COPENHAGEN, .	349,000	„ 21,	268	126	18·8	.	.	.	3	.	.	5
CHRISTIANIA, .	221,255	„ 28,	102	83	19·5	.	.	1	.	1	.	9
ST. PETERSBURG,	1,132,677	„ 21,	476	628	28·8	8	11	9	19	3	16	48
BERLIN, . .	1,848,269	„ 14,	922	692	19·5	.	13	16	11	13	1	44
HAMBURG, . .	691,349	„ 21,	370	237	17·8	.	2	1	2†	1	.	4
DRESDEN, . .	400,400	Mar. 17,	255	170	21·9	.	1	.	2†	3	1	10
BRESLAU, . .	406,012	April 28,	.	192	24·3	.	.	.	1	.	1	26
MUNICH, . .	463,000	Jan. 20,	329	246	27·6	.	21	.	2†	1	.	35
		„ 27,	342	270	30·3	.	19	.	1†	.	1	32
VIENNA (with suburbs).	1,639,811	April 7,	877	802	25·2	.	12	3	6†	12	7	39
BUDA-PESTH, .	685,340	„ 21,	487	342	25·9	.	2	7	3	4	.	7
PRAGUE and Faubourgs.	385,952	„ 21,	173	236	31·3	.	2	1	1	1	.	5
ROME, . . .	512,423	—	.	.	.	.	.	.	.	.	.	.
TURIN (8 days),	344,203	Feb. 28,	165	202	20·0	.	10	1	1†	.	3	8
VENICE, . .	172,491	April 7,	74	78	23·5	.	.	.	2†	1	.	4
NEW YORK, .	3,654,594	Mar. 31,	1,605	1,626	23·2	.	31	16	37	20	6	21
PHILADELPHIA,	1,266,832	April 7,	.	732	30·0	.	19	6	29	6	11	2

* Including 45 deaths from cholera in Calcutta and 15 in Bombay. † Including deaths from croup.
‡ Exclusive of 373 deaths from bubonic fever. § Exclusive of 698 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE VI.)

Dr. J. W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 5th May, 1900:—

"Springlike and favourable, though changeable, weather prevailed. During the first three days, barometric gradients were slight, and the wind was variable in direction and moderate in force. On and after Wednesday the weather was determined by the passage northwards or northeastwards outside our extreme western or northwestern coasts of a succession of large and sometimes deep depressions. Near the centre of one of these the barometer fell at 8 a.m. of Thursday to 28·88 inches at Blacksod Point, Co. Mayo, and to 28·84 inches at Malin Head, Co. Donegal. At the time named the weather was very rough, wild and rainy throughout Ireland; squally and showery in England; dull and threatening in Scotland. As the day advanced temperature fell many degrees in Ireland, where a passing relapse into winter was felt. In the course of the ensuing night, however, a recovery of temperature took place, and the air was warm and dry—in fact at 9 a.m. of Saturday the relative humidity was only 60 per cent. in Dublin. In this city the mean height of the barometer was 29·673 inches, pressure ranging between 30·000 inches at 9 a.m. of Tuesday (wind, W.N.W.) and 29·047 inches at 9 a.m. of Thursday (wind, S.W.). The corrected mean temperature was 51·6°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 50·9°. The screened thermometers rose to 64·6° on Wednesday, having fallen to 42·2° on Tuesday. The rainfall was ·498 inch on four days, ·320 inch being measured on Wednesday. The prevailing winds were at first N.W., and afterwards S.S.W. Bright sunshine was estimated at 33 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·681 inches. The highest reading (30·013) was on Tuesday at 9 A.M., wind W., and the lowest (29·051) on Thursday at 9 A.M., wind S.W.

The mean temperature for the week was 48·6°, being 1·0° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Wednesday, when the thermometer registered 61·3°, and was lowest on Tuesday, the mercury having fallen to 37·2°. The mean of the Dry Bulb for the week was 49·4°, and of the Wet Bulb 45·9°. The mean humidity of the air was ·77, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 32·2 hours. The rainfall measured ·350 in.

At Greenwich the mean temperature for the week was 52·7°, the maximum 70·4°, and the minimum 36·2°; at Glasgow the maximum was 64·3°, the minimum 36·5°, and the mean 50·3°; and at Edinburgh the maximum was 59·9°, the minimum 40·0°, and the mean 48·4°. The rainfall at Greenwich measured 0·19 in.; at Glasgow 0·65 in.; and at Edinburgh 0·43 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 29,	29·767	58·3	44·9	51·6	48·6	47·4	·92	·5	4·7	·025	W.S.W.	Calm.
Monday, „ 30,	29·873	51·5	38·9	45·2	43·2	41·1	·85	·4	0·3	—	Calm.	Calm.
Tuesday, May 1,	29·958	54·1	37·2	45·7	48·9	44·7	·72	·4	2·7	—	W.	S.S.W.
Wednesday, „ 2,	29·654	61·3	47·1	54·2	53·3	49·3	·75	·7	5·0	·195	S.W.	S.E.
Thursday, „ 3,	29·307	53·1	37·3	45·2	47·4	43·6	·74	·4	6·8	·065	S.W.	S.W.
Friday, „ 4,	29·528	57·4	38·1	47·8	53·6	50·6	·80	·5	1·0	·065	S.S.W.	S.
Saturday, „ 5,	29·680	57·6	43·9	50·8	50·9	44·4	·61	·6	11·7	—	S.W.	S.
Mean, .	29·681	56·2	41·1	48·6	49·4	45·9	·77	·5	Total 32·2	Total ·350	Prevailing Wind. S.W.	

Sunday—A cloudy day; rain 9.45 to 10.15 a.m.; night cloudy; rain 5.30 to 7.30 a.m. *Monday*—A cloudy day; night cloudy. *Tuesday*—A cloudy day; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy; rain 12.30 to 8 a.m. *Thursday*—A stormy day; night cloudy and stormy. *Friday*—A cloudy day; night cloudy; rain 9.30 p.m. to 4 a.m. *Saturday*—A fine but cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

5. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 12TH MAY, 1900. [No. 19.

General Register Office, Charlemont House,
Dublin, 14th May, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 23·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending April 21.	April 28.	May 5.	May 12.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 21.	April 28.	May 5.	May 12.	Average Rate for 4 weeks.
23 Town Dists.	24·8	23·3	25·6	23·4	24·3	Limerick, . .	36·5	25·3	21·1	26·7	27·4
Armagh, . .	35·6	21·4	0·0	14·3	17·8	Lisburn, . .	21·3	29·8	25·7	21·3	24·5
Ballymena, .	22·5	50·7	16·9	16·9	26·7	Londonderry, .	33·0	22·0	14·1	25·1	23·6
Belfast, . .	18·0	18·4	24·8	20·0	20·3	Lurgan, . .	13·7	41·1	50·2	13·7	29·7
Carrickfergus, .	17·5	11·7	17·5	17·5	16·1	Newry, . .	32·2	16·1	16·1	4·0	17·1
Clonmel, . .	9·7	63·3	9·7	58·4	35·3	Newtownards, .	17·0	22·7	5·7	5·7	12·8
Cork, . . .	34·6	27·7	29·8	22·1	28·5	Portadown, .	43·3	55·7	24·7	24·7	37·1
Drogheda, . .	3·8	11·4	30·4	38·0	20·9	Queenstown, .	34·4	17·2	5·7	28·7	21·5
Dublin, Reg. Area,	29·4	25·2	29·7	26·3	27·6	Sligo, . . .	10·2	10·2	40·6	45·7	26·7
Dundalk, . .	12·6	37·7	16·8	12·6	19·9	Tralee, . .	5·6	16·8	28·0	39·2	22·4
Galway, . .	15·1	41·5	26·4	52·9	34·0	Waterford, .	43·8	13·9	15·9	19·9	23·4
Kilkenny, . .	28·3	18·9	9·4	4·7	15·3	Wexford, . .	9·0	18·1	36·1	13·5	19·2

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in thirteen of the districts to 19·5 in Clonmel; the 12 deaths from all causes registered in that district comprising 4 from whooping-cough. Among the 138 deaths from all causes registered in Belfast are 3 from whooping-cough, one from diphtheria, 5 from enteric fever, and one from diarrhœa; the 10 deaths in Drogheda comprise 4 from typhus; and among the 14 deaths in Galway are one from typhus and one from ill-defined fever.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 222—102 boys and 120 girls; and the deaths to 179—84 males and 95 females.

DEATHS.

The deaths, which are 9 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 26·7 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 26·3 per 1,000. During the nineteen weeks ending with Saturday last the death-rate averaged 36·4, and was 5·3 over the mean rate for the corresponding portions of the ten years 1890–99.

Twelve deaths from zymotic diseases were registered during the week, being 7 below the number registered last week, and 7 under the average for the 19th week of the last ten years. They include 5 from influenza, 3 from diarrhœa, and one each from cerebro-spinal meningitis, enteric fever, and whooping-cough.

From diseases of the respiratory system 34 deaths occurred, including 14 from pneumonia, 13 from bronchitis, and 3 from croup.

Convulsions caused 9 deaths—2 under one month, 3 under one year, 3 under 5 years, and one under 10 years.

Two deaths were caused by apoplexy, 3 by epilepsy, and 3 by other diseases of the brain and nervous system, exclusive of convulsions.

Phthisis or pulmonary consumption caused 32 deaths, mesenteric disease 8, tubercular meningitis 11, and cancer 6 deaths.

Four deaths were due to accidental causes.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 6 were under one month old) and 45 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a man) was stated to have been aged 90 years.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 26·3 per 1,000; the rate in the city was 29·6 (25·4 on the North side, and 33·4 on the South), and in the Suburbs 18·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·7 per 1,000 inhabitants, the rate for the city being 0·9 (0·9 in the North City Districts, and 0·8 in the South), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 25·0 per 1,000. Phthisis caused one death, and diseases of the respiratory and the circulatory systems two deaths each.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 25·4 per 1,000. One death was caused by diarrhœa, two deaths were caused by pulmonary tuberculosis (phthisis), 4 deaths were caused by disease of the respiratory system, and two from diseases of the digestive system. Two deaths from tubercular meningitis and one from meningitis occurred.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 25·3 per 1,000. Cerebro-spinal meningitis caused one death, diarrhœa caused one death, and phthisis two deaths; also one death from tubercular meningitis.

* See Table VI.

No. 3 North City District (Blackhall-place).—The deaths (13) represent an annual rate of 26·0 per 1,000. Two deaths occurred from phthisis and two from diseases of the respiratory system, also one death from meningitis.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 33·0 per 1,000. They include 1 from whooping-cough, 3 from phthisis, 5 from diseases of the respiratory system, one death from hydrocephalus and one from chronic hydrocephalus.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 16·9 per 1,000. Phthisis caused one death, and acute hydrocephalus one death.

No. 3 South City District (Peter-street).—The deaths (35) are equal to an annual rate of 45·0 per 1,000. Enteric fever caused one death, phthisis caused 7 deaths, and diseases of the respiratory system 7, and two from tubercular meningitis.

No. 4 South City District (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·1 per 1,000. Phthisis caused 7 deaths, and diseases of the circulatory system 3.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, 14·6 per 1,000 inhabitants; Clontarf and Howth, No. 1, 0·0; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 7·2; Rathmines, 16·9; Donnybrook, 29·6; Blackrock, 24·8; and Kingstown, 50·0. The deaths from zymotic diseases tabulated for these districts consist of one from influenza for Rathmines; and one from influenza and one from diarrhœa for Donnybrook. Of the 9 deaths from all causes tabulated for Rathmines 3 were caused by pneumonia and 2 by mesenteric disease; 4 of the 14 deaths for Donnybrook were caused by diseases of the respiratory system and 5 by phthisis; and the 5 deaths for Kingstown comprise 2 from diseases of the brain and nervous system.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	21st April,	35 cases.
,, ,,	28th April,	52 cases.
,, ,,	5th May,	74 cases.
,, ,,	12th May,	45 cases.

Of the 45 cases notified, 13 were erysipelas, 11 enteric fever, 8 scarlatina, 6 measles, 3 diphtheria, 3 meningitis,† and one typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th May, 1900.

From this it appears that:—

Fifteen cases of scarlatina were admitted to hospital during the week; 21 cases were discharged, and 73* remained under treatment at close of the week.

Six cases of enteric were admitted to hospital; 4 were discharged; and 30 remained under treatment at the close of the week.

Two cases of diphtheria were admitted to hospital, 3 were discharged, and 13 remained under treatment at close of week.

Four new cases of measles were admitted to hospital, and one of typhus fever. No death from any of these diseases occurred in hospital.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·4), was equal to an average annual death-rate of 17·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·7 per 1,000, the rate for Glasgow being 19·7, and for Edinburgh 16·2.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 12th May, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Registration—Week ending Saturday, 12th May, 1900. Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 23 Town Districts	1,062,188	12·2	32·2	23·4	1·5	655	477	76	118	.	1	1	6	8	1	1	7	5	96	80	10	18	132
Dublin Registration Area:—																							
Total,‡	349,594	14·2	33·1	26·3	0·7	222	176	30	45	.	.	.	.	1	.	.	1	3	31	33	4	6	65
Registrars' Districts. City	245,001	65·6	39·6	29·6	0·9	186	139	24	36	.	.	.	.	1	.	.	1	2	25	23	4	6	55
Clontarf &c. No. 1	4,138	1·5	12·6	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	10,780	1·8	19·4	14·6	.	4	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Finglas & Glasnevin, pt. of (a)	4,240	0·8	12·3	12·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Palmerston, part of and Crumlin part of (b)	7,273	8·0	28·7	7·2	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	18·8	16·9	.	10	9	3	2	.	.	.	.	.	.	.	.	.	.	3	.	.	4
Donnybrook	24,629	12·4	16·9	29·6	2·1	8	14	2	2	.	.	.	.	.	.	.	.	1	5	4	.	.	5
Blackrock,‖	8,401	7·8	6·2	24·8	.	1	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	21·0	15·0	.	7	5	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Urban Districts.																							
Belfast,	359,000	21·8	35·4	20·0	1·5	244	188	26	22	.	.	.	.	3	1	.	5	1	31	31	3	8	16
Cork,	75,345	33·3	28·1	22·1	.	32	32	4	4	.	.	.	.	.	.	.	.	.	11	8	.	1	10
Limerick,	37,155	17·9	25·3	26·7	1·4	18	19	2	3	.	.	.	.	.	.	.	.	1	6	1	.	.	8
Londonderry,	33,200	15·3	36·1	25·1	1·6	23	16	3	4	.	.	.	1	.	.	.	.	.	2	2	.	.	2
Waterford,	26,203	16·3	39·8	19·9	2·0	20	10	2	2	.	.	1	.	.	.	.	.	.	3	2	.	.	5
Galway,	13,800	2·6	15·1	52·9	7·6	4	14	1	5	.	.	.	1	.	.	1	.	.	3	.	1	1	4
Drogheda	13,703	6·7	11·4	38·0	15·2	3	10	.	4	.	.	.	4	.	.	.	.	.	.	.	.	.	9
Newry,	12,961	16·5	24·1	4·0	.	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Dundalk,	12,449	9·0	29·3	12·6	.	7	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	8·5	21·3	.	2	5	1	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.
Wexford,	11,545	24·0	31·6	13·5	.	7	3	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Lurgan,	11,429	18·4	77·6	15·7	.	17	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Kilkenny,	11,048	12·0	37·8	4·7	.	8	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Clonmel,	10,708	8·2	43·8	58·4	19·5	9	12	3	5	.	.	.	.	4	.	.	.	.	.	2	.	.	3
Sligo,	10,374	8·4	25·4	45·7	.	5	9	1	3	.	.	.	.	.	.	.	.	.	2	.	.	.	4
Tralee,	9,818	15·9	16·8	39·2	.	8	7	2	5	.	.	.	.	.	.	.	.	.	.	.	.	.	5
Ballymena,	9,252	9·8	22·5	16·9	.	4	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	11·3	5·7	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Queenstown,	9,082	17·0	5·7	28·7	.	1	5	.	1	.	.	.	.	.	.	.	.	.	.	2	2	2	.
Carrickfergus,	8,923	0·5	52·6	17·5	5·8	9	3	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
Portadown,	8,480	11·0	37·1	24·7	6·2	6	4	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.
Armagh,	7,187	21·4	28·5	14·3	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 12th May, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th May, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th April, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	60·3	36·8	48·7	0·54	61·3	37·2	48·6	0·35	63·8	33·1	47·6	0·19
City	63·6	44·9	51·5	0·54	64·6	42·2	51·6	0·50	64·8	40·1	50·3	0·12
Clontarf &c. No. 1	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a)	61·4	43·0	49·6	0·60	64·8	37·0	50·3	0·36	64·8	35·0	49·2	0·20
Palmerston, part of and Crumlin part of (b)	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	59	43	51·2	0·49	60	43	51·0	0·58	64	40	50	0·01
Urban Districts.												
Belfast,	62·1	43·1	51·0	0·75	61·1	34·0	47·6	1·04	66·9	33·0	49·6	0·27
Cork,	58	46	51·5	0·55	57	44	50·7	1·03	58	45	50·8	0·00
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	65·0	41·0	52·3	0·76	61·0	35·0	48·8	0·71	66·0	34·0	49·8	0·23
Waterford,	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	63	40	52	0·69	61·0	42	51	1·41	62	35	53	0·00
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	60·0	41·9	50·1	0·65	60·0	36·9	48·9	0·87	62·5	30·3	48·8	0·26
Dundalk,	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	60·0	41·9	50·1	0·65	60·0	36·9	48·9	0·87	62·5	30·3	48·8	0·26
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	60·0	41·9	50·1	0·65	60·0	36·9	48·9	0·87	62·5	30·3	48·8	0·26
Kilkenny,	63	41	50·3	0·70	60	36	49·4	0·83	63	36	49·6	0·08
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	59·9	40·5	52·2	.	58·3	40·0	48·4	1·36	61·2	28·8	47·0	0·18
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	57	39	47·6	0·83	60	34	47·8	1·13	56	34	46·0	0·61
Queenstown,	58	46	51·5	0·55	57	44	50·7	1·03	58	45	50·8	0·00
Carrickfergus,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	60·0	41·9	50·1	0·65	60·0	36·9	48·9	0·87	62·5	30·3	48·8	0·26
Armagh,	60·0	41·9	50·1	0·65	60·0	36·9	48·9	0·87	62·5	30·3	48·8	0·26

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. ‡ Exclusive of Deaths in Public Institutions of persons not belonging to the Dublin Registration Area.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 12th May, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	282	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
Other Zymotic Diseases	2	.	1	1	1	.	.	.	.	.	.	.	1	1	.	.	7	.
Total,	2	1	2	1	2	.	1	.	.	.	.	.	1	2	.	.	12	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	1	2	2	2	3	1	7	7	.	.	.	.	.	5	.	1	31	1
Other Constitutional Diseases	2	3	3	4	5	1	7	3	.	.	.	1	2	.	2	.	33	.
Total,	3	5	5	6	8	2	14	10	.	.	.	1	2	5	2	1	64	1
V. DEVELOPMENTAL DISEASES,	1	2	2	2	2	.	3	2	.	.	.	.	.	.	.	.	14	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	1	2	.	1	1	2	4	1	.	1	.	.	.	1	1	2	17	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	2	1	1	.	1	1	2	3	.	.	1	.	1	.	.	.	13	1
Diseases of Respiratory System,	2	4	1	2	5	1	7	1	.	1	.	.	3	4	1	1	33	1
Diseases of Digestive System,	1	2	1	1	.	.	1	.	.	1	.	.	1	.	.	1	9	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	.	2	.	1	.	.	.	.	.	.	2	.	.	5	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
,, Integumentary System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	6	9	4	4	9	4	15	6	.	3	1	.	5	7	2	4	79	2
VII. VIOLENT DEATHS,	.	.	1	.	.	.	1	2	.	.	.	.	.	.	.	.	4	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.
Deaths from all Causes,	13	17	14	13	21	6	35	20	.	3	1	1	9	14	4	5	176	3
Annual Rate of Mortality in every 1,000 of the population.	25·0	25·4	25·3	26·0	33·0	16·9	45·0	29·1	.	14·6	12·3	7·2	18·9	29·6	24·8	15·0		
	25·4				33·4				18·4									
	29·6																26·3	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	3	4	.	5	1	7	5	.	.	1	.	3	4	.	.	33	2
Workhouse Hospitals,	5	2	3	5	5	1	5	4	.	.	.	.	1	1	.	.	32	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street south, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 19th Week of the 10 years 1890-99.	In the week ending Saturday, 12th May, 1900.								
												Deaths of persons of the Ages of								
	May 10, 1890	May 16, 1891	May 14, 1892	May 13, 1893	May 12, 1894	May 11, 1895	May 9, 1896	May 15, 1897	May 14, 1898	May 13, 1899		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	0 to 5. 1 month and under 1 year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	50·0	49·2	50·9	52·8	48·5	50·8	49·0	46·6	48·8	45·8	49·2	48·7								
ALL CAUSES,	160	173	208	175	136	184	147	190	151	179	170·3	179	6	24	22	19	27	36	36	9
I. FEBRILE OR ZYMOTIC DISEASES,	12	12	38	28	15	15	19	22	16	18	19·5	12	1	2	.	.	2	4	3	.
II. PARASITIC DISEASES,	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	1	.	1	1	1	1	.	.	·5	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL "	43	43	39	38	49	44	37	46	34	42	41·5	65	.	8	10	14	15	14	4	.
V. DEVELOPMENTAL "	8	13	9	13	5	11	9	13	16	12	10·9	14	1	.	.	.	.	1	5	7
VI. LOCAL "	87	93	107	85	56	102	76	88	77	93	86·4	81	3	13	11	4	9	16	23	2
VII. VIOLENT DEATHS,	4	.	6	5	8	5	1	10	4	6	4·4	4	.	.	1	1	.	1	1	.
VIII. ILL-DEFINED CAUSES,	6	11	7	6	7	6	4	10	4	8	6·9	2	1	1	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	24	4	.	.	.	6	.	.	3·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	.	.	2	1	.	3	3	1	2	1·3	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	2	2	.	2	6	3	2	3	9	2·9	5	.	.	.	.	.	3	2	.
Whooping Cough,	3	5	3	3	8	8	.	6	.	2	4·1	1	.	1	.	.	.	.	.	.
Diphtheria,	.	1	.	1	.	.	1	1	1	1	·6	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	2	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	1	1	4	1	1	5	2	2	2	2·2	1	.	.	.	.	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	.	1	1	2	2	2	1	.	.	1·0	3	.	1	.	.	.	1	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	1	.	1	.	.	.	6	.	·9	1	1	.	.	.	.	.	.	.
Erysipelas,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	4	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	2	6	2	.	2	2	1	.	1	1·8	1	.	.	.	.	1	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	1	.	1	1	1	1	.	.	·5	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	1	.	.	.	1	.	.	1	.	·3	1	.	.	.	.	.	.	1	.
Rheumatism,	.	1	.	2	1	2	1	.	.	.	·7	.	.	.	.	.	.	.	.	.
Gout,	1	1	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Cancer,	6	10	3	3	5	5	5	3	4	9	5·3	6	.	.	.	1	.	3	2	.
Tabes Mesenterica,	1	2	6	2	4	4	2	6	2	2	3·1	8	.	4	2	2	.	.	.	.
Tubercular Meningitis,	3	4	6	2	3	4	3	9	6	4	4·4	11	.	3	5	3	.	.	.	.
Phthisis,	30	19	19	23	28	22	19	20	19	21	22·0	32	.	1	1	4	14	11	1	.
Scrofula, Tuberculosis,	2	3	5	5	6	5	7	7	2	6	4·8	7	.	.	2	4	1	.	.	.
Other Constitutional Diseases,	.	2	.	.	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	.	2	2	2	3	.	3	3	6	5	2·6	1	1	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	2	1	.	.	.	.	1	1	1	.	·6	.	.	.	.	.	.	.	.	.
Old Age,	6	10	7	11	2	11	5	9	9	7	7·7	13	.	.	.	.	.	1	5	7

each Disease registered in the NINETEENTH WEEK ending Saturday, 12th May, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 19th Week of the 10 years 1890-99.	In the Week ending Saturday, 12th May, 1900. Deaths of Persons of the Ages of								
	May 10, 1890	May 16, 1891	May 14, 1892	May 13, 1893	May 12, 1894	May 11, 1895	May 9, 1896	May 15, 1897	May 14, 1898	May 13, 1899		All Ages.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 50·0	° 49·2	° 50·9	° 52·8	° 48·5	° 50·8	° 49·0	° 46·6	° 48·8	° 45·8	° 49·2	° 48·7								
VI. Local Diseases—																				
Apoplexy,	4	1	4	5	2	1	3	7	5	4	3·6	2	.	.	.	.	.	.	2	.
Epilepsy,	.	3	1	.	.	2	1	.	.	.	·7	3	.	1	.	.	.	2	.	.
Convulsions,	13	14	15	19	6	8	8	11	13	6	11·3	9	2	3	3	1	.	.	.	.
Other Diseases of Brain and Nervous System,	6	7	4	6	5	11	7	8	1	8	6·8	3	.	.	.	.	.	.	3	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	2	.	.	1	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	16	20	12	8	15	16	16	16	18	17	15·4	14	.	1	.	.	4	1	7	1
Croup,	1	1	1	.	.	.	.	1	1	.	·5	3	.	.	3	.	.	.	.	.
Bronchitis,	17	13	25	17	5	31	9	15	16	27	17·5	13	.	2	2	.	.	4	4	1
Pneumonia	13	10	20	11	9	9	11	10	9	7	10·9	14	.	4	1	1	3	4	1	.
Pleurisy,	.	2	2	1	.	1	1	1	.	.	·8	1	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System,	2	2	.	2	3	3	3	3	.	2	2·0	3	.	.	.	.	2	.	1	.
Teething,	2	.	4	.	1	2	.	1	.	1	1·1	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	1	1	1	1	.	·4	1	.	.	.	1	.	.	.	.
Enteritis,	1	1	.	1	1	1	1	.	.	.	·6	2	.	1	.	.	.	1	.	.
Peritonitis	1	1	1	1	1	1	.	1	1	2	1·0	1	.	.	.	.	.	1	.	.
Disease of Liver,	3	2	1	5	.	2	5	2	3	4	2·7	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System,	2	9	9	3	3	4	2	2	2	8	4·4	5	1	1	1	1	.	.	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	5	6	2	5	8	5	7	5	5	5·1	5	.	.	.	.	.	2	3	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	1	1	1	.	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	.	1	.	.	.	.	1	.	.	·3	1	.	.	.	.	.	.	1	.
Diseases of Integumentary System,	1	1	.	3	.	1	1	.	.	1	·8	1	.	.	1	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	1	2	1	1	.	4	.	1		1	.	.	.	1	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Conflagrations,		.	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	
By Burns, Scalds, Explosions	4	.	1	.	.	.	.	1	.	3	4·0	1	.	.	1	.	.	.	.	.
By Drowning,		.	2	1	1	.	.	3	2	.		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	1	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		.	1	.	1	3	.	2	1	1		1	.	.	.	.	.	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	6	11	7	5	7	6	4	10	4	8	6·9	2	1	1	.	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1899–1900—Week ending																										
	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.
No. of weeks in Annual Series,	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Births registered,	241	193	154	206	167	138	247	187	209	168	191	184	174	175	257	179	215	217	226	234	128	184	225	202	246	222
Average Births in corresponding week of previous 10 years,	185	181	184	81	184	154	168	188	199	195	202	206	200	196	208	225	195	192	195	217	199	194	192	213	214	212
Deaths registered,	248	220	259	258	256	285	280	337	331	295	259	238	199	284	342	230	247	209	236	244	194	230	204	178	204	179
Annual Death-rate per 1,000,	37·0	32·8	38·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7
Average Deaths in corresponding week of previous 10 years,	174	177	183	177	184	184	207	211	239	249	228	221	211	216	212	214	218	218	218	219	204	184	185	184	178	170
Ages, Under 5 years,	123	98	93	103	84	87	86	81	85	70	60	60	54	63	74	55	66	56	69	55	50	59	66	51	54	52
5—20 „	27	16	12	17	23	22	18	15	16	15	20	19	14	24	20	22	15	12	17	12	14	26	18	15	17	19
20—40 „	27	28	35	35	35	46	32	49	38	44	33	34	30	48	47	33	42	39	34	45	24	29	30	33	47	27
40—60 „	32	38	51	51	61	55	57	73	84	61	50	46	35	65	80	51	60	44	51	54	42	53	32	48	42	36
60—80 „	28	36	53	44	44	63	74	94	85	83	79	64	53	73	104	59	56	42	52	59	53	47	45	27	35	36
80 years and upwards,	11	9	14	8	9	12	18	25	23	22	12	15	13	11	17	10	8	16	13	19	11	16	18	4	9	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	51	38	29	30	23	24	15	10	18	9	5	4	8	1	5	1	2	4	.	.	3	2	2	.	.	.
„ Scarlet Fever,	2	1	2	1	1	1	1	.	1	.	.	1	2	1	1	1	1	.	1	.	.	.	.	.	.	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	2	.	1	1	3	2	2	1	1	3	3	.	5	5	.	.	.	1	.	.	3	1	2	2	4	1
„ Diphtheria,	3	2	2	3	2	3	1	.	3	2	1	3	5	3	.	1	2	.	1	1	.	2	2	.	.	.
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Enteric Fever,	9	4	6	2	2	3	2	5	5	2	1	2	.	3	1	4	2	.	.	1	3	2	3	5	6	1
„ Diarrhœa, Dysentery,	5	3	4	4	3	5	1	2	3	6	.	2	2	2	4		3	4	4	.	.	1		3	1	3
„ Phthisis,	17	20	5	27	36	30	28	40	27	29	36	29	23	32	40	30	37	29	27	30	27	28	27	32	29	32
„ Heart Diseases,	18	17	17	15	26	15	21	24	20	16	25	15	11	28	33	24	18	17	20	28	16	17	11	11	17	14
„ Diseases of Respiratory System,	50	51	66	70	66	73	98	110	110	92	55	67	65	74	94	55	78	39	72	56	46	53	47	40	29	34
Violent Deaths,	6	7	4	6	6	3	7	4	5	5	2	5	3	8	4	2	2	4	9	6	2	9	3	4	6	4
Mean Temperature of the Air Phœnix Park),	48·0	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6	46·9	50·2	47·6	48·6	48·7
Average Mean Temperature in corresponding week of previous 10 years,	44·0	44·6	41·4	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	45·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2
Rainfall in inches,	·050	·030	·240	·455	·200	·855	2·055	·715	·585	·560	·530	·920	·690	·630	·520	1·025	·000	·115	·305	·075	·535	·785	·170	·190	·350	·535
Mean Humidity of the Air, complete Saturation 1·0,	·87	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th May, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 12th May, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	26·7	179	52	19	27	36	36	9	.	.	.	.	1	.	.	1	3	5	32	9	34	4	95
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	23·4	7	.	.	1	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6
II.	MIDDLE CLASS,	81,469	21·1	33	7	4	5	6	6	5	.	.	.	.	.	.	.	.	1	1	8	.	4	.	20
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	23·5	45	14	5	9	8	8	1	.	.	.	.	1	.	.	.	.	1	9	3	11	1	20
IV.	GENERAL SERVICE CLASS,	147,978	21·9	61	24	9	6	12	8	2	.	.	.	.	.	.	.	.	2	2	7	5	15	3	29
V.	INMATES OF WORKHOUSES,	5,191		33	7	1	6	10	8	1	.	.	.	.	.	.	.	1	.	1	7	1	4	.	20
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	26·0	4	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,788	27·2	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	30·0	15	4	2	3	4	1	1	.	.	.	.	.	.	.	.	1	1	6	.	2	.	6
	6. Clerks and Commercial Assistants,	25,091	14·6	7	2	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	19·1	9	.	1	1	.	4	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	35·0	5	1	1	1	1	1	.	.	.	.	.	1	.	.	.	.	1	3	.	1	.	.
	9. Building and Furnishing Trades,	26,294	21·8	11	4	2	1	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	2	1	6
	10. Clothing Trades,	28,927	17·4	8	.	1	1	3	2	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	5
	11. Food Supply Trades,	7,949	39·3	6	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	28·2	12	5	.	5	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	6	.	5
	13. Petty Shopkeepers,	6,839	22·8	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	11·4	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	15. Domestic Servants,	39,967	6·5	5	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	38·5	8	3	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.	3
	17. Hawkers, Porters, Labourers, &c.,	38,472	28·0	45	18	9	1	10	5	2	.	.	.	.	.	.	.	.	2	2	4	2	9	3	25
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	33	7	1	6	10	8	1	.	.	.	.	.	.	.	1	.	1	7	1	4	.	20

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	Mar. 24,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 31,	30·7	.	16	.	.	.	.	.	.	.	.	.	4	7	.
		Apr. 7,	40·8	.	21	.	.	.	.	.	.	.	.	.	5	4	1
		„ 14,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	2	..
		„ 21,	28·0	1·9	12	.	.	.	.	.	.	.	1	.	2	3	.
		„ 28,	23·0	1·9	12	.	.	.	.	.	.	.	1	.	1	5	.
		May 5,	32·7	1·9	17	.	.	.	.	.	.	.	1	.	1	4	.
		„ 12,	25·0	.	13	.	.	.	.	.	.	.	.	.	1	2	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	Mar. 24,	46·4	1·5	31	.	.	.	.	.	.	.	.	1	4	13	.
		„ 31,	41·9	.	28	.	.	.	.	.	.	.	.	.	3	5	1
		Apr. 7,	22·5	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
		„ 14,	46·4	.	31	.	.	.	.	.	.	.	.	.	4	9	2
		„ 21,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	1	7	.
		„ 28,	25·4	.	17	.	.	.	.	.	.	.	.	.	1	5	.
		May 5,	43·4	1·5	29	.	.	.	.	.	.	.	1	.	4	5	.
		„ 12,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	2	4	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Mar. 24,	61·4	.	34	.	.	.	.	.	.	.	.	.	3	12	2
		„ 31,	47·0	1·8	26	.	.	.	.	.	.	.	1	.	1	8	1
		Apr. 7,	34·3	3·6	19	.	2	.	.	.	.	.	.	.	1	5	.
		„ 14,	47·0	3·6	26	.	.	.	.	1	1	.	.	.	2	7	2
		„ 21,	41·5	.	23	.	.	.	.	.	.	.	.	.	2	5	.
		„ 28,	23·5	1·8	13	.	.	.	.	.	.	.	.	.	2	2	.
		May 5,	25·3	.	14	.	.	.	.	.	.	.	.	.	5	4	.
		„ 12,	25·3	1·8	14	.	.	.	.	.	.	.	.	1	2	1	1
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Mar. 24,	30·0	.	15	.	.	.	.	.	.	.	.	.	3	6	.
		„ 31,	30·0	.	15	.	.	.	.	.	.	.	.	.	4	1	.
		Apr. 7,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	2	7	1
		„ 14,	28·0	2·0	14	.	.	.	.	.	1	.	.	.	4	1	.
		„ 21,	22·0	2·0	11	.	.	.	.	.	.	.	.	1	2	3	.
		„ 28,	38·0	6·0	19	.	.	.	.	.	.	.	2	1	5	5	1
		May 5,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	4	2
		„ 12,	26·0	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 55,194.	Mar. 24,	40·8	.	26	.	.	.	.	.	.	.	.	.	4	4	.
		„ 31,	55·0	.	35	.	.	.	.	.	.	.	.	.	5	3	.
		Apr. 7,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	5	4	.
		„ 14,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	3	8	2
		„ 21,	37·7	3·1	24	.	1	.	.	.	.	.	.	1	2	4	.
		„ 28,	37·7	4·7	24	.	.	.	.	2	.	.	1	.	2	8	.
		May 5,	39·3	1·6	25	.	.	.	.	.	.	.	1	.	1	2	1
		„ 12,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	5	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Mar. 24,	42·2	.	15	.	.	.	.	.	.	.	.	.	4	6	.
		„ 31,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	4	.
		Apr. 7,	36·5	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 14,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 28,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
		May 5,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	1	.
		„ 12,	16·9	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Mar. 24,	27·0	.	21	.	.	.	.	.	.	.	.	.	2	5	2
		„ 31,	38·6	.	30	.	.	.	.	.	.	.	.	.	4	11	.
		Apr. 7,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	8	.
		„ 14,	29·6	.	23	.	.	.	.	.	.	.	.	.	1	6	1
		„ 21,	37·3	.	29	.	.	.	.	.	.	.	.	.	6	5	1
		„ 28,	19·3	2·6	15	.	.	.	.	.	.	.	1	1	4	2	1
		May 5,	36·0	3·9	28	.	.	.	.	2	.	.	.	1	3	5	2
		„ 12,	45·0	1·3	35	.	.	.	.	.	.	.	1	.	7	7	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	Mar. 24,	39·3	1·5	27	.	.	.	.	.	.	.	.	1	3	7	2
		„ 31,	26·2	.	18	.	.	.	.	.	.	.	.	.	3	3	.
		Apr. 7,	33·5	2·9	23	.	.	.	.	2	.	.	.	.	2	4	.
		„ 14,	29·1	.	20	.	.	.	.	.	.	.	.	.	4	4	1
		„ 21,	35·0	1·5	24	.	.	.	.	1	.	.	.	.	3	5	.
		„ 28,	36·4	.	25	.	.	.	.	.	.	.	.	.	4	3	.
		May 5,	29·1	2·9	20	.	.	.	.	1	.	.	1	.	5	3	.
		„ 12,	29·1	.	20	.	.	.	.	.	.	.	.	.	7	1	2

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Mar. 24,	30·0	3·8	16	.	.	1	.	.	.	.	.	1	1	5	.
	„ 31,	24·4	.	13	.	.	.	.	.	.	.	.	.	3	4	2
	Apr. 7,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	3	2	.
	„ 14,	31·9	1·9	17	.	1	.	.	.	.	.	.	.	2	2	.
	„ 21,	20·6	3·8	11	.	.	.	.	.	.	.	1	1	3	2	1
	„ 28,	24·4	.	13	.	.	.	.	.	.	.	.	.	5	3	.
	May 5,	16·9	1·9	9	.	.	.	.	.	.	.	1	.	3	.	.
	„ 12,	16·9	.	9	.	.	.	.	.	.	.	.	.	.	3	.
Donnybrook. Pop. (in 1891) 24,629.	Mar. 24,	19·1	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	„ 31,	23·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
	Apr. 7,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	1	2	.
	„ 21,	33·9	6·4	16	.	.	.	.	.	2	.	1	.	2	2	1
	„ 28,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	May 5,	14·8	2·1	7	.	.	.	.	.	.	.	1	.	.	.	.
	„ 12,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	5	4	.
Kingstown. Pop. (in 1891) 17,886.	Mar. 24,	33·0	3·0	11	.	.	.	.	.	.	.	.	1	.	4	1
	„ 31,	48·0	.	16	.	.	.	.	.	.	.	.	.	1	5	.
	Apr. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	„ 28,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	May 5,	24·0	.	8	.	.	.	.	1	.	.	.	.	2	.	1
	„ 12,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
Belfast. Pop. in 1900 (Est.) 359,000.	Mar. 24,	24·5	2·0	169	.	1	1	.	4	2	.	3	3	30	49	2
	„ 31,	25·6	2·5	176	.	2	.	.	4	2	.	6	3	39	43	2
	Apr. 7,	26·0	0·9	179	.	1	.	.	1	2	.	1	1	25	46	5
	„ 14,	21·6	1·3	149	.	.	.	.	1	2	.	5	1	31	38	.
	„ 21,	18·0	1·5	124	.	1	.	.	1	1	.	5	2	14	26	2
	„ 28,	18·4	1·6	127	.	.	.	.	4	1	.	3	3	23	24	2
	May 5,	24·8	3·1	171	.	.	.	.	8	1	.	8	4	31	33	2
	„ 12,	20·0	1·5	138	.	.	.	.	3	1	.	5	1	31	31	3
Cork. Pop. (in 1891) 75,845.	Mar. 24,	29·1	.	42	.	.	.	.	.	.	.	.	.	7	12	1
	„ 31,	22·8	.	33	.	.	.	.	.	.	.	.	.	3	10	.
	Apr. 7,	33·2	0·7	48	.	.	.	.	.	.	.	.	1	4	14	.
	„ 14,	29·1	2·1	42	.	3	.	.	.	.	.	.	1	6	7	.
	„ 21,	34·6	1·4	50	.	.	.	1	.	.	.	.	1	7	8	.
	„ 28,	27·7	2·1	40	.	.	.	.	.	1	.	2	.	3	11	.
	May 5,	29·8	0·7	43	.	.	1	.	.	.	.	.	.	8	4	.
	„ 12,	22·1	.	32	.	.	.	.	.	.	.	.	.	11	3	.
Limerick. Pop. (in 1891) 37,155.	Mar. 24,	30·9	.	23	.	.	.	.	.	.	.	.	.	3	10	.
	„ 31,	98·2	.	70	.	.	.	.	.	.	.	.	.	7	17	.
	Apr. 7,	26·7	.	19	.	.	.	.	.	.	.	.	.	2	6	.
	„ 14,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	4	.
	„ 21,	36·5	.	26	.	.	.	.	.	.	.	.	.	3	10	1
	„ 28,	25·8	1·4	18	.	.	.	.	.	.	.	.	1	2	4	1
	May 5,	21·1	.	15	.	.	.	.	.	.	.	.	.	6	3	.
	„ 12,	26·7	1·4	19	.	.	.	.	.	.	.	.	1	6	1	.
Londonderry Pop. (in 1891) 28,200.	Mar. 24,	22·0	.	14	.	.	.	.	.	.	.	.	.	1	7	.
	„ 31,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	3	6	.
	Apr. 7,	6·3	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 14,	20·4	1·6	13	.	.	.	1	.	.	.	.	.	1	4	.
	„ 21,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	3	5	1
	„ 28,	22·0	.	14	.	.	.	.	.	.	.	.	.	4	4	.
	May 5,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	.	1	.
	„ 12,	25·1	1·6	16	.	.	.	1	.	.	.	.	.	2	2	.
Waterford. Pop. (in 1891) 26,200.	Mar. 24,	29·8	.	15	.	.	.	.	.	.	.	.	.	.	4	.
	„ 31,	23·9	2·0	12	.	.	.	.	.	.	.	.	1	1	4	.
	Apr. 7,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 14,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	6	.
	„ 21,	43·8	2·0	22	.	.	.	.	1	.	.	.	.	3	5	.
	„ 28,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	May 5,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1
	„ 12,	19·9	2·0	10	.	.	1	.	.	.	.	.	.	3	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 12th May, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	8	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		13	2	5	3	3	.	.	.	.	1	.	.	1	.	1	3	.	.	3
" 2 "	37,539	35			29	4	2	17	6	.	.	.	.	.	.	.	.	.	6	8	1	2	2
" 3 "	38,845	26			13	2	3	7	1	.	.	.	.	1	.	.	1	1	5	1	.	1	.
" 4 "	33,391	25			11	3	1	6	1	.	.	.	.	.	1	.	.	.	2	3	.	1	3
" 5 "	21,284	15			5	2	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 6 "	48,431	20			20	.	.	14	6	.	.	.	.	.	.	.	.	.	6	2	.	.	4
" 7 "	1,112	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	2			2	1	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
" 9 "	12,866	12			5	1	.	3	1	.	.	.	.	.	.	.	.	.	2	2	.	.	.
" 10 "	13,256	24			11	2	1	7	1	.	.	.	.	.	.	.	2	.	5	.	.	.	2
" 11 "	19,881	38			10	3	1	4	2	.	.	.	.	1	.	.	.	.	1	2	2	2	.
" 12 "	23,282	26			15	4	.	10	1	.	.	.	.	.	.	.	.	.	2	6	.	2	1
" 13 "	6,804	12			4	2	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 14 "	862	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	244			138	26	14	76	22	.	.	.	.	3	1	.	5	1	31	31	3	3	16
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	11,927	5	17·5	.	4	.	.	4	.	.	.	.	.	.	.	.	.	.	3	.	.	1	3
" 2 "	9,252	4	11·3	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 3 "	9,816	2	37·2	.	7	.	1	3	3	.	.	.	.	.	.	.	.	.	2	1	.	.	3
" 4 "	10,356	1	30·2	.	6	2	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2
" 5 "	8,137	2	6·4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 6 "	3,823	10	17·7	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 7 "	17,034	8	27·5	.	9	.	2	7	.	.	.	.	.	.	.	.	.	.	3	1	.	.	1
Total,	75,345	32	22·1	.	32	4	4	20	4	.	.	.	.	.	.	.	.	.	11	3	.	1	10

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.
No. of week in Annual Series,	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered,	202	237	192	189	199	203	175	239	263	199	230	204	240	186	230	216	269	218	236	229	188	197	225	261	213	244
DEATHS registered.	176	137	118	113	139	132	192	198	210	166	170	135	187	226	181	207	195	157	169	176	179	149	124	127	171	138
Annual Death-rate per 1,000 of estimated Population,	26·2	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0
AGES, Under 1 year,	38	40	28	21	26	19	39	34	40	26	32	22	30	41	31	43	42	27	26	37	31	29	21	27	33	26
AGES, 1–5 years,	25	17	14	10	19	9	25	31	23	24	22	17	15	23	16	21	28	26	30	22	21	18	12	13	23	14
AGES, 5–60 years,	90	57	46	63	73	74	75	93	88	71	71	62	99	102	84	92	90	68	77	84	80	79	56	64	86	76
AGES, 60 years and upwards,	23	23	30	19	21	30	53	40	59	45	45	34	43	60	50	51	35	36	36	33	47	23	35	23	29	22
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	2	.	1	1	2	1	1	4	.	1	1	.	.	.	1	2	1	1	2	1	.	1	.	.	.
" Scarlet Fever,	1	.	.	1	.	1	1	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	4	4	.	2	1	6	6	2	9	5	4	3	4	3	4	3	2	4	4	1	1	1	4	8	3
" Diphtheria,	1	3	2	.	3	2	1	2	.	1	.	.	3	2	1	2	1	1	2	2	2	2	1	1	1	1
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.
" Enteric Fever,	10	4	5	1	2	1	4	4	4	4	1	1	1	1	2	5	3	4	3	6	1	5	5	3	8	5
" Diarrhœa, Dysentery,	.	.	.	.	1	.	1	3	4	1	2	2	1	3	3	.	1	1	3	3	1	1	2	3	4	1
" Phthisis,	35	12	13	19	29	14	31	27	21	17	21	12	26	27	19	26	28	26	30	39	25	31	14	23	31	31
" Diseases of Respiratory System,	49	35	38	37	34	27	64	74	86	72	66	39	50	73	67	57	75	35	49	43	46	38	26	24	33	31
Violent Deaths,	3	7	4	1	2	6	2	5	2	.	.	3	8	8	5	4	2	6	2	2	5	.	2	2	2	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIVE DISEASES, notified to the Public Health Committee of the City of Dublin, for the week ending 12th May, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	1	.	.	.	.	.	.	.	2	6	.	.	9
" " 2,	.	.	.	.	.	.	.	.	.	3	.	.	.	3
" " 3,	.	1	.	3	1	.	.	.	.	3	2	.	1	11
South City No. 1,	.	.	.	.	.	.	.	.	.	2	3	.	.	5
" " 2,	.	.	.	.	.	.	3	.	.	.	2	.	.	5
" " 3,	.	3	.	5	.	.	.	.	.	1	.	.	.	9
" " 4,	.	1	.	.	.	.	.	.	.	.	.	.	2	3
Total,	.	6	.	8	1	.	3	.	.	11	13	.	3	45
Total for week ended April 21, 1900,	.	12	.	3	.	.	3	.	.	9	8	.	*	35
Total for week ended April 28, 1900,	.	5	.	8	.	.	1	.	4	15	18	1	*	52
Total for week ended May 5, 1900,	.	8	3	11	.	.	4	2	1	19	26	.	*	74

* See Note (†), page 299.

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th May, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th May.			
	April 21.	April 28.	May 5.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	13	16	15	4	6	.	13
Scarlet Fever,	80	82	79	15	21	.	73*
Typhus "	.	.	.	1	.	.	1
Diphtheria,	16	15	14	2	3	.	13
Enteric Fever,	24	30	28	6	4	.	30
Pneumonia,	25	34	32	9	3	2	36

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	May 12,	2,581	1,446	16·4	1	56	4	29	35	3	16
EDINBURGH, .	302,262	„ 12,	164	94	16·2	.	2	2	2	.	.	4
GLASGOW, . .	743,969	„ 12,	524	282	19·7	.	9	4	2	16	3	5
CALCUTTA, . .	466,460	Mar. 10,	.	950	106·2	16	5	.	.	1	109‡	90*
BOMBAY, . .	821,764	April 17,	198	2,099	132·8	72	52	?	?	?	224§	297*
MADRAS, . .	452,518	Mar. 16,	349	325	37·3	.	11	?	?	?	96	42
PARIS, . . .	2,511,629	May 5,	1,076	1,099	22·7	1	34	3	8†	3	18	42
BRUSSELS (with 8 Faubourgs).	561,130	April 28,	260	186	17·2	.	1	.	.	.	4	12
AMSTERDAM, .	525,429	„ 21,	287	171	17·0	.	1	.	1	5	.	.
ROTTERDAM, .	322,920	„ 21,	238	109	17·6	.	2	.	1	1	1	.
THE HAGUE, .	205,328	„ 21,	110	59	14·9	.	.	.	1	2	.	.
COPENHAGEN, .	349,000	„ 28,	177	130	19·4	.	3	.	3	2	.	6
CHRISTIANIA, .	221,255	May 5,	139	92	21·6	.	.	.	1	6	.	6
ST. PETERSBURG,	1,132,677	April 28,	871	652	29·9	6	12	14	20	5	14	56
BERLIN, . .	1,848,269	„ 21,	880	722	20·3	.	14	6	11	14	3	39
HAMBURG, . .	691,349	„ 28,	.	244	18·4	.	1	.	2†	.	.	9
DRESDEN, . .	400,400	Mar. 24,	252	144	18·6	.	1	.	1†	1	1	4
BRESLAU, . .	406,012	May 5,	.	204	26·1	.	.	.	3	1	1	24
MUNICH, . .	463,000	Feb. 3,	367	312	35·0	.	24	.	1†	3	.	25
		„ 10,	361	285	22·3	.	30	.	1†	1	.	32
VIENNA (with suburbs).	1,639,811	April 14,	929	854	26·8	.	16	3	7†	5	4	52
BUDA-PESTH, .	685,340	„ 28,	489	346	26·3	.	7	2	2	2	.	6
PRAGUE and Faubourgs.	385,952	„ 28,	204	224	29·7	.	.	.	.	4	4	1
ROME, . . .	514,306	„ 14,	221	210	.	.	11	.	5	2	.	9
TURIN, .	—	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	172,491	April 14,	84	78	23·5	.	.	.	.	.	2	4
NEW YORK, .	3,654,594	„ 7,	1,602	1,647	23·5	.	31	14	32	22	7	12
PHILADELPHIA,	1,266,832	„ 14,	.	691	28·4	.	22	8	19	7	15	3

* Including 37 deaths from cholera in Calcutta and 26 in Bombay. † Including deaths from croup.
‡ Exclusive of 544 deaths from bubonic fever. § Exclusive of 533 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Dr. J. W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 12th May, 1900:—

"Very favourable, if somewhat changeable, weather held during this week. At first, the barometer stood high on the Continent, whereas shallow and rather complex depressions passed northwards across the British Isles. One of these systems caused a considerable rainfall on Sunday in England, Wales, and the North of Ireland. On Monday morning the barometer was uniformly rather low all over the United Kingdom. As baric gradients were slight in Ireland a beautiful day was enjoyed in this country. On Tuesday a depression was found over Germany, spreading slowly westwards to England. This disturbance led to a heavy rainfall along the N.E. and E. coasts of England, a marked dip in temperature, and northeasterly winds. Thunderstorms occurred in Central and Northwestern Ireland on Tuesday afternoon, when the easterly wind of the depression was setting in. After Wednesday morning the barometer rose quickly and very fine weather prevailed until Saturday, which proved a dull, cold and finally wet day with freshening easterly winds. In Dublin the mean height of the barometer was 29·824 inches, pressure varying between 29·487 inches at 9 a.m. of Monday (wind, W.S.W.) and 30·061 inches at 9 p.m. of Saturday (wind, E.N.E.). The corrected mean temperature was 51·5°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 50·9°. The screened thermometers rose to 63·6° on Friday and fell to 44·9° on Saturday. The prevalent wind was E.N.E. Rain fell on four days to the amount of ·538 inch, ·245 inch being measured on Tuesday. The estimated duration of bright sunshine was 39 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·835 inches. The highest reading (30·068) was on Saturday at 9 A.M., wind E., and the lowest (29·505) on Monday at 9 A.M., wind S.W.

The mean temperature for the week was 48·7°, being 0·5° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Friday, when the thermometer registe ed 60·3°, and was lowest on Tuesday, the mercury having fallen to 36·8°. The mean of the Dry Bulb for the week was 49·1°, and of the Wet Bulb 46·6°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 32·2 hours. The rainfall measured ·535 in.

At Greenwich the mean temperature for the week was 50·9°, the maximum 71·2°, and the minimum 34·7°; at Glasgow the maximum was 68·4°, the minimum 37·8°, and the mean 49·2°; and at Edinburgh the maximum was 62·7°, the minimum 38·8°, and the mean 46·6°. The rainfall at Greenwich measured 0·36 in.; at Glasgow 0·70 in.; and at Edinburgh 0·29 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 6,	29·604	53·5	42·9	48·2	48·2	45·8	·84	·5	0·5	—	S.E.	Calm.
Monday, „ 7,	29·545	58·5	43·9	51·2	51·9	47·2	·71	·4	8·5	—	S.W.	S.E.
Tuesday, „ 8,	29·724	57·2	36·8	47·0	50·4	47·3	·82	·7	10·0	·250	E.	Calm.
Wednesday, „ 9,	29·825	52·9	45·0	48·5	48·4	47·2	·92	·7	0·6	·155	N.W.	N.E.
Thursday, „ 10,	30·041	54·7	42·4	48·6	47·7	45·7	·87	·4	5·2	—	E.	Calm.
Friday, „ 11,	30·039	60·3	43·3	51·8	52·0	48·5	·78	·2	7·4	—	Calm.	E.
Saturday, „ 12,	30·067	48·8	42·4	45·6	45·0	44·2	·94	·7	0·0	·130	E.	E.
Mean,	29·835	55·0	42·4	48·7	49·1	46·6	·84	·5	Total 32·2	Total ·535	Prevailing Wind, E.	

Sunday—A cloudy day; night cloudy. *Monday*—A fine but cloudy day; night cloudy. *Tuesday*—A fine but cloudy day; night cloudy; rain 2.30 to 9 a.m. *Wednesday*—Dull a.m.; cloudy p.m.; rain 9 to 11.30 a.m. and 3.30 to 4 p.m.; night cloudy. *Thursday*—A cloudy day; night cloudy. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A dull day; rain 7.30 p.m. to 12.15 a.m.; night overcast p.m.; cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

4. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 19TH MAY, 1900. [No. 20

General Register Office, Charlemont House,
Dublin, 21st May, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 22·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending April 28.	May 5.	May 12.	May 19.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 28.	May 5.	May 12.	May 19.	Average Rate for 4 weeks.
23 Town Dists.	23·3	25·6	23·4	22·1	23·6	Limerick, . .	25·3	21·1	26·7	28·1	25·3
Armagh, . .	21·4	0·0	14·3	42·8	19·6	Lisburn, . .	29·8	25·7	21·3	25·7	25·6
Ballymena, .	50·7	16·9	16·9	33·8	29·6	Londonderry, .	22·0	14·1	25·1	17·3	19·6
Belfast, . .	18·4	24·8	20·0	22·2	21·4	Lurgan, . .	41·1	50·2	13·7	27·4	33·1
Carrickfergus, .	11·7	17·5	17·5	29·2	19·0	Newry, . .	16·1	16·1	4·0	20·1	14·1
Clonmel, . .	63·3	9·7	58·4	24·3	38·9	Newtownards, .	22·7	5·7	5·7	0·0	8·5
Cork, . . .	27·7	29·8	22·1	21·5	25·3	Portadown, .	55·7	24·7	24·7	30·9	34·0
Drogheda, . .	11·4	30·4	38·0	22·8	25·7	Queenstown, .	17·2	5·7	28·7	28·7	20·1
Dublin, Reg. Area,	25·2	29·7	26·3	23·0	26·0	Sligo, . . .	10·2	40·6	45·7	10·2	26·7
Dundalk, . .	37·7	16·8	12·6	16·8	21·0	Tralee, . .	16·8	28·0	39·2	0·0	21·0
Galway, . .	41·5	26·4	52·9	15·1	34·0	Waterford, . .	13·9	15·9	19·9	25·9	18·9
Kilkenny, . .	18·9	9·4	4·7	0·0	6·6	Wexford, . .	18·1	36·1	13·5	13·5	20·3

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·3 in Lisburn. Among the 153 deaths from all causes registered in Belfast are one from measles, 6 from whooping-cough, one from diphtheria, 12 from enteric fever, and 2 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—121 boys and 77 girls; and the deaths to 168—81 males and 87 females.

DEATHS.

The deaths, which are 6 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 25·1 in every 1,000 of the population; omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, the rate was 23·0 per 1,000. During the twenty weeks ending with Saturday last the death-rate averaged 35·9, and was 5·0 over the mean rate for the corresponding portions of the ten years 1890–99.

Twenty-three deaths were due to zymotic diseases, being 11 over the number registered during the preceding week, and 5 over the average for the 20th week of the last 10 years. Of these deaths 5 were caused by epidemic cerebro-spinal fever, 2 each by measles, enteric fever, and diarrhœa, and one each by whooping-cough, diphtheria, and ill-defined fever.

Thirty deaths were caused by phthisis, 6 by tubercular meningitis, 4 by tabes mesenterica, 4 by other forms of tubercular disease; cancer caused 7 deaths.

Twenty-five deaths were caused by diseases of the respiratory system, namely, 13 from pneumonia, 11 from bronchitis, and 1 from croup.

Two deaths were caused by epilepsy, one by apoplexy, and 7 by other diseases of the brain and nervous system (exclusive of convulsions.)

Convulsions caused 6 deaths in children; one under a month, 4 under a year, and one under 5 years.

Five accidental deaths were registered.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 infants under one year old and of 4 persons aged 60 years and upwards.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 4 were under one month old) and 42 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 6 were octogenarians.

Seventy of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and 5 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·0 per 1,000; the rate in the city was 24·3 (22·7 on the North side, and 25·6 on the South), and in the Suburbs 19·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the city being 1·3 (1·8 in the North City Districts, and 0·8 in the South), and for the Suburbs 1·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 23·0 per 1,000. Influenza caused 2 deaths, cerebro-spinal fever 1 death, diarrhœa 1 death, and phthisis three deaths.

No. 1 North City District, West (Summer-hill).—The deaths (11) are equal to an annual rate of 16·5 per 1,000. Cerebro-spinal meningitis caused one death, phthisis caused one death, and diseases of the respiratory system 3 deaths.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 23·5 per 1,000. Two deaths were caused by fever, one of which was enteric, three deaths were caused by phthisis, and three by convulsions.

* See Table VI

No. 3 North City District (Blackhall-place).—The deaths (15) represent an annual rate of 30·0 per 1,000. One death from enteric fever took place, and 5 from phthisis and three from diseases of the respiratory system; 2 deaths from tubercular meningitis occurred.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 31·4 per 1,000. Two deaths from meningitis and one from cerebro-spinal fever occurred, also one from whooping-cough; phthisis caused 4 deaths and diseases of the respiratory system three.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·3 per 1,000. Of the nine deaths registered one each was due to diseases of the brain, circulatory, respiratory, and digestive systems.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 29·6 per 1,000. Meningitis caused one death and diphtheria caused one death, phthisis caused two deaths, and diseases of the respiratory system 6 deaths.

No. 4 South City District (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·0 per 1,000. Cerebro-spinal meningitis caused one death, phthisis 4 deaths, and diseases of the respiratory system one death.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, 24·3 per 1,000 inhabitants; Clontarf and Howth, No. 1, 0·0; Finglas and Glasnevin, part of, 0·0; Palmerston, part of, and Crumlin, part of, 28·7; Rathmines, 24·4; Donnybrook, 16·9; Blackrock, 24·8; and Kingstown, 18·0. The deaths from zymotic diseases tabulated for these districts consist of one from measles for Palmerston, part of; one from measles and one from diarrhœa for Rathmines; one from influenza for Donnybrook; and one from cerebro-spinal meningitis for Kingstown. The 5 deaths from all causes tabulated for Coolock and Drumcondra, No. 1, comprise 2 from pneumonia; 3 of the 13 deaths for Rathmines were from diseases of the circulatory system; 2 of the 8 deaths for Donnybrook were from diseases of the brain and nervous system; of the 4 deaths for Blackrock 3 were caused by phthisis; and the 6 deaths for Kingstown comprise 2 from diseases of the circulatory system.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	28th April,	52 cases.
" "	5th May,	74 cases.
" "	12th May,	45 cases
" "	19th May,	58 cases.

Of the 58 cases notified, 10 were erysipelas, 15 enteric fever, 12 scarlatina, 6 measles, 1 diphtheria, 11 meningitis,† one membranous croup, and two from continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th May, 1900.

From this it appears that:—

Eighteen cases of scarlatina were admitted during the week and that 18 were discharged, leaving 73* under treatment. There was no death, so that the number under treatment remained unchanged from that of the preceding week.

Fourteen cases of enteric were admitted to hospital; 8 were discharged; and 36 remained under treatment at the end of the week, being 6 in excess of number under treatment at the close of the preceding week.

Two cases of diphtheria were admitted to hospital and one died, leaving 14 under treatment at close of week.

Only 2 cases of measles were admitted to hospital; 5 were discharged; and 10 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·3), was equal to an average annual death-rate of 18·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·5 per 1,000, the rate for Glasgow being 20·3, and for Edinburgh 18·2.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 19th May, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Registration—Week ending Saturday, 19th May, 1900. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 19th May, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th May, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th May, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	30·6	22·1	1·7	623	450	87	101	.	3	.	1	7	2	1	16	5	78	88	11	17	130	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,†	849,594	14·2	29·5	23·0	1·3	198	154	27	40	.	2	.	.	1	1	1	2	2	28	25	4	4	56	§60·1	38·0	47·0	0·01	§60·3	36·8	48·7	0·54	§61·3	37·2	48·6	0·35
Registrars' Districts. City	245,001	65·6	30·9	24·3	1·3	145	114	20	27	.	.	.	.	1	1	1	2	1	22	18	3	3	49	61·7	39·4	49·8	0·00	63·6	44·9	51·5	0·54	64·6	42·2	51·6	0·50
Clontarf &c. No. 1,	4,188	1·5	25·2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,730	1·8	34·0	24·3	.	7	5	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61·2	34·0	47·9	0·00	61·4	43·0	49·6	0·60	64·8	37·0	50·3	0·36
Palmerston, part of and Crumlin part of (b),	7,278	8·0	43·0	28·7	7·2	6	4	1	1	.	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	28·1	24·4	3·8	15	13	4	4	.	1	.	.	.	.	.	.	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	31·8	16·2	.	15	8	1	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	12·4	24·8	.	2	4	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	18·0	18·0	.	6	6	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	4	60	44	50·0	0·00	59	43	51·2	0·49	60	43	51·0	0·58
Urban Districts.																																			
Belfast,	359,000	21·8	31·7	22·2	3·2	218	153	34	27	.	1	.	.	6	1	.	12	2	23	32	4	10	42	63·1	39·6	48·4	0·06	62·1	43·1	51·0	0·75	61·1	34·0	47·6	1·04
Cork,	75,345	38·8	24·2	21·5	0·7	35	31	3	13	.	.	.	.	.	.	.	.	1	6	9	.	.	12	63	40	50·3	0·15	58	46	51·5	0·55	57	44	50·7	1·03
Limerick,	37,155	17·9	71·6	28·1	.	51	20	2	5	.	.	.	.	.	.	.	.	.	2	3	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	38,200	15·3	15·7	17·3	.	10	11	3	2	.	.	.	.	.	.	.	.	.	4	5	1	1	.	64·6	38·0	49·1	0·00	65·0	41·0	52·3	0·76	61·0	35·0	48·8	0·71
Waterford,	26,208	18·3	23·9	25·9	.	12	13	3	1	.	.	.	.	.	.	.	.	.	3	4	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	18·9	15·1	.	5	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	69	36	51	0·07	63	40	52	0·69	61·0	42	51	1·41
Drogheda	13,708	8·7	3·8	22·8	3·8	1	6	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	40·2	20·1	.	10	5	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	65·1	35·0	47·9	0·00	60·0	41·9	50·1	0·65	60·0	36·9	48·9	0·87
Dundalk,	12,449	9·0	46·1	16·8	4·2	11	4	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	25·7	25·7	4·3	6	6	2	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	65·1	35·0	47·9	0·00	60·0	41·9	50·1	0·65	60·0	36·9	48·9	0·87
Wexford,	11,545	24·0	18·1	13·5	.	4	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,422	18·4	31·9	27·4	.	7	6	1	2	.	.	.	.	.	.	.	.	.	2	1	.	.	2	65·1	35·0	47·9	0·00	60·0	41·9	50·1	0·65	60·0	36·9	48·9	0·87
Kilkenny,	11,048	12·0	42·5	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	63	38	49·1	0·00	63	41	50·8	0·70	60	36	49·4	0·83
Clonmel,	10,708	8·2	39·0	24·3	.	8	5	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	35·5	10·2	.	7	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62·3	30·4	48·6	0·00	63·5	40·5	51·9	0·44	58·3	40·0	48·4	1·86
Tralee,	9,818	15·9	28·0	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·8	28·2	33·8	.	5	6	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	17·0	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55	38	46·4	0·00	57	39	47·6	0·83	60	34	47·8	1·13
Queenstown,	9,082	17·0	5·7	28·7	.	1	5	2	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	63	40	50·3	0·15	58	46	51·5	0·55	57	44	50·7	1·03
Carrickfergus,	8,928	0·5	23·4	29·2	.	4	5	.	2	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	8,430	11·0	37·1	30·9	.	6	5	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	65·1	35·0	47·9	0·00	60·0	41·9	50·1	0·65	60·0	36·9	48·9	0·87
Armagh,	7,187	21·4	49·9	42·8	.	7	6	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	65·1	35·0	47·9	0·00	60·0	41·9	50·1	0·65	60·0	36·9	48·9	0·87

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 19th May, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, NOS. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	282	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Other Zymotic Diseases	3	1	1	.	2	1	2	1	.	.	.	.	.	1	.	1	13	1
Total,	4	1	3	1	3	1	3	1	.	.	.	1	2	1	.	1	23	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES.																		
Phthisis, or Pulmonary Consumption,	3	1	3	5	4	.	2	4	.	.	.	.	1	1	3	1	28	2
Other Constitutional Diseases	1	1	1	3	2	3	2	.	.	1	.	1	1	1	.	.	17	5
Total,	4	2	4	8	6	3	4	4	.	1	.	1	2	2	3	1	45	7
V. DEVELOPMENTAL DISEASES,	2	1	.	2	2	1	1	.	.	2	.	.	1	2	.	1	15	.
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	.	1	3	.	3	1	3	2	.	.	.	.	.	2	.	.	15	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	1	1	1	.	1	4	2	.	.	.	.	3	.	.	2	15	2
Respiratory System,	.	3	1	3	3	1	6	1	.	2	.	1	1	1	1	1	25	.
Digestive System,	.	1	1	.	2	1	.	.	.	.	.	.	2	.	.	.	7	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	7	6	4	8	4	13	5	.	2	.	1	7	3	1	3	64	5
VII. VIOLENT DEATHS,	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.	.	4	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	4	.
Deaths from all Causes,	12	11	13	15	20	9	23	11	.	5	.	4	13	8	4	6	154	14
Annual Rate of Mortality in every 1,000 of the population.	23·0	16·5	23·5	30·0	31·4	25·3	29·6	16·0	.	24·3	.	28·7	24·4	16·9	24·8	18·0	23·0	
	22·7				25·6				19·9									
	24·3																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	3	4	4	2	3	6	3	.	.	.	.	1	.	.	.	27	13
Workhouse Hospitals,	2	3	.	2	6	2	6	2	.	.	..		.	1	1	4	29	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary; the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office : 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office ; Dispensary, Blackhall place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office : Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 20th Week of the 10 years 1890-99.	In the week ending Saturday, 19th May, 1900. Deaths of persons of the Ages of								
	May 17, 1890	May 23, 1891	May 21, 1892	May 20, 1893	May 19, 1894	May 18, 1895	May 16, 1896	May 22, 1897	May 21, 1898	May 20, 1899		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under 3 years.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	50·2°	42·3°	51·2°	54·6°	47·9°	53·0°	55·2°	50·3°	48·0°	49·9°	50·3°	47·0°								
ALL CAUSES,	152	141	232	179	178	186	153	183	161	180	174·0	168	4	24	19	20	28	31	36	6
I. FEBRILE OR ZYMOTIC DISEASES,	15	8	44	20	25	11	10	17	15	19	18·4	23	1	2	6	3	5	4	2	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	2	1	.	.	1	.	.	1	·5	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	48	29	53	35	44	52	34	52	46	54	44·2	52	.	6	6	13	13	12	2	.
V. DEVELOPMENTAL "	10	11	13	20	10	9	16	15	17	14	13·5	15	1	.	.	.	.	.	10	4
VI. LOCAL "	73	84	106	92	79	96	74	87	73	79	81·3	69	2	12	7	2	9	15	20	2
VII. VIOLENT DEATHS,	5	3	4	4	1	6	8	4	5	5	4·5	5	.	.	.	2	1	.	2	.
VIII. ILL-DEFINED CAUSES,	6	6	10	7	14	12	10	7	5	8	8·5	4	.	4	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, (Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, (Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, (No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	3	.	28	2	.	.	.	5	.	2	4·0	2	.	.	2	.	.	.	.	.
Scarlet Fever,	1	.	.	1	1	2	1	.	.	1	·7	.	.	.	.	.	.	.	.	.
Typhus,	1	.	1	1	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	4	2	2	4	2	1	3	11	3·0	3	.	.	.	.	.	1	2	.
Whooping Cough,	2	2	3	3	5	1	1	6	1	3	2·7	1	.	1	.	.	.	.	.	.
Diphtheria,	.	.	.	1	2	.	1	2	2	1	·9	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	.	1	.	.
Enteric Fever,	3	2	.	6	4	2	.	1	4	.	2·2	2	.	.	.	.	2	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	.	5	.	3	.	2	.	3	.	1·5	2	.	1	1	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	1	.	.	1	.	.	1	.	.	·4	1	1	.	.	.	.	.	.	.
Erysipelas,	.	.	.	1	3	1	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	1	.	2	1	2	1	1	1	1·0	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	.	1	.	.	.	.	.	·1	2	.	.	.	.	2	.	.	.
Other Zymotic Diseases,	2	1	2	2	.	.	1	.	.	.	·8	8	.	.	2	3	1	2	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	1	1	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	1	.	1	.	1	1	1	.	1	2	·8	1	.	.	.	.	.	1	.	.
Rheumatism,	.	2	.	.	2	.	.	.	1	2	·7	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	8	3	8	3	7	5	7	5	5	8	5·9	7	.	.	.	.	1	4	2	.
Tabes Mesenterica,	4	2	6	5	3	4	4	7	2	2	3·9	4	.	3	.	1	.	.	.	.
Tubercular Meningitis,	3	.	3	3	5	.	6	5	7	5	3·7	6	.	1	4	1	.	.	.	.
Phthisis,	24	16	31	19	20	34	14	25	25	31	23·9	30	.	.	1	10	12	7	.	.
Scrofula, Tuberculosis,	2	5	3	2	4	6	2	8	4	2	3·8	4	.	2	1	1	.	.	.	.
Other Constitutional Diseases,	1	1	1	1	2	2	.	2	.	2	1·2	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	3	.	7	7	3	.	2	4	4	3	3·3	1	1	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	1	.	.	2	.	.	.	·3	.	.	.	.	.	.	.	.	.
Old Age,	7	11	6	12	7	9	12	11	13	11	9·9	14	.	.	.	.	.	.	10	4

each Disease registered in the TWENTIETH WEEK ending Saturday, 19th May, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 20th Week of the 10 years 1890-99.	In the Week ending Saturday, 19th May, 1900. Deaths of Persons of the Ages of								
	May 17, 1890	May 23, 1891	May 21, 1892	May 20, 1893	May 19, 1894	May 18, 1895	May 16, 1896	May 22, 1897	May 21, 1898	May 20, 1899		ALL AGES.	0 to 5							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 50·2	° 42·3	° 51·2	° 54·6	° 47·9	° 53·0	° 55·2	° 50·3	° 48·0	° 49·9	° 50·3	° 47·0								
VI. Local Diseases.																				
Apoplexy,	5	1	3	2	4	8	4	3	3	3	3·6	1	.	.	.	.	.	.	.	1
Epilepsy,	.	1	.	1	1	2	.	.	.	1	·6	2	.	.	1	.	.	1	.	.
Convulsions,	15	9	18	13	12	9	13	7	8	2	10·6	6	1	4	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	5	6	7	12	8	9	5	7	6	6	7·1	7	.	1		1	.	3	1	1
Diseases of Organs of Special Sense,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	6	15	15	16	24	19	12	14	18	15	15·4	17	1	.	.	1	2	7	6	.
Croup,	2	.	.	.	.	.	.	1	.	.	·3	1	.	1	.	.	.	.	.	.
Bronchitis,	14	25	25	12	6	14	15	22	13	21	16·7	11	.	1	3	.	.	.	7	.
Pneumonia	8	14	15	11	6	9	9	13	8	14	10·7	13	.	3	1	.	4	2	3	.
Pleurisy,	.	1	.	2	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	.	2	5	3	4	2	4	1	1	1	2·3	.	.	.	.	.	.	.	.	.
Teething,	2	.	2	1	2	1	1	1	1	1	1·2	2	.	1	1	.	.	.	.	.
Quinsy, Sore Throat,	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	.	2	.	.	.	2	1	.	·6	.	.	.	.	.	.	.	.	.
Peritonitis	1	.	1	1	.	.	.	1	2	.	·6	.	.	.	.	.	.	.	.	.
Disease of Liver,	1	4	2	4	2	.	3	1	4	3	2·4	4	.	.	.	.	.	1	3	.
Other Diseases of Digestive System,	5	2	3	4	2	7		5	1	8	4·0	2	.	1	.	.	.	1	.	.
Diseases of Lymphatics, &c.,	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	5	2	4	2	6	7	4	3	5	3	4·1	2	.	.	.	.	2	.	.	.
Diseases of Generative System,	.	.	2	3	.	2	.	1	.	.	·8	1	.	.	.	.	1	.	.	.
Accidents of Childbirth,	1	.	.	1	.	3	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	2	1	.	2	1	5	1	1	1·4	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	.	1	.	.	2	.	.	1	.	·5	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	.	.	.	.	.	.		1	.	.	.	1	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		1	.	.	.	.	1	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	5	.	.	.	.	1	1	.	1	2	4·1	.	.	.	.	.	.	.	.	.
By Drowning,		.	1	.	.	.	.	1	1	2		1	.	.	.	.	.	.	1	.
By Suffocation in Bed,		.	.	.	.	1	.	.	1	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		3	1	4	1	3	6	2	2	1		2	.	.	.	1	.	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	2	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	6	6	10	7	14	12	10	7	5	8	8·5	4	.	4	.	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899-1900—Week ending																									
	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.
No. of weeks in Annual Series,	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered,	193	154	206	167	188	247	187	209	168	191	184	174	175	257	179	215	217	226	234	128	184	225	202	246	222	198
Average Births in corresponding week of previous 10 years,	181	184	81	184	154	168	18 8	199	195	202	206	200	196	208	225	195	192	195	217	199	194	192	213	214	212	192
DEATHS registered,	220	259	258	256	285	280	337	331	295	259	288	199	284	342	230	247	209	236	244	194	230	204	178	204	179	168
Annual Death-rate per 1,000,	32·8	38·6	38·5	38·2	42·5	41·8	50·8	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1
Average Deaths in corresponding week of previous 10 years,	177	183	177	184	184	207	211	239	249	228	221	211	216	212	214	218	218	218	219	204	184	185	184	178	170	174
AGES, Under 5 years,	98	98	10	84	87	86	81	85	70	60	60	54	63	74	55	66	56	69	55	50	59	66	51	54	52	47
5—20 "	16	12	17	23	22	18	15	16	15	20	19	14	24	20	22	15	12	17	12	14	26	18	15	17	19	20
20—40 "	28	35	35	35	46	32	49	38	44	38	34	30	48	47	33	42	39	34	45	24	29	30	33	47	27	28
40—60 "	33	51	51	61	55	57	73	84	61	50	46	35	65	80	51	60	44	51	54	42	53	32	48	42	36	31
60—80 "	36	53	44	44	63	74	94	85	83	79	64	58	73	104	59	56	42	52	59	53	47	45	27	35	36	36
80 years and upwards,	9	14	8	9	12	18	25	23	22	12	15	13	11	17	10	8	16	13	19	11	16	18	4	9	9	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	38	29	30	23	24	15	10	18	9	5	4	3	1	5	1	2	4	.	.	3	2	2	.	.	.	2
" Scarlet Fever,	1	2	1	1	1	1	.	1	.	.	1	2	1	1	1	1	.	1	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	.	1	1	3	2	2	1	1	3	3	.	5	5	.	.	.	1	.	.	3	1	2	2	4	1	1
" Diphtheria,	2	2	3	2	3	1	.	3	2	1	3	5	3	.	1	2	.	1	1	.	2	2	.	.	.	1
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Enteric Fever,	4	6	2	2	3	2	5	5	2	1	2	.	3	1	4	2	.	.	1	3	2	3	5	6	1	2
" Diarrhœa, Dysentery,	3	4		3	5	1	2	3	6	.	2	2	2	4		3	4	4	.	.	1		3	1	3	2
" Phthisis,	20	5	27	36	30	28	40	27	29	36	29	23	32	40	30	37	29	27	30	27	28	27	32	29	32	30
" Heart Diseases,	17	17	15	26	15	21	24	20	16	25	15	11	28	33	24	18	17	20	23	16	17	11	11	17	14	17
" Diseases of Respiratory System,	51	66	70	66	73	98	110	110	22	55	67	65	74	94	55	78	39	72	56	46	53	47	40	29	34	25
Violent Deaths,	7	4	6	6	3	7	4	5	5	2	5	3	8	4	2	2	4	9	6	2	9	3	4	6	4	5
Mean Temperature of the Air (Phœnix Park),	48·2	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6	46·9	50·2	47·6	48·6	48·7	47·0
Average Mean Temperature in corresponding week of previous 10 years,	44·6	41·4	41·4	41·	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3
Rainfall in inches,	·080	·240	·455	·200	·855	2·055	·715	·585	·560	·530	·920	·690	·680	·520	1·025	·000	·115	·305	·075	·535	·735	·170	·190	·350	·585	·005
Mean Humidity of the Air, complete Saturation 1·0,	·87	·84	·92	·84	·88	·89	·87	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·73

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th May, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 21 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday 19th May, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	25·1	168	47	20	28	31	36	6	.	2	.	.	1	1	1	2	2	9	30	6	25	5	93
	CLASSES. Deaths in Families of the—																								
I	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	6·7	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	MIDDLE CLASS,	81,469	23·0	36	5	5	10	5	8	3	.	1	.	.	.	1	.	1	.	3	8	.	5	2	18
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	20·9	40	11	4	8	8	8	1	.	.	.	.	1	.	1	.	.	2	7	.	7	.	24
IV.	GENERAL SERVICE CLASS,	147,978	30·6	60	23	9	7	12	7	2	.	1	.	.	.	.	.	1	2	4	9	5	8	3	31
V.	INMATES OF WORKHOUSES,	5,191		30	8	2	3	6	11	.	.	.	.	.	.	.	.	.	.	.	6	1	5	.	18
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	18·1	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	8·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	14·0	7	.	1	2	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	3
	6. Clerks and Commercial Assistants,	25,091	20·8	10	5	1	4	.	.	.	.	1	.	.	.	.	.	1	.	3	2	.	3	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	38·1	18	.	3	4	3	5	3	.	.	.	.	.	.	.	.	.	.	4	.	.	1	13
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	21·0	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	9. Building and Furnishing Trades,	26,294	23·7	12	6	.	3	1	2	.	.	.	.	.	1	.	.	.	.	1	2	.	3	.	6
	10. Clothing Trades,	28,927	18·0	6	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	2
	11. Food Supply Trades,	7,949	18·1	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	30·9	16	3	1	2	5	5	.	.	.	.	.	.	.	1	.	.	1	2	.	3	.	10
	13. Petty Shopkeepers,	6,839	7·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	15·2	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	15. Domestic Servants,	39,967	10·4	8	.	1	1	3	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	38·5	8	3	2	2	1	.	.	.	.	.	.	.	.	.	1	.	1	2	2	1	1	1
	17. Hawkers, Porters, Labourers, &c.,	88,472	24·9	40	20	6	3	6	4	1	.	1	.	.	.	.	.	.	2	3	5	3	7	2	20
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	30	8	2	3	6	11	.	.	.	.	.	.	.	.	.	.	.	6	1	5	.	18

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.)	Mar. 31,	30·7	.	16	.	.	.	.	.	.	.	.	.	4	7	.
		Apr. 7,	40·8	.	21	.	.	.	.	.	.	.	.	.	5	4	1
		„ 14,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	2	.
		„ 21,	23·0	1·9	12	.	.	.	.	.	.	.	1	.	2	3	.
	(Office,	„ 28,	23·0	1·9	12	.	.	.	.	.	.	.	1	.	1	5	.
	Clarence-street, Nth.)	May 5,	32·7	1·9	17	.	.	.	.	.	.	.	1	.	1	4	.
		„ 12,	25·0	.	13	.	.	.	.	.	.	.	.	.	1	2	.
	Pop. (in 1891) 27,147.	„ 19,	23·0	1·9	12	.	.	.	.	.	.	.	.	1	3	.	.
	North City, No. 1 (W.)	Mar. 31,	41·9	.	28	.	.	.	.	.	.	.	.	.	3	5	1
		Apr. 7,	29·5	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
		„ 14,	46·4	.	31	.	.	.	.	.	.	.	.	.	4	9	2
		„ 21,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	1	7	.
	(Office,	„ 28,	25·4	.	17	.	.	.	.	.	.	.	.	.	1	5	.
	Summer-hill.)	May 5,	43·4	1·5	29	.	.	.	.	.	.	.	1	.	4	5	.
		„ 12,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	2	4	.
	Pop. (in 1891) 34,886.	„ 19,	16·5	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	North City, No. 2.	Mar. 31,	47·0	1·8	26	.	.	.	.	.	.	.	1	.	1	3	1
		Apr. 7,	34·3	3·6	19	.	2	.	.	.	.	.	.	.	1	5	.
		„ 14,	47·0	3·6	26	.	.	.	.	1	1	.	.	.	2	7	2
		„ 21,	41·5	.	23	.	.	.	.	.	.	.	.	.	2	5	.
	(Office,	„ 28,	23·5	1·8	13	.	.	.	.	.	.	.	.	1	2	2	.
	Lisburn-street.)	May 5,	25·3	.	14	.	.	.	.	.	.	.	.	.	5	4	.
		„ 12,	25·3	1·8	14	.	.	.	.	.	.	.	.	1	2	1	1
	Pop. (in 1891) 28,871.	„ 19,	23·5	3·6	13	.	.	.	.	.	.	1	1	.	3	1	.
	North City, No. 3.	Mar. 31,	30·0	.	15	.	.	.	.	.	.	.	.	.	4	1	.
		Apr. 7,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	2	7	1
		„ 14,	28·0	2·0	14	.	.	.	.	.	1	.	.	.	4	1	.
		„ 21,	22·0	2·0	11	.	.	.	.	.	.	.	.	1	2	3	.
	(Office,	„ 28,	38·0	6·0	19	.	.	.	.	.	.	.	2	1	5	5	1
	Blackhall-place.)	May 5,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	4	2
		„ 12,	26·0	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	Pop. (in 1891) 26,055.	„ 19,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	5	3	.
	South City, No. 1.	Mar. 31,	55·0	.	35	.	.	.	.	.	.	.	.	.	5	3	.
		Apr. 7,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	5	4	.
		„ 14,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	3	3	2
		„ 21,	37·7	3·1	24	.	1	.	.	.	.	.	.	1	2	4	.
	(Office,	„ 28,	37·7	4·7	24	.	.	.	.	2	.	.	1	.	2	3	.
	South Earl-street.)	May 5,	39·3	1·6	25	.	.	.	.	.	.	.	1	.	1	2	1
		„ 12,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	5	.
	Pop. (in 1891) 33,194.	„ 19,	31·4	1·6	20	.	.	.	.	1	.	.	.	.	4	3	.
	South City, No. 2.	Mar. 31,	42·2	.	15	.	.	.	.	.	.	.	.	.	1	4	.
		Apr. 7,	36·5	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 14,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	(Office,	„ 28,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	Castle-street.)	May 5,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	1	.
		„ 12,	16·9	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	Pop. (in 1891) 18,547.	„ 19,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	South City, No. 3.	Mar. 31,	38·6	.	30	.	.	.	.	.	.	.	.	.	4	11	.
		Apr. 7,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	8	.
		„ 14,	29·6	.	23	.	.	.	.	.	.	.	.	.	1	6	1
		„ 21,	37·3	.	29	.	.	.	.	.	.	.	.	.	6	5	1
	(Office,	„ 28,	19·3	2·6	15	.	.	.	.	.	.	.	1	1	4	2	1
	Peter-street.)	May 5,	36·0	3·9	28	.	.	.	.	.	.	.	.	1	3	5	2
		„ 12,	45·0	1·3	35	.	.	.	.	2	.	.	1	.	7	7	1
	Pop. (in 1891) 40,558.	„ 19,	29·6	1·3	23	.	.	.	.	.	1	.	.	.	2	6	2
	South City, No. 4.	Mar. 31,	26·2	.	18	.	.	.	.	.	.	.	.	.	3	3	.
		Apr. 7,	33·5	2·9	23	.	.	.	.	2	.	.	.	.	2	4	.
		„ 14,	29·1	.	20	.	.	.	.	.	.	.	.	.	4	4	1
		„ 21,	35·0	1·5	24	.	.	.	.	1	.	.	.	.	3	5	.
	(Office,	„ 28,	36·4	.	25	.	.	.	.	.	.	.	.	.	4	3	.
	Grand Canal-street).	May 5,	29·1	2·9	20	.	.	.	.	1	.	.	1	.	5	3	.
		„ 12,	29·1		20	.	.	.	.	.	.	.	.	.	7	1	2
	Pop. (in 1891) 35,798.	„ 19	16·0	.	11	.	.	.	.	.	.	.	.	.	4	1	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Mar. 31,	24·4	.	13	.	.	.	.	.	.	.	.	.	3	4	2
	Apr. 7,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	3	2	.
	„ 14,	31·9	1·9	17	.	1	.	.	.	.	.	.	.	2	2	.
	„ 21,	20·6	3·8	11	.	.	.	.	.	.	.	1	1	3	2	1
	„ 28,	24·4	.	13	.	.	.	.	.	.	.	.	.	5	3	.
	May 5,	16·9	1·9	9	.	.	.	.	.	.	.	1	.	3	.	.
	„ 12,	16·9	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 19,	24·4	3·8	13	.	1	.	.	.	.	.	.	1	1	1	.
Donnybrook. Pop. (in 1891) 24,629.	Mar. 31,	23·3	.	11	.	.	.	.	.	.	.	.	.	.	3	1
	Apr. 7,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	1	2	.
	„ 21,	33·9	6·4	16	.	.	.	.	.	2	.	1	.	2	2	1
	„ 28,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	May 5,	14·8	2·1	7	.	.	.	.	.	.	.	1	.	.	.	.
	„ 12,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	5	4	.
	„ 19,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
Kingstown. Pop. (in 1891) 17,886.	Mar. 31,	48·0	.	16	.	.	.	.	.	.	.	.	.	1	5	.
	Apr. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	„ 28,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	May 5,	24·0	.	8	.	.	.	.	1	.	.	.	.	2	.	1
	„ 12,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
Belfast. Pop. in 1900 (Est.) 359,000.	Mar. 31,	25·6	2·5	176	.	2	.	.	4	2	.	6	3	39	43	2
	Apr. 7,	26·0	0·9	179	.	1	.	.	1	2	.	1	1	25	46	5
	„ 14,	21·6	1·3	149	.	.	.	.	1	2	.	5	1	31	38	.
	„ 21,	18·0	1·5	124	.	1	.	.	1	1	.	5	2	14	26	2
	„ 28,	18·4	1·6	127	.	.	.	.	4	1	.	3	3	23	24	2
	May 5,	24·8	3·1	171	.	.	.	.	8	1	.	8	4	31	35	2
	„ 12,	20·0	1·5	138	.	.	.	.	3	1	.	5	1	31	31	3
	„ 19,	22·2	3·2	153	.	1	.	.	6	1	.	12	2	23	32	4
Cork. Pop. (in 1891) 75,845.	Mar. 31,	22·8	.	33	.	.	.	.	.	.	.	.	.	3	10	.
	Apr. 7,	33·2	0·7	48	.	.	.	.	.	.	.	.	1	4	14	.
	„ 14,	29·1	2·1	42	.	2	.	.	.	.	.	.	1	6	7	.
	„ 21,	34·6	1·4	50	.	.	.	1	.	.	.	.	1	7	8	.
	„ 28,	27·7	2·1	40	.	.	.	.	.	1	.	2	.	3	11	.
	May 5,	29·8	0·7	43	.	.	1	.	.	.	.	.	.	8	4	.
	„ 12,	22·1	.	32	.	.	.	.	.	.	.	.	.	11	3	.
	„ 19,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	9	.
Limerick. Pop. (in 1891) 37,155.	Mar. 31,	38·2	.	70	.	.	.	.	.	.	.	.	.	7	17	.
	Apr. 7,	26·7	.	19	.	.	.	.	.	.	.	.	.	2	6	.
	„ 14,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	4	.
	„ 21,	36·5	.	26	.	.	.	.	.	.	.	.	.	3	10	1
	„ 28,	25·3	1·4	18	.	.	.	.	.	.	.	.	1	2	4	1
	May 5,	21·1	.	15	.	.	.	.	.	.	.	.	.	6	3	.
	„ 12,	26·7	1·4	19	.	.	.	.	.	.	.	.	1	6	1	.
	„ 19,	28·1	.	20	.	.	.	.	.	.	.	.	.	2	3	.
Londonderry Pop. (in 1891) 28,200.	Mar. 31,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	2	6	.
	Apr. 7,	6·3	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 14,	20·4	1·6	13	.	.	.	1	.	.	.	.	.	1	4	.
	„ 21,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	3	5	1
	„ 28,	22·0	.	14	.	.	.	.	.	.	.	.	.	4	4	.
	May 5,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	.	1	.
	„ 12,	25·1	1·6	16	.	.	.	1	.	.	.	.	.	2	2	.
	„ 19,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	5	1
Waterford. Pop. (in 1891) 26,200.	Mar. 31,	23·9	2·0	12	.	.	.	.	.	.	.	.	1	1	4	.
	Apr. 7,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 14,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	6	.
	„ 21,	43·8	2·0	22	.	.	.	.	1	.	.	.	.	3	5	.
	„ 28,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	May 5,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1
	„ 12,	19·9	2·0	10	.	.	1	.	.	.	.	.	.	3	2	.
	„ 19,	25·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 19th May, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	8	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		6	2	3	.	1	.	.	.	.	.	.	.	.	.	.	2	1	1	1
2 "	37,589	25			13	5	2	4	2	.	.	.	.	.	.	.	.	.	1	4	.	.	3
3 "	38,845	27			22	1	5	12	4	.	.	.	.	1	1	.	6	1	3	.	.	1	6
4 "	33,391	26			31	6	4	14	7	.	.	.	.	2	.	.	3	.	4	3	.	1	13
" 5 "	21,284	9			5	.	1	2	2	.	.	.	.	.	.	.	.	.	1	.	.	1	2
" 6 "	43,431	30			20	5	1	10	4	.	.	.	.	2	.	.	.	.	3	6	1	2	6
" 7 "	1,112	.			2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
" 8 "	4,904	.			3	2	.	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
" 9 "	12,866	13			11	2	3	4	2	.	.	.	.	.	.	.	.	.	1	6	2	4	2
10 "	12,256	24			10	2	3	3	2	.	.	.	.	.	.	.	.	.	3	3	.	.	1
" 11 "	19,881	18			8	2	.	4	2	.	.	.	.	.	.	.	1	.	2	1	.	.	2
" 12 "	28,282	30			20	7	5	7	1	.	.	.	.	1	.	.	1	1	2	6	.	.	5
" 13 "	6,804	8			2	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	218			153	34	27	65	27	.	1	.	.	6	1	.	12	2	23	32	4	10	42
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	8	26·2	.	6	.	.	4	2	.	.	.	.	.	.	.	.	.	3	.	.	.	6
" 2 "	9,252	5	50·7	.	9	1	.	3	5	.	.	.	.	.	.	.	.	.	2	3	.	.	2
" 3 "	9,816	5	31·9	.		1	.	3	2	.	.	.	.	.	.	.	.	.	.	3	.	.	2
" 4 "	10,356	4	15·1	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 5 "	8,137	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	3,823	4	17·7	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1
" 7 "	17,034	9	12·2	3·1	4	1	2	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1
Total,	75,345	35	21·5	0·7	31	3	2	13	13	.	.	.	.	.	.	.	.	1	6	9	.	.	12

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks Deaths in Public Insti utions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.
No. of week in Annual Series,	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered,	237	192	189	199	203	175	239	263	199	230	204	240	186	230	216	269	218	236	229	188	197	225	261	213	244	218
DEATHS registered.	137	118	113	139	132	192	198	210	166	170	135	187	226	181	207	195	157	169	176	179	149	124	127	171	188	153
Annual Death-rate per 1,000 of estimated Population,	20·4	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2
AGES, Under 1 year,	40	28	21	26	19	39	34	40	26	32	22	30	41	31	43	42	27	26	37	31	29	21	27	33	26	34
AGES, 1–5 years,	17	14	10	19	9	25	31	23	24	22	17	15	23	16	21	28	26	30	22	21	18	12	13	23	14	27
AGES, 5–60 years,	57	46	63	73	74	75	93	88	71	71	62	99	102	84	92	90	68	77	84	80	79	56	64	86	76	65
AGES, 60 years and upwards,	23	30	19	21	30	53	40	59	45	45	34	43	60	50	51	35	36	36	33	47	23	35	23	29	22	27
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	.	1	1	2	1	1	4	.	1	1	.	.	.	1	2	1	1	2	1	.	1	.	.	.	1
" Scarlet Fever,	.	.	1	.	1	1	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	4	4	.	2	1	6	6	2	9	5	4	3	4	3	4	3	2	4	4	1	1	1	4	6	3	6
" Diphtheria,	3	2	.	3	2	1	2	.	1	.	.	3	2	1	2	1	1	2	2	2	2	1	1	1	1	1
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	4	5	1	2	1	4	4	4	4	1	1	1	1	2	5	3	4	3	6	1	5	5	3	8	5	12
" Diarrhœa, Dysentery,	.	.	.	1	.	1	3	4	1	2	2	1	3	3	.	1	1	3	3	1	1	2	3	4	1	2
" Phthisis,	12	13	19	29	14	31	27	21	17	21	12	26	27	19	26	28	26	30	39	25	31	14	23	31	31	23
" Diseases of Respiratory System,	35	38	37	34	27	64	74	86	72	66	39	50	73	67	57	75	35	49	43	46	38	26	24	33	31	32
Violent Deaths,	7	4	1	2	6	2	5	2	.	.	3	8	8	5	4	2	6	2	2	5	.	2	2	2	3	4

TABLE IX.—Showing the NUMBER of CASES of INFECTIVE DISEASES, notified to the Public Health Committee of the City of Dublin, for the week ending 19th May, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	1	.	1	.	.	.	.	2	2	1	.	1	8
" " 2,	.	.	.	3	.	.	.	.	.	3	3	.	1	10
" " 3,	.	.	.	3	.	.	.	.	.	2	1	.	1	7
South City No. 1,	.	4	.	2	.	.	.	.	.	2	1	.	.	9
" " 2,	.	.	.	1	.	.	.	1	.	.	.	.	3	5
" " 3,	.	1	.	1	.	.	1	.	.	2	.	.	4	9
" " 4,	.	.	.	1	.	.	.	.	.	3	4	.	1	9
Total,	.	6	.	12	.	.	1	1	2	15	10	.	11	58
Total for week ended April 28, 1900,	.	5	.	8	.	.	1	.	4	15	18	1	*	52
Total for week ended May 5, 1900,	.	8	3	11	.	.	4	2	1	19	26	.	*	74
Total for week ended May 12, 1900,	.	6	.	8	1	.	3	.	.	11	13	.	3	45

* See Note (†), page 315.

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th May, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th May.			
	April 28.	May 5.	May 12.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	16	15	13	2	5	.	10
Scarlet Fever,	82	79	73	18	18	.	73*
Typhus "	.	.	1	.	.	.	1
Diphtheria,	15	14	13	2	.	1	14
Enteric Fever,	30	28	30	14	8	.	36
Pneumonia,	34	32	36	5	21	1	19

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	May 19,	2,512	1,436	16·3	.	49	6	22	57	15	8
EDINBURGH,	302,262	„ 19,	171	106	18·2	.	5	.	2	1	1	1
GLASGOW,	743,969	„ 19,	463	290	20·3	1	10	5	4	23	2	10
CALCUTTA,	466,460	Mar. 17,	.	1,042	116·5	17	2	.	.	1	116‡	95*
BOMBAY,	821,764	April 24,	196	1,941	122·8	53	42	?	?	?	226§	263*
MADRAS,	452,518	Mar. 23,	349	333	38·2	.	16	?	?	?	102	52
PARIS,	2,511,629	May 12,	1,133	1,001	20·7	.	25	4	6†	3	17	39
BRUSSELS (with 8 Faubourgs).	561,130	„ 5,	256	177	16·4	.	1	.	.	.	2	12
AMSTERDAM,	525,429	April 28,	306	132	13·1	.	.	.	.	1	.	.
ROTTERDAM,	322,920	„ 28,	222	115	18·5	.	1	.	2	1	1	.
THE HAGUE,	205,328	„ 28,	101	67	17·0	.	1	.	1	.	.	.
COPENHAGEN,	349,000	May 5,	197	106	15·8	.	1	1	1	.	.	4
CHRISTIANIA,	221,255	„ 12,	142	67	15·7	.	1	.	.	2	.	8
ST. PETERSBURG,	1,132,677	„ 5,	743	640	29·4	3	12	11	17	2	12	67
BERLIN,	1,848,269	April 28,	970	634	17·8	.	11	14	14	16	2	40
HAMBURG,	691,349	May 5,	.	261	19·6	.	3	2	1†	.	.	2
DRESDEN,	400,400	Mar. 31,	260	163	21·0	.	2	1	.	2	.	6
BRESLAU,	406,012	May 12,	.	203	26·0	.	.	.	.	3	.	22
MUNICH,	463,000	Feb. 17,	368	266	30·0	.	20	.	2†	2	2	26
		„ 24,	320	267	30·0	.	30	1	2†	.	1	16
VIENNA (with suburbs).	1,639,811	April 21,	1,077	802	25·2	.	16	4	3†	4	6	48
BUDA-PESTH,	685,340	May 5,	510	364	27·6	.	9	8	.	5	3	9
PRAGUE and Faubourgs.	391,693	April 5,	205	211	28·0	.	.	.	1	1	.	2
ROME,	514,306	„ 21,	220	199	20·1	.	13	.	1	1	2	16
TURIN (10 days),	344,203	Mar. 10,	187	261	27·7	.	10	.	2†	2	.	8
VENICE,	172,491	April 21,	91	65	19·6	1	.	.	6†	.	2	2
NEW YORK,	3,654,594	„ 14,	1,381	1,644	23·5	1	22	22	50	17	7	18
PHILADELPHIA,	1,266,832	„ 21,	.	739	30·3	.	24	10	22	7	14	1

* Including 44 deaths from cholera in Calcutta and 13 in Bombay. † Including deaths from croup.
‡ Exclusive of 688 deaths from bubonic fever. § Exclusive of 473 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Dr. J. W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 19th May, 1900:—

"Fine, dry, but withal cool weather held throughout this week. An anticyclone hovered with great persistency off the North and West coasts of Ireland, while cyclonic conditions were in evidence both over the extreme North of Europe and also over the Peninsula and in the Mediterranean Basin. Winds of moderate force from northerly points prevailed in Ireland. In England stronger winds from N.E. blew keenly at the beginning of the week, when also large quantities of rain fell over the W. and S. of France in connection with a deep depression over the S.W. of France and N.E. of Spain. At Nice the rainfall measured on Tuesday morning was as much as 2·44 inches. After this day, depressions with their shallow subsidiaries travelled southeastwards across Scandinavia. These disturbances affected the weather in the British Isles—only slightly in Ireland, more markedly in Great Britain, where it became dull and cold. On Friday sleet and hail fell over Scotland, the thermometer at 8 a.m. being only 38° at Wick and 41° at Aberdeen. Early on Thursday morning the thermometer in the screen fell to 29° at Loughborough. This day was dull and cold in Dublin, where for the rest sunny weather prevailed. The mean height of the barometer was 30·222 inches, pressure rising to 30·297 inches at 9 a.m. of Tuesday (wind, N.E.) and falling to 30·124 inches at 9 p.m of Friday (wind, N.). The corrected mean temperature was 49·8°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 50·0°. The screened thermometer rose to 61·7° on Wednesday and fell to 39·4° on Saturday. Northeasterly winds prevailed. The duration of bright sunshine was estimated to be 60⅞th hours. There was no measurable rainfall, a light shower or two on Sunday yielding only ·001 inch in the gauge."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·231 inches. The highest reading (30·294) was on Tuesday at 9 A.M., wind N.E., and the lowest (30·139) on Saturday at 9 P.M., wind S.

The mean temperature for the week was 47·0°, being 3·3° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Wednesday, when the thermometer registered 60·1°, and was lowest on Saturday, the mercury having fallen to 33·0°. The mean of the Dry Bulb for the week was 47·6°, and of the Wet Bulb 43·8°. The mean humidity of the air was ·73, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 60·6 hours. The rainfall measured ·005 in.

At Greenwich the mean temperature for the week was 47·1°, the maximum 63·9°, and the minimum 37·0°; and at Edinburgh the maximum was 68·7°, the minimum 37·2°, and the mean 50·0°. The rainfall at Greenwich measured 0·01 in.; and at Edinburgh 0·02 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 13,	30·239	48·7	41·0	44·9	43·9	39·0	·66	·4	9·9	—	E.N.E.	N.E.
Monday, „ 14,	30·262	49·1	39·3	44·2	42·0	38·9	·78	·6	7·8	—	N.E.	Calm.
Tuesday, „ 15,	30·289	54·8	36·2	45·5	46·2	43·4	·81	·6	9·9	—	N.E.	Calm.
Wednesday, „ 16,	30·278	60·1	39·9	50·0	49·5	45·7	·77	·4	14·8	—	N.E.	Calm.
Thursday, „ 17,	30·235	58·3	38·2	48·3	51·6	48·3	·79	·4	1·7	—	N.W.	N.
Friday, „ 18,	30·149	57·0	44·9	51·0	49·3	45·6	·77	·6	6·5	·005	N.	N.
Saturday, „ 19,	30·163	57·1	33·0	45·1	51·0	45·4	·65	·4	10·0	—	N.E.	S.
Mean,	30·231	55·0	38·9	47·0	47·6	43·8	·73	·5	Total 60·6	Total ·005	Prevailing Wind, N.E.	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A fine but cloudy day; night cloudy; lunar corona, p.m *Tuesday*—A fine but cloudy day; night clear. *Wednesday*—A beautiful day; night cloudy from 4 a.m. *Thursday*—A cloudy day; night cloudy. *Friday*—A cloudy day; rain 8 to 8.45 p.m.; night clear from 10 p.m. *Saturday*—Bright a.m.; cloudy p.m.; solar halo 11.0 a.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

4. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 26TH MAY, 1900. [No. 21.

General Register Office, Charlemont House,
Dublin, 28th May, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 23·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending May 5.	Week ending May 12.	Week ending May 19.	Week ending May 26.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 5.	Week ending May 12.	Week ending May 19.	Week ending May 26.	Average Rate for 4 weeks.
23 Town Dists.	**25·6**	**23·4**	**22·1**	**23·3**	**23·6**	Limerick, . .	21·1	26·7	28·1	25·3	25·3
Armagh, . .	0·0	14·3	42·8	21·4	19·6	Lisburn, . .	25·7	21·3	25·7	21·3	23·5
Ballymena, .	16·9	16·9	33·8	11·3	19·7	Londonderry, .	14·1	25·1	17·3	17·3	18·5
Belfast, . .	24·8	20·0	22·2	20·5	21·9	Lurgan, . .	50·2	13·7	27·4	22·8	28·5
Carrickfergus, .	17·5	17·5	29·2	17·5	20·4	Newry, . .	16·1	4·0	20·1	20·1	15·1
Clonmel, . .	9·7	58·4	24·3	14·6	26·7	Newtownards, .	5·7	5·7	0·0	5·7	4·3
Cork, . . .	29·8	22·1	21·5	28·4	25·4	Portadown, .	24·7	24·7	30·9	12·4	23·2
Drogheda, . .	30·4	38·0	22·8	22·8	28·5	Queenstown, .	5·7	28·7	28·7	11·5	18·7
Dublin, Reg. Area,	29·7	26·3	23·0	25·2	26·0	Sligo, . . .	40·6	45·7	10·2	15·2	27·9
Dundalk, . .	16·8	12·6	16·8	16·8	16·0	Tralee, . .	28·0	39·2	0·0	33·6	25·2
Galway, . .	26·4	52·9	15·1	34·0	32·1	Waterford, .	15·9	19·9	25·9	29·8	22·9
Kilkenny, . .	9·4	4·7	0·0	70·8	21·2	Wexford, . .	36·1	13·5	13·5	27·1	22·6

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in thirteen of the districts to 14·2 in Kilkenny; the 15 deaths from all causes registered in that district comprising 2 from diphtheria and one from diarrhœa. Among the 141 deaths from all causes registered in Belfast are one from measles, one from typhus, one from whooping-cough, 5 from enteric fever, and one from diarrhœa; and the 5 deaths in Lisburn comprise 2 from enteric fever. The Registrar of Armagh District, in his note, reports one death from cerebro-spinal fever.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 214—117 boys and 97 girls; and the deaths to 176—96 males and 80 females.

DEATHS.

The deaths, which are 9 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 26·3 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 25·2 per 1,000. During the twenty-one weeks ending with Saturday last the death-rate averaged 35·4, and was 4·8 over the mean rate for the corresponding portions of the ten years 1890–99.

Eighteen deaths were due to zymotic diseases: 5 were due to "cerebro-spinal meningitis," and 3 to "meningitis," whooping-cough caused 3 deaths, and enteric fever and influenza 2 deaths each. The deaths from zymotic diseases are equal to the average for the 21st week of the past 10 years, but 5 under the number for the week ended the 19th instant.

There were 55 deaths caused by tuberculosis, of which 32 were registered as phthisis, 11 as scrofula, 8 as tubercular meningitis, and 4 as tabes mesenterica.

Cancer caused 6 deaths.

Diseases of the respiratory system caused 30 deaths, namely, 15 bronchitis, 14 pneumonia, and one from croup.

Five deaths were caused by apoplexy and 5 by other diseases of the brain and nervous system, exclusive of convulsions.

Convulsions caused 10 deaths; of these 2 were children under one month, 6 were under one year, and 2 under two years of age.

One accidental death was registered.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 children under 5 years of age (including 2 infants under one year old) and the death of a person aged 80 years.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 6 were under one month old) and 42 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a man) was stated to have been aged 91 years.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 25·2 per 1,000; the rate in the city was 28·7 (28·1 on the North side, and 29·3 on the South), and in the Suburbs 17·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·7 per 1,000 inhabitants, the rate for the city being 1·1 (0·4 in the North City Districts, and 1·6 in the South), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 19·2 per 1,000. Cerebro-spinal meningitis caused one death, phthisis caused 4 deaths; three deaths were due to diseases of the brain and nervous system.

No. 1 North City District, West (Summer-hill).—The deaths (27) are equal to an annual rate of 40·4 per 1,000. Influenza caused 1 death, tubercular meningitis 2 deaths, and meningitis one death; phthisis caused 4 deaths.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 28·9 per 1,000. Meningitis caused one death, phthisis caused 4 deaths, diseases of respiratory system 4 deaths.

* See Table VI

No. 3 North City District (Blackhall-place).—The deaths (10) represent an annual rate of 20·0 per 1,000. Whooping-cough caused one death, tubercular meningitis one death, and phthisis one death.

No. 1 South City Distri (South Earl-street).—The deaths (26) represent an annual rate of 40·8 per 1,000. Meningitis caused one death, influenza caused one death, and phthisis caused five deaths.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·3 per 1,000. Enteric fever caused one death, tubercular meningitis caused one death, and phthisis two deaths.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 21·9 per 1,000. Meningitis caused two deaths, and cerebro-spinal meningitis caused one death, and three deaths were caused by phthisis.

No. 4 South City District (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·1 per 1,000. Whooping-cough caused one death, phthisis caused 4 deaths, and disease of respiratory system one death.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 24·3; Finglas and Glasnevin, part of, 36·9; Palmerston, part of, and Crumlin, part of, 14·3; Rathmines, 18·8; Donnybrook, 16·9; Blackrock, 12·4; and Kingstown, 6·0. The deaths from zymotic diseases tabulated for these districts consist of 2 from cerebro-spinal meningitis for Clontarf and Howth, No. 1, and one from cerebro-spinal meningitis for Coolock and Drumcondra, No. 1. The eight deaths from all causes tabulated for Donnybrook comprise 2 from pneumonia.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	5th May,	74 cases.
,, ,,	12th May,	45 cases.
,, ,,	19th May,	58 cases.
,, ,,	26th May,	69 cases.

Of the 69 cases notified, 20 were erysipelas, 17 enteric fever, 9 scarlatina, 8 measles, 3 diphtheria, 7 meningitis,† and 5 from continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th May, 1900.

From this it appears that:—

Twelve cases of scarlatina were admitted to hospital during the week, 8 were discharged, none died, leaving 77* under treatment at the end of week.

Eleven cases of enteric fever were admitted to hospital, 9 were dischaged, no death occurred, and 38 cases remained under treatment at close of the week.

Three cases of diphtheria were admitted to hospital, 3 were discharged, 2 died, and 12 remained under treatment at the close of the week.

Only 9 cases of measles remained in hospital at close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·4), was equal to an average annual death-rate of 18·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·6 per 1,000, the rate for Glasgow being 21·4, and for Edinburgh 20·5.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 26th May, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 26th May, 1900. Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 26th May, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th May, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th May, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	29·2	23·3	1·3	595	475	75	114	.	1	.	1	7	2	.	10	5	88	94	7	20	129	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	849,594	14·2	31·9	25·2	0·7	214	169	31	39	.	.	.	.	3	.	.	2	.	31	29	1	4	62	$60·8	37·1	51·2	1·19	$60·1	33·0	47·0	0·01	$60·3	36·8	48·7	0·54
City	245,001	65·6	35·8	28·7	1·1	168	135	27	30	.	.	.	.	3	.	.	2	.	37	24	1	4	57	62·6	41·1	52·7	0·91	61·7	39·4	49·8	0·00	63·6	44·9	51·5	0·54
Registrars' Districts. Clontarf &c. No. 1,	4,188	1·5	37·8	25·2	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	19·4	24·3	.	4	5	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	.	36·9	.	.	8	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	62·4	37·2	51·0	1·03	61·2	34·0	47·9	0·00	61·4	43·0	49·6	0·60
Palmerston, part of and Drumlin part of (b),	7,278	8·0	7·2	14·3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	28·1	18·8	.	15	10	2	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	27·5	16·9	.	13	8	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	24·8	12·4	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	18·0	6·0	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62	43	52·9	0·66	60	39	50·0	0·00	59	43	51·2	0·49
Urban Districts.																																			
Belfast,	359,000	21·8	31·7	20·5	1·3	218	141	20	24	.	1	.	1	1	.	.	5	1	34	31	5	11	25	60·1	40·9	50·2	0·87	63·1	39·6	48·4	0·06	62·1	43·1	51·0	0·75
Cork,	75,845	33·3	25·6	28·4	0·7	37	41	6	16	.	.	.	.	.	.	.	.	1	5	4	.	1	10	57	45	52·3	1·34	63	40	50·3	0·15	58	46	51·5	0·55
Limerick,	37,155	17·9	14·0	25·3	.	10	18	3	5	.	.	.	.	.	.	.	.	.	3	8	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	18·8	17·3	1·6	12	11	.	3	.	.	.	.	.	.	.	.	1	2	2	.	.	2	62·0	41·0	51·1	1·46	64·6	33·0	49·1	0·00	65·0	41·0	52·3	0·76
Waterford,	26,208	18·3	27·9	29·8	4·0	14	15	4	4	.	.	.	.	2	.	.	.	.	1	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,800	2·6	41·5	34·0	.	11	9	3	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	65	38	52	0·96	69	36	51	0·07	63	40	52	0·69
Drogheda	18,708	8·7	30·4	22·8	.	8	6	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	32·2	20·1	.	8	5	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	61·0	38·9	50·5	1·12	65·1	35·0	47·9	0·00	60·0	41·9	50·1	0·65
Dundalk,	12,449	9·0	20·9	16·8	.	5	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	21·3	21·8	8·5	5	5	.	2	.	.	.	.	.	.	.	2	.	.	1	.	.	2	61·0	38·9	50·5	1·12	65·1	35·0	47·9	0·00	60·0	41·9	50·1	0·65
Wexford,	11,545	24·0	31·6	27·1	.	7	6	.	3	.	.	.	.	.	.	.	.	.	.	3	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	31·9	22·8	.	7	5	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	61·0	38·9	50·5	1·12	65·1	35·0	47·9	0·00	60·0	41·9	50·1	0·65
Kilkenny,	11,048	12·0	4·7	70·8	14·2	1	15	.	4	.	.	.	.	2	.	.	.	1	5	4	.	.	12	62	38	51·0	0·86	63	38	49·1	0·00	63	41	50·3	0·70
Clonmel,	10,708	8·2	19·5	14·6	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	3·4	35·5	15·2	.	7	3	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	62·2	34·2	49·6	1·27	62·3	30·4	48·6	0·00	63·5	40·5	51·9	0·44
Tralee,	9,818	15·9	16·8	33·6	5·6	3	6	1	3	.	.	.	.	1	.	.	.	.	2	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	33·8	11·3	.	6	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	17·0	5·7	5·7	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	59	41	49·5	0·87	55	38	46·4	0·00	57	39	47·6	0·83
Queenstown,	9,082	17·0	5·7	11·5	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57	45	52·3	1·34	63	40	50·3	0·15	58	46	51·5	0·55
Carrickfergus	8,923	0·5	17·5	17·5	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	·1	12·4	6·2	6	2	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	61·0	38·9	50·5	1·12	65·1	35·0	47·9	0·00	60·0	41·9	50·1	0·65
Armagh,	7,187	21·4	35·6	21·4	.	5	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	61·0	38·9	50·5	1·12	65·1	35·0	47·9	0·00	60·0	41·9	50·1	0·65

(*a*) That portion of the District situated in Glasnevin District Electoral Division. (*b*) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude.

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 7 deaths of persons (including 3 at 60 years or upwards), admitted to hospital from localities outside the district.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 26th May, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases	1	1	2	.	2	.	2	1	2	1	.	.	.	.	.	.	12	1
Total,	1	1	2	1	2	1	4	2	2	1	.	.	.	.	.	.	17	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	4	4	4	1	5	2	3	4	.	1	.	1	1	1	.	.	31	1
Other Constitutional Diseases	.	5	2	1	3	2	6	4	.	.	.	1	1	1	1	.	27	2
Total,	4	9	6	2	8	4	9	8	.	1	.	2	2	2	1	.	58	3
V. DEVELOPMENTAL DISEASES,	.	4	1	2	.	.	1	1	.	.	.	.	1	1	.	.	11	1
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	3	4	3	2	1	1	1	2	.	1	.	.	1	1	.	.	20	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	1	.	1	2	.	.	3	.	1	.	.	.	1	.	1	10	1
Respiratory System,	1	4	4	1	11	2	.	1	.	.	1	.	1	2	1	.	29	1
Digestive System,	.	2	.	1	1	.	1	2	.	.	2	.	3	1	.	.	13	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	12	7	5	16	3	2	9	.	2	3	.	5	5	1	2	76	2
VII. VIOLENT DEATHS,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	.	1	1	.	.	1	.	.	2	.	.	.	5	.
Deaths from all Causes,	10	27	16	10	26	9	17	20	2	5	3	2	10	8	2	2	169	7
Annual Rate of Mortality in every 1,000 of the population.	19·2	40·4	28·9	26·0	40·8	25·3	21·9	29·1	25·2	24·3	36·9	14·3	18·8	16·9	12·4	6·0	25·2	
	28·1				29·3				17·0									
	28·7																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	1	5	4	4	2	4	4	.	2	.	.	1	1	.	.	30	7
Workhouse Hospitals,	3	10	4	.	7	2	.	5	.	.	1		.	.	.	.	32	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 21st Week of the 10 years 1890-99.	In the week ending Saturday, 26th May, 1900. Deaths of persons of the Ages of							
	May 24, 1890	May 30, 1891	May 28, 1892	May 27, 1893	May 26, 1894	May 25, 1895	May 23, 1896	May 29, 1897	May 28, 1898	May 27, 1899		ALL AGES.	0 to 5.						
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 54·8	° 47·4	° 55·1	° 55·8	° 44·2	° 48·4	° 53·2	° 49·0	° 51·7	° 43·5	° 50·8	° 51·2								
ALL CAUSES,	162	127	195	168	149	191	159	190	155	178	167·4	176	6	23	12	26	30	35	35	7
I. FEBRILE OR ZYMOTIC DISEASES,	15	4	37	24	23	13	12	21	15	14	17·8	18	.	4	2	3	2	4	2	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	.	.	.	1	1	.	2	1	2	·8	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL "	40	35	49	50	41	62	51	59	50	50	48·7	61	1	7	5	18	19	8	3	.
V. DEVELOPMENTAL "	15	9	13	7	10	12	7	15	16	13	11·7	12	1	.	.	.	.	.	10	1
VI. LOCAL "	82	71	82	75	65	86	78	79	63	87	76·8	78	3	12	5	5	7	22	19	5
VII. VIOLENT DEATHS,	1	5	6	2	5	2	7	6	6	5	4·5	1	.	.	.	.	.	1	.	.
VIII. ILL-DEFINED CAUSES,	8	3	8	10	4	15	4	7	4	7	7·0	5	1	2	.	.	1	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	28	5	.	.	.	5	1	1	8·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	2	.	.	1	3	1	.	·7	.	.	.	.	.	.	.	.	.
Typhus,	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	1	2	3	6	1	2	1	3	2·0	2	.	.	1	.	.	.	.	1
Whooping Cough,	4	.	6	5	8	3	3	2	3	1	3·5	3	.	2	.	1	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	4	.	·4	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	.	4	3	4	1	2	1	3	4	2·5	2	.	.	.	.	1	1	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	1	.	.	3	.	1	4	2	1	1·2	.	.	.	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	2	.	.	.	.	.	.	.	.	2	·4	1	.	1	.	.	.	.	.	.
Erysipelas,	2	.	.	3	.	.	.	1	.	1	·7	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.
Puerperal Fever,	.	.	.	1	3	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	2	3	2	2	.	2	3	.	1	1·8	9	.	1	1	2	1	3	1	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	.	.	.	1	1	.	1	1	2	·7	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	1	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Rheumatism,	2	.	1	1	2	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	3	4	7	6	2	2	8	5	7	6	5·0	6	.	.	.	.	1	2	3	.
Tabes Mesenterica,	6	4	4	3	2	6	2	8	4	3	4·2	4	.	3	.	1	.	.	.	.
Tubercular Meningitis,	4	2	3	2	4	5	8	9	10	10	5·7	8	.	3	3	2	.	.	.	.
Phthisis,	22	22	26	30	25	43	26	32	25	27	27·8	32	.	.	.	11	15	6	.	.
Scrofula, Tuberculosis,	2	2	7	7	6	5	4	4	4	4	4·5	11	1	1	2	4	3	.	.	.
Other Constitutional Diseases,	1	1	.	1	.	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	5	1	2	.	1	1	1	3	3	2	1·9	1	1	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	10	7	11	7	9	11	6	12	13	11	9·7	11	.	.	.	.	.	.	10	1

each Disease registered in the TWENTY-FIRST WEEK ending Saturday, 26th May, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 21st Week of the 10 years 1890-99.	In the Week ending Saturday, 26th May, 1900. Deaths of Persons of the Ages of								
	May 24, 1890	May 30, 1891	May 28, 1892	May 27, 1893	May 26, 1894	May 25, 1895	May 23, 1896	May 29, 1897	May 28, 1898	May 27, 1899		ALL AGES.	0 to 5							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 54·8	° 47·4	° 55·1	° 55·8	° 44·2	° 48·4	° 53·2	° 49·0	° 51·7	° 48·5	° 50·8	° 51·2								
VI. Local Diseases.																				
Apoplexy,	4	4	4	5	5	3	3	4	2	3	3·7	5	.	.	.	.	.	3	2	.
Epilepsy,	.	.	.	1	1	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Convulsions,	11	7	8	7	4	10	11	9	6	7	8·0	10	2	6	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	9	11	3	5	7	4	6	4	2	9	6·0	5	.	.	.	2	1	2	.	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	12	14	16	12	14	16	10	12	17	12	13·5	11	.	.	.	.	1	6	3	1
Croup,	.	1	1	.	.	.	1	.	.	.	·3	1	1	.	.	.	.	.	.	.
Bronchitis,	23	13	13	16	9	20	16	18	16	23	16·7	15	.	4	.	1	2	6	2
Pneumonia	6	7	21	9	4	14	11	12	10	16	11·0	14	.	.	2	2	2	4	4	.
Pleurisy,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	4	2	.	.	2	4	3	2	1	.	1·8	.	.	.	.	.	.	.	.	.
Teething,	.	.	1	1	2	3	2	.	4	1	1·4	2	.	1	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	1	1	1	.	1	.	.	1	1	1	·7	.	.	.	.	.	.	.	.	.
Peritonitis	.	.	2	6	2	.	.	.	.	2	1·2	1	.	.	.	1	.	.	.	.
Disease of Liver,	2	.	2	1	3	3	1	2	1	2	1·7	5	.	.	.	.	1	3	1	.
Other Diseases of Digestive System,	5	7	2	7	4	3	6	6	1	6	4·7	5	.	1	.	.	.	1	2	1
Diseases of Lymphatics, &c.,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	4	1	3	5	5	3	5	6	2	4	3·8	3	.	.	.	.	1	1	1	.
Diseases of Generative System,	.	.	1	.	1	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	2	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	2	1	.	1	.	1	.	.	.	·6	1	.	.	.	.	.	.	.	1
Diseases of Integumentary System,	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	1	.	.	1	1	.	.	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	2	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions		.	.	.	3	.	2	.	.	.	3·8	.	.	.	.	.	.	.	.	.
By Drowning,		1	.	.	.	1	2	1	.	.		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	2	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		3	4	2	2	.	1	2	2	3		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	1	1	.	.	.	.	.	1	1	1	·5	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	8	3	8	10	4	15	4	7	4	7	7·0	5	1	2	.	.	1	.	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899–1900—Week ending																									
	Dec. 2.	Dec. 9.	Dec. 16.	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered,	154	206	167	138	247	187	209	168	191	184	174	175	257	179	215	217	226	234	128	184	225	202	246	222	198	214
Average Births in corresponding week of previous 10 years,	184	81	184	154	168	18	199	195	202	206	200	196	208	225	195	192	195	217	199	194	192	213	214	212	192	201
DEATHS registered,	259	258	256	285	280	337	331	295	259	238	199	284	342	280	247	209	236	244	194	230	204	178	204	179	168	176
Annual Death-rate per 1,000,	38·6	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3
Average Deaths in corresponding week of previous 10 years,	183	177	184	184	207	211	239	249	228	221	211	216	212	214	218	218	218	219	204	184	185	184	178	170	174	167
AGES, Under 5 years,	98	10	84	87	86	81	85	70	60	60	54	63	74	55	66	56	69	55	50	59	66	51	54	52	47	43
5—20 ,,	12	17	23	22	13	15	16	15	20	19	14	24	20	22	15	12	17	12	14	26	13	15	17	19	20	26
20—40 ,,	35	35	35	46	32	49	38	44	38	34	30	48	47	33	42	39	34	45	24	29	30	33	47	27	28	30
40—60 ,,	51	51	61	55	57	73	84	61	50	46	35	65	80	51	60	44	51	54	42	53	32	48	42	36	31	35
60—80 ,,	53	44	44	63	74	94	85	83	79	64	53	73	104	59	56	42	52	59	53	47	45	27	35	36	36	35
80 years and upwards,	14	8	9	12	18	25	23	22	12	15	13	11	17	10	8	16	13	19	11	16	13	4	9	9	6	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	29	30	23	24	15	10	18	9	5	4	3	1	5	1	2	4	.	.	3	2	2	.	.	.	2	.
,, Scarlet Fever,	2	1	1	1	1	.	1	.	.	1	2	1	1	1	1	.	1	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	1	3	2	2	1	1	3	3	.	5	5	.	.	.	1	.	.	3	1	2	2	4	1	1	3
,, Diphtheria,	2	3	2	3	1	.	.	2	1	3	5	3	.	1	2	.	1	1	.	2	2	.	.	.	1	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Enteric Fever,	6	2	2	3	2	.	5	2	1	2	.	3	1	4	2	.	.	1	3	2	3	5	6	1	2	2
,, Diarrhœa, Dysentery,	4	.	3	5	1	2	3	6	.	2	2	2	4	.	3	4	4	.	.	1	.	3	1	3	2	.
,, Phthisis,	5	27	36	30	28	40	27	29	36	29	23	32	40	30	37	29	7	30	27	28	27	32	29	32	30	32
,, Heart Diseases,	17	15	26	15	21	24	20	16	25	15	11	28	33	24	18	17	20	23	16	17	11	11	17	14	17	11
,, Diseases of Respiratory System,	66	70	*66	73	98	110	110	92	55	67	65	74	94	55	78	39	72	56	46	53	47	40	29	34	25	30
Violent Deaths,	4	6	6	3	7	4	5	5	2	5	3	3	4	2	2	4	9	6	2	9	3	4	6	4	5	1
Mean Temperature of the Air (Phœnix Park),	47·1	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·8	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2
Average Mean Temperature in corresponding week of previous 10 years,	41·4	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8
Rainfall in inches,	·240	·455	·200	·355	2·055	·715	·535	·560	·530	·920	·690	·680	·520	1·025	·000	·115	·305	·075	·535	·735	·170	·190	·350	·535	·005	1·185
Mean Humidity of the Air, complete Saturation 1·0,	·84	·92	·84	·88	·89	·8	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·73	·80

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th May, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Registration of Deaths, Week ending Saturday, 26th May, 1900. Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	26·3	176	43	26	30	35	35	7	.	.	.	.	3	.	.	2	.	5	32	10	30	1	93
	LASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	10·0	8	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
II.	MIDDLE CLASS,	81,469	16·6	26	7	3	2	6	5	3	.	.	.	.	2	.	.	1	.	3	2	1	4	.	16
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	23·0	44	9	7	8	10	6	4	.	.	.	.	.	.	.	.	.	.	9	2	9	.	24
IV.	GENERAL SERVICE CLASS,	147,978	85·0	71	21	13	11	12	14	.	.	.	.	.	1	.	.	1	.	2	12	6	12	1	38
V.	INMATES OF WORKHOUSES,	5,191		82	6	2	8	7	9	.	.	.	.	.	.	.	.	.	.	.	9	1	5	.	17
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	13·0	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,783	9·1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	8·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	20·0	10	2	.	.	2	3	3	.	.	.	.	1	.	.	.	.	1	.	.	3	.	6
	6. Clerks and Commercial Assistants,	25,001	16·6	8	5	.	1	2	.	.	.	.	.	.	1	.	.	1	.	2	1	1	1	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	14·8	7	.	2	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	21·0	8	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	9. Building and Furnishing Trades,	26,294	19·8	10	4	1	2	2	.	1	.	.	.	.	.	.	.	.	.	.	1	1	2	.	6
	10. Clothing Trades,	23,927	17·4	8	2	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	2	1	2	.	3
	11. Food Supply Trades,	7,949	39·3	6	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	12. Other Trades and Callings ranking with Trades,	26,937	30·9	16	2	5	3	4	2	.	.	.	.	.	.	.	.	.	.	.	4	.	2	.	10
	13. Petty Shopkeepers,	6,839	7·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	45·5	12	5	1	2	.	4	.	.	.	.	.	.	.	.	1	.	1	1	3	1	.	6
	15. Domestic Servants,	39,967	6·3	5	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	24·0	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	17. Hawkers, Porters, Labourers, &c.,	83,472	30·6	49	13	11	8	8	9	.	.	.	.	.	1	.	.	.	.	1	10	3	11	1	23
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	82	6	2	8	7	9	.	.	.	.	.	.	.	.	.	.	.	9	1	5	.	17

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. (in 1891) 27,147.	Apr. 7,	40·8	.	21	.	.	.	.	.	.	.	.	.	5	4	1
		„ 14,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	2	.
		„ 21,	23·0	1·9	12	.	.	.	.	.	.	.	1	.	2	3	.
		„ 28,	23·0	1·9	12	.	.	.	.	.	.	.	1	.	1	5	.
		May 5,	32·7	1·9	17	.	.	.	.	.	.	.	1	.	1	4	.
		„ 12,	25·0	.	13	.	.	.	.	.	.	.	.	.	1	2	.
		„ 19,	23·0	1·9	12	.	.	.	.	.	.	.	.	1	3	.	.
		„ 26,	19·2	.	10	.	.	.	.	.	.	.	.	.	4	1	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,886.	Apr. 7,	22·5	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
		„ 14,	46·4	.	31	.	.	.	.	.	.	.	.	.	4	9	2
		„ 21,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	1	7	.
		„ 28,	25·4	.	17	.	.	.	.	.	.	.	.	.	1	5	.
		May 5,	43·4	1·5	29	.	.	.	.	.	.	.	1	.	4	5	.
		„ 12,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	2	4	.
		„ 19,	16·5	.	11	.	.	.	.	.	.	.	.	.	1	3	.
		„ 26,	40·4	.	27	.	.	.	.	.	.	.	.	.	4	4	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Apr. 7,	34·3	3·6	19	.	2	.	.	.	.	.	.	.	1	5	.
		„ 14,	47·0	3·6	26	.	.	.	.	1	1	.	.	.	2	7	2
		„ 21,	41·5	.	23	.	.	.	.	.	.	.	.	.	2	5	.
		„ 28,	23·5	1·8	13	.	.	.	.	.	.	.	.	1	2	2	.
		May 5,	25·3	.	14	.	.	.	.	.	.	.	.	.	5	4	.
		„ 12,	25·3	1·8	14	.	.	.	.	.	.	.	.	1	2	1	1
		„ 19,	23·5	3·6	13	.	.	.	.	.	.	1	1	.	3	1	.
		„ 26,	28·9	.	16	.	.	.	.	.	.	.	.	.	4	4	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	Apr. 7,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	2	7	1
		„ 14,	28·0	2·0	14	.	.	.	.	.	1	.	.	.	4	1	.
		„ 21,	22·0	2·0	11	.	.	.	.	.	.	.	.	1	2	3	.
		„ 28,	38·0	6·0	19	.	.	.	.	.	.	.	2	1	5	5	1
		May 5,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	4	2
		„ 12,	26·0	.	13	.	.	.	.	.	.	.	.	.	2	2	.
		„ 19,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	5	3	.
		„ 26,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 38,194.	Apr. 7,	40·8	1·6	26	.	.	.	.	.	.	.	1	.	5	4	.
		„ 14,	43·8	1·6	26	.	.	.	.	.	.	.	1	.	3	8	2
		„ 21,	37·7	3·1	24	.	1	.	.	.	.	.	.	1	2	4	.
		„ 28,	37·7	4·7	24	.	.	.	.	2	.	.	1	.	2	8	.
		May 5,	39·3	1·6	25	.	.	.	.	.	.	.	1	.	1	2	1
		„ 12,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	5	.
		„ 19,	31·4	1·6	20	.	.	.	.	1	.	.	.	.	4	3	.
		„ 26,	40·8	.	26	.	.	.	.	.	.	.	.	.	5	11	.
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	Apr. 7,	36·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 14,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 28,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
		May 5,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	1	.
		„ 12,	16·9	.	6	.	.	.	.	.	.	.	.	.	1	1	.
		„ 19,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
		„ 26,	25·3	2·8	9	.	.	.	.	.	.	.	1	.	2	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Apr. 7,	25·7	.	20	.	.	.	.	.	.	.	.	.	2	3	.
		„ 14,	29·6	.	23	.	.	.	.	.	.	.	.	.	1	6	1
		„ 21,	37·3	.	29	.	.	.	.	.	.	.	.	.	6	5	1
		„ 28,	19·3	2·6	15	.	.	.	.	.	.	.	1	1	4	2	1
		May 5,	36·0	3·9	28	.	.	.	.	2	.	.	.	1	3	5	2
		„ 12,	45·0	1·3	35	.	.	.	.	.	.	.	1	.	7	7	1
		„ 19,	29·6	1·3	23	.	.	.	.	.	1	.	.	.	2	6	2
		„ 26,	21·9	2·6	17	.	.	.	.	1	.	.	1	.	3	.	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,798.	Apr. 7,	33·5	2·9	23	.	.	.	.	2	.	.	.	.	2	4	.
		„ 14,	29·1	.	20	.	.	.	.	.	.	.	.	.	4	4	1
		„ 21,	35·0	1·5	24	.	.	.	.	1	.	.	.	.	3	5	.
		„ 28,	36·4	.	25	.	.	.	.	.	.	.	.	.	4	3	.
		May 5,	29·1	2·9	20	.	.	.	.	1	.	.	1	.	5	3	.
		„ 12,	29·1	.	20	.	.	.	.	.	.	.	.	.	7	1	2
		„ 19,	16·0	.	11	.	.	.	.	.	.	.	.	.	4	1	1
		„ 26,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	4	1	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Apr. 7,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	3	2	.
	„ 14,	31·9	1·9	17	.	1	.	.	.	.	.	.	.	2	2	.
	„ 21,	20·6	3·8	11	.	.	.	.	.	.	.	1	1	3	2	1
	„ 28,	24·4	.	13	.	.	.	.	.	.	.	.	.	5	3	.
	May 5,	16·9	1·9	9	.	.	.	.	.	.	.	1	.	3	.	.
	„ 12,	16·9	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 19,	24·4	3·8	13	.	1	.	.	.	.	.	.	1	1	1	.
	„ 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.
Donnybrook. Pop. (in 1891) 24,629.	Apr. 7,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	1	2	.
	„ 21,	33·9	6·4	16	.	.	.	.	.	2	.	1	.	2	2	1
	„ 28,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	May 5,	14·8	2·1	7	.	.	.	.	.	.	.	1	.	.	.	.
	„ 12,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	5	4	.
	„ 19,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	2	.
Kingstown. Pop. (in 1891) 17,386.	Apr. 7,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	36·0	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	„ 28,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	May 5,	24·0	.	8	.	.	.	.	1	.	.	.	.	2	.	1
	„ 12,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	Apr. 7,	26·0	0·9	179	.	1	.	.	1	2	.	1	1	25	46	5
	„ 14,	21·6	1·3	149	.	.	.	.	1	2	.	5	1	31	38	.
	„ 21,	18·0	1·5	124	.	1	.	.	1	1	.	5	2	14	23	2
	„ 28,	18·4	1·6	127	.	.	.	.	4	1	.	3	3	23	24	2
	May 5,	24·8	3·1	171	.	.	.	.	8	1	.	8	4	31	33	2
	„ 12,	20·0	1·5	138	.	.	.	.	3	1	.	5	1	31	31	3
	„ 19,	22·2	3·2	153	.	1	.	.	6	1	.	12	2	23	32	4
	„ 26,	20·5	1·3	141	.	1	.	1	1	.	.	5	1	34	31	5
Cork. Pop. (in 1891) 75,845.	Apr. 7,	33·2	0·7	48	.	.	.	.	.	.	.	.	1	4	11	.
	„ 14,	29·1	2·1	42	.	2	.	.	.	.	.	.	1	6	7	.
	„ 21,	34·6	1·4	50	.	.	.	1	.	.	.	.	1	7	8	.
	„ 28,	27·7	2·1	40	.	.	.	.	.	1	.	2	.	3	11	.
	May 5,	29·8	0·7	43	.	.	1	.	.	.	.	.	.	8	4	.
	„ 12,	22·1	.	32	.	.	.	.	.	.	.	.	.	11	3	.
	„ 19,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	9	.
	„ 26,	28·4	0·7	41	.	.	.	.	.	.	.	.	1	5	4	.
Limerick. Pop. (in 1891) 37,155.	Apr. 7,	26·7	.	19	.	.	.	.	.	.	.	.	.	2	6	.
	„ 14,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	4	.
	„ 21,	36·5	.	26	.	.	.	.	.	.	.	.	.	3	10	1
	„ 28,	25·3	1·4	18	.	.	.	.	.	.	.	.	1	2	4	1
	May 5,	21·1	.	15	.	.	.	.	.	.	.	.	.	6	3	.
	„ 12,	26·7	1·4	19	.	.	.	.	.	.	.	.	1	6	1	.
	„ 19,	28·1	.	20	.	.	.	.	.	.	.	.	.	2	3	.
	„ 26,	25·3	.	18	.	.	.	.	.	.	.	.	.	3	8	.
Londonderry Pop. (in 1891) 28,200.	Apr. 7,	6·8	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 14,	20·4	1·6	13	.	.	.	1	.	.	.	.	.	1	4	.
	„ 21,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	3	5	1
	„ 28,	22·0	.	14	.	.	.	.	.	.	.	.	.	4	4	.
	May 5,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	.	1	.
	„ 12,	25·1	1·6	16	.	.	.	1	.	.	.	.	.	2	2	.
	„ 19,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	5	1
	„ 26,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	2	.
Waterford. Pop. (in 1891) 26,200.	Apr. 7,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 14,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	6	.
	„ 21,	43·8	2·0	22	.	.	.	.	1	.	.	.	.	3	5	.
	„ 28,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	May 5,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1
	„ 12,	19·9	2·0	10	.	.	1	.	.	.	.	.	.	3	2	.
	„ 19,	25·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 26,	29·8	4·0	15	.	.	.	.	2	.	.	.	.	1	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 26th May, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	7	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		5	.	.	5	.	.	.	.	1	.	.	.	1	.	2	.	1	1	2
" 2 "	37,539	21			19	1	2	11	5	.	.	.	.	.	.	.	.	.	4	2	.	1	3
" 3 "	38,845	32			27	2	3	17	5	.	.	.	.	.	.	.	1	.	7	10	.	.	3
" 4 "	33,391	31			14	1	.	11	2	.	.	.	.	.	.	.	1	.	2	1	.	1	4
" 5 "	21,284	17			6	3	1	1	1	.	.	.	.	1	.	.	.	.	.	1	.	1	2
" 6 "	43,431	26			18	4	.	10	4	.	.	.	.	.	.	.	1	1	6	3	2	2	4
" 7 "	1,112	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	1			5	1	.	3	1	.	.	.	.	.	.	.	.	.	1	3	1	1	1
" 9 "	12,866	11			7	1	1	4	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.
" 10 "	12,256	16			12	4	.	7	1	.	.	.	.	.	.	.	1	.	3	2	.	1	2
" 11 "	19,881	24			10	.	1	6	3	.	.	.	.	.	.	.	.	.	3	2	.	.	3
" 12 "	28,282	24			15	3	1	10	1	.	.	.	.	.	.	.	.	.	3	6	1	3	1
" 13 "	6,804	7			3	.	1	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	218			141	20	10	87	24	.	1	.	1	1	.	.	5	1	34	31	5	11	25
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	8	56·8	.	13	2	1	7	3	.	.	.	.	.	.	.	.	.	4	.	.	.	4
" 2 "	9,252	6	33·8	.	6	.	.	2	4	.	.	.	.	.	.	.	.	.	.	1	.	1	1
" 3 "	9,816	5	37·2	5·3	7	3	1	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	1
" 4 "	10,356	5	25·2	.	5	.	2	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 5 "	8,187	4	12·8	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	3,823	3	5·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	6	21·4	.	7	1	1	1	4	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Total,	75,345	37	28·4	0·7	41	6	5	14	16	.	.	.	.	.	.	.	.	1	5	4	.	1	10

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.
No. of week in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered,	192	189	199	203	175	239	263	199	230	204	240	186	230	216	269	218	236	229	188	197	225	261	213	244	218	218
DEATHS registered,	118	113	139	132	192	198	210	166	170	135	187	226	181	207	195	157	169	176	179	149	124	127	171	188	153	141
Annual Death-rate per 1,000 of estimated Population,	17·6	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5
AGES, Under 1 year,	28	21	26	19	39	34	40	26	32	22	30	41	31	43	42	27	26	37	31	29	21	27	33	26	34	20
AGES, 1–5 years,	14	10	19	9	25	31	23	24	22	17	15	23	16	21	28	26	30	22	21	18	12	13	23	14	27	10
AGES, 5–60 years,	46	63	73	74	75	93	88	71	71	62	99	102	84	92	90	68	77	81	80	79	56	64	86	76	65	87
AGES, 60 years and upwards,	30	19	21	30	53	40	59	45	45	34	43	60	50	51	35	36	36	33	47	23	35	23	29	22	27	24
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	1	2	1	1	4	.	1	1	.	.	.	1	2	1	1	2	1	.	1	.	.	.	1	1
" Scarlet Fever,	.	1	.	1	1	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Whooping-cough,	4	.	2	1	6	6	2	9	5	4	3	4	3	4	3	2	4	4	1	1	1	4	8	3	6	1
" Diphtheria,	2	.	3	2	1	2	.	1	.	.	3	2	1	2	1	1	2	2	2	2	1	1	1	1	1	.
" Simple continued and Ill-defined Fever,	.	.	.	.	.	2	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	5	1	2	1	4	4	4	4	1	1	1	1	2	5	3	4	3	6	1	5	5	3	8	5	12	5
" Diarrhœa, Dysentery,	.	.	1	.	1	3	4	1	2	2	1	3	3	.	1	1	3	3	1	1	2	3	4	1	2	1
" Phthisis,	13	19	29	14	31	27	21	17	21	12	26	27	19	26	28	26	30	39	25	31	14	23	31	31	23	34
" Diseases of Respiratory System,	38	37	34	27	64	74	86	72	66	39	50	73	67	57	75	35	49	43	46	38	26	24	33	31	32	31
Violent Deaths,	4	1	2	6	2	5	2	.	.	3	8	8	5	4	2	6	2	2	5	.	2	2	2	3	4	5

TABLE IX.—Showing the NUMBER of CASES of INFECTIVE DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th May, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	2	.	.	.	.	.	.	1	1	1	.	.	5
" " 1, West,	.	.	.	.	.	.	.	.	1	5	1	.	1	8
" " 2,	.	.	.	1	.	.	2	.	1	2	.	.	.	6
" " 3,	.	3	.	2	.	.	.	.	1	1	1	.	3	11
South City No. 1,	.	.	.	.	.	.	.	.	.	5	11	.	1	17
" " 2,	.	.	.	1	.	.	1	.	.	.	2	.	1	5
" " 3,	.	3	.	1	.	.	.	.	1	1	1	.	.	7
" " 4,	.	.	.	4	.	.	.	.	.	2	3	.	1	10
Total,	.	8	.	9	.	.	3	.	5	17	20	.	7	69
Total for week ended May 5, 1900,	.	8	3	11	.	.	4	2	1	19	26	.	*	74
Total for week ended May 12, 1900,	.	6	.	8	1	.	3	.	.	11	13	.	3	45
Total for week ended May 19, 1900,	.	6	.	12	.	.	1	1	2	15	10	.	11	58

* See Note (†), page 331.

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th May, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th May.			
	May 5.	May 12.	May 19.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.		.	.
Measles.	15	13	10	2	3	.	9
Scarlet Fever,	79	73	73	12	8	.	77*
Typhus "	.	1	1	.	.	.	1
Diphtheria,	14	13	14	3	3	2	12
Enteric Fever,	28	30	36	11	9	.	38
Pneumonia,	32	36	19	9	1	7	20

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, .	4,589,129	May 26,	2,435	1,440	16·4	.	56	8	29	50	8	7
EDINBURGH, .	302,262	„ 26,	147	119	20·5	.	2	.	1	1	.	3
GLASGOW, . .	743,969	„ 26,	436	306	21·4	1	6	2	2	28	1	9
CALCUTTA, . .	466,460	Mar. 24,	.	1,189	132·9	30	3	.	.	.	97‡	103*
BOMBAY, . .	821,764	May 1,	192	1,844	116·7	48	36	?	?	?	203§	223*
MADRAS, . .	452,518	Mar. 30,	326	319	36·6	.	18	?	?	?	79	58
PARIS, . . .	2,511,629	May 19,	1,122	1,030	21·3	.	26	3	7†	9	12	41
BRUSSELS (with 8 Faubourgs).	561,130	„ 12,	287	191	17·6	.	.	1	.	2	2	16
AMSTERDAM, .	526,072	„ 5,	264	172	17·1	.	.	.	1	2	.	.
ROTTERDAM, .	322,920	„ 5,	222	111	17·9	.	2	.	2	4	.	.
THE HAGUE, .	205,328	„ 5,	96	63	15·9	.	6	.	.	.	.	.
COPENHAGEN, .	349,000	„ 12,	193	132	19·7	.	.	2	1	.	.	3
CHRISTIANIA, .	221,255	„ 19,	169	93	21·9	.	.	1	.	4	.	5
ST. PETERSBURG,	1,132,677	„ 12,	578	596	27·4	8	15	9	15	6	13	47
BERLIN, . .	1,848,269	„ 5,	884	629	17·7	.	15	20	11	9	.	32
HAMBURG, . .	691,349	„ 12,	405	293	22·0	.	7	1	4†	1	.	12
DRESDEN, . .	400,400	April 7,	264	154	19·8	.	1	1	1†	1	1	3
BRESLAU, .	406,012	May 19,	.	206	26·4	.	.	.	2	1	.	28
MUNICH, . .	463,000	Mar. 3,	334	294	33·0	.	34	1	.	.	1	29
VIENNA (with suburbs).	1,639,811	April 28,	991	755	23·7	.	14	5	5†	4	1	56
BUDA-PESTH, .	685,340	May 12,	455	348	26·4	.	8	4	3	3	.	11
PRAGUE and Faubourgs.	391,693	April 12,	205	209	27·7	.	.	.	.	.	2	.
ROME, . . .	514,306	„ 28,	202	174	17·6	.	5	.	.	.	4	10
TURIN (10 days),	344,203	Mar. 20,	229	267	28·3	.	10	.	.	1	.	8
VENICE, . .	172,491	April 28,	74	74	22·3	.	.	.	1†	.	.	1
NEW YORK, .	3,654,594	„ 21,	1,376	1,578	22·5	.	27	18	55	14	3	18
PHILADELPHIA,	1,266,832	„ 28,	.	618	25·4	.	31	6	23	3	18	.

* Including 56 deaths from cholera in Calcutta and 24 in Bombay. † Including deaths from croup.
‡ Exclusive of 786 deaths from bubonic fever. § Exclusive of 421 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 26th May, 1900:—

"Already at the beginning of the week, signs were not wanting of an impending change to cyclonic conditions and weather of the south-westerly type—that is, unsettled, rainy, showery, and squally. Sunday, indeed, proved fine, but the barometer fell steadily and the wind was S.W. On Monday, a large depression moved northwards along the western coasts of Ireland and Scotland. It caused heavy rains in Ireland and Wales, and changeable showery weather in most other parts of the Kingdom. This disturbance was quickly followed by further depressions, which were attended by rainy, squally conditions, thunder, lightning and hail being also reported from several stations in both Ireland and Great Britain. In Dublin hail fell on Tuesday, Wednesday, and Thursday, and thunder and lightning occurred on Wednesday, The nights during this broken period were clear and very cold for the time of year, and this led to a vast and dense cloud formation by day. Friday proved beautifully fine, but Saturday was dull and rainy owing to the appearance of a shallow depression off the West of Ireland. In Dublin the mean height of the barometer was 29·781 inches, atmospheric pressure varying from 29·191 inches at 4 p.m. of Tuesday (wind, S.W.) to 30·125 inches at 9 a.m. of Saturday (wind, S.S.E.). The corrected mean temperature was 52·7°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 52·1°. The screened thermometers rose to 62·6° on Sunday and fell to 41·1 on Friday. Bright sunshine was estimated at 37 hours. The prevailing winds were—S.S.W., N.W., and finally S.S.E. Rain fell on six days to the amount of ·912 inch, ·400 inch being measured on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·790 inches. The highest reading (30·128) was registered on two days—Friday at 9 P.M., air calm, and Saturday at 9 A.M., wind S., and the lowest (29·311) on Tuesday, at 9 A.M., wind S.

The mean temperature for the week was 51·2°, being ·4° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Sunday, when the thermometer registered 60·8°, and was lowest on Friday, the mercury having fallen to 37·1°. The mean of the Dry Bulb for the week was 51·1°, and of the Wet Bulb 47·9°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 44·1 hours. The rainfall measured 1·185 ins.

At Greenwich the mean temperature for the week was 53·0°, the maximum 53·0°, and the minimum 36·8°; at Glasgow the maximum was 67·0°, the minimum 40·2°, and the mean 52·9°, and at Edinburgh the maximum was 64·1°, the minimum 42·7°, and the mean 53·1°. The rainfall at Greenwich measured 0·81 in.; at Glasgow 0·63 in.; and at Edinburgh 0·49 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, May 20,	29·989	60·8	41·0	50·9	53·2	47·9	·68	·5	7·7	·010	S.W.	S.W.
Monday, „ 21,	29·566	55·8	49·1	52·5	51·9	49·3	·86	·6	0·0	·215	S.E.	S.W.
Tuesday, „ 22,	29·347	58·7	45·1	51·9	51·6	47·8	·76	·5	8·7	·280	S.	S.W.
Wednesday, „ 23,	29·527	57·8	44·0	50·7	49·2	46·9	·85	·5	2·9	·575	W.	Calm.
Thursday, „ 24,	29·866	58·1	49·3	53·7	48·7	45·1	·76	·5	12·0	·065	N.W.	N.W.
Friday, „ 25,	30·121	58·3	37·1	48·0	48·2	45·0	·80	·2	12·8	—	N.W.	Calm.
Saturday, „ 26,	30·115	57·3	44·2	50·8	54·7	52·7	·87	·4	0·0	·040	S.	Calm.
Mean, . .	29·790	58·1	44·3	51·2	51·1	47·9	·80	·5	Total 44·1	Total 1·185	Prevailing Wind, S.W.	

Sunday—A fine but cloudy day; night cloudy; rain 6.45 to 9 a.m. *Monday*—A cloudy day; rain 9 to 2 and 3 to 6; night cloudy and showery a.m. *Tuesday*—A cloudy day; heavy showers 11 to 11.15 a.m. and 5 to 8.30 p.m.; night cloudy. *Wednesday*—A cloudy day; heavy showers 1.30 to 8 p.m.; night cloudy; rain 11 p.m. to 2 a.m. *Thursday*—A cloudy day; rain and hail showers 11.30 to 4 p.m.; night clear. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A cloudy day; rain 10.30 a.m. to 1.30 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

4. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 2ND JUNE, 1900. [No. 22.

General Register Office, Charlemont House,
Dublin, 5th June, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending May 12.	Week ending May 19.	Week ending May 26.	Week ending June 2.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 12.	Week ending May 19.	Week ending May 26.	Week ending June 2.	Average Rate for 4 weeks.
23 Town Dists.	23·4	22·1	23·3	20·0	22·2	Limerick, . .	26·7	28·1	25·3	18·2	24·6
Armagh, . .	14·3	42·8	21·4	28·5	26·7	Lisburn, . .	21·3	25·7	21·3	25·7	23·5
Ballymena, .	16·9	33·8	11·3	5·6	16·9	Londonderry, .	25·1	17·3	17·3	18·8	19·6
Belfast, . .	20·0	22·2	20·5	19·5	20·6	Lurgan, . .	13·7	27·4	22·8	27·4	22·8
Carrickfergus, .	17·5	29·2	17·5	35·1	24·8	Newry, . .	4·0	20·1	20·1	28·2	18·1
Clonmel, . .	58·4	24·3	14·6	9·7	26·7	Newtownards, .	5·7	0·0	5·7	5·7	4·3
Cork, . . .	22·1	21·5	28·4	20·8	23·2	Portadown, .	24·7	30·9	12·4	12·4	20·1
Drogheda, . .	38·0	22·8	22·8	15·2	24·7	Queenstown, .	28·7	28·7	11·5	28·7	24·4
Dublin, Reg. Area,	26·3	23·0	25·2	21·9	24·1	Sligo, . . .	45·7	10·2	15·2	15·2	21·6
Dundalk, . .	12·6	16·8	16·8	12·6	14·7	Tralee, . .	39·2	0·0	33·6	22·4	23·8
Galway, . .	52·9	15·1	34·0	0·0	25·5	Waterford, .	19·9	25·9	29·8	17·9	23·4
Kilkenny, . .	4·7	0·0	70·8	28·3	25·9	Wexford, . .	13·5	13·5	27·1	13·5	16·9

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in eighteen of the districts to 4·3 in Lisburn. Among the 134 deaths from all causes registered in Belfast are one from whooping-cough, one from diphtheria, 11 from enteric fever, and 3 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 199—94 boys and 105 girls; and the deaths to 157—95 males and 62 females.

DEATHS.

The deaths, which are 5 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 23·4 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 21·9 per 1,000. During the twenty-two weeks ending with Saturday last the death-rate averaged 34·9, and was 4·6 over the mean rate for the corresponding portions of the ten years 1890–99.

Twelve deaths from zymotic diseases occurred, being 6 less than the number of deaths in the preceding week, and 6 below the average for the 22nd week of the past 10 years. Four deaths were caused by cerebro-spinal meningitis and 4 deaths were caused by "meningitis"; one death each from diarrhœa, enteric fever, and scarlatina occurred.

Tuberculosis caused 28 deaths, of which 13 were from pulmonary phthisis, 7 from tabes mesenterica, 5 from tubercular meningitis, and 3 from scrofula.

Diseases of the respiratory system caused 23 deaths, comprising 14 from bronchitis, 6 from pneumonia, and one from pleurisy.

Five deaths from apoplexy occurred and one from epilepsy, other diseases of the brain and nervous system causing 6 deaths, not including convulsions, which caused 10 deaths, 2 children under one month, 6 under one year, one child under 5 years.

Six accidental death were registered.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 infants under one year old and of 3 persons aged 60 years and upwards.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 8 were under one month old) and 37 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 6 were octogenarians.

Seventy-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 21·9 per 1,000; the rate in the city was 24·9 (22·7 on the North side, and 26·9 on the South), and in the Suburbs 15·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·4 per 1,000 inhabitants, the rate for the city being 0·4 (0·9 in the North City Districts, and 0·0 in the South), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 30·7 per 1,000. One death from cerebro-spinal meningitis occurred, and one from erysipelas. Three deaths were caused by diseases of the brain and nervous system, and two by diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 26·9 per 1,000. One death from phthisis occurred, and four from diseases of the brain and nervous system, and two deaths each from diseases of the respiratory and digestive systems.

No. 2 North City District (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 14·4 per 1,000. One death from diarrhœa occurred, and one death from phthisis.

* See Table VI

No. 3 North City District (Blackhall-place).—The deaths (9) represent an annual rate of 18·0 per 1,000. Enteric fever caused one death and pulmonary consumption two deaths.

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 39·3 per 1,000. Cerebro-spinal meningitis caused one death, phthisis caused three deaths, and diseases of the brain and nervous system caused four deaths; diseases of the respiratory system caused six deaths.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·5 per 1,000. No deaths from any of the principal zymotic diseases occurred in this district; diseases of the brain and nervous system caused three deaths.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 23·1 per 1,000. One death from cerebro-spinal and one death from meningitis occurred, and four deaths were caused by diseases of the respiratory system.

No. 4 South City District (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 21·9 per 1,000. Phthisis caused two deaths, and diseases of the brain and nervous system 3 deaths; two deaths each were caused by diseases of the circulatory and respiratory systems.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, 4·9 per 1,000 inhabitants; Clontarf and Howth, No. 1, 0·0; Finglas and Glasnevin, part of, 0·0; Palmerston, part of, and Crumlin, part of, 0·0; Rathmines, 16·9; Donnybrook, 14·8; Blackrock, 18·6; and Kingstown, 30·0. The deaths from zymotic diseases tabulated for these districts consist of one from scarlet fever and one from cerebro-spinal meningitis for Rathmines, and one from cerebro-spinal meningitis for Kingstown. The 7 deaths from all causes tabulated for Donnybrook comprise 2 from diseases of the circulatory system, and 3 from phthisis; and the 10 deaths for Kingstown include 2 from diseases of the respiratory system and 2 from cancer.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	12th May,	45 cases.
,, ,,	19th May,	58 cases.
,, ,,	26th May,	69 cases.
,, ,,	2nd June,	62 cases.

Of the 62 cases notified, 15 were erysipelas, 18 enteric fever, 7 scarlatina, 4 measles, 3 diphtheria, 9 meningitis,† 5 from continued fever, and one from puerperal fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd June, 1900.

From this it appears that:—

Fourteen cases of enteric fever were admitted to hospital, 2 cases died, and 4 were discharged, leaving 46 cases under treatment at the close of the week.

Thirteen cases of scarlet fever were admitted to hospital, 19 cases were discharged, 1 died, and 70* remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 2 cases were discharged, and one died, leaving 12 cases under treatment at the end of the week.

One case of typhus fever was discharged from hospital; no other case is being treated for this disease in Dublin hospitals.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·0), was equal to an average annual death-rate of 17·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·6 per 1,000, the rate for Glasgow being 20·7, and for Edinburgh 18·9.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 2nd June, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Per Acre.	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Registration—Week ending Saturday, 2nd June, 1900. Numbers Registered. Births. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Deaths. Caused by Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 2nd June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th May, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th May, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	29·2	20·0	1·1	594	408	78	88	.	.	1	1	2	1	.	13	4	57	79	7	11	116	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	29·7	21·9	0·4	199	147	29	36	.	.	1	.	.	.	.	1	1	12	22	5	5	62	63·4	36·6	52·3	0·01	60·8	37·1	51·2	1·19	60·1	33·0	47·0	0·01
Registrars' Districts. City	245,001	65·6	33·4	24·9	0·4	157	117	25	22	.	.	.	.	.	.	.	1	1	9	18	4	4	49	66·7	44·2	55·3	0·00	62·6	41·1	52·7	0·91	61·7	39·4	49·8	0·00
Clontarf &c. No. 1,	4,188	1·5	12·6	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	24·3	4·9	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	36·9	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65·9	37·6	52·9	0·00	62·4	37·2	51·0	1·06	61·2	34·0	47·9	0·00
Palmerston, part of and Crumlin part of (b),	7,278	8·0	14·3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	22·5	16·9	1·9	12	9	2	4	.	.	1	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	19·1	14·8	.	9	7	.	5	.	.	.	.	.	.	.	.	.	3	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	31·0	18·6	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	15·0	30·0	.	5	10	2	3	.	.	.	.	.	.	.	.	.	.	2	1	1	1	67	43	54·9	0·00	62	43	52·9	0·66	60	39	50·0	0·00
Urban Districts.																																			
Belfast,	359,000	21·8	31·7	19·5	2·3	218	134	25	20	.	.	.	.	1	1	.	11	3	22	29	2	5	31	63·1	40·1	58·3	0·10	60·1	40·9	50·2	0·87	63·1	39·6	48·4	0·06
Cork,	75,345	38·3	21·5	20·8	0·7	31	30	5	6	.	.	.	.	1	.	.	.	.	5	4	.	1	11	67	45	54·3	0·10	57	45	52·3	1·31	63	40	50·3	0·15
Limerick,	37,155	17·9	18·2	18·2	.	13	13	4	6	.	.	.	.	.	.	.	.	.	.	6	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	31·4	18·8	.	20	12	1	4	.	.	.	.	.	.	.	.	.	3	2	.	.	.	68·2	41·0	55·7	0·13	62·0	41·0	51·1	1·46	64·6	38·0	49·1	0·00
Waterford,	26,208	18·3	19·9	17·9	.	10	9	3	2	.	.	.	.	.	.	.	.	.	2	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	44	57	0·46	65	38	52	0·96	69	36	51	0·07
Drogheda	13,708	8·7	30·4	15·2	3·8	8	4	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	24·1	28·2	.	6	7	.	2	.	.	.	.	.	.	.	.	.	3	.	.	.	.	67·0	39·0	54·3	0·13	61·0	38·9	50·5	1·12	65·1	35·0	47·9	0·00
Dundalk,	12,449	9·0	25·1	12·6	.	6	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	25·7	25·7	4·3	6	6	2	.	.	.	.	.	.	.	.	1	.	2	.	.	.	2	67·0	39·0	54·3	0·13	61·0	38·9	50·5	1·12	65·1	35·0	47·9	0·00
Wexford,	11,545	24·0	36·1	18·5	.	8	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	91·2	27·4	.	20	6	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	67·0	39·0	54·3	0·13	61·0	38·9	50·5	1·12	65·1	35·0	47·9	0·00
Kilkenny,	11,048	12·0	42·5	28·3	.	9	6	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	67	39	45·1	0·00	62	38	51·0	0·86	63	38	49·1	0·00
Clonmel,	10,708	8·2	9·7	9·7	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	3·4	30·5	15·2	.	6	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	71·6	38·2	54·4	0·23	62·2	34·2	49·6	1·27	62·3	30·4	48·6	0·00
Tralee,	9,318	15·9	16·8	22·4	.	3	4	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	56·4	5·6	.	10	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	17·0	5·7	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62	41	51·3	0·10	59	41	49·5	0·87	55	38	46·4	0·00
Queenstown,	9,082	17·0	23·0	28·7	.	4	5	3	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	67	45	54·3	0·10	57	45	52·3	1·34	63	40	50·3	0·15
Carrickfergus	8,928	0·5	29·2	35·1	.	5	6	1	3	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,480	11·0	30·9	12·4	.	5	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	67·0	39·0	54·3	0·13	61·0	38·9	50·5	1·12	65·1	35·0	47·9	0·00
Armagh,	7,187	21·4	14·3	28·5	.	2	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	67·0	39·0	54·3	0·13	61·0	38·9	50·5	1·12	65·1	35·0	47·9	0·00

(*a*) That portion of the District situated in Glasnevin District Electoral Division. (*b*) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude.

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 2nd June, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	282	564	797	161	897	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Zymotic Diseases	2	.	1	.	1	.	3	.	.	.	.	.	1	.	.	1	9	.
Total,	2	.	2	1	1	.	3	.	.	.	.	.	2	.	.	1	12	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	.	1	1	2	3	.	.	2	.	.	.	.	.	3	.	.	12	1
Other Constitutional Diseases	3	4	1	1	5	.	4	1	.	1	.	.	1	.	.	3	24	1
Total,	3	5	2	3	8	.	4	3	.	1	.	.	1	3	.	3	36	2
V. DEVELOPMENTAL DISEASES,	1	1	1	1	1	1	2	.	.	.	.	.	1	1	.	.	10	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	3	4	1	.	4	3	1	3	.	.	.	.	1	1	.	1	22	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	1	2	1	1	1	.	2	2	.	.	.	.	.	2	.	.	12	2
Diseases of Respiratory System,	2	2	.	1	6	1	4	2	.	.	.	.	1	.	1	2	22	1
Diseases of Digestive System,	1	2	.	1	2	1	1	1	.	.	.	.	2	.	1	1	13	1
Diseases of Lymphatic System, &c.,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Urinary System,	1	.	.	1	1	.	.	.	.	.	.	.	1	.	1	.	5	2
Diseases of Generative System,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	9	10	3	4	14	5	8	8	.	.	.	.	5	3	3	4	76	7
VII. VIOLENT DEATHS,	.	.	.	.	1	1	.	2	.	.	.	.	.	.	.	1	5	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	2	.	.	.	1	.	2	.	.	.	.	.	.	.	1	6	.
Deaths from all Causes,	16	18	8	9	25	8	18	15	.	1	.	.	9	7	3	10	147	10
Annual Rate of Mortality in every 1,000 of the population.	30·7	26·9	14·4	18·0	39·3	22·5	23·1	21·9	.	4·9	.	.	16·9	14·8	18·6	30·9		
	22·7				26·9				15·0									
	24·9																21·9	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	6	3	3	5	.	5	3	.	1	.	.	3	4	2	1	37	9
Workhouse Hospitals,	2	6	2	3	6	2	1	1	.	.	.	.	.	2	.	.	25	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 22nd Week of the 10 years 1890–99.	In the week ending Saturday, 2nd June, 1900. Deaths of persons of the Ages of							
	May 31, 1890	June 6, 1891	June 4, 1892	June 3, 1893	June 2, 1894	June 1, 1895	May 30, 1896	June 5, 1897	June 4, 1898	June 3, 1899		ALL AGES. Mean Temp.	Under 1 month.	1 month and under 1 year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	49·8	53·6	54·6	52·0	48·8	56·1	53·2	54·8	50·7	53·4	52·8	52·3								
ALL CAUSES,	152	136	192	183	169	179	160	169	182	148	162·0	157	8	21	14	15	22	40	31	6
I. FEBRILE OR ZYMOTIC DISEASES,	15	5	35	25	18	18	16	17	14	13	17·6	12	2	2	1	5	1	1	.	.
II. PARASITIC DISEASES,	1	1	.	2	.	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	.	2	.	2	.	.	1	1	·6	2	.	.	.	.	1	1	.	.
IV. CONSTITUTIONAL "	43	29	35	48	56	39	40	47	48	42	41·7	38	.	4	5	8	8	6	6	1
V. DEVELOPMENTAL "	12	6	8	13	11	10	8	11	16	12	10·7	10	1	.	.	.	.	.	6	3
VI. LOCAL "	72	83	98	87	74	94	86	81	45	61	78·4	83	3	13	8	2	9	27	19	2
VII. VIOLENT DEATHS,	3	3	5	5	6	7	4	5	6	9	5·3	6	1	.	.	.	2	3	.	.
VIII. ILL-DEFINED CAUSES,	6	9	11	6	4	9	6	7	7	7	7·2	6	1	2	.	.	1	2	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	21	4	.	.	.	3	.	1	3·1	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	1	1	2	1	1	·5	1	.	.	.	1	.	.	.	.
Typhus,	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	2	4	1	6	5	2	1	5	2·7	.	.	.	.	.	.	.	.	.
Whooping Cough,	5	2	3	2	5	1	.	3	5	2	2·8	.	.	.	.	.	.	.	.	.
Diphtheria,	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	2	2	3	.	3	.	2	.	1·5	1	.	.	1	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	3	.	1	4	3	3	3	2	2	1	2·2	1	.	1	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	.	1	1	1	1	.	3	2	1	1·1	2	2	.	.	.	.	.	.	.
Erysipelas,	.	1	.	1	1	1	.	.	1	.	·5	1	.	.	.	.	1	.	.	.
Pyæmia, Septicæmia,	.	.	.	2	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Puerperal Fever,	2	.	.	1	1	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	.	1	4	3	.	.	2	2	.	2	1·4	6	.	1	.	4	.	1	.	.
II. Parasitic Diseases—																				
Thrush,	.	1	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Worms and ther Parasitic Affections,	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	2	.	2	.	.	1	1	·6	2	.	.	.	.	1	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	2	1	.	.	.	2	.	.	.	.	·5	1	.	.	.	1	.	.	.	.
Rheumatism,	.	.	.	1	1	.	.	.	.	.	·2	1	.	.	.	.	.	.	1	.
Gout,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	7	2	8	9	9	7	6	8	13	4	7·3	6	.	.	.	.	1	1	3	1
Tabes Mesenterica,	3	3	6	6	4	2	3	2	2	6	3·7	7	.	2	4	1	.	.	.	.
Tubercular Meningitis,	7	2	.	3	4	3	2	7	5	3	3·6	5	.	2	1	2	.	.	.	.
Phthisis,	18	20	19	18	33	21	22	25	21	19	21·6	13	.	.	.	1	7	4	1	.
Scrofula, Tuberculosis,	5	.	2	5	4	2	5	4	1	9	3·7	3	.	.	.	3	.	.	.	.
Other Constitutional Diseases,	1	1	.	1	1	2	1	1	1	1	1·0	2	.	.	.	.	.	1	1	.
V. Developmental Diseases—																				
Premature Birth,	1	.	1	2	1	.	2	3	4	2	1·6	1	1	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	.	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
Old Age,	11	5	7	11	9	10	5	8	11	10	8·7	9	.	.	.	.	.	.	6	3

each Disease registered in the TWENTY-SECOND WEEK ending Saturday, 2nd June, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 22nd Week of the 10 years 1890-99.	In the Week ending Saturday, 2nd June, 1900. Deaths of Persons of the Ages of								
	May 31, 1890	June 6, 1891	June 4, 1892	June 3, 1893	June 2, 1894	June 1, 1895	May 30, 1896	June 5, 1897	June 4, 1898	June 3, 1899		ALL AGES. Mean Temp.	0 to 5 Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 49·8	° 53·6	° 54·6	° 52·9	° 48·8	° 56·1	° 53·2	° 54·8	° 50·7	° 53·4	° 52·8	° 52·3								
VI. Local Diseases.																				
Apoplexy,	5	2	2	2	2	3	3	5	.	1	2·5	5	.	.	.	.	.	3	2	.
Epilepsy,	.	3	.	.	1	1	1	1	.	3	1·0	1	.	.	.	.	.	.	1	.
Convulsions,	8	12	15	16	7	12	17	11	3	7	10·8	10	2	6	1	1	.	.	.	.
Other Diseases of Brain and Nervous System,	7	10	8	10	7	10	5	4	2	2	6·5	6	.	.	.	.	1	4	1	.
Diseases of Organs of Special Sense,	.	.	.	1	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	12	9	13	15	15	18	17	16	10	12	13·7	14	1	.	.	1	4	6	2	.
Croup,	.	.	.	1	.	.	1	4	1	1	·8	.	.	.	.	.	.	.	.	.
Bronchitis,	11	12	13	9	19	17	12	19	8	11	13·1	14	.	2	1	.	.	3	7	1
Pneumonia	9	4	18	14	11	11	13	10	6	11	10·7	6	.	1	1	.	2	2	.	.
Pleurisy,	2	1	1	.	1	.	1	.	.	.	·6	1	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System,	5	4	4	1	2	4	3	.	1	.	2·4	2	.	.	1	.	.	.	1	.
Teething,	2	2	3	.	.	2	.	1	3	1	1·4	4	.	3	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	1	2	2	.	.	.	2	1	1	.	·9	.	.	.	.	.	.	.	.	.
Peritonitis	2	1	3	.	.	.	.	1	.	.	·7	.	.	.	.	.	.	.	.	.
Disease of Liver,	.	6	6	2	2	2	1	.	3	3	2·5	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	4	4	2	5	2	8	6	4	.	4	3·9	9	.	1	3	.	.	4	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	1	.	.	1	.	1	·3	1	.	.	.	.	.	.	1	.
Diseases of Urinary System,	3	6	4	6	3	3	2	3	5	4	3·9	7	.	.	.	.	1	3	2	1
Diseases of Generative System,	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	1	1	3	1	.	.	.	.	1	·7	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	1	3	1	1	.	1	.	.	.	1	·8	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	2	1	.	1	1	.	.	1	·6	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	1	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	1	.	.	1	1	.	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	1	.		1	.	.	.	.	1	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	3	1	.	.	1	.	.		1	2	4·8	.	.	.	.	.	.	.	.	.
By Drowning,		.	.	2	2	2	.	1	2	2		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	1	.	.	1		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	1	.	.	.	.		1	.	.	.	.	.	1	.	.
Other or Not Stated Causes,		2	2	1	3	2	2	2	1	3		4	1	.	.	.	1	2	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	2	.	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	6	9	11	6	4	9	6	7	7	7	7·2	6	1	2	.	.	1	2	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899–1900—Week ending																									
	Dec. 9.	Dec. 16.	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered,	206	167	188	247	187	209	168	191	184	174	175	257	179	215	217	226	234	128	184	225	202	246	222	198	214	199
Average Births in corresponding week of previous 10 years,	81	184	154	168	18	199	195	202	206	200	196	208	225	195	192	195	217	199	194	192	213	214	212	192	201	209
DEATHS registered,	258	256	285	280	337	331	295	259	238	199	284	342	230	247	209	236	244	194	230	204	178	204	179	168	176	157
Annual Death-rate per 1,000,	38·5	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4
Average Deaths in corresponding week of previous 10 years,	177	184	184	207	211	239	249	228	221	211	216	212	214	218	218	218	219	204	184	185	184	178	170	174	167	162
AGES, Under 5 years,	10	84	87	86	81	85	70	60	60	54	63	74	55	66	56	69	55	50	59	66	51	54	52	47	43	43
5—20 „	17	23	22	18	15	16	15	20	19	14	24	20	22	15	12	17	12	14	26	13	15	17	19	20	26	15
20—40 „	35	35	46	32	49	38	44	38	34	30	48	47	33	42	39	34	45	24	29	30	33	47	27	28	30	22
40—60 „	51	61	55	57	73	84	61	50	46	35	65	80	51	60	44	51	54	42	53	32	48	42	36	31	35	40
60—80 „	44	44	63	74	94	85	83	79	64	58	73	104	59	56	42	52	59	53	47	45	27	35	36	36	35	31
80 years and upwards,	8	9	12	18	25	23	22	12	15	13	11	17	10	8	16	13	19	11	16	18	4	9	9	6	7	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	30	23	24	15	10	18	9	5	4	3	1	5	1	2	4	.	.	3	2	2	.	.	.	2	.	.
„ Scarlet Fever,	1	1	1	1	.	1	.	.	1	2	1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	1	3	2	2	1	1	3	3	.	5	5	.	.	.	1	.	.	3	1	2	2	4	1	1	3	.
„ Diphtheria,	3	2	3	1	.		2	1	3	5	3	.	1	2	.	1	1	.	2	2	.	.	.	1	.	.
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
„ Enteric Fever,	2	2	3	2		5	2	1	2	.	3	1	4	2	.	.	1	3	2	3	5	6	1	2	2	1
„ Diarrhœa, Dysentery,		3	5	1	2	3	6	.	2	2	2	4		3	4	4	.	.	1		3	1	3	2	.	1
„ Phthisis,	27	36	30	28	40	27	29	36	29	23	32	40	30	37	29		30	27	28	27	32	29	32	30	32	13
„ Heart Diseases,	15	26	15	21	24	20	16	25	15	11	28	33	24	18	17	20	28	16	17	11	11	17	14	17	11	14
„ Diseases of Respiratory System,	70	66	73	98	110	110	92	55	67	65	74	94	55	8	39	72	56	46	53	47	40	29	34	25	30	23
Violent Deaths,	6	6	3	7	4	5	5	2	5	3	8	4	2	2	4	9	6	2	2	3	4	6	4	5	1	6
Mean Temperature of the Air (Phœnix Park),	44·3	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2	52·3
Average Mean Temperature in corresponding week of previous 10 years,	41·4	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8
Rainfall in inches,	·455	·200	·855	2·055	·715	·535	·560	·530	·920	·690	·680	·520	1·025	·000	·115	·305	·075	·535	·785	·170	·190	·350	·535	·005	1·185	·005
Mean Humidity of the Air, complete Saturation 1·0,	·92	·84	·88	·89	·8	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·78	·80	·83

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd June, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	28·4	157	43	15	22	40	31	6	.	.	1	.	.	.	.	1	1	3	13	10	23	6	102
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	26·7	8	.	.	.	2	5	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	5
II.	MIDDLE CLASS,	81,469	16·6	26	1	3	4	11	5	2	.	.	.	.	.	.	.	.	1	1	3	.	2	1	19
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	17·3	33	8	5	5	9	6	.	.	.	.	.	.	.	.	.	.	.	.	1	3	2	27
IV.	GENERAL SERVICE CLASS,	147,978	30·6	64	30	6	10	8	9	1	.	.	1	.	.	.	.	1	.	2	7	9	13	2	31
V.	INMATES OF WORKHOUSES,	5,191		26	4	1	3	10	6	2	.	.	.	.	.	.	.	.	.	.	3	.	3	.	20
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	45·6	7	.	.	.	2	4	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	4
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,783	9·1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	22·0	11	1	3	2	4	1	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	7
	6. Clerks and Commercial Assistants,	25,091	6·2	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	25·4	12	.	.	2	6	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	9
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	14·0	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	9. Building and Furnishing Trades,	26,294	17·8	9	3	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	7
	10. Clothing Trades,	28,927	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades,	7,949	18·1	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	32·8	17	3	3	3	2	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	16
	13. Petty Shopkeepers,	6,839	22·8	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	22·7	6	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	3
	15. Domestic Servants,	39,967	6·5	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	38·5	8	2	1	2	2	1	.	.	.	1	.	.	.	.	.	.	1	1	.	2	.	4
	17. Hawkers, Porters, Labourers, &c.,	83,472	28·0	45	24	5	6	3	6	1	.	.	.	.	.	.	.	1	.	1	5	7	10	2	20
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	26	4	1	3	10	6	2	.	.	.	.	.	.	.	.	.	.	3	.	3	.	20

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.																
North City, No. 1 (E.)	Apr. 14,	21·1	.	11	.	.	.	.	.	.	.	.	.	2	2	..
	„ 21,	28·0	1·9	12	.	.	.	.	.	.	.	1	.	2	3	.
	„ 28,	23·0	1·9	12	.	.	.	.	.	.	.	1	.	1	5	.
	May 5,	32·7	1·9	17	.	.	.	.	.	.	.	1	.	1	4	.
(*Office, Clarence-street, Nth.*)	„ 12,	25·0	.	13	.	.	.	.	.	.	.	.	.	1	2	.
	„ 19,	23·0	1·9	12	.	.	.	.	.	.	.	.	1	3	.	.
	„ 26,	19·2	.	10	.	.	.	.	.	.	.	.	.	4	1	1
Pop. (in 1891) 27,147.	June 2,	30·7	.	16	.	.	.	.	.	.	.	.	.	.	2	.
North City, No. 1 (W.)	Apr. 14,	46·4	.	31	.	.	.	.	.	.	.	.	.	4	9	2
	„ 21,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	1	7	.
	„ 28,	25·4	.	17	.	.	.	.	.	.	.	.	.	1	5	.
	May 5,	43·4	1·5	29	.	.	.	.	.	.	.	1	.	4	5	.
(*Office, Summer-hill.*)	„ 12,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	2	4	.
	„ 19,	16·5	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	„ 26,	40·4	.	27	.	.	.	.	.	.	.	.	.	4	4	.
Pop. (in 1891) 34,886.	June 2,	26·9	.	18	.	.	.	.	.	.	.	.	.	1	2	.
North City, No. 2.	Apr. 14,	47·0	3·6	26	.	.	.	.	1	1	.	.	.	2	7	2
	„ 21,	41·5	.	23	.	.	.	.	.	.	.	.	.	2	5	.
	„ 28,	28·5	1·8	13	.	.	.	.	.	.	.	.	1	2	2	.
	May 5,	25·3	.	14	.	.	.	.	.	.	.	.	.	5	4	.
(*Office, Lisburn-street.*)	„ 12,	25·3	1·8	14	.	.	.	.	.	.	.	.	1	2	1	1
	„ 19,	23·5	3·6	13	.	.	.	.	.	.	1	1	.	3	1	.
	„ 26,	28·9	.	16	.	.	.	.	.	.	.	.	.	4	4	.
Pop. (in 1891) 28,871.	June 2,	14·4	1·8	8	.	.	.	.	.	.	.	.	1	1	.	.
North City, No. 3.	Apr. 14,	28·0	2·0	14	.	.	.	.	.	1	.	.	.	4	1	.
	„ 21,	22·0	2·0	11	.	.	.	.	.	.	.	.	1	2	3	.
	„ 28,	38·0	6·0	19	.	.	.	.	.	.	.	2	1	5	5	1
	May 5,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	4	2
(*Office, Blackhall-place.*)	„ 12,	26·0	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	„ 19,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	5	3	.
	„ 26,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	.
Pop. (in 1891) 26,055.	June 2,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	2	1	.
South City, No. 1.	Apr. 14,	40·6	1·6	26	.	.	.	.	.	.	.	1	.	3	8	2
	„ 21,	37·7	3·1	24	.	1	.	.	.	.	.	.	1	2	4	.
	„ 28,	37·7	4·7	24	.	.	.	.	2	.	.	1	.	2	8	.
	May 5,	39·3	1·6	25	.	.	.	.	.	.	.	1	.	1	2	1
(*Office, South Earl-street.*)	„ 12,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	5	.
	„ 19,	31·4	1·6	20	.	.	.	.	1	.	.	.	.	4	3	.
	„ 26,	40·8	.	26	.	.	.	.	.	.	.	.	.	5	11	.
Pop. (in 1891) 33,194.	June 2,	39·3	.	25	.	.	.	.	.	.	.	.	.	3	6	1
South City, No. 2.	Apr. 14,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 21,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
	„ 28,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	May 5,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	1	.
(*Office, Castle-street.*)	„ 12,	16·9	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	„ 26,	25·3	2·8	9	.	.	.	.	.	.	.	1	.	2	2	.
Pop. (in 1891) 18,547.	June 2,	22·5	.	8	.	.	.	.	.	.	.	.	.	.	1	1
South City, No. 3.	Apr. 14,	29·6	.	23	.	.	.	.	.	.	.	.	.	1	6	1
	„ 21,	37·3	.	29	.	.	.	.	.	.	.	.	.	6	5	1
	„ 28,	19·3	2·6	15	.	.	.	.	.	.	.	1	1	4	2	1
	May 5,	36·0	3·9	28	.	.	.	.	2	.	.	.	1	3	5	2
(*Office, Peter-street.*)	„ 12,	45·0	1·3	35	.	.	.	.	.	.	.	1	.	7	7	1
	„ 19,	29·6	1·3	23	.	.	.	.	.	1	.	.	.	2	6	2
	„ 26,	21·9	2·6	17	.	.	.	.	1	.	.	1	.	3	.	.
Pop. (in 1891) 40,558.	June 2,	23·1	.	18	.	.	.	.	.	.	.	.	.	.	4	.
South City, No. 4.	Apr. 14,	29·1	.	20	.	.	.	.	.	.	.	.	.	4	4	1
	„ 21,	35·0	1·5	24	.	.	.	.	1	.	.	.	.	3	5	.
	„ 28,	36·4	.	25	.	.	.	.	.	.	.	.	.	4	3	.
	May 5,	29·1	2·9	20	.	.	.	.	1	.	.	1	.	5	3	.
(*Office, Grand Canal-street.*)	„ 12,	29·1	.	20	.	.	.	.	.	.	.	.	.	7	1	2
	„ 19,	16·0	.	11	.	.	.	.	.	.	.	.	.	4	1	1
	„ 26,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	4	1	.
Pop. (in 1891) 35,793.	June 2,	21·9	.	15	.	.	.	.	.	.	.	.	.	2	2	2

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Apr. 14,	31·9	1·9	17	.	1	.	.	.	.	.	.	.	2	2	.
	„ 21,	20·6	3·8	11	.	.	.	.	.	.	.	1	1	3	2	1
	„ 28,	24·4	.	13	.	.	.	.	.	.	.	.	.	5	3	.
	May 5,	16·9	1·9	9	.	.	.	.	.	.	.	1	.	3	.	.
	„ 12,	16·9	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 19,	24·4	3·8	13	.	1	.	.	.	.	.	.	1	1	1	.
	„ 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	June 2,	16·2	1·9	9	.	.	1	.	.	.	.	.	.	.	1	.
Donnybrook. Pop. (in 1891) 24,629.	Apr. 14,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	1	2	.
	„ 21,	33·9	6·4	16	.	.	.	.	.	2	.	1	.	2	2	1
	„ 28,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	May 5,	14·8	2·1	7	.	.	.	.	.	.	.	1	.	.	.	.
	„ 12,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	5	4	.
	„ 19,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	June 2,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	.	.
Kingstown. Pop. (in 1891) 17,386.	Apr. 14,	36·0	.	13	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	„ 28,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	May 5,	24·0	.	8	.	.	.	.	1	.	.	.	.	2	.	1
	„ 12,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	June 2,	30·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1
Belfast. Pop. in 1900 (Est.) 359,000.	Apr. 14,	21·6	1·3	149	.	.	.	.	1	2	.	5	1	31	38	.
	„ 21,	18·0	1·5	124	.	1	.	.	1	1	.	5	2	14	26	2
	„ 28,	18·4	1·6	127	.	.	.	.	4	1	.	3	3	23	24	2
	May 5,	24·8	3·1	171	.	.	.	.	8	1	.	8	4	31	33	2
	„ 12,	20·0	1·5	138	.	.	.	.	3	1	.	5	1	31	31	3
	„ 19,	22·2	3·2	153	.	1	.	.	6	1	.	12	2	23	32	4
	„ 26,	20·5	1·3	141	.	1	.	1	1	.	.	5	1	34	31	5
	June 2,	19·5	2·3	134	.	.	.	.	1	1	.	11	3	22	29	2
Cork. Pop. (in 1891) 75,345.	Apr. 14,	29·1	2·1	42	.	2	.	.	.	.	.	.	1	6	7	.
	„ 21,	34·6	1·4	50	.	.	.	1	.	.	.	.	1	7	8	.
	„ 28,	27·7	2·1	40	.	.	.	.	.	1	.	2	.	3	11	.
	May 5,	29·8	0·7	43	.	.	1	.	.	.	.	.	.	8	4	.
	„ 12,	22·1	.	32	.	.	.	.	.	.	.	.	.	11	3	.
	„ 19,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	9	.
	„ 26,	28·4	0·7	41	.	.	.	.	.	.	.	.	1	5	4	.
	June 2,	20·8	0·7	30	.	.	.	.	1	.	.	.	.	5	4	.
Limerick. Pop. (in 1891) 37,155.	Apr. 14,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	4	.
	„ 21,	36·5	.	26	.	.	.	.	.	.	.	.	.	3	10	1
	„ 28,	25·3	1·4	18	.	.	.	.	.	.	.	.	1	2	4	1
	May 5,	21·1	.	15	.	.	.	.	.	.	.	.	.	6	3	.
	„ 12,	26·7	1·4	19	.	.	.	.	.	.	.	.	1	6	1	.
	„ 19,	28·1	.	20	.	.	.	.	.	.	.	.	.	2	3	.
	„ 26,	25·3	.	18	.	.	.	.	.	.	.	.	.	3	8	.
	June 2,	18·2	.	13	.	.	.	.	.	.	.	.	.	.	6	.
Londonderry Pop. (in 1891) 33,200.	Apr. 14,	20·4	1·6	13	.	.	.	1	.	.	.	.	.	1	4	.
	„ 21,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	3	5	1
	„ 28,	22·0	.	14	.	.	.	.	.	.	.	.	.	4	4	.
	May 5,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	.	1	.
	„ 12,	25·1	1·6	16	.	.	.	1	.	.	.	.	.	2	2	.
	„ 19,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	5	1
	„ 26,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	2	.
	June 2,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
Waterford. Pop. (in 1891) 26,200.	Apr. 14,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	6	.
	„ 21,	43·8	2·0	22	.	.	.	.	1	.	.	.	.	3	5	.
	„ 28,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	May 5,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1
	„ 12,	19·9	2·0	10	.	.	1	.	.	.	.	.	.	3	2	.
	„ 19,	25·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 26,	29·8	4·0	15	.	.	.	.	2	.	.	.	.	1	2	.
	June 2,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	3	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 2nd June, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	15	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		7	1	1	4	1	.	.	.	.	.	.	.	.	.	.	.	1	1	2
" 2 "	37,589	22			14	2	2	7	3	.	.	.	.	.	.	.	2	2	1	4	.	.	1
" 3 "	38,845	31			18	.	2	15	1	.	.	.	.	.	.	.	4	1	4	4	.	.	5
" 4 "	33,391	36			19	5	1	11	2	.	.	.	.	.	.	.	1	.	1	5	1	2	9
" 5 "	21,284	7			9	1	1	7	.	.	.	.	.	.	.	.	.	.	3	2	.	1	1
" 6 "	43,431	23			21	3	3	10	5	.	.	.	.	.	.	.	2	.	4	3	.	.	7
" 7 "	1,112	.			2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 8 "	4,904	10			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 9 "	12,866	11			11	2	.	8	1	.	.	.	.	.	.	.	1	.	3	2	.	.	3
" 10 "	12,256	16			7	5	.	1	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.
" 11 "	19,881	19			6	1	1	2	2	.	.	.	.	1	.	.	.	.	1	2	.	.	1
" 12 "	23,282	19			13	4	2	5	2	.	.	.	.	.	1	.	.	.	3	4	.	1	.
" 13 "	6,804	9			5	.	.	3	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.
" 4 "	362	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	273,079	218			134	25	13	76	20	.	.	.	.	1	1	.	11	3	22	29	2	5	31
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	3	13·1	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3
" 2 "	9,252	6	56·4	.	10	2	1	5	2	.	.	.	.	.	.	.	.	.	2	.	.	1	5
" 3 "	9,816	5	15·9	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 4 "	10,356	.	5·0	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	8,137	5	19·2	.	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	3,823	7	35·4	.	6	.	3	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2
" 7 "	17,034	5	12·2	3·1	4	2	1	.	1	.	.	.	.	1	.	.	.	.	.	2	.	.	1
Total,	75,345	31	20·8	0·7	30	5	8	11	6	.	.	.	.	1	.	.	.	.	5	4	.	1	11

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.
No. of week in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered,	189	199	203	175	239	263	199	230	204	240	186	230	216	269	218	236	229	188	197	225	261	213	244	218	218	218
DEATHS registered,	113	189	132	192	198	210	166	170	135	187	226	181	207	195	157	169	176	179	149	124	127	171	138	158	141	134
Annual Death-rate per 1,000 of estimated Population,	16·8	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5
AGES, Under 1 year,	21	26	19	39	34	40	26	32	22	30	41	31	43	42	27	26	37	31	29	21	27	33	26	34	20	25
AGES, 1–5 years,	10	19	9	25	31	23	24	22	17	15	23	16	21	28	26	30	22	21	18	12	13	23	14	27	10	13
AGES, 5–60 years,	63	73	74	75	93	88	71	71	62	99	102	84	92	90	68	77	84	80	79	56	64	86	76	65	87	76
AGES, 60 years and upwards,	19	21	30	53	40	59	45	45	34	43	60	50	51	35	36	36	33	47	23	35	23	29	22	27	24	20
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	2	1	1	4	.	1	1	.	.	.	1	2	1	1	2	1	.	1	.	.	.	1	1	.
" Scarlet Fever,	1	.	1	1	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Whooping-cough,	.	2	1	6	6	2	9	5	4	3	4	3	4	3	2	4	4	1	1	1	4	8	3	6	1	1
" Diphtheria,	.	3	2	1	2	.	1	.	.	3	2	1	2	1	1	2	2	2	2	1	1	1	1	1	.	1
" Simple continued and Ill-defined Fever,	.	.	.	.	2	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	1	2	1	4	4	4	4	1	1	1	1	2	5	3	4	3	6	1	5	5	3	8	5	12	5	11
" Diarrhœa, Dysentery,	.	1	.	1	3	4	1	2	2	1	3	3	.	1	1	3	3	1	1	2	3	4	1	2	1	3
" Phthisis,	19	29	14	31	27	21	17	21	12	26	27	19	26	28	26	30	39	25	31	14	23	31	31	23	34	22
" Diseases of Respiratory System,	37	34	27	64	74	86	72	66	39	50	73	67	57	75	35	49	43	46	38	26	24	33	31	32	31	29
Violent Deaths,	1	2	6	2	5	2	.	.	3	8	8	5	4	2	6	2	2	5	.	2	2	2	3	4	5	2

TABLE IX.—Showing the NUMBER of CASES of INFECTIVE DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd June, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	.	.	.	1	.	.	1	1	.	1	4
" " 1, West,	.	2	.	1	.	.	.	.	2	5	.	.	.	10
" " 2,	.	.	.	.	.	.	.	.	2	5	1	1	4	13
" " 3,	.	1	.	.	.	.	.	.	.	2	2	.	.	5
South City No. 1,	.	1	.	1	.	.	1	.	.	2	6	.	.	11
" " 2,	.	.	.	.	.	.	.	.	.	.	2	.	1	3
" " 3,	.	.	.	2	.	.	.	.	1	2	2	.	2	9
" " 4,	.	.	.	3	.	.	1	.	.	1	1	.	1	7
Total,	.	4	.	7	.	.	3	.	5	18	15	1	9	62
Total for week ended May 12, 1900,	.	6	.	8	1	.	3	.	.	11	13	.	3	45
Total for week ended May 19, 1900,	.	6	.	12	.	.	1	1	2	15	10	.	11	58
Total for week ended May 26, 1900,	.	8	.	9	.	.	3	.	5	17	20	.	7	69

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd June, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd June.			
	May 12.	May 19.	May 26.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	13	10	9	3	2	.	10
Scarlet Fever,	73	73	77	13	19	1	70*
Typhus "	1	1	1	.	1	.	.
Diphtheria,	13	14	12	3	2	1	12
Enteric Fever,	30	36	38	14	4	2	46
Pneumonia,	36	19	20	5	5	3	17

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork-stree Fever Hospital

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	June 2,	2,579	1,497	17·0	.	68	7	29	48	10	12
EDINBURGH,	302,262	„ 2,	163	110	18·9	.	1	.	.	.	.	2
GLASGOW,	743,969	„ 2,	415	296	20·7	1	14	.	3	21	1	13
CALCUTTA,	466,460	Mar. 31,	.	1,134	126·8	38	11	.	1	.	51‡	128*
BOMBAY,	821,764	May 8,	181	1,696	107·3	33	17	?	?	?	172§	245*
MADRAS,	452,518	April 6,	387	326	37·4	.	8	?	?	?	93	53
PARIS,	2,511,629	.	.	.	.	.	.	.	.	.	.	.
BRUSSELS (with 8 Faubourgs).	561,130	May 19,	244	158	14·6	.	.	.	.	1	.	5
AMSTERDAM,	526,072	„ 12,	269	139	13·8	.	.	.	.	3	.	.
ROTTERDAM,	322,920	„ 12,	256	105	16·9	.	1	.	2	.	.	.
THE HAGUE,	205,328	„ 12,	93	71	18·0	.	5	1	.	.	.	.
COPENHAGEN,	349,000	„ 19,	217	196	15·3	.	.	.	3	1	.	7
CHRISTIANIA,	221,255	.	.	.	.	.	.	.	.	.	.	.
ST. PETERSBURG,	1,132,677	„ 19	604	604	27·7	8	12	8	19	4	20	58
BERLIN,	1,848,269	„ 12,	921	692	19·5	.	10	20	7	14	2	42
HAMBURG,	691,349	„ 19,	375	224	16·8	.	1	1	1†	.	1	7
DRESDEN,	400,400	April 14,	241	163	21·0	.	.	.	1†	1	.	7
BRESLAU,	406,012	May 26,	.	204	26·1	.	1	.	.	2	2	23
MUNICH,	463,000	Mar. 10,	347	230	25·8	.	19	.	.	1	1	29
VIENNA (with suburbs).	1,639,811	May 5,	884	802	25·2	.	20	.	4†	5	4	56
BUDA-PESTH,	685,340	„ 19,	520	313	23·7	.	3	6	1	.	2	3
PRAGUE and Faubourgs.	391,693	April 19,	190	177	23·5	.	.	.	1	1	2	1
ROME,	514,306	.	.	.	.	.	.	.	.	.	.	.
TURIN (10 days),	344,203	.	.	.	.	.	.	.	.	.	.	.
VENICE,	172,924	May 5,	64	73	22·0	.	.	.	.	.	1	5
NEW YORK,	3,654,594	April 28,	1,605	1,538	22·0	.	27	13	43	21	8	13
PHILADELPHIA,	1,266,832	May 5,	.	517	21·2	.	18	6	23	7	8	2

* Including 64 deaths from cholera in Calcutta and 23 in Bombay. † Including deaths from croup.
‡ Exclusive of 797 deaths from bubonic fever. § Exclusive of 340 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 2nd June, 1900:—

"Most favourable weather was enjoyed in Ireland throughout this week. At the beginning a depression passed northwards along the west coast, and genial rain fell over the greater part of the island. In Dublin there were but a few drops of rain. Monday was very fine, the wind drawing into N.W. with a clearing sky, which permitted the eclipse of the sun in the afternoon to be seen to great advantage. At the time of the greatest phase (3h. 22m. p.m.), when the moon covered 678 out of 1000 parts of the solar disc, the sun's light became mellow and ruddy orange in colour like evening sunshine. An anticyclone spread over Ireland on this day, being central over Connaught and Munster on Tuesday morning, but over the North of Scotland on and after Wednesday. This distribution of pressure led to N.W., N., and finally N.E. and E. winds, which were accompanied by dry, cool weather. The nights were sharp, but warm sunshine made the days delightful. On Friday a shallow depression which formed over the East of France brought gloom and rain to the S.E. of England, but the weather remained fine and bright in Ireland. In Dublin the mean atmospheric pressure was 30·285 inches, the barometer ranging from 30·006 inches at 9 a.m. of Sunday (wind, S. by E.) to 30·426 inches at 9 a.m of Friday (wind, E.N.E.). The corrected mean temperature was 55·3°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 55·1°. The screened thermometers rose to 66·7° on Monday and fell to 44·2 on Wednesday. N.E. winds were most prevalent. The duration of bright sunshine was estimated at 62 hours. There was no measurable rainfall."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·295 inches. The highest reading (30·438) was registered on Friday at 9 A.M., wind E., and the lowest (30·012) on Sunday, at 9 A.M., wind S.W.

The mean temperature for the week was 52·3°, being ·5° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Monday, when the thermometer registered 63·4°, and was lowest on Wednesday, the mercury having fallen to 36·6°. The mean of the Dry Bulb for the week was 52·2°, and of the Wet Bulb 49·5°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 71·6 hours. The rainfall measured ·005 in.

At Greenwich the mean temperature for the week was 51·0°, the maximum 70·0°, and the minimum 41·1°; at Glasgow the maximum was 68·0°, the minimum 40·9°, and the mean 54·3°, and at Edinburgh the maximum was 65·7°, the minimum 42·8°, and the mean 52·2°. The rainfall at Greenwich measured 0·24 in.; at Glasgow 0·14 in.; and at Edinburgh 0·08 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum.	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 27,	30·031	61·0	52·2	56·6	56·5	53·9	·84	·3	0·8	·005	S.W.	S.W.
Monday, „ 28,	30·273	63·4	49·6	56·5	54·3	50·7	·79	·7	12·1	—	W.	Calm.
Tuesday, „ 29,	30·431	62·4	43·6	53·0	51·0	48·1	·80	·1	9·5	—	N.W.	Calm.
Wednesday, „ 30,	30·365	61·3	36·6	49·0	52·9	49·9	·82	·1	12·4	—	Calm.	Calm.
Thursday, „ 31,	30·388	56·1	39·1	47·6	50·1	47·3	·83	·2	11·7	—	E.	Calm.
Friday, June 1,	30·383	57·8	39·6	48·7	48·3	46·5	·88	·2	11·0	—	E.	Calm.
Saturday, „ 2,	30·194	60·8	48·6	54·7	52·5	50·0	·83	·3	14·1	—	N.E.	Calm.
Mean, . .	30·295	60·4	44·2	52·3	52·2	49·5	·83	·3	Total 71·6	Total ·005	—	

Sunday—A cloudy day; night cloudy; rain 6.30 to 6.45 a.m. *Monday*—A fine but cloudy day; solar eclipse p.m.; night clear to 4 a.m. *Tuesday*—A fine but cloudy day; night clear p.m. cloudy a.m. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—Cloudy a.m.; bright p.m.; night clear to 8 a.m. *Saturday*—Cloudy a.m.; bright p.m.; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

4. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 9TH JUNE, 1900. [No. 23.

General Register Office, Charlemont House,
Dublin, 11*th June,* 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 19·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending May 19.	Week ending May 26.	Week ending June 2.	Week ending June 9.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 19.	Week ending May 26.	Week ending June 2.	Week ending June 9.	Average Rate for 4 weeks.
23 Town Dists.	22·1	23·3	20·0	19·4	21·2	Limerick, . .	28·1	25·3	18·2	16·8	22·1
Armagh, . .	42·8	21·4	28·5	14·3	26·7	Lisburn, . .	25·7	21·3	25·7	12·8	21·4
Ballymena, .	33·8	11·3	5·6	11·3	15·5	Londonderry, .	17·3	17·3	18·8	11·0	16·1
Belfast, . .	22·2	20·5	19·5	17·9	20·0	Lurgan, . .	27·4	22·8	27·4	18·2	23·9
Carrickfergus, .	29·2	17·5	35·1	23·4	26·3	Newry, . .	20·1	20·1	28·2	8·1	19·1
Clonmel, . .	24·3	14·6	9·7	19·5	17·0	Newtownards, .	0·0	5·7	5·7	51·0	15·6
Cork, . . .	21·5	28·4	20·8	24·2	23·7	Portadown, .	30·9	12·4	12·4	12·4	17·0
Drogheda, . .	22·8	22·8	15·2	22·8	20·9	Queenstown, .	28·7	11·5	28·7	5·7	18·7
Dublin, Reg. Area,	23·0	25·2	21·9	23·1	23·3	Sligo, . . .	10·2	15·2	15·2	5·1	11·4
Dundalk, . .	16·8	16·8	12·6	25·1	17·8	Tralee, . .	0·0	33·6	22·4	11·2	16·8
Galway, . .	15·1	34·0	0·0	3·8	13·2	Waterford, .	25·9	29·8	17·9	11·9	21·4
Kilkenny, . .	0·0	70·8	28·3	18·9	29·5	Wexford, . .	13·5	27·1	13·5	22·6	19·2

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in twenty-one of the districts to 2·3 in Belfast; the 123 deaths from all causes registered in that district comprising 3 from measles, one from scarlatina, one from diphtheria, 10 from enteric fever, and one from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 222—113 boys and 109 girls; and the deaths to 161—80 males and 81 females.

DEATHS.

The deaths, which are 5 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 24·0 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 23·1 per 1,000. During the twenty-three weeks ending with Saturday last the death-rate averaged 31·4, and was 4·4 over the mean rate for the corresponding portions of the ten years 1890–99.

Twenty-four deaths from zymotic diseases occurred, being 8 above the average for the twenty-third week of the past 10 years, and 12 in excess of the number which took place in the preceding week. Cerebro-spinal meningitis caused 10 deaths, whooping-cough caused 5 deaths, influenza caused 3 deaths, and 2 deaths each were caused by diphtheria, enteric fever, and diarrhœa.

Tubercular disease caused 41 deaths, including 28 deaths from phthisis, 7 deaths from scrofula, and 3 deaths each from tabes mesenterica and tubercular meningitis. Cancer caused 6 deaths.

Diseases of the respiratory system caused 23 deaths, including 10 deaths from pneumonia and 9 deaths from bronchitis.

Two deaths from apoplexy and one death from epilepsy occurred; 4 deaths from other diseases of the brain and nervous system, not including "convulsions," which caused 10 deaths, namely, 7 children under one year of age and 3 children under 5 years.

Four accidental deaths were registered.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 8 children under 5 years of age, 7 being infants under one year old.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 8 were under one month old) and 24 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 5 were octogenarians.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·1 per 1,000; the rate in the city was 26·0 (25·0 on the North side, and 26·9 on the South), and in the Suburbs 16·5.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the city being 1·7 (1·3 in the North City Districts, and 2·0 in the South), and for the Suburbs 1·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 26·9 per 1,000. Two deaths from influenza, one from cerebro-spinal meningitis, and one from diphtheria occurred; phthisis caused three deaths.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 23·9 per 1,000. One death was caused by cerebro-spinal meningitis, one death was caused by whooping-cough; phthisis or pulmonary consumption caused 6 deaths.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 28·9 per 1,000. Cerebro-spinal meningitis and diarrhœa each caused one death, phthisis caused three deaths, and four deaths were caused by diseases of the brain and nervous system.

* See Table VI.

No. 3 North City District (Blackhall-place).—The deaths (10) represent an annual rate of 20·0 per 1,000. Cerebro-spinal meningitis and pulmonary consumption each caused one death.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 23·6 per 1,000. Cerebro-spinal meningitis caused two deaths, phthisis caused two deaths, and diseases of the respiratory system caused three deaths.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·1 per 1,000. One death was caused by enteric fever, one death was caused by phthisis, and another by whooping-cough.

No. 3 South City District (Peter-street).—The deaths (21) are equal to an annual rate of 27·0 per 1,000. Two deaths were caused by cerebro-spinal meningitis, one death was caused by diphtheria, and one death by whooping-cough; three deaths each were caused by diseases of the "brain and nervous system," the respiratory system, and the digestive system.

No. 4 South City District (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·1 per 1,000. One death was caused by cerebro-spinal meningitis and one death by whooping-cough; phthisis caused three deaths, and diseases of the respiratory system 5 deaths.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 9·7; Finglas and Glasnevin, part of, 24·6; Palmerston, part of, and Crumlin, part of, 21·5; Rathmines, 15·0; Donnybrook, 16·9; Blackrock, 12·4; and Kingstown, 21·0. The deaths from zymotic diseases tabulated for these districts consist of one from diarrhœa for Palmerston, part of; one from influenza for Donnybrook; and one from whooping-cough and one from cerebro-spinal meningitis for Kingstown. Two of the 3 deaths from all causes tabulated for Palmerston, part of, and Crumlin, part of, were from diseases of the respiratory system; the 8 deaths for Rathmines comprise 2 from diseases of the respiratory system; of the 8 deaths for Donnybrook 2 were caused by phthisis and 3 by diseases of the brain and nervous system; and the 7 deaths for Kingstown comprise 2 from diseases of the respiratory system.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	19th May,	58 cases.
,, ,,	26th May,	69 cases.
,, ,,	2nd June,	62 cases.
,, ,,	9th June,	53 cases.

Of the 53 cases notified, 14 were erysipelas, 11 enteric fever, 10 scarlatina, 2 measles, 1 diphtheria, 9 meningitis,† 4 continued fever, and two typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th June, 1900.

From this it appears that:—

Nine cases of scarlatina were admitted to hospital during the week, 7 were discharged, no death took place, and 72* cases remained under treatment at the end of the week.

Eight cases of enteric fever were admitted to hospital during the week, 8 cases were also discharged, one case died, and 45 cases remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital during the week, 6 were discharged, 3 died, and 9 remained under treatment at the end of the week.

Two cases of typhus fever were admitted to hospital and remained under treatment at the end of the week.

Six cases of measles were admitted, as compared with 3 cases on the preceding week, and 15 cases remained under treatment in hospital at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 15·9), was equal to an average annual death-rate of 16·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·3 per 1,000, the rate for Glasgow being 19·9, and for Edinburgh 16·0.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 9th June, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 9th June, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continuous & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 9th June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th May, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	30·5	19·4	1·3	622	396	69	79	.	3	1	.	5	3	.	11	3	62	70	6	14	132	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,†	349,594	14·2	33·1	23·1	1·5	222	155	29	23	.	.	.	.	5	2	.	1	2	25	23	4	8	60	§68·6	42·6	56·6	0·56	§63·4	36·6	52·3	0·01	§60·8	37·1	51·2	1·19
Registrars' Districts. City	245,001	65·6	38·9	26·0	1·7	183	122	23	14	.	.	.	.	4	2	.	1	1	19	15	4	6	55	71·0	51·0	59·1	0·42	66·7	44·2	55·3	0·00	62·6	41·1	52·7	0·91
Clontarf &c. No. 1,	4,188	1·5	25·2	12·6	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	9·7	9·7	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	73·8	24·6	.	6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	71·3	44·0	57·6	0·46	65·9	37·6	52·9	0·00	62·4	37·2	51·0	1·06
Palmerston, part of and Crumlin part of (b),	7,278	8·0	7·2	21·5	7·2	1	3	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	15·0	15·0	.	8	8	2	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	16·9	16·9	.	8	8	1	3	.	.	.	.	.	.	.	.	.	2	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	6·2	12·4	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	33·0	21·0	3·0	11	7	1	1	.	.	.	.	1	.	.	.	.	1	2	.	.	.	67	48	58·1	0·31	67	43	54·9	0·00	62	43	52·9	0·66
Urban Districts.																																			
Belfast,	359,000	21·8	31·8	17·9	2·3	219	123	26	24	.	3	1	.	.	1	.	10	1	18	28	1	1	30	70·1	44·1	57·7	0·74	68·1	40·1	58·3	0·10	60·1	40·9	50·2	0·87
Cork,	75,345	33·3	40·1	24·2	.	58	35	2	7	.	.	.	.	.	.	.	.	.	8	4	.	2	15	66	52	57·6	1·35	67	45	54·3	0·10	57	45	52·3	1·31
Limerick,	37,155	17·9	14·0	16·8	.	10	12	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	38,200	15·3	34·6	11·0	.	22	7	.	.	.	.	.	.	.	.	.	.	.	3	.	1	2	.	74·0	48·0	60·3	0·16	68·2	41·0	55·7	0·13	62·0	41·0	51·1	1·46
Waterford,	26,203	18·3	11·9	11·9	.	6	6	.	1	.	.	.	.	.	.	.	.	.	1	3	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	.	3·8	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	78	50	60	0·75	70	44	57	0·46	65	38	52	0·96
Drogheda	13,708	8·7	19·0	22·8	.	5	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	56·3	8·1	.	14	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	73·5	45·6	58·7	0·07	67·0	39·0	54·3	0·13	61·0	38·9	50·5	1·12
Dundalk,	12,449	9·0	25·1	25·1	.	6	6	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	25·7	12·8	.	6	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	73·5	45·6	58·7	0·07	67·0	39·0	54·3	0·13	61·0	38·9	50·5	1·12
Wexford,	11,545	24·0	22·6	22·6	.	5	5	3	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	54·7	18·2	.	12	4	.	3	.	.	.	.	.	.	.	.	.	1	3	.	.	3	73·5	45·6	58·7	0·07	67·0	39·0	54·3	0·13	61·0	38·9	50·5	1·12
Kilkenny,	11,048	12·0	.	18·9	.	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	72	47	58·3	0·74	67	39	45·1	0·00	62	38	51·0	0·86
Clonmel,	10,708	8·2	4·9	19·5	.	1	4	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	15·2	5·1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	72·8	41·0	57·6	0·69	71·6	38·2	54·4	0·23	62·2	34·2	49·6	1·27
Tralee,	9,318	15·9	33·6	11·2	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	16·9	11·3	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	39·7	51·0	.	7	9	.	4	.	.	.	.	.	.	.	.	.	1	3	.	.	6	69	45	55·8	0·15	62	44	51·3	0·10	59	41	49·5	0·87
Queenstown,	9,082	17·0	45·9	5·7	.	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66	52	57·6	1·35	67	45	54·8	0·10	57	45	52·3	1·34
Carrickfergus	8,923	0·5	.	23·4	.	.	4	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,480	11·0	37·1	12·4	.	6	2	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	73·5	45·6	58·7	0·07	67·0	39·0	54·3	0·13	61·0	38·9	50·5	1·12
Armagh,	7,187	21·4	21·4	14·3	.	3	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	73·5	45·6	58·7	0·07	67·0	39·0	54·3	0·13	61·0	38·9	50·5	1·12

That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude.

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. ‡ Exclusive of 6 deaths of persons (including one aged 65 years), admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park. ‖ The Urban District.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 9th June, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	821	282	564	797	161	897	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	1	.	.	.	1	1	1	.	.	.	.	.	.	.	1	5	.
Diphtheria,	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1
Diarrhœa, Dysentery,	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Other Zymotic Diseases	3	1	1	1	2	.	2	1	.	.	.	.	.	1	.	1	13	.
Total,	4	2	2	1	2	2	4	2	.	.	.	1	.	1	.	2	23	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	8	6	3	1	2	1	.	3	1	.	1	.	1	2	.	1	25	8
Other Constitutional Diseases	2	6	1	4	1	2	.	2	.	1	.	.	2	.	.	.	21	1
Total,	5	12	4	5	3	3	.	5	1	1	1	.	3	2	.	1	46	4
V. DEVELOPMENTAL DISEASES,	1	.	2	1	1	.	2	2	.	.	.	.	1	1	.	.	11	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	1	.	4	1	2	1	3	.	.	.	.	.	1	3	.	1	17	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	1	1	1	1	1	.	2	1	.	1	.	.	.	.	.	.	9	1
Diseases of Respiratory System,	.	1	.	1	3	2	3	5	.	.	.	2	2	1	1	2	23	.
Diseases of Digestive System,	1	.	1	.	2	.	3	3	.	.	.	.	1	.	.	.	11	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	.	.	1	2	.	.	.	1	.	.	.	.	.	4	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	2	6	3	8	4	13	9	.	1	1	2	4	4	1	3	64	1
VII. VIOLENT DEATHS,	1	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	4	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	1	.	1	1	1	.	.	.	.	.	.	.	1	1	6	.
Deaths from all Causes,	14	16	16	10	15	10	21	20	1	2	2	3	8	8	2	7	155	6
Annual Rate of Mortality in every 1,000 of the population.	26·9	23·9	28·9	20·0	23·6	28·1	27·0	29·1	12·6	9·7	24·6	21·5	15·0	16·9	12·4	21·0	23·1	
	25·0				26·9				16·5									
	26·0																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	6	3	4	4	3	2	5	4	.	.	.	1	.	1	1	.	34	4
Workhouse Hospitals,	2	2	4	1	2	4	5	4	.	.	.	.	.	2	.	.	26	2

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 28rd Week of the 10 years 1890-99.	In the week ending Saturday, 9th June, 1900. Deaths of persons of the Ages of								
	June 7, 1890	June 13, 1891	June 11, 1892	June 10, 1893	June 9, 1894	June 8, 1895	June 6, 1896	June 12, 1897	June 11, 1898	June 10, 1899		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	54·7°	52·5°	59·0°	56·4°	52·4°	56·4°	55·3°	58·0°	55·0°	58·8°	55·8°	56·6°								
ALL CAUSES,	145	183	161	159	144	148	133	150	168	169	156·0	161	8	21	25	14	31	38	19	5
I. FEBRILE OR ZYMOTIC DISEASES,	12	17	32	13	13	15	13	15	10	20	16·0	24	.	4	7	6	4	3	.	.
II. PARASITIC DISEASES,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	1	1	.	.	.	1	.	.	1	·5	1	.	.	.	.	.	1	.	.
IV. CONSTITUTIONAL "	41	45	33	51	40	45	34	34	49	48	42·0	50	1	3	7	6	13	18	2	.
V. DEVELOPMENTAL "	15	11	8	13	11	7	10	13	17	21	13·6	11	5	.	.	.	.	.	4	2
VI. LOCAL "	66	98	75	74	61	70	65	72	80	68	72·7	65	.	13	9	2	11	14	13	3
VII. VIOLENT DEATHS,	5	5	5	1	5	4	7	9	2	5	4·8	4	.	.	1	.	2	1	.	.
VIII. ILL-DEFINED CAUSES,	5	11	7	7	10	7	3	7	10	6	7·3	6	2	1	1	.	1	1	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	3	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	25	5	.	.	.	2	.	.	3·2	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	2	4	.	2	·8	.	.	.	.	.	.	.	.	.
Typhus,	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	2	1	4	3	1	.	4	6	2·1	3	.	.	.	1	2	.	.	.
Whooping Cough,	.	3	1	2	1	2	1	4	2	3	1·9	5	.	2	3	.	.	.	.	.
Diphtheria,	1	.	.	.	.	.	.	1	.	1	·3	2	.	.	1	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	.	.	2	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	2	.	1	1	2	.	2	1	4	1·6	2	.	.	.	1	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	4	4	1	.	4	4	2	1	1	1	2·2	2	.	2	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	2	1	1	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Erysipelas,	1	.	.	.	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	.	.	.	1	1	.	1	1	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	4	2	1	1	.	3	1	1	1	1·6	10	.	.	3	5	2	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and ther Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	1	1	.	.	.	1	.	.	1	·5	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	1	1	.	1	.	.	.	.	.	.	·3	2	.	.	.	.	2	.	.	.
Rheumatism,	.	.	.	.	1	.	.	.	2	.	·3	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	4	5	2	5	6	6	5	4	5	5	4·7	6	.	.	.	.	.	5	1	.
Tabes Mesenterica,	4	5	11	2	4	6	6	2	3	3	4·6	3	.	1	1	1	.	.	.	.
Tubercular Meningitis,	5	4	.	5	1	3	3	3	7	1	3·2	3	.	.	2	1	.	.	.	.
Phthisis,	21	20	18	28	25	22	16	18	24	36	22·8	28	.	.	1	3	11	12	1	.
Scrofula, Tuberculosis,	2	9	1	9	3	5	.	3	4	3	3·9	7	1	2	3	1	.	.	.	.
Other Constitution Diseases,	4	1	1	1	.	3	3	4	3	.	2·0	1	.	.	.	.	.	1	.	.
V. Developmental Diseases—																				
Premature Birth,	2	.	1	.	1	1	1	8	2	3	1·9	5	5	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	1	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
Old Age,	13	11	6	12	10	6	9	5	14	17	10·3	6	.	.	.	.	.	.	4	2

each Disease registered in the TWENTY-THIRD WEEK ending Saturday, 9th June, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 23rd Week of the 10 years 1890-99.	In the Week ending Saturday, 9th June, 1900. Deaths of Persons of the Ages of							
	June 7, 1890	June 13, 1891	June 11, 1892	June 10, 1893	June 9, 1894	June 8, 1895	June 6, 1896	June 12, 1897	June 11, 1898	June 10, 1899		ALL AGES. Mean Temp.	0 to 5 Under 1 month.	0 to 5 1 month and under 1 year.	0 to 5 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 54·7	° 52·5	° 59·0	° 56·4	° 52·4	° 56·4	° 55·8	° 58·0	° 55·0	° 58·8	° 55·8	° 56·6								
VI. Local Diseases--																				
Apoplexy,	3	3	5	3	1	4	2	1	2	5	2·9	2	.	.	.	.	1	.	.	1
Epilepsy,	.	1	.	.	2	.	.	.	1	.	·4	1	.	.	.	.	1	.	.	.
Convulsions,	13	13	15	11	5	10	4	6	10	9	9·6	10	.	7	3	.	.	.	.	.
Other Diseases of Brain and Nervous System,	7	4	4	6	5	6	8	8	5	5	5·8	4	.	.	1	.	.	1	2	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	1	2	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	14	17	9	14	11	14	13	17	19	14	14·2	10	.	.	.	1	2	4	3	.
Croup,	1	2	.	1	1	.	.	.	3	.	·8	.	.	.	.	.	.	.	.	.
Bronchitis,	6	15	13	10	12	13	11	10	18	10	11·8	9	.	3	.	.	1	1	4	.
Pneumonia	11	13	11	4	6	14	10	8	9	12	9·8	10	.	2	4	.	2	2	.	.
Pleurisy,	.	.	.	3	2	2	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	2	8	.	5	5	3	2	.	.	1	2·6	4	.	.	.	1	1	1	1	.
Teething,	.	.	2	2	2	.	1	1	.	1	·9	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	1	.	.	.	.	1	.	.	·2	2	.	.	.	.	.	.	2	.
Peritonitis	1	2	1	2	3	.	1	2	.	1	1·3	.	.	.	.	.	.	.	.	.
Disease of Liver,	1	1	1	3	2	.	2	6	1	.	1·7	4	.	.	.	.	1	3	.	.
Other Diseases of Digestive System,	2	5	9	7	5	1	7	4	2	3	4·5	4	.	.	1	.	1	1	.	1
Diseases of Lymphatics, &c.,	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	3	2	1	2	2	3	6	2	5	2·8	4	.	.	.	.	1	1	1	1
Diseases of Generative System,	2	3	1	1	.	.	.	.	1	.	·8	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	1	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	1	.	.	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	.	.	.	1	1	1	3	.	·7	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,			1	.	1	.	.	1	.	.	.		.	.	.	.	.	.	.	.
By Vehicles or Horses,			1	1	.	.	.	1	2	1	1		.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),			.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
In Building Operations,			.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
In Conflagrations,			.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	4		.	.	.	1	1	1	1	.	.	4·5	2	.	.	1	.	1	.	.
By Drowning,			.	2	.	.	.	.	3	.	.		1	.	.	.	.	.	1	.
By Suffocation in Bed,			.	.	.	.	.	.	.	.	2		.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,			.	.	.	2	.	.	.	.	.		.	.	.	.	.	.	.	.
Other or Not Stated Causes,			3	1	.	1	3	4	3	.	2		1	.	.	.	.	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	5	11	7	7	10	7	3	7	10	6	7·3	6	2	1	1	.	1	1	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN. REGISTRATION AREA.	1899-1900—Week ending																									
	Dec. 16.	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered,	167	138	247	187	209	168	191	184	174	175	257	179	215	217	226	234	128	184	225	202	246	222	198	214	199	222
Average Births in corresponding week of previous 10 years,	184	154	168	18	199	195	202	206	200	196	208	225	195	192	195	217	199	194	192	213	214	212	192	201	209	199
DEATHS registered,	256	285	280	337	331	295	259	288	199	284	342	230	247	209	236	244	194	230	204	178	204	179	168	176	157	161
Annual Death-rate per 1,000,	38·2	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0
Average Deaths in corresponding week of previous 10 years,	184	184	207	211	239	249	228	221	211	216	212	214	218	218	218	219	204	184	185	184	178	170	174	167	162	156
AGES, Under 5 years,	84	87	86	81	85	70	60	60	54	63	74	55	66	56	69	55	50	59	66	51	54	52	47	43	43	54
5—20 ,,	23	22	13	15	16	15	20	19	14	24	20	22	15	12	17	12	14	26	13	15	17	19	20	26	15	14
20—40 ,,	35	46	32	49	38	44	33	34	30	48	47	33	42	39	34	45	24	29	30	33	47	27	28	30	22	31
40—60 ,,	61	55	57	73	84	61	50	46	35	65	80	51	60	44	51	54	42	53	32	48	42	36	31	35	40	38
60—80 ,,	44	63	74	94	85	83	79	64	58	73	104	59	56	42	52	59	58	47	45	27	35	36	36	35	31	19
80 years and upwards,	9	12	18	25	23	22	12	15	13	11	17	10	8	16	13	19	11	16	18	4	9	9	6	7	6	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	23	24	15	10	18	9	5	4	3	1	5	1	2	4	.	.	3	2	2	.	.	.	2	.	.	.
,, Scarlet Fever,	1	1	1	.	1	.	.	1	2	1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	2	2	1	1	3	3	.	5	5	.	.	.	1	.	.	3	1	2	2	4	1	1	3	.	5
,, Diphtheria,	2	3	1	.	3	2	1	3	5	3	.	1	2	.	1	1	.	2	2	.	.	.	1	.	.	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, Enteric Fever,	2	3	2	5	5	2	1	2	.	3	1	4	2	.	.	1	3	2	3	5	6	1	2	2	1	2
,, Diarrhœa, Dysentery,	3	5	1	2	3	6	.	2	2	2	4	5	3	4	4	.	.	1	.	3	1	3	2	.	1	1
,, Phthisis,	36	30	28	40	27	29	36	29	23	32	40	30	37	29	27	30	27	23	27	32	29	32	30	32	13	28
,, Heart Diseases,	26	15	21	24	20	16	25	15	11	28	33	24	18	17	20	23	16	17	11	11	17	14	17	11	14	10
,, Diseases of Respiratory System,	66	73	98	110	110	92	55	67	65	74	94	55	78	39	72	56	46	53	47	40	29	34	25	30	23	23
Violent Deaths,	6	3	7	4	5	5	2	5	3	8	4	2	2	4	9	6	2	9	3	4	6	4	5	1	6	4
Mean Temperature of the Air (Phœnix Park),	38·9	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2	52·3	56·6
Average Mean Temperature in corresponding week of previous 10 years,	41·8	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	[illegible]·3	55·8
Rainfall in inches,	·200	·855	2·055	·715	·535	·560	·530	·920	·690	·680	·520	1·025	·000	·115	·305	·075	·535	·735	·170	·190	·350	·535	·005	1·185	·005	·560
Mean Humidity of the Air, complete Saturation 1·0,	·84	·88	·89	·87	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·73	·80	·83	·82

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th June, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	24·0	161	54	14	31	38	19	5	.	.	.	.	5	2	.	2	2	11	28	10	23	4	85
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	16·7	5	.	.	2	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
II.	MIDDLE CLASS,	31,469	7·7	12	1	3	2	2	3	1	.	.	.	.	.	.	.	.	.	.	4	1	.	.	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	22·0	42	17	8	9	5	3	.	.	.	.	.	3	1	.	.	.	4	4	3	8	2	21
IV.	GENERAL SERVICE CLASS,	147,978	24·6	74	34	3	14	15	7	1	.	.	.	.	2	1	.	1	2	6	11	6	14	2	35
V.	INMATES OF WORKHOUSES,	5,191		28	2	.	4	15	6	1	.	.	.	.	.	.	.	1	.	1	9	.	1	.	17
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	19·5	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	18·1	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	4·0	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	6. Clerks and Commercial Assistants,	25,001	4·2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	17·0	8	1	1	2	1	2	1	.	.	.	.	.	.	.	.	.	.	4	1	.	.	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	56·0	8	2	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.	3
	9. Building and Furnishing Trades,	26,294	28·7	12	7	3	.	2	.	.	.	.	.	.	1	1	.	.	.	2	1	1	2	.	6
	10. Clothing Trades,	23,927	17·4	8	3	2	1	1	1	.	.	.	.	.	2	.	.	.	.	2	1	.	2	1	2
	11. Food Supply Trades,	7,949	26·2	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	17·4	9	3	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	7
IV.	GENERAL SERVICE CLASS.																								
	13. Petty Shopkeepers,	6,839	7·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	26·5	7	3	.	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	4
	15. Domestic Servants,	39,967	10·4	8	3	.	2	1	1	1	.	.	.	.	1	.	.	.	.	1	1	1	1	1	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	38·5	8	4	.	2	1	1	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	5
	17. Hawkers, Porters, Labourers, &c.,	88,472	31·1	51	24	3	8	11	5	.	.	.	.	.	1	1	.	.	1	3	9	5	10	1	23
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	28	2	.	4	15	6	1	.	.	.	.	.	.	.	1	.	1	9	.	1	.	17

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	Apr. 21,	28·0	1·9	12	.	.	.	.	.	.	.	1	.	2	3	.
		„ 28,	23·0	1·9	12	.	.	.	.	.	.	.	1	.	1	5	.
		May 5,	32·7	1·9	17	.	.	.	.	.	.	.	1	.	1	4	.
		„ 12,	25·0	.	13	.	.	.	.	.	.	.	.	.	1	2	.
		„ 19,	23·0	1·9	12	.	.	.	.	.	.	.	.	1	3	.	.
		„ 26,	19·2	.	10	.	.	.	.	.	.	.	.	.	4	1	1
		June 2,	30·7	.	16	.	.	.	.	.	.	.	.	.	.	2	.
		„ 9,	26·9	1·9	14	.	.	.	.	.	1	.	.	.	3	.	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	Apr. 21,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	1	7	.
		„ 28,	25·4	.	17	.	.	.	.	.	.	.	.	.	1	5	.
		May 5,	43·4	1·5	29	.	.	.	.	.	.	.	1	.	4	5	.
		„ 12,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	2	4	.
		„ 19,	16·5	.	11	.	.	.	.	.	.	.	.	.	1	3	.
		„ 26,	40·4	.	27	.	.	.	.	.	.	.	.	.	4	4	.
		June 2,	26·9	.	18	.	.	.	.	.	.	.	.	.	1	2	.
		„ 9,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	6	1	..
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Apr. 21,	41·5	.	23	.	.	.	.	.	.	.	.	.	2	5	.
		„ 28,	23·5	1·8	13	.	.	.	.	.	.	.	.	1	2	2	.
		May 5,	25·3	.	14	.	.	.	.	.	.	.	.	.	5	4	.
		„ 12,	25·3	1·8	14	.	.	.	.	.	.	.	.	1	2	1	1
		„ 19,	23·5	3·6	13	.	.	.	.	.	.	1	1	.	3	1	.
		„ 26,	28·9	.	16	.	.	.	.	.	.	.	.	.	4	4	.
		June 2,	14·4	1·8	8	.	.	.	.	.	.	.	.	1	1	.	.
		„ 9,	28·9	1·8	16	.	.	.	.	.	.	.	.	1	3	.	1
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Apr. 21,	22·0	2·0	11	.	.	.	.	.	.	.	.	1	2	3	.
		„ 28,	38·0	6·0	19	.	.	.	.	.	.	.	2	1	5	5	1
		May 5,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	4	2
		„ 12,	26·0	.	13	.	.	.	.	.	.	.	.	.	2	2	.
		„ 19,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	5	3	.
		„ 26,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	.
		June 2,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	2	1	.
		„ 9,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 53,194.	Apr. 21,	37·7	3·1	24	.	1	.	.	.	.	.	.	1	2	4	.
		„ 28,	37·7	4·7	24	.	.	.	.	2	.	.	1	.	2	8	.
		May 5,	39·3	1·6	25	.	.	.	.	.	.	.	1	.	1	2	1
		„ 12,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	5	.
		„ 19,	31·4	1·6	20	.	.	.	.	1	.	.	.	.	4	3	.
		„ 26,	40·8	.	26	.	.	.	.	.	.	.	.	.	5	11	.
		June 2,	39·3	.	25	.	.	.	.	.	.	.	.	.	3	6	1
		„ 9,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	3	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Apr. 21,	30·9	.	11	.	.	.	.	.	.	.	.	.	1	5	.
		„ 28,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
		May 5,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	1	.
		„ 12,	16·9	.	6	.	.	.	.	.	.	.	.	.	1	1	.
		„ 19,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
		„ 26,	25·3	2·8	9	.	.	.	.	.	.	.	1	.	2	2	.
		June 2,	22·5	.	8	.	.	.	.	.	.	.	.	.	.	1	1
		„ 9,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	1	2	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,559.	Apr. 21,	37·3	.	29	.	.	.	.	.	.	.	.	.	6	5	1
		„ 28,	19·3	2·6	15	.	.	.	.	.	.	.	1	1	4	2	1
		May 5,	36·0	3·9	28	.	.	.	.	2	.	.	.	1	3	5	2
		„ 12,	45·0	1·3	35	.	.	.	.	.	.	.	1	.	7	7	1
		„ 19,	29·6	1·3	23	.	.	.	.	.	1	.	.	.	2	6	2
		„ 26,	21·9	2·6	17	.	.	.	.	1	.	.	1	.	3	.	.
		June 2,	23·1	.	18	.	.	.	.	.	.	.	.	.	.	4	.
		„ 9,	27·0	2·6	21	.	.	.	.	1	1	.	.	.	.	3	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798.	Apr. 21,	35·0	1·5	24	.	.	.	.	1	.	.	.	.	3	5	.
		„ 28,	36·4	.	25	.	.	.	.	.	.	.	.	.	4	3	.
		May 5,	29·1	2·9	20	.	.	.	.	1	.	.	1	.	5	3	.
		„ 12,	29·1	.	20	.	.	.	.	.	.	.	.	.	7	1	2
		„ 19,	16·0	.	11	.	.	.	.	.	.	.	.	.	4	1	1
		„ 26,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	4	1	.
		June 2,	21·9	.	15	.	.	.	.	.	.	.	.	.	2	2	2
		„ 9,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	3	5	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases; *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Apr. 21,	20·6	3·8	11	.	.	.	.	.	.	.	1	1	3	2	1
	„ 28,	24·4	.	13	.	.	.	.	.	.	.	.	.	5	3	.
	May 5,	16·9	1·9	9	.	.	.	.	.	.	.	1	.	3	.	.
	„ 12,	16·9	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 19,	24·4	3·8	13	.	1	.	.	.	.	.	.	1	1	1	.
	„ 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	June 2,	16·9	1·9	9	.	.	1	.	.	.	.	.	.	.	1	.
	„ 9,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
Donnybrook. Pop. (in 1891) 24,629.	Apr. 21,	33·9	6·4	16	.	.	.	.	.	2	.	1	.	2	2	1
	„ 28,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	May 5,	14·8	2·1	7	.	.	.	.	.	.	.	1	.	.	.	.
	„ 12,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	5	4	.
	„ 19,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	June 2,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	.	.
	„ 9,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
Kingstown. Pop. (in 1891) 17,386.	Apr. 21,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	„ 28,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	May 5,	24·0	3·0	8	.	.	.	.	1	.	.	.	.	2	.	1
	„ 12,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	June 2,	30·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1
	„ 9,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	2	.
Belfast. Pop. in 1900 (Est.) 359,000.	Apr. 21,	18·0	1·5	124	.	1	.	.	1	1	.	5	2	14	26	2
	„ 28,	18·4	1·6	127	.	.	.	.	4	1	.	5	3	23	24	2
	May 5,	24·8	3·1	171	.	.	.	.	8	1	.	8	4	31	33	2
	„ 12,	20·0	1·5	138	.	.	.	.	3	1	.	5	1	31	31	3
	„ 19,	22·2	3·2	153	.	1	.	.	6	1	.	12	2	23	32	4
	„ 26,	20·5	1·3	141	.	1	.	1	1	.	.	5	1	34	31	5
	June 2,	19·5	2·3	134	.	.	.	.	1	1	.	11	3	22	29	2
	„ 9,	17·9	2·3	123	.	3	1	.	.	1	.	10	1	18	28	1
Cork. Pop. (in 1891) 75,345.	Apr. 21,	34·6	1·4	50	.	.	.	1	.	.	.	.	1	7	8	.
	„ 28,	27·7	2·1	40	.	.	.	.	.	1	.	2	.	3	11	.
	May 5,	29·8	0·7	43	.	.	1	.	.	.	.	.	.	8	4	.
	„ 12,	22·1	.	32	.	.	.	.	.	.	.	.	.	11	3	.
	„ 19,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	9	.
	„ 26,	28·4	0·7	41	.	.	.	.	.	.	.	.	1	5	4	.
	June 2,	20·8	0·7	30	.	.	.	.	1	.	.	.	.	5	4	.
	„ 9,	24·2	.	35	.	.	.	.	.	.	.	.	.	8	4	.
Limerick. Pop. (in 1891) 37,155.	Apr. 21,	36·5	.	26	.	.	.	.	.	.	.	.	.	3	10	1
	„ 28,	25·3	1·4	18	.	.	.	.	.	.	.	.	1	2	4	1
	May 5,	21·1	.	15	.	.	.	.	.	.	.	.	.	6	3	.
	„ 12,	26·7	1·4	19	.	.	.	.	.	.	.	.	1	6	1	.
	„ 19,	28·1	.	20	.	.	.	.	.	.	.	.	.	2	3	.
	„ 26,	25·3	.	18	.	.	.	.	.	.	.	.	.	3	3	.
	June 2,	18·2	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	„ 9,	16·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
Londonderry Pop. (in 1891) 28,200.	Apr. 21,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	3	5	1
	„ 28,	22·0	.	14	.	.	.	.	.	.	.	.	.	4	4	.
	May 5,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	.	1	.
	„ 12,	25·1	1·6	16	.	.	.	1	.	.	.	.	.	2	2	.
	„ 19,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	5	1
	„ 26,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	2	.
	June 2,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	3	.	1
Waterford. Pop. (in 1891) 26,200.	Apr. 21,	43·8	2·0	22	.	.	.	.	1	.	.	.	.	3	5	.
	„ 28,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	May 5,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1
	„ 12,	19·9	2·0	10	.	.	1	.	.	.	.	.	.	3	2	.
	„ 19,	25·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 26,	29·8	4·0	15	.	.	.	.	2	.	.	.	.	1	2	.
	June 2,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	„ 9,	11·9	.	6	.	.	.	.	.	.	.	.	.	1	3	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 9th June, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 60 years.	Ages at Death: 60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	4	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		6	1	2	3	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.
" 2 "	37,539	30			10	3	1	4	2	.	.	1	.	.	.	.	1	1	2	1	.	.	2
" 3 "	38,845	32			23	6	1	10	6	.	.	.	.	.	.	.	3	.	5	4	.	.	7
" 4 "	33,391	18			13	3	2	4	4	.	.	.	.	.	.	.	2	.	.	5	.	.	3
" 5 "	21,284	9			7	1	.	6	.	.	.	.	.	.	.	.	.	.	1	4	.	.	1
" 6 "	43,431	15			16	1	.	9	6	.	.	.	.	.	.	.	1	.	1	3	.	.	7
" 7 "	1,112	1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 8 "	4,904	4			2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
" 9 "	12,866	20			8	1	1	4	2	.	.	.	.	.	.	.	.	.	.	4	.	.	2
" 10 "	12,256	25			9	.	.	7	2	.	.	.	.	.	.	.	2	.	4	1	.	.	3
" 11 "	19,881	24			11	5	.	5	1	.	1	.	.	.	.	.	.	.	1	2	.	.	1
" 12 "	23,282	25			15	3	5	6	1	.	.	.	.	.	1	.	1	.	3	3	.	.	2
" 13 "	6,804	12			2	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	219			123	26	13	60	24	.	3	1	.	.	1	.	10	1	18	28	1	1	30
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	7	21·9	.	5	.	.	3	2	.	.	.	.	.	.	.	.	.	2	1	.	1	4
" 2 "	9,252	8	50·7	.	9	.	1	7	1	.	.	.	.	.	.	.	.	.	3	.	.	.	4
" 3 "	9,816	6	21·2	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 4 "	10,356	5	15·1	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	1	1
" 5 "	8,137	5	12·8	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 6 "	3,823	17	23·6	.	4	1	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "	17,034	10	24·5	.	8	.	2	4	2	.	.	.	.	.	.	.	.	.	.	1	.	.	4
Total,	75,345	58	24·2	.	35	2	5	21	7	.	.	.	.	.	.	.	.	.	8	4	.	2	15

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.
No. of week in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered,	199	208	175	239	263	199	230	204	240	186	230	216	269	218	236	229	188	197	225	261	213	244	218	218	218	219
DEATHS registered.	189	182	192	198	210	166	170	135	187	226	181	207	195	157	169	176	179	149	124	127	171	138	153	141	134	123
Annual Death-rate per 1,000 of estimated Population,	20·7	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9
AGES, Under 1 year,	26	19	39	34	40	26	32	22	30	41	31	43	42	27	26	37	31	29	21	27	33	26	34	20	25	26
AGES, 1–5 years,	19	9	25	31	23	24	22	17	15	23	16	21	28	26	30	22	21	18	12	13	23	14	27	10	13	13
AGES, 5–60 years,	73	74	75	93	88	71	71	62	99	102	84	92	90	68	77	84	80	79	56	64	86	76	65	87	76	60
AGES, 60 years and upwards,	21	30	53	40	59	45	45	34	43	60	50	51	35	36	36	33	47	23	35	23	29	22	27	24	20	24
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	2	1	1	4	.	1	1	.	.	.	1	2	1	1	2	1	.	1	.	.	.	1	1	.	3
" Scarlet Fever,	.	1	1	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
" Whooping-cough,	2	1	6	6	2	9	5	4	8	4	3	4	3	2	4	4	1	1	1	4	8	3	6	1	1	.
" Diphtheria,	3	2	1	2	.	1	.	.	3	2	1	2	1	1	2	2	2	2	1	1	1	1	1	.	1	1
" Simple continued and Ill-defined Fever,	.	.	.	2	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	2	1	4	4	4	4	1	1	1	1	2	5	3	4	3	6	1	5	5	3	8	5	12	5	11	10
" Diarrhœa, Dysentery,	1	.	1	3	4	1	2	2	1	3	3	.	1	1	3	3	1	1	2	3	4	1	2	1	3	1
" Phthisis,	29	14	31	27	21	17	21	12	26	27	19	26	28	26	30	39	25	31	14	23	31	31	23	34	22	18
" Diseases of Respiratory System,	34	27	64	74	86	72	66	39	50	73	67	57	75	35	49	43	46	38	26	24	33	31	32	31	29	28
Violent Deaths,	2	6	2	5	2	.	.	3	8	8	5	4	2	6	2	2	5	.	2	2	2	3	4	5	2	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIVE DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th June, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	1	.	.	1	.	2	4	1	.	1	10
" " 2,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 3,	.	.	.	5	.	.	.	.	1	3	1	.	2	12
South City No. 1,	.	2	.	2	.	.	.	.	.	2	8	.	3	17
" " 2,	.	.	.	2	.	.	.	.	.	2	3	.	1	8
" " 3,	.	.	.	.	2	.	.	.	1	.	.	.	2	5
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	2	.	10	2	.	1	.	4	11	14	.	9	53
Total for week ended June 2, 1900,	.	4	.	7	.	.	3	.	5	18	15	1	9	62
Total for week ended May 26, 1900,	.	8	.	9	.	.	3	.	5	17	20	.	7	69
Total for week ended May 19, 1900,	.	6	.	12	.	.	1	1	2	15	10	.	11	58

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th June, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th June.			
	May 19.	May 26.	June 2.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	10	9	10	6	1	.	15
Scarlet Fever,	73	77	70	9	7	.	72*
Typhus "	1	1	.	2	.	.	2
Diphtheria,	14	12	12	6	6	3	9
Enteric Fever,	36	38	46	8	8	1	45
Pneumonia,	19	20	17	10	5	1	21

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	June 9,	2,276	1,398	15·9	.	60	11	24	37	8	5
EDINBURGH,	302,262	„ 9,	170	93	16·0	.	4	.	1	1	.	1
GLASGOW,	743,969	„ 9,	501	285	19·9	.	14	4	2	14	4	4
CALCUTTA,	466,460	April 7,	.	1,012	113·0	54	3	.	.	.	67‡	135*
BOMBAY,	821,764	May 15,	178	1,517	96·0	24	20	?	?	?	158§	226*
MADRAS,	452,518	April 13,	340	309	35·5	3	10	?	?	?	80	50
PARIS,	2,511,629	June 2,	1,023	969	20·0	1	31	8	13†	6	9	31
BRUSSELS (with 8 Faubourgs).	561,130	May 26,	265	161	14·9	.	.	.	1†	1	2	13
AMSTERDAM,	526,072	„ 19,	263	154	15·2	.	.	.	.	4	2	.
ROTTERDAM,	322,920	„ 19,	246	91	14·7	.	1	.	1	2	1	.
THE HAGUE,	205,328	„ 19,	97	64	16·2	.	6	.	1	1	.	.
COPENHAGEN,	349,000	„ 26,	188	127	18·9	.	.	.	5	3	.	9
CHRISTIANIA,	221,255	June 2,	143	72	16·0	.	2	.	.	4	.	2
ST. PETERSBURG,	1,132,677	May 26,	677	583	26·8	7	14	14	14	5	20	48
BERLIN,	1,854,964	„ 19,	879	611	17·1	.	5	12	11	11	2	35
HAMBURG,	691,349	„ 26,	450	254	19·1	.	5	3	1†	2	1	12
DRESDEN,	400,400	April 21,	.	133	17·2	.	1	.	3†	1	.	7
BRESLAU,	406,012	June 2,	.	200	25·6	.	1	.	.	1	1	18
MUNICH,	463,000	Mar. 17,	339	218	24·5	.	13	.	5†	.	1	17
VIENNA (with suburbs).	1,656,662	May 12,	1,013	738	23·2	.	15	3	4†	5	2	45
BUDA-PESTH,	685,340	„ 26,	466	313	23·7	.	5	4	1	5	1	9
PRAGUE and Faubourgs.	391,693	„ 26,	221	205	27·2	.	1	1	1	6	1	3
ROME,	514,306	„ 12,	182	156	15·8	.	5	.	.	.	1	10
TURIN (11 days),	344,203	Mar. 31,	222	253	24·4	.	5	.	5†	.	5	11
VENICE,	172,924	May 12,	70	72	21·7	.	.	.	3†	1	.	1
NEW YORK,	3,654,594	„ 5,	1,623	1,514	19·5	.	32	13	30	15	2	13
PHILADELPHIA,	1,266,832	„ 12,	.	494	20·3	.	23	6	23	.	15	1

* Including 75 deaths from cholera in Calcutta and 15 in Bombay. † Including deaths from croup.
‡ Exclusive of 625 deaths from bubonic fever. § Exclusive of 304 deaths from bubonic fever.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 9th June, 1900:—

"Unsettled, but favourable and warm weather prevailed during this period. Much thunder and lightning occurred over the south and east of Ireland early in the week, and these electrical disturbances afterwards affected Great Britain also. A chief feature in the week's weather was the continued cold which prevailed on the east coast of Scotland and the northeast of England—at Shields the thermometer did not exceed 51° until Thursday and the minima were as low as 40°, 40°, 42°, 43°, 45°, 44°, and 42°. Sunday was brilliantly fine in Dublin, but in the afternoon electrical clouds were seen on the southern horizon, and dangerous thunderstorms occurred in Cork and Kerry, unaccompanied by much rain. On Monday evening however 1·48 inches of rain fell in a severe thunderstorm at Pembroke, and thunder and lightning with heavy rain occurred in the Dublin and Wicklow mountains. Lightning was seen on Tuesday night. Wednesday was fine and warm in Dublin, the thermometer touching 71° in the shade, but at 8 p.m. a sharp thunderstorm with heavy rain passed over the city. There were some heavy showers on Thursday, when thunder was again heard. Friday and Saturday were chiefly cloudy and unsettled, but only slight rain fell. The showery, thundery weather described above was connected with shallow depressions coming in from S.W. or W., while a mass of cold air lay over the North Sea and the eastern half of Great Britain. In Dublin the mean atmospheric pressure was 29·895 inches, the barometer rising to 30·133 inches at 9 a.m. of Sunday (wind, E.N.E.) and falling to 29·678 inches at 9 a.m. of Saturday (wind, S. by W.). The corrected mean temperature was 59·1°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 58·4°. The screened thermometers fell to 51·0° on Sunday and rose to 71·0° on Wednesday. Easterly and afterwards southwesterly winds prevailed. The rainfall was ·423 inch on five days, ·146 inch being measured on Wednesday and ·140 inch on Thursday. The estimated duration of bright sunshine was 40½ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·905 inches. The highest reading (30·137) was registered on Sunday at 9 A.M., wind N.E., and the lowest (29·684) on Saturday, at 9 A.M., wind S.W.

The mean temperature for the week was 56·6°, being ·8° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Wednesday, when the thermometer registered 68·6°, and was lowest on Monday, the mercury having fallen to 42·6°. The mean of the Dry Bulb for the week was 56·8°, and of the Wet Bulb 53·8°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 40·7 hours. The rainfall measured ·560 in.

At Greenwich the mean temperature for the week was 58·4°, the maximum 75·5°, and the minimum 45·3°; at Glasgow the maximum was 76·1°, the minimum 41·3°, and the mean 56·3°, and at Edinburgh the maximum was 67·7°; the minimum 41·4°, and the mean 50·7°. The rainfall at Greenwich measured 0·19 in.; at Glasgow 0·30 in.; and at Edinburgh 0·22 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 3,	30·118	66·9	43·9	55·4	55·8	51·8	·77	·2	14·6	—	N.E.	Calm.
Monday, „ 4,	30·070	68·0	42·6	55·3	58·5	54·1	·76	·1	5·0	·035	E.	Calm.
Tuesday, „ 5,	30·031	63·1	52·0	57·6	55·1	54·4	·92	·1	0·0	·070	Calm.	Calm.
Wednesday, „ 6,	29·897	68·6	47·1	57·9	59·6	56·6	·84	·3	8·0	·120	Calm.	Calm
Thursday, „ 7,	29·744	60·1	46·0	53·1	53·5	51·7	·88	·4	6·4	·295	S.W.	W.S.W.
Friday, „ 8,	29·766	62·8	50·0	56·4	56·9	53·5	·80	·4	6·6	·025	W.	S.W.
Saturday, „ 9,	29·706	64·8	53·6	59·2	58·2	54·7	·79	·3	0·1	·015	S.W.	S.
Mean, . .	29·905	64·9	47·9	56·6	56·8	53·8	·82	·3	Total 40·7	Total ·560	—	

Sunday—A beautiful day, light clouds; night cloudy. *Monday*—A cloudy day; rain 5.15 to 6.30, 8.30 to 9.15, and 3 to 9 a.m.; night overcast. *Tuesday*—Dull a.m., cloudy p.m; rain 9 a.m. to 2 p.m.; night cloudy. *Wednesday*—A cloudy day; thunderstorm 7.45 to 8.30 p.m.; night cloudy. *Thursday*—A cloudy day; heavy showers 10.30 to 2 p.m.; thunder 12.30; night cloudy. *Friday*—A cloudy day; night overcast; rain 4 to 6 a.m. *Saturday*—Dull a.m.; cloudy p.m.; rain 9.30 to 11.30; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

4. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 16TH JUNE, 1900. [No. 24.

General Register Office, Charlemont House,
Dublin, 18*th June,* 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 21·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending May 26.	June 2.	June 9.	June 16.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 26.	June 2.	June 9.	June 16.	Average Rate for 4 weeks.
23 Town Dists.	23·3	20·0	19·4	21·0	20·9	Limerick, . .	25·3	18·2	16·8	15·4	18·9
Armagh, . .	21·4	28·5	14·3	14·3	19·6	Lisburn, . .	21·3	25·7	12·8	88·3	24·5
Ballymena, .	11·3	5·6	11·3	11·3	9·9	Londonderry, .	17·3	18·8	11·0	20·4	16·9
Belfast, . .	20·5	19·5	17·9	20·5	19·6	Lurgan, . .	22·8	27·4	18·2	13·7	20·5
Carrickfergus, .	17·5	35·1	23·4	5·8	20·5	Newry, . .	20·1	28·2	8·1	16·1	18·1
Clonmel, . .	14·6	9·7	19·5	9·7	13·4	Newtownards, .	5·7	5·7	51·0	11·3	18·4
Cork, . . .	28·4	20·8	24·2	20·1	23·4	Portadown, .	12·4	12·4	12·4	18·6	14·0
Drogheda, . .	22·8	15·2	22·8	11·4	18·1	Queenstown, .	11·5	28·7	5·7	11·5	14·4
Dublin, Reg. Area,	25·2	21·9	23·1	23·9	23·5	Sligo, . . .	15·2	15·2	5·1	15·2	12·7
Dundalk, . .	16·8	12·6	25·1	16·8	17·8	Tralee, . .	33·6	22·4	11·2	16·8	21·0
Galway, . .	34·0	0·0	3·8	56·7	23·6	Waterford, .	29·8	17·9	11·9	13·9	18·4
Kilkenny, . .	70·8	28·3	18·9	23·6	35·4	Wexford, . .	27·1	13·5	22·6	13·5	19·2

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in eighteen of the districts to 5·6 in Tralee. Among the 141 deaths from all causes registered in Belfast are one from measles, one from whooping-cough, 11 from enteric fever, and one from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 194—105 boys and 89 girls; and the deaths to 167—86 males and 81 females.

DEATHS

The deaths, which are 3 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 24·9 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 23·9 per 1,000. During the twenty-four weeks ending with Saturday last the death-rate averaged 34·0, and was 4·2 under the mean rate for the corresponding portions of the ten years 1890–99.

Seventeen deaths from zymotic diseases occurred, which is 2 under the average for the 24th week of the last 10 years, and 7 less than occurred in the preceding week.

Eight deaths from cerebro-spinal meningitis and 2 deaths from meningitis occurred; 2 deaths were caused by diphtheria and 2 deaths were caused by enteric fever, while scarlatina and diarrhœa caused each one death.

Tubercular disease caused 45 deaths, including 28 deaths from pulmonary phthisis, 7 deaths from scrofula, 6 deaths from tubercular meningitis, and 4 deaths from tabes mesenterica.

Diseases of the respiratory system caused 34 deaths, being 10 above the average for the 24th week of the last ten years, and an increase of 11 over the preceding week; of these 17 were bronchitis and 11 pneumonia.

Convulsions caused 11 deaths, 4 being under one month, 5 being under one year, and 2 being under 5 years. Apoplexy caused 4 deaths, and other diseases of the brain and nervous system (exclusive of convulsions) 3 deaths.

One accidental death was registered.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age, 6 being infants under one year old.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 9 were under one month old) and 37 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 5 were octogenarians, and 2 (men) were stated to have been aged 90 and 102 years respectively.

Eighty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·9 per 1,000; the rate in the city was 26·6 (25·9 on the North side, and 27·3 on the South), and in the Suburbs 17·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·9 per 1,000 inhabitants, the rate for the city being 1·3 (0·4 in the North City Districts, and 2·0 in the South), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 23·0 per 1,000. Mumps caused one death, phthisis caused four deaths, and diseases of the respiratory system three deaths; one death by violence also occurred.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 23·9 per 1,000. Diphtheria caused one death, phthisis caused five deaths, and diseases of the respiratory system caused three deaths.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 28·9 per 1,000. Meningitis caused two deaths, phthisis caused two deaths, and diseases of the respiratory organs caused four deaths.

* See Table VI.

No. 3 North City District (Blackhall-place).—The deaths (14) represent an annual rate of 28·0 per 1,000. Phthisis caused one death, and diseases of the respiratory system caused three deaths.

No. 1 South City District (South Earl-street).—The deaths (12) represent an annual rate of 18·9 per 1,000. Phthisis caused two deaths and diseases of the respiratory system caused three deaths.

No. 2 South City District (Castle-street).—The deaths (14) are equal to an annual rate of 39·4 per 1,000. One death was caused by enteric fever, two deaths were caused by phthisis, and three deaths each by diseases of the respiratory system, and diseases of the brain and nervous system.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 34·7 per 1,000. Three deaths were due to cerebro-spinal meningitis, and one death was caused by each of the following zymotic diseases:—scarlatina, diphtheria, enteric fever, and influenza.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·4 per 1,000. Diarrhœa caused one death, phthisis caused five deaths, and diseases of the respiratory system caused three deaths.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, 14·6 per 1,000 inhabitants; Clontarf and Howth, No. 1, 0·0; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 35·8; Rathmines, 13·1; Donnybrook, 25·4; Blackrock, 24·8; and Kingstown, 9·0. The deaths from zymotic diseases tabulated for these districts consist of one from cerebro-spinal meningitis for Donnybrook, and one from cerebro-spinal meningitis for Blackrock. Of the 5 deaths from all causes tabulated for Palmerston, part of, and Crumlin, part of, 2 were from phthisis; 3 of the 7 deaths for Rathmines were from diseases of the respiratory system, and 2 from diseases of the brain and nervous system; and the 12 deaths for Donnybrook comprise 4 from diseases of the respiratory system, and 2 from phthisis.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	26th May,	69 cases.
" "	2nd June,	62 cases.
" "	9th June,	53 cases
" "	16th June,	53 cases.

Of the 53 cases notified, 13 were erysipelas, 10 enteric fever, 9 scarlatina, 4 measles, 7 diphtheria, 3 meningitis,† and 7 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th June, 1900.

From this it appears that:—

Six cases of scarlatina were admitted to hospital during the week, 12 were discharged and one died, leaving 65* cases under treatment at the close of the week, or 7 cases less than at the close of the preceding week.

Five cases of diphtheria were admitted to hospital, 3 were discharged and one died, leaving 10 cases under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital, 6 were discharged and no death occurred, 43 patients remaining under treatment at the close of the week.

Fourteen cases of measles and 2 of typhus remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·4), was equal to an average annual death-rate of 18·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·9 per 1,000, the rate for Glasgow being 20·0; and for Edinburgh 18·9.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 16th June, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Registration—Week ending Saturday, 16th June, 1900. Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 23 Town Districts	1,062,188	12·2	30·2	21·0	1·1	615	427	73	101	.	1	1	1	1	3	.	13	3	83	83	6	13	121
Dublin Registration Area:—																							
Total,‡	849,594	14·2	28·9	23·9	0·9	194	160	26	36	.	.	1	.	.	2	.	2	1	26	34	1	2	74
City	245,001	65·6	30·4	26·6	1·3	143	125	20	25	.	.	1	.	.	2	.	2	1	21	25	1	2	64
Registrars' Districts. Clontarf &c. No. 1	4,138	1·5	25·2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	10,730	1·8	24·3	14·6	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a)	4,240	0·8	12·3	12·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Palmerston, part of and Crumlin part of (b)	7,278	8·0	43·0	35·8	.	6	5	.	2	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Rathmines,‖	27,796	16·2	26·3	13·1	.	14	7	1	4	.	.	.	.	.	.	.	.	.	1	3	.	.	3
Donnybrook	24,629	12·4	19·1	25·4	.	9	12	3	1	.	.	.	.	.	.	.	.	.	2	4	.	.	4
Blackrock,‖	8,401	7·8	37·2	24·8	.	6	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Kingstown, 1 & 2,‖	17,886	11·9	24·0	9·0	.	8	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts.																							
Belfast	359,000	21·8	35·0	20·5	2·0	241	141	24	28	.	1	.	.	1	.	.	11	1	32	24	4	8	28
Cork	75,845	33·8	22·8	20·1	0·7	33	29	3	6	.	.	.	.	.	.	.	.	1	6	5	.	.	5
Limerick	37,155	17·9	15·4	15·4	.	11	11	.	2	.	.	.	.	.	.	.	.	.	4	4	.	.	3
Londonderry	33,200	15·3	22·0	20·4	.	14	13	6	4	.	.	.	.	.	.	.	.	.	1	5	.	.	1
Waterford	26,208	18·3	19·9	13·9	.	10	7	1	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.
Galway	13,800	2·6	34·0	56·7	3·8	9	15	2	5	.	.	.	1	.	.	.	.	.	3	3	.	.	4
Drogheda	13,708	8·7	22·8	11·4	.	6	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Newry	12,961	18·5	44·3	16·1	.	11	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Dundalk	12,449	9·0	4·2	16·8	.	1	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn	12,250	10·8	8·5	38·3	.	2	9	2	4	.	.	.	.	.	.	.	.	.	3	.	.	.	1
Wexford	11,545	24·0	63·2	18·5	.	14	3	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Lurgan	11,429	18·4	50·2	18·7	.	11	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Kilkenny	11,048	12·0	56·6	23·6	.	12	5	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	2
Clonmel	10,708	8·2	53·6	9·7	.	11	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,274	8·4	25·4	15·2	.	5	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tralee	9,818	15·9	16·8	16·8	5·6	3	3	1	4	.	.	.	.	.	1	.	.	.	.	1	.	.	.
Ballymena	9,252	9·8	33·8	11·3	.	6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	1	1	1
Newtownards	9,197	19·0	34·0	11·3	.	6	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Queenstown	9,082	17·0	11·5	11·5	.	2	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Carrickfergus	8,923	0·5	23·4	5·8	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	30·9	18·6	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Armagh	7,137	21·4	28·5	14·3	.	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 16th June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	70·1	45·9	57·8	0·49	68·6	42·6	56·6	0·56	63·4	36·6	52·3	0·01
City	71·6	52·2	61·1	0·55	71·0	51·0	59·1	0·42	66·7	44·2	55·3	0·00
Clontarf &c. No. 1	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a)	72·5	46·6	58·5	0·42	71·3	44·0	57·6	0·46	65·9	37·6	52·9	0·00
Palmerston, part of and Crumlin part of (b)	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	72	51	59·3	0·32	67	48	58·1	0·31	67	48	54·9	0·00
Urban Districts.												
Belfast	69·1	48·1	58·9	0·38	70·1	44·1	57·7	0·74	63·1	40·1	58·3	0·10
Cork	63	52	56.5	1.22	66	52	57·6	1·35	67	45	54·8	0·10
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry	73·8	48·0	61·4	0·56	74·0	48·0	60·8	0·16	68·2	41·0	55·7	0·13
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	.	.	.	.	78	50	60	0·75	70	44	57	0·46
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	70·9	46·8	58·3	1·03	73·5	45·6	58·7	0·07	67·0	39·0	54·3	0·13
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn	70·9	46·8	58·3	1·03	73·5	45·6	58·7	0·07	67·0	39·0	54·3	0·13
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	70·9	46·8	58·3	1·03	73·5	45·6	58·7	0·07	67·0	39·0	54·3	0·13
Kilkenny	68	48	57·0	1·03	72	47	58·3	0·74	67	39	45·1	0·00
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	67·7	46·3	58·1	0·92	72.8	41·0	57·6	0·69	71·6	38·2	54·4	0·23
Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	68	48	55·7	0·56	69	45	55·8	0·15	62	44	51·3	0·10
Queenstown	68	52	56·5	1·22	66	52	57·6	1·35	67	45	54·3	0·10
Carrickfergus	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	70·9	46·8	58·3	1·03	73·5	45·6	58·7	0·07	67·0	39·0	54·3	0·13
Armagh	70·9	46·8	58·3	1·03	73·5	45·6	58·7	0·07	67·0	39·0	54·3	0·13

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude.

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted, namely, those at Drogheda for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 16th June, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.*				SOUTH CITY.†				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	Districts.				Districts.													
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	821	282	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Other Zymotic Diseases	1	.	2	.	.	.	4	1	.	.	.	.	.	1	1	.	10	1
Total,	1	1	2	.	.	1	7	2	.	.	.	.	.	1	1	.	16	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	4	5	2	1	2	2	.	5	.	.	.	2	1	2	.	.	26	2
Other Constitutional Diseases	2	4	3	4	1	.	5	1	.	1	.	.	1	1	1	.	24	3
Total,	6	9	5	5	3	2	5	6	.	1	.	2	2	3	1	.	50	5
V. DEVELOPMENTAL DISEASES,	.	.	.	1	1	2	5	1	.	1	.	.	.	.	.	1	12	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	1	.	1	1	2	3	3	1	.	1	.	1	2	.	1	1	18	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	.	1	2	3	.	1	2	1	.	.	.	1	.	.	.	.	11	.
Diseases of Respiratory System,	3	3	4	3	3	3	3	3	.	.	.	1	3	4	1	.	34	.
Diseases of Digestive System,	.	2	.	.	1	.	2	.	.	.	1	.	.	2	.	1	9	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	4	6	8	7	6	7	10	5	.	1	1	3	5	6	2	2	73	.
VII. VIOLENT DEATHS,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	1	1	2	2	.	.	.	.	.	.	.	1	.	.	7	.
Deaths from all Causes,	12	16	16	14	12	14	27	14	.	3	1	5	7	12	4	3	160	7
Annual Rate of Mortality in every 1,000 of the population.	23·0	23·9	23·9	23·0	18·9	39·4	34·7	20·4	.	14·6	12·3	35·3	13·1	25·4	24·3	9·0	23·9	
	25·9				27·3				17·4									
	26·6																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	2	4	2	2	3	18	5	.	.	1	1	2	4	1	.	41	7
Workhouse Hospitals,	5	3	3	6	2	4	6	3	.	.	.	.	1	.	.	.	33	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 24th Week of the 10 years 1890–99.	In the week ending Saturday, 16th June, 1900. Deaths of persons of the Ages of							
	June 14, 1890.	June 20, 1891	June 18, 1892	June 17, 1893.	June 16, 1894	June 15, 1895	June 13, 1896	June 19, 1897	June 18, 1898	June 17, 1899		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 57·5	° 60·1	° 49·0	° 59·4	° 53·8	° 51·9	° 59·2	° 53·1	° 55·3	° 53·4	° 55·8	° 57·3								
ALL CAUSES,	171	170	212	189	165	155	159	132	147	144	164·4	167	9	17	11	27	35	31	30	7
I. FEBRILE OR ZYMOTIC DISEASES,	15	14	36	26	18	16	13	21	10	18	18·7	17	.	1	1	10	5	.	.	.
II. PARASITIC DISEASES,	.	.	.	1	.	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC ,,	1	1	.	.	.	.	1	1	1	1	·6	2	.	.	.	.	1	1	.	.
IV. CONSTITUTIONAL ,,	48	52	64	51	52	50	41	34	41	41	47·2	55	.	4	3	14	20	12	2	.
V. DEVELOPMENTAL ,,	14	14	9	15	10	8	12	7	24	7	12·0	12	1	.	.	.	.	.	8	3
VI. LOCAL ,,	82	78	89	88	77	71	85	55	55	71	75·1	73	4	10	7	3	8	18	19	4
VII. VIOLENT DEATHS,	5	2	4	3	3	3	2	4	5	1	3·2	1	.	.	.	.	1		.	.
VIII. ILL-DEFINED CAUSES,	11	9	10	5	5	7	5	8	8	5	7·3	7	4	2	.	.	.	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	27	4	1	.	.	1	.	1	3·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	2	1	.	3	2	.	1	·9	1	.	.	.	1	.	.	.	.
Typhus,	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	1	2	5	1	4	.	5	1·9	1	.	1	.	.	.	.	.	.
Whooping Cough,	5	1	5	9	7	3	4	6	1	4	4·5	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	1	.	3	.	.	·4	2	.	.	1	.	1	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	3	.	3	1	3	2	1	4	1	2·1	2	.	.	.	1	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	3	5	1	3	2	.	1	1	1	4	2·1	1	.	.	.	1	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	.	1	1	.	1	2	.	.	·6	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	1	1	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	.	.	2	1	.	.	.	.	1	·5	1	.	.	.	.	1	.	.	.
Puerperal Fever,	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	3	2	2	.	.	.	1	3	1	1·4	2	.	.	.	7	2	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Tremens.	.	1	.	.	.	.	1	1	1	1	·5	2	.	.	.	.	1	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	1	2	.	1	.	.	.	.	·4	1	.	.	.	.	.	1	.	.
Rheumatism,	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	5	9	6	7	9	6	3	5	5	5	6·0	8	.	.	.	1	2	3	2	.
Tabes Mesenterica,	5	5	5	5	6	4	8	5	5	5	5·3	4	.	2	.	1	1	.	.	.
Tubercular Meningitis,	4	1	9	3	6	6	2	5	5	5	4·6	6	.	2	2	2	.	.	.	.
Phthisis,	25	28	34	29	22	25	25	17	22	21	24·8	28	.	.	.	6	16	6	.	.
Scrofula, Tuberculosis,	4	9	8	4	8	6	2	2	5	2	5·0	7	.	.	1	4	1	1	.	.
Other Constitution Diseases,	.	.	1	.	.	2	1	.	1	3	·3	1	.	.	.	.	.	1	.	.
V. Developmental Diseases—																				
Premature Birth,	3	2	2	.	.	.	2	3	6	2	2·0	1	1	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	.	.	1	1	.	2	1	1	.	·7	.	.	.	.	.	.	.	.	.
Old Age,	10	12	7	14	9	8	8	3	17	5	9·3	11	.	.	.	.	.	.	8	3

each Disease registered in the TWENTY-FOURTH WEEK ending Saturday, 16th June, 1900, with ten years, 1890–99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday June 14, 1890	June 20, 1891	June 18, 1892	June 17, 1893	June 16, 1894	June 15, 1895	June 13, 1896	June 19, 1897	June 18, 1898	June 17, 1899	Averages in 24th Week of the 10 years 1890–99.	In the Week ending Saturday, 16th June, 1900. Deaths of Persons of the Ages of: All Ages.	0 to 5: Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 57·5	° 60·1	° 49·0	° 59·4	° 53·8	° 51·9	° 59·2	° 53·1	° 55·3	° 58·4	° 55·8	° 57·8								
VI. Local Diseases—																				
Apoplexy,	3	1	1	4	1	2	5	.	3	.	2·0	4	.	.	.	.	.	.	4	.
Epilepsy,	1	3	3	1	.	2	.	.	1	.	1·1	.	.	.	.	.	.	.	.	.
Convulsions,	21	7	22	11	16	8	11	7	7	4	11·4	11	4	5	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	6	11	7	5	5	6	5	9	5	8	6·7	3	.	.	.	.	1	.	2	.
Diseases of Organs of Special Sense,	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	15	9	15	18	12	8	13	13	16	21	14·0	11	.	.	.	.	1	4	6	.
Croup,	1	1	.	.	1	.	2	1	.	.	·6	1	.	.	1	.	.	.	.	.
Bronchitis,	13	19	9	12	8	14	11	9	10	10	11·5	17	.	3	1	.	1	5	5	2
Pneumonia	9	6	12	9	4	7	18	3	5	13	8·1	11	.	1	1	1	2	6	.	.
Pleurisy,	1	.	.	1	2	.	.	.	.	2	·6	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	4	5	1	5	4	3	4	2	.	.	2·8	5	.	.	1	1	1	1	1	.
Teething,	.	.	4	1	2	1	3	2	2	.	1·5	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	1	2	2	2	1	.	.	.	·9	.	.	.	.	.	.	.	.	.
Peritonitis	1	1	2	2	5	.	1	.	.	.	1·2	1	.	.	.	.	1	.	.	.
Disease of Liver,	1	1	.	1	3	3	6	2	1	1	1·9	3	.	.	.	.	1	1	.	1
Other Diseases of Digestive System,	5	7	3	9	2	7	6	1	2	5	4·7	4	.	1	.	1	.	1	.	1
Diseases of Lymphatics, &c.,	.	1	1	.	1	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	5	5	4	5	5	2	3	2	3	3·5	.	.	.	.	.	.	.	.	.
Diseases of Generative System,	.	.	1	1	.	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	2	.	.	1	1	.	1	·5	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	1	.	2	2	1	.	1	1	·8	1	.	.	.	.	.	.	1	.
VII. Violent Deaths (ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	1	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	5	.	.	.	.	1	.	.	.	1	3·1	.	.	.	.	.	.	.	.	.
By Drowning,		1	1	1	1	2	.	1	2	.		1	.	.	.	.	1	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		1	3	2	.	.	2	2	2	.		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	11	9	10	5	5	7	5	8	8	5	7·3	7	4	2	.	.	.	1	.	

TABLE IV.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1899–1900—Week ending																									
	Dec 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.
No. of weeks in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered,	138	247	187	209	168	191	184	174	175	257	179	215	217	226	234	128	184	225	202	246	222	198	214	199	222	194
Average Births in corresponding week of previous 10 years,	154	168	188	199	195	202	206	200	196	208	225	195	192	195	217	199	194	192	213	214	212	192	201	209	199	208
DEATHS registered,	285	280	337	331	295	259	218	199	284	342	280	247	209	235	244	194	230	204	178	204	179	168	176	157	161	167
Annual Death-rate per 1,000,	42·5	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9
Average Deaths in corresponding week of previous 10 years,	184	207	211	239	249	228	221	211	216	212	214	218	218	218	219	204	184	185	184	178	170	174	167	162	156	164
AGES, Under 5 years,	87	86	81	85	70	60	60	54	63	74	55	66	56	69	55	50	59	66	51	54	52	47	43	43	54	27
5—20 "	22	13	15	16	15	20	19	14	24	20	22	15	12	17	12	14	26	13	15	17	19	20	26	15	14	27
20—40 "	46	52	49	38	44	38	34	30	48	47	38	42	39	34	45	24	29	30	33	47	27	28	30	22	31	35
40—60 "	55	57	78	84	61	59	46	35	65	90	51	60	44	51	54	42	58	32	48	42	36	31	35	40	38	31
60—80 "	63	74	94	85	88	79	64	58	73	104	59	56	42	52	59	53	47	45	27	35	36	36	35	31	19	30
80 years and upwards,	12	18	25	23	22	12	15	13	11	17	10	8	16	13	19	11	16	18	4	9	9	6	7	6	5	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	24	15	10	18	9	5	4	3	1	5	1	2	4	.	.	3	2	2	.	.	.	2	.	.	.	.
" Scarlet Fever,	1	1	.	1	.	.	1	2	1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	2	2	1	1	3	3	.	5	5	.	.	.	1	.	.	3	1	2	2	4	1	1	3	.	5	.
" Diphtheria,	3	1	.	3	2	1	3	5	3	.	1	2	.	1	1	.	2	2	.	.	.	1	.	.	2	2
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" Enteric Fever,	3	2	5	5	2	1	2	.	3	1	4	2	.	.	1	.	2	3	5	6	1	2	2	1	2	2
" Diarrhœa, Dysentery,	5	1	2	3	6	.	2	2	2	4	5	3	4	4	.	.	1	.	3	1	3	2	.	1	1	1
" Phthisis,	30	28	40	27	29	36	29	23	32	40	30	37	29	29	30	27	28	27	32	29	32	30	32	13	28	28
" Heart Diseases,	15	21	24	20	16	25	15	11	28	33	24	18	17	20	23	16	17	11	11	17	14	17	11	14	10	11
" Diseases of Respiratory System,	73	98	110	110	92	55	67	65	74	94	55	73	39	72	56	46	53	47	40	29	34	25	30	23	23	34
Violent Deaths,	3	7	4	5	5	2	5	3	8	4	2	2	4	9	6	2	9	3	4	6	4	5	1	6	4	1
Mean Temperature of the Air Phœnix Park),	40·5	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·8	41·1	36·4	37·3	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·3	52·3	56·6	57·8
Average Mean Temperature in corresponding week of previous 10 years,	40·0	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8
Rainfall in inches,	·855	2·055	·715	·585	·560	·580	·220	·690	·680	·520	1·025	·000	·115	·305	·075	·535	·785	·170	·190	·350	·585	·005	1·185	·005	·560	·485
Mean Humidity of the Air, complete Saturation 1·0,	·88	·89	·87	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·78	·80	·83	·82	·80

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th June, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 16th June, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	24·9	167	37	27	35	31	30	7	.	.	1	.	.	2	.	2	1	6	28	11	34	1	37
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	13·4	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
II.	MIDDLE CLASS,	81,469	15·3	24	3	2	8	2	9	.	.	.	.	.	.	1	.	.	.	1	2	2	5	.	14
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	27·2	52	14	12	10	10	5	1	.	.	.	.	.	.	.	1	.	1	11	2	9	.	29
IV.	GENERAL SERVICE CLASS,	147,978	29·5	54	15	13	8	13	4	1	.	.	1	.	.	1	.	.	1	3	10	7	10	1	23
V.	INMATES OF WORKHOUSES,	5,191		33	5	.	9	6	11	2	.	.	.	.	.	.	.	1	.	1	5	.	9	.	18
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	18·0	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	18·1	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	26·5	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	14·0	7	1	.	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	3
	6. Clerks and Commercial Assistants,	25,091	10·4	5	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	19·1	9	.	1	1	.	7	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	42·0	6	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
	9. Building and Furnishing Trades,	26,294	19·8	10	2	3	2	2	1	.	.	.	.	.	.	.	.	.	.	.	3	.	3	.	4
	10. Clothing Trades,	23,927	13·0	6	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	3
	11. Food Supply Trades,	7,949	13·1	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	38·6	20	6	3	4	2	4	1	.	.	.	.	.	.	.	.	.	.	4	2	3	.	11
	13. Petty Shopkeepers,	6,839	60·8	8	3	3	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	5
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	22·7	6	2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	4
	15. Domestic Servants,	39,967	7·8	6	.	2	3	.	1	.	.	.	.	.	.	.	.	.	1	1	3	.	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	28·9	6	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	2
	17. Hawkers, Porters, Labourers, &c.,	83,472	22·4	36	13	8	3	9	2	1	.	.	1	.	.	1	.	.	.	2	4	6	8	1	15
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	33	5	.	9	6	11	2	.	.	.	.	.	.	.	1	.	1	5	.	9	.	18

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	Apr. 28,	28·0	1·9	12	.	.	.	.	.	.	.	1	.	1	5	.
		May 5,	32·7	1·9	17	.	.	.	.	.	.	.	1	.	1	4	.
		„ 12,	25·0	.	13	.	.	.	.	.	.	.	.	.	1	2	.
		„ 19,	23·0	1·9	12	.	.	.	.	.	.	.	.	1	3	.	.
		„ 26,	19·2	.	10	.	.	.	.	.	.	.	.	.	4	1	1
		June 2,	30·7	.	16	.	.	.	.	.	.	.	.	.	.	2	.
		„ 9,	26·9	1·9	14	.	.	.	.	.	1	.	.	.	3	.	1
		„ 16,	23·0	.	12	.	.	.	.	.	.	.	.	.	4	3	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	Apr. 28,	25·4	.	17	.	.	.	.	.	.	.	.	.	1	5	.
		May 5,	48·4	1·5	29	.	.	.	.	.	.	.	1	.	4	5	.
		„ 12,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	2	4	.
		„ 19,	16·5	.	11	.	.	.	.	.	.	.	.	.	1	3	.
		„ 26,	40·4	.	27	.	.	.	.	.	.	.	.	.	4	4	.
		June 2,	26·9	.	18	.	.	.	.	.	.	.	.	.	1	2	.
		„ 9,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	6	1	.
		„ 16,	23·9	1·5	16	.	.	.	.	.	1	.	.	.	5	3	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Apr. 28,	23·5	1·8	13	.	.	.	.	.	.	.	.	1	2	2	.
		May 5,	25·3	.	14	.	.	.	.	.	.	.	.	.	5	4	.
		„ 12,	25·3	1·8	14	.	.	.	.	.	.	.	.	1	2	1	1
		„ 19,	23·5	3·6	13	.	.	.	.	.	.	1	1	.	3	1	.
		„ 26,	28·9	.	16	.	.	.	.	.	.	.	.	.	4	4	.
		June 2,	14·4	1·8	8	.	.	.	.	.	.	.	.	1	1	.	.
		„ 9,	28·9	1·8	16	.	.	.	.	.	.	.	.	1	3	.	1
		„ 16,	28·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Apr. 28,	38·0	6·0	19	.	.	.	.	.	.	.	2	1	5	5	1
		May 5,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	4	2
		„ 12,	26·0	.	13	.	.	.	.	.	.	.	.	.	2	2	.
		„ 19,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	5	3	.
		„ 26,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	.
		June 2,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	2	1	.
		„ 9,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 16,	28·0	.	14	.	.	.	.	.	.	.	.	.	1	3	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 36,194.	Apr. 28,	37·7	4·7	24	.	.	.	.	2	.	.	1	.	2	8	.
		May 5,	39·3	1·6	25	.	.	.	.	.	.	.	1	.	1	2	1
		„ 12,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	5	.
		„ 19,	31·4	1·6	20	.	.	.	.	1	.	.	.	.	4	3	.
		„ 26,	40·8	.	26	.	.	.	.	.	.	.	.	.	5	11	.
		June 2,	39·3	.	25	.	.	.	.	.	.	.	.	.	3	6	1
		„ 9,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	3	.
		„ 16,	18·9	.	12	.	.	.	.	.	.	.	.	.	2	3	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Apr. 28,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
		May 5,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	1	.
		„ 12,	16·9	.	6	.	.	.	.	.	.	.	.	.	1	1	.
		„ 19,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
		„ 26,	25·3	2·8	9	.	.	.	.	.	.	.	1	.	2	2	.
		June 2,	22·5	.	8	.	.	.	.	.	.	.	.	.	.	1	1
		„ 9,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	1	2	.
		„ 16,	39·4	2·8	14	.	.	.	.	.	.	.	1	.	2	3	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Apr. 28,	19·3	2·6	15	.	.	.	.	.	.	.	1	1	4	2	1
		May 5,	36·0	3·9	28	.	.	.	.	2	.	.	.	1	3	5	2
		„ 12,	45·0	1·3	35	.	.	.	.	.	.	.	1	.	7	7	1
		„ 19,	29·6	1·3	23	.	.	.	.	.	1	.	.	.	2	6	2
		„ 26,	21·9	2·6	17	.	.	.	.	1	.	.	1	.	3	.	.
		June 2,	23·1	.	18	.	.	.	.	.	.	.	.	.	.	4	.
		„ 9,	27·0	2·6	21	.	.	.	.	1	1	.	.	.	.	3	1
		„ 16,	34·7	3·9	27	.	.	1	.	.	1	.	1	.	.	3	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	Apr. 28,	36·4	.	25	.	.	.	.	.	.	.	.	.	4	3	.
		May 5,	29·1	2·9	20	.	.	.	.	1	.	.	1	.	5	3	.
		„ 12,	29·1	.	20	.	.	.	.	.	.	.	.	.	7	1	2
		„ 19,	16·0	.	11	.	.	.	.	.	.	.	.	.	4	1	1
		„ 26,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	4	1	.
		June 2,	21·9	.	15	.	.	.	.	.	.	.	.	.	2	2	2
		„ 9,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	3	5	1
		„ 16,	20·4	1·5	14	.	.	.	.	.	.	.	.	1	5	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases; *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Apr. 28,	24·4	.	13	.	.	.	.	.	.	.	.	.	5	8	.
	May 5,	16·9	1·9	9	.	.	.	.	.	.	.	1	.	3	.	.
	„ 12,	16·9	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 19,	24·4	3·3	13	.	1	.	.	.	.	.	.	1	1	1	.
	„ 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	June 2,	16·9	1·9	9	.	.	1	.	.	.	.	.	.	.	1	.
	„ 9,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	13·1	.	7	.	.	.	.	.	.	.	.	.	1	3	.
Donnybrook. Pop. (in 1891) 24,629.	Apr. 28,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	May 5,	14·8	2·1	7	.	.	.	.	.	.	.	1	.	.	.	.
	„ 12,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	5	4	.
	„ 19,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	June 2,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	.	.
	„ 9,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	25·4	.	12	.	.	.	.	.	.	.	.	.	2	4	.
Kingstown. Pop. (in 1891) 17,386.	Apr. 28,	13·0	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	May 5,	24·0	3·0	8	.	.	.	.	1	.	.	.	.	2	.	1
	„ 12,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	June 2,	30·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1
	„ 9,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	2	.
	„ 16,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	Apr. 28,	18·4	1·6	127	.	.	.	.	4	1	.	3	3	23	24	2
	May 5,	24·8	3·1	171	.	.	.	.	8	1	.	8	4	31	33	2
	„ 12,	20·0	1·5	138	.	.	.	.	3	1	.	5	1	31	31	3
	„ 19,	22·2	3·2	153	.	1	.	.	6	1	.	12	2	23	32	4
	„ 26,	20·5	1·8	141	.	1	.	1	1	.	.	5	1	34	31	5
	June 2,	19·5	2·3	134	.	.	.	.	1	1	.	11	3	22	29	2
	„ 9,	17·9	2·3	123	.	3	1	.	.	1	.	10	1	18	28	1
	„ 16,	20·5	2·0	141	.	1	.	.	1	.	.	11	1	32	24	4
Cork. Pop. (in 1891) 75,845.	Apr. 28,	27·7	2·1	40	.	.	.	.	.	1	.	2	.	3	11	.
	May 5,	29·8	0·7	43	.	.	1	.	.	.	.	.	.	3	4	.
	„ 12,	22·1	.	32	.	.	.	.	.	.	.	.	.	11	3	.
	„ 19,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	9	.
	„ 26,	28·4	0·7	41	.	.	.	.	.	.	.	.	1	5	4	.
	June 2,	20·8	0·7	30	.	.	.	.	1	.	.	.	.	5	4	.
	„ 9,	24·2	.	35	.	.	.	.	.	.	.	.	.	8	4	.
	„ 16,	20·1	0·7	29	.	.	.	.	.	.	.	.	1	6	5	.
Limerick. Pop. (in 1891) 37,155.	Apr. 28,	25·3	1·4	18	.	.	.	.	.	.	.	.	1	2	4	1
	May 5,	21·1	.	15	.	.	.	.	.	.	.	.	.	6	3	.
	„ 12,	26·7	1·4	19	.	.	.	.	.	.	.	.	1	6	1	.
	„ 19,	28·1	.	20	.	.	.	.	.	.	.	.	.	2	5	.
	„ 26,	25·3	.	18	.	.	.	.	.	.	.	.	.	3	8	.
	June 2,	18·2	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	„ 9,	16·3	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	15·4	.	11	.	.	.	.	.	.	.	.	.	4	4	.
Londonderry Pop. (in 1891) 28,200.	Apr. 28,	22·0	.	14	.	.	.	.	.	.	.	.	.	4	4	.
	May 5,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	.	1	.
	„ 12,	25·1	1·6	16	.	.	.	1	.	.	.	.	.	2	3	.
	„ 19,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	5	1
	„ 26,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	2	.
	June 2,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	3	.	1
	„ 16,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	5	.
Waterford. Pop. (in 1891) 26,200.	Apr. 28,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	May 5,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1
	„ 12,	19·9	2·0	10	.	.	1	.	.	.	.	.	.	3	2	.
	„ 19,	25·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 26,	29·8	4·0	15	.	.	.	.	2	.	.	.	.	1	2	.
	June 2,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	„ 9,	11·9	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	„ 16,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 16th June, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	9	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		9	.	4	3	2	.	.	.	.	.	.	.	1	.	2	1	.	.	3
" 2 "	37,539	36			11	5	.	5	1	.	.	.	.	.	.	.	2	.	1	3	.	.	2
" 3 "	38,845	36			17	5	2	8	2	.	.	.	.	.	.	.	.	1	5	1	2	2	2
" 4 "	33,391	46			21	3	4	9	5	.	.	.	.	1	.	.	1	.	3	6	1	1	7
" 5 "	21,284	8			6	.	.	2	4	.	.	.	.	.	.	.	.	.	2	1	.	.	2
" 6 "	43,431	26			20	3	.	12	5	.	.	.	.	.	.	.	2	.	6	2	1	2	3
" 7 "	1,112	1			3	.	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" 8 "	4,904	.			1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
" 9 "	12,866	9			6	.	.	5	1	.	.	.	.	.	.	.	1	.	2	.	.	.	1
" 10 "	12,256	14			11	3	3	4	1	.	.	.	.	.	.	.	2	.	.	3	.	.	5
" 11 "	19,881	26			12	2	1	8	1	.	.	.	.	.	.	.	.	.	4	2	.	3	1
" 12 "	28,282	20			17	2	1	9	5	.	.	.	.	.	.	.	.	.	5	5	.	.	1
" 13 "	6,804	10			7	1	1	4	1	.	1	.	.	.	.	.	.	.	2	.	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	241			141	24	17	72	28	.	1	.	.	1	.	.	11	1	32	24	4	8	28
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	3	13·1	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 2 "	9,252	8	16·9	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 3 "	9,816	4	37·2	.	7	1	.	5	1	.	.	.	.	.	.	.	.	.	3	1	.	.	2
" 4 "	10,356	5	10·0	5·0	2	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
" 5 "	8,187	1	6·4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	8,823	3	17·7	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	9	30·6	.	10	2	2	3	3	.	.	.	.	.	.	.	.	.	2	3	.	.	1
Total,	75,345	33	20·1	0·7	29	3	5	15	6	.	.	.	.	.	.	.	.	1	6	5	.	.	5

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.
No. of week in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered,	203	175	239	263	199	230	204	240	186	230	216	269	218	236	229	188	197	225	261	213	244	218	218	218	219	241
DEATHS registered.	132	192	198	210	166	170	135	187	226	181	207	195	157	169	176	179	149	124	127	171	188	153	141	134	123	141
Annual Death-rate per 1,000 of estimated Population,	19·7	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5
AGES, Under 1 year,	19	39	34	40	26	32	22	30	41	31	43	42	27	26	37	31	29	21	27	33	26	34	20	25	26	24
AGES, 1–5 years,	9	25	31	23	24	22	17	15	23	16	21	28	26	30	22	21	18	12	13	23	14	27	10	18	13	17
AGES, 5–60 years,	74	75	93	88	71	71	62	99	102	84	92	90	68	77	84	80	79	56	64	86	76	65	87	76	60	72
AGES, 60 years and upwards,	30	53	40	59	45	45	34	43	60	50	51	35	36	36	33	47	28	35	23	29	22	27	24	20	24	28
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	1	1	4	.	1	1	.	.	.	1	2	1	1	2	1	.	1	.	.	.	1	1	.	3	1
" Scarlet Fever,	1	1	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" Whooping-cough,	1	6	6	2	9	5	4	3	4	3	4	3	2	4	4	1	1	1	4	8	3	6	1	1	.	1
" Diphtheria,	2	1	2	.	1	.	.	3	2	1	2	1	1	2	2	2	2	1	1	1	1	1	.	1	1	.
" Simple continued and Ill-defined Fever,	.	.	2	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	1	4	4	4	4	1	1	1	1	2	5	3	4	3	6	1	5	5	3	8	5	12	5	11	10	11
" Diarrhœa, Dysentery,	.	1	3	4	1	2	2	1	3	3	.	1	1	3	3	1	1	2	3	4	1	2	1	3	1	1
" Phthisis,	14	31	27	21	17	21	12	26	27	19	26	28	26	30	39	25	31	14	23	31	31	23	34	22	18	32
" Diseases of Respiratory System,	27	64	74	86	72	66	39	50	73	67	57	75	35	49	43	46	38	26	24	33	31	32	31	29	28	24
Violent Deaths,	6	2	5	2	.	.	3	8	8	5	4	2	6	2	2	5	.	2	2	2	3	4	5	2	1	4

TABLE IX.—Showing the NUMBER of CASES of INFECTIVE DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th June, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" " 1, West,	.	3	.	1	.	.	3	.	4	4	2	.	.	17
" " 2,	.	.	.	2	.	.	.	.	3	2	2	.	2	11
" " 3,	.	.	.	2	.	.	.	.	.	4	4	.	.	10
South City No. 1,	.	.	.	2	.	.	.	.	.	.	.	.	.	2
" " 2,	.	.	.	2	.	.	.	.	.	.	1	.	.	3
" " 3,	.	.	.	.	.	.	.	.	.	.	2	.	1	3
" " 4,	.	.	.	.	.	.	4	.	.	.	2	.	.	6
Total,	.	4	.	9	.	.	7	.	7	10	13	.	3	53
Total for week ended May 26, 1900,	.	8	.	9	.	.	3	.	5	17	20	.	7	69
Total for week ended June 2, 1900,	.	4	.	7	.	.	3	.	5	18	15	1	9	62
Total for week ended June 9, 1900,	.	2	.	10	2	.	1	.	4	11	13	.	10	53

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th June, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th June.			
	May 26.	June 2.	June 9.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.		.	.
Measles,	9	10	15	2	3	.	14
Scarlet Fever,	77	70	72	6	12	1	65*
Typhus "	1	.	2	.	.	.	2
Diphtheria,	12	12	9	5	3	1	10
Enteric Fever,	38	46	45	4	6	.	43
Pneumonia,	20	17	21	13	3	.	31

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	June 16,	2,646	1,533	17·4	.	64	5	28	49	9	15
EDINBURGH,	302,262	„ 16,	172	110	18·9	.	4	2	1	2	.	2
GLASGOW,	743,969	„ 16,	494	286	20·0	.	14	1	1	17	2	12
CALCUTTA,	466,460	April 14,	.	688	76·9	26	4	.	.	.	61‡	113*
BOMBAY,	821,764	May 22,	296	1,439	91·1	15	15	?	?	?	128§	213*
MADRAS,	452,518	April 20,	423	359	38·9	.	10	?	?	?	86	57
PARIS,	2,511,629	June 9,	1,145	1,004	20·7	3	38	6	4†	6	10	27
BRUSSELS (with 8 Faubourgs).	561,130	„ 2,	263	167	15·4	.	2	.	1†	1	1	9
AMSTERDAM,	526,072	May 26,	269	151	15·0	.	.	.	1	1	.	1
ROTTERDAM,	323,487	„ 26,	242	98	15·8	.	.	.	3	1	.	.
THE HAGUE,	205,328	„ 26,	123	66	16·7	.	3	.	3	.	.	.
COPENHAGEN,	349,000	June 2,	200	167	24·9	.	1	2	2	.	.	8
CHRISTIANIA,	221,255	„ 9,	172	74	17·4	.	1	.	.	1	.	6
ST. PETERSBURG,	1,132,677	„ 2,	607	549	25·2	6	17	13	14	8	17	53
BERLIN,	1,854,964	May 26,	888	590	16·5	.	5	19	14	8	.	33
HAMBURG,	691,349	June 2,	418	212	15·9	.	11	5	1†	3	.	11
DRESDEN,	400,400	April 28,	233	154	19·8	.	1	.	.	.	.	9
BRESLAU,	406,012	June 9,	.	253	32·4	.	1	1	.	1	.	36
MUNICH,	463,000	Mar. 24,	359	235	26·4	.	26	1	2†	.	1	18
VIENNA (with suburbs).	1,656,662	May 19,	945	704	22·1	.	15	1	6†	4	2	45
BUDA-PESTH,	685,340	June 2,	459	305	23·1	.	6	2	4	.	1	6
PRAGUE and Faubourgs.	391,693	„ 2,	201	203	27·0	.	.	.	1	.	4	5
ROME,	514,306	May 19,	200	147	14·9	.	4	.	2	.	2	17
TURIN	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	172,924	May 19,	83	66	19·8	.	.	.	.	.	.	5
NEW YORK,	3,654,594	„ 12,	1,588	1,053	19·3	.	14	12	44	20	13	12
PHILADELPHIA,	1,266,832	„ 19,	.	535	22·0	.	22	12	36	.	9	3

* Including 72 deaths from cholera in Calcutta and 43 in Bombay. † Including deaths from croup.
‡ Exclusive of 396 deaths from bubonic fever. § Exclusive of 233 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 16th June, 1900:—

"The weather was again changeable, but favourable—a genial temperature and abundant rainfall with intervals of warm sunshine causing a rapid growth and proving conducive to health. During the greater part of the week electrical disturbances were rife. They began in the south of Ireland on Sunday and afterwards extended to all parts of the United Kingdom. Gradients for southerly winds prevailed, and accordingly temperature rose very high in England on and after Sunday—the maxima in London were 82°, 88°, and 83° on the first three days of the week. On Monday and Tuesday the isobars over Great Britain were balloon-shaped owing to the development of local thunderstorm-depressions between an anticyclone which was found over Central Europe and a large area of low pressure over the Atlantic to the westward of Ireland. From Wednesday onward the distribution of atmospheric pressure was less complex, depressions of moderate depth passing in succession northeastwards across Ireland and Scotland. There was a considerable and general rainfall in England on Thursday. In Dublin the mean height of the barometer was 29·847 inches, the range being from 29·675 inches at 9 a.m. of Sunday (wind, S.S.E.) to 29·973 inches at 9 a.m. of Thursday (wind, S.S.W.). The corrected mean temperature was 61·1°, the mean dry bulb readings at 9 a.m. and 9 p.m. being 59·6°. The screened thermometers fell to 52·2° on Tuesday and rose to 71·6° on Friday. Bright sunshine was estimated at 43 hours. Rainfall was ·554 inch on four days, ·260 inch being measured on Tuesday. Thunder or lightning, or both, occurred daily from Monday to Thursday, inclusive. Hail fell on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·872 inches. The highest reading (29·981) was registered on Thursday at 9 A.M., wind S.W., and the lowest (29·683) on Sunday, at 9 A.M., wind S E.

The mean temperature for the week was 57·8°, being 2·0° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Friday, when the thermometer registered 70·1°, and was lowest on Thursday, the mercury having fallen to 45·9°. The mean of the Dry Bulb for the week was 57·9°, and of the Wet Bulb 54·4°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 41·3 hours. The rainfall measured ·485 in.

At Greenwich the mean temperature for the week was 64·4°, the maximum 75·4°, and the minimum 53·9°; at Glasgow the maximum was 77·0°, the minimum 45·2°, and the mean 63·3°, and at Edinburgh the maximum was 75·6°; the minimum 47·0°, and the mean 61·4°. The rainfall at Greenwich measured 0·44 in.; at Glasgow 1·52 ins.; and at Edinburgh 0·83 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 10,	29·709	61·6	53·7	57·7	55·1	52·5	·84	·3	0·2	—	S.E.	S.W.
Monday, „ 11,	29·803	65·9	49·8	57·9	56·7	52·9	·79	·2	4·4	—	S.	Calm.
Tuesday, „ 12,	29·896	66·8	46·2	56·5	60·2	55·9	·77	·3	6·7	·260	S.	Calm.
Wednesday, „ 13,	29·938	68·1	52·1	60·1	54·0	52·5	·90	·5	6·0	—	S.W.	Calm.
Thursday, „ 14,	29·955	64·5	45·9	55·2	56·5	52·5	·77	·4	10·7	·125	S.W.	S.E.
Friday, „ 15,	29·861	70·1	52·1	61·1	62·0	57·3	·75	·2	9·0	—	S.W.	S.W.
Saturday, „ 16,	29·924	64·6	47·9	56·3	60·9	57·3	·80	·4	4·3	·100	S.	S.W.
Mean, . .	29·872	65·8	47·9	57·8	57·9	54·4	·80	·3	Total 41·3	Total ·485	Prevailing Wind. S.W.	

Sunday—A cloudy day; night cloudy. *Monday*—A cloudy day; night cloudy. *Tuesday*—A cloudy day; rain 6.30 to 6.45 p.m.; night cloudy; thunderstorm 1 to 3 a.m.; rain 4.30 to 5 30 a.m. *Wednesday*—A cloudy day; night cloudy. *Thursday*—A cloudy day; rain 12.30 to 1 p.m.; night cloudy; showers from 12 to 5.30 a.m. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A cloudy day; rain 10.30 to 11.15 a.m., and 8.45 to 9.30 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

4. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & Co. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & Co., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 23RD JUNE, 1900. [No. 25.

General Register Office, Charlemont House,
Dublin, 25th June, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 17·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending June 2.	Week ending June 9.	Week ending June 16.	Week ending June 23.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 2.	Week ending June 9.	Week ending June 16.	Week ending June 23.	Average Rate for 4 weeks.
23 Town Dists.	20·0	19·4	21·0	17·8	19·6	Limerick, . .	18·2	16·8	15·4	14·0	16·1
Armagh, . .	28·5	14·3	14·3	0·0	14·3	Lisburn, . .	25·7	12·8	38·3	4·3	20·3
Ballymena, .	5·6	11·3	11·3	16·9	11·3	Londonderry, .	18·8	11·0	20·4	23·6	18·5
Belfast, . .	19·5	17·9	20·5	18·9	19·2	Lurgan, . .	27·4	18·2	13·7	31·9	22·8
Carrickfergus, .	35·1	23·4	5·8	5·8	17·5	Newry, . .	28·2	8·1	16·1	8·1	15·1
Clonmel, . .	9·7	19·5	9·7	9·7	12·2	Newtownards, .	5·7	51·0	11·3	0·0	17·0
Cork, . . .	20·8	24·2	20·1	18·7	20·9	Portadown, .	12·4	12·4	18·6	24·7	17·0
Drogheda, . .	15·2	22·8	11·4	7·6	14·3	Queenstown, .	28·7	5·7	11·5	17·2	15·8
Dublin, Reg. Area,	21·9	23·1	23·9	17·9	21·7	Sligo, . . .	15·2	5·1	15·2	0·0	8·9
Dundalk, . .	12·6	25·1	16·8	0·0	13·6	Tralee, . .	22·4	11·2	16·8	78·3	32·2
Galway, . .	0·0	3·8	56·7	18·9	19·9	Waterford, .	17·9	11·9	13·9	17·9	15·4
Kilkenny, . .	28·3	18·9	23·6	14·2	21·2	Wexford, . .	13·5	22·6	13·5	18·1	16·9

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 0·8 per 1,000, the rates varying from 0·0 in twenty of the districts to 3·8 in Galway. Among the 130 deaths from all causes registered in Belfast are one from measles, one from whooping-cough, 6 from enteric fever, and 4 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—106 boys and 92 girls; and the deaths to 122—50 males and 72 females.

DEATHS

The deaths, which are 28 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 18·2 in every 1,000 of the population; omitting the deaths (numbering 2) of persons admitted into public institutions from localities outside the Area, the rate was 17·9 per 1,000. During the twenty-five weeks ending with Saturday last the death-rate averaged 33·4, and was 3·9 over the mean rate for the corresponding portions of the ten years 1890–99.

Ten deaths from zymotic diseases occurred, being 7 less than the preceding week, and 8 under the average for the 25th week of the last 10 years.

Enteric fever, influenza, and cerebro-spinal meningitis caused each 2 deaths, and one death each resulted from diphtheria and whooping-cough.

Thirty deaths from tuberculosis occurred, namely, 22 from pulmonary phthisis, 3 each from tabes mesenterica and scrofula, and 2 from tubercular meningitis.

Diseases of the respiratory system caused 16 deaths from bronchitis and 11 from pneumonia, a total of 27, which is 3 above the average for the 25th week of the last ten years, but 7 under the number registered upon the preceding week.

Convulsions caused 6 deaths, 4 children under one year and over one month and 2 infants under one month, three deaths were caused by apoplexy and one by epilepsy. Other diseases of the brain and nervous system caused 6 deaths.

One accidental death was registered.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Twenty-nine of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 7 were under one month old) and 29 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 4 were octogenarians, and 2 (a man and a woman) were stated to have been aged 90 and 96 years respectively.

Forty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 3 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 17·9 per 1,000; the rate in the city was 20·0 (13·4 on the North side, and 26·0 on the South), and in the Suburbs 13·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·6 per 1,000 inhabitants, the rate for the city being 0·9 (0·9 in the North City Districts, and 0·8 in the South), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (7) are equal to an annual rate of 13·4 per 1,000. Pulmonary tuberculosis caused one death.

No. 1 North City District, West (Summer-hill).—The deaths (10) are equal to an annual rate of 15·0 per 1,000. Pulmonary consumption caused one death, and 4 deaths were due to local diseases.

No. 2 North City District (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 14·4 per 1,000. One death from influenza and one death from cerebro-spinal meningitis occurred; pulmonary consumption caused one death, and diseases of the respiratory system caused three deaths.

* See Table VI.

No. 3 North City District (Blackhall-place).—The deaths (5) represent an annual rate of 10·0 per 1,000. One death from enteric fever took place, and two deaths occurred from diseases of the respiratory system.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 25·1 per 1,000. Diphtheria caused a death and tubercular diseases caused 6 deaths, and three deaths were caused by diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 36·5 per 1,000. Influenza caused one death, and diseases of the respiratory system caused 6 deaths.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 28·3 per 1,000. Pulmonary consumption caused two deaths, diseases of the respiratory system caused 5 deaths, and 4 deaths were caused by diseases of the brain and nervous system.

No. 4 South City District (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 18·9 per 1,000. Whooping-cough caused one death, pulmonary consumption caused two deaths, four deaths were due to diseases of the brain and nervous system, and two to diseases of the respiratory system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 4·9; Finglas and Glasnevin, part of, 24·6; Palmerston, part of, and Crumlin, part of, 28·7; Rathmines, 16·9; Donnybrook, 12·7; Blackrock, 6·2; and Kingstown, 6·0. The deaths from zymotic diseases tabulated for these districts consist of one from choleraic diarrhœa for Rathmines, and one from cerebro-spinal meningitis for Donnybrook. The two deaths tabulated for Finglas and Glasnevin, part of, were from phthisis; two of the 4 deaths for Palmerston, part of, were from diseases of the respiratory organs; of the 9 deaths for Rathmines 3 were caused by phthisis and 2 by convulsions; and the 6 deaths for Donnybrook comprise 2 from diseases of the respiratory system.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	2nd June,	62 cases.
" "	9th June,	53 cases.
" "	16th June,	53 cases.
" "	23rd June,	50 cases.

Of the 50 cases notified, 11 were erysipelas, 11 enteric fever, 13 scarlatina, 4 measles, 2 diphtheria, 3 meningitis,† and 6 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd June, 1900.

From this it appears that:—

Nine cases of scarlatina were admitted to hospital during the week, 14 were discharged, and no death occurred, 60* cases remaining under treatment at close of the week.

Six cases of enteric fever were admitted to hospital, 8 were discharged, and 41 remained under treatment on the 23rd June. No death occurred in hospital.

Three cases of diphtheria were admitted to hospital, 4 were discharged, no death occurred, leaving 9 cases under treatment.

Nineteen cases of measles remained under treatment in hospital at the end of the week ending 23rd June.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 13·3), was equal to an average annual death-rate of 14·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·5 per 1,000, the rate for Glasgow being 18·8, and for Edinburgh 17·0.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 23rd June, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Registration—Week ending Saturday, 23rd June, 1900. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 23rd June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	30·4	17·8	0·8	620	362	61	89	.	1	.	1	2	1	.	8	4	60	63	9	13	115	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	29·5	17·9	0·6	198	120	23	28	.	.	.	.	1	1	.	2	.	22	27	1	1	47	68·3	44·7	55·8	2·01	70·1	45·9	57·8	0·49	68·6	42·6	56·6	0·56
Registrars' Districts. City	245,001	65·6	33·0	20·0	0·9	155	94	20	20	.	.	.	.	1	1	.	2	.	13	22	1	1	40	68·7	47·2	57·9	1·72	71·6	52·2	61·1	0·55	71·0	51·0	59·1	0·42
Clontarf &c. No. 1,	4,188	1·5	50·4	12·6	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	9·7	4·9	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	12·3	24·6	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	69·9	46·0	56·9	2·57	72·5	46·6	58·5	0·42	71·3	44·0	57·6	0·46
Palmerston, part of and Crumlin part of (b),	7,278	8·0	50·2	28·7	.	7	4	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	16·9	16·9	.	9	9	2	4	.	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	29·6	12·7	.	14	6	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	18·6	6·2	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	9·0	6·0	.	3	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	71	47	58·3	1·11	72	51	59·8	0·82	67	48	58·1	0·31
Urban Districts																																			
Belfast,	359,000	21·8	30·9	18·9	1·7	213	130	26	28	.	1	.	.	1	.	.	6	4	20	18	7	11	23	68·1	47·6	58·3	1·21	69·1	48·1	58·9	0·38	70·1	44·1	57·7	0·71
Cork,	75,845	38·3	34·6	18·7	.	50	27	4	7	.	.	.	.	.	.	.	.	.	4	2	.	.	12	64	49	56·0	1·70	63	52	56·5	1·22	66	52	57·6	1·35
Limerick,	37,155	17·9	21·1	14·0	.	15	10	1	4	.	.	.	.	.	.	.	.	.	2	3	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	37·7	23·6	.	24	15	.	4	.	.	.	.	.	.	.	.	.	2	4	.	.	6	69·0	46·6	57·9	3·42	73·8	48·0	61·4	0·56	74·0	48·0	60·3	0·16
Waterford,	26,208	18·3	33·8	17·9	.	17	9	1	3	.	.	.	.	.	.	.	.	.	2	1	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	56·7	18·9	3·8	15	5	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	2	68	45	60	1·40	70	50	59	0·96	78	50	60	0·75
Drogheda	13,708	8·7	11·4	7·6	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	16·5	28·2	8·1	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·1	45·8	56·4	1·08	70·9	46·8	58·3	1·03	73·5	45·6	58·7	0·07
Dundalk,	12,446	9·0	29·3	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	29·8	4·8	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·1	45·8	56·4	1·08	70·9	46·8	58·3	1·03	73·5	45·6	58·7	0·07
Wexford,	11,545	24·0	13·5	18·1	.	3	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	13·4	41·1	31·9	.	9	7	1	.	.	.	.	.	.	.	.	.	.	1	5	.	.	1	67·1	45·8	56·4	1·08	70·9	46·8	58·3	1·03	73·5	45·6	58·7	0·07
Kilkenny,	11,048	12·0	33·0	14·2	.	7	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	65	43	55·0	2·46	68	48	57·0	1·03	72	47	58·3	0·74
Clonmel,	10,708	8·2	9·7	9·7	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	10·2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66·7	43·5	54·9	3·05	67·7	46·3	58·1	0·92	72·8	41·0	57·6	0·69
Tralee,	9,818	15·9	72·7	78·3	.	13	14	4	5	.	.	.	.	.	.	.	.	.	6	1	.	.	13	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	39·5	16·9	.	7	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	5·7	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65	48	54·8	0·97	68	48	55·7	0·56	69	45	55·8	0·15
Queenstown,	9,082	17·0	28·7	17·2	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64	49	56·0	1·70	63	52	56·5	1·22	66	52	57·6	1·35
Carrickfergus	8,923	0·5	35·1	5·8	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	30·9	24·7	.	5	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	67·1	45·8	56·4	1·08	70·9	46·8	58·3	1·03	73·5	45·6	58·7	0·07
Armagh,	7,187	21·4	28·5	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·1	45·8	56·4	1·08	70·9	46·8	58·3	1·03	73·5	45·6	58·7	0·07

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast,

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 23rd June, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DEUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases	.	.	2	.	.	1	.	1	.	.	.	.	1	1	.	.	6	.
Total,	.	1	2	1	1	1	.	2	.	.	.	.	1	1	.	.	10	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	1	1	1	.	6	.	2	2	1	.	2	.	3	1	1	1	22	.
Other Constitutional Diseases	1	2	1	.	1	2	2	1	.	.	.	1	.	1	.	.	12	1
Total,	2	3	2	.	7	2	4	3	1	.	2	1	3	2	1	1	34	1
V. DEVELOPMENTAL DISEASES,	1	1	1	.	.	1	5	.	.	.	.	.	1	.	.	.	10	.
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	1	1	.	.	1	1	4	4	.	.	.	.	2	1	.	.	15	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	1	.	2	1	.	3	1	.	.	.	.	1	.	.	.	9	.
Respiratory System,	.	1	3	2	3	6	5	2	.	.	.	2	.	2	.	1	27	.
Digestive System,	1	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	4	.
Lymphatic System, &c.,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Urinary System,	.	1	.	.	.	1	1	.	.	1	.	1	.	.	.	.	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	4	3	4	5	9	13	8	.	1	.	3	4	3	.	1	61	1
VII. VIOLENT DEATHS,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	3	.
Deaths from all Causes,	7	10	8	5	16	13	22	13	1	1	2	4	9	6	1	2	120	2
Annual Rate of Mortality in every 1,000 of the population.	13·4	15·0	11·4	10·0	25·1	36·5	28·8	18·9	12·6	4·9	24·6	28·7	16·9	12·7	6·2	6·0	17·9	
	13·4				26·0				13·0									
	20·0																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	3	3	2	3	.	3	5	.	.	2	1	1	3	.	.	26	1
Workhouse Hospitals,	1	1	1	.	9	4	5	.	.	.	.	.	.	.	.	.	21	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 25th Week of the 10 years 1890-99.	In the week ending Saturday, 23rd June, 1900. Deaths of persons of the Ages of							
	June 21, 1890	June 27, 1891	June 25, 1892	June 24, 1893	June 23, 1894	June 22, 1895	June 20, 1896	June 26, 1897	June 25, 1898	June 24, 1899		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 57·6	° 60·0	° 53·2	° 57·4	° 54·6	° 54·3	° 60·5	° 59·9	° 57·1	° 54·6	° 56·9	° 55·8								
ALL CAUSES,	141	121	184	170	155	135	151	146	155	148	149·9	122	7	16	6	16	19	29	28	6
I. FEBRILE OR ZYMOTIC DISEASES,	12	6	34	31	13	18	25	13	13	13	17·8	10	.	1	2	2	2	.	2	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	.	.	1	.	.	.	.	1	·4	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL "	35	31	40	43	46	33	40	35	40	42	38·5	35	.	4	1	11	10	5	4	.
V. DEVELOPMENTAL "	14	8	12	18	17	7	11	11	13	13	12·7	10	2	1	.	.	.	.	3	4
VI. LOCAL "	71	67	88	71	65	65	59	70	76	60	69·2	62	3	9	3	3	5	24	14	1
VII. VIOLENT DEATHS,	3	4	2	5	4	6	5	3	5	7	4·9	1	.	.	.	.	1	.	.	.
VIII. ILL-DEFINED CAUSES,	6	4	3	2	9	6	10	5	6	7	6·3	3	2	1	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	4	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	24	6	.	1	.	2	.	1	3·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	1	1	3	4	1	.	1	1·1	.	.	.	.	.	.	.	.	.
Typhus,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	1	3	2	.	2	.	2	5	1·6	2	.	.	.	.	.	.	2	.
Whooping Cough,	4	3	5	1	3	1	5	1	5	1	2·9	1	.	.	1	.	.	.	.	.
Diphtheria,	.	.	.	.	.	1	.	5	2	.	·8	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	.	.	3	4	1	3	.	.	2	1·5	2	.	.	.	1	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	1	.	.	1	.	·2	1	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	1	.	9	1	2	6	2	1	.	2·2	.	.	.	.	.	.	.	.	1
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	1	1	.	.	.	·2	1	.	.	.	.	1	.	.	.
Erysipelas,	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	1	.	.	2	1	.	.	·4	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	1	.	.	.	.	.	2	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	4	1	4	4	2	1	1	1	2	.	2·0	2	.	1	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	.	1	.	.	1	.	1	·3	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	.	2	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	1	1	.	1	.	.	.	.	.	1	·4	1	.	.	.	.	1	.	.	.
Gout,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	8	3	6	4	3	3	6	6	7	5	5·1	4	.	.	.	.	.	.	4	.
Tabes Mesenterica,	1	4	5	2	5	2	2	.	1	4	2·6	3	.	1	1	1	.	.	.	.
Tubercular Meningitis,	.	.	.	4	10	5	2	5	8	5	3·9	2	.	1	.	1	.	.	.	.
Phthisis,	21	20	24	25	24	17	26	21	19	24	22·1	22	.	.	.	8	9	5	.	.
Scrofula, Tuberculosis,	4	3	5	4	3	2	3	1	2	3	3·0	3	.	2	.	1	.	.	.	.
Other Constitution Diseases,	.	.	.	1	.	3	1	2	2	.	·9	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	1	.	1	2	5	1	1	3	1	2	1·7	2	2	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	.	.	1	.	2	2	.	1	.	·7	1	.	1	.	.	.	.	.	.
Old Age,	12	8	11	15	12	4	8	11	11	11	10·3	7	.	.	.	.	.	.	3	4

each Disease registered in the TWENTY-FIFTH WEEK ending Saturday, 23rd June, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday June 21, 1890	June 27, 1891	June 25, 1892	June 24, 1893	June 23, 1894	June 22, 1895	June 20, 1896	June 26, 1897	June 25, 1898	June 24, 1899	Averages in 25th Week of the 10 years 1890-99.	In the Week ending Saturday, 23rd June, 1900. Deaths of Persons of the Ages of: All Ages. Mean Temp.	0 to 5: Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	57°6	60°0	58°2	57°4	54°6	54°3	60°5	59°9	57°1	54°6	56°9	55°8								
VI. Local Diseases.																				
Apoplexy,	1	5	.	2	2	2	3	5	3	3	2·6	3	.	.	.	.	.	3	.	.
Epilepsy,	1	1	2	1	2	.	.	1	.	1	·9	1	.	.	.	.	.	1	.	.
Convulsions,	9	7	20	11	10	9	6	10	5	7	9·4	6	2	4	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	5	10	2	3	4	6	6	4	8	9	5·7	6	.	..	.	.	.	5	1	.
Diseases of Organs of Special Sense,	.	..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	15	11	16	16	14	6	12	7	14	14	12·3	9	1	.	.	1	.	3	4	.
Croup,	.	.	.	1	.	.	.	1	1	.	·8	.	.	.	.	.	.	.	.	.
Bronchitis,	14	12	15	12	13	16	13	12	16	7	13·0	13	.	3	1	1	.	6	5	.
Pneumonia	14	4	11	8	6	9	6	10	10	4	8·2	11	.	1	1	.	4	2	3	.
Pleurisy,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	1	5	6	1	2	2	2	6	1 .	2	2·7	.	.	.	.	.	.	.	.	.
Teething,	1	.	2	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	1	1	.	4	.	1	.	.	·7	1	.	.	.	.	.	.	.	1
Peritonitis	.	.	.	4	.	1	2	.	.	.	·7	.	.	.	.	.	.	.	.	.
Disease of Liver,	2	4	4	1	2	5	1	1	2	1	2·3	1	.	.	.	.	.	.	1	.
Other Diseases of Digestive System,	6	3	3	3	3	5	4	7	8	7	4·9	2	.	1	.	.	.	1	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
Diseases of Urinary System,	3	1	3	4	4	.	4	2	6	3	3·0	5	.	.	1	1	.	3	.	.
Diseases of Generative System,	1	.	.	2	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	4	1	.	1	.	.	1	1	.	·8	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	1	1	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	2	.	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
VII. Violent Deaths (ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	1	.	.	.	.	.	2		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	3	1	1	.	.	.	.	2	1	2	4·5	.	.	.	.	.	.	.	.	.
By Drowning,		1	.	.	2	1	.	3	2	.		1	.	.	.	.	1	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	1	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		1	1	2	2	4	4	2	1	3		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	6	4	8	2	9	6	10	5	6	7	6·3	3	2	1	.	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1899–1900—Week ending																										
	Dec. 30.	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Births registered,	247	187	209	168	191	184	174	175	257	179	215	217	226	234	128	184	225	202	246	222	198	214	199	222	194	198
Average Births in corresponding week of previous 10 years,	168	188	199	195	202	206	200	196	208	225	195	192	195	217	199	194	192	213	214	212	192	201	209	199	208	202
Deaths registered,	280	337	331	295	259	238	199	284	342	230	247	209	286	244	194	230	204	178	204	179	168	176	157	161	167	122
Annual Death-rate per 1,000,	41·8	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2
Average Deaths in corresponding week of previous 10 years,	207	211	239	249	228	221	211	216	212	214	218	218	218	219	204	184	185	184	178	170	174	167	162	156	164	150
Ages, Under 5 years,	86	81	85	70	60	60	54	63	74	55	66	56	69	55	50	59	66	51	54	52	47	43	43	54	37	29
5—20 "	13	15	16	15	20	19	14	24	20	22	15	12	17	12	14	26	13	15	17	19	20	26	15	14	27	16
20—40 "	32	49	38	44	38	34	30	48	47	33	42	39	34	45	24	29	30	33	47	27	28	30	22	31	35	19
40—60 "	57	73	84	61	50	46	35	65	80	51	60	44	51	54	42	53	32	48	42	36	31	35	40	38	31	29
60—80 "	74	94	85	83	79	64	53	73	104	59	56	42	52	59	53	47	45	27	35	36	36	35	31	19	30	23
80 years and upwards,	18	25	23	22	12	15	13	11	17	10	8	16	13	19	11	16	18	4	9	9	6	7	6	5	7	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	15	10	18	9	5	4	3	1	5	1	2	4	.	.	3	2	2	.	.	.	2	.	.	.	.	.
" Scarlet Fever,	1	.	1	.	.	1	2	1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	2	1	1	3	3	.	5	5	.	.	.	1	.	.	3	1	2	2	4	1	1	3	.	5	.	1
" Diphtheria,	1	.	2	2	1	3	5	3	.	1	2	.	1	1	.	2	2	.	.	.	1	.	.	2	2	1
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" Enteric Fever,	2	5	5	2	1	2	.	3	1	4	2	.	.	1	.	2	3	5	6	1	2	2	1	2	2	2
" Diarrhœa, Dysentery,	1	2	3	6	.	2	2	2	4	5	3	4	4	.	.	1	.	3	1	3	2	.	1	1	1	.
" Phthisis,	28	40	27	29	36	29	23	32	40	36	37	29	29	30	27	28	27	32	29	32	30	32	13	28	28	22
" Heart Diseases,	21	24	20	16	25	15	11	28	33	24	18	17	20	23	16	17	11	11	17	14	17	11	14	10	11	9
" Diseases of Respiratory System,	98	110	110	92	55	67	65	74	94	55	78	39	72	56	46	53	47	40	29	34	25	30	23	23	34	27
Violent Deaths,	7	4	5	5	2	5	3	8	4	2	2	4	9	6	2	9	3	4	6	4	5	1	6	4	1	1
Mean Temperature of the Air Phœnix Park),	35·9	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8
Average Mean Temperature in corresponding week of previous 10 years,	40·9	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9
Rainfall in inches,	2·055	·715	·535	·560	·530	·920	·690	·680	·520	1·025	·000	·115	·305	·075	·535	·735	·170	·190	·350	·535	·005	1·185	·005	·560	·485	2·005
Mean Humidity of the Air, complete Saturation 1·0,	·89	·87	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·73	·80	·83	·82	·80	·83

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd June, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 23rd June, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	18·2	122	29	16	19	29	23	6	.	.	.	.	1	1	.	2	.	4	22	6	27	1	62
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	13·4	4	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
II.	MIDDLE CLASS,	81,469	13·1	21	2	3	3	5	5	3	.	.	.	.	.	.	.	1	.	1	2	.	6	.	12
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	14·7	28	10	4	4	4	6	.	.	.	.	.	.	1	.	1	.	2	5	2	8	1	10
IV.	GENERAL SERVICE CLASS,	147,978	23·4	47	14	9	8	11	4	1	.	.	.	.	1	.	.	.	.	1	12	4	9	.	21
V.	INMATES OF WORKHOUSES,	5,191		22	3	.	4	7	8	.	.	.	.	.	.	.	.	.	.	.	3	.	4	.	15
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	19·5	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,783	9·1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	14·0	7	2	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	3
	6. Clerks and Commercial Assistants,	25,001	12·5	6	.	2	1	1	2	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	12·7	6	.	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	28·0	4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2
	9. Building and Furnishing Trades,	26,294	9·9	5	1	1	.	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	3	.	1
	10. Clothing Trades,	23,927	10·9	5	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	2
	11. Food Supply Trades,	7,949	6·5	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,937	19·3	10	4	2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	3	.	3	1	3
	13. Petty Shopkeepers,	6,839	22·8	8	1	.	1	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	8·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	15. Domestic Servants,	39,967	6·5	5	.	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	9·6	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	17. Hawkers, Porters, Labourers, &c.,	88,472	24·3	39	13	9	6	8	3	.	.	.	.	.	1	.	.	.	.	1	9	3	8	.	18
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	22	3	.	4	7	8	.	.	.	.	.	.	.	.	.	.	.	3	.	4	.	15

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. (in 1891) 27,147.	May 5,	32·7	1·9	17	.	.	.	.	.	.	.	1	.	1	4	.
		" 12,	23·0	.	13	.	.	.	.	.	.	.	.	.	1	2	.
		" 19,	23·0	1·9	12	.	.	.	.	.	.	.	.	1	3	.	.
		" 26,	19·2	.	10	.	.	.	.	.	.	.	.	.	4	1	1
		June 2,	30·7	.	16	.	.	.	.	.	.	.	.	.	.	2	.
		" 9,	26·9	1·9	14	.	.	.	.	.	1	.	.	.	3	.	1
		" 16,	23·0	.	12	.	.	.	.	.	.	.	.	.	4	3	1
		" 23,	13·4	.	7	.	.	.	.	.	.	.	.	.	1	.	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,836.	May 5,	43·4	1·5	29	.	.	.	.	.	.	.	1	.	4	5	.
		" 12,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	2	4	.
		" 19,	16·5	.	11	.	.	.	.	.	.	.	.	.	1	3	.
		" 26,	40·4	.	27	.	.	.	.	.	.	.	.	.	4	4	.
		June 2,	26·9	.	18	.	.	.	.	.	.	.	.	.	1	2	.
		" 9,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	6	1	.
		" 16,	23·9	1·5	16	.	.	.	.	.	1	.	.	.	5	3	.
		" 23,	15·0	1·5	10	.	.	.	.	.	.	.	1	.	1	1	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	May 5,	25·2	.	14	.	.	.	.	.	.	.	.	.	5	4	.
		" 12,	25·3	1·8	14	.	.	.	.	.	.	.	.	1	2	1	1
		" 19,	23·5	3·6	13	.	.	.	.	.	.	1	1	.	3	1	.
		" 26,	28·9	.	16	.	.	.	.	.	.	.	.	.	4	4	.
		June 2,	14·4	1·8	8	.	.	.	.	.	.	.	.	1	1	.	.
		" 9,	28·9	1·8	16	.	.	.	.	.	.	.	.	1	3	.	1
		" 16,	28·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		" 23,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	North City, No. 3. (Offices, Blackhall-place.) Pop. (in 1891) 26,055	May 5,	38·0	.	19	.	.	.	.	.	.	.	.	.	3	4	2
		" 12,	26·0	.	13	.	.	.	.	.	.	.	.	.	2	2	.
		" 19,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	5	3	.
		" 26,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	.
		June 2,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	2	1	.
		" 9,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		" 16,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	3	.
		" 23,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	.	2	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 38,194.	May 5,	39·3	1·6	25	.	.	.	.	.	.	.	1	.	1	2	1
		" 12,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	5	.
		" 19,	31·4	1·6	20	.	.	.	.	1	.	.	.	.	4	5	.
		" 26,	40·8	.	26	.	.	.	.	.	.	.	.	.	5	11	.
		June 2,	39·3	.	25	.	.	.	.	.	.	.	.	.	8	6	1
		" 9,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	3	.
		" 16	18·9	.	12	.	.	.	.	.	.	.	.	.	2	5	.
		" 23,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	6	3	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	May 5,	30·9	.	11	.	.	.	.	.	.	.	.	.	2	1	.
		" 12,	16·9	.	6	.	.	.	.	.	.	.	.	.	1	1	.
		" 19,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
		" 26,	25·3	2·8	9	.	.	.	.	.	.	.	1	.	2	2	.
		June 2,	22·5	.	8	.	.	.	.	.	.	.	.	.	.	1	1
		" 9,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	1	2	.
		" 16,	39·4	2·8	14	.	.	.	.	.	.	.	1	.	2	3	.
		" 23,	36·5	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	May 5,	36·0	3·9	28	.	.	.	.	2	.	.	.	1	3	5	2
		" 12,	45·0	1·3	35	.	.	.	.	.	.	.	1	.	7	7	1
		" 19,	29·6	1·3	23	.	.	.	.	.	1	.	.	.	2	6	2
		" 26,	21·9	2·6	17	.	.	.	.	1	.	.	1	.	3	.	.
		June 2,	23·1	.	18	.	.	.	.	.	.	.	.	.	.	4	.
		" 9,	27·0	2·6	21	.	.	.	.	1	1	.	.	.	.	3	1
		" 16,	34·7	3·9	27	.	.	1	.	.	1	.	1	.	.	3	.
		" 23,	28·3	.	22	.	.	.	.	.	.	.	.	.	2	5	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	May 5,	29·1	2·9	20	.	.	.	.	1	.	.	1	.	5	3	.
		" 12,	29·1	.	20	.	.	.	.	.	.	.	.	.	7	1	2
		" 19,	16·0	.	11	.	.	.	.	.	.	.	.	.	4	1	1
		" 26,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	4	1	.
		June 2,	21·9	.	15	.	.	.	.	.	.	.	.	.	2	2	2
		" 9,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	3	5	1
		" 16,	20·4	1·5	14	.	.	.	.	.	.	.	.	1	5	3	.
		" 23,	18·9	1·5	13	.	.	.	.	1	.	.	.	.	2	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	May 5,	16·9	1·9	9	.	.	.	.	.	.	.	1	.	3	.	.
	„ 12,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	24·4	3·8	13	.	1	.	.	.	.	.	.	1	1	1	.
	„ 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	June 2,	16·9	1·9	9	.	.	1	.	.	.	.	.	.	.	1	.
	„ 9,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	13·1	.	7	.	.	.	.	.	.	.	.	.	1	3	.
	„ 23,	16·9	.	9	.	.	.	.	.	.	.	.	.	2	.	.
Donnybrook. Pop. (in 1891) 24,629.	May 5,	14·8	2·1	7	.	.	.	.	.	.	.	1	.	.	.	.
	„ 12,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	5	4	.
	„ 19,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	June 2,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	.	.
	„ 9,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	25·4	.	12	.	.	.	.	.	.	.	.	.	2	4	.
	„ 23,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
Kingstown. Pop. (in 1891) 17,886.	May 5,	24·0	3·0	8	.	.	.	.	1	.	.	.	.	2	.	1
	„ 12,	15·0	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	June 2,	30·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1
	„ 9,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	2	.
	„ 16,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	6·0	.	2	.	.	.	.	.	.	.	.	.	1	1	.
Belfast. Pop. in 1900 (Est.) 359,000.	May 5,	24·8	3·1	171	.	.	.	.	8	1	.	8	4	31	33	2
	„ 12,	20·0	1·5	138	.	.	.	.	3	1	.	5	1	31	31	3
	„ 19,	22·2	3·2	153	.	1	.	.	6	1	.	12	2	23	32	4
	„ 26,	20·5	1·3	141	.	1	.	1	1	.	.	5	1	34	31	5
	June 2,	19·5	2·3	134	.	.	.	.	1	1	.	11	3	22	29	2
	„ 9,	17·9	2·3	123	.	3	1	.	.	1	.	10	1	18	28	1
	„ 16,	20·5	2·0	141	.	1	.	.	1	.	.	11	1	32	24	4
	„ 23,	18·9	1·7	130	.	1	.	.	1	.	.	6	4	20	18	7
Cork. Pop. (in 1891) 75,345.	May 5,	22·8	0·7	43	.	.	1	.	.	.	.	.	.	3	4	.
	„ 12,	22·1	.	32	.	.	.	.	.	.	.	.	.	11	3	.
	„ 19,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	9	.
	„ 26,	28·4	0·7	41	.	.	.	.	.	.	.	.	1	5	4	.
	June 2,	20·8	0·7	30	.	.	.	.	1	.	.	.	.	5	4	.
	„ 9,	24·2	.	35	.	.	.	.	.	.	.	.	.	8	4	.
	„ 16,	20·1	0·7	29	.	.	.	.	.	.	.	.	1	6	5	.
	„ 23,	18·7	.	27	.	.	.	.	.	.	.	.	.	4	2	.
Limerick. Pop. (in 1891) 37,155.	May 5,	21·1	.	15	.	.	.	.	.	.	.	.	.	6	3	.
	„ 12,	26·7	1·4	19	.	.	.	.	.	.	.	.	1	6	1	.
	„ 19,	28·1	.	20	.	.	.	.	.	.	.	.	.	2	3	.
	„ 26,	25·3	.	18	.	.	.	.	.	.	.	.	.	3	8	.
	June 2,	18·2	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	„ 9,	16·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	15·4	.	11	.	.	.	.	.	.	.	.	.	4	4	.
	„ 23,	14·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
Londonderry Pop. (in 1891) 33,200.	May 5,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	.	1	.
	„ 12,	25·1	1·6	16	.	.	.	1	.	.	.	.	.	2	2	.
	„ 19,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	5	1
	„ 26,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	2	.
	June 2,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	3	.	1
	„ 16,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	5	.
	„ 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	4	.
Waterford. Pop. (in 1891) 26,200.	May 5,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	.	1
	„ 12,	19·9	2·0	10	.	.	1	.	.	.	.	.	.	3	2	.
	„ 19,	25·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 26,	29·8	4·0	15	.	.	.	.	2	.	.	.	.	1	2	.
	June 2,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	„ 9,	11·9	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	„ 16,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 23,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 23rd June, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	9	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct Districts not being at present practicable, Death-rates are omitted from this Table.		11	1	2	4	4	.	1	.	.	.	.	.	.	.	3	2	.	1	4
" 2 "	37,539	33			24	7	2	8	7	.	.	.	.	.	.	.	1	1	2	6	1	3	2
" 3 "	38,843	27			15	5	.	6	4	.	.	.	.	.	.	.	1	1	.	.	1	2	2
" 4 "	33,391	21			11	1	3	6	1	.	.	.	.	.	.	.	.	1	1	2	.	.	1
" 5 "	21,284	10			7	1	.	2	4	.	.	.	.	.	.	.	.	.	.	3	1	.	2
" 6 "	43,431	22			18	2	3	10	3	.	.	.	.	.	.	.	.	1	4	1	1	1	4
" 7 "	1,112	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	2			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9	12,866	10			6	1	1	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.
" 10 "	12,256	19			6	.	.	6	.	.	.	.	.	.	.	.	2	.	3	.	.	.	4
" 11 "	19,881	22			12	2	2	7	1	.	.	.	.	.	.	.	.	.	3	3	.	.	2
" 12 "	28,282	31			15	5	2	7	1	.	.	.	.	1	.	.	1	.	2	.	2	3	2
" 13 "	6,804	6			3	.	.	3	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.
" 14 "	352	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	213			130	26	15	61	28	.	1	.	.	1	.	.	6	4	20	18	7	11	23
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	6	21·9	.	5	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	5
" 2 "	9,252	7	22·5	.	4	.	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 3 "	9,816	5	26·6	.	5	.	.	3	2	.	.	.	.	.	.	.	.	.	2	.	.	.	3
" 4 "	10,356	9	10·1	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 5 "	8,137	3	12·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	3,823	7	5·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	13	24·5	.	8	3	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Total,	75,345	50	18·7	.	27	4	1	15	7	.	.	.	.	.	.	.	.	.	4	2	.	.	12

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1899–1900—Week ending																									
	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.
No. of week in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered,	175	239	263	199	230	204	240	186	230	216	269	218	236	229	188	197	225	261	213	244	218	218	218	219	241	213
DEATHS registered.	192	198	210	166	170	135	187	226	181	207	195	157	169	176	179	149	124	127	171	188	153	141	134	123	141	130
Annual Death-rate per 1,000 of estimated Population,	28·6	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9
AGES, Under 1 year,	39	34	40	26	32	22	20	41	31	43	42	27	26	37	31	29	21	27	33	26	34	20	25	26	24	26
AGES, 1–5 years,	25	31	23	24	22	17	15	23	16	21	28	26	30	22	21	18	12	13	23	14	27	10	13	13	17	15
AGES, 5–60 years,	75	93	88	71	71	62	99	102	84	92	90	68	77	84	80	79	56	64	86	76	65	87	76	60	72	61
AGES, 60 years and upwards,	53	40	59	45	45	34	43	60	50	51	35	36	36	33	47	23	35	23	29	22	27	24	20	24	28	28
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	4	.	1	1	.	.	.	1	2	1	1	2	1	.	1	.	.	.	1	1	.	3	1	1
" Scarlet Fever,	1	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" Whooping-cough,	6	6	2	9	5	4	3	4	3	4	3	2	4	4	1	1	1	4	8	3	6	1	1	.	1	1
" Diphtheria,	1	2	.	1	.	.	3	2	1	2	1	1	2	2	2	2	1	1	1	1	1	.	1	1	.	.
" Simple continued and Ill-defined Fever,	.	2	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	4	4	4	4	1	1	1	1	2	5	3	4	3	6	1	5	5	3	8	5	12	5	11	10	11	6
" Diarrhœa, Dysentery,	1	3	4	1	2	2	1	3	3	.	1	1	3	3	1	1	2	3	4	1	2	1	3	1	1	4
" Phthisis,	31	27	21	17	21	12	26	27	19	26	28	26	30	39	25	31	14	23	31	31	23	34	22	18	32	20
" Diseases of Respiratory System,	64	74	86	72	66	39	50	73	67	57	75	35	49	43	46	38	26	24	33	31	32	31	29	28	24	18
Violent Deaths,	2	5	2	.	.	3	8	8	5	4	2	6	2	2	5	.	2	2	2	3	4	5	2	1	4	7

TABLE IX.—Showing the NUMBER of CASES of INFECTIVE DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd June, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	1	.	.	.	2
" " 1, West,	.	1	.	.	.	.	.	.	1	.	2	.	2	6
" " 2,	.	.	.	3	.	.	1	.	3	4	3	.	1	15
" " 3,	.	1	.	4	.	.	1	.	1	3	.	.	.	10
South City No. 1,	.	.	.	1	.	.	.	.	.	2	4	.	.	7
" " 2,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 3,	.	1	.	4	.	.	.	.	.	1	1	.	.	7
" " 4,	.	.	.	1	.	.	.	.	1	.	.	.	.	2
Total,	.	4	.	13	.	.	2	.	6	11	11	.	3	50
Total for week ended June 16, 1900,	.	4	.	9	.	.	7	.	7	10	13	.	3	53
Total for week ended June 9, 1900,	.	2	.	10	2	.	1	.	4	11	13	.	10	53
Total for week ended June 2, 1900,	.	4	.	7	.	.	3	.	5	18	15	1	9	62

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd June, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd June.			
	June 2.	June 9.	June 16.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	10	15	14	6	1	.	19
Scarlet Fever,	70	72	65	9	14	.	60*
Typhus ,,	.	2	2	.	.	.	2
Diphtheria,	12	9	10	3	4	.	9
Enteric Fever,	46	45	43	6	8	.	41
Pneumonia,	17	21	31	9	8	1	31

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	June 23,	2,464	1,171	13·3	.	42	9	21	35	4	20
EDINBURGH,	302,262	„ 23,	178	99	17·0	.	2	.	1	1	1	7
GLASGOW,	743,969	„ 23,	510	269	18·8	1	11	2	3	16	1	5
CALCUTTA,	466,460	April 21,	.	659	73·7	25	2	.	.	1	85‡	119*
BOMBAY,	821,764	May 29,	240	1,285	81·3	14	11	?	?	?	129§	223*
MADRAS,	452,518	April 27,	414	288	33·0	2	3	?	?	?	63	45
PARIS,	2,511,629	June 16,	1,168	942	19·4	.	18	1	5†	6	14	58
BRUSSELS (with 8 Faubourgs).	561,130	„ 9,	260	144	13·3	.	.	.	1†	.	.	19
AMSTERDAM,	526,072	„ 2,	298	144	14·3	.	.	.	.	2	2	.
ROTTERDAM,	323,487	„ 2,	235	100	16·1	.	3	.	3	1	.	.
THE HAGUE,	205,328	„ 2,	112	73	18·5	.	.	.	1	.	.	.
COPENHAGEN,	349,000	„ 9,	207	102	15·2	.	1	.	.	1	2	3
CHRISTIANIA,	221,255	„ 16,	130	88	20·7	.	3	.	.	2	.	2
ST. PETERSBURG,	1,132,677	„ 9,	667	516	23·7	4	16	8	23	4	28	51
BERLIN,	1,854,964	„ 2,	858	617	17·3	.	5	20	6	15	.	60
HAMBURG,	691,349	„ 9,	401	255	17·7	.	7	1	3†	.	.	9
DRESDEN,	400,400	May 5,	264	137	17·6	.	.	.	.	.	1	8
BRESLAU,	406,012	June 16,	.	189	24·2	.	.	.	.	2	1	33
MUNICH,	463,000	Mar. 31,	.	240	27·0	.	28	.	1†	.	.	21
VIENNA (with suburbs).	1,656,662	May 26,	1,017	718	22·5	.	18	4	6†	7	2	50
BUDA-PESTH,	685,340	June 9,	481	276	20·9		10	4	1	.	1	10
PRAGUE and Faubourgs.	391,693	„ 9,	234	199	26·4	.	2	.	.	.	4	5
ROME,	514,306	May 26,	187	162	16·4	.	.	.	3	.	3	10
TURIN	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	172,924	May 26,	85	71	21·4	.	4	.	2†	.	.	6
NEW YORK,	3,654,594	„ 19,	1,320	1,469	21·0	1	23	16	45	14	4	19
PHILADELPHIA,	1,266,832	„ 26,	.	424	17·4	.	14	2	17	5	6	3

* Including 74 deaths from cholera in Calcutta and 67 in Bombay. † Including deaths from croup.
‡ Exclusive of 297 deaths from bubonic fever. § Exclusive of 177 deaths from bubonic fever.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 23rd June, 1900 :—

"In Ireland the weather was of the most unsettled character throughout this week, and rain fell in large quantities, for the most part in the form of drenching showers often accompanied by thunder and lightning. In England several warm and sunny days were enjoyed, particularly over the south-eastern counties and in the London district. During the greater part of the week somewhat irregular and complex depressions of no great depth were found off the W. and N.W. coasts of Ireland, so that southwesterly winds prevailed. Along the east coast these were often interrupted by easterly sea-breezes in the daytime. On Tuesday a severe storm of thunder and lightning passed over the counties Kildare and Meath as well as the western portion of the Co. Dublin. On Friday large hail fell at Greenore, Co. Louth, accompanied by thunder and lightning. The earlier part of Saturday was very fine, but heavy showers again fell late in the afternoon, and at night a fresh fall of the barometer ushered in another downpour of rain and squalls from E. to S.E. In Dublin the mean height of the barometer was 29·843 inches, pressure ranging between 30·099 inches at 9 a.m. of Monday (wind, E.) and 29·675 inches at 9 a.m. of Wednesday (wind, W.S.W.). The corrected mean temperature was 57·9°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 56·6°. The screened thermometers rose to 68·7° on Tuesday and fell to 47·2° on Saturday. Westerly winds predominated. Rain fell daily to the large amount of 1·716 inches, ·521 inch being measured on Wednesday, ·400 inch on Thursday, and ·365 inch on Monday. Bright sunshine was estimated at 33½ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·852 inches. The highest reading (30·094) was registered on Monday at 9 A.M., wind S.W., and the lowest (29·671) on Wednesday, at 9 A.M., wind S.W.

The mean temperature for the week was 55·8°, being 1·1° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Tuesday, when the thermometer registered 68·3°, and was lowest on Saturday, the mercury having fallen to 44·7°. The mean of the Dry Bulb for the week was 55·4°, and of the Wet Bulb 52·6°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 42·5 hours. The rainfall measured 2·005 ins.

At Greenwich the mean temperature for the week was 59·7°, the maximum 74·1°, and the minimum 47·4° ; at Glasgow the maximum was 72·0°, the minimum 44·0°, and the mean 58·6°, and at Edinburgh the maximum was 70·3° ; the minimum 48·1°, and the mean 59·1°. The rainfall at Greenwich measured 0·77 in. ; at Glasgow 1·02 ins. ; and at Edinburgh 0·36 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 17,	30·062	66·5	51·5	59·0	56·9	54·2	·84	·1	9·1	·135	W.	Calm.
Monday, „ 18,	30·050	64·1	45·3	54·7	59·2	53·8	·69	·3	4·7	·230	S.W.	S.W.
Tuesday, „ 19,	29·746	68·3	52·1	60·2	56·5	53·7	·82	·2	8·6	·035	S.E.	S.W.
Wednesday, „ 20,	29·695	61·4	49·1	55·3	53·7	51·5	·86	·7	8·1	·915	S.W.	Calm.
Thursday, „ 21,	29·727	54·8	45·4	50·1	52·1	51·7	·98	·6	0·0	·335	Calm.	Calm.
Friday, „ 22,	29·765	63·8	46·9	55·4	53·1	50·1	·81	·4	7·5	·120	W.	W.
Saturday, „ 23,	29·918	66·8	44·7	55·8	56·4	52·9	·78	·6	9·5	·235	W.S.W.	Calm.
Mean, . .	29·852	63·7	47·9	55·8	55·4	52·6	·83	·4	Total 42·5	Total 2·005	—	

Sunday—A cloudy day ; rain heavy 2 to 2.45 p.m. ; night cloudy. *Monday*—A cloudy day ; rain 11.45 a.m. to 12.15 p.m. ; night cloudy ; rain 11.45 to 3 a.m., and 8 to 9. *Tuesday*—A cloudy day ; showers to 3.15 p.m. ; thunder 3 to 5 p.m. ; night cloudy. *Wednesday*—A cloudy and showery day ; heavy rain 6.15 to 8.45 p.m. and 4 to 9 a.m. ; night cloudy. *Thursday*—A dull day ; rain 9 to 12 and 6 to — ; night cloudy. *Friday*—A cloudy and showery day ; thunder p.m. ; night cloudy. *Saturday*—A cloudy day ; rain 3 to 3.45 p.m. ; night cloudy ; rain 4.45 to 7.15 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

4. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 30TH JUNE, 1900. [No. 26.

General Register Office, Charlemont House, Dublin, 2nd July, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending June 9.	Week ending June 16.	Week ending June 23.	Week ending June 30.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 9.	Week ending June 16.	Week ending June 23.	Week ending June 30.	Average Rate for 4 weeks.
23 Town Dists.	19·4	21·0	17·8	20·4	19·7	Limerick, . . .	16·8	15·4	14·0	30·9	19·3
Armagh, . .	14·3	14·3	0·0	7·1	8·9	Lisburn, . .	12·8	38·3	4·3	8·5	16·0
Ballymena, .	11·3	11·3	16·9	33·8	18·3	Londonderry, .	11·0	20·4	23·6	11·0	16·5
Belfast, . .	17·9	20·5	18·9	19·8	19·3	Lurgan, . .	18·2	13·7	31·9	13·7	19·4
Carrickfergus, .	23·4	5·8	5·8	11·7	11·7	Newry, . .	8·1	16·1	8·1	8·1	10·1
Clonmel, . .	19·5	9·7	9·7	14·6	13·4	Newtownards, .	51·0	11·3	0·0	28·3	22·6
Cork, . . .	24·2	20·1	18·7	21·5	21·1	Portadown, .	12·4	18·6	24·7	0·0	13·9
Drogheda, . .	22·8	11·4	7·6	7·6	12·4	Queenstown, .	5·7	11·5	17·2	23·0	14·4
Dublin, Reg. Area,	23·1	23·9	17·9	20·0	21·2	Sligo, . . .	5·1	15·2	0·0	15·2	8·9
Dundalk, . .	25·1	16·8	0·0	41·9	20·9	Tralee, . .	11·2	16·8	78·3	39·2	36·4
Galway, . .	3·8	56·7	18·9	49·1	32·1	Waterford, .	11·9	13·9	17·9	13·9	14·4
Kilkenny, . .	18·9	23·6	14·2	37·8	23·6	Wexford, . .	22·6	13·5	18·1	36·1	22·6

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in eleven of the districts to 9·4 in Kilkenny; the 10 deaths from all causes registered in that district comprising 2 from diphtheria. Among the 136 deaths from all causes registered in Belfast are 2 from measles, 2 from whooping-cough, one from diphtheria, 2 from enteric fever, and 4 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 228—112 boys and 116 girls; and the deaths to 144—74 males and 70 females.

DEATHS

The deaths, which are 16 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 21·5 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 20·0 per 1,000. During the twenty-six weeks ending with Saturday last the death-rate averaged 32·9, and was 3·7 over the mean rate for the corresponding portions of the ten years 1890–99.

Seven deaths from zymotic diseases occurred, being 3 less than the number recorded in the preceding week, and 13 below the average for the 26th week of the last 10 years.

There were 2 deaths each from influenza and whooping-cough, and one each from cerebro-spinal meningitis, diarrhœa, and septicæmia.

Tuberculosis caused 33 deaths, being 3 in excess of preceding week, namely, 21 from pulmonary phthisis, 7 from tubercular meningitis, 4 from scrofula, and one from tabes mesenterica.

Diseases of the respiratory system caused 29 deaths, including 13 from bronchitis, 13 from pneumonia, and one from pleurisy; this number is 7 over the average for the 26th week of the past ten years.

Five deaths were due to convulsions, 6 to apoplexy, 2 to epilepsy, and 12 to other diseases of the brain and nervous system.

Five accidental deaths were registered.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 infants under one year old.

Thirty-three of the persons whose deaths were registered during the week were under 5 years of age (19 being infants under one year, of whom 8 were under one month old) and 33 were aged 60 years and upwards, including 12 persons aged 70 and upwards, of whom 6 were octogenarians.

Forty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, 8 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·0 per 1,000; the rate in the city was 19·6 (15·6 on the North side, and 23·2 on the South), and in the Suburbs 20·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·4 per 1,000 inhabitants, the rate for the city being 0·6 (0·0 in the North City Districts, and 1·2 in the South), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 19·2 per 1,000. Pulmonary consumption caused 1 death, and diseases of the respiratory system 4 deaths.

No. 1 North City District, West (Summer-hill).—The deaths (9) are equal to an annual rate of 13·5 per 1,000. One death from influenza and four deaths from diseases of the brain and nervous system occurred, also one death from disease of respiratory system. Two deaths from meningitis and one from tubercular meningitis occurred.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·9 per 1,000. One death from cerebro-spinal meningitis occurred. One from tubercular meningitis, three deaths from diseases of the brain and nervous system, and 2 deaths from diseases of the respiratory system also occurred.

* See Table VI.

No. 3 North City District (Blackhall-place).—The deaths (5) represent an annual rate of 10·0 per 1,000. One death from pulmonary tuberculosis and one death from tubercular meningitis occurred.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 28·3 per 1,000. One death from diarrhœa occurred, and three deaths from pulmonary consumption; diseases of the organs of respiration caused 6 deaths.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·1 per 1,000. Pulmonary tuberculosis caused one death, and diseases of the brain and nervous system caused three deaths, including one from cerebritis.

No. 3 South City District (Peter-street).—The deaths (21) are equal to an annual rate of 27·0 per 1,000. Two deaths were caused by whooping-cough, three were caused by pulmonary tuberculosis, and 6 by diseases of the respiratory system. Two deaths from tubercular meningitis also occurred.

No. 4 South City District (Grand Canal-street).—The deaths (8) are equivalent to an annual rate of 11·7 per 1,000. Pulmonary tuberculosis caused 1 death.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 37·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 19·4; Finglas and Glasnevin, part of, 24·6; Palmerston, part of, and Crumlin, part of, 57·4; Rathmines, 15·0; Donnybrook, 16·9; Blackrock, 6·2; and Kingstown, 24·0. Of the 3 deaths tabulated for Clontarf and Howth, No. 1, 2 were from diseases of the respiratory system; 3 of the 8 deaths for Palmerston, part of, were caused by diseases of the respiratory organs; of the 8 deaths for Rathmines, 3 were caused by phthisis, and 2 by diseases of the circulatory system; and the 8 deaths for Donnybrook comprise 2 from phthisis and 2 from diseases of the brain and nervous system.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	9th June,	53 cases.
,, ,,	16th June,	53 cases.
,, ,,	23rd June,	50 cases.
,, ,,	30th June,	38 cases.

Of the 38 cases notified, 9 were erysipelas, 11 enteric fever, 8 scarlatina, 2 measles, 2 diphtheria, 1 meningitis,† and 5 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th June, 1900.

From this it appears that:—

Fourteen cases of scarlatina were admitted to hospital, 16 were discharged, no death occurred, and 58* cases remained under treatment at the close of the week.

Nine cases of enteric fever were admitted to hospital, 9 were discharged during the week, no death occurred, and 41 remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 4 were discharged, and 8 remained under treatment at the close of the week.

No death from any of the principal zymotic diseases or from pneumonia occurred in hospital during the week ending the 30th June, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 14·5), was equal to an average annual death-rate of 15·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·9 per 1,000, the rate for Glasgow being 18·9, and for Edinburgh 17·4.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 30th June, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Registration—Week ending Saturday, 30th June, 1900. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 30th June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	33·2	20·4	1·2	677	416	73	86	.	3	1	.	6	5	.	2	8	76	66	11	22	100	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,†	849,594	14·2	34·0	20·0	0·4	228	134	19	33	.	.	.	.	2	.	.	.	1	18	29	4	7	38	65·7	41·9	55·7	0·65	68·3	44·7	55·8	2·01	70·1	45·9	57·8	0·49
Registrars' Districts. City	245,001	65·6	38·5	19·6	0·6	181	92	17	22	.	.	.	.	2	.	.	.	1	11	20	2	4	28	67·0	48·7	58·0	0·48	68·7	47·2	57·9	1·72	71·6	52·2	61·1	0·55
Clontarf &c. No. 1,	4,188	1·5	37·8	37·8	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,730	1·8	19·4	19·4	.	4	4	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	61·5	24·6	.	5	2	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	67·5	43·2	56·9	0·60	69·9	46·0	56·9	2·57	72·5	46·6	58·5	0·42
Palmerston, part of and Crumlin part of (b),	7,278	8·0	28·7	57·4	.	4	8	.	.	.	.	.	.	.	.	.	.	.	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	18·8	15·0	.	10	8	1	1	.	.	.	.	.	.	.	.	.	3	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	23·3	16·9	.	11	8	.	4	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	18·6	6·2	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	21·0	24·0	.	7	8	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	67	47	58·5	.	71	47	58·3	1·11	72	51	59·3	0·32
Urban Districts																																			
Belfast,	359,000	21·8	29·6	19·8	1·6	204	136	28	17	.	2	.	.	2	1	.	2	4	32	17	3	9	20	65·1	44·1	55·9	1·18	68·1	47·6	58·3	1·21	69·1	48·1	58·9	0·38
Cork,	75,845	33·3	33·9	21·5	0·7	49	31	6	4	.	.	.	.	.	.	.	.	1	6	2	.	2	10	62	48	56·2	0·43	64	49	56·0	1·70	63	52	56·5	1·22
Limerick,	37,155	17·9	71·6	30·9	.	51	22	3	5	.	.	.	.	.	.	.	.	.	4	4	.	.	14	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	28·3	11·0	1·6	18	7	3	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	67·1	46·0	56·8	0·91	69·0	46·6	57·9	3·42	73·8	48·0	61·4	0·56
Waterford,	26,208	18·3	27·9	13·9	2·0	14	7	2	2	.	.	.	.	.	.	.	.	1	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	60·5	49·1	3·3	16	13	5	1	.	1	.	.	.	.	.	.	.	2	2	1	1	.	64	51	57	1·22	68	45	60	1·40	70	50	59	0·96
Drogheda	13,708	8·7	11·4	7·6	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	12·1	8·1	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	65·2	45·2	55·8	0·66	67·1	45·8	56·4	1·08	70·9	46·8	58·3	1·03
Dundalk,	12,449	9·0	16·8	41·9	4·2	4	10	.	5	.	.	.	.	.	1	.	.	.	2	.	2	2	5	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	17·0	8·5	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	65·2	45·2	55·8	0·66	67·1	45·8	56·4	1·08	70·9	46·8	58·3	1·03
Wexford,	11,545	24·0	27·1	36·1	.	6	8	.	4	.	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	45·6	13·7	.	10	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65·2	45·2	55·8	0·66	67·1	45·8	56·4	1·08	70·9	46·8	58·3	1·03
Kilkenny,	11,048	12·0	47·2	37·8	9·4	10	8	1	3	.	.	.	.	.	2	.	.	.	.	2	.	.	5	66	47	56·1	0·36	65	45	55·0	2·46	68	48	57·0	1·03
Clonmel,	10,708	8·2	14·6	14·6	.	3	3	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	35·5	15·2	5·1	7	3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	66·7	43·5	54·9	3·05	67·7	46·3	58·1	0·92
Tralee,	9,318	15·9	128·7	39·2	5·6	23	7	2	2	.	.	.	.	.	1	.	.	.	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	11·3	33·8	5·6	2	6	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	45·4	28·3	.	8	5	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	60	45	52·8	0·99	65	48	54·8	0·97	68	48	55·7	0·56
Queenstown,	9,082	17·0	11·5	23·0	5·7	2	4	.	.	.	.	.	1	.	.	.	.	.	2	1	.	.	3	62	48	56·2	0·43	64	49	56·0	1·70	63	52	56·5	1·22
Carrickfergus	8,923	0·5	11·7	11·7	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	43·3	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65·2	45·2	55·8	0·66	67·1	45·8	56·4	1·08	70·9	46·8	58·3	1·03
Armagh,	7,137	21·4	21·4	7·1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65·2	45·2	55·8	0·66	67·1	45·8	56·4	1·08	70·9	46·8	58·3	1·03

(*a*) That portion of the District situated in Glasnevin District Electoral Division. (*b*) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted, in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Blarkree for Sligo, and those at Roche's

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 30th June, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Zymotic Diseases	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	4	.
Total,	.	1	1	.	1	.	2	.	.	.	.	.	.	1	.	1	7	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	1	.	1	1	3	1	3	1	.	.	1	.	3	2	1	.	18	3
Other Constitutional Diseases	.	2	1	3	.	3	4	2	.	.	.	2	1	.	.	1	19	3
Total,	1	2	2	4	3	4	7	3	.	.	1	2	4	2	1	1	37	6
V. DEVELOPMENTAL DISEASES,	2	.	.	.	.	.	2	1	1	.	.	.	.	.	.	1	7	.
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	1	4	3	.	2	3	2	1	.	2	.	.	1	2	.	1	22	3
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	1	.	.	1	.	1	2	.	.	.	1	2	.	.	1	9	.
Respiratory System,	4	1	2	.	6	1	6	.	2	2	.	3	1	1	.	.	29	.
Digestive System,	1	.	.	1	2	.	.	.	.	.	.	1	.	2	.	2	9	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	.	1	.	.	1	.	1	.	.	1	.	.	.	.	.	5	.
Generative System,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	7	6	6	1	12	6	9	4	2	4	1	5	4	5	.	4	76	3
VII. VIOLENT DEATHS,	.	.	1	.	1	.	.	.	.	.	.	1	.	.	.	1	4	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	3	.
Deaths from all Causes,	10	9	11	5	18	10	21	8	3	4	2	8	8	8	1	8	134	10
Annual Rate of Mortality in every 1,000 of the population.	19·2	13·5	19·9	10·0	28·3	28·1	27·0	11·7	37·8	19·4	24·6	57·4	15·0	16·9	6·2	24·0	20·0	
	15·6				23·2				20·9									
	19·6																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	.	2	.	.	1	6	2	1	.	.	1	4	2	.	.	20	10
Workhouse Hospitals,	4	1	2	1	3	4	1	.	1	.	.	.	.	.	1	.	18	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary.—Office; Dispensary, Blacknall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office. 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensa Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average of 26th Week of the 10 years 1890–99.	In the week ending Saturday, 30th June, 1900. Deaths of persons of the Ages of								
	June 28, 1890	July 4, 1891	July 2, 1892	July 1, 1893	June 30, 1894	June 29, 1895	June 27, 1896	July 3, 1897	July 2, 1898	July 1, 1899		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 56·5	° 58·4	° 58·3	° 58·4	° 58·6	° 62·8	° 61·2	° 60·6	° 56·5	° 59·2	° 59·0	Mean Temp. ° 55·7								
ALL CAUSES,	152	143	165	206	186	150	171	136	146	154	155·9	141	8	11	14	13	32	33	27	6
I. FEBRILE OR ZYMOTIC DISEASES,	28	11	29	45	15	10	20	15	17	17	20·2	7	.	1	2	2	.	.	2	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	1	1	.	1	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	.	1	1	2	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	33	46	45	44	38	42	45	34	60	36	42·3	43	.	2	5	9	13	10	4	.
V. DEVELOPMENTAL "	16	20	13	21	13	12	16	8	14	12	14·5	7	4	.	.	.	.	.	2	1
VI. LOCAL "	63	56	65	85	58	76	76	64	45	77	66·5	79	2	7	6	2	17	21	19	5
VII. VIOLENT DEATHS,	5	5	4	2	3	.	6	5	3	3	3·6	5	.	.	1	.	2	2	.	.
VIII. ILL-DEFINED CAUSES,	12	4	9	8	8	8	7	9	6	8	7·9	3	2	1	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	4	.	20	.	1	.	.	2	.	.	2·7	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	2	.	1	2	2	1	·8	.	.	.	.	.	.	.	.	.
Typhus,	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	2	2	3	1	2	1	2	3	1·6	2	.	.	.	.	.	2	.	.
Whooping Cough,	4	6	1	7	2	3	2	1	1	5	3·2	2	.	.	2	.	.	.	.	.
Diphtheria,	.	.	.	1	.	.	.	4	1	1	·7	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	2	1	4	4	1	.	.	4	1	2·1	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	1	.	.	1	1	.	.	·8	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	.	1	22	1	5	10	2	3	3	4·9	1	.	1	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Venereal Affections	1	.	.	.	.	.	2	.	.	1	·4	.	.	.	.	.	.	.	.	.
Erysipelas,	1	.	.	1	.	.	.	1	.	2	5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	1	2	1	.	.	.	.	.	·4	1	.	.	.	1	.	.	.	.
Puerperal Fever,	1	.	.	1	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	5	2	2	3	1	.	.	1	4	.	1·8	1	.	.	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	1	1	2	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	5	10	4	7	7	6	4	5	7	5	6·0	8	.	.	.	.	1	3	4	.
Tabes Mesenterica,	3	4	8	3	1	6	6	4	4	4	4·3	1	.	1	.	.	.	.	.	.
Tubercular Meningitis,	.	1	3	5	2	6	1	6	7	4	3·5	7	.	1	2	3	1	.	.	.
Phthisis,	23	22	25	21	21	21	26	15	14	23	23·1	21	.	.	1	3	11	6	.	.
Scrofula, Tuberculosis,	1	9	4	6	6	2	7	1	7	.	4·3	4	.	.	2	2	.	.	.	.
Other Constitutional Diseases,	1	.	1	.	1	1	.	3	.	.	·7	2	.	.	.	1	.	1	.	.
V. Developmental Diseases—																				
Premature Birth,	6	12	2	.	3	.	5	4	6	.	3·8	2	2	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	.	.	1	.	2	.	2	1	·7	2	2	.	.	.	.	.	.	.
Old Age,	10	7	11	21	9	12	9	4	6	11	10·0	3	.	.	.	.	.	2	1	.

each Disease registered in the TWENTY-SIXTH WEEK ending Saturday, 30th June, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 26th Week of the 10 years 1890-99.	In the Week ending Saturday, 30th June, 1900. Deaths of Persons of the Ages of							
	June 28, 1890	July 4, 1891	July 2, 1892	July 1, 1893	June 30, 1894	June 29, 1895	June 27, 1896	July 3, 1897	July 2, 1898	July 1, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp. ° 55·7	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 56·5	° 58·4	° 58·3	° 58·4	° 58·6	° 62·8	° 61·9	° 60·6	° 56·5	° 59·2	° 59·0									
VI. Local Diseases.																				
Apoplexy,	5	4	3	3	1	5	3	4	3	5	3·6	6	.	.	.	.	.	5	.	1
Epilepsy,	1	.	.	1	.	2	1	3	.	2	1·0	2	.	.	.	.	1	.	1	.
Convulsions,	8	11	13	12	8	9	8	6	5	3	8·3	5	2	1	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	8	6	2	7	5	8	9	8	4	11	6·8	12	.	.	.	1	2	5	4	.
Diseases of Organs of Special Sense,	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	13	10	14	10	10	19	16	8	7	16	12·3	9	.	.	.	1	1	1	4	2
Croup,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Bronchitis,	8	8	14	12	13	9	13	12	10	10	10·9	13	.	2	2	.	1	4	3	1
Pneumonia	6	4	3	9	10	6	12	6	11	13	8·0	13	.	2	2	.	6	2	1	.
Pleurisy,	.	1	.	.	.	.	.	1	.	.	·2	1	.	.	.	.	1	.	.	.
Other Diseases of Respiratory System,	3	2	2	10	.	1	1	4	.	2	2·5	2	.	.	.	.	2	.	.	.
Teething,	.	.	.	1	2	.	1	.	.	1	·5	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	1	.	.	1	1	.	1	.	·4	2	.	.	.	.	.	.	2	.
Peritonitis	1	3	2	1	1	.	2	2	.	1	1·3	.	.	.	.	.	.	.	.	.
Disease of Liver,	2	3	1	6	.	5	2	3	.	4	2·6	2	.	.	.	.	.	1	1	.
Other Diseases of Digestive System,	3	1	5	8	4	4	4	5	1	2	3·7	4	.	.	.	.	1	2	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	2	2	4	2	3	3	2	2	5	2·8	5	.	.	.	.	1	1	2	1
Diseases of Generative System,	.	.	.	1	.	1	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
Accidents of Childbirth,	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	1	.	1	2	.	.	.	2	·6	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	1	.	.	.	1	.	·2	1	.	1	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		1	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		1	.	.	.	.	1	.	.	.		1	.	.	.	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	4	1	1	1	.	.	.	.	.	.	3·3	1	.	.	1	.	.	.	.	.
By Drowning,		1	1	.	.	.	.	.	.	.		2	.	.	.	.	.	2	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		.	2	1	3	.	4	4	2	2		1	.	.	.	.	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	12	4	9	8	8	8	7	9	6	8	7·9	3	2	1	.	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900—Week ending																									
	Jan. 6.	Jan. 13.	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.
No. of weeks in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered,	187	209	168	191	184	174	175	257	179	215	217	226	234	128	184	225	202	246	222	198	214	199	222	194	198	228
Average Births in corresponding week of previous 10 years,	188	199	195	202	206	200	196	208	225	195	192	195	217	199	194	192	213	214	212	192	201	209	199	208	202	219
DEATHS registered,	337	331	295	259	238	199	284	342	230	247	299	236	244	194	230	204	178	204	179	168	176	157	161	167	122	144
Annual Death-rate per 1,000,	50·3	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5
Average Deaths in corresponding week of previous 10 years,	211	239	249	228	221	211	216	212	214	218	218	218	219	204	184	185	184	178	170	174	167	162	156	164	150	156
AGES, Under 5 years,	81	85	70	60	60	54	68	74	55	66	56	69	55	50	59	60	51	54	52	47	43	43	54	37	29	33
5—20 „	15	16	15	20	19	14	24	20	22	15	12	17	12	14	26	13	15	17	19	20	26	15	14	27	16	13
20—40 „	49	38	44	38	34	30	48	47	33	42	32	34	45	24	29	30	33	47	27	28	30	22	31	35	19	32
40—60 „	73	84	61	50	46	35	65	80	51	60	44	51	54	42	53	32	48	42	36	31	35	40	38	31	29	33
60—80 „	94	85	83	79	61	53	78	104	59	56	42	52	59	53	47	45	27	35	36	36	35	31	19	30	23	27
80 years and upwards,	25	23	22	12	15	13	11	17	10	8	16	13	19	11	16	18	4	9	9	6	7	6	5	7	6	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	10	18	9	5	4	3	1	5	1	2	4	.	.	3	2	2	.	.	.	2	.	.	.	.	.	.
„ Scarlet Fever,	.	1	.	.	1	2	1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	1	1	3	3	.	5	5	.	.	.	1	.	.	3	1	2	2	4	1	1	3	.	5	.	1	2
„ Diphtheria,	.	2	2	1	3	5	3	.	1	2	.	1	1	.	2	2	.	.	.		.	.	2	2	1	.
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
„ Enteric Fever,	5	5	2	1	2	.	3	1	4	2	.	.	1		2	3	5	6	1	2	2	1	2	2	2	.
„ Diarrhœa, Dysentery,	2	3	6	.	2	2	2	4	5	3	4	4	.	.	1	.	3	1	3	2	.	1	1	1	.	1
„ Phthisis,	40	27	29	36	29	23	32	40	30	37	29	29	30	27	28	27	32	29	32	30	32	13	28	28	23	21
„ Heart Diseases,	24	20	16	25	15	11	28	33	24	18	17	20	28	16	17	11	11	17	14	17	11	14	0	11	9	9
„ Diseases of Respiratory System,	110	110	92	55	67	65	74	94	55	78	39	72	56	46	53	47	40	29	34	25	30	23	23	34	27	29
Violent Deaths,	4	5	5	2	5	3	8	4	2	2	4	9	6	2	9	3	4	6	4	5	1	6	4	1	1	5
Mean Temperature of the Air (Phœnix Park),	38·8	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2	2·3	56·6	57·8	55·8	55·7
Average Mean Temperature in corresponding week of previous 10 years,	37·6	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	2·8	5·8	55·8	56·9	59·0
Rainfall in inches,	·715	·535	·560	·530	·920	·690	·680	·520	1·025	·000	·115	·305	·075	·535	·785	·170	·190	·350	·535	·005	1·185	·005	·560	85	2·005	·650
Mean Humidity of the Air, complete Saturation 1·0,	·87	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·73	·80	·83	·32	·80	·83	·84

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th June, 1900: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 30th June, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	21·5	144	33	18	32	33	27	6	.	.	.	.	2	.	.	.	1	3	21	5	29	5	81
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	30·0	9	.	1	3	.	1	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	7
II.	MIDDLE CLASS,	81,469	14·7	23	3	1	8	8	3	.	.	.	.	.	1	.	.	.	.	1	3	.	6	1	12
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	20·4	39	11	6	6	7	8	1	.	.	.	.	1	.	.	.	.	1	6	2	8	.	22
IV.	GENERAL SERVICE CLASS,	147,978	24·8	55	16	4	10	15	9	1	.	.	.	.	.	.	.	.	1	1	9	3	12	4	26
V.	INMATES OF WORKHOUSES,	5,191		18	3	1	5	3	6	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	14
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	26·0	4	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	45·4	5	.	.	2	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	26·5	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	10·0	5	2	.	2	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.	3	.	.
	6. Clerks and Commercial Assistants,	25,091	12·5	6	1	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	19·1	9	.	.	3	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	7·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	9. Building and Furnishing Trades,	26,294	23·7	12	4	2	1	2	3	.	.	.	.	.	1	.	.	.	.	1	2	1	1	.	7
	10. Clothing Trades,	23,927	17·4	8	2	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	5
	11. Food Supply Trades,	7,949	26·2	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	12. Other Trades and Callings ranking with Trades,	26,987	23·2	12	2	1	4	3	2	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.	7
	13. Petty Shopkeepers,	6,839	15·2	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	15·2	4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	15. Domestic Servants,	39,967	7·8	6	.	1	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	33·7	7	.	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.
	17. Hawkers, Porters, Labourers, &c.,	33,472	23·7	38	14	3	6	9	6	.	.	.	.	.	.	.	.	.	1	1	6	3	10	3	.
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	18	3	1	5	3	6	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	1

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN: the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin.	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891 27,147.	May 12,	25·0	.	13	.	.	.	.	.	.	.	.	.	1	2	.
		„ 19,	23·0	1·9	12	.	.	.	.	.	.	.	.	1	3	.	.
		„ 26,	19·2	.	10	.	.	.	.	.	.	.	.	.	4	1	1
		June 2,	30·7	.	16	.	.	.	.	.	.	.	.	.	.	2	.
		„ 9,	26·9	1·9	14	.	.	.	.	.	1	.	.	.	3	.	1
		„ 16,	28·0	.	12	.	.	.	.	.	.	.	.	.	4	3	1
		„ 23,	13·4	.	7	.	.	.	.	.	.	.	.	.	1	.	1
		„ 30,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	4	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,836.	May 12,	25·4	1·5	17	.	.	.	.	.	.	.	.	1	2	4	.
		„ 19,	16·5	.	11	.	.	.	.	.	.	.	.	.	1	3	.
		„ 26,	40·4	.	27	.	.	.	.	.	.	.	.	.	4	4	.
		June 2,	26·9	.	18	.	.	.	.	.	.	.	.	.	1	2	.
		„ 9,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	6	1	.
		„ 16,	23·9	1·5	16	.	.	.	.	.	1	.	.	.	5	3	.
		„ 23,	15·0	1·5	10	.	.	.	.	.	.	.	1	.	1	1	.
		„ 30,	13·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	May 12,	25·3	1·8	14	.	.	.	.	.	.	.	.	1	2	1	1
		„ 19,	23·5	3·6	13	.	.	.	.	.	.	1	1	.	3	1	.
		„ 26,	28·9	.	16	.	.	.	.	.	.	.	.	.	4	4	.
		June 2,	14·4	1·8	8	.	.	.	.	.	.	.	.	1	1	.	.
		„ 9,	28·9	1·8	16	.	.	.	.	.	.	.	.	1	3	.	1
		„ 16,	28·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		„ 23,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
		„ 30,	19·9	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055	May 12,	26·0	.	13	.	.	.	.	.	.	.	.	.	2	2	.
		„ 19,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	5	3	.
		„ 26,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	.
		June 2,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	2	1	.
		„ 9,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 16,	24·0	.	14	.	.	.	.	.	.	.	.	.	1	3	.
		„ 23,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	.	2	.
		„ 30,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 33,194.	May 12,	33·0	1·6	21	.	.	.	.	1	.	.	.	.	3	5	.
		„ 19,	31·4	1·6	20	.	.	.	.	1	.	.	.	.	4	3	.
		„ 26,	40·8	.	26	.	.	.	.	.	.	.	.	.	5	11	.
		June 2,	39·3	.	25	.	.	.	.	.	.	.	.	.	3	6	1
		„ 9,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	3	.
		„ 16	18·9	.	12	.	.	.	.	.	.	.	.	.	2	3	.
		„ 23,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	6	3	.
		„ 30,	28·3	1.6	18	.	.	.	.	.	.	.	.	1	3	6	1
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	May 12,	16·9	.	6	.	.	.	.	.	.	.	.	.	1	1	.
		„ 19,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
		„ 26,	25·3	2·8	9	.	.	.	.	.	.	.	1	.	2	2	.
		June 2,	22·5	.	8	.	.	.	.	.	.	.	.	.	.	1	1
		„ 9,	28·1	5·6	10	.	.	.	.	.	.	.	1	.	1	2	.
		„ 16,	39·4	2·8	14	.	.	.	.	1	.	.	1	.	2	3	.
		„ 23,	36·5	.	13	.	.	.	.	.	.	.	.	.	.	6	.
		„ 30,	28·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	May 12,	45·0	1·3	35	.	.	.	.	.	.	.	1	.	7	7	1
		„ 19,	29·6	1·3	23	.	.	.	.	.	1	.	.	.	2	6	2
		„ 26,	21·9	2·6	17	.	.	.	.	1	.	.	1	.	3	.	.
		June 2,	23·1	.	18	.	.	.	.	.	.	.	.	.	.	4	.
		„ 9,	27·0	2·6	21	.	.	.	.	1	1	.	.	.	.	3	1
		„ 16,	34·7	3·9	27	.	.	1	.	.	1	.	1	.	.	3	.
		„ 23,	28·3	.	22	.	.	.	.	.	.	.	.	.	2	5	.
		„ 30,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	3	6	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798.	May 12,	29·1	.	20	.	.	.	.	.	.	.	.	.	7	1	2
		„ 19,	16·0	.	11	.	.	.	.	.	.	.	.	.	4	1	1
		„ 26,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	4	1	.
		June 2,	21·9	.	15	.	.	.	.	.	.	.	.	.	2	2	2
		„ 9,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	3	5	1
		„ 16,	20·4	1·5	14	.	.	.	.	.	.	.	.	1	5	3	.
		„ 23,	18·9	1·5	13	.	.	.	.	1	.	.	.	.	2	2	.
		„ 30,	11·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	May 12,	16·9	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 19,	24·4	3·8	13	.	1	.	.	.	.	.	.	1	1	1	.
	„ 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	June 2,	16·9	1·9	9	.	.	1	.	.	.	.	.	.	.	1	.
	„ 9,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	13·1	.	7	.	.	.	.	.	.	.	.	.	1	3	.
	„ 23,	16·9	.	9	.	.	.	.	.	.	.	.	.	3	.	.
	„ 30,	15·0	.	8	.	.	.	.	.	.	.	.	.	3	1	.
Donnybrook. Pop. (in 1891) 24,629.	May 12,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	5	4	.
	„ 19,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	June 2,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	.	.
	„ 9,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	25·4	.	12	.	.	.	.	.	.	.	.	.	2	4	.
	„ 23,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 30,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
Kingstown. Pop. (in 1891) 17,386.	May 12,	15·0	.	5	.	.		.	.	.	.	.	.	1	1	.
	„ 19,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	June 2,	30·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1
	„ 9,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	2	.
	„ 16,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	6·0	.	2	.	.	.	.	.	.	.	.	.	1	1	.
	„ 30,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1900 (Est.) 359,000.	May 12,	20·0	1·5	138	.	.	.	.	3	1	.	5	1	31	31	3
	„ 19,	22·2	3·2	153	.	1	.	.	6	1	.	12	2	23	32	4
	„ 26,	20·5	1·3	141	.	1	.	1	1	.	.	5	1	34	31	5
	June 2,	19·5	2·3	134	.	.	.	.	1	1	.	11	3	22	29	2
	„ 9,	17·9	2·3	123	.	3	1	.	.	1	.	10	1	18	28	1
	„ 16,	20·5	2·0	141	.	1	.	.	1	.	.	11	1	32	24	4
	„ 23,	18·9	1·7	130	.	1	.	.	1	.	.	6	4	20	18	7
	„ 30,	19·8	1·6	136	.	2	.	.	2	1	.	2	4	32	17	3
Cork. Pop. (in 1891) 75,845.	May 12,	22·1	.	32	.	.	.	.	.	.	.	.	.	11	3	.
	„ 19,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	9	.
	„ 26,	28·4	0·7	41	.	.	.	.	.	.	.	.	1	5	4	.
	June 2,	20·8	0·7	30	.	.	.	.	1	.	.	.	.	5	4	.
	„ 9,	24·2	.	35	.	.	.	.	.	.	.	.	.	8	4	.
	„ 16,	20·1	0·7	29	.	.	.	.	.	.	.	.	1	6	5	.
	„ 23,	18·7	.	27	.	.	.	.	.	.	.	.	.	4	2	.
	„ 30,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	2	.
Limerick. Pop. (in 1891) 37,155.	May 12,	26·7	1·4	19	.	.	.	.	.	.	.	.	1	6	1	.
	„ 19,	28·1	.	20	.	.	.	.	.	.	.	.	.	2	3	.
	„ 26,	25·3	.	18	.	.	.	.	.	.	.	.	.	3	8	.
	June 2,	18·2	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	„ 9,	16·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	15·4	.	11	.	.	.	.	.	.	.	.	.	4	4	.
	„ 23,	14·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 30,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	4	.
Londonderry Pop. (in 1891) 28,200.	May 12,	25·1	1·6	16	.	.	.	1	.	.	.	.	.	2	2	.
	„ 19,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	5	1
	„ 26,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	2	.
	June 2,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	3	.	1
	„ 16,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	5	.
	„ 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	4	.
	„ 30,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	1	.
Waterford. Pop. (in 1891) 26,200.	May 12,	19·9	2·0	10	.	.	1	.	.	.	.	.	.	3	2	.
	„ 19,	25·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 26,	29·8	4·0	15	.	.	.	.	2	.	.	.	.	1	2	.
	June 2,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	„ 9,	11·9	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	„ 16,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 23,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 30,	13·9	2·0	7	.	.	.	.	.	.	.	.	1	.	3	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 30th June, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES; &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	6	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		7	3	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	2	2
" 2 "	37,539	31			22	3	5	12	2	.	.	.	.	1	.	.	.	.	7	2	.	.	3
" 3 "	38,845	27			25	4	1	15	5	.	.	.	.	.	.	.	2	1	8	4	.	1	5
" 4 "	38,391	24			11	5	2	3	1	.	.	.	.	1	.	.	.	2	1	2	.	.	3
" 5 "	21,284	9			10	1	1	7	1	.	.	.	.	.	.	.	.	.	2	1	1	3	1
" 6 "	48,481	17			11	1	1	5	4	.	.	.	.	.	.	.	.	.	3	1	.	.	1
" 7 "	1,112	2			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	4			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 9 "	12,866	11			5	1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 10 "	12,256	23			10	3	1	6	.	.	.	.	.	.	.	.	.	.	.	3	.	.	2
" 11 "	19,881	25			11	2	.	7	2	.	.	.	.	.	.	.	.	.	.	3	1	1	1
" 12 "	23,282	15			11	1	1	9	.	.	1	.	.	.	.	.	.	.	5	.	.	1	1
" 13 "	6,804	10			11	3	2	5	1	.	1	.	.	.	1	.	.	.	4	1	1	1	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	204			136	28	15	76	17	.	2	.	.	2	1	.	2	4	32	17	3	9	20
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	10	17·5	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2
" 2 "	9,252	3	28·2	.	5	1	.	4	.	.	.	.	.	.	.	.	.	.	2	1	.	.	3
" 3 "	9,816	6	26·6	5·3	5	.	1	2	2	.	.	.	.	.	.	.	.	1	1	.	.	.	3
" 4 "	10,856	10	20·1	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	8,137	5	6·4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" 6 "	3,823	9	35·4	.	6	2	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 7 "	17,034	6	18·4	.	6	.	1	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	75,845	49	21·5	0·7	31	6	4	17	4	.	.	.	.	.	.	.	.	1	6	2	.	2	10

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.
No. of week in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	2	26
BIRTHS registered,	239	263	189	230	204	240	186	230	216	269	218	236	229	188	197	225	261	213	244	218	218	218	219	241	213	204
DEATHS registered.	198	210	166	170	135	187	226	181	207	195	157	169	176	179	149	124	127	171	188	153	141	134	123	141	130	136
Annual Death-rate per 1,000 of estimated Population,	28·8	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8
AGES, Under 1 year,	34	40	26	32	22	30	41	31	43	42	27	26	37	31	29	21	27	33	26	34	20	25	26	24	26	28
AGES, 1-5 years,	31	23	24	22	17	15	23	16	21	28	26	30	22	21	18	12	13	23	14	27	10	13	13	17	15	15
AGES, 5-60 years,	93	88	71	71	62	99	102	84	92	90	68	77	84	80	79	56	64	86	76	65	87	76	60	72	61	76
AGES, 60 years and upwards,	40	59	45	45	34	43	60	50	51	35	36	36	33	47	23	35	23	29	22	27	24	20	24	28	28	17
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	4	.	1	1	.	.	.	1	2	1	1	2	1	.	1	.	.	.	1	1	.	3	1	1	2
" Scarlet Fever,	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" Whooping-cough,	6	2	9	5	4	3	4	3	4	3	2	4	4	1	1	1	4	8	3	6	1	1	.	1	1	2
" Diphtheria,	2	.	1	.	.	3	2	1	2	1	1	2	2	2	2	1	1	1	1	1	.	1	1	.	.	1
" Simple continued and Ill-defined Fever,	2	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	4	4	4	1	1	1	1	2	5	3	4	3	6	1	5	5	3	8	5	12	5	11	10	11	6	2
" Diarrhœa, Dysentery,	3	4	1	2	2	1	3	3	.	1	1	3	3	1	1	2	3	4	1	2	1	3	1	1	4	4
" Phthisis,	27	21	17	21	12	26	27	19	26	28	26	30	39	25	31	14	23	31	31	23	34	22	18	32	20	32
" Diseases of Respiratory System,	74	86	72	66	39	50	73	67	57	75	35	49	43	46	38	26	24	33	31	32	31	29	28	24	18	17
Violent Deat	5	2	.	.	3	8	8	5	4	2	6	2	2	5	.	2	2	2	3	4	5	2	1	4	7	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th June, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 1, West,	.	.	.	1	.	.	.	.	.	.	2	.	1	4
" " 2,	.	1	.	1	.	.	.	.	1	2	1	.	.	6
" " 3,	.	.	.	.	.	.	.	.	1	5	2	.	.	8
South City No. 1,	.	.	.	1	.	.	.	.	.	3	2	.	.	6
" " 2,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 3,	.	1	.	2	.	.	2	.	3	1	1	.	.	10
" " 4,	.	.	.	1	.	.	.	.	.	.	1	.	.	2
Total,	.	2	.	8	.	.	2	.	5	11	9	.	1	38
Total for week ended June 23, 1900,	.	4	.	13	.	.	2	.	6	11	11	.	3	50
Total for week ended June 16, 1900,	.	4	.	9	.	.	7	.	7	10	13	.	3	53
Total for week ended June 9, 1900,	.	2	.	10	2	.	1	.	4	11	13	.	10	53

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th June, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th June.			
	June 9.	June 16.	June 23.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	15	14	19	.	7	.	12
Scarlet Fever,	72	65	60	14	16	.	58*
Typhus "	2	2	2	.	.	.	2
Diphtheria,	9	10	9	3	4	.	8
Enteric Fever,	45	43	41	9	9	.	41
Pneumonia,	21	31	31	8	11	.	28

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	June 30,	2,483	1,274	14·5	.	53	12	29	35	12	17
EDINBURGH,	302,262	„ 30,	173	101	17·4	.	4	1	.	.	2	4
GLASGOW,	743,969	„ 30,	501	271	18·9	2	5	5	1	23	5	8
CALCUTTA,	466,460	May 5,	.	465	52·0	32	4	.	.	.	33‡	76*
BOMBAY,	821,764	June 5,	243	1,141	70·3	13	11	?	?	?	181§	210*
MADRAS,	452,518	May 25,	397	371	42·6	.	4	?	?	?	120	44
PARIS,	2,511,629	June 23,	1,110	874	17·1	1	27	14	5†	4	9	59
BRUSSELS (with 8 Faubourgs).	561,130	„ 16,	272	183	16·7	.	1	.	1†	3	2	18
AMSTERDAM,	526,072	„ 16,	300	134	13·2	.	.	.	.	.	.	.
ROTTERDAM,	323,487	„ 16,	223	97	15·6	.	.	.	1	.	.	.
THE HAGUE,	205,328	„ 16,	106	61	15·4	.	1	.	1	.	.	.
COPENHAGEN,	349,000	„ 16,	243	127	18·9	.	1	2	2	.	2	11
CHRISTIANIA,	221,255	„ 23,	181	72	16·5	.	3	.	.	3	.	8
ST. PETERSBURG,	1,132,677	„ 16,	482	541	24·8	9	22	13	16	3	18	55
BERLIN,	1,854,964	„ 9,	940	729	20·4	.	8	20	9	14	2	61
HAMBURG,	691,349	„ 23,	410	249	18·5	.	10	1	1	3	1	13
DRESDEN,	400,400	May 26,	299	148	19·4	.	1	.	1	2	.	12
BRESLAU,	406,012	June 23,	253	225	28·8	.	1	.	.	2	1	40
MUNICH,	463,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,656,662	June 16,	973	680	21·3	1	21	1	2	4	3	55
BUDA-PESTH,	685,340	„ 16,	434	262	19·9	.	7	.	2	.	2	3
PRAGUE and Faubourgs.	391,693	„ 16,	234	183	24·3	.	.	.	1	4	5	1
ROME,	514,306	„ 2,	207	142	14·4	.	3	.	1	.	1	10
TURIN,	344,203	April 20,	145	199	19·9	.	.	.	2	.	.	.
VENICE,	172,921	May 26,	83	72	21·7	.	1	.	3		2	4
NEW YORK,	3,654,594	June 9,	1,530	1,148	16·4	4	21	7	43	10	4	28
PHILADELPHIA,	1,266,832	„ 9,	498	409	16·8	.	11	2	15	5	13	5

* Including 39 deaths from cholera in Calcutta and 51 in Bombay. † Including deaths from croup.
‡ Exclusive of 179 deaths from bubonic fever. § Exclusive of 131 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 30th June, 1900:—

"The record is again one of very changeable, unsettled weather but the rainfall was by no means as heavy as in the previous week, and there were intervals of fine and dry weather, especially in the period from Monday to Thursday. At the beginning of the period, a rather deep depression with steep gradients had reached Mayo from the westward. The centre of this system was over Inishowen Peninsula at 6 p.m. of Sunday. Thence it travelled southeastwards to Central England by 8 a.m. of Monday. Its course subsequently curved eastward and northeastward, the centre being found near Hamburg on Tuesday morning. This disturbance caused heavy rains and thunder and lightning in Ireland on Sunday and in England on Monday. As it passed eastwards, fresh northerly winds and dry cold weather set in, so that on Wednesday night the thermometer fell to 44° even in the screen at Birr, King's Co. An anticyclone of no great intensity spread over the British Islands from the westwards on Wednesday, being fully developed on Thursday morning. This fair-weather system, however, was shortlived and a general fall of the barometer took place, ushering in another spell of rainy or showery and generally unsettled weather, which lasted to the end of the week. In Dublin the mean height of the barometer was 29·806 inches, the range being from 29·371 inches at 9 p.m. of Sunday (wind, S.), to 30·087 inches at 9 a.m. of Wednesday (wind, W.N.W.). The corrected mean temperature was 58·0°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 56·9°. The screened thermometers rose to 67·0° on Saturday, having fallen to 48·7° on Thursday. The prevalent winds were first N.W., afterwards W.S.W. The estimated duration of bright sunshine was 19½ hours. Lightning was seen on Monday night. The rainfall was ·476 inch on six days, ·300 inch being registered on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·819 inches.

The mean temperature for the week was 55·7°, being 3·3° below the average for the corresponding week of the ten years 1890–99. Both of the extreme readings—highest 65·7° and lowest 41·9—were registered on Thursday. The mean of the Dry Bulb for the week was 55·5°, and of the Wet Bulb 52·8°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 32·0 hours. The rainfall measured ·650 in.

At Greenwich the mean temperature for the week was 57·6°, the maximum 72·8°, and the minimum 47·4°; at Glasgow the maximum was 66·0°, the minimum 45·0°, and the mean 56·5°, and at Edinburgh the maximum was 66·6°; the minimum 46·6°, and the mean 56·7°. The rainfall at Greenwich measured 1·15 ins.; at Glasgow 1·69 ins.; and at Edinburgh 1·37 ins.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 24,	29·514	61·8	47·7	54·8	54·6	53·1	·90	·6	2·4	·365	S.E.	S.W.
Monday, „ 25,	29·851	62·9	49·1	56·0	51·4	48·9	·83	·5	5·4	—	N.	N.W.
Tuesday, „ 26,	30·050	64·1	48·1	56·1	53·5	51·0	·85	·1	8·6	—	W.	Calm.
Wednesday, „ 27,	30·092	64·5	42·1	53·3	54·7	52·8	·88	·1	3·8	·065	Calm.	Calm.
Thursday, „ 28,	29·992	65·7	41·9	53·8	58·8	54·0	·73	·3	6·1	·025	Calm.	S.W.
Friday, „ 29,	29·725	62·4	51·8	57·1	56·7	54·3	·85	·4	0·0	·055	S.S.W.	S.W.
Saturday, „ 30,	29·506	65·1	52·8	59·0	58·7	55·6	·82	·6	5·7	·140	S.W.	S.W.
Mean, . .	29·819	63·8	47·6	55·7	55·5	52·8	·84	·4	Total 32·0	Total ·650	Prevailing Wind S.W.	

Sunday—A cloudy day; rain 11 to 12 a.m. and 5 p.m. to 7.30 a.m.; night overcast. *Monday*—A cloudy day; night cloudy. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—A cloudy day; rain 3.15 to 3.30 and 5.45 to 7.30 p.m.; night cloudy. *Thursday*—A cloudy day; night cloudy; rain 5.30 to 7.30 a.m. *Friday*—A cloudy day; rain 4.15 to 5 and 9 to 9.30 p.m.; night cloudy. *Saturday*—A cloudy day; rain 3 to 5 p.m. and 8.15 to 8.30 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

4. 1900.—375.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN

DUBLIN,

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN TWENTY-TWO OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS & CO. (LIMITED), 104, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER STREET, EDINBURGH, and 90, WEST NILE STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] QUARTER ENDING SATURDAY, 30TH JUNE, 1900. [No. 26A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin, the districts of Rathmines, Donnybrook, Blackrock, Kingstown, Clontarf and Howth, No. 1, and Coolock and Drumcondra, No. 1, and portions of the districts of Finglas and Glasnevin, Palmerston, and Crumlin, the total area thereof being 24,640 statute acres, and the population according to the Census of 1891, 349,594, there were registered during the thirteen weeks ended on Saturday, 30th June, 1900, 2,660 births—1,339 boys and 1,321 girls—being equal to an annual ratio of 1 in 32·8, or 30·4 in every 1,000 of the population.

The number of births registered in the city was 2,086, equivalent to an annual rate of 34·0 in every 1,000 of the population; and in the suburban districts named above, 574, equal to an annual rate of 21·9 in every 1,000 of the population.

There were registered in London during the same period 32,892 births—being equal to an annual birth-rate of 28·7 in every 1,000 of the estimated population; in Glasgow there were registered 6,356, being equal to 34·2 per 1,000; and in Edinburgh, 2,196—a number affording an annual birth-rate of 29·1 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,284—1,165 males and 1,119 females—affording an annual ratio of 1 in 38·3, or 26·1 in every 1,000 of the population according to the Census of 1891; omitting the deaths (90) of persons admitted into Public Institutions from localities outside the district, the rate was 25·1 per 1,000. The average number of deaths registered in the second quarter of the ten years 1890–99 was 2,236, equivalent to an annual mortality of 25·6 per 1,000 persons; thus the deaths last quarter were 48, or 2·1 per cent., in excess of the average for the June quarter.

The number of deaths of inhabitants* of that portion of the City of Dublin north of the Liffey registered last quarter was 757, representing an annual mortality of 25·9 in every 1,000 of the population; and the number in that portion south of the river was 947 equivalent to a rate of 29·6 per 1,000. In the suburban districts the number of deaths registered was 490, being equal to an annual death-rate of 18·7 in every 1,000.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

The number of deaths registered in London during the quarter was 20,179—a number equal to an annual mortality of 17·6 in every 1,000 of the inhabitants; in Glasgow the number was 3,888 equal to 20·9 in every 1,000; and in Edinburgh, 1,439, affording an annual death-rate of 19·0 in every 1,000 of the estimated population.

Diseases.—The number of deaths from *zymotic diseases* registered in the Dublin Registration Area during last quarter is 220, being 177 under the number for the preceding quarter, but 46 under the average for the second quarter of the ten years 1890–99, and 26 under the number for the second quarter of last year. The annual rate per 1,000 of the population, represented by the deaths from these diseases during last quarter, is 2·5, being 2·0 under the rate for the preceding three months, and 0·6 under the average rate for the second quarter of the ten years 1890–99.

Influenza, which caused 102 deaths in the corresponding quarter of 1899, and 189 deaths in the first quarter of 1900, was accountable for but 36 deaths in the quarter ending June 30, 1900; this figure is 9 under the average for the corresponding quarter of the last ten years.

During the quarter 31 deaths were caused by *enteric fever*, which disease caused 26 deaths in the first quarter of the year 1900, and 29 deaths in the second quarter of 1899; this figure, 31, is 6 above the average for the corresponding quarter of the ten years ending 30th June, 1899. During the quarter 102 cases were admitted to hospital; 84 were discharged; 8 died; and 41 remained under treatment at the end of the quarter. This figure is 10 over the number of cases of *enteric fever* remaining under treatment at the close of the previous quarter.

Whooping-cough caused 25 deaths; this number is 23 under the average for the corresponding quarter of the ten years ending on June 30th, 1899. For the corresponding quarter of 1899, 45 deaths were caused by *whooping-cough*, and in the first quarter of 1900 there were but 19 deaths from this disease.

There were 10 deaths from *diphtheria*, as compared with 22 in the previous quarter; this figure is 1 over the average for the corresponding quarter of the ten years ending upon the 30th June, 1899. During the quarter 52 cases of diphtheria were admitted to hospital; 46 were discharged; 12 died; and 8 remained under treatment on the 30th June. At the close of the quarter ended 31st March last 14 cases of diphtheria were under treatment in the Dublin hospitals.

Diarrhœa caused 18 deaths, and *simple cholera* 1 death; of the 18 cases of deaths from diarrhœa 13 occurred in children under 5 years of age: the figure 18 is 6 under the average number of deaths from diarrhœa for the corresponding period of the ten years ending June 30th, 1899, and 19 below the number of deaths from this disease for the preceding quarter.

Measles.—Only 9 deaths occurred from this disease during the quarter, a number which is 43 below the average for the corresponding quarter of the past ten years. In the second, third, and fourth quarters of 1899 there were 8, 189, and 459 deaths, respectively, from this cause, while in the first quarter of 1900 the number was 62.

Scarlatina caused 2 deaths, which is 9 below the average for the corresponding quarter of the ten years ending on 30th June, 1899. Among the remaining deaths from zymotic diseases, 45 were due to *cerebro-spinal meningitis*, 4 to *puerperal fever*, and 3 to *erysipelas*.

Diseases of the *respiratory system* caused 440 deaths, an annual rate of 5 in every 1,000 of the population; 243 deaths were caused by *bronchitis*, and 164 by *pneumonia*; 7 deaths were due to *croup*, and 5 to *pleurisy*. In the previous quarter 967 deaths were caused by these diseases, and in the corresponding quarter of 1899, 454 deaths occurred. The figure 440 for diseases of the respiratory system is 27 above the average for the corresponding period of the ten years ending on June 30th, 1899.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 30th June, 1900.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small Pox, . .	.	.	.	.	.
Measles, . . .	25	40	53	.	12
Scarlet Fever, . .	85	164	184	7	58*
Typhus „ . .	1	3	2	.	2
Diphtheria, . .	14	52	46	12	8
Enteric Fever, . .	31	102	84	8	41
Pneumonia, . .	27	102	78	23	28

The number of deaths of children ascribed to convulsions is 121, being 6 under that for the preceding quarter, and 11 under the average for the second quarter of the ten years 1890–99.

Forty-one deaths were caused by apoplexy, 13 by epilepsy, 101 by other diseases of the brain and nervous system (exclusive of convulsions), and 167 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 349 deaths—being 33 above the average for the corresponding quarter of the ten years 1890–99—mesenteric disease 68, tubercular meningitis 68, and cancer 76.

Fifty accidental deaths, and one case of suicide were registered

In 130 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 130 cases, 83, or 64 per cent., were deaths of children under 5 years of age: these 83 deaths form 13 per cent. of the total number of deaths of children of that age. Of the deaths of 102 infants under one month old registered, there were 33 (or 32 per cent.) regarding which the cause was uncertified.

From Table II., on page 428, it will be seen that, excluding 90 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,194, equal to an annual rate of 25·1 per 1,000 of the population according to the Census of 1891, and that 95 of these deaths, representing an annual rate of 1·1 per 1,000 persons, were caused by the principal zymotic diseases.† The death-rate for the city (from all causes) was 27·8 per 1,000, and for the suburbs 18·7 per 1,000, the district rates ranging from 15·4 for Clontarf and Howth, No. 1, to 33·5 for No. 1 South City (South Earl-street) District. The death-rate represented by the mortality from the principal zymotic diseases† in the city is 1·2, and in the suburbs 0·8, the rates for the several districts varying from 0·0 in Clontarf and Howth No. 1, Coolock and Drumcondra No. 1, Finglas and Glasnevin, part of, and Blackrock, to 3·3 in Palmerston, part of; the 50 deaths from all causes tabulated for the last-named locality comprising 4 from measles, 1 from enteric, and 1 from diarrhœa.

Occupations.—Table III., on page 429, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 16·2 per 1,000 of the persons in that class according to the Census of 1891; in the "Middle Class" the death-rate was 18·4 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 22·5; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 33·6.

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.
† See note (*) on page 430.

Ages.—Of the 2,284 persons whose deaths were registered in the Dublin Area during the quarter, 618 were under 5 years of age, this number being equal to an annual mortality of 66·8 in every 1,000 children at that age (according to the Census of 1891); 235 were between the ages of 5 and 20, representing an annual death-rate of 9·2 per 1,000 persons of that age period: the total number under 20 years being equal to an annual mortality of 24·5 per 1,000 of the population at that age (according to the Census of 1891):—387, or 12·9 per 1,000 persons, were between 20 and 40; —490, or 30·0 per 1,000, between 40 and 60;—444, or 74·7 per 1,000, between 60 and 80; and 110, or 241·8 per 1,000, were aged 80 and upwards, including 12 persons (8 males and 4 females) stated to have been nonagenarians.

Public Institutions.—Of the 2,284 deaths recorded during the quarter, 881, or 38·6 per cent., occurred in public institutions, viz., 492 in the various hospitals, prisons, and lunatic asylums; 168 in the North Dublin Union Workhouse; 212 in the South Dublin Union Workhouse; and 9 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for the quarter, deduced from the mean weekly temperature, as returned from the Ordnance Survey Office, Phœnix Park, was 50·8°. At Greenwich the mean temperature was 52·8°; at Glasgow, 52·2°; and at Edinburgh, 50·9°.

The rainfall at Dublin during the thirteen weeks measured 7·410 inches; at Greenwich, 5·04 inches; at Glasgow, 8·36 inches; and at Edinburgh, 5·32 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 30th June, 1900,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Zymotic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS.	POPULATION, 1891.	QUARTER (13 WEEKS) ENDED 30TH JUNE, 1900.													
		ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		TOTAL DEATHS.	NUMBER OF DEATHS FROM										
					PRINCIPAL ZYMOTIC DISEASES.										
		FROM ALL CAUSES.	FROM THE PRINCIPAL ZYMOTIC DISEASES.*		Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).
NORTH CITY, No. 1, E.,	27,147	24·6	0·7	167	.	.	.	.	.	1	.	3	1	28	30	5
" " W.,	34,836	26·8	0·8	234	.	.	.	.	3	1	.	2	1	31	47	2
" 2,	28,871	27·3	1·4	197	.	2	.	.	1	1	1	1	4	29	38	5
" 3,	26,055	24·4	1·5	159	.	.	.	.	1	1	.	6	2	29	33	4
SOUTH CITY, No. 1,	33,194	33·5	1·4	278	.	1	.	.	4	1	.	4	2	41	66	5
" 2,	18,547	29·5	0·9	137	.	.	.	.	1	.	.	3	.	16	33	1
" 3,	40,558	29·5	1·6	299	.	.	1	.	6	3	.	4	2	33	60	9
" 4,	35,793	26·0	1·0	233	.	.	.	.	7	.	.	1	1	46	34	7
CLONTARF & HOWTH, No. 1,	4,138	15·4	.	16	.	.	.	.	.	.	.	.	.	2	5	2
COOLOCK & DRUMCONDRA, No. 1,	10,730	16·7	.	45	.	.	.	.	.	.	.	.	.	3	8	1
FINGLAS AND GLASNEVIN, part of,	4,240	16·0	.	17	.	.	.	.	.	.	.	.	.	5	4	.
PALMERSTON, part of, and CRUMLIN, part of,	7,273	27·5	3·3	50	.	4	.	.	.	.	.	1	1	4	14	2
RATHMINES,†	27,796	19·4	1·2	135	.	2	1	.	.	.	.	3	2	25	21	1
DONNYBROOK,	24,629	18·0	1·0	111	.	.	.	.	.	2	.	2	2	20	22	1
BLACKROCK,†	8,401	16·2	.	34	.	.	.	.	.	.	.	.	.	9	7	.
KINGSTOWN, Nos. 1 and 2 †	17,386	18·9	0·5	82	.	.	.	.	2	.	.	.	.	10	12	3
TOTAL CITY, NORTH,	116,909	25·9	1·1	757	.	2	.	.	5	4	1	12	8	117	148	16
TOTAL CITY, SOUTH,	128,092	29·6	1·3	947	.	1	1	.	18	4	.	12	5	136	193	22
TOTAL CITY, N. & S.,	245,001	27·8	1·2	1,704	.	3	1	.	23	8	1	24	13	253	341	38
TOTAL SUBURBS,	104,593	18·7	0·8	490	.	6	1	.	2	2	.	6	5	78	93	10
TOTAL REGISTRATION AREA,	349,594	25·1	1·1	2,194	.	9	2	.	25	10	1	30	18	331	434	48
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				90	.	.	.	.	.	.	.	1	.	18	6	3

* See note (*) on page 430. † The Urban District.

Registration Area during the **13 weeks ending Saturday, 30th June, 1900**; the Annual Death-rate represented by the Deaths registered, the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class.	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths (13 Weeks) ending Saturday, 30th June, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	26·1	2,284	618	235	387	490	444	110	.	9	2	.	25	10	1	31	18	96	349	121	440	51	1,227
	CLASSES.																								
	Deaths in Families of the—																								
I.	Professional and Independent Class,	15,579	16·2	63	.	3	9	12	23	16	.	.	.	.	.	.	.	1	.	1	5	.	6	1	50
II.	Middle Class,	81,469	18·4	375	61	38	74	80	84	38	.	1	.	.	4	2	.	10	3	20	58	10	64	8	215
III.	Artisan Class and Petty Shopkeepers,	99,377	22·5	559	162	71	100	114	90	22	.	1	.	.	10	4	1	5	3	24	85	25	115	9	301
IV.	General Service Class,	147,978	33·6	898	345	115	132	174	112	20	.	6	2	.	10	4	.	12	12	46	129	81	186	33	423
V.	Inmates of Workhouses,	5,191		389	50	8	72	110	135	14	.	1	.	.	1	.	.	3	.	5	72	5	69	.	238
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,989	21·0	42	.	2	4	12	14	10	.	.	.	.	.	.	.	1	.	1	3	.	6	1	31
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	14·7	21	.	1	5	.	9	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	19
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.	5,877	14·3	21	2	3	4	6	4	2	.	.	.	.	.	.	.	.	.	.	.	.	4	1	16
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	26,036	16·4	107	22	6	17	32	21	9	.	.	.	.	3	.	.	1	3	7	16	4	27	.	53
	6. Clerks and Commercial Assistants,	25,001	14·7	92	28	12	24	12	15	1	.	1	.	.	1	1	.	4	.	7	19	4	15	1	46
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	24,555	25·2	155	9	17	29	30	44	26	.	.	.	.	.	1	.	5	.	6	23	2	18	6	100
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	7,431	43·1	80	30	6	25	12	4	3	.	1	.	.	1	1	.	1	.	4	15	4	15	1	41
	9. Building and Furnishing Trades,	26,294	21·1	139	53	18	20	26	18	4	.	.	.	.	5	1	.	2	.	8	17	7	32	2	73
	10. Clothing Trades,	23,927	13·9	83	13	15	12	17	20	6	.	.	.	.	2	.	.	.	.	2	18	3	18	1	41
	11. Food Supply Trades,	7,949	21·7	43	11	4	4	14	10	.	.	.	.	.	1	.	1	.	1	3	5	4	9	5	17
	12. Other Trades and Callings ranking with Trades,	26,937	26·4	178	41	23	35	38	35	6	.	.	.	.	.	1	.	1	1	3	28	4	34	.	109
	13. Petty Shopkeepers,	6,839	21·1	36	14	5	4	7	3	3	.	.	.	.	1	1	.	1	1	4	2	3	7	.	20
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	26·8	92	33	7	17	16	17	2	.	.	.	.	1	.	.	4	1	6	10	11	22	1	42
	15. Domestic Servants,	39,967	7·0	70	7	7	21	18	10	7	.	1	.	.	1	1	.	2	1	6	15	2	4	2	41
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	37·0	100	38	7	19	23	11	2	.	2	1	.	.	.	.	2	1	6	20	8	18	3	45
	17. Hawkers, Porters, Labourers, &c.,	83,472	30·5	636	267	94	75	117	74	9	.	3	1	.	8	3	.	4	9	28	84	60	142	27	295
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	5,191	–	389	50	8	72	110	135	14	.	1	.	.	1	.	.	3	.	5	72	5	69	.	238

Twenty-three Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-two of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 22·5 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—

Newtownards, 16·1 ; Newry, 17·0 ; Sligo, 17·1 ; Dundalk, 18·3 ; Carrickfergus, 18·4 ; Londonderry, 18·4 ; Lisburn, 19·9 ; Waterford, 20·1 ; Drogheda, 20·4 ; Belfast, 20·6 ; Queenstown, 20·7 ; Clonmel, 20·9 ; Ballymena, 21·2 ; Kilkenny, 21·4 ; Wexford, 21·5 ; Armagh, 21·9 ; Lurgan, 22·8 ; Portadown, 23·3 ; Limerick, 23·8 ; Tralee, 24·9 ; Cork, 25·4 ; Dublin, 25·1 ; Galway, 28·1.

The average annual rate represented by the deaths from the principal zymotic diseases* in the 23 districts is 1·3 per 1,000 of the population, the rates varying from 0·0 in Armagh and Newry to 2·9 per 1,000 in Galway ; the 97 deaths from all causes in Galway comprising 3 from measles, 6 from typhus, and 1 from ill-defined fever.

The following is a synopsis of the mortality from the principal zymotic diseases* in the *twenty-two provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter.

Small-pox.—No deaths from small-pox were registered in any of the 22 districts during the quarter.

Measles.—Deaths from measles took place in 5 of the 22 districts: the total number is 19, of which 11 took place in Belfast, 3 in Galway, 2 in Cork, 2 in Portadown, and 1 in Drogheda.

Scarlatina caused 4 deaths—1 in Belfast, 1 in Cork, 1 in Waterford, and 1 in Queenstown.

Typhus Fever caused 19 deaths—7 in Drogheda, 6 in Galway, 2 in Londonderry, and 1 each in Belfast, Cork, Dundalk, and Wexford.

Whooping-cough caused 42 deaths—30 in Belfast, 4 in Clonmel, 3 in Waterford, and 1 each in Cork, Lurgan, Ballymena, Sligo, and Tralee.

Diphtheria caused 23 deaths—12 occurred in Belfast, 4 in Kilkenny, 3 in Tralee, and 1 each in Cork, Dundalk, Lurgan, and Ballymena.

One death from *Simple-continued Fever* occurred in Galway.

Enteric Fever caused 94 deaths, of which 84 occurred in Belfast, 4 in Lisburn, 2 each in Cork and Carrickfergus, and 1 each in Dundalk and Newtownards.

Diarrhœa caused 46 deaths—28 in Belfast, 7 in Cork, 4 in Londonderry, 2 in Limerick, and 1 each in Waterford, Kilkenny, Sligo, Newtownards, and Portadown.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and ill-defined fever, enteric fever, diarrhœa, and dysentery.

TABLE 11.—BIRTHS and DEATHS registered during the Quarter (13 Weeks) ended Saturday, 30th June, 1900, in each of the undermentioned Twenty-two Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes.

TOWNS AND DISTRICTS.	Census Statistics of Districts.* Population.	Persons to an Acre.	Annual Rate per 1,000 persons represented by BIRTHS.	DEATHS from All Causes.	DEATHS from Principal Zymotic Diseases.†	REGISTRATION—Quarter (13 Weeks) ended Saturday, 30th June, 1900. Number Registered. BIRTHS.	DEATHS. Total Number.	Under 1 year of Age.	At 60 years and upwards.	Number caused by Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 23 Town Districts,	1,062,188	12·2	30·1	22·5	1·3	7,982	5,972	1,033	1,430	.	28	6	19	67	33	2	124	64	977	1,183	112	230	1,646
Dublin Registration Area,	349,594	14·2	30·4	25·1	1·1	2,660	2,194	374	539	.	9	2	.	25	10	1	30	18	331	434	48	76	791
Urban Districts.																							
Belfast,	359,000	21·2	31·8	20·6	1·9	2,859	1,846	350	347	.	11	1	1	30	12	.	84	28	336	377	40	99	377
Cork,	75,345	33·3	26·2	25·4	0·8	494	479	60	114	.	2	1	1	1	1	.	2	7	79	77	.	8	161
Limerick,	37,155	17·9	29·5	23·8	0·2	274	221	34	56	.	.	.	.	.	.	.	.	2	37	57	2	3	68
Londonderry,	33,200	15·3	29·0	18·4	0·7	241	153	31	38	.	.	.	2	.	.	.	.	4	28	35	3	4	19
Waterford,	26,203	18·3	26·1	20·1	0·8	171	132	28	34	.	.	1	.	3	.	.	.	1	17	33	1	2	40
Galway,	13,800	2·6	26·7	28·1	2·9	92	97	14	35	.	3	.	6	.	.	1	.	.	13	12	3	4	19
Drogheda,	13,708	8·7	20·1	20·4	2·3	69	70	4	22	.	1	.	7	.	.	.	.	.	1	4	.	3	27
Newry,	12,961	18·5	32·1	17·0	.	104	55	8	18	.	.	.	.	.	.	.	.	.	11	10	1	3	2
Dundalk,	12,449	9·0	21·5	18·3	1·0	67	57	13	17	.	.	.	1	.	1	.	1	.	6	8	3	4	13
Lisburn,	12,250	10·8	23·5	19·9	1·3	72	61	15	16	.	.	.	.	.	.	.	4	.	16	7	.	1	8
Wexford,	11,545	24·0	28·4	21·5	0·3	82	62	12	24	.	.	.	1	.	.	.	.	.	9	11	2	2	12
Lurgan,	11,429	13·4	49·0	22·8	0·7	140	65	13	16	.	.	.	.	1	1	.	.	.	12	18	2	2	13
Kilkenny,	11,048	12·0	29·0	21·4	1·8	80	59	7	19	.	.	.	.	.	4	.	.	1	10	10	.	3	25
Clonmel,	10,708	8·2	24·7	20·9	1·5	66	56	9	15	.	.	.	.	4	.	.	.	.	6	16	.	.	19
Sligo,	10,274	3·4	27·6	17·1	0·8	71	44	6	15	.	.	.	.	1	.	.	.	1	8	8	.	1	11
Tralee,	9,318	15·9	31·8	24·9	1·7	74	58	13	27	.	.	.	.	1	3	.	.	.	15	9	.	.	22
Ballymena,	9,252	9·3	29·0	21·2	0·9	67	49	8	11	.	.	.	.	1	1	.	.	.	7	5	3	4	1
Newtownards,	9,197	19·0	28·7	16·1	0·9	66	37	5	15	.	.	.	.	.	.	.	1	1	7	8	1	.	11
Queenstown,	9,082	17·0	22·0	20·7	0·4	50	47	10	15	.	.	1	.	.	.	.	.	.	8	15	2	2	3
Carrickfergus,	8,923	0·5	23·8	18·4	0·9	53	41	4	13	.	.	.	.	.	.	.	2	.	9	9	1	2	.
Portadown,	8,430	11·0	39·9	23·3	1·4	84	49	12	10	.	2	.	.	.	.	.	.	1	5	14	.	2	.
Armagh,	7,317	21·4	25·2	21·9	.	46	40	3	14	.	.	.	.	.	.	.	.	.	6	6	.	5	4

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891.
† See note (*) on page 430.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended 30th JUNE, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1891 represented by the Deaths from All Causes and from the principal Zymotic Diseases; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	110	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase thru'ugh the several Districts not being at present practicable, Death-rates are omitted from this Table.		99	17	21	44	17	.	2	.	1	1	.	.	4	1	16	15	4	9	26
" 2 "	37,539	354			223	47	25	102	49	.	.	1	.	2	2	.	7	5	34	51	4	10	35
" 3 "	38,845	406			268	50	22	147	49	.	.	.	.	2	1	.	21	11	57	41	4	13	46
" 4 "	33,391	369			247	47	28	126	46	.	.	.	.	8	1	.	13	5	30	54	5	12	88
" 5 "	21,284	144			102	17	12	49	24	.	.	.	.	3	.	.	.	.	17	28	3	11	25
" 6 "	48,431	287			235	31	13	132	59	.	.	.	.	3	.	.	10	2	54	39	6	9	57
" 7 "	1,112	14			14	1	2	8	3	.	.	.	.	.	.	.	1	.	2	4	.	.	4
" 8 "	4,904	41			26	9	1	12	4	.	1	.	.	.	.	.	3	.	4	8	2	3	5
" 9 "	12,866	160			104	18	11	60	15	.	1	.	.	2	.	.	3	1	20	21	3	6	14
" 10 "	12,256	233			130	27	21	63	19	.	.	.	.	2	1	.	13	1	26	26	.	1	29
" 11 "	19,881	321			148	26	16	79	27	.	1	.	.	3	1	.	4	.	28	30	3	9	23
" 12 "	23,282	304			185	48	31	83	23	.	1	.	.	4	3	.	4	2	33	48	3	12	22
" 13 "	6,804	116			63	12	8	31	12	.	5	.	.	.	3	.	1	.	15	12	2	3	1
" 14 "	362	.			2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Total,	273,079	2,859			1,846	350	211	938	347	.	11	1	1	30	12	.	84	28	336	377	40	99	377
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	70	29·2	0·5	87	8	2	53	24	.	.	1	.	.	.	.	.	.	21	8	.	4	52
" 2 "	9,252	84	34·6	1·7	80	7	7	47	19	.	.	.	1	.	1	.	2	.	16	8	.	2	33
" 3 "	9,816	57	26·9	1·6	66	8	6	36	16	.	.	.	.	.	.	.	.	4	12	16	.	.	20
" 4 "	10,356	52	20·9	0·8	54	6	10	26	12	.	1	.	.	.	.	.	.	1	9	15	.	1	20
" 5 "	8,187	38	18·7	0·5	38	4	5	17	12	.	.	.	.	.	.	.	.	1	3	5	.	1	6
" 6 "	8,823	92	24·0	.	53	10	10	20	13	.	.	.	.	.	.	.	.	.	5	5	.	.	6
" 7 "	17,034	101	23·7	0·7	101	17	21	45	18	.	1	.	.	1	.	.	.	1	13	20	.	.	24
Total,	75,345	494	25·4	0·8	479	60	61	244	114	.	2	1	1	1	1	.	2	7	79	77	.	8	161

GENERAL REGISTER OFFICE,
Charlemont House, Dublin, 21st July, 1900.

ROBERT E. MATHESON,
Registrar-General.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C., and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 7TH JULY, 1900. [No. 27.

General Register Office, Charlemont House,
Dublin, 9th July, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 18·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending June 16.	Week ending June 23.	Week ending June 30.	Week ending July 7.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 16.	Week ending June 23.	Week ending June 30.	Week ending July 7.	Average Rate for 4 weeks.
23 Town Dists.	21·0	17·8	20·4	18·4	19·4	Limerick, . .	15·4	14·0	30·9	18·2	19·6
Armagh, . .	14·3	0·0	7·1	28·5	12·5	Lisburn, . .	38·3	4·3	8·5	21·3	18·1
Ballymena, .	11·3	16·9	33·8	0·0	15·5	Londonderry, .	20·4	23·6	11·0	29·8	21·2
Belfast, . .	20·5	18·9	19·8	18·3	19·4	Lurgan, . .	13·7	31·9	13·7	18·2	19·4
Carrickfergus, .	5·8	5·8	11·7	5·8	7·3	Newry, . .	16·1	8·1	8·1	32·2	16·1
Clonmel, . .	9·7	9·7	14·6	29·2	15·8	Newtownards, .	11·3	0·0	28·3	17·0	14·2
Cork, . . .	20·1	18·7	21·5	18·7	19·7	Portadown, .	18·6	24·7	0·0	12·4	13·9
Drogheda, . .	11·4	7·6	7·6	7·6	8·6	Queenstown, .	11·5	17·2	23·0	17·2	17·2
Dublin, Reg. Area,	23·9	17·9	20·0	17·7	19·9	Sligo, . . .	15·2	0·0	15·2	15·2	11·4
Dundalk, . .	16·8	0·0	41·9	12·6	17·8	Tralee, . .	16·8	78·3	39·2	11·2	36·4
Galway, . .	56·7	18·9	49·1	45·3	42·5	Waterford, .	13·9	17·9	13·9	6·0	12·9
Kilkenny, . .	23·6	14·2	37·8	37·8	28·4	Wexford, . .	13·5	18·1	36·1	9·0	19·2

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·6 in Tralee. Among the 126 deaths from all causes registered in Belfast are one from whooping-cough, 6 from enteric fever, and 2 from diarrhœa; and the 27 deaths in Cork comprise 2 from typhus and one from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 181—94 boys and 87 girls; and the deaths to 124—73 males and 51 females.

DEATHS.

The deaths, which are 25 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 18·5 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 17·7 per 1,000. During the twenty-seven weeks ending with Saturday last the death-rate averaged 33·4, and was 4·4 over the mean rate for the corresponding portions of the ten years 1890–99.

Ten deaths from zymotic diseases occurred, being 3 over the number which occurred in the preceding week, but 9 under the average for the 27th week of the last 10 years. This number includes 3 deaths from whooping-cough, 2 deaths each from enteric fever and diarrhœa, one death from influenza, one death from erysipelas, and one death from cerebro-spinal meningitis.

Tubercular disease caused 37 deaths, being 4 in excess of the preceding week, namely, 26 from pulmonary phthisis, 3 from tubercular meningitis, 2 from tabes mesenterica, and 6 from other forms of tubercular disease

Fifteen deaths were caused by diseases of the respiratory system—8 from bronchitis, 5 from pneumonia, 2 from croup—this number is 6 beneath the average for the 27th week of the last ten years.

Convulsions caused 6 deaths in children—3 under one month, one aged one month and under a year, and 2 aged one year and under 5 years; apoplexy caused one death, and other diseases of the brain and nervous system caused 5 deaths.

Five accidental deaths and one case of suicide were registered.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases consist of the deaths of 5 infants under one year old, and the death of a person aged 74 years.

Fifty-eight of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 9 were under one month old) and 28 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 2 were octogenarians.

Fifty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 17·7 per 1,000; the rate in the city was 20·6 (15·6 on the North side, and 25·2 on the South), and in the Suburbs 11·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·9 per 1,000 inhabitants, the rate for the city being 1·1 (0·9 in the North City Districts, and 1·2 in the South), and for the Suburbs 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (4) are equal to an annual rate of 7·7 per 1,000. Influenza caused one death and pulmonary tuberculosis caused 2 deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 23·9 per 1,000. Whooping-cough caused 2 deaths and pulmonary tuberculosis caused two deaths, one death is due to tubercular meningitis.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 16·3 per 1,000. Pulmonary tuberculosis caused one death and diseases of the respiratory system 3 deaths. Meningitis caused one death.

* See Table VI.

No. 3 *North City District* (Blackhall-place).—The deaths (6) represent an annual rate of 12·0 per 1,000. Pulmonary tuberculosis caused 3 deaths.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 26·7 per 1,000. One death was caused by diarrhœa and 5 deaths by pulmonary tuberculosis, and 1 from tubercular meningitis, and diseases of the respiratory system caused 3 deaths.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·1 per 1,000. Enteric fever caused 1 death, pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 3 deaths.

No. 3 *South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 28·3 per 1,000. One death was caused by whooping-cough and one death from cerebro-spinal meningitis, and 1 from meningitis, and 4 deaths were caused by pulmonary tuberculosis.

No. 4 *South City District* (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 18·9 per 1,000. Pulmonary tuberculosis caused two deaths and diseases of the brain and nervous system caused three deaths.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 29·2; Finglas and Glasnevin, part of, 0·0; Palmerston, part of, and Crumlin, part of, 7·2; Rathmines, 11·3; Donnybrook, 6·4; Blackrock, 0·0; and Kingstown, 12·0. The only death from zymotic disease tabulated for these districts is one from diarrhœa for Clontarf and Howth, No. 1. Among the 6 deaths tabulated for Coolock and Drumcondra, No. 1, are 3 from phthisis and 2 from diseases of the circulatory system.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	16th June,	53 cases.
,, ,,	23rd June,	50 cases.
,, ,,	30th June,	38 cases.
,, ,,	7th July,	61 cases.

Of the 61 cases notified, 10 were erysipelas, 19 enteric fever, 12 scarlatina, 4 measles, 1 diphtheria, 6 meningitis,† and 2 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th July, 1900.

From this it appears that:—

Twelve cases of enteric fever were admitted to hospital, 12 were discharged, one died, and 40 remained under treatment at the close of the week.

Twelve cases of scarlatina were admitted to hospital, 11 were discharged, and 59* cases remained under treatment at the close of the week.

One case of diphtheria was admitted to hospital, 5 were discharged, and 4 remained under treatment at the end of the week.

Two cases of typhus were admitted to hospital, 2 were discharged, and 2 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 13·5), was equal to an average annual death-rate of 14·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·7 per 1,000, the rate for Glasgow being 20·3, and for Edinburgh 15·7.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 7th July, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 7th July, 1900. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 23 Town Districts	1,062,188	12·2	29·5	18·4	1·1	601	375	64	88	.	2	2	2	4	.	.	7	6	78	62	10	22	97
Dublin Registration Area:—																							
Total,‡	349,594	14·2	27·0	17·7	0·9	181	119	22	26	.	.	.	.	3	.	.	1	2	26	15	6	7	48
Registrars' Districts. City	245,001	65·6	28·7	20·9	1·1	135	98	18	19	.	.	.	.	3	.	.	1	1	22	12	4	6	41
Clontarf &c. No. 1	4,188	1·5	.	25·2	12·6	.	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Coolock & Drumcondra, No. 1	10,730	1·8	4·9	29·2	.	1	6	.	1	.	.	.	.	.	.	.	.	.	3	.	.	.	3
Finglas & Glasnevin, pt. of (a)	4,240	0·8	73·8	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Palmerston, part of and Crumlin part of (b)	17,273	8·0	7·2	7·2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	26·3	9·4	.	14	5	1	1	.	.	.	.	.	.	.	.	.	1	1	1	1	1
Donnybrook	24,629	12·4	27·5	6·4	.	13	3	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Blackrock,‖	8,401	7·8	12·4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	27·0	12·0	.	9	4	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2
Urban Districts																							
Belfast	359,000	21·8	34·3	18·3	1·3	236	126	26	19	.	.	.	.	1	.	.	6	2	20	24	3	12	21
Cork	75,345	33·3	27·0	18·7	2·1	39	27	3	8	.	.	.	2	.	.	.	.	1	10	3	.	.	11
Limerick	37,155	17·9	26·7	18·2	.	19	13	.	6	.	.	.	.	.	.	.	.	.	1	4	.	.	3
Londonderry	33,200	15·3	31·4	29·8	1·6	20	19	.	7	.	1	.	.	.	.	.	.	.	2	2	.	2	4
Waterford	26,203	18·3	33·8	6·0	2·0	17	8	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1
Galway	18,800	2·6	30·2	45·3	3·8	8	12	3	1	.	1	.	.	.	.	.	.	.	2	.	.	.	4
Drogheda	13,708	8·7	11·4	7·6	.	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Newry	12,961	18·5	20·1	52·2	.	5	8	2	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Dundalk	12,449	9·0	62·8	12·6	.	15	8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn	12,250	10·8	12·8	21·3	.	3	5	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Wexford	11,545	24·0	4·5	9·0	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Lurgan	11,429	18·4	22·8	18·2	.	5	4	.	1	.	.	.	.	.	.	.	.	.	1	1	1	1	1
Kilkenny	11,048	12·0	37·8	37·8	.	8	8	1	4	.	.	.	.	.	.	.	.	.	2	3	.	.	3
Clonmel	10,708	8·2	34·1	29·2	.	7	6	2	2	.	.	.	.	.	.	.	.	.	1	3	.	.	.
Sligo	10,274	8·4	20·3	15·2	.	4	3	.	2	.	.	.	.	.	.	.	1	.	1	.	.	.	.
Tralee	9,818	15·9	39·2	11·2	5·6	7	2	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
Ballymena	9,252	9·8	11·3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,197	19·0	17·0	17·0	.	3	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Queenstown	9,082	17·0	28·7	17·2	.	5	3	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Carrickfergus	8,923	0·5	35·1	5·8	.	6	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Portadown	8,480	11·0	18·6	12·4	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh	7,187	21·4	28·5	28·5	.	4	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Towns and Districts.	Meteorology.† Week ending 7th July, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	64·8	45·4	56·2	0·28	65·7	41·9	55·7	0·65	68·3	44·7	55·8	2·01
City	66·7	49·0	58·1	0·65	67·0	48·7	58·0	0·48	68·7	47·2	57·9	1·72
Clontarf &c. No. 1	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a)	65·9	46·0	57·0	0·61	67·5	43·2	56·9	0·60	69·9	46·0	56·9	2·57
Palmerston, part of and Crumlin part of (b)	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	66	47	57·5	.	67	47	58·5	.	71	47	58·3	1·11
Urban Districts												
Belfast	66·1	48·9	57·7	1·00	65·1	44·1	55·9	1·18	68·1	47·6	58·3	1·81
Cork	65	51	57·3	0·43	62	48	56·2	0·43	64	49	56·0	1·70
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry	64·0	47·0	56·0	0·76	67·1	46·0	56·3	0·91	69·0	46·6	57·9	3·42
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	66	49	57	1·28	64	51	57	1·22	68	45	60	1·40
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	67·1	43·8	56·5	0·56	65·2	45·2	55·8	0·66	67·1	45·8	56·4	1·08
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn	67·1	43·8	56·5	0·56	65·2	45·2	55·8	0·66	67·1	45·8	56·4	1·08
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	67·1	43·8	56·5	0·56	65·2	45·2	55·8	0·66	67·1	45·8	56·4	1·08
Kilkenny	67	44	56·4	0·73	66	47	56·1	0·36	65	45	55·0	2·46
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	65·7	43·5	.	0.70	.	.	.	.	66·7	43·5	34·9	3·05
Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	65	47	54·3	0·27	60	45	52·8	0·99	65	48	54·8	0·97
Queenstown	65	51	57·3	0·43	62	48	56·2	0·43	64	49	56·0	1·70
Carrickfergus	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	67·1	43·8	56·5	0·56	65·2	45·2	55·8	0·66	67·1	45·8	56·4	1·08
Armagh	67·1	43·8	56·5	0·56	65·2	45·2	55·8	0·66	67·1	45·8	56·4	1·08

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 7th July, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	GOOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLAS. NEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1
Diarrhœa, Dysentery,	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	2	.
Other Zymotic Diseases	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Total,	1	3	.	.	1	1	2	.	1	.	.	.	.	.	.	.	9	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES.																		
Phthisis, or Pulmonary Consumption,	2	2	1	3	5	3	4	2	.	3	.	.	1	.	.	.	26	.
Other Constitutional Diseases	1	2	1	.	3	.	4	2	.	1	.	.	1	.	.	1	16	1
Total,	3	4	2	3	8	3	8	4	.	4	.	.	2	.	.	1	42	1
V. DEVELOPMENTAL DISEASES,	.	5	.	.	1	.	3	2	1	.	.	.	1	.	.	.	13	1
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	.	.	2	1	2	.	2	3	.	.	.	1	1	.	.	.	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	1	.	1	.	1	3	.	.	2	.	.	.	1	.	1	10	.
Respiratory System,	.	1	3	.	3	3	1	1	.	.	.	.	1	2	.	.	15	.
Digestive System,	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	3	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	3	7	2	5	4	7	5	.	2	.	1	2	3	.	2	43	2
VII. VIOLENT DEATHS,	.	.	.	1	1	.	1	1	.	.	.	.	1	.	.	1	6	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	.	.	1	2	1	1	.	.	.	.	.	.	.	.	6	.
Deaths from all Causes,	4	16	9	6	17	10	22	13	2	6	.	1	6	3	.	4	119	5
Annual Rate of Mortality in every 1,000 of the population.	7·7	23·9	16·3	12·0	26·7	28·1	28·3	18·9	25·2	29·2	0·0	7·2	11·3	6·4	0·0	12·0		
	15·6				25·2				11·0									
	20·6																17·7	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	3	2	1	5	.	5	3	.	2	.	.	1	.	.	2	25	4
Workhouse Hospitals,	.	6	1	2	2	1	5	4	1	1	.	.	.	.	.	.	23	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 22, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday July 5, 1890	July 11, 1891	July 9, 1892	July 8, 1893	July 7, 1894	July 6, 1895	July 4, 1896	July 10, 1897	July 9, 1898	July 8, 1899	Averages in 27th Week of the 10 years 1890–99.	In the week ending Saturday, 7th July, 1900. Deaths of persons of the Ages of ALL AGES.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 53·3	° 55·6	° 57·1	° 60·8	° 59·8	° 57·0	° 59·2	° 56·5	° 57·0	° 60·6	° 57·7	° 56·2								
ALL CAUSES,	156	127	146	165	118	167	172	145	136	156	148·8	124	9	13	16	10	25	23	26	2
I. FEBRILE OR ZYMOTIC DISEASES,	15	8	24	43	11	18	35	13	8	20	19·5	10	.	3	2	1	1	2	1	.
II. PARASITIC DISEASES,	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	.	.	2	.	.	.	2	1	1	·6	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL „	42	45	31	39	30	45	43	41	39	43	40·3	43	.	5	4	9	13	10	2	.
V. DEVELOPMENTAL „	20	9	10	9	12	15	10	12	14	14	12·5	14	3	1	.	.	.	8	2	
VI. LOCAL „	66	51	70	62	48	77	70	67	61	66	63·8	45	3	3	9	.	7	10	13	.
VII. VIOLENT DEATHS,	4	6	5	3	10	3	3	4	3	3	4·4	6	.	.	1	.	3	1	1	.
VIII. ILL-DEFINED CAUSES,	9	8	6	7	6	9	11	6	9	4	7·5	6	3	1	.	.	1	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	18	6	.	.	.	.	.	5	2·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	1	.	2	6	1	2	.	1·2	.	.	.	.	.	.	.	.	.
Typhus,	1	.	.	.	.	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	3	3	4	2	3	1	3	2·0	1	.	.	.	.	.	1	.	.
Whooping Cough,	4	3	2	2	1	1	5	2	3	1	2·4	3	.	2	1	.	.	.	.	.
Diphtheria,	1	1	1	.	.	1	.	2	.	1	·7	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	3	1	3	.	1	3	1	.	3	1·7	2	.	.	.	.	1	1	.	.
Cholera and Chol. Diarr.,	.	.	.	1	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	.	3	22	4	6	17	2	.	3	5·7	2	.	1	.	1	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	1	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	1	1	1	1	.	.	.	.	·4	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	.	.	.	1	2	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	2	.	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	4	.	3	2	.	.	1	.	.	1	1·1	1	.	.	1	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	1	.	.	.	2	1	.	·4	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	1	1	1	1	.	.	.	.	1	1	·6	1	.	.	.	.	.	1	.	.
Rheumatism,	1	.	.	.	1	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
Gout,	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Rickets,	1	.	1	.	.	.	.	.	1	.	·3	1	.	1	.	.	.	.	.	.
Cancer,	5	6	1	4	2	2	6	7	6	5	4·4	3	.	.	.	.	.	1	2	.
Tabes Mesenterica,	6	1	4	2	6	4	6	2	5	2	3·8	2	.	2	.	.	.	.	.	.
Tubercular Meningitis,	2	5	6	2	2	7	6	4	3	8	4·5	3	.	1	.	2	.	.	.	.
Phthisis,	28	25	9	23	19	28	20	24	18	26	21·5	26	.	1	1	4	13	7	.	.
Scrofula, Tuberculosis,	2	5	7	6	.	2	3	4	3	3	3·5	6	.	.	3	3	.	.	.	.
Other Constitutional Diseases,	1	2	1	1	.	2	1	.	1	2	1·1	1	.	.	.	.	.	1	.	.
V. Developmental Diseases—																				
Premature Birth,	4	2	1	1	4	2	1	3	4	5	2·7	3	3	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	.	2	.	.	·2	1	.	1	.	.	.	.	.	.
Old Age,	16	7	9	8	8	13	9	7	10	9	9·6	10	.	.	.	.	.	.	8	2

each Disease registered in the TWENTY-SEVENTH WEEK ending Saturday, 7th July, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 27th Week of the 10 years 1890-99.	In the Week ending Saturday, 7th July, 1900. Deaths of Persons of the Ages of							
	July 5, 1890	July 11, 1891	July 9, 1892	July 8, 1893	July 7, 1894	July 6, 1895	July 4, 1896	July 10, 1897	July 9, 1898	July 8, 1899		ALL AGES. Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 58·3	° 55·6	° 57·1	° 60·8	° 59·8	° 57·0	° 59·2	° 56·5	° 57·0	° 60·6	° 57·7	° 56·2								
VI. Local Diseases.																				
Apoplexy,	1	4	1	.	2	2	.	1	3	4	1·8	1	.	.	.	.	.	1	.	.
Epilepsy,	.	1	3	.	.	1	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
Convulsions,	14	3	7	10	4	16	14	7	7	7	8·9	6	3	1	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	8	4	9	6	6	7	7	8	11	8	7·4	5	.	1	.	.	2	2	.	.
Diseases of Organs of Special Sense,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	13	11	13	8	13	10	13	14	10	15	12·0	10	.	.	.	.	2	4	4	.
Croup,	.	.	2	.	.	2	.	.	1	.	·5	2	.	.	2	.	.	.	.	.
Bronchitis,	13	9	14	14	7	16	5	4	10	12	10·4	8	.	1	1	.	.	.	6	.
Pneumonia	5	6	12	7	7	9	10	7	6	11	8·0	5	.	.	1	.	2	1	1	.
Pleurisy,	.	1	.	.	.	2	.	1	.	1	·5	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	.	.	.	1	.	2	2	6	1	.	1·2	.	.	.	.	.	.	.	.	.
Teething,	3	..	1	4	.	1	2	3	.	1	1·5	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Enteritis,	.	.	.	3	2	.	2	.	1	.	·8	.	.	.	.	.	.	.	.	.
Peritonitis	1	2	.	.	1	.	.	1	.	1	·6	.	.	.	.	.	.	.	.	.
Disease of Liver,	2	1	2	3	2	3	.	1	.	.	1·4	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	2	5	3	4	2	3	8	6	6	2	4·1	2	.	.	2	.	.	.	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	4	.	2	2	2	3	7	3	3	2·8	3	.	.	.	.	1	1	1	.
Diseases of Generative System,	.	.	1	.	.	1	2	.	.	.	·4	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of Integumentary System,	1	.	.	.	.	.	2	1	.	.	·4	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	1	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	2	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	4	.	1	.	.	1	.	1	2	.	3·9	2	.	.	1	.	.	1	.	.
By Drowning,		3	1	.	3	.	2	.	.	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		3	1	1	4	2	1	.	1	2		3	.	.	.	.	2	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	1	3	.	.	1	.	.	·5	1	.	.	.	.	1	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	8	6	7	6	9	11	6	9	4	7·5	6	3	1	.	.	1	.	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																										
	Jan. 18.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
Births registered,	209	168	191	184	174	175	257	179	215	217	226	234	128	184	225	202	246	222	198	214	199	222	194	198	223	181
Average Births in corresponding week of previous 10 years,	199	195	202	206	200	196	208	225	195	192	195	217	199	194	192	213	214	212	192	201	209	199	208	202	219	193
Deaths registered,	331	295	259	288	199	284	342	230	247	209	236	244	194	230	204	178	204	179	168	176	157	161	167	122	144	124
Annual Death-rate per 1,000,	49·4	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5
Average Deaths in corresponding week of previous 10 years,	239	249	228	221	211	216	212	214	218	218	218	219	204	184	185	184	178	170	174	167	162	156	164	150	156	149
Ages, Under 5 years,	85	70	60	60	54	63	74	55	66	56	69	55	50	59	66	51	54	53	47	43	43	54	37	29	33	38
5—20 "	16	15	20	19	14	24	20	22	15	12	17	12	14	26	13	15	17	19	20	26	15	14	27	16	13	10
20—40 "	38	44	38	34	30	48	47	23	42	39	34	45	24	29	30	33	47	27	28	30	22	31	35	19	32	25
40—60 "	84	61	50	46	35	65	80	51	60	44	51	54	42	53	32	48	42	36	31	35	40	38	31	29	33	23
60—80 "	85	83	79	64	58	73	104	59	56	42	52	59	53	47	45	27	35	36	36	35	31	19	30	23	27	26
80 years and upwards,	23	22	12	15	13	11	17	10	8	16	13	19	11	16	18	4	9	9	6	7	6	5	7	6	6	2
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	18	9	5	4	3	1	5	1	2	4	.	.	3	2	2	.	.	.	2	.	.	.	.	.	.	.
" Scarlet Fever,	1	.	.	1	2	1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	3	3	.	5	5	.	.	.	1	.	.	3	1	2	2	4	1	1	3	.	5	.	1	2	3
" Diphtheria,	3	2	1	3	5	3	.	1	2	.	1	1	.	2	2	.	.	.	.	.	.	2	2	1	.	.
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
" Enteric Fever,	5	2	1	2	.	3	1	4	2	.	.	1	.	2	3	5	6	1	2	2	1	2	2	2	.	2
" Diarrhœa, Dysentery,	3	6	.	2	2	2	4	5	3	4	4	.	.	1	.	3	1	3	2	.	1	1	1	.	1	2
" Phthisis,	27	29	36	29	23	32	40	30	37	29	29	30	27	28	27	32	29	32	30	32	13	28	23	22	21	26
" Heart Diseases,	20	16	25	15	11	28	33	24	18	17	20	23	16	17	11	11	17	14	17	11	14	9	11	9	9	10
" Diseases of Respiratory System,	110	92	55	67	65	74	94	55	73	39	72	56	46	53	47	40	29	34	25	30	23	23	34	27	29	15
Violent Deaths,	5	5	2	5	3	8	4	2	2	4	9	6	2	3	3	4	6	4	5	1	6	4	1	1	5	6
Mean Temperature of the Air Phœnix Park),	42·2	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2
Average Mean Temperature in corresponding week of previous 10 years,	39·0	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7
Rainfall in inches,	·535	·560	·530	·920	·690	·680	·520	1·025	·000	·115	·305	·075	·535	·735	·170	·190	·350	·535	·005	1·135	·005	·560	85	2·005	·650	·280
Mean Humidity of the Air, complete Saturation 1·0,	·90	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·73	·80	·88	·82	·80	·83	·84	·81

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th July, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH JULY, 1900.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	18·5	124	38	10	25	23	26	2	.	.	.	.	3	.	.	2	2	7	26	6	15	6	64
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	20·0	6	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	2	1
II.	MIDDLE CLASS,	81,469	8·3	13	3	2	1	3	4	.	.	.	.	.	1	.	.	1	.	2	1	.	2	.	8
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	16·2	31	6	5	11	4	5	.	.	.	.	.	.	.	.	1	1	2	10	1	5	1	12
IV.	GENERAL SERVICE CLASS,	147,978	25·1	50	27	3	8	9	3	.	.	.	.	.	2	.	.	.	1	3	10	5	5	2	25
V.	INMATES OF WORKHOUSES,	5,191		24	2	.	4	6	10	2	.	.	.	.	.	.	.	.	.	.	4	.	1	1	18
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	13·0	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	36·3	4	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	8·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	6·0	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	6. Clerks and Commercial Assistants,	25,001	12·5	6	1	1	1	1	2	.	.	.	.	.	1	.	.	1	.	2	.	.	1	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	6·4	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	21·0	8	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
	9. Building and Furnishing Trades,	26,294	19·8	10	1	3	2	1	3	.	.	.	.	.	.	.	.	.	1	1	3	.	2	.	4
	10. Clothing Trades,	28,927	13·0	6	.	.	4	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	2
	11. Food Supply Trades,	7,949	6·5	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,937	19·3	10	4	2	2	2	.	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	5
	13. Petty Shopkeepers,	6,889	7·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	34·1	9	7	1	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2	2	.	4
	15. Domestic Servants,	89,967	3·9	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	33·7	7	3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	1	2
	17. Hawkers, Porters, Labourers, &c.,	83,472	19·3	31	17	2	1	9	2	.	.	.	.	.	1	.	.	.	.	1	6	3	2	1	18
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	24	2	.	4	6	10	2	.	.	.	.	.	.	.	.	.	.	4	.	1	1	18

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	May 19,	23·0	1·9	12	.	.	.	.	.	.	.	.	1	3	.	.
		„ 26,	19·2	.	10	.	.	.	.	.	.	.	.	.	4	1	1
		June 2,	30·7	.	16	.	.	.	.	.	.	.	.	.	.	2	.
		„ 9,	26·9	1·9	14	.	.	.	.	.	1	.	.	.	3	.	1
		„ 16,	28·0	.	12	.	.	.	.	.	.	.	.	.	4	3	1
		„ 23,	13·4	.	7	.	.	.	.	.	.	.	.	.	1	.	1
		„ 30,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	4	.
		July 7,	7·7	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	May 19,	16·5	.	11	.	.	.	.	.	.	.	.	.	1	3	.
		„ 26,	40·4	.	27	.	.	.	.	.	.	.	.	.	4	4	.
		June 2,	26·9	.	18	.	.	.	.	.	.	.	.	.	1	2	.
		„ 9,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	6	1	..
		„ 16,	23·9	1·5	16	.	.	.	.	.	1	.	.	.	5	3	.
		„ 23,	15·0	1·5	10	.	.	.	.	.	.	.	1	.	1	1	.
		„ 30,	13·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.
		July 7,	23·9	3·0	16	.	.	.	.	2	.	.	.	.	2	1	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	May 19,	23·5	3·6	13	.	.	.	.	.	.	1	1	.	3	1	.
		„ 26,	28·9	.	16	.	.	.	.	.	.	.	.	.	4	4	.
		June 2,	14·4	1·8	8	.	.	.	.	.	.	.	.	1	1	.	.
		„ 9,	28·9	1·8	16	.	.	.	.	.	.	.	.	1	3	.	1
		„ 16,	28·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		„ 23,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
		„ 30,	19·9	.	11	.	.	.	.	.	.	.	.	.	1	2	1
		July 7,	16·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	May 19,	30·0	2·0	15	.	.	.	.	.	.	.	1	.	5	3	.
		„ 26,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	.
		June 2,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	2	1	.
		„ 9,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 16,	28·0	.	14	.	.	.	.	.	.	.	.	.	1	3	.
		„ 23,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	.	2	.
		„ 30,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
		July 7,	12·0	.	6	.	.	.	.	.	.	.	.	.	3	.	1
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 33,194.	May 19,	31·4	1·6	20	.	.	.	.	1	.	.	.	.	4	3	.
		„ 26,	40·8	.	26	.	.	.	.	.	.	.	.	.	5	11	.
		June 2,	39·8	.	25	.	.	.	.	.	.	.	.	.	3	6	1
		„ 9,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	3	.
		„ 16	18·9	.	12	.	.	.	.	.	.	.	.	.	2	3	.
		„ 23,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	6	3	.
		„ 30,	28·3	1·6	18	.	.	.	.	.	.	.	.	1	3	6	1
		July 7,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	5	3	1
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	May 19,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	.
		„ 26,	25·3	2·8	9	.	.	.	.	.	.	.	1	.	2	2	.
		June 2,	22·5	.	8	.	.	.	.	.	.	.	.	.	.	1	1
		„ 9,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	1	2	.
		„ 16,	39·4	2·8	14	.	.	.	.	.	.	.	1	.	2	3	.
		„ 23,	36·5	.	13	.	.	.	.	.	.	.	.	.	.	6	.
		„ 30,	28·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		July 7,	28·1	2·8	10	.	.	.	.	.	.	.	1	.	3	3	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	May 19,	29·6	1·3	23	.	.	.	.	.	1	.	.	.	2	6	3
		„ 26,	21·9	2·6	17	.	.	.	.	1	.	.	1	.	3	.	.
		June 2,	23·1	.	18	.	.	.	.	.	.	.	.	.	.	4	.
		„ 9,	27·0	2·6	21	.	.	.	.	1	1	.	.	.	.	3	1
		„ 16,	34·7	3·9	27	.	.	1	.	.	1	.	1	.	.	3	.
		„ 23,	28·3	.	22	.	.	.	.	.	.	.	.	.	2	5	.
		„ 30,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	3	6	.
		July 7,	28·3	1·3	22	.	.	.	.	1	.	.	.	.	4	1	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798.	May 19,	16·0	.	11	.	.	.	.	.	.	.	.	.	4	1	1
		„ 26,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	4	1	.
		June 2,	21·9	.	15	.	.	.	.	.	.	.	.	.	2	2	2
		„ 9,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	3	5	1
		„ 16,	20·4	1·5	14	.	.	.	.	.	.	.	.	1	5	3	.
		„ 23,	18·9	1·5	13	.	.	.	.	1	.	.	.	.	2	2	.
		„ 30,	11·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		July 7,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	1	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	May 19,	24·4	3·8	13	.	1	.	.	.	.	.	.	1	1	1	.
	„ 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	June 2,	16·9	1·9	9	.	.	1	.	.	.	.	.	.	.	1	.
	„ 9,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	13·1	.	7	.	.	.	.	.	.	.	.	.	1	3	.
	„ 23,	16·9	.	9	.	.	.	.	.	.	.	.	.	3	.	.
	„ 30,	15·0	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	July 7,	11·3	.	6	.	.	.	.	.	.	.	.	.	1	1	1
Donnybrook. Pop. (in 1891) 24,629.	May 19,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	June 2,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	.	.
	„ 9,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	25·4	.	12	.	.	.	.	.	.	.	.	.	2	4	.
	„ 23,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 30,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	July 7,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	2	.
Kingstown. Pop. (in 1891) 17,886.	May 19,	18·0	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	June 2,	30·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1
	„ 9,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	2	.
	„ 16,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	6·0	.	2	.	.	.	.	.	.	.	.	.	1	1	.
	„ 30,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1
	July 7,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1900 (Est.) 359,000.	May 19,	22·2	3·2	153	.	1	.	.	6	1	.	12	2	23	32	4
	„ 26,	20·5	1·3	141	.	1	.	1	1	.	.	5	1	34	31	5
	June 2,	19·5	2·3	134	.	.	.	.	1	1	.	11	3	22	29	2
	„ 9,	17·9	2·3	123	.	3	1	.	.	1	.	10	1	18	28	1
	„ 16,	20·5	2·0	141	.	1	.	.	1	.	.	11	1	32	24	4
	„ 23,	18·9	1·7	130	.	1	.	.	1	.	.	6	4	20	18	7
	„ 30,	19·8	1·6	136	.	2	.	.	2	1	.	2	4	32	17	3
	July 7,	18·3	1·3	126	.	.	.	.	1	.	.	6	2	20	24	3
Cork. Pop. (in 1891) 75,845.	May 19,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	9	.
	„ 26,	28·4	0·7	41	.	.	.	.	.	.	.	.	1	5	4	.
	June 2,	20·8	0·7	30	.	.	.	.	1	.	.	.	.	5	4	.
	„ 9,	24·2	.	35	.	.	.	.	.	.	.	.	.	8	4	.
	„ 16,	20·1	0·7	29	.	.	.	.	.	.	.	.	1	6	5	.
	„ 23,	18·7	.	27	.	.	.	.	.	.	.	.	.	4	2	.
	„ 30,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	2	.
	July 7,	18·7	2·1	27	.	.	.	2	.	.	.	.	1	10	3	.
Limerick. Pop. (in 1891) 37,155.	May 19,	28·1	.	20	.	.	.	.	.	.	.	.	.	2	3	.
	„ 26,	25·3	.	18	.	.	.	.	.	.	.	.	.	3	3	.
	June 2,	18·2	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	„ 9,	16·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	15·4	.	11	.	.	.	.	.	.	.	.	.	4	4	.
	„ 23,	14·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 30,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	4	.
	July 7,	26·7	.	13	.	.	.	.	.	.	.	.	.	1	4	.
Londonderry Pop. (in 1891) 38,300.	May 19,	17·3	.	11	.	.	.	.	.	.	.	.	.	4	5	1
	„ 26,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	2	.
	June 2,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	3	.	1
	„ 16,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	5	.
	„ 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	4	.
	„ 30,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	1	.
	July 7,	29·8	1·6	19	.	1	.	.	.	.	.	.	.	2	2	.
Waterford. Pop. (in 1891) 26,200.	May 19,	25·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 26,	29·8	4·0	15	.	.	.	.	2	.	.	.	.	1	2	.
	June 2,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	„ 9,	11·9	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	„ 16,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 23,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 30,	13·9	2·0	7	.	.	.	.	.	.	.	.	1	.	3	.
	July 7,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	.	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 7th July, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	5	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		8	1	.	7	.	.	.	.	.	.	.	.	.	.	.	1	1	2	5
" 2 "	37,589	27			13	.	1	8	4	.	.	.	.	.	.	.	.	.	2	4	.	3	2
" 3 "	38,845	36			15	3	2	9	1	.	.	.	.	.	.	.	2	.	3	3	.	.	1
" 4 "	33,391	33			20	3	5	8	4	.	.	.	.	.	.	.	.	.	3	3	1	3	6
" 5 "	21,284	10			8	1	1	5	1	.	.	.	.	.	.	.	.	.	1	3	.	2	1
" 6 "	43,431	26			15	5	1	6	3	.	.	.	.	.	.	.	.	.	2	1	.	.	3
" 7 "	1,112	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	16			6	.	.	5	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.
" 10 "	12,256	19			9	1	1	5	2	.	.	.	.	.	.	.	2	.	3	.	.	.	1
" 11 "	19,881	22			13	2	2	8	1	.	.	.	.	.	.	.	.	.	2	6	1	1	1
" 12 "	23,282	24			16	7	1	6	2	.	.	.	.	1	.	.	2	2	2	2	.	1	1
" 13 "	6,804	13			3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "	362	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	236			126	26	14	67	19	.	.	.	.	1	.	.	6	2	20	24	3	12	21
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	9	26·2	.	6	.	.	5	1	.	.	.	.	.	.	.	.	.	4	.	.	.	6
" 2 "	9,252	6	16·9	5·6	3	1	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1
" 3 "	9,816	4	15·9	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1
" 4 "	10,856	8	25·2	.	5	1	.	4	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
" 5 "	8,137	5	6·4	6·4	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 6 "	3,823	2	5·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	5	24·5	3·1	8	1	2	4	1	.	.	.	1	.	.	.	.	.	3	.	.	.	3
Total,	75,845	39	18·7	2·1	27	3	4	17	3	.	.	.	2	.	.	.	.	1	10	3	.	.	11

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.
No. of week in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered,	263	199	230	204	240	186	230	216	269	218	236	229	188	197	225	261	213	244	218	218	218	219	241	213	204	236
DEATHS registered.	210	166	170	135	187	226	181	207	195	157	169	176	179	149	124	127	171	138	153	141	134	123	141	130	136	126
Annual Death-rate per 1,000 of estimated Population,	30·5	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·8	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3
AGES, Under 1 year,	40	26	32	22	30	41	31	43	42	27	26	37	31	29	21	27	33	26	34	20	25	26	24	26	28	26
AGES, 1–5 years,	23	24	22	17	15	23	16	21	28	26	30	22	21	18	12	13	23	14	27	10	18	18	17	15	15	14
AGES, 5–60 years,	68	71	71	62	99	102	84	22	90	68	77	84	80	79	56	64	86	76	65	67	76	60	72	61	76	67
AGES, 60 years and upwards,	59	45	45	34	43	60	50	51	35	36	36	33	47	23	35	28	29	22	27	24	20	24	28	28	17	19
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	4	.	1	1	.	.	.	1	2	1	1	2	1	.	1	.	.	.	1	1	.	3	1	1	2	.
,, Scarlet Fever,	.	1	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
,, Whooping-cough,	2	9	5	4	3	4	3	4	3	2	4	4	1	1	1	4	8	3	6	1	1	.	1	1	2	1
,, Diphtheria,	.	1	.	.	3	2	1	2	1	1	2	2	2	2	1	1	1	1	1	.	1	1	.	.	1	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	4	4	1	1	1	1	2	5	3	4	3	6	1	5	5	3	8	5	12	5	11	10	11	6	2	6
,, Diarrhœa, Dysentery,	4	1	2	2	1	3	3	.	1	1	3	3	1	1	2	3	4	1	2	1	3	1	1	4	4	2
,, Phthisis,	21	17	21	12	26	27	19	26	28	26	30	39	25	31	14	23	31	31	23	34	22	18	32	20	32	20
,, Diseases of Respiratory System,	86	72	66	39	50	73	67	57	75	35	49	43	46	38	26	24	3	31	32	31	2	28	24	18	17	24
Violent Deaths,	2	.	.		8	8	5	4	2	6	2	2	5	.	2	2	2	3	4	5	2	1	4	7	3	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th July, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	.	2	.	.	.	.	.	.	.	.	2
" " 1, West,	.	1	.	3	.	.	1	.	.	2	4	.	1	12
" " 2,	.	.	.	.	.	.	.	.	.	5	.	1	.	6
" " 3,	.	1	.	2	1	.	.	.	.	.	1	.	.	5
South City No. 1,	.	2	.	1	.	.	.	.	1	7	4	.	3	18
" " 2,	.	.	.	.	2	.	.	.	.	.	.	.	.	2
" " 3,	.	.	.	1	.	.	.	.	.	5	1	.	2	9
" " 4,	.	.	.	5	1	.	.	.	1	.	.	.	.	7
Total,	.	4	.	12	6	.	1	.	2	19	10	1	6	61
Total for week ended June 30, 1900,	.	2	.	8	.	.	2	.	5	11	9	.	1	38
Total for week ended June 23, 1900,	.	4	.	13	.	.	2	.	6	11	11	.	3	50
Total for week ended June 16, 1900,	.	4	.	9	.	.	7	.	7	10	13	.	3	53

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th July, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th July.			
	June 16.	June 23.	June 30.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	14	19	12	3	4	.	11
Scarlet Fever,	65	60	58	12	11	.	59*
Typhus "	2	2	2	2	2	.	2
Diphtheria,	10	9	8	1	5	.	4
Enteric Fever,	43	41	41	12	12	1	40
Pneumonia,	31	31	28	12	14	2	24

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,589,129	July 7,	2,466	1,191	13·5	.	35	10	20	31	7	1
EDINBURGH, .	302,262	„ 7,	140	91	15·7	.	3	.	1	1	.	5
GLASGOW, . .	743,969	„ 7,	501	290	20·3	2	13	3	.	17	3	16
CALCUTTA, . .	466,460	May 19,	.	630	56·0	31	3	.	12	.	64‡	146*
BOMBAY, . .	821,764	June 12,	239	1,114	67·77	12	6	?	?	?	127§	190*
MADRAS, . .	452,518	May 25,	397	371	42·6	.	4	?	?	?	120	44
PARIS, . . .	2,511,629	June 23,	1,110	874	17·1	1	27	14	5†	4	9	59
BRUSSELS (with 8 Faubourgs).	561,130	„ 30,	211	141	12·8	.	.	21	.	1	1	14
AMSTERDAM, .	526,072	„ 23,	275	150	14·85	.	1	.	1	2	3	.
ROTTERDAM, .	323,487	„ 23,	181	99	15·84	.	1	.	1	.	.	1
THE HAGUE, .	205,328	„ 23,	108	45	11·38	.	2	.	1	.	.	.
COPENHAGEN, .	349,000	„ 23,	169	106	15·8	.	.	3	3	.	2	11
CHRISTIANIA, .	221,255	„ 30,	103	55	12·6	.	2	.	.	1	.	5
ST. PETERSBURG,	1,132,677	„ 23,	454	573	23·6	8	14	5	14	6	16	52
BERLIN, . .	1,854,964	„ 15,	850	614	17·2	.	13	14	10	8	2	50
HAMBURG, . .	691,349	„ 30,	404	225	16·9	.	5	.	4	1	1	25
DRESDEN, . .	400,400	May 26,	299	148	19·4	.	1	.	1	2	.	12
BRESLAU, .	406,012	June 30,	288	178	22·8	.	.	1	1	2	4	31
MUNICH, . .	463,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,656,662	June 23,	857	641	20·1	.	8	2	4	3	.	68
BUDA-PESTH, .	685,340	„ 23,	409	285	21·6	.	12	5	2	.	2	10
PRAGUE and Faubourgs.	391,693	„ 23,	234	183	24·3	.	.	.	1	4	5	1
ROME, . . .	514,306	„ 9,	166	157	15·5	.	2	.	1	.	.	13
TURIN . . .	344,203	April 20,	145	199	19·9	.	.	.	2	.	.	.
VENICE, . .	172,924	June 30,	73	50	15·0	.	.	.	.	.	.	7
NEW YORK, .	3,654,594	„ 9,	1,530	1,148	16·4	4	21	7	43	10	4	28
PHILADELPHIA,	1,266,832	„ 23,	443	380	15·6	.	2	2	20	5	10	5

* Including 92 deaths from cholera in Calcutta and 72 in Bombay. † Including deaths from croup.
‡ Exclusive of 161 deaths from bubonic fever. § Exclusive of 117 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 7th July, 1900:—

"The changeable, showery weather so characteristic of the present season lasted until almost the close of this week, when a decided improvement was apparently taking place. The barometer was generally rather low and unsteady in the north, higher and relatively steady over Southern and Central Europe. A number of atmospheric depressions, drifted eastwards across the northern half of the British Isles, and their secondaries crossed England and France in the same direction. Hence the fresh S.W. to N.W. winds and showers which so widely prevailed. In Dublin Sunday was fine for the most part, but on the afternoon of both Monday and Tuesday there were heavy thunder-showers, hail also falling on Tuesday. Wednesday proved dull and rainy, a new depression coming in upon our northwestern coasts in the rear of a ridge of high barometric pressure which was central over St. George's Channel at 8 a.m. The weather improved in Ireland after Wednesday, the wind drawing round through N.W. to N. and freshening to a strong breeze on Friday. The week closed with an anticyclone lying over this country, accompanied by bright, dry weather. In Dublin the mean height of the barometer was 29·973 inches, the range being from 29·562 inches at 9 a.m. of Sunday (wind, W.), to 30·343 inches at 9 p.m. of Saturday (wind, N.N.E.). The corrected mean temperature was 58·1°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 57·6°. The screened thermometers rose to 66·7° on Monday and again on Saturday. They fell to 49·0° on Saturday. The rainfall was ·653 inch on four days, ·270 inch being measured on Monday and ·240 inch on Tuesday. The prevalent winds were W. and N.W. Bright sunshine was estimated at 48½ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·981 inches. The highest reading (30·347) was on Saturday at 9 p.m., air calm, and the lowest (29·565) on Sunday at 9 a.m., wind S.W.

The mean temperature for the week was 56·2°, being 1·5° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Monday, when the thermometer registered 64·8°, and was lowest on Saturday, the mercury having fallen to 45·4°. The mean of the Dry Bulb for the week was 56·0°, and of the Wet Bulb 53·0°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 51·0 hours. The rainfall measured ·280 in.

At Greenwich the mean temperature for the week was 59·2°, the maximum 75·1°, and the minimum 48·2°; at Glasgow the maximum was 68·7°, the minimum 48·0°, and the mean 58·3°, and at Edinburgh the maximum was 68·7°; the minimum 48·0°, and the mean 57·3°. The rainfall at Greenwich measured 0·57 in.; at Glasgow 0·79 in.; and at Edinburgh 0·44 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 1,	29·580	63·0	51·3	57·2	55·7	53·3	·85	·6	3·7	—	S.W.	S.W.
Monday, „ 2,	29·666	64·8	48·2	56·5	55·3	52·9	·85	·4	8·2	·115	S.W.	Calm.
Tuesday, „ 3,	29·985	64·7	48·1	56·4	56·9	53·1	·77	·4	12·1	·045	N.W.	N.W.
Wednesday, „ 4,	30·097	58·0	45·9	52·0	56·9	54·5	·86	·5	0·3	·110	W.	S.W.
Thursday, „ 5,	30·056	64·1	56·2	60·2	58·8	56·1	·75	·6	2·7	·010	W.	W.
Friday, „ 6,	30·160	63·0	50·4	56·7	55·0	51·8	·80	·5	9·1	—	W.	W.N.W.
Saturday, „ 7,	30·325	64·0	45·4	54·7	53·2	49·1	·77	·3	14·9	—	N.	Calm.
Mean, . .	29·981	63·1	49·4	56·2	56·0	53·0	·81	·5	Total 51·0	Total ·280	Prevailing Wind W.	

Sunday—A cloudy day; night cloudy. *Monday*—A cloudy and showery day; thunderstorm 6.30 p.m.; night cloudy. *Tuesday*—A cloudy day, showers 11 to 4 p.m.; thunder 3.30 p.m.; night cloudy. *Wednesday*—A dull day, rain 9.15 to 4 p.m., and showery 6 to 12 p.m.; night cloudy. *Thursday*—A cloudy day; light showers 11 a.m. to 4 p.m.; night cloudy. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A fine but cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

7. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET E.C.; and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 14TH JULY, 1900. [No. 28.

General Register Office, Charlemont House,
Dublin, 16*th July,* 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 17·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending June 23.	Week ending June 30.	Week ending July 7.	Week ending July 14.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 23.	Week ending June 30.	Week ending July 7.	Week ending July 14.	Average Rate for 4 weeks.
23 Town Dists.	**17·8**	**20·4**	**18·4**	**17·3**	**18·5**	Limerick, . .	14·0	30·9	18·2	19·6	20·7
Armagh, . .	0·0	7·1	28·5	14·3	12·5	Lisburn, . .	4·3	8·5	21·3	21·3	13·9
Ballymena, .	16·9	33·8	0·0	28·2	19·7	Londonderry, .	23·6	11·0	29·8	12·6	19·3
Belfast, . .	18·9	19·8	18·3	15·7	18·2	Lurgan, . .	31·9	13·7	18·2	9·1	18·2
Carrickfergus, .	5·8	11·7	5·8	17·5	10·2	Newry, . .	8·1	8·1	32·2	24·1	18·1
Clonmel, . .	9·7	14·6	29·2	9·7	15·8	Newtownards, .	0·0	28·3	17·0	11·3	14·2
Cork, . . .	18·7	21·5	18·7	17·3	19·1	Portadown, .	24·7	0·0	12·4	18·6	13·9
Drogheda, . .	7·6	7·6	7·6	22·8	11·4	Queenstown, .	17·2	23·0	17·2	5·7	15·8
Dublin, Reg. Area,	17·9	20·0	17·7	18·2	18·5	Sligo, . . .	0·0	15·2	15·2	0·0	7·6
Dundalk, . .	0·0	41·9	12·6	16·8	17·8	Tralee, . .	78·3	39·2	11·2	11·2	35·0
Galway, . .	18·9	49·1	45·3	45·3	39·6	Waterford, .	17·9	13·9	6·0	17·9	13·9
Kilkenny, . .	14·2	37·8	37·8	33·0	30·7	Wexford, . .	18·1	36·1	9·0	18·1	20·3

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in eighteen of the districts to 11·3 in Galway; the 12 deaths from all causes registered in that district comprising 3 from measles. Among the 108 deaths from all causes registered in Belfast are 2 from whooping-cough, one from diphtheria, 7 from enteric fever, and one from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 218—108 boys and 110 girls; and the deaths to 127—65 males and 62 females.

DEATHS

The deaths, which are 21 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 18·9 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 18·2 per 1,000. During the twenty-eight weeks ending with Saturday last the death-rate averaged 31·9, and was 3·2 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 13 deaths from zymotic diseases, or 3 over the number which took place in the preceding week, and 7 under the average for the 28th week of the last 10 years. This number includes 4 deaths from whooping-cough, 3 deaths from cerebro-spinal meningitis, 2 deaths from enteric fever and one each from simple continued fever and diarrhœa.

Tubercular disease caused 38 deaths, namely, 31 deaths from pulmonary tuberculosis, one from mesenteric disease, 5 deaths from tubercular meningitis, and one death from scrofula.

Diseases of the respiratory system caused 20 deaths, which number is 5 in excess of those occurring in the preceding week, and one under the average number for the 28th week of the last 10 years.

Convulsions caused 5 deaths—2 in children under one month, 2 in children over one month and under one year, and one in a child 2 years of age; 3 deaths were due to apoplexy and 3 deaths to other diseases of the brain and nervouss sytem.

Five accidental deaths and one death from suicide were registered.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases were of infants under one year old.

Thirty-two of the persons whose deaths were registered during the week were under 5 years of age (17 being infants under one year, of whom 8 were under one month old) and 28 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a woman) was stated to have been aged 98 years.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 18·2 per 1,000; the rate in the city was 20·4 (19·2 on the North side, and 21·6 on the South), and in the Suburbs 13·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the city being 1·1 (1·8 in the North City Districts, and 0·4 in the South), and for the Suburbs 1·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (4) are equal to an annual rate of 7·7 per 1,000. Enteric fever caused 1 death, and pulmonary tuberculosis caused one death.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 26·9 per 1,000. Cerebro-spinal meningitis caused 1 death, and diarrhœa also caused 1 death; 6 deaths were due to pulmonary tuberculosis and one death each to tubercular meningitis and meningitis.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·9 per 1,000. Simple continued fever caused 1 death and pulmonary tuberculosis caused 2 deaths, and diseases of the respiratory system caused 2 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (10) represent an annual rate of 20·0 per 1,000 There was one death from enteric fever and one from tubercular meningitis. Two deaths were caused by diseases of the respiratory organs.

* See Table VI.

No. 1 South City District (South Earl-street).—The deaths (26) represent an annual rate of 40·8 per 1,000. Cerebro-spinal meningitis caused 1 death, whooping-cough caused 1 death, pulmonary tuberculosis caused 4 deaths, and diseases of the respiratory system caused 6 deaths; 3 deaths were due to diseases of the brain and nervous system including one death from meningitis.

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 14·1 per 1,000. Of the 5 deaths in this district 3 were due to pulmonary tuberculosis and one death each to diseases of the respiratory and circulatory systems.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 16·7 per 1,000. Pulmonary tuberculosis caused 4 deaths, diseases of the respiratory system 2 deaths, and meningitis, tubercular meningitis (hydrocephalus) caused one death each.

No. 4 South City District (Grand Canal-street).—The deaths (9) are equivalent to an annual rate of 13·1 per 1,000. Pulmonary tuberculosis caused 4 deaths, 3 deaths were due to diseases of the circulatory system, and 2 to diseases of the respiratory system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, 19·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, 0·0; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 14·3; Rathmines, 9·4; Donnybrook, 10·6; Blackrock, 12·4; and Kingstown, 21·0. The deaths from zymotic diseases tabulated for these districts comprise one from influenza for Coolock and Drumcondra, No. 1, one from whooping-cough for Donnybrook, and 2 from whooping-cough and one from cerebro-spinal meningitis for Kingstown. Among the 5 deaths from all causes tabulated for Rathmines are 2 from phthisis, and one from meningitis; and the 5 deaths for Donnybrook comprise 2 from phthisis.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	23rd June,	50 cases.
" "	30th June,	38 cases.
" "	7th July,	61 cases.
" "	14th July,	66 cases.

Of the 66 cases notified, 21 were erysipelas, 17 enteric fever, 13 scarlatina, 6 measles 2 meningitis,† and 7 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th July, 1900.

From this it appears that:—

Twelve cases of scarlet fever were admitted to hospital, 9 were discharged, and 62* remained under treatment at the close of the week.

Ten cases of enteric fever were admitted to hospital and 10 cases were discharged, leaving 40 under treatment at the close of the week.

One case of typhus fever was admitted to hospital, and 3 cases remained under treatment at close of the week.

Four cases of diphtheria and 12 cases of measles also remained under treatment, no death from the above-mentioned diseases occurred in hospital during the week ending 14th July, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 14·2), was equal to an average annual death-rate of 15·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·2 per 1,000, the rate for Glasgow being 17·4, and for Edinburgh 18·1.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 14th July, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Registration—Week ending Saturday, 14th July, 1900. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 23 Town Districts	1,062,188	12·2	27·0	17·3	1·2	551	352	57	87	.	3	.	.	6	2	1	9	4	63	51	10	22	109
Dublin Registration Area:—																							
Total,‡	349,594	14·2	32·5	18·2	1·2	218	122	16	28	.	.	.	.	4	.	1	2	1	31	20	5	8	60
Registrars' Districts. City	245,001	65·6	33·4	20·4	1·1	157	96	14	22	.	.	.	.	1	.	1	2	1	24	17	3	6	52
Clontarf &c. No. 1,	4,188	1·5	25·2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,730	1·8	14·6	19·4	.	3	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Finglas & Glasnevin, pt. of (a),	4,240	0·8	86·1	12·3	.	7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Palmerston, part of and Crumlin part of (b),	7,273	8·0	35·8	14·3	.	5	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Rathmines,‖	27,796	16·2	30·0	9·4	.	16	5	.	1	.	.	.	.	.	.	.	.	.	2	.	1	1	.
Donnybrook,	24,629	12·4	29·6	10·6	2·1	14	5	1	.	.	.	.	.	1	.	.	.	.	2	.	.	.	2
Blackrock,‖	8,401	7·8	12·4	12·4	.	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Kingstown, 1 & 2,‖	17,386	11·9	36·0	21·0	6·0	12	7	.	2	.	.	.	.	2	.	.	.	.	1	1	1	1	2
Urban Districts																							
Belfast,	359,000	21·8	29·5	15·7	1·6	155	108	22	18	.	.	.	.	2	1	.	7	1	20	10	3	9	20
Cork,	75,845	33·3	28·4	17·3	.	41	25	3	8	.	.	.	.	.	.	.	.	.	1	3	1	2	8
Limerick,	37,155	17·9	15·4	19·6	.	11	14	2	5	.	.	.	.	.	.	.	.	.	3	3	.	.	7
Londonderry,	33,200	15·3	23·6	12·6	3·1	15	8	4	1	.	.	.	.	.	.	.	.	2	1	.	.	1	.
Waterford,	26,208	18·3	19·9	17·9	.	10	9	2	5	.	.	.	.	.	.	.	.	.	.	3	.	.	3
Galway,	13,800	2·6	41·5	45·3	11·3	11	12	4	4	3	.	.	.	.	.	.	.	.	.	1	.	.	1
Drogheda	13,708	8·7	49·4	22·8	.	13	6	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Newry,	12,961	18·5	12·1	24·1	.	3	6	1	1	.	.	.	.	.	.	.	.	.	.	2	1	1	.
Dundalk,	12,449	9·0	29·3	16·8	.	7	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Lisburn,	12,250	10·8	17·0	21·3	.	4	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Wexford,	11,545	24·0	45·2	18·1	.	10	4	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Lurgan,	11,429	18·4	27·4	9·1	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny,	11,048	12·0	14·2	33·0	.	3	7	.	4	.	.	.	.	.	.	.	.	.	1	1	.	.	3
Clonmel,	10,708	8·2	14·6	9·7	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	30·5	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,318	15·9	56·0	11·2	.	10	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Ballymena,	9,252	9·3	22·5	28·2	5·6	4	5	1	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	22·7	11·3	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Queenstown,	9,082	17·0	34·4	5·7	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Carrickfergus	8,923	0·5	5·8	17·5	.	1	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Portadown	8,480	11·0	49·5	18·6	.	8	3	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Armagh,	7,187	21·4	14·3	14·3	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1

Towns and Districts.	Meteorology.† Week ending 14th July, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th July, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th June, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	76·9	39·1	60·8	0·30	64·8	45·4	56·2	0·28	65·7	41·9	55·7	0·65
City	74·3	47·1	62·1	0·35	66·7	49·0	58·1	0·65	67·0	48·7	58·0	0·48
Clontarf &c. No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	74·5	41·0	60·7	0·39	65·9	46·0	57·0	0·61	67·5	43·2	56·9	0·60
Palmerston, part of and Crumlin part of (b),	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	74	53	61·7	.	66	47	57·5	.	67	47	58·5	.
Urban Districts												
Belfast,	70·1	48·1	60·1	0·38	66·1	48·9	57·7	1·00	65·1	44·1	55·9	1·18
Cork,	66	52	59·2	0·35	65	51	57·3	0·43	62	48	56·2	0·43
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	78·2	45·8	61·4	0·84	64·0	47·0	56·0	0·76	67·1	46·0	56·3	0·91
Waterford,	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	68	47	59	0·24	66	49	57	1·28	64	51	57	1·22
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	73·1	42·1	60·6	0·29	67·1	43·8	56·5	0·56	65·2	45·2	55·8	0·66
Dundalk,	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	73·1	42·1	60·6	0·29	67·1	43·8	56·5	0·56	65·2	45·2	55·8	0·66
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	73·1	42·1	60·6	0·29	67·1	43·8	56·5	0·56	65·2	45·2	55·8	0·66
Kilkenny,	71·0	49·0	60·3	0·33	67	44	56·4	0·73	66	47	56·1	0·36
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	74·4	41·4	.	0·19	65·7	43·5	.	0·70	.	.	.	.
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	70	45	57·9	0·45	65	47	54·3	0·27	60	45	52·8	0·99
Queenstown,	66	52	59·2	0·35	65	51	57·3	0·43	62	48	56·2	0·43
Carrickfergus	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	73·1	42·1	60·6	0·29	67·1	43·8	56·5	0·56	65·2	45·2	55·8	0·66
Armagh,	73·1	42·1	60·6	0·29	67·1	43·8	56·5	0·56	65·2	45·2	55·8	0·66

(*a*) That portion of the District situated in Glasnevin District Electoral Division. (*b*) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 5 deaths of persons (including one under 1 year old), admitted to hospital from localities outside the district.

‖ The Urban District.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 14th July, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BALLYBOUGH (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	821	282	564	797	161	397	587	2787	5924	5095	904	1711	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	2	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Zymotic Diseases	.	1	.	1	1	.	.	.	.	1	.	.	.	.	.	1	5	.
Total,	1	2	1	2	2	.	.	.	.	1	.	.	.	1	.	3	13	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	1	6	2	.	4	3	4	4	.	.	.	.	2	2	2	1	31	.
Other Constitutional Diseases	.	3	.	3	1	.	2	.	.	.	.	.	1	.	.	.	10	3
Total,	1	9	2	3	5	3	6	4	.	.	.	.	3	2	2	1	41	3
V. DEVELOPMENTAL DISEASES,	.	2	1	.	2	.	1	.	.	.	1	.	.	1	.	1	9	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	.	1	2	1	3	.	2	.	.	1	.	1	.	.	.	.	11	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	.	1	.	.	1	1	.	3	.	.	.	.	1	1	.	.	8	1
Diseases of Respiratory System,	1	1	2	2	6	1	2	2	.	1	.	1	.	.	.	1	20	.
Diseases of Digestive System,	.	2	.	1	3	.	1	.	.	1	.	.	.	.	.	.	8	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	1	5	6	4	13	2	6	5	.	3	.	2	1	1	.	1	50	1
VII. VIOLENT DEATHS,	.	.	.	1	2	.	.	.	.	.	.	.	1	.	.	1	5	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.
Deaths from all Causes,	4	18	11	10	26	5	13	9	.	4	1	2	5	5	2	7	122	5
Annual Rate of Mortality in every 1,000 of the population.	7·7	26·9	19·9	20·0	40·8	14·1	16·7	13·1	.	19·4	12·3	14·3	9·4	10·6	13·4	21·0		
	19·2				21·6				13·0									
	20·4																18·2	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	5	2	2	11	1	2	3	.	2	.	.	.	1	2	2	35	5
Workhouse Hospitals,	.	6	3	4	5	1	2	3	.	.	.	.	.	1	.	.	25	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office: Dispensary, Blacknall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office. 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 28th Week of the 10 years 1890–99.	In the week ending Saturday, 14th July, 1900. Deaths of persons of the Ages of							
	July 12, 1890	July 18, 1891	July 16, 1892	July 15, 1893	July 14, 1894	July 13, 1895	July 11, 1896	July 17, 1897	July 16, 1898	July 15, 1899		ALL AGES.	0 to 5.						
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	52·0°	52·0°	54·3°	58·6°	56·6°	58·5°	58·4°	59·8°	60·7°	59·0°	57·7°	60·8°								
ALL CAUSES,	144	112	162	182	121	184	170	162	124	178	148·4	127	8	9	15	8	35	24	23	5
I. FEBRILE OR ZYMOTIC DISEASES,	18	6	19	46	9	18	37	13	5	25	19·6	13	1	3	3	1	4	.	1	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	.	.	.	2	1	3	.	1	·7	2	.	.	.	.	1	.	1	.
IV. CONSTITUTIONAL "	43	38	47	32	36	36	46	44	44	61	42·7	44	1	2	3	5	17	12	4	.
V. DEVELOPMENTAL "	8	7	10	16	10	7	7	11	10	14	10·0	9	2	.	.	.	.	.	4	3
VI. LOCAL "	70	50	75	74	53	57	62	84	55	60	64·0	51	4	8	8	2	10	9	13	2
VII. VIOLENT DEATHS,	2	.	4	6	3	5	8	4	4	4	4·0	6	.	1	1	.	3	1	.	.
VIII. ILL-DEFINED CAUSES,	3	11	7	8	10	9	9	2	6	8	7·3	2	.	.	.	.	.	2	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	5	.	9	2	.	.	.	1	.	7	2·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	1	1	1	.	·3	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	2	.	2	1	1	.	.	·6	1	.	.	.	.	.	.	1	.
Whooping Cough,	3	3	.	2	3	.	7	3	1	4	2·6	4	1	.	3	.	.	.	.	.
Diphtheria,	.	.	.	.	.	1	.	.	.	3	·4	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
Enteric Fever,	4	.	4	3	2	3	1	4	.	1	2·2	2	.	.	.	.	2	.	.	.
Cholera and Chol. Diarr.,	.	.	.	2	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	.	.	30	1	10	19	2	1	5	6·9	1	.	1	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	.	.	.	1	.	.	.	.	1	·3	1	.	1	.	.	.	.	.	.
Erysipelas,	.	.	1	1	1	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	.	1	.	2	.	1	1	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	.	1	1	.	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	3	4	2	.	.	5	1	.	.	1·8	3	.	1	.	1	1	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	.	.	2	.	2	.	1	·5	2	.	.	.	.	1	.	1	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	.	.	.	1	1	.	2	.	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	3	1	1	.	.	1	2	.	·8	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	3	6	6	5	4	6	10	6	5	11	6·2	5	.	.	.	.	.	3	2	.
Tabes Mesenterica,	7	2	9	8	2	4	7	1	3	7	5·0	1	.	1	.	.	.	.	.	.
Tubercular Meningitis,	2	4	1	1	4	3	4	5	4	6	3·4	5	1	1	2	1	.	.	.	.
Phthisis,	14	11	23	15	20	22	20	21	23	33	22·2	31	.	.	.	3	17	9	2	.
Scrofula, Tuberculosis,	5	4	2	1	3	.	3	7	5	4	3·4	1	.	.	1	.	.	.	.	.
Other Constitutional Diseases,	2	1	3	1	1	.	.	3	.	.	1·1	1	.	.	.	1	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	1	1	1	1	1	.	4	3	4	4	2·0	2	2	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	1	.	.	.	2	.	1	·4	.	.	.	.	.	.	.	.	.
Old Age,	7	6	9	14	9	7	3	6	6	9	7·6	7	.	.	.	.	.	.	4	3

each Disease registered in the TWENTY-EIGHTH WEEK ending Saturday, 14th July, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 28th Week of the 10 years 1890-99.	In the Week ending Saturday, 14th July, 1900. Deaths of Persons of the Ages of								
	July 12, 1890	July 18, 1891	July 16, 1892	July 15, 1893	July 14, 1894	July 13, 1895	July 11, 1896	July 17, 1897	July 16, 1898	July 15, 1899		ALL AGES.	0 to 5							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	52·0	59·0	54·3	58·6	56·6	58·5	58·4	59·8	60·7	59·0	57·7	60·8								
VI. Local Diseases—																				
Apoplexy,	2	2	3	2	1	1	2	2	1	3	1·9	3	.	.	.	.	1	2	.	.
Epilepsy,	1	2	1	1	.	2	1	1	.	1	1·0	.	.	.	.	.	.	.	.	.
Convulsions,	8	7	9	17	6	8	10	12	6	4	8·7	5	2	2	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	10	4	4	5	7	1	6	12	4	6	5·9	3	.	.	1	1	.	1	.	.
Diseases of Organs of Special Sense,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	11	9	5	10	6	12	12	17	19	9	11·0	9	.	.	.	.	4	4	1	.
Croup,	1	.	1	2	1	1	1	1	.	1	·9	.	.	.	.	.	.	.	.	.
Bronchitis,	10	8	15	8	12	14	10	12	10	12	11·1	11	.	.	1	.	1	.	7	2
Pneumonia	10	4	9	13	4	5	5	11	8	7	7·6	7	.	.	1	1	2	2	1	.
Pleurisy,	.	.	1	.	.	1	.	.	.	.	·2	1	.	.	.	.	.	.	1	.
Other Diseases of Respiratory System,	2	3	1	1	3	.	1	3	3	.	1·7	1	.	.	1	.	.	.	.	.
Teething,	1	.	1	1	2	.	2	1	.	1	·9	3	.	.	3	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	2	1	1	.	1	.	.	2	.	2	·9	1	.	.	.	.	.	.	1	.
Peritonitis	2	.	.	1	1	.	.	.	.	.	·4	1	.	1	.	.	.	.	.	.
Disease of Liver,	1	2	7	2	4	5	.	1	1	.	2·3	1	.	.	.	.	.	.	1	.
Other Diseases of Digestive System,	4	2	9	4	2	3	3	3	1	7	3·8	2	1	.	.	.	1	.	.	.
Diseases of Lymphatics, &c.,	.	.	.	1	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	3	6	5	2	2	5	4	2	6	3·7	3	1	.	.	.	1	.	1	.
Diseases of Generative System,	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	1	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	2	1	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	1	2	.	1	.	1	1	.	.	·7	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	1	.	.	.	.		1	.		.	.	1	.	.	.
By Vehicles or Horses,		.	.	.	1	.	.	1	.	.		.	.		.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.		.	.	.	.	.	.
By Burns, Scalds, Explosions	1	.	.	3	.	1	2	.	.	1	3·3	.	.	.	.	.	.	.	.	.
By Drowning,		.	1	1	.	2	3	.	1	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		.	1	.	1	.	2	2	2	3		4	.	1	1	.	1	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	1	1	1	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	1	.	.	.	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	8	11	7	8	10	9	9	2	6	8	7·3	2	.	.	.	.	.	2	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900—Week ending																										
	Jan 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered,	168	191	184	174	175	257	179	215	217	226	234	198	184	225	202	246	222	198	214	199	222	194	198	228	181	208
Average Births in corresponding week of previous 10 years,	195	202	206	200	196	208	225	195	192	195	217	199	194	192	213	214	212	192	201	209	199	208	202	219	193	188
DEATHS registered,	295	259	238	199	284	342	230	247	209	236	244	194	230	204	178	204	179	168	176	157	161	167	122	144	124	127
Annual Death-rate per 1,000,	44·0	38·6	35·5	29·7	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9
Average Deaths in corresponding week of previous 10 years,	249	228	221	211	216	212	214	218	218	218	219	204	184	185	184	178	170	174	167	162	156	164	150	156	149	148
AGES, Under 5 years,	70	60	60	54	63	74	55	66	56	69	55	50	59	66	51	54	53	47	48	43	54	37	29	33	38	32
5—20 „	15	20	19	14	24	20	22	15	12	17	12	14	26	13	15	17	19	20	26	15	14	27	16	13	10	8
20—40 „	44	38	34	30	48	47	33	42	39	34	45	24	29	30	33	47	27	28	30	22	51	35	19	32	25	35
40—60 „	61	50	46	35	65	80	51	60	44	51	54	42	53	32	48	42	36	31	35	40	38	31	29	33	23	24
60—80 „	33	79	64	53	73	104	59	56	42	52	59	53	47	45	27	35	36	36	35	31	19	30	23	27	26	23
80 years and upwards,	22	12	15	13	11	17	10	11	16	13	19	11	16	18	4	9	9	6	7	6	5	7	6	6	2	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	9	5	4	3	1	5	1	2	4	.	.	3	2	2	.	.	.	2	.	.	.	.	.	.	.	.
„ Scarlet Fever,	.	.	1	2	1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	3	3	.	5	5	.	.	.	1	.	.	3	1	2	2	4	1	1	3	.	5	.	1	2	3	4
„ Diphtheria,	2	1	3	5	3	.	1	2	.	1	1	.	2	2	.	.	.	1	.	.	2	2	1	.	.	.
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
„ Enteric Fever,	2	1	2	.	3	1	4	2	.	.	1	3	2	3	5	6	1	2	2	1	2	2	2	.	2	2
„ Diarrhœa, Dysentery,	6	.	2	2	2	4	5	3	4	4	.	.	1	.	3	1	3	2	.	1	1	1	.	1	2	1
„ Phthisis,	29	36	29	23	32	40	30	37	29	29	30	27	23	27	32	29	32	30	32	13	28	28	22	21	26	31
„ Heart Diseases,	16	25	15	11	28	33	24	18	17	20	23	16	17	11	11	17	14	17	11	14	10	11	9	9	10	9
„ Diseases of Respiratory System,	92	55	67	65	74	94	55	78	39	72	56	46	53	47	40	29	34	25	30	23	23	34	27	29	15	20
Violent Deaths,	5	2	5	3	8	4	2	2	4	9	6	2	9	3	4	6	4	5	1	6	4	1	1	5	6	6
Mean Temperature of the Air (Phœnix Park),	40·7	43·8	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8
Average Mean Temperature in corresponding week of previous 10 years,	41·7	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7
Rainfall in inches,	·560	·530	·920	·690	·630	·520	1·025	·000	·115	·305	·075	·535	·735	·170	·190	·350	·535	·005	1·185	·005	·560	·485	2·005	·650	·280	·300
Mean Humidity of the Air, complete Saturation 1·0,	·86	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·73	·80	·83	·82	·80	·88	·84	·81	·76

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th July, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH JULY, 1900.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	18·9	127	22	3	35	24	33	5	.	.	.	.	4	.	1	2	1	8	31	5	20	6	57
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	23·4	7	.	.	.	1	5	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	4
II.	MIDDLE CLASS,	81,469	8·3	18	3	1	5	2	.	2	.	.	.	.	.	.	.	1	.	1	3	1	1	.	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	16·7	32	6	5	12	3	6	.	.	.	.	.	1	.	.	.	.	1	6	1	6	4	14
IV.	GENERAL SERVICE CLASS,	147,978	25·5	50	16	2	13	9	8	2	.	.	.	.	3	.	1	1	1	6	10	3	10	1	20
V.	INMATES OF WORKHOUSES,	5,191		25	7	.	5	9	4	.	.	.	.	.	.	.	.	.	.	.	10	.	2	1	12
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	19·5	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,857	56·0	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	18·1	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	4·0	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	6. Clerks and Commercial Assistants,	25,001	14·6	7	2	.	5	.	.	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	8·5	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	7·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades,	26,294	17·8	9	2	3	2	1	1	.	.	.	.	.	1	.	.	.	.	1	1	1	3	.	3
	10. Clothing Trades,	28,927	6·5	8	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	11. Food Supply Trades,	7,949	13·1	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,937	27·0	14	2	.	7	2	3	.	.	.	.	.	.	.	.	.	.	.	2	.	2	2	8
	13. Petty Shopkeepers,	6,889	22·8	3	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	26·5	7	1	1	2	.	3	.	.	.	.	.	1	.	.	.	.	1	2	.	.	.	4
	15. Domestic Servants,	39,967	9·1	7	2	.	3	.	1	1	.	.	.	.	.	.	.	.	1	1	2	.	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	28·9	6	1	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	17. Hawkers, Porters, Labourers, &c.,	83,472	18·7	30	12	1	5	8	3	1	.	.	.	.	2	.	1	1	.	4	5	3	8	1	9
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	25	7	.	5	9	4	.	.	.	.	.	.	.	.	.	.	.	10	.	2	1	12

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. (in 1891) 27,147.	May 26,	19·2	.	10	.	.	.	.	.	.	.	.	.	4	1	1
		June 2,	30·7	.	16	.	.	.	.	.	.	.	.	.	.	2	.
		„ 9,	26·9	1·9	14	.	.	.	.	.	1	.	.	.	3	.	1
		„ 16,	23·0	.	12	.	.	.	.	.	.	.	.	.	4	3	1
		„ 23,	13·4	.	7	.	.	.	.	.	.	.	.	.	1	.	1
		„ 30,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	4	.
		July 7,	7·7	.	4	.	.	.	.	.	.	.	.	.	2	.	.
		„ 14,	7·7	1·9	4	.	.	.	.	.	.	.	1	.	1	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,836.	May 26,	40·4	.	27	.	.	.	.	.	.	.	.	.	4	4	.
		June 2,	26·9	.	18	.	.	.	.	.	.	.	.	.	1	2	.
		„ 9,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	6	1	..
		„ 16,	23·9	1·5	16	.	.	.	.	.	1	.	.	.	5	3	.
		„ 23,	15·0	1·5	10	.	.	.	.	.	.	.	1	.	1	1	.
		„ 30,	13·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.
		July 7,	23·9	3·0	16	.	.	.	.	2	.	.	.	.	2	1	.
		„ 14,	26·9	1·5	18	.	.	.	.	.	.	.	.	1	6	1	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	May 26,	28·9	.	16	.	.	.	.	.	.	.	.	.	4	4	.
		June 2,	14·4	1·8	8	.	.	.	.	.	.	.	.	1	1	.	.
		„ 9,	28·9	1·8	16	.	.	.	.	.	.	.	.	1	3	.	1
		„ 16,	28·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		„ 23,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
		„ 30,	19·9	.	11	.	.	.	.	.	.	.	.	.	1	2	1
		July 7,	16·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
		„ 14,	19·9	1·8	11	.	.	.	.	.	.	1	.	.	2	2	.
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	May 26,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	.
		June 2,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	2	1	.
		„ 9,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 16,	2[illegible]·0	.	14	.	.	.	.	.	.	.	.	.	1	3	.
		„ 23,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	.	2	.
		„ 30,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
		July 7,	12·0	.	6	.	.	.	.	.	.	.	.	.	3	.	1
		„ 14,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	2	1
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 33,194.	May 26,	40·8	.	26	.	.	.	.	.	.	.	.	.	5	11	.
		June 2,	39·8	.	25	.	.	.	.	.	.	.	.	.	3	6	1
		„ 9,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	3	.
		„ 16	18·9	.	12	.	.	.	.	.	.	.	.	.	2	3	.
		„ 23,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	6	3	.
		„ 30,	28·3	1·6	18	.	.	.	.	.	.	.	.	1	3	6	1
		July 7,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	5	3	1
		„ 14,	40·8	1·6	26	.	.	.	.	1	.	.	.	.	4	6	2
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	May 26,	25·8	2·8	9	.	.	.	.	.	.	.	1	.	2	2	.
		June 2,	22·5	.	8	.	.	.	.	.	.	.	.	.	.	1	1
		„ 9,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	1	2	.
		„ 16,	39·4	2·8	14	.	.	.	.	.	.	.	1	.	2	3	.
		„ 23,	36·5	.	13	.	.	.	.	.	.	.	.	.	.	6	.
		„ 30,	28·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		July 7,	28·1	2·8	10	.	.	.	.	.	.	.	1	.	3	3	.
		„ 14,	14·1	.	5	.	.	.	.	.	.	.	.	.	3	1	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	May 26,	21·9	2·6	17	.	.	.	.	1	.	.	1	.	3	.	.
		June 2,	23·1	.	18	.	.	.	.	.	.	.	.	.	.	4	.
		„ 9,	27·0	2·6	21	.	.	.	.	1	1	.	.	.	.	3	1
		„ 16,	34·7	3·9	27	.	.	1	.	.	1	.	1	.	.	3	.
		„ 23,	28·3	.	22	.	.	.	.	.	.	.	.	.	2	5	.
		„ 30,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	3	6	.
		July 7,	28·3	1·8	22	.	.	.	.	1	.	.	.	.	4	1	1
		„ 14,	16·7	.	13	.	.	.	.	.	.	.	.	.	4	2	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,798.	May 26,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	4	1	.
		June 2,	21·9	.	15	.	.	.	.	.	.	.	.	.	2	2	2
		„ 9,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	3	5	1
		„ 16,	20·4	1·5	14	.	.	.	.	.	.	.	.	1	5	3	.
		„ 23,	18·9	1·5	13	.	.	.	.	1	.	.	.	.	2	2	.
		„ 30,	11·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		July 7,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	1	1
		„ 14,	13·1	.	9	.	.	.	.	.	.	.	.	.	4	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	May 26,	18·8	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	June 2,	16·9	1·9	9	.	.	1	.	.	.	.	.	.	.	1	.
	„ 9,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	18·1	.	7	.	.	.	.	.	.	.	.	.	1	3	.
	„ 23,	16·9	.	9	.	.	.	.	.	.	.	.	.	2	.	.
	„ 30,	15·0	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	July 7,	11·2	.	6	.	.	.	.	.	.	.	.	.	1	1	1
	„ 14,	9·4	.	5	.	.	.	.	.	.	.	.	.	2	.	1
Donnybrook. Pop. (in 1891) 24,629.	May 26,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	June 2,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	.	.
	„ 9,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	25·4	.	12	.	.	.	.	.	.	.	.	.	2	4	.
	„ 23,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 30,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	July 7,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	.
Kingstown. Pop. (in 1891) 17,886.	May 26,	6·0	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	June 2,	50·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1
	„ 9,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	2	.
	„ 16,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	6·0	.	2	.	.	.	.	.	.	.	.	.	1	1	.
	„ 30,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1
	July 7,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
	„ 14,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	1	1	1
Belfast. Pop. in 1900 (Est.) 359,000.	May 26,	20·5	1·3	141	.	1	.	1	1	.	.	5	1	34	31	5
	June 2,	19·5	2·3	154	.	.	.	.	1	1	.	11	3	22	29	2
	„ 9,	17·9	2·3	123	.	3	1	.	.	1	.	10	1	18	28	1
	„ 16,	20·5	2·0	141	.	1	.	.	1	.	.	11	1	32	24	4
	„ 23,	18·9	1·7	130	.	1	.	.	1	.	.	6	4	20	18	7
	„ 30,	19·8	1·6	136	.	2	.	.	2	1	.	2	4	32	17	3
	July 7,	18·3	1·3	126	.	.	.	.	1	.	.	6	2	20	24	3
	„ 14,	15·7	1·6	108	.	.	.	.	2	1	.	7	1	20	10	3
Cork. Pop. (in 1891) 75,845.	May 26,	28·4	0·7	41	.	.	.	.	.	.	.	.	1	5	4	.
	June 2,	20·8	0·7	30	.	.	.	.	1	.	.	.	.	5	4	.
	„ 9,	24·2	.	35	.	.	.	.	.	.	.	.	.	8	4	.
	„ 16,	20·1	0·7	29	.	.	.	.	.	.	.	.	1	6	5	.
	„ 23,	18·7	.	27	.	.	.	.	.	.	.	.	.	4	2	.
	„ 30,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	5	2	.
	July 7,	18·7	2·1	27	.	.	.	2	.	.	.	.	1	10	3	.
	„ 14,	17·3	.	25	.	.	.	.	.	.	.	.	.	1	3	1
Limerick. Pop. (in 1891) 37,155.	May 26,	25·3	.	18	.	.	.	.	.	.	.	.	.	3	8	.
	June 2,	18·2	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	„ 9,	16·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	15·4	.	11	.	.	.	.	.	.	.	.	.	4	4	.
	„ 23,	14·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 30,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	4	.
	July 7,	26·7	.	13	.	.	.	.	.	.	.	.	.	1	4	.
	„ 14,	19·6	.	14	.	.	.	.	.	.	.	.	.	3	3	.
Londonderry Pop. (in 1891) 33,200.	May 26,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	2	.
	June 2,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	3	.	1
	„ 16,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	5	.
	„ 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	4	.
	„ 30,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	1	.
	July 7,	29·8	1·6	19	.	1	.	.	.	.	.	.	.	2	2	.
	„ 14,	12·6	3·1	8	.	.	.	.	.	.	.	.	2	1	.	.
Waterford. Pop. (in 1891) 26,200.	May 26,	29·8	4·0	15	.	.	.	.	2	.	.	.	.	1	2	.
	June 2,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	„ 9,	11·9	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	„ 16,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 23,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 30,	15·9	2·0	7	.	.	.	.	.	.	.	.	1	.	3	.
	July 7,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	.	1	.
	„ 14,	17·9	.	9	.	.	.	.	.	.	.	.	.	.	8	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 14th July, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	2	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		4	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 2 "	37,539	18			11	1	1	9	.	.	.	.	.	.	.	.	.	.	2	2	1	3	2
" 3 "	38,845	27			17	5	3	8	1	.	.	.	.	1	.	.	.	.	5	1	.	.	1
" 4 "	33,391	22			15	2	.	8	5	.	.	.	.	.	.	.	1	.	2	3	1	1	5
" 5 "	21,284	11			8	.	2	4	2	.	.	.	.	1	.	.	2	.	1	1	.	1	2
" 6 "	43,431	16			16	4	.	9	3	.	.	.	.	.	.	.	1	.	3	2	.	1	3
" 7 "	1,112	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	4			2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	4			2	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
" 10 "	12,256	17			7	4	.	3	.	.	.	.	.	.	.	.	2	.	1	.	.	2	2
" 11 "	19,881	15			10	1	.	5	4	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" 12 "	28,282	13			12	2	3	6	1	.	.	.	.	.	.	.	1	1	4	.	1	1	2
" 13 "	6,804	6			4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "	862	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	155			108	22	13	55	18	.	.	.	.	2	1	.	7	1	20	10	3	9	20
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	3	8·7	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 2 "	9,252	11	16·9	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" 3 "	9,816	4	10·6	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 4 "	10,356	6	15·1	.	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	8,187	6	12·8	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	3,823	2	41·4	.	7	2	2	2	1	.	.	.	.	.	.	.	.	.	1	2	1	1	.
" 7 "	17,034	9	18·4	.	6	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	75,345	41	17·3	.	25	3	6	8	8	.	.	.	.	.	.	.	.	.	1	3	1	2	3

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																										
	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.
No. of week in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered,	199	230	204	240	186	230	216	269	218	236	229	188	197	225	261	213	244	218	218	218	219	241	213	204	236	155
DEATHS registered,	166	170	185	187	226	181	207	195	157	169	176	179	149	124	127	171	138	153	141	134	123	141	130	136	126	108
Annual Death-rate per 1,000 of estimated Population,	24·1	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7
AGES, Under 1 year,	26	32	22	30	41	31	43	42	27	26	37	31	29	21	27	33	26	34	20	25	26	24	26	28	26	22
AGES, 1–5 years,	24	22	17	15	23	16	21	28	26	30	22	21	18	12	13	23	14	27	10	18	13	17	15	15	14	13
AGES, 5–60 years,	71	71	62	99	102	84	92	90	68	77	84	80	79	56	64	86	76	65	87	76	60	72	61	76	67	55
AGES, 60 years and upwards,	45	45	34	43	60	50	51	35	36	36	33	47	23	35	23	29	22	27	24	20	24	28	28	17	19	18
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	1	.	.	.	1	2	1	1	2	1	.	1	.	.	.	1	1	.	3	1	1	2	.	.
" Scarlet Fever,	1	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
" Whooping-cough,	9	5	4	3	4	3	4	3	2	4	4	1	1	1	4	8	3	6	1	1	.	1	1	2	1	2
" Diphtheria,	1	.	.	3	2	1	2	1	1	2	2	2	2	1	1	1	1	1	.	1	1	.	.	1	.	1
" Simple continued and Ill-defined Fever,	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	4	1	1	1	1	2	5	3	4	3	6	1	5	5	3	8	5	12	5	11	10	11	6	2	6	7
" Diarrhœa, Dysentery,	1	2	2	1	3	3	.	1	1	3	3	1	1	2	3	4	1	2	1	3	1	1	4	4	2	1
" Phthisis,	17	21	12	26	27	19	26	28	26	30	39	25	31	14	23	31	31	23	34	22	18	32	20	32	20	20
" Diseases of Respiratory System,	72	66	39	50	73	67	57	75	35	49	43	46	38	26	24	3	31	32	31	29	28	24	18	17	24	10
Violent Deaths,	.	.	3	8	8	5	4	2	6	2	2	5	.	2	2	2	3	4	5	2	1	4	7	3	3	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th July, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	2	.	.	.	.	2
" " 1, West,	.	.	.	4	.	.	.	.	2	4	.	.	.	10
" " 2,	.	.	.	1	.	.	.	.	1	3	2	.	.	7
" " 3,	.	.	.	4	.	.	.	.	.	.	1	.	2	7
South City No. 1,	.	3	.	3	.	.	.	.	.	5	13	.	.	24
" " 2,	.	.	.	.	.	.	.	.	.	2	1	.	.	3
" " 3,	.	3	.	.	.	.	.	.	1	1	2	.	.	7
" " 4,	.	.	.	1	.	.	.	.	1	2	2	.	.	6
Total,	.	6	.	13	.	.	.	.	7	17	21	.	2	66
Total for week ended July 7, 1900,	.	4	.	12	3	.	1	.	2	22	19	1	6	61
Total for week ended June 30, 1900,	.	2	.	8	.	.	2	.	5	11	9	.	1	38
Total for week ended June 23, 1900,	.	4	.	13	.	.	2	.	6	11	11	.	3	50

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th July, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th July.			
	June 23.	June 30.	July 7.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	19	12	11	6	5	.	12
Scarlet Fever,	60	58	59	12	9	.	62*
Typhus "	2	2	2	1	.	.	3
Diphtheria,	9	8	4	.	.	.	4
Enteric Fever,	41	41	40	10	10	.	40
Pneumonia,	31	28	24	3	7	1	19

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital

TABLE XL.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,589,129	July 14,	2,479	1,253	14·2	.	42	4	26	43	13	27
EDINBURGH, .	302,262	„ 14,	170	105	18·1	.	6	1	1	1	.	2
GLASGOW, . .	743,969	„ 14,	460	249	17·4	2	6	5	3	12	.	9
CALCUTTA, . .	466,460	May 19,	.	630	56·0	31	3	.	12	.	64‡	146*
BOMBAY, . .	821,764	June 19,	299	1,183	72·5	5	7	?	?	?	143§	209*
MADRAS, . .	452,518	„ 8,	444	344	39·5	1	4	?	?	?	111	54
PARIS, . . .	2,511,629	July 7,	1,226	816	16·8	4	18	7	4†	7	15	84
BRUSSELS (with 8 Faubourgs).	561,130	„ 7,	284	152	13·4	1	2	21	.	2	4	20
AMSTERDAM, .	526,072	„ 30,	282	145	14·4	.	1	.	.	2	3	.
ROTTERDAM, .	323,487	„ 30,	213	89	14·2	.	.	.	1	.	.	.
THE HAGUE, .	205,328	„ 30,	105	38	9·6	.	.	.	.	1	.	.
COPENHAGEN, .	349,000	„ 7,	178	108	16·1	.	1	.	3	.	.	8
CHRISTIANIA, .	221,255	„ 7,	161	58	13·3	.	1	.	.	1	.	5
ST. PETERSBURG,	1,132,677	June 30,	544	483	22·3	8	15	17	13	2	19	66
BERLIN, . .	1,854,964	„ 23,	888	589	16·5	.	16	12	6	7	2	90
HAMBURG, . .	691,349	July 7,	359	213	16·0	.	1	2	4	2	1	18
DRESDEN, . .	400,400	May 26,	299	148	19·4	.	1	.	1	2	.	12
BRESLAU, .	406,012	July 7,	271	238	30·5	.	3	.	.	.	.	50
MUNICH, . .	463,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,656,662	June 30,	964	601	18·9	.	9	4	4	2	1	63
BUDA-PESTH, .	685,340	„ 30,	461	278	21·1	.	7	5	1	2	2	27
PRAGUE and Faubourgs.	391,693	„ 30,	187	146	19·4	.	.	.	.	1	1	4
ROME, . . .	514,306	„ 9,	200	147	14·9	.	2	.	1	.	1	14
TURIN . . .	344,203	May 10,	198	198	19·8	.	3	1	.	3	4	5
VENICE, . .	172,924	July 7,	67	58	17·4	.	.	.	.	.	1	11
NEW YORK .	3,654,594	„ 9,	1,530	1,148	16·4	4	21	7	43	10	4	28
PHILADELPHIA,	1,266,832	„ 23,	443	380	15·6	.	2	2	20	5	10	5

* Including 92 deaths from cholera in Calcutta and 90 in Bombay. † Including deaths from croup.
‡ Exclusive of 161 deaths from bubonic fever. § Exclusive of 99 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 14th July, 1900:—

"Much finer, warmer, and more summerlike weather was enjoyed this week, although there was a temporary break on Wednesday, when a copious rainfall occurred along the east coast of Ireland in connection with a depression of a complex kind which drifted slowly across the British Islands between Wednesday and Friday. On Sunday an anticyclone of some intensity embraced the whole of Ireland and most part of Great Britain. The previous night had been clear and very cold for the time of year, the sheltered thermometer sinking to 38° at Wick, 42° at Aberdeen and Shields, 43° at Birr, 44° in London, and 47° in Dublin. On Monday a ridge of high atmospheric pressure stretched eastwards across Central France, the South of Ireland and of England. This brought S.W. and W. winds and a rapid rise of temperature. In Dublin the maximum on this day was 74·1°, and the weather was brilliant. Tuesday was equally warm but breezy. Wednesday was dull, with rain in the afternoon and heavy rain at night. In England, on the contrary, temperature kept rising and the weather was both bright and hot, a maximum of 86° being recorded in London. On Thursday there was a good deal of thunder and lightning in Great Britain, but the rainfall was heavy only in the North of Scotland. In Dublin the mean height of the barometer was 29·957 inches, pressure ranging between 30·337 inches at 9 a.m. of Sunday (wind, W.N.W.), and 29·708 inches at 9 p.m. of Friday (wind, S.S.E.). The corrected mean temperature was 62·1°. The mean dry bulb reading at 9 a.m. and 9 p.m. was also 62·1°. The screened thermometers rose to 74·3° on Tuesday, having fallen to 47·1° on Sunday. The prevailing wind was W.S.W. Rain fell in measurable quantity on two days, ·339 inch being registered on Wednesday, the total fall being ·349 inch. Bright sunshine was estimated at 50½ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·955 inches. The highest reading (30·338) was on Sunday at 9 a.m., wind W., and the lowest (29·709) on Friday at 9 p.m., wind S.E.

The mean temperature for the week was 60·8°, being 3·1° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Tuesday, when the thermometer registered 76·9°, and was lowest on Sunday, the mercury having fallen to 39·1°. The mean of the Dry Bulb for the week was 61·2°, and of the Wet Bulb 56·6°. The mean humidity of the air was ·76, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 38·9 hours. The rainfall measured ·300 in.

At Greenwich the mean temperature for the week was 65·4°, the maximum 84·7°, and the minimum 46·3°; at Glasgow the maximum was 76·6°, the minimum 44·0°, and the mean 60·5°, and at Edinburgh the maximum was 77·4°; the minimum 46·1°, and the mean 62·0°. The rainfall at Glasgow measured 0·37 in.; and at Edinburgh 0·40 in. There was no rain at Greenwich.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 8,	30·315	66·7	39·1	52·9	59·2	54·6	·79	·2	4·5	—	W.	S.W.
Monday, „ 9,	30·152	72·3	56·6	64·5	64·4	59·5	·74	·1	5·0	—	S.W.	S.W.
Tuesday, „ 10,	29·939	76·9	49·2	63·1	65·9	55·5	·52	·3	15·5	—	S.W.	S.
Wednesday, „ 11,	29·868	66·2	56·0	61·1	58·6	56·1	·85	·1	1·2	·275	Calm.	Calm.
Thursday, „ 12,	29·803	70·1	54·7	62·4	58·1	55·7	·84	·1	5·8	·005	Calm.	Calm.
Friday, „ 13,	29·737	66·9	51·9	59·4	62·3	57·2	·73	·1	3·5	·020	S.E.	S.E.
Saturday, „ 14,	29·872	67·5	56·7	62·1	59·9	57·8	·88	·1	3·4	—	W.	Calm.
Mean, . .	29·955	69·5	52·0	60·8	61·2	56·6	·76	·1	Total 38·9	Total ·300	—	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A cloudy day; lunar corona p.m.; night clear from 11 p.m. *Tuesday*—A beautiful day; night clear p.m.; cloudy a.m. *Wednesday*—A cloudy day; rain 2.30 to 4 p.m. and 7.30 p.m. to 7.30 a.m.; night overcast. *Thursday*—A cloudy day; rain 8.15 to 8.45 p.m.; night cloudy. *Friday*—A cloudy day; rain 12.45 to 1.15 p.m. and 7.45 to 8 a.m.; night cloudy. *Saturday*—A cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 21ST JULY, 1900. [No. 29.

General Register Office, Charlemont House, Dublin, 23rd July, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending June 30.	Week ending July 7.	Week ending July 14.	Week ending July 21.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 30.	Week ending July 7.	Week ending July 14.	Week ending July 21.	Average Rate for 4 weeks.
23 Town Dists.	20·4	18·4	17·3	20·2	19·1	Limerick, . .	30·9	18·2	19·6	9·8	19·6
Armagh, . .	7·1	28·5	14·3	14·3	16·1	Lisburn, . .	8·5	21·3	21·3	12·8	16·0
Ballymena, .	33·8	0·0	28·2	28·2	22·5	Londonderry, .	11·0	29·8	12·6	22·0	18·8
Belfast, . .	19·8	18·3	15·7	19·8	18·4	Lurgan, . .	13·7	18·2	9·1	27·4	17·1
Carrickfergus, .	11·7	5·8	17·5	17·5	13·1	Newry, . .	8·1	32·2	24·1	36·2	25·1
Clonmel, . .	14·6	29·2	9·7	9·7	15·8	Newtownards, .	28·3	17·0	11·3	22·7	19·8
Cork, . . .	21·5	18·7	17·3	19·4	19·2	Portadown, .	0·0	12·4	18·6	12·4	10·9
Drogheda, . .	7·6	7·6	22·8	26·6	16·2	Queenstown, .	23·0	17·2	5·7	11·5	14·4
Dublin, Reg. Area,	20·0	17·7	18·2	23·4	19·8	Sligo, . . .	15·2	15·2	0·0	10·2	10·2
Dundalk, . .	41·9	12·6	16·8	20·9	23·0	Tralee, . .	39·2	11·2	11·2	16·8	19·6
Galway, . .	49·1	45·3	45·3	22·7	40·6	Waterford, .	13·9	6·0	17·9	11·9	12·4
Kilkenny, . .	37·8	37·8	33·0	4·7	28·3	Wexford, . .	36·1	9·0	18·1	9·0	18·1

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·9 in Clonmel. Among the 136 deaths from all causes registered in Belfast are one from measles, 3 from whooping-cough, one from enteric fever, and 8 from diarrhœa; and the 14 deaths from all causes in Londonderry comprise one from diphtheria and 2 from diarrhœa. The Registrar of Dundalk reports:—"Two deaths from tubercular meningitis were registered during the week."

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 186—98 boys and 88 girls; and the deaths to 165—69 males and 96 females.

DEATHS.

The deaths, which are 11 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 24·6 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 23·4 per 1,000. During the twenty-nine weeks ending with Saturday last the death-rate averaged 31·6, and was 3·1 over the mean rate for the corresponding portions of the ten years 1890–99.

Eighteen deaths were caused by zymotic diseases, which is 7 below the average for the corresponding week of the last 10 years. This number includes 5 deaths from whooping-cough, 4 deaths from diarrhœa, 3 deaths from cerebro-spinal meningitis, 2 deaths from enteric fever, one death from scarlatina and 2 from diphtheria.

Tuberculosis caused 44 deaths—28 from pulmonary phthisis, 7 from tabes mesenterica, 5 from scrofula, and 4 from tubercular meningitis.

Diseases of the respiratory system caused 23 deaths, including 10 from bronchitis, 11 from pneumonia, and 1 from pleurisy. This number is 2 above the average for the 29th week of the previous 10 years.

Convulsions caused 8 deaths of children: 2 of these were under one month, 2 were at the age period—one month and under one year—and the other four were at one year and 5 years of age; apoplexy caused 5 deaths and other diseases of the brain and nervous system 3 deaths.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 infants under one year old and the death of a person aged 88 years.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 9 were under one month old) and 35 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 3 were octogenarians, and 2 (a man and a woman) were stated to have been aged 92 and 90 years respectively.

Sixty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 9 in the South Dublin Union Workhouse, and 8 in the Rathdown Union Workhouse.

Five accidental deaths were registered.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·4 per 1,000; the rate in the city was 26·4 (28·5 on the North side, and 24·4 on the South), and in the Suburbs 16·5.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the city being 1·9 (2·2 in the North City Districts, and 1·6 in he South), and for the Suburbs 2·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 19·2 per 1,000. Diarrhœa caused 1 death, and two deaths were caused by diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 22·5 per 1,000. Enteric fever and diarrhœa each caused one death, pulmonary phthisis caused 3 deaths and diseases of the circulatory system caused 4 deaths.

No. 2 North City District (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 41·5 per 1,000. Whooping-cough caused 2 deaths and pulmonary phthisis caused 4 deaths, three deaths were due to diseases of the respiratory system, and three deaths were due to diseases of the brain and nervous system, including one death from meningitis.

* See Table VI.

No. 3 North City District (Blackhall-place).—The deaths (16) represent an annual rate of 32·0 per 1,000. Cerebro-spinal meningitis caused 1 death and pulmonary phthisis caused 3 deaths, diseases of the respiratory system caused 2 deaths, and diseases of the brain and nervous systems 3 deaths.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 33·0 per 1,000. Diarrhœa caused 2 deaths and whooping-cough 1 death, 5 deaths were caused by pulmonary phthisis, 3 deaths were caused by diseases of the respiratory system, and three deaths were due to diseases of the brain and nervous system, including 1 death from meningitis.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 36·5 per 1,000. Pulmonary phthisis caused 4 deaths.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 20·6 per 1,000. One death was due to cerebro-spinal meningitis and one death to scarlatina; pulmonary phthisis caused 1 death, 4 deaths were due to diseases of the respiratory system, and 4 deaths were due to diseases of the circulatory system.

No. 4 South City District (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·6 per 1,000. Cerebro-spinal meningitis caused 1 death and pulmonary phthisis caused 2 deaths, and three deaths were due to diseases of the respiratory system, and 1 to tubercular meningitis.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 14·6; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 7·2; Rathmines, 16·9; Donnybrook, 10·6; Blackrock, 12·4; and Kingstown, 33·0. The deaths from zymotic diseases tabulated for these districts comprise one from enteric fever for Palmerston, part of; one each from whooping-cough and diphtheria for Donnybrook, and one from whooping-cough for Kingstown. Of the 9 deaths from all causes tabulated for Rathmines are 2 from diseases of the brain and nervous system and 2 from pneumonia; and the 11 deaths for Kingstown comprise 4 from phthisis.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	30th June,	38 cases.
,, ,,	7th July,	61 cases
,, ,,	14th July,	66 cases.
,, ,,	21st July,	77 cases.

Of the 77 cases notified, 18 were erysipelas, 25 enteric fever, 18 scarlatina, 5 measles, 1 German measles, 5 meningitis,† 2 diphtheria, one typhus fever, and 2 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st July, 1900.

From this it appears that:—

Eleven cases of enteric fever were admitted to hospital, 8 were discharged, one died, and 42 remained under treatment at the close of the week.

Eight cases of scarlatina were admitted to hospital, 9 were discharged, and 61* cases remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 4 were discharged, one died, and 2 remained under treatment at the end of the week.

Thirteen cases of measles remained under treatment in hospital at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·1), was equal to an average annual death-rate of 16·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·0 per 1,000, the rate for Glasgow being 22·2, and for Edinburgh 16·9.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 21st July, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Persons to an Acre	Registration—Week ending Saturday, 21st July, 1900. Annual rate per 1,000 persons represented by Births	Deaths: From all Causes.	Deaths: From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 21st July, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th July, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th July, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	30·7	20·2	1·6	625	412	75	93	.	2	1	.	9	3	.	3	15	70	58	10	18	102	°	°	°	.	°	°	°	.	°	°	°	.
Dublin Registration Area:—																																			
Total,†	349,594	14·2	27·7	23·4	1·9	186	157	26	34	.	.	1	.	5	1	.	2	4	27	23	3	7	52	$74·7	50·0	64·3	0·62	$76·9	39·1	60·8	0·30	$64·8	45·4	56·2	0·28
Registrars' Districts. City	245,001	65·6	30·0	26·4	1·9	141	124	20	20	.	.	1	.	3	.	.	1	4	22	18	3	7	38	75·0	56·3	65·7	0·91	74·3	47·1	62·1	0·35	66·7	49·0	58·1	0·65
Clontarf &c. No. 1,	4,188	1·5	12·6	12·6	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	19·4	14·6	.	4	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	36·9	12·3	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	76·9	51·0	64·7	0·66	74·5	41·0	60·7	0·39	65·9	46·0	57·0	0·61
Palmerston, part of and Crumlin part of (b),	7,273	8·0	48·0	7·2	7·2	6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	22·5	16·9	.	12	9	1	6	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	21·2	10·6	4·2	10	5	2	2	.	.	.	.	1	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	12·4	12·4	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	21·0	33·0	3·0	7	11	1	3	.	.	.	.	1	.	.	.	.	4	.	.	.	8	73	58	65·3	0·68	74	53	61·7	0·38	66	47	57·5	0·35
Urban Districts																																			
Belfast,	359,000	21·8	38·2	19·8	1·9	268	186	34	22	.	1	.	.	3	.	.	1	8	20	22	3	9	25	75·6	55·1	64·8	0·39	70·1	48·1	60·1	0·38	66·1	48·9	57·7	1·00
Cork,	75,845	35·3	28·4	19·4	0·7	41	28	2	7	.	.	.	.	.	.	.	.	1	7	5	.	.	9	70	54	60·8	0·53	66	52	59·2	0·35	65	51	57·3	0·43
Limerick,	87,155	17·9	25·3	9·8	.	18	7	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	88,200	15·3	40·8	22·0	4·7	26	14	1	6	.	.	.	.	.	1	.	.	2	3	1	1	2	3	75·0	48·8	63·6	0·48	78·2	45·8	61·4	0·24	64·0	47·0	56·0	0·76
Waterford,	26,268	18·3	9·9	11·9	2·0	5	6	1	2	.	.	.	.	.	1	.	.	.	2	.	3	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,800	2·6	11·3	22·7	3·8	3	6	.	1	.	1	.	.	.	.	.	.	.	1	1	.	.	1	76	54	63	0·62	68	47	59	0·24	66	49	57	1·28
Drogheda	18,708	8·7	30·4	26·6	.	8	7	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	20·1	36·2	.	5	9	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	73·1	51·1	63·9	0·33	73·1	42·1	60·6	0·29	67·1	43·8	56·5	0·56
Dundalk,	12,449	9·0	8·4	20·9	.	2	5	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	55·3	12·8	.	13	3	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	73·1	51·1	63·9	0·33	73·1	42·1	60·6	0·29	67·1	43·8	56·5	0·56
Wexford,	11,545	24·0	18·1	9·0	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	27·4	27·4	.	6	6	4	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2	73·1	51·1	63·9	0·33	73·1	42·1	60·6	0·29	67·1	43·8	56·5	0·56
Kilkenny,	11,048	12·0	18·9	4·7	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	72	54	64·3	0·44	71·0	49·0	60·3	0·33	67	44	56·4	0·73
Clonmel,	10,708	8·2	4·9	9·7	4·9	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	15·2	10·2	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	72·7	48·4	.	0·20	74·4	41·4	.	0·19	65·7	43·5	.	0·70
Tralee,	9,818	15·9	16·8	16·8	.	3	3	1	3	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·8	39·5	28·2	.	7	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,187	19·0	17·0	22·7	.	3	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	71	50	59·2	0·48	70	45	57·9	0·45	65	47	54·3	0·27
Queenstown,	9,082	17·0	17·2	11·5	.	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	70	54	60·8	0·53	66	52	59·2	0·35	65	51	57·3	0·43
Carrickfergus	8,928	0·5	35·1	17·5	.	6	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	55·7	12·4	.	9	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	73·1	51·1	63·9	0·33	73·1	42·1	60·6	0·29	67·1	43·8	56·5	0·56
Armagh,	7,187	21·4	42·8	14·3	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	73·1	51·1	63·9	0·33	73·1	42·1	60·6	0·29	67·1	43·8	56·5	0·56

(*a* That portion of the District situated in Glasnevin District Electoral Division. (*b*) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‖ Exclusive of 8 deaths of persons (including one at 77 years), admitted to hospital from localities outside the district.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municip l Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 21st July, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																	
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	2	.	1	.	.	.	.	.	.	.	.	1	.	1	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Diarrhœa, Dysentery,	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	4	.
Other Zymotic Diseases	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	.	4	.
Total,	1	2	2	1	3	.	2	1	1	.	.	1	.	2	.	1	17	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	.	3	4	3	5	4	1	2	.	.	.	.	1	.	.	4	27	1
Other Constitutional Diseases	2	2	5	2	3	2	4	2	.	1	.	.	2	.	1	1	27	.
Total,	2	5	9	5	8	6	5	4	.	1	.	.	3	.	1	5	54	1
V. DEVELOPMENTAL DISEASES,	.	1	1	2	1	.	.	1	.	.	1	.	.	1	.	2	10	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	.	1	3	3	3	1	.	.	.	1	.	.	2	.	.	.	14	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	2	4	1	1	1	3	4	1	.	.	.	.	.	.	.	1	18	1
Respiratory System,	2	1	3	2	3	.	4	3	.	1	.	.	2	1	1	.	23	.
Digestive System,	.	1	.	.	1	1	1	.	.	.	.	.	2	.	.	.	6	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	7	8	7	9	5	9	4	.	2	.	.	6	2	1	1	65	4
VII. VIOLENT DEATHS,	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	2
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	1	.	1	1	.	2	.	.	.	.	.	.	.	.	.	2	7	.
Deaths from all Causes,	10	15	23	16	21	13	16	10	1	3	1	1	9	5	2	11	157	8
Annual Rate of Mortality in every 1,000 of the population.	19·2	22·5	41·5	32·0	33·0	36·5	20·6	14·6	12·6	14·6	12·3	7·2	16·9	10·6	12·4	33·0		
	28·5				24·4				16·5									
	26·4																23·4	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	2	4	2	2	1	1	3	.	1	.	1	2	1	.	1	23	8
Workhouse Hospitals,	.	.	7	5	2	4	3	.	.	.	.	.	.	.	1	7	29	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 29th Week of the 10 years 1890-99.	In the week ending Saturday, 21st July, 1900.								
													Deaths of persons of the Ages of							
	July 19, 1890	July 25, 1891	July 23, 1892	July 22, 1893	July 21, 1894	July 20, 1895	July 18, 1896	July 24, 1897	July 23, 1898	July 22, 1899		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 55·4	° 59·8	° 54·7	° 59·0	° 57·7	° 57·2	° 59·8	° 60·1	° 61·1	° 61·9	° 58·7	Mean Temp. ° 64·3	Under 1 month.	1 month and under 1 year.	1 to 5.					
ALL CAUSES,	140	145	133	203	117	168	179	156	152	147	154·0	165	9	17	21	13	26	44	30	5
I. FEBRILE OR ZYMOTIC DISEASES,	14	18	22	55	15	25	38	25	16	24	25·2	18	.	5	7	3	2	.	1	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	.	.	1	1	1	3	1	2	·9	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL "	35	42	23	42	35	35	61	43	41	32	38·9	55	1	4	5	9	13	16	6	1
V. DEVELOPMENTAL "	7	11	18	9	8	7	6	14	5	10	9·0	10	3	.	.	.	.	.	5	2
VI. LOCAL "	70	63	70	79	50	82	60	59	78	68	67·9	69	3	5	9	1	9	25	15	2
VII. VIOLENT DEATHS,	5	4	1	4	3	7	4	2	2	3	3·5	5	.	.	.	.	2	2	1	.
VIII. ILL-DEFINED CAUSES,	9	7	4	14	5	11	9	10	9	7	8·5	7	2	3	.	.	.	.	2	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	5	.	7	2	1	.	.	3	.	4	2·2	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	1	.	3	2	1	2	·9	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	3	.	1	2	1	1	.	·9	.	.	.	.	.	.	.	.	.
Whooping Cough,	3	3	2	2	1	3	4	4	5	2	2·9	5	.	2	3	.	.	.	.	.
Diphtheria,	.	.	.	1	.	.	.	3	1	2	·7	2	.	.	1	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	3	.	4	4	.	2	.	1	1	1·9	2	.	.	.	1	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	1	.	2	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	3	4	36	6	14	24	7	4	10	10·8	4	.	2	1	.	1	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	2	2	.	.	.	.	2	.	·7	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	.	1	1	1	1	.	.	·4	1	.	.	.	.	.	.	1	.
Pyæmia, Septicæmia,	.	3	1	1	.	.	.	.	.	1	·6	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	1	.	1	.	1	.	.	.	2	·6	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	3	6	2	.	1	.	3	.	.	1·6	3	.	1	1	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	.	1	1	1	2	1	2	·8	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	1	.	.	.	.	2	.	1	.	·4	2	.	.	.	.	.	1	1	.
Rheumatism,	.	1	.	.	.	2	1	1	1	1	·7	2	.	.	.	.	.	.	2	.
Gout,	1	1	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	9	8	2	3	4	3	8	8	6	2	5·3	6	.	.	.	.	.	3	2	1
Tabes Mesenterica,	5	4	2	8	1	4	10	3		7	4·8	7	.	3	3	1	.	.	.	.
Tubercular Meningitis,	1	5	2	3	1	.	4	6	4	3	2·9	4	1	.	1	2	.	.	.	.
Phthisis,	16	18	17	25	23	22	32	18	21	17	20·9	28	.	1	.	4	12	11	.	.
Scrofula, Tuberculosis,	3	4	.	2	4	4	2	5	4	2	3·0	5	.	.	1	2	1	1	.	.
Other Constitutional Diseases,	.	.	.	.	2	.	2	2	.	.	·6	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	1	4	4	1	.		1	5	1	1	2·0	3	3	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	1	.	.	.		.	.	·3	.	.	.	.	.	.	.	.	.
Old Age,	6	7	8	7	8	5	5		4	9	6·8	7	.	.	.	.	.	.	5	2

each Disease registered in the TWENTY-NINTH WEEK ending Saturday, 21st July, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday July 19, 1890	July 25, 1891	July 23, 1892	July 22, 1893	July 21, 1894	July 20, 1895	July 18, 1896	July 24, 1897	July 23, 1898	July 22, 1899	Averages in 29th Week of the 10 years 1890-99.	In the Week ending Saturday, 21st July, 1900. Deaths of Persons of the Ages of: ALL AGES.	0 to 5: Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	55·4	59·8	54·7	59·0	57·7	57·2	59·8	60·1	61·1	61·9	58·7	Mean Temp. 64·3								
VI. Local Diseases--																				
Apoplexy,	1	4	2	1	3	5	.	5	3	7	3·1	5	.	.	.	.	.	3	1	1
Epilepsy,	.	.	1	1	1	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Convulsions,	12	10	11	15	7	12	12	6	13	6	10·4	8	2	2	4	.	.	.	.	.
Other Diseases of Brain and Nervous System,	8	8	3	8	2	5	9	3	6	2	4·9	3	.	.	.	1	.	1	1	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	15	16	21	10	13	16	12	10	17	9	13·9	19	1	.	.	.	4	10	4	.
Croup,	1	1	.	4	.	.	1	1	1	.	·9	.	.	.	.	.	.	.	.	.
Bronchitis,	13	10	7	11	6	10	8	9	10	11	9·5	10	.	.	1	.	.	7	2	.
Pneumonia	4	8	12	9	4	10	5	5	18	18	8·8	11	.	2	3	.	2	2	1	1
Pleurisy,	.	.	.	.	.	.	1	.	1	.	·2	1	.	.	.	.	1	.	.	.
Other Diseases of Respiratory System,	3	4	1	3	1	4	.	2	1	1	2·0	1	.	.	1	.	.	.	.	.
Teething,	.	.	.	.	1	1	1	2	2	.	·7	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	1	.	1	.	.	.	.	.	2	·4	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	1	1	.	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Peritonitis	.	1	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Disease of Liver,	3	.	4	3	6	5	.	4	1	.	2·6	2	.	.	.	.	.	2	.	.
Other Diseases of Digestive System,	4	5	3	9	3	7	3	2	.	2	3·8	3	.	.	.	.	1	2	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	4	.	4	6	1	2	5	5	3	5	3·5	3	.	.	.	.	1	2	.	.
Diseases of Generative System,	1	.	.	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	1	.	1	.	1	.	1	·4	2	.	.	.	2	.	.	.	.
Diseases of Locomotive System,	1	.	.	1	.	1	2	1	1	.	·7	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	.	.	.	1	1	1	·3	.	.	.	.	.	.	.	.	.
VII. Violent Deaths (ACCIDENT.)																				
By Railways,		.	.	.	.	.	1	1	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		1	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	4	1	1	.	1	2	.	.	.	1	3·1	.	.	.	.	.	.	.	.	.
By Drowning,		.	.	3	1	1	.	.	1	.		2	.	.	.	.	1	1	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	1	.	.	.		1	.	.	.	1	.	.	.	.
Other or Not Stated Causes,		2	.	.	1	4	2	1	1	1		2	.	.	.	1	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	7	4	14	5	11	9	10	9	7	8·5	7	2	3	.	.	.	2	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																									
	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Births registered,	191	184	174	175	257	179	215	217	226	234	128	184	225	202	246	222	198	214	199	222	194	198	228	181	208	186
Average Births in corresponding week of previous 10 years,	202	206	200	196	208	225	195	192	195	217	199	194	192	213	214	212	192	201	209	199	208	202	219	193	188	185
Deaths registered,	259	238	199	284	342	280	247	209	236	244	194	230	204	178	204	179	168	176	157	161	167	122	144	124	127	165
Annual Death-rate per 1,000,	38·6	35·5	29·7	42·4	51·0	34·8	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6
Average Deaths in corresponding week of previous 10 years,	228	221	211	216	212	214	218	218	218	219	204	184	185	184	178	170	174	167	162	156	164	150	156	149	148	154
Ages, Under 5 years,	60	60	54	63	74	55	66	56	69	55	50	59	66	51	54	52	47	43	43	54	37	29	33	38	32	47
Ages, 5—20 "	20	19	14	24	20	22	15	13	17	12	14	26	13	15	17	19	20	26	15	14	27	16	13	10	8	13
Ages, 20—40 "	38	34	30	48	47	38	42	39	34	45	24	29	30	38	47	27	28	30	22	31	35	19	32	25	35	26
Ages, 40—60 "	50	46	35	65	80	51	60	44	51	54	43	58	32	48	42	36	31	35	40	38	31	29	33	23	24	44
Ages, 60—80 "	79	64	58	78	104	59	56	42	52	59	53	47	45	27	35	36	36	35	31	19	30	23	27	26	23	30
Ages, 80 years and upwards,	12	15	18	11	17	10	8	16	13	19	11	16	18	4	9	9	6	7	6	5	7	6	6	2	5	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	5	4	3	1	5	1	2	4	.	.	3	2	2	.	.	.	2	.	.	.	.	.	.	.	.	.
" Scarlet Fever,	.	1	2	1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	3	.	5	5	.	.	.	1	.	.	3	1	2	2	4	1	1	3	.	5	.	1	2	3	4	5
" Diphtheria,	1	3	5	3	.	1	2	.	1	1	.	2	2	.	.	.	1	.	.	2	2	1	.	.	.	2
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
" Enteric Fever,	1	2	.	3	1	4	2	.	.	1	3	2	3	5	6	1	2	2	1	2	2	2	.	2	2	2
" Diarrhœa, Dysentery,	.	2	2	2	4	5	3	4	4	.	.	1	3	3	1	3	2	.	1	2	1	.	1	2	1	4
" Phthisis,	36	29	23	32	40	30	37	29	29	30	27	28	27	32	29	32	30	32	13	28	28	23	21	26	31	28
" Heart Diseases,	25	15	11	28	33	24	18	17	20	28	16	17	11	11	17	14	17	11	14	10	11	9	9	10	9	19
" Diseases of Respiratory System,	55	67	65	74	94	55	78	39	72	56	46	53	47	40	29	34	25	30	23	23	34	27	29	15	20	23
Violent Deaths,	2	5	3	8	4	2	2	4	9	6	2	9	3	4	6	4	5	1	6	4	1	1	5	6	6	5
Mean Temperature of the Air (Phœnix Park),	43·8	35·6	29·9	33·9	41·4	40·2	38·3	41·1	36·4	37·8	42·6	46·9	50·2	47·6	45·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3
Average Mean Temperature in corresponding week of previous 10 years,	40·6	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7
Rainfall in inches,	·530	·920	·690	·680	·520	1·025	·000	·115	·805	·075	·535	·785	·170	·190	·350	·585	·005	1·185	·005	·560	·485	2·005	·650	·280	·300	·615
Mean Humidity of the Air, complete Saturation 1·0,	·85	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·73	·80	·83	·82	·80	·83	·84	·81	·76	·82

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st July, 1900: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	24·6	165	47	13	26	44	30	5	.	.	1	.	5	2	.	2	4	14	28	8	23	5	87
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	23·4	7	.	1	2	.	2		.	.	.	.	.	1	.	.	.	1	.	.	1	1	4
II.	MIDDLE CLASS,	81,469	10·2	16	7	1	2	3	2	1	.	.	1	.	.	.	.	.	1	2	3	1	5	.	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	14·1	27	9	3	4	6	4	1	.	.	.	.	1	.	.	1	.	2	2	2	1	.	20
IV.	GENERAL SERVICE CLASS,	147,978	39·0	86	28	8	13	24	12	1	.	.	.	.	4	1	.	1	3	9	15	5	12	4	41
V.	INMATES OF WORKHOUSES,	5,191		29	3	.	5	11	10	.	.	.	.	.	.	.	.	.	.	.	8	.	4	.	17
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	26·0	4	.	1	2	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	2
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,783	27·2	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	4·0	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	6. Clerks and Commercial Assistants,	25,091	20·8	10	6	.	2	2	.	.	.	.	1	.	.	.	.	.	1	2	2	1	4	.	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	4·3	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	7·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	9. Building and Furnishing Trades,	26,294	23·7	12	6	.	1	5	.	.	.	.	.	.	1	.	.	.	.	1	1	1	.	.	9
	10. Clothing Trades,	28,927	4·3	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	11. Food Supply Trades,	7,949	19·6	3	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	12. Other Trades and Callings ranking with Trades,	26,937	13·5	7	3	.	2	1	1	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	3
	13. Petty Shopkeepers,	6,889	15·2	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	22·7	6	4	1	1	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	1	.	2
	15. Domestic Servants,	89,967	11·7	9	1	1	1	2	4	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	6
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	38·5	8	2	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	5
	17. Hawkers, Porters, Labourers, &c.,	83,472	39·2	63	21	5	9	20	7	1	.	.	.	.	4	.	.	.	2	6	11	4	11	3	28
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	29	3	.	5	11	10	.	.	.	.	.	.	.	.	.	.	.	8	.	4	.	17

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
North City, No. 1 (E.)	June 2,	30·7	.	16	.	.	.	.	.	.	.	.	.	.	2	.
	„ 9,	26·9	1·9	14	.	.	.	.	.	1	.	.	.	3	.	1
	„ 16,	23·0	.	12	.	.	.	.	.	.	.	.	.	4	3	1
(*Office, Clarence-street, Nth.*)	„ 23,	13·4	.	7	.	.	.	.	.	.	.	.	.	1	.	1
	„ 30,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	4	.
	July 7,	7·7	.	4	.	.	.	.	.	.	.	.	.	2	.	.
Pop. (in 1891) 27,147.	„ 14,	7·7	1·9	4	.	.	.	.	.	.	.	1	.	1	1	.
	„ 21,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	.	2	2
North City, No. 1 (W.)	June 2,	26·9	.	18	.	.	.	.	.	.	.	.	.	1	2	.
	„ 9,	28·9	1·5	16	.	.	.	.	1	.	.	.	.	6	1	.
	„ 16,	28·9	1·5	16	.	.	.	.	.	1	.	.	.	5	3	.
(*Office, Summer-hill.*)	„ 23,	15·0	1·5	10	.	.	.	.	.	.	.	1	.	1	1	.
	„ 30,	13·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	July 7,	23·9	3·0	16	.	.	.	.	2	.	.	.	.	2	1	.
Pop. (in 1891) 34,886.	„ 14,	26·9	1·5	18	.	.	.	.	.	.	.	.	1	6	1	.
	„ 21,	22·5	3·0	15	.	.	.	.	.	.	.	1	1	3	1	.
North City, No. 2.	June 2,	14·4	1·8	8	.	.	.	.	.	.	.	.	1	1	.	.
	„ 9,	28·9	1·8	16	.	.	.	.	.	.	.	.	1	3	.	1
	„ 16,	28·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
(*Office, Lisburn-street.*)	„ 23,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	„ 30,	19·9	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	July 7,	16·8	.	9	.	.	.	.	.	.	.	.	.	1	3	.
Pop. (in 1891) 28,871.	„ 14,	19·9	1·8	11	.	.	.	.	.	.	1	.	.	2	2	.
	„ 21,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	4	3	1
North City, No. 3.	June 2,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	2	1	.
	„ 9,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	„ 16,	28·0	.	14	.	.	.	.	.	.	.	.	.	1	3	.
(*Office, Blackhall-place.*)	„ 23,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	.	2	.
	„ 30,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	July 7,	12·0	.	6	.	.	.	.	.	.	.	.	.	3	.	1
Pop. (in 1891) 26,055.	„ 14,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	2	1
	„ 21,	33·0	.	16	.	.	.	.	.	.	.	.	.	3	2	.
South City, No. 1.	June 2,	39·3	.	25	.	.	.	.	.	.	.	.	.	3	6	1
	„ 9,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	3	.
	„ 16	18·9	.	12	.	.	.	.	.	.	.	.	.	2	3	.
(*Office, South Earl-street.*)	„ 23,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	6	3	.
	„ 30,	28·3	1·6	18	.	.	.	.	.	.	.	.	1	3	6	1
	July 7,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	5	3	1
Pop. (in 1891) 35,194.	„ 14,	40·8	1·6	26	.	.	.	.	1	.	.	.	.	4	6	2
	„ 21,	33·0	4·7	21	.	.	.	.	1	.	.	.	2	5	3	.
South City, No. 2.	June 2,	22·5	.	8	.	.	.	.	.	.	.	.	.	.	1	1
	„ 9,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	1	2	.
	„ 16,	39·4	2·8	14	.	.	.	.	.	.	.	1	.	2	3	.
(*Office, Castle-street.*)	„ 23,	36·5	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	„ 30,	28·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	July 7,	28·1	2·8	10	.	.	.	.	.	.	.	1	.	3	3	.
Pop. (in 1891) 18,547.	„ 14,	14·1	.	5	.	.	.	.	.	.	.	.	.	3	1	.
	„ 21,	36·5	.	13	.	.	.	.	.	.	.	.	.	4	.	.
South City, No. 3.	June 2,	23·1	.	18	.	.	.	.	.	.	.	.	.	.	4	.
	„ 9,	27·0	2·6	21	.	.	.	.	1	1	.	.	.	.	3	1
	„ 16,	34·7	3·9	27	.	.	1	.	.	1	.	1	.	.	3	.
(*Office, Peter-street.*)	„ 23,	28·3	.	22	.	.	.	.	.	.	.	.	.	2	5	.
	„ 30,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	3	6	.
	July 7,	28·3	1·3	22	.	.	.	.	1	.	.	.	.	4	1	1
Pop. (in 1891) 40,558.	„ 14,	16·7	.	13	.	.	.	.	.	.	.	.	.	4	2	.
	„ 21,	20·6	1·3	16	.	.	1	.	.	.	.	.	.	1	4	.
South City, No. 4.	June 2,	21·9	.	15	.	.	.	.	.	.	.	.	.	2	2	2
	„ 9,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	3	5	1
	„ 16,	20·4	1·5	14	.	.	.	.	.	.	.	.	1	5	3	.
(*Office, Grand Canal-street.*)	„ 23,	18·9	1·5	13	.	.	.	.	1	.	.	.	.	2	2	.
	„ 30,	11·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	July 7,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	1	1
Pop. (in 1891) 35,798.	„ 14,	13·1	.	9	.	.	.	.	.	.	.	.	.	4	2	.
	„ 21,	14·6	.	10	.	.	.	.	.	.	.	.	.	2	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	June 2,	16·9	1·9	9	.	.	1	.	.	.	.	.	.	.	1	.
	„ 9,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	18·1	.	7	.	.	.	.	.	.	.	.	.	1	3	.
	„ 23,	16·9	.	9	.	.	.	.	.	.	.	.	.	3	.	.
	„ 30,	15·0	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	July 7,	11·3	.	6	.	.	.	.	.	.	.	.	.	1	1	1
	„ 14,	9·4	.	5	.	.	.	.	.	.	.	.	.	2	.	1
	„ 21,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
Donnybrook. Pop. (in 1891) 24,629.	June 2,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	.	.
	„ 9,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	25·4	.	12	.	.	.	.	.	.	.	.	.	2	4	.
	„ 23,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 30,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	July 7,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	.
	„ 21,	10·6	4·2	5	.	.	.	.	1	1	.	.	.	.	1	.
Kingstown. Pop. (in 1891) 17,386.	June 2,	30·0	.	10	.	.	.	.	.	.	.	.	.	.	2	1
	„ 9,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	2	.
	„ 16,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	6·0	.	2	.	.	.	.	.	.	.	.	.	1	1	.
	„ 30,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1
	July 7,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
	„ 14,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	1	1	1
	„ 21,	33·0	3·0	11	.	.	.	.	1	.	.	.	.	4	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	June 2,	19·5	2·8	134	.	.	.	.	1	1	.	11	3	22	29	2
	„ 9,	17·9	2·3	123	.	3	1	.	.	1	.	10	1	18	28	1
	„ 16,	20·5	2·0	141	.	1	.	.	1	.	.	11	1	32	24	4
	„ 23,	18·9	1·7	130	.	1	.	.	1	.	.	6	4	20	18	7
	„ 30,	19·8	1·6	136	.	2	.	.	2	1	.	2	4	32	17	3
	July 7,	18·3	1·3	126	.	.	.	.	1	.	.	6	2	20	24	3
	„ 14,	15·7	1·6	108	.	.	.	.	2	1	.	7	1	20	10	3
	„ 21,	19·8	1·9	136	.	1	.	.	3	.	.	1	8	20	22	3
Cork. Pop. (in 1891) 75,845.	June 2,	20·8	0·7	30	.	.	.	.	1	.	.	.	.	5	4	.
	„ 9,	24·2	.	35	.	.	.	.	.	.	.	.	.	8	4	.
	„ 16,	20·1	0·7	29	.	.	.	.	.	.	.	.	1	6	5	.
	„ 23,	18·7	.	27	.	.	.	.	.	.	.	.	.	4	2	.
	„ 30,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	2	.
	July 7,	18·7	2·1	27	.	.	.	2	.	.	.	.	1	10	3	.
	„ 14,	17·3	.	25	.	.	.	.	.	.	.	.	.	1	3	1
	„ 21,	19·4	0·7	28	.	.	.	.	.	.	.	.	1	7	5	.
Limerick. Pop. (in 1891) 37,155.	June 2,	18·2	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	„ 9,	16·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	15·4	.	11	.	.	.	.	.	.	.	.	.	4	4	.
	„ 23,	14·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 30,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	4	.
	July 7,	26·7	.	18	.	.	.	.	.	.	.	.	.	1	4	.
	„ 14,	19·6	.	14	.	.	.	.	.	.	.	.	.	3	3	.
	„ 21,	9·8	.	7	.	.	.	.	.	.	.	.	.	1	.	.
Londonderry Pop. (in 1891) 28,200.	June 2,	18·8	.	12	.	.	.	.	.	.	.	.	.	3	2	.
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	3	.	1
	„ 16,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	5	.
	„ 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	4	.
	„ 30,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	1	.
	July 7,	29·8	1·6	19	.	1	.	.	.	.	.	.	.	2	2	.
	„ 14,	12·6	3·1	8	.	.	.	.	.	.	.	.	2	1	.	.
	„ 21,	22·0	4·7	14	.	.	.	.	.	1	.	.	2	3	1	1
Waterford. Pop. (in 1891) 26,200.	June 2,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	3	.
	„ 9,	11·9	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	„ 16,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 23,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 30,	13·9	2·0	7	.	.	.	.	.	.	.	.	1	.	3	.
	July 7,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	.	1	.
	„ 14,	17·9	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 21,	11·9	2·0	6	.	.	.	.	.	1	.	.	.	2	.	3

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 21st July, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 60 years.	Ages at Death: 60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	14	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		11	1	1	9	.	.	1	.	.	.	.	.	.	.	3	.	.	2	1
" 2 "	37,589	34			16	3	3	6	4	.	.	.	.	1	.	.	.	2	2	.	.	2	3
" 3 "	38,845	42			23	8	2	9	4	.	.	.	.	.	.	.	.	2	1	6	.	.	4
" 4 "	38,391	39			18	5	2	8	3	.	.	.	.	.	.	.	.	.	4	4	2	3	3
" 5 "	21,284	19			5	2	.	3	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1
" 6 "	48,481	20			16	2	2	10	2	.	.	.	.	1	.	.	1	.	2	2	.	.	3
" 7 "	1,112	5			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	.			2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 9 "	12,866	15			6	.	1	4	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1
" 10 "	12,256	18			11	4	1	5	1	.	.	.	.	.	.	.	.	2	3	2	.	.	1
" 11 "	19,881	18			9	2	1	4	2	.	.	.	.	.	.	.	.	2	2	2	.	1	1
" 12 "	28,282	26			10	3	2	3	2	.	.	.	.	1	.	.	.	.	.	3	.	.	2
" 13 "	6,804	12			9	4	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.
" 14 "	362	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	263			136	34	15	65	22	.	1	.	.	3	.	.	1	8	20	22	3	9	25
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	9	26·2	.	6	.	.	4	2	.	.	.	.	.	.	.	.	.	2	1	.	.	3
" 2 "	9,252	5	11·3	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 3 "	9,816	6	10·6	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 4 "	10,356	4	15·1	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	2
" 5 "	8,187	4	12·8	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 6 "	3,828	2	35·4	.	6	.	1	3	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1
" 7 "	17,084	11	21·4	3·1	7	2	1	2	2	.	.	.	.	.	.	.	.	1	1	1	.	.	1
Total,	75,345	41	19·4	0·7	28	2	3	16	7	.	.	.	.	.	.	.	.	1	7	5	.	.	9

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.
No. of week in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered,	280	204	240	186	230	216	269	218	236	229	188	197	225	261	213	244	218	218	218	219	241	213	204	236	155	263
DEATHS registered.	170	135	187	226	181	207	195	157	169	176	179	149	124	127	171	188	153	141	134	123	141	130	136	126	108	136
Annual Death-rate per 1,000 of estimated Population,	24·7	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8
AGES, Under 1 year,	32	22	30	41	31	43	42	27	26	37	31	29	21	27	33	26	34	20	25	26	24	26	28	26	22	34
AGES, 1–5 years,	22	17	15	23	16	21	28	26	30	22	21	18	12	13	23	14	27	10	13	13	17	15	15	14	13	15
AGES, 5–60 years,	71	62	99	102	84	92	90	68	77	84	80	79	56	64	86	76	65	87	76	60	72	61	76	67	55	65
AGES, 60 years and upwards,	45	34	43	60	50	51	35	36	36	33	47	23	35	23	29	22	27	24	20	24	28	28	17	19	18	22
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	.	.	.	1	2	1	1	2	1	.	1	.	.	.	1	1	.	3	1	1	2	.	.	1
" Scarlet Fever,	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
" Whooping-cough,	5	4	8	4	3	4	3	2	4	4	1	1	1	4	8	3	6	1	1	.	1	1	2	1	2	3
" Diphtheria,	.	.	3	2	1	2	1	1	2	2	2	2	1	1	1	1	1	.	1	1	.	.	1	.	1	.
" Simple continued and Ill-defined Fever,	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	1	1	1	1	2	5	3	4	3	6	1	5	5	3	8	5	12	5	11	10	11	6	2	6	7	1
" Diarrhœa, Dysentery,	2	2	1	3	3	.	1	1	3	3	1	1	2	3	4	1	2	1	3	1	1	4	4	2	1	8
" Phthisis,	21	12	23	27	19	26	23	26	30	39	25	31	14	23	31	31	23	34	22	18	32	20	32	20	20	20
" Diseases of Respiratory System,	66	39	50	73	67	57	75	35	49	43	46	38	26	24	33	31	32	31	29	23	24	18	17	24	10	22
Violent Deaths,	.	3	8	8	5	4	2	6	2	2	5	.	2	2	2	3	4	5	2	1	4	7	3	3	3	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st July, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	3	.	.	.	4
" " 1, West,	.	.	.	1	.	.	1	.	.	3	1	.	.	6
" " 2,	.	.	.	1	.	.	.	.	1	4	1	.	1	8
" " 3,	.	1	1	11	.	.	.	.	.	2	2	.	2	19
South City No. 1,	.	1	.	2	.	.	1	.	.	10	12	.	1	27
" " 2,	.	.	.	.	.	.	.	.	.	3	.	.	.	3
" " 3,	.	3	.	2	1	.	.	.	.	.	2	.	1	9
" " 4,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Total,	.	5	1	18	1	.	2	.	2	25	18	.	5	77
Total for week ended July 14, 1900,	.	6	.	13	.	.	.	.	7	17	21	.	2	66
Total for week ended July 7, 1900,	.	4	.	12	3	.	1	.	2	22	10	1	6	61
Total for week ended June 30, 1900,	.	2	.	8	.	.	2	.	5	11	9	.	1	38

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st July, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st July.			
	June 30.	July 7.	July 14.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	12	11	12	3	2	.	13
Scarlet Fever,	58	59	62	8	9	.	61*
Typhus "	2	2	3	.	.	.	3
Diphtheria,	8	4	4	3	4	1	2
Enteric Fever,	41	40	40	11	8	1	42
Pneumonia,	28	24	19	13	7	1	24

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XL.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever	Diarrhœal Diseases.
LONDON,	4,589,129	July 21,	2,384	1,417	16·1	.	54	5	21	40	10	100
EDINBURGH,	302,262	„ 21,	144	98	16·9	.	6	2	3	1	1	4
GLASGOW,	743,969	„ 21,	501	317	22·2	2	10	2	3	16	10	23
CALCUTTA,	466,460	May 19,	.	630	56·0	31	3	.	12	.	64‡	146*
BOMBAY,	821,764	June 19,	225	1,048	61·1	7	9	?	?	?	126§	208*
MADRAS,	452,518	„ 22,	410	362	41·5	2	4	?	?	?	104	60
PARIS,	2,511,629	July 14,	1,208	955	19·7	3	24	2	4†	3	18	87
BRUSSELS (with 8 Faubourgs).	561,130	„ 7,	284	152	13·4	1	2	21	.	2	4	20
AMSTERDAM,	526,072	„ 7,	271	118	11·7	.	1		2	4	.	.
ROTTERDAM,	323,487	„ 7,	178	89	14·2	.	1	.	.	1	1	.
THE HAGUE,	205,328	„ 7,	112	53	13·4	.	1	.		.	.	.
COPENHAGEN,	349,000	„ 14,	187	118	17·6	.	.	3		2	1	8
CHRISTIANIA,	221,255	„ 14,	124	38	8·9	.	.	.	.	2	.	8
ST. PETERSBURG,	1,132,677	June 30,	544	483	22·3	8	15	17	13	2	19	66
BERLIN,	1,854,964	„ 30,	896	587	16·5	.	12	15	4	12	4	59
HAMBURG,	691,349	July 14,	360	181	13·6	.	3	1	.	3	1	23
DRESDEN,	400,400	June 23,	215	128	16·9	.	1	1	1	1	1	10
BRESLAU,	406,012	July 14,	265	207	26·5	.	3	.	.	3	.	46
MUNICH,	463,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,656,662	July 7,	886	585	18·4	.	12	1	2	3	3	80
BUDA-PESTH,	685,340	„ 7,	417	275	20·9	.	10	5	1	–	2	38
PRAGUE and Faubourgs.	391,693	June 30,	187	146	19·4	.	.	.	.	1	1	4
ROME,	514,306	July 9,	200	147	14·9	.	2		1	.	1	14
TURIN,	344,203	May 10,	198	198	19·8	.	3	1	.	3	4	5
VENICE,	172,924	July 7,	67	58	17·4	.	.	.	.	.	1	11
NEW YORK,	3,654,594	„ 9,	1,530	1,148	16·4	4	21	7	43	10	4	28
PHILADELPHIA,	1,266,832	„ 23,	443	380	15·6	.	2	2	20	5	10	5

* Including 92 deaths from cholera in Calcutta and 89 in Bombay. † Including deaths from croup.
‡ Exclusive of 161 deaths from bubonic fever. § Exclusive of 86 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 21st July, 1900:—

"Generally favourable, warm, and summerlike weather again prevailed. Torrid heat was felt in Central and South-eastern England. In Ireland the weather was warm but not hot, and rain fell abundantly both at the beginning and at the close of the period. On Sunday a shallow depression moved slowly northwards along the west coast of Ireland. Its passage was attended by a moderate fall of rain in Ireland and Wales and a heavier downpour in Scotland—England escaping until Monday when severe thunderstorms occurred in several parts of that country. The electrical disturbances were accompanied in places by tornado-like squalls and hail showers. Three very fine warm days followed, but on Thursday atmospheric pressure once more became unsteady, and by Friday morning a complex 'thunderstorm depression' had advanced over the southern half of the British Isles. In Dublin a severe storm of thunder and lightning, with heavy rain and hail, was felt at 9 a.m. of Friday, the weather afterwards becoming fine. On Saturday heavy showers fell at intervals. The thermometric maximal readings in London up to Saturday were—80°, 92°, 83°, 85°, 92° and 91°. In Dublin the mean height of the barometer was 30·073 inches, pressure ranging from 30·257 inches at 9 a.m. of Tuesday (wind, S.W.) to 29·975 inches at 9 a.m. of Friday (wind, N.E.). The corrected mean temperature was 65·7°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 64·4°. The screened thermometers fell to 56·3° on Sunday and rose to 75·0° on Wednesday. S.W. winds prevailed. The rainfall was ·936 inch on four days, ·498 inch being registered on Friday. Bright sunshine was estimated at 51 hours. In Paris the thermometer rose to 100° in the shade on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·078 inches. The highest reading (30·253) was on Tuesday at 9 a.m., wind W., and also 9 p.m. of the same day, air calm, and the lowest (29·983) on Friday at 9 a.m., wind S.E.

The mean temperature for the week was 64·3°, being 5·6° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Wednesday, when the thermometer registered 74·9°, and was lowest on Sunday, the mercury having fallen to 50·0°. The mean of the Dry Bulb for the week was 63·5°, and of the Wet Bulb 60·3°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 40·6 hours. The rainfall measured ·615 in.

At Greenwich the mean temperature for the week was 72·1°, the maximum 94·0°, and the minimum 52·6°; at Glasgow the maximum was 75·2°, the minimum 53·3°, and the mean 63·3°, and at Edinburgh the maximum was 73·5°; the minimum 53·2°, and the mean 62·°3. The rainfall at Glasgow measured 1·59 ins.; and at Edinburgh 1·21 ins. There was no rain at Greenwich.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 15,	30·015	65·0	50·0	57·5	61·4	57·7	·80	·3	1·2	·055	E.	S.S.E.
Monday, „ 16,	30·079	71·8	58·6	65·2	62·9	58·1	·74	·4	11·8	—	S.W.	W.
Tuesday, „ 17,	30·253	70·1	55·7	62·9	64·0	59·4	·76	·3	9·0	—	W.	Calm.
Wednesday, „ 18,	30·136	74·7	61·5	68·1	65·4	62·2	·82	·2	4·8	—	S.W.	Calm.
Thursday, „ 19,	30·045	72·5	59·5	66·0	64·6	62·0	·86	·2	2·6	·040	Calm.	E.
Friday, „ 20,	29·984	72·2	58·5	65·4	62·4	60·3	·87	·1	6·7	·400	S.E.	S.
Saturday, „ 21,	30·032	71·8	57·9	64·9	64·0	62·2	·89	·2	4·5	·120	Calm.	Calm.
Mean, . .	30·078	71·2	57·4	64·3	63·5	60·3	·82	·2	Total 40·6	Total ·615	—	

Sunday—A cloudy day, showery 1.15 to 8.30 p.m.; night cloudy. *Monday*—A fine but cloudy day; night cloudy. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—A cloudy day; night cloudy. *Thursday*—A cloudy day; showery p.m.; night cloudy, rain 7.45 to 8.45 a.m. and thunder 8 to 9. *Friday*—A cloudy day, thunderstorm 9.10 to 9.35 a.m.; night cloudy and rain 10.45 p.m. to 3 a.m. *Saturday*—A cloudy day, showery 11 a.m. to 5 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

7. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & Co. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & Co., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 28TH JULY, 1900. [No. 30.

General Register Office, Charlemont House,
Dublin, 30th July, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 18·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending July 7.	Week ending July 14.	Week ending July 21.	Week ending July 28.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 7.	Week ending July 14.	Week ending July 21.	Week ending July 28.	Average Rate for 4 weeks.
23 Town Dists.	18·4	17·3	20·2	18·2	18·5	Limerick, . .	18·2	19·6	9·8	14·0	15·4
Armagh, . .	28·5	14·3	14·3	7·1	16·1	Lisburn, . .	21·3	21·3	12·8	34·1	22·4
Ballymena, .	0·0	28·2	28·2	11·3	16·9	Londonderry, .	29·8	12·6	22·0	15·7	20·0
Belfast, . .	18·3	15·7	19·8	19·3	18·3	Lurgan, . .	18·2	9·1	27·4	18·2	18·2
Carrickfergus, .	5·8	17·5	17·5	0·0	10·2	Newry, . .	32·2	24·1	36·2	12·1	26·1
Clonmel, . .	29·2	9·7	9·7	19·5	17·0	Newtownards, .	17·0	11·3	22·7	5·7	14·2
Cork, . . .	18·7	17·3	19·4	19·4	18·7	Portadown, .	12·4	18·6	12·4	18·6	15·5
Drogheda, . .	7·6	22·8	26·6	19·0	19·0	Queenstown, .	17·2	5·7	11·5	11·5	11·5
Dublin, Reg. Area,	17·7	18·2	23·4	18·3	19·4	Sligo, . . .	15·2	0·0	10·2	20·3	11·4
Dundalk, . .	12·6	16·8	20·9	12·6	15·7	Tralee, . .	11·2	11·2	16·8	11·2	12·6
Galway, . .	45·3	45·3	22·7	34·0	36·8	Waterford, .	6·0	17·9	11·9	15·9	12·9
Kilkenny, . .	37·8	33·0	4·7	23·6	24·8	Wexford, . .	9·0	18·1	9·0	9·0	11·3

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in eighteen of the districts to 6·2 in Portadown. Among the 133 deaths from all causes registered in Belfast are one from simple continued and ill-defined fever, 6 from enteric fever, and 11 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 187—107 boys and 80 girls; and the deaths to 129—72 males and 57 females.

DEATHS.

The deaths, which are 33 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 19·2 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 18·3 per 1,000. During the thirty weeks ending with Saturday last the death-rate averaged 31·2, and was 2·8 over the the mean rate for the corresponding portions of the ten years 1890–99.

Eight deaths were caused by zymotic diseases. This number is 19 below the average for the 30th week of the last 10 years, and 10 less than the number which occurred in the preceding week. Of the 8 deaths 4 were caused by diarrhœa, 2 by cerebro-spinal meningitis, one by diphtheria, and one by erysipelatous affection of the throat.

Tuberculosis caused 25 deaths—19 from pulmonary phthisis, 3 from tabes mesenterica, 1 from tubercular meningitis, one from tubercular tumour of the brain, and one death from scrofula.

Diseases of the respiratory system caused 23 deaths—15 from bronchitis and 8 from pneumonia. This number is equal to that of the preceding week, and 3 over the average for the 30th week of the previous 10 years.

Convulsions caused the deaths of 5 children: 2 of these were under one month and 3 were over a month but under one year old; 4 deaths were due to apoplexy, and 4 deaths were caused by other diseases of the brain and nervous system (exclusive of convulsions).

Three accidental deaths and one death from homicide were registered.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 infants under one year old and the death of one person aged 70 years.

Thirty-five of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 9 were under one month old) and 36 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 5 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Forty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 7 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 18·3 per 1,000; the rate in the city was 20·2 (16·9 on the North side, and 23·2 on the South), and in the Suburbs 14·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 0·7 per 1,000 inhabitants, the rate for the city being 0·9 (0·9 in the North City Districts, and 0·8 in the South), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 17·3 per 1,000. One death from diarrhœa occurred and 1 death from pulmonary phthisis; diseases of the respiratory system caused 3 deaths.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 21·0 per 1,000. One death was caused by diarrhœa and 3 deaths by pulmonary phthisis, diseases of the respiratory and circulatory systems caused 3 deaths each.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 21·7 per 1,000. Three deaths were caused by pulmonary phthisis and 3 deaths by diseases of the circulatory system, and 1 by disease of brain and nervous system.

* See Table VI.

No. 3 *North City District* (Blackhall-place).—The deaths (3) represent an annual rate of 6·0 per 1,000. Cerebro-spinal meningitis caused 1 death.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 33·0 per 1,000. Diarrhœa caused 1 death, pulmonary phthisis caused 4 deaths, diseases of the respiratory system caused 3 deaths, and diseases of the brain and nervous system 3 deaths.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·1 per 1,000. Diarrhœa caused 1 death, pulmonary phthisis caused 1 death, and respiratory disease caused 1 death.

No. 3 *South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 19·3 per 1,000. Cerebro-spinal meningitis caused 1 death and pulmonary phthisis 4 deaths; 4 deaths were also caused by diseases of the respiratory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (11) are equivalent to an annual rate of 16·0 per 1,000. Pulmonary phthisis caused 3 deaths and diseases of the respiratory system caused 2 deaths.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 4·9; Finglas and Glasnevin, part of, 0·0; Palmerston, part of, and Crumlin, part of, 0·0; Rathmines, 16·9; Donnybrook, 16·9; Blackrock, 24·8; and Kingstown, 15·0. The only death from any zymotic disease tabulated for any of the districts is one from diphtheria for Rathmines. Amongst the 9 deaths from all causes tabulated for Rathmines are 2 from bronchitis; and the 8 deaths for Donnybrook comprise 2 from inflammatory diseases of the respiratory system and 2 from diseases of the circulatory system.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	7th July,	61 cases
" "	14th July,	66 cases.
" "	21st July,	77 cases.
" "	28th July,	88 cases.

Of the 88 cases notified, 17 were erysipelas, 34 enteric fever, 6 scarlatina, 21 measles, 1 German measles, 1 meningitis,† 2 diphtheria, and 6 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th July, 1900.

From this it appears that:—

Eleven cases of enteric fever were admitted to hospital, 3 were discharged, no death occurred, and 50 cases remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, one was discharged, no death occurred, and 4 cases remained under treatment at the close of the week.

Two cases of scarlatina were admitted to hospital, 10 were discharged, and 53* remained under treatment at the close of the week.

Three cases of typhus fever were discharged during the week and no further case was admitted.

Seven cases of measles remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London was equal to an average annual death-rate of 19·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·5 per 1,000, the rate for Glasgow being 18·9, and for Edinburgh 18·2.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 28th July, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 28th July, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 28th July, 1900. Air Temperature. Absolute High-est.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st July, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th July, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	29·0	18·2	1·8	590	370	77	83	.	1	1	.	1	1	1	6	15	63	56	7	11	79	°	°	°	.	°	°	°	.	°	°	°	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	27·9	18·3	0·7	187	123	24	33	.	.	.	.	.	1	.	.	4	19	22	4	4	39	77·8	45·5	63·8	3·19	74·7	50·0	64·3	0·62	76·9	39·1	60·8	0·30
City	245,001	65·6	27·7	20·2	0·9	130	95	20	19	.	.	.	.	.	.	.	.	4	19	17	3	3	34	78·0	53·6	65·9	2·35	75·0	56·3	65·7	0·94	74·3	47·1	62·1	0·35
Registrars' Districts. Clontarf &c. No. 1	4,138	1·5	50·4	12·6	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	10,780	1·8	14·6	4·9	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a)	4,240	0·8	49·2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	78·3	47·0	64·8	2·37	76·9	51·0	64·7	0·66	74·5	41·0	60·7	0·39
Palmerston, part of and Crumlin part of (b)	7,278	8·0	64·5	.	1·9	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	13·1	.	.	7	9	.	6	.	.	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	24,629	12·4	33·9	16·9	.	16	8	2	3	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	18·6	24·8	.	3	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	33·0	15·0	.	11	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	51	65·0	1·70	73	58	65·3	0·68	74	53	61·7	0·38
Urban Districts																																			
Belfast,	359,000	21·8	32·0	19·3	2·6	220	133	39	18	.	.	.	.	.	.	1	6	11	22	14	3	6	16	75·9	48·1	63·4	1·84	75·6	55·1	64·8	0·39	70·1	48·1	60·1	0·38
Cork,	75,345	33·3	23·5	19·4	0·7	34	28	1	10	.	1	.	.	.	.	.	.	.	4	4	.	.	7	70	54	63·3	0·15	70	54	60·8	0·53	66	52	59·2	0·35
Limerick,	37,155	17·9	35·1	14·0	.	25	10	5	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	22·0	15·7	.	14	10	1	3	.	.	.	.	.	.	.	.	.	3	1	.	.	2	74·0	49·5	61·4	1·31	75·0	48·8	63·6	0·48	78·2	45·8	61·4	0·84
Waterford,	26,203	18·3	29·8	15·9	.	15	8	1	5	.	.	.	.	.	.	.	.	.	1	4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	52·9	34·0	.	14	9	2	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2	78	52	59	0·33	76	54	63	0·62	68	47	59	0·24
Drogheda	13,708	8·7	11·4	19·0	.	3	5	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	32·2	12·1	.	8	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	73·8	45·0	62·7	1·33	73·1	51·1	63·9	0·33	73·1	42·1	60·6	0·29
Dundalk,	12,449	9·0	16·8	12·6	.	4	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	34·1	34·1	.	8	8	1	1	.	.	.	.	.	.	.	.	.	3	1	.	.	4	73·8	45·0	62·7	1·33	73·1	51·1	63·9	0·33	73·1	42·1	60·6	0·29
Wexford,	11,545	24·0	4·5	9·0	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	31·9	18·2	.	7	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	73·8	45·0	62·7	1·33	73·1	51·1	63·9	0·33	73·1	42·1	60·6	0·29
Kilkenny,	11,048	12·0	42·5	23·6	.	9	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	77	49	63·5	1·32	72	54	64·3	0·44	71·0	49·0	60·8	0·33
Clonmel,	10,708	8·2	53·6	19·5	.	11	4	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	30·5	20·3	5·1	6	4	.	1	.	.	.	.	.	1	.	.	.	1	1	.	.	.	73·4	40·9	60·4	0·23	72·7	48·4	.	0·20	74·4	41·4	.	0·19
Tralee,	9,318	15·9	33·6	11·2	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	22·5	11·3	.	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	11·3	5·7	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	73	50	60·2	1·24	71	50	59·2	0·48	70	45	57·9	0·45
Queenstown,	9,082	17·0	23·0	11·5	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	70	54	63·3	0·15	70	54	60·8	0·53	66	52	59·2	0·35
Carrickfergus	8,923	0·5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	30·9	18·6	6·2	5	3	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	73·8	45·0	62·7	1·33	73·1	51·1	63·9	0·33	73·1	42·1	60·6	0·29
Armagh,	7,187	21·4	21·4	7·1	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	73·8	45·0	62·7	1·33	73·1	51·1	63·9	0·33	73·1	42·1	60·6	0·29

(a That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 6 deaths of persons (including one under 1 year old and 8 aged 60 years or upwards), admitted to hospital from localities outside the district.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 28th July, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, NOS. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	4	.
Other Zymotic Diseases	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	1
Total,	1	1	.	1	1	1	1	.	.	.	.	.	1	.	.	.	7	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	1	3	3	.	4	1	4	3	.	.	.	.	.	.	.	.	19	.
Other Constitutional Diseases	1	1	1	1	4	3	.	.	.	1	.	.	2	.	.	2	16	2
Total,	2	4	4	1	8	4	4	3	.	1	.	.	2	.	.	2	35	2
V. DEVELOPMENTAL DISEASES,	.	1	1	.	1	1	2	1	1	.	.	.	2	.	.	.	10	1
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	1	.	1	.	3	1	.	3	.	.	.	.	1	1	1	.	12	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	.	3	3	.	2	.	3	1	.	.	.	.	1	2	.	2	17	.
Diseases of Respiratory System,	3	3	.	1	3	1	4	2	.	.	.	.	2	2	1	.	22	1
Diseases of Digestive System,	.	1	2	.	1	1	.	.	.	.	.	.	.	1	1	.	7	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	4	8	6	1	10	3	7	6	.	.	.	.	4	6	3	2	60	2
VII. VIOLENT DEATHS,	.	.	1	.	1	1	.	.	.	.	.	.	.	1	.	.	4	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	2	.	.	.	.	.	1	1	.	.	.	.	.	1	1	1	7	.
Deaths from all Causes,	9	14	12	3	21	10	15	11	1	1	.	.	9	8	4	5	123	6
Annual Rate of Mortality in every 1,000 of the population.	17·3	21·0	21·7	6·0	38·0	28·1	19·3	16·0	12·6	4·9	0·0	0·0	16·9	16·9	24·8	15·0	18·3	
	16·9				23·2				14·0									
	20·2																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	6	3	5	.	3	1	6	1	.	.	.	.	1	2	.	.	25	5
Workhouse Hospitals,	2	2	4	.	1	2	1	.	1	.	.	.	1	.	.	.	14	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blacknall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office. 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 30th Week of the 10 years 1890-99.	In the week ending Saturday, 28th July, 1900. Deaths of persons of the Ages of							
	July 26, 1890	Aug. 1, 1891	July 30, 1892	July 29, 1893	July 28, 1894	July 27, 1895	July 25, 1896	July 31, 1897	July 30, 1898	July 29, 1899		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature,	° 58·3	° 56·5	° 53·3	° 60·6	° 57·8	° 57·0	° 60·1	° 61·6	° 57·1	° 60·0	° 58·2	° 63·8								
ALL CAUSES,	140	125	190	196	149	160	159	158	160	191	162·3	129	9	16	10	7	18	33	30	6
I. FEBRILE OR ZYMOTIC DISEASES,	18	10	17	54	18	33	49	20	19	43	27·1	8	.	2	4	1	.	.	1	.
II. PARASITIC DISEASES,	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	1	.	.	1	2	1	.	1	·6	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	45	36	48	48	51	37	29	45	37	39	41·5	37	.	1	2	5	10	12	7	.
V. DEVELOPMENTAL "	9	6	11	8	14	9	8	12	15	12	10·4	11	2	.	.	.	.	.	6	3
VI. LOCAL "	56	61	82	71	55	63	54	60	79	85	66·6	62	5	10	3	1	7	18	15	3
VII. VIOLENT DEATHS,	9	4	9	5	2	7	5	4	2	4	5·1	4	.	.	.	.	1	3	.	.
VIII. ILL-DEFINED CAUSES,	8	8	20	10	14	10	12	11	8	7	10·8	7	2	3	1	.	.	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	8	1	.	.	.	.	.	13	2·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	2	.	1	1	1	3	·8	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	1	.	2	.	1	1	1	.	1	·8	.	.	.	.	.	.	.	.	.
Whooping Cough,	4	4	1	4	3	3	3	1	.	3	2·6	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	2	.	.	.	3	1	.	·6	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	1	.	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	1	.	.	1	3	1	·7	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	3	.	1	4	1	1	.	1·0	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	1	3	35	3	24	39	8	9	19	14·3	4	.	2	2	.	.	.	.	.
Remittent Fever,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	2	.	.	2	.	1	2	2	1·0	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	1	1	1	.	.	1	.	·4	1	.	.	.	.	.	.	1	.
Pyæmia, Septicæmia,	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Puerperal Fever,	2	.	.	1	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	2	1	3	2	.	1	3	1	.	1·4	2	.	.	1	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	1	.	.	1	2	1	.	1	·6	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	2	.	.	.	.	.	1	.	.	·3	2	.	.	.	.	1	1	.	.
Rheumatism,	.	.	.	.	.	1	1	.	.	2	·4	1	.	.	.	.	.	.	1	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	7	4	6	6	5	4	6	9	5	6	5·8	7	.	.	.	.	.	4	3	.
Tabes Mesenterica,	5	1	4	8	5	7	6	6	1	7	5·0	3	.	1	1	1	.	.	.	.
Tubercular Meningitis,	4	4	4	3	6	3	1	3	6	5	3·9	2	.	.	1	1	.	.	.	.
Phthisis,	26	20	28	29	31	19	12	21	21	16	22·3	19	.	.	.	3	8	7	1	.
Scrofula, Tuberculosis,	3	5	5	2	3	.	3	5	4	3	3·3	1	.	.	.	.	1	.	.	.
Other Constitutional Diseases,	.	.	1	.	1	3	.	.	.	.	·5	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	.	.	1	2	3	1	.	5	2	2	1·6	1	1	.	.	.	.	.	.	.
Atelectasis,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	1	.	.	1	1	.	·3	1	1	.	.	.	.	.	.	.
Old Age,	8	6	10	6	10	8	8	6	12	10	8·4	9	.	.	.	.	.	.	6	3

each Disease registered in the THIRTIETH WEEK ending Saturday, 28th July, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 30th Week of the 10 years 1890-99.	In the Week ending Saturday, 28th July, 1900. Deaths of Persons of the Ages of								
	July 26, 1890	Aug. 1, 1891	July 30, 1892	July 29, 1893	July 28, 1894	July 27, 1895	July 25, 1896	July 31, 1897	July 30, 1898	July 29, 1899		ALL AGES. Mean Temp.	0 to 5: Under 1 month.	0 to 5: 1 month and under 1 year.	0 to 5: 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 53·3	° 56·5	° 53·3	° 60·6	° 57·8	° 57·0	° 60·1	° 61·6	° 57·1	° 60·0	° 58·2	° 63·8								
VI. Local Diseases—																				
Apoplexy,	3	.	4	3	1	1	.	1	3	3	1·9	4	.	.	.	.	.	2	2	.
Epilepsy,	1	.	1	1	.	1	3	1	.	1	·9	.	.	.	.	.	.	.	.	.
Convulsions,	12	8	12	10	9	14	8	11	7	13	10·4	5	2	3	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	3	4	11	9	2	8	6	3	6	9	6·1	4	.	.	.	.	.	3	1	.
Diseases of Organs of Special Sense,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	11	14	13	13	16	8	6	15	18	17	13·1	17	1	1	.	.	3	6	4	2
Croup,	2	1	1	1	1	3	1	.	.	.	1·0	.	.	.	.	.	.	.	.	.
Bronchitis,	6	13	18	13	9	9	10	9	16	13	11·6	15	1	2	2	.	.	1	8	1
Pneumonia	6	4	4	5	4	4	1	6	9	9	5·2	8	1	1	1	1	1	3	.	.
Pleurisy,	.	.	1	.	.	.	1	.	1	1	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	2	1	5	1	2	3	.	4	.	1	1·9	.	.	.	.	.	.	.	.	.
Teething,	1	1	1	1	1	.	1	.	.	3	·9	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	2	.	.	2	1	1	3	1	.	2	1·2	1	.	1	.	.	.	.	.	.
Peritonitis	.	.	2	1	.	1	.	.	.	1	·5	2	.	.	.	.	1	1	.	.
Disease of Liver,	1	4	2	.	1	1	.	1	3	1	1·4	2	.	.	.	.	1	1	.	.
Other Diseases of Digestive System,	2	5	3	2	3	3	6	2	3	6	4·0	2	.	2	.	.	.	.	.	.
Diseases of Lymphatics, &c.,	.	.	.	2	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	5	2	5	4	2	4	4	5	3	3·7	1	.	.	.	.	.	1	.	.
Diseases of Generative System,	.	.	.	.	.	.	2	.	1	.	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	1	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	1	2	.	1	2	2	1	2	1·1	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		1	1	.	.	1	2	1	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	9	.	.	.	.	4	.	.	.	1	4·6	.	.	.	.	.	.	.	.	.
By Drowning,		.	5	2	.	.	1	1	.	.		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	1	1	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		3	1	2	1	1	1	1	2	2		2	.	.	.	.	1	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	1	.	.	1	.	.	·2	1	.	.	.	.	.	1	.	.
SUICIDE,	.	.	1	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	8	8	20	10	14	10	12	11	8	7	10·8	7	2	3	1	.	.	.	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900—Week ending																									
	Feb. 3.	Feb. 10.	Feb. 17.	Feb 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered,	184	174	175	257	179	215	217	226	234	128	184	225	202	246	222	198	214	199	222	194	198	228	181	208	186	187
Average Births in corresponding week of previous 10 years,	206	200	196	208	225	195	192	195	217	199	194	192	213	214	212	192	201	209	199	208	202	219	193	188	185	185
DEATHS registered,	238	199	284	342	230	247	209	236	244	194	230	204	178	204	179	168	176	157	161	167	122	144	124	127	165	129
Annual Death-rate per 1,000,	35·5	29·7	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2
Average Deaths in corresponding week of previous 10 years,	221	211	216	212	214	218	218	218	219	204	184	185	184	178	170	174	167	162	156	164	150	156	149	148	154	162
AGES, Under 5 years,	60	54	63	74	55	66	56	69	55	50	59	66	51	54	52	47	43	43	54	37	29	33	38	32	47	35
5—20 ,,	19	14	24	20	22	15	12	17	12	14	26	13	15	17	19	20	26	15	14	27	16	18	10	8	13	7
20—40 ,,	34	30	48	47	33	42	39	34	45	24	29	30	33	47	27	28	30	22	31	35	19	32	25	35	26	18
40—60 ,,	46	35	65	80	51	60	44	51	54	42	53	32	48	42	36	31	35	40	38	31	29	33	23	24	44	33
60—80 ,,	64	53	78	104	59	56	42	52	59	53	47	45	27	35	36	36	35	31	19	30	23	27	26	23	30	30
80 years and upwards,	15	13	11	17	10	8	16	13	19	11	16	18	4	9	9	6	7	6	5	7	6	6	2	5	5	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	4	3	1	5	1	2	4	.	.	3	2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	1	2	1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	.	5	5	.	.	.	1	.	.	3	1	2	2	4	1	1	3	.	5	.	1	2	3	4	5	.
,, Diphtheria,	3	5	3	.	1	2	.	1	1	.	2	2	.	.	.	1	.	.	2	2	1	.	.	.	2	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
,, Enteric Fever,	2	.	3	1	4	2	.	.	1	3	2	3	5	6	1	2	2	1	2	2	2	.	2	2	2	.
,, Diarrhœa, Dysentery,	2	2	2	4	5	3	4	4	.	.	1	3	3	1	3	2	.	1	2	1	.	1	2	1	4	4
,, Phthisis,	29	23	32	40	30	37	29	29	30	27	28	27	32	29	32	30	32	13	28	28	22	21	26	31	28	19
,, Heart Diseases,	15	11	28	33	24	18	17	20	28	16	17	11	11	17	14	17	11	14	10	11	9	9	10	9	19	17
,, Diseases of Respiratory System,	67	65	74	94	55	78	39	72	56	46	53	47	40	29	34	25	30	23	23	34	27	29	15	20	23	23
Violent Deaths,	5	3	8	4	2	2	4	9	6	2	9	3	4	6	4	5	1	6	4	1	1	5	6	6	5	4
Mean Temperature of the Air Phœnix Park),	35·6	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8
Average Mean Temperature in corresponding week of previous 10 years,	40·8	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2
Rainfall in inches,	·920	·690	·680	·520	1·025	·000	·115	·805	·075	·535	·735	·170	·190	·350	·535	·005	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190
Mean Humidity of the Air, complete Saturation 1·0,	·88	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·73	·80	·88	·82	·80	·83	·84	·81	·76	·82	·83

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th July, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 28th July, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	19·2	129	35	7	18	33	30	6	.	.	.	.	.	1	.	.	4	5	19	5	23	4	73
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	43·4	13	.	1	.	4	6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	12
II.	MIDDLE CLASS,	81,469	11·5	18	4	1	2	6	4	1	.	.	.	.	.	.	.	.	.	.	2	1	2	.	13
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	13·6	26	6	3	8	2	6	1	.	.	.	.	.	.	.	.	.	.	5	2	5	1	13
IV.	GENERAL SERVICE CLASS,	147,978	24·4	57	25	2	6	17	6	1	.	.	.	.	.	1	.	.	4	5	9	2	9	3	29
V.	INMATES OF WORKHOUSES,	5,191		15	.	.	2	4	8	1	.	.	.	.	.	.	.	.	.	.	3	.	6	.	6
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	19·5	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,857	56·0	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	3. Persons of Rank and Property, not otherwise described,	5,733	72·8	8	.	.	.	3	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	10·0	5	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3
	6. Clerks and Commercial Assistants,	25,001	12·5	6	1	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	10·6	5	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	14·0	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	9. Building and Furnishing Trades,	26,294	21·3	11	3	2	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	7
	10. Clothing Trades,	23,927	8·7	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	11. Food Supply Trades,	7,949	15·1	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	26,987	11·6	6	2	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	2
	13. Petty Shopkeepers,	6,889	7·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	34·1	9	6	.	.	1	2	.	.	.	.	.	.	1	.	.	1	2	.	.	3	.	4
	15. Domestic Servants,	39,967	2·6	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	28·9	6	2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	2
	17. Hawkers, Porters, Labourers, &c.,	88,472	24·9	40	17	.	6	14	3	.	.	.	.	.	.	.	.	.	3	3	7	2	4	2	22
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	15	.	.	2	4	8	1	.	.	.	.	.	.	.	.	.	.	3	.	6	.	6

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. (in 1891) 27,147.	June 9,	26·9	1·9	14	.	.	.	.	.	1	.	.	.	3	.	1
		„ 16,	23·0	.	12	.	.	.	.	.	.	.	.	.	4	3	1
		„ 23,	13·4	.	7	.	.	.	.	.	.	.	.	.	1	.	1
		„ 30,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	4	.
		July 7,	7·7	.	4	.	.	.	.	.	.	.	.	.	2	.	.
		„ 14,	7·7	1·9	4	.	.	.	.	.	.	.	1	.	1	1	.
		„ 21,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	.	2	3
		„ 28,	17·3	1·9	9	.	.	.	.	.	.	.	.	1	1	3	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,836.	June 9,	23·9	1·5	16	.	.	.	.	1	.	.	.	.	6	1	.
		„ 16,	23·9	1·5	16	.	.	.	.	.	1	.	.	.	5	3	.
		„ 23,	15·0	1·5	10	.	.	.	.	.	.	.	1	.	1	1	.
		„ 30,	13·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.
		July 7,	23·9	3·0	16	.	.	.	.	2	.	.	.	.	2	1	.
		„ 14,	26·9	1·5	18	.	.	.	.	.	.	.	.	1	6	1	.
		„ 21,	22·5	3·0	15	.	.	.	.	.	.	.	1	1	3	1	.
		„ 28,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	3	3	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	June 9,	28·9	1·8	16	.	.	.	.	.	.	.	.	1	3	.	1
		„ 16,	28·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		„ 23,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
		„ 30,	19·9	.	11	.	.	.	.	.	.	.	.	.	1	2	1
		July 7,	16·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
		„ 14,	19·9	1·8	11	.	.	.	.	.	.	1	.	.	2	2	.
		„ 21,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	4	3	1
		„ 28,	21·7	.	12	.	.	.	.	.	.	.	.	.	3	.	1
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	June 9,	20·0	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 16,	28·0	.	14	.	.	.	.	.	.	.	.	.	1	3	.
		„ 23,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	.	2	.
		„ 30,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
		July 7,	12·0	.	6	.	.	.	.	.	.	.	.	.	3	.	1
		„ 14,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	2	1
		„ 21,	32·0	.	16	.	.	.	.	.	.	.	.	.	3	2	.
		„ 28,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 33,194.	June 9,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	3	.
		„ 16	18·9	.	12	.	.	.	.	.	.	.	.	.	2	3	.
		„ 23,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	6	3	.
		„ 30,	28·3	1·6	18	.	.	.	.	.	.	.	.	1	3	6	1
		July 7,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	5	3	1
		„ 14,	40·8	1·6	26	.	.	.	.	1	.	.	.	.	4	6	2
		„ 21,	33·0	4·7	21	.	.	.	.	1	.	.	.	2	5	3	.
		„ 28,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	4	3	1
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	June 9,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	1	2	.
		„ 16,	39·4	2·8	14	.	.	.	.	.	.	.	1	.	2	3	.
		„ 23,	36·5	.	13	.	.	.	.	.	.	.	.	.	.	6	.
		„ 30,	28·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		July 7,	28·1	2·8	10	.	.	.	.	.	.	.	1	.	3	3	.
		„ 14,	14·1	.	5	.	.	.	.	.	.	.	.	.	3	1	.
		„ 21,	36·5	.	13	.	.	.	.	.	.	.	.	.	4	.	.
		„ 28,	28·1	2·8	10	.	.	.	.	.	.	.	.	1	1	1	1
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	June 9,	27·0	2·6	21	.	.	.	.	1	1	.	.	.	.	3	1
		„ 16,	34·7	3·9	27	.	.	1	.	.	1	.	1	.	.	3	.
		„ 23,	28·3	.	22	.	.	.	.	.	.	.	.	.	2	5	.
		„ 30,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	3	6	.
		July 7,	28·3	1·3	22	.	.	.	.	1	.	.	.	.	4	1	1
		„ 14,	16·7	.	18	.	.	.	.	.	.	.	.	.	4	2	.
		„ 21,	20·6	1·3	16	.	.	1	.	.	.	.	.	.	1	4	.
		„ 28,	19·3	.	15	.	.	.	.	.	.	.	.	.	4	4	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	June 9,	29·1	1·5	20	.	.	.	.	1	.	.	.	.	3	5	1
		„ 16,	20·4	1·5	14	.	.	.	.	.	.	.	.	1	5	3	.
		„ 23,	18·9	1·5	13	.	.	.	.	1	.	.	.	.	2	2	.
		„ 30,	11·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		July 7,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	1	1
		„ 14,	13·1	.	9	.	.	.	.	.	.	.	.	.	4	2	.
		„ 21,	14·6	.	10	.	.	.	.	.	.	.	.	.	2	3	.
		„ 28,	16·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS:	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	June 9,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	18·1	.	7	.	.	.	.	.	.	.	.	.	1	3	.
	„ 23,	16·9	.	9	.	.	.	.	.	.	.	.	.	3	.	.
	„ 30,	15·0	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	July 7,	11·8	.	6	.	.	.	.	.	.	.	.	.	1	1	1
	„ 14,	9·4	.	5	.	.	.	.	.	.	.	.	.	2	.	1
	„ 21,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 28,	16·2	1·9	9	.	.	.	.	.	1	.	.	.	.	2	.
Donnybrook. Pop. (in 1891) 24,629.	June 9,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	25·4	.	12	.	.	.	.	.	.	.	.	.	2	4	.
	„ 23,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 30,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	July 7,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	.
	„ 21,	10·6	4·2	5	.	.	.	.	1	1	.	.	.	.	1	.
	„ 28,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1
Kingstown. Pop. (in 1891) 17,886.	June 9,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	2	.
	„ 16,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	6·0	.	2	.	.	.	.	.	.	.	.	.	1	1	.
	„ 30,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1
	July 7,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
	„ 14,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	1	1	1
	„ 21,	33·0	3·0	11	.	.	.	.	1	.	.	.	.	4	.	.
	„ 28,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	June 9,	17·9	2·3	123	.	3	1	.	.	1	.	10	1	18	28	1
	„ 16,	20·5	2·0	141	.	1	.	.	1	.	.	11	1	33	24	4
	„ 23,	18·9	1·7	130	.	1	.	.	1	.	.	6	4	20	18	7
	„ 30,	19·8	1·6	136	.	2	.	.	2	1	.	2	4	33	17	3
	July 7,	18·3	1·3	126	.	.	.	.	1	.	.	6	2	20	24	3
	„ 14,	15·7	1·6	108	.	.	.	.	2	1	.	7	1	20	10	3
	„ 21,	19·8	1·9	136	.	1	.	.	3	.	.	1	8	20	22	3
	„ 28,	19·3	2·6	133	.	.	.	.	.	.	1	6	11	22	14	3
Cork. Pop. (in 1891) 75,845.	June 9,	24·2	.	35	.	.	.	.	.	.	.	.	.	8	4	.
	„ 16,	20·1	0·7	29	.	.	.	.	.	.	.	.	1	6	5	.
	„ 23,	18·7	.	27	.	.	.	.	.	.	.	.	.	4	2	.
	„ 30,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	2	.
	July 7,	18·7	2·1	27	.	.	.	2	.	.	.	.	1	10	3	.
	„ 14,	17·3	.	25	.	.	.	.	.	.	.	.	.	1	3	1
	„ 21,	19·4	0·7	28	.	.	.	.	.	.	.	.	1	7	5	.
	„ 28,	19·4	0·7	28	.	.	1	.	.	.	.	.	.	4	4	.
Limerick. Pop. (in 1891) 37,155.	June 9,	16·8	.	12	.	.	.	.	.	.	.	.	.	2	1	.
	„ 16,	15·4	.	11	.	.	.	.	.	.	.	.	.	4	4	.
	„ 23,	14·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 30,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	4	.
	July 7,	26·7	.	18	.	.	.	.	.	.	.	.	.	1	4	.
	„ 14,	19·6	.	14	.	.	.	.	.	.	.	.	.	3	3	.
	„ 21,	9·8	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 28,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	1	.
Londonderry Pop. (in 1891) 73,200.	June 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	3	.	1
	„ 16,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	5	.
	„ 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	4	.
	„ 30,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	1	.
	July 7,	29·8	1·6	19	.	1	.	.	.	.	.	.	.	2	2	.
	„ 14,	12·6	3·1	8	.	.	.	.	.	.	.	.	2	1	.	.
	„ 21,	22·0	4·7	14	.	.	.	.	.	1	.	.	2	3	1	1
	„ 28,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	1	.
Waterford. Pop. (in 1891) 26,200.	June 9,	11·9	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	„ 16,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 23,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 30,	13·9	2·0	7	.	.	.	.	.	.	.	.	1	.	3	.
	July 7,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	.	1	.
	„ 14,	17·9	.	9	.	.	.	.	.	.	.	.	.	.	8	.
	„ 21,	11·9	2·0	6	.	.	.	.	.	1	.	.	.	2	.	3
	„ 28,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	4	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 28th July, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	9	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		6	1	1	3	1	.	.	.	.	.	.	.	.	.	1	.	2	2	2
" 2 "	37,539	31			12	6	2	3	1	.	.	.	.	.	.	.	1	1	1	1	.	.	2
" 3 "	38,845	29			19	4	2	12	1	.	.	.	.	.	.	.	2	2	3	2	.	.	2
" 4 "	33,391	21			20	5	2	8	5	.	.	.	.	.	.	.	.	.	2	4	1	1	5
" 5 "	21,284	10			12	3	2	6	1	.	.	.	.	.	.	.	.	1	2	1	.	.	.
" 6 "	43,431	20			17	3	2	7	5	.	.	.	.	.	.	1	.	1	2	3	.	.	3
" 7 "	1,112	3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	1			2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 9 "	12,866	9			7	2	.	4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 10 "	12,256	24			13	6	.	5	2	.	.	.	.	.	.	.	1	2	3	.	.	1	2
" 11 "	19,881	24			7	4	.	3	.	.	.	.	.	.	.	.	.	3	2	.	.	1	.
" 12 "	23,282	29			13	4	2	6	1	.	.	.	.	.	.	.	1	1	4	2	.	1	.
" 13 "	6,804	10			5	1	2	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	220			133	39	15	61	18	.	.	.	.	.	.	1	6	11	22	14	3	6	16
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	6	8·7	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 2 "	9,252	6	28·2	.	5	1	1	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
" 3 "	9,816	4	21·2	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3
" 4 "	10,356	3	25·2	5·0	5	.	1	1	3	.	.	1	.	.	.	.	.	.	.	.	.	.	2
" 5 "	8,137	5	12·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 6 "	8,823	3	23·6	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	7	18·4	.	6	.	1	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Total,	75,345	34	19·4	0·7	28	1	3	14	10	.	.	1	.	.	.	.	.	.	4	4	.	.	7

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.
No. of week in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered,	204	240	186	230	216	269	218	236	229	188	197	225	261	213	244	218	218	218	219	241	213	204	236	155	263	220
DEATHS registered.	135	187	226	181	207	195	157	169	176	179	149	124	127	171	188	153	141	134	123	141	130	136	126	108	136	133
Annual Death-rate per 1,000 of estimated Population,	19·6	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3
AGES, Under 1 year,	22	30	41	31	43	42	27	26	37	31	29	21	27	33	26	34	20	25	26	24	26	28	26	22	34	39
AGES, 1–5 years,	17	15	23	16	21	28	26	30	22	21	18	12	13	23	14	27	10	13	13	17	15	15	14	13	15	15
AGES, 5–60 years,	62	99	102	84	92	90	68	77	84	80	79	56	64	86	76	65	87	76	60	72	61	76	67	55	65	61
AGES, 60 years and upwards,	34	43	60	50	51	35	36	36	33	47	23	35	23	29	22	27	24	20	24	28	28	17	19	18	22	18
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	.	.	.	1	2	1	1	2	1	.	1	.	.	.	1	1	.	3	1	1	2	.	.	1	.
" Scarlet Fever,	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" Whooping-cough,	4	3	4	3	4	3	2	4	4	1	1	1	4	8	3	6	1	1	.	1	1	2	1	2	3	.
" Diphtheria,	.	3	2	1	2	1	1	2	2	2	2	1	1	1	1	1	.	1	1	.	.	1	.	1	.	.
" Simple continued and Ill-defined Fever,	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Enteric Fever,	1	1	1	2	5	3	4	3	6	1	5	5	3	8	5	12	5	11	10	11	6	2	6	7	1	6
" Diarrhœa, Dysentery,	2	1	3	3	.	1	1	3	3	1	1	2	3	4	1	2	1	3	1	1		4	2	1	8	11
" Phthisis,	12	26	27	19	26	28	26	30	39	25	31	14	23	31	31	23	34	22	18	32	20	32	20	20	20	22
" Diseases of Respiratory System,	39	50	73	67	57	75	35	49	43	46	38	26	24	33	31	32	31	29	28	24	18	17	24	10	22	14
Violent Deaths,	3	8	8	5	4	2	6	2	2	5	.	2	2	2	3	4	5	2	1	4	7	3	3	3	3	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th July, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 1, West,	.	.	.	.	.	.	1	.	.	3	.	.	.	4
" " 2,	.	1	1	.	.	.	.	.	1	4	1	.	.	8
" " 3,	.	.	.	.	.	.	.	.	1	5	1	.	1	8
South City No. 1,	.	18	.	4	.	.	.	.	.	9	4	.	.	35
" " 2,	.	.	.	.	.	.	1	.	.	4	3	.	.	8
" " 3,	.	2	.	1	.	.	.	.	4	6	5	.	.	18
" " 4,	.	.	.	.	.	.	.	.	.	2	3	.	.	5
Total,	.	21	1	6	.	.	2	.	6	34	17	.	1	88
Total for week ended July 21, 1900,	.	5	1	18	1	.	2	.	2	25	18	.	5	77
Total for week ended July 14, 1900,	.	6	.	13	.	.	.	.	7	17	21	.	2	66
Total for week ended July 7, 1900,	.	4	.	12	3	.	1	.	2	22	10	1	6	61

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th July, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th July.			
	July 7.	July 14.	July 21.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	11	12	13	4	10	.	7
Scarlet Fever,	59	62	61	2	10	.	53*
Typhus "	2	3	3	.	3	.	.
Diphtheria,	4	4	2	3	1	.	4
Enteric Fever,	40	40	42	11	3	.	50
Pneumonia,	24	19	24	5	6	1	22

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,589,129	July 28,	2,507	1,846	.	.	30	6	27	47	14	298
EDINBURGH, .	302,262	„ 28,	190	106	18·2	.	5	.	.	.	.	2
GLASGOW, . .	743,969	„ 28,	489	270	18·9	2	18	5	3	8	3	23
CALCUTTA, .	466,460	May 26,	.	596	43·5	33	3	.	.	.	96‡	104*
BOMBAY, . .	821,764	July 3,	305	982	60·6	3	9	?	?	?	95§	224*
MADRAS, . .	452,518	„ 6,	396	345	39·6	3	.	?	?	?	117	71
PARIS, . . .	2,511,629	„ 21,	1,270	1,547	32·0	2	43	8	5†	6	20	270
BRUSSELS (with 8 Faubourgs).	561,130	„ 13,	315	188	17·1	.	4	.	3	1	3	30
AMSTERDAM, .	526,072	„ 14,	318	132	13·1	.	.	.	1	2	3	.
ROTTERDAM, .	323,487	„ 14,	223	95	15·2	.	1	1	1	1	1	.
THE HAGUE, .	205,328	„ 14,	102	59	14·9	.	.	.	.	1	.	.
COPENHAGEN, .	349,000	„ 21,	207	113	16·9	.	.	.	1	.	.	9
CHRISTIANIA, .	221,255	„ 21,	171	78	17·9	.	5	.	.	.	.	7
ST. PETERSBURG,	1,132,677	„ 14,	668	654	30·0	6	11	7	17	3	27	179
BERLIN, . .	1,854,964	„ 21,	916	557	15·6	.	7	12	7	6	1	54
HAMBURG, . .	691,349	„ 21,	430	281	21·1	.	4	4	2	3	1	74
DRESDEN, . .	400,400	June 23,	245	128	16·9	.	1	1	1	1	1	10
BRESLAU, .	406,012	July 21,	259	272	34·8	.	.	1	.	6	1	76
MUNICH, . .	463,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,656,662	July 14,	901	604	18·9	.	15	4	4	6	1	87
BUDA-PESTH, .	685,340	„ 14,	382	273	20·7	.	4	3	1	.	2	36
PRAGUE and Faubourgs.	391,693	„ 7,	173	164	21·8	.	2	.	1	4	2	4
ROME, . . .	514,306	„ 9,	200	147	14·9	.	2	.	1	.	1	14
TURIN, . . .	344,203	May 20,	217	201	30·4	.	3	.	.	1	3	14
VENICE, . .	172,924	July 7,	67	58	17·4	.	.	.	.	.	1	11
NEW YORK, .	3,654,594	„ 9,	1,530	1,148	16·4	4	21	7	43	10	4	28
PHILADELPHIA, .	1,266,832	„ 23,	443	380	15·6	.	2	2	20	5	10	5

* Including 51 deaths from cholera in Calcutta and 109 in Bombay. † Including deaths from croup.
‡ Exclusive of 135 deaths from bubonic fever. § Exclusive of 49 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 28th July, 1900:—

"Generally fine, warm, summerlike weather was again enjoyed in England and Ireland, but in Scotland conditions were less settled, owing to atmospheric depressions and cold weather in the far north. On Friday night, however, a thunder and rain storm of exceptional violence was experienced, the rainfall in the City of Dublin amounting to 1·873 inches, or nearly as much as had fallen during the previous 27 days of the month. The week opened with rather unsettled weather and much fog hanging about the coasts of the British Islands. In Dublin and its neighbourhood there was occasional rain about midday on Sunday, but the evening was beautifully fine. Monday was a cloudy but very warm day, the thermometer rising in Dublin to 77° in the shade and being still as high as 70° at 9 p.m. Tuesday was even hotter—the shade maximum being 78°, and the air being damp and oppressive. Wednesday was drier and less hot in Dublin, but in London a maximum of 91° in the shade was recorded. On Friday sprays of electrical cirrus came up from S.W., and at night rain fell in torrents, accompanied by sheet lightning. Thunder and lightning occurred on Saturday morning, but the storm passed quickly away northwards at 9 a.m. and a fine, warm day followed, until 4.30 p.m. when another thunderstorm broke over Dublin and rain again fell in torrents. In Dublin the mean atmospheric pressure was 29·982 inches, the barometer ranging between 30·158 inches at 9 p.m. of Sunday (wind, W.) and 29·605 inches at 9 a.m. of Saturday (wind, W.N.W.). The corrected mean temperature was 65·9°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 61·8°. The screened thermometers rose to 78·0° on Tuesday and fell to 53·6° on Friday. Rain fell on three days to the large amount of 2·352 inches, 1·873 inches being measured on Friday. S.W. and N.W. winds were most prevalent. Bright sunshine was estimated at 45 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·980 inches. The highest reading (30·159) was on Sunday at 9 p.m., wind N.W., and the lowest (29·590) on Saturday at 9 a.m., wind N.

The mean temperature for the week was 63·8°, being 5·6° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Tuesday, when the thermometer registered 77·8°, and was lowest on Friday, the mercury having fallen to 45·5°. The mean of the Dry Bulb for the week was 63·0°, and of the Wet Bulb 60·2°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 39·7 hours. The rainfall measured 3·190 ins.

At Greenwich the mean temperature for the week was 71·1°, the maximum 93·0°, and the minimum 57·9°; at Glasgow the maximum was 74·9°, the minimum 46·8°, and the mean 62·2°, and at Edinburgh the maximum was 71·6°; the minimum 51·2°, and the mean 62·4°. The rainfall at Greenwich measured 0·84 in.; at Glasgow 0·52 in.; and at Edinburgh 0·65 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 22,	30·123	73·7	57·1	65·4	66·3	63·5	·84	·2	1·8	·170	W.S.W.	N.W.
Monday, „ 23,	30·092	75·4	58·1	66·8	67·8	64·4	·81	·3	2·6	—	W.	W.
Tuesday, „ 24,	29·955	77·8	64·9	71·4	68·2	65·1	·83	·5	7·6	—	S.W.	Calm.
Wednesday, „ 25,	29·951	67·8	58·5	63·2	62·0	59·3	·84	·4	0·2	—	W.	Calm.
Thursday, „ 26,	30·123	68·6	53·3	61·0	58·0	55·3	·80	·1	8·9	—	N.W.	Calm.
Friday, „ 27,	29·977	66·4	45·5	56·0	61·1	56·5	·75	·4	12·0	2·140	E.	Calm.
Saturday, „ 28,	29·642	70·8	54·6	62·7	57·8	57·3	·97	·5	6·6	·880	N.	Calm.
Mean, . .	29·980	71·5	56·0	63·8	63·0	60·2	·83	·3	Total 39·7	Total 3·190	—	

Sunday—A cloudy day; rain 1 to 2.30 p.m.; night cloudy. *Monday*—A cloudy day; night cloudy. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—A cloudy day; night cloudy. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—Bright a.m., cloudy p.m.; heavy rain 8.50 p.m. to 8.45 a.m.; night overcast, and thunder a.m. *Saturday*—A cloudy day; heavy thunderstorm 4 to 5.45 p.m.; night cloudy. 3·190 inches of rain fell in 15¼ hours during the week.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

7. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO. (LIMITED), 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; and
32, ABINGDON-STREET, WESTMINSTER, S.W.; or
JOHN MENZIES & CO., 12, HANOVER-STREET, EDINBURGH, and
90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 4TH AUGUST, 1900. [No. 31.

General Register Office, Charlemont House,
Dublin, 7th August, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending July 14.	Week ending July 21.	Week ending July 28.	Week ending Aug. 4.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 14.	Week ending July 21.	Week ending July 28.	Week ending Aug. 4.	Average Rate for 4 weeks.
23 Town Dists.	17·3	20·2	18·2	20·5	19·1	Limerick, . .	19·6	9·8	14·0	11·2	13·7
Armagh, . .	14·3	14·3	7·1	14·3	12·5	Lisburn, . .	21·3	12·8	34·1	25·7	23·5
Ballymena, .	28·2	28·2	11·3	11·3	19·7	Londonderry, .	12·6	22·0	15·7	12·6	15·7
Belfast, . .	15·7	19·8	19·3	22·5	19·3	Lurgan, . .	9·1	27·4	18·2	18·2	18·2
Carrickfergus, .	17·5	17·5	0·0	17·5	13·1	Newry, . .	24·1	36·2	12·1	12·1	21·1
Clonmel, . .	9·7	9·7	19·5	24·3	15·8	Newtownards, .	11·3	22·7	5·7	5·7	11·4
Cork, . . .	17·3	19·4	19·4	18·0	18·5	Portadown, .	18·6	12·4	18·6	18·6	17·1
Drogheda, . .	22·8	26·6	19·0	22·8	22·8	Queenstown, .	5·7	11·5	11·5	0·0	7·2
Dublin, Reg. Area,	18·2	23·4	18·3	21·0	21·0	Sligo, . . .	0·0	10·2	20·3	15·2	11·4
Dundalk, . .	16·8	20·9	12·6	8·4	14·7	Tralee, . .	11·2	16·8	11·2	28·0	16·8
Galway, . .	45·3	22·7	34·0	11·3	28·3	Waterford, .	17·9	11·9	15·9	8·0	13·4
Kilkenny, . .	33·0	4·7	23·6	9·4	17·7	Wexford, . .	18·1	9·0	9·0	27·1	15·8

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·6 in Tralee and Ballymena. Among the 155 deaths from all causes registered in Belfast are one from measles, one from diphtheria, 5 from enteric fever, and 19 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 245—124 boys and 121 girls; and the deaths to 164—90 males and 74 females.

DEATHS.

The deaths, which are 5 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 24·5 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 24·0 per 1,000. During the thirty-one weeks ending with Saturday last the death-rate averaged 31·0, and was 2·8 over the mean rate for the corresponding portions of the ten years 1890–99.

Seventeen deaths were caused by zymotic diseases. This number is 9 in excess of deaths from zymotic diseases in the preceding week, but 14 under the average for the 31st week of the last 10 years. Nine deaths were caused by diarrhœa, 3 by whooping-cough, 2 by enteric fever, one by influenza, one by cerebro-spinal meningitis, and one by erysipelas.

Tuberculosis caused 38 deaths—25 from pulmonary phthisis, 5 from tabes mesenterica, 4 from tubercular meningitis, and 4 from other forms of the disease.

Diseases of the respiratory system caused 15 deaths, being 8 below the number of deaths in this group in the preceding week, and about 2 below the average for the corresponding week of the past 10 years. Nine deaths were caused by bronchitis and 4 by pneumonia.

Convulsions caused death in 6 children: 2 of these were under one month old and 4 were over one month but under one year of age; apoplexy caused 2 deaths and other diseases of the brain and nervous system (exclusive of convulsions) 6 deaths.

Four accidental deaths were registered.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 children under 5 years of age and the death of one person aged 82 years.

Forty-one of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 11 were under one month old) and 43 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a man) was stated to have been aged 99 years.

Sixty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 15 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 24·0 per 1,000; the rate in the city was 25·1 (22·7 on the North side, and 27·3 on the South), and in the Suburbs 21·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the city being 2·1 (2·2 in the North City Districts, and 2·0 in the South), and for the Suburbs 2·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 17·3 per 1,000. Two deaths were caused by diarrhœa and one by influenza, pulmonary phthisis caused 1 death, 1 death was caused by respiratory disease.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 26·9 per 1,000. One death was caused by whooping-cough and 2 deaths by pulmonary phthisis, 2 deaths were due to diseases of the brain and nervous system, 1 death was caused by respiratory disease.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 25·3 per 1,000. One death was caused by enteric fever and one death was due to diarrhœa, two deaths were caused by diseases of the respiratory system, and three deaths were due to diseases of the circulatory system.

* See Table VI.

No. 3 *North City District* (Blackhall-place).—The deaths (10) represent an annual rate of 20·0 per 1,000. Pulmonary tuberculosis caused four deaths, and 3 deaths were due to diseases of the circulatory system.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 28·3 per 1,000. Cerebro-spinal meningitis and diarrhœa each caused one death, pulmonary tuberculosis caused 4 deaths, and diseases of the respiratory system caused 3 deaths.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 33·7 per 1,000. Diarrhœa caused 1 death, and two deaths were due to pulmonary tuberculosis, while diseases of the circulatory system caused 3 deaths, and two deaths were caused by diseases of the brain and nervous system.

No. 3 *South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 28·3 per 1,000. Whooping-cough caused 2 deaths and pulmonary phthisis caused 4 deaths, diseases of the respiratory and nervous systems causing two deaths each, and of the circulatory system 3 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 21·9 per 1,000. Diarrhœa caused 1 death, and pulmonary tuberculosis caused 4 deaths, while diseases of the respiratory, circulatory, and nervous systems caused 2 deaths each.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, 34·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, 0·0; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 28·7; Rathmines, 28·1; Donnybrook, 16·9; Blackrock, 18·6; and Kingstown, 15·0. The deaths from zymotic diseases tabulated for these districts consist of one from diarrhœa for Coolock and Drumcondra, No. 1, one from enteric fever and one from diarrhœa for Rathmines and one from diarrhœa for Kingstown. Among the 4 deaths from all causes tabulated for Palmerston, part of, and Crumlin, part of, are 2 from diseases of the circulatory system; the 15 deaths for Rathmines comprise 2 from phthisis and 3 from diseases of the circulatory system; the 8 deaths for Donnybrook comprise 2 from diseases of the brain and nervous system; and 2 of the 5 deaths from all causes tabulated for Kingstown are from diseases of the circulatory system

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 14th July,	66 cases.
" " 21st July,	77 cases.
" " 28th July,	88 cases.
" " 4th August,	53 cases.

Of the 53 cases notified, 13 were erysipelas, 15 enteric fever, 13 scarlatina, 6 measles, meningitis† nil, 3 diphtheria, and 3 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th August, 1900.

From this it appears that:—

Twelve cases of scarlatina were admitted to hospital, 14 were discharged, 2 died, and 49* remained under treatment at the close of the week.

Seven cases of enteric fever were admitted to hospital, 11 were discharged, none died in hospital, 46 remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, one was discharged, and 7 remained under treatment at the close of the week.

Two cases of measles and one case of typhus fever were admitted into hospital. The latter was the only case of typhus under treatment in hospital at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 20·1) was equal to an average annual death-rate of 20·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·2 per 1,000, the rate for Glasgow being 19·5, and for Edinburgh 15·1.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 4th August, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 4th August, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 4th Aug., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th July, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st July, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	33·9	20·5	2·2	690	418	109	90	.	1	.	.	4	1	1	7	31	78	45	12	19	115	°	°	°	.	°	°	°	.	°	°	°	.
Dublin Registration Area:—																																			
Total,†	349,594	14·2	36·5	24·0	2·1	245	161	32	43	.	.	.	.	3	.	.	2	9	25	15	4	8	60	71·4	46·5	58·7	2·66	77·8	45·5	63·8	3·19	74·7	50·0	64·3	0·62
City	245,001	65·6	43·8	25·1	2·1	206	118	26	29	.	.	.	.	3	.	.	1	6	21	11	4	7	52	72·9	48·1	60·4	2·63	78·0	53·6	65·9	2·35	75·0	56·8	65·7	0·94
Registrars' Districts. Clontarf &c. No. 1,	4,138	1·5	25·2	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	48·7	34·0	4·9	9	7	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	12·3	12·3	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	74·1	47·0	59·4	2·78	76·3	47·0	64·8	2·37	76·9	51·0	64·7	0·66
Palmerston, part of and Crumlin part of (b),	7,273	8·0	28·7	28·7	.	4	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	24·4	28·1	3·8	13	15	4	3	.	.	.	.	.	.	.	1	1	2	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	8·5	16·9	.	4	8	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	18·6	18·6	.	3	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	9·0	15·0	3·0	3	5	1	1	.	.	.	.	.	.	.	.	1	1	.	.	1	1	71	51	60·2	2·34	79	51	65·0	1·70	73	58	65·3	0·68
Urban Districts																																			
Belfast,	359,000	21·8	35·0	22·5	3·8	241	155	56	21	.	1	.	.	.	1	.	5	19	30	13	5	5	29	69·1	49·1	58·2	2·26	75·9	48·1	63·4	1·84	75·6	55·1	64·8	0·39
Cork,	75,845	33·3	31·1	18·0	0·7	45	26	4	5	.	.	.	.	.	.	.	.	1	5	5	1	2	8	70	51	60·3	0·83	70	54	63·3	0·15	70	54	60·8	0·53
Limerick,	37,155	17·9	28·1	11·2	1·4	20	8	2	2	.	.	.	.	.	.	.	.	1	2	2	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	39·3	12·6	.	25	8	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	67·0	49·0	63·8	1·08	74·0	49·5	61·4	1·31	75·0	48·8	63·6	0·48
Waterford,	26,203	16·3	19·9	8·0	2·0	10	4	.	1	.	.	.	.	.	.	1	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,800	2·6	41·5	11·3	.	11	3	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	2	71	48	69	1·50	78	52	59	0·33	76	54	63	0·62
Drogheda	13,708	8·7	45·6	22·8	.	12	6	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	28·2	12·1	.	7	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	69·0	47·2	58·3	1·84	73·8	45·0	62·7	1·33	73·1	51·1	63·9	0·33
Dundalk,	12,449	9·0	25·1	8·4	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	12·8	25·7	.	3	6	3	2	.	.	.	.	.	.	.	.	.	2	2	.	.	.	69·0	47·2	58·3	1·84	73·8	45·0	62·7	1·33	73·1	51·1	63·9	0·33
Wexford,	11,545	24·0	9·0	27·1	.	2	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	50·2	18·2	.	11	4	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	69·0	47·2	58·3	1·84	73·8	45·0	62·7	1·33	73·1	51·1	63·9	0·33
Kilkenny,	11,048	12·0	28·3	9·4	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70·0	49·0	58·4	1·16	77	49	63·5	1·32	72	54	64·3	0·44
Clonmel,	10,708	8·2	14·6	24·3	.	3	5	1	1	.	.	.	.	.	.	.	.	.	2	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	5·1	15·2	.	1	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66·3	49·0	57·4	1·38	73·4	40·9	60·4	0·23	72·7	48·4	.	0·20
Tralee,	9,318	15·9	11·2	28·0	5·6	2	5	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	28·2	11·3	5·6	5	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	45·4	5·7	.	8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66	48	57·5	1·95	73	50	60·2	1·24	71	50	59·2	0·48
Queenstown,	9,082	17·0	40·2	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	51	60·3	0·83	70	54	63·3	0·15	70	54	60·8	0·53
Carrickfergus	8,928	0·5	35·1	17·5	.	6	3	.	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,480	11·0	61·9	18·6	.	10	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	99·0	47·2	58·3	1·84	73·8	45·0	62·7	1·33	73·1	51·1	63·9	0·33
Armagh,	7,137	21·4	26·5	14·3	.	4	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	69·0	47·2	58·3	1·84	73·8	45·0	62·7	1·33	73·1	51·1	63·9	0·33

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 4th August, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																	
	North City.* Districts.				South City.† Districts.				Clontarf & Howth. No. 1.	Coolock and Drumcondra, No. 1.	Finglas and Glasnevin, part of (a).	Palmerston, pt. of, & Chapelizod, pt of (b).	Rathmines (c).	Donnybrook.	Blackrock (c).	Kingstown, Nos. 1 and 2 (c).	Total for Dublin Registration Area.	Deaths in Institutions of Persons from without the Area.
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2787	5924	5095	904	1714	1987	1034	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Diarrhœa, Dysentery,	2	.	1	.	1	1	.	1	.	1	.	.	1	.	.	1	9	.
Other Zymotic Diseases	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	3	.
Total,	3	2	2	.	2	1	2	1	.	1	.	.	2	.	.	1	17	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	1	2	.	4	4	2	4	4	.	.	.	.	2	1	.	1	25	.
Other Constitutional Diseases,	.	5	2	1	3	2	3	1	.	3	1	1	3	1	1	.	27	.
Total,	1	7	2	5	7	4	7	5	.	3	1	1	5	2	1	1	52	.
V. DEVELOPMENTAL DISEASES,	.	1	2	.	2	.	1	.	.	.	.	.	2	2	1	.	13	.
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	.	2	.	.	1	2	2	2	.	1	.	.	1	2	.	1	14	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	1	3	3	1	3	3	2	.	.	.	2	3	.	.	2	28	1
Respiratory System,	1	1	2	.	3	.	2	2	.	1	.	1	1	1	.	.	15	.
Digestive System,	2	1	.	.	1	.	2	3	.	1	.	.	1	1	.	.	12	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	2	.	1	1	1	.	.	.	.	.	.	.	.	1	7	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2	.
Total,	3	6	7	3	7	7	11	9	.	3	.	3	6	4	1	3	73	3
VII. VIOLENT DEATHS,	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	4	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Deaths from all Causes,	9	18	14	10	18	12	22	15	.	7	1	4	15	8	3	5	161	3
Annual Rate of Mortality in every 1,000 of the population.	17·3	26·9	25·3	20·0	28·3	33·7	28·3	21·9	.	34·0	12·3	28·7	28·1	16·9	18·6	15·0		
	22·7				27·3				21·4									
	25·1																24·0	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	4	4	3	7	.	5	5	.	1	.	.	2	1	1	.	33	2
Workhouse Hospitals,	1	3	5	3	4	2	3	3	.	.	.	.	1	1	.	1	27	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 22, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blacknall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office. 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 31st Week of the 10 years 1890–99.	In the week ending Saturday, 4th August, 1900.								
													Deaths of persons of the Ages of							
	Aug. 2, 1890	Aug. 8, 1891	Aug. 6, 1892	Aug. 5, 1893	Aug. 4, 1894	Aug. 3, 1895	Aug. 1, 1896	Aug. 7, 1897	Aug. 6, 1898	Aug. 5, 1899		ALL AGES.	0 to 5.							
												Mean Temp.	Under 1 month.	1 month and under year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 56·7	° 57·6	° 60·3	° 58·8	° 58·6	° 56·3	° 57·2	° 62·9	° 60·6	° 62·1	° 59·1	° 58·7								
ALL CAUSES,	118	113	144	194	184	172	184	150	160	228	159·2	164	11	21	9	14	25	41	36	7
I. FEBRILE OR ZYMOTIC DISEASES,	15	8	18	54	14	29	42	32	29	71	31·2	17	.	8	4	2	1	1	1	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	.	1	2	2	.	1	.	1	·7	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	30	35	37	37	37	47	49	38	46	49	40·5	52	1	5	2	8	17	14	5	.
V. DEVELOPMENTAL "	6	7	7	13	11	9	8	9	13	12	9·5	13	5	.	.	.	.	.	3	5
VI. LOCAL "	58	53	71	75	60	70	74	63	58	78	66·0	76	3	7	2	3	6	26	27	2
VII. VIOLENT DEATHS,	2	2	5	4	4	8	2	4	2	3	3·7	4	.	1	1	1	1	.	.	.
VIII. ILL-DEFINED CAUSES,	6	8	6	10	6	7	9	2	12	9	7·5	2	2	.	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	5	.	6	5	.	.	.	.	.	18	3·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	1	2	2	2	4	1	.	1·2	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	2	.	2	2	.	.	1	·8	1	.	.	.	.	.	1	.	.
Whooping Cough,	2	4	2	4	.	2	3	1	2	4	2·4	3	.	1	2	.	.	.	.	.
Diphtheria,	.	.	.	2	.	.	2	1	1	.	·6	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	1	.	1	1	1	2	1	5	3	1·7	2	.	.	.	1	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	5	.	.	6	2	.	3	1·6	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	3	1	5	27	7	17	22	18	18	40	15·8	9	.	7	2	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	.	.	1	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	2	.	.	.	.	.	.	·2	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	.	.	.	1	.	1	.	1	.	1	·4	.	.	.	.	.	.	.	.	.
Puerperal Fever,	2	.	.	1	.	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	.	5	2	.	.	1	4	1	1	1·5	1	.	.	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	1	2	1	.	1	.	1	·6	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	1	.	.	1	.	2	1	.	.	.	·5	1	.	.	.	.	1	.	.	.
Rheumatism,	.	1	.	.	.	.	1	1	.	1	·4	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Rickets,	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Cancer,	2	5	5	10	5	5	10	7	8	6	6·3	10	.	.	.	.	1	6	3	.
Tabes Mesenterica,	4	2	3	4	3	3	5	4	4	2	4·6	5	1	3	1	.	.	.	.	.
Tubercular Meningitis,	3	2	1	2	4	3	8	6	7	5	4·1	4	.	2	1	1	.	.	.	.
Phthisis,	16	21	26	19	21	24	21	14	21	24	20·7	25	.	.	.	7	13	5	.	.
Scrofula, Tuberculosis,	3	3	2	1	4	4	3	4	6	3	3·3	4	.	.	.	.	2	1	1	.
Other Constitutional Diseases,	1	.	.	.	.	1	.	1	.	1	·4	2	.	.	.	.	.	2	.	.
V. Developmental Diseases—																				
Premature Birth,	1	.	1	4	1	3	1	3	4	3	2·1	2	2	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	1	.	1	.	.	.	.	1	.	.	·3	3	3	.	.	.	.	.	.	.
Old Age,	4	7	5	9	10	6	7	5	9	9	7·1	8	.	.	.	.	.	.	3	5

each Disease registered in the THIRTY-FIRST WEEK ending Saturday, 4th August, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 31st Week of the 10 years 1890-99.	In the Week ending Saturday, 4th August, 1900. Deaths of Persons of the Ages of								
	Aug. 2, 1890	Aug. 8, 1891	Aug. 6, 1892	Aug. 5, 1893	Aug. 4, 1894	Aug. 3, 1895	Aug. 1, 1896	Aug. 7, 1897	Aug. 6, 1898	Aug. 5, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 56·7	° 57·6	° 60·3	° 53·8	° 58·6	° 56·3	° 57·2	° 62·9	° 60·6	° 62·1	° 59·1	° 58·7								
VI. Local Diseases—																				
Apoplexy,	3	3	3	4	2	3	2	3	4	1	2·8	2	.	.	.	.	.	.	2	.
Epilepsy,	.	1	.	1	.	1	1	.	2	1	·7	.	.	.	.	.	.	.	.	.
Convulsions,	13	10	8	12	9	9	18	8	4	12	10·3	6	2	4	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	6	2	8	12	6	6	4	10	4	8	6·6	6	.	.	1	.	.	.	5	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	8	11	11	17	14	16	12	9	9	18	12·5	24	.	.	.	1	3	18		.
Croup,	2	1	.	.	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Bronchitis,	9	8	11	9	11	9	5	11	15	6	9·4	9	.	.	.	.	1	3	5	.
Pneumonia	5	3	6	2	3	6	5	5	4	10	4·9	4	.	.	1	.	1	2	.	.
Pleurisy,	1	.	.	1	1	1	.	.	1	.	·5	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	1	1	.	1	2	2	1	3	.	2	1·3	2	1	.	.	1	.	.	.	.
Teething,	.	.	1	2	.	.	2	1	.	.	·6	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	2	.	.	2	2	.	2	3	1·2	1	.	1	.	.	.	.	.	.
Peritonitis	.	1	2	2	.	.	1	.	.	3	·9	1	.	.	.	1	.	.	.	.
Disease of Liver,	.	2	3	.	1	2	6	2	1	3	2·0	2	.	.	.	.	.	2	.	.
Other Diseases of Digestive System,	5	1	5	7	4	9	8	5	6	6	5·6	8	.	1	.	.	.	3	4	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	7	6	2	2	4	6	3	2	4	3·9	8	.	.	.	.	1	2	4	1
Diseases of Generative System,	.	.	2	1	2	.	.	.	2	1	·8	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	2	1	1	.	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	.	2	1	3	.	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	.	.	.	1	2	.	·3	2	.	.	.	.	.	1	.	1
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	3	.	1	.	.	.	1	.	.	.	3·4	.	.	.	.	.	.	.	.	.
By Drowning,		.	1	.	2	1	.	1	1	2		1	.	.	.	.	1	.	.	.
By Suffocation in Bed,		1	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		1	3	1	1	6	1	3	1	.		3	.	1	1	1	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	6	8		10	6	7		2	12	9	7·5		2	.	.	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900—Week ending																									
	Feb. 10.	Feb. 17.	Feb 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered,	174	175	257	179	215	217	226	234	128	184	225	202	246	222	198	214	199	222	194	198	228	181	208	186	187	245
Average Births in corresponding week of previous 10 years,	200	196	208	225	195	192	195	217	199	194	192	213	214	212	192	201	209	199	208	202	219	193	188	185	185	195
DEATHS registered,	199	284	342	230	247	209	236	244	194	230	204	178	204	179	168	176	157	161	167	122	144	124	127	165	129	164
Annual Death-rate per 1,000,	29·7	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	24·5
Average Deaths in corresponding week of previous 10 years,	211	216	212	214	218	218	218	219	204	184	185	184	178	170	174	167	162	156	164	150	156	149	148	154	162	159
AGES, Under 5 years,	54	63	74	55	66	56	69	55	50	59	66	51	54	52	47	43	43	54	37	29	33	38	32	47	35	41
5—20 ,,	14	24	20	22	15	12	17	12	14	26	18	15	17	19	20	26	15	14	27	16	18	10	8	18	7	14
20—40 ,,	30	48	47	33	42	39	34	45	24	29	30	33	47	27	28	30	22	31	35	19	32	25	35	26	18	25
40—60 ,,	35	65	80	51	60	44	51	54	42	53	32	48	42	36	31	35	40	38	31	29	33	23	24	44	33	41
60—80 ,,	53	78	104	59	56	42	52	59	53	47	45	27	35	36	36	35	31	19	30	23	27	26	28	30	30	36
80 years and upwards,	18	11	17	10	8	16	13	19	11	16	18	4	9	9	6	7	6	5	7	6	6	2	5	5	6	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	3	1	5	1	2	4	.	.	3	2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	2	1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	5	5	.	.	.	1	.	.	3	1	2	2	4	1	1	3	.	5	.	1	2	3	4	5	.	3
,, Diphtheria,	5	3	.	1	2	.	1	1	.	2	2	.	.	.	1	.	.	2	2	1	.	.	.	2	1	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.
,, Enteric Fever,	.	3	1	4	2	.	.	1	3	2	3	5	6	1	2	2	1	2	2	2	.	2	2	2	.	2
,, Diarrhœa, Dysentery,	2	2	4	5	3	4	4	.	.	1	3	3	1	3	2	.	1	2	1	.	1	2	1	4	4	9
,, Phthisis,	23	32	40	36	37	29	29	30	27	28	27	32	29	32	30	32	13	28	28	22	21	26	31	28	19	25
,, Heart Diseases,	11	28	33	24	18	17	20	23	16	17	11	11	17	14	17	11	14	10	11	9	9	10	9	19	17	24
,, Diseases of Respiratory System,	65	74	94	55	78	39	72	56	46	53	47	40	29	34	25	30	23	23	34	27	29	15	20	23	23	15
Violent Deaths,	3	8	4	2	2	4	9	6	2	9	3	4	6	4	5	1	6	4	1	1	5	6	6	5	4	4
Mean Temperature of the Air (Phœnix Park),	29·9	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7
Average Mean Temperature in corresponding week of previous 10 years,	42·3	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1
Rainfall in inches,	·690	·680	·520	1·025	·000	·115	·305	·075	·535	·735	·170	·190	·350	·535	·005	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660
Mean Humidity of the Air, complete Saturation 1·0,	·88	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·78	·80	·83	·82	·80	·83	·84	·81	·76	·82	·83	·81

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th August, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. (The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	24·5	164	41	14	25	41	36	7	.	.	.	.	3	.	.	2	9	14	25	6	15	4	100
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	26·7	8	1	.	.	2	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
II.	MIDDLE CLASS,	81,469	17·9	28	5	2	4	7	8	2	.	.	.	.	1	.	.	1	.	2	3	1	3	1	18
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	18·3	35	5	2	8	13	6	1	.	.	.	.	1	.	.	1	2	4	6	.	6	.	19
IV.	GENERAL SERVICE CLASS,	147,978	31·6	65	28	8	9	13	6	1	.	.	.	.	1	.	.	.	7	8	12	5	1	3	36
V.	INMATES OF WORKHOUSES,	5,191		28	2	2	4	6	12	2	.	.	.	.	.	.	.	.	.	.	4	.	5	.	19
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	13·0	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,857	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	54·4	6	1	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	16·0	8	1	1	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	6
	6. Clerks and Commercial Assistants,	25,091	31·2	15	3	1	4	3	3	1	.	.	.	.	1	.	.	1	.	2	3	1	1	1	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	10·6	5	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	28·0	4	1	.	2	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	1
	9. Building and Furnishing Trades,	26,294	23·7	12	3	1	2	3	2	1	.	.	.	.	.	.	.	.	1	1	1	.	2	.	8
	10. Clothing Trades,	23,927	10·9	5	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	11. Food Supply Trades,	7,949	19·6	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	19·3	10	1	1	.	5	3	.	.	.	.	.	1	.	.	.	.	1	1	.	3	.	5
	13. Petty Shopkeepers,	6,839	7·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	22·7	6	2	.	2	.	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	4
	15. Domestic Servants,	39,967	5·2	4	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	24·0	5	2	1	.	2	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	3
	17. Hawkers, Porters, Labourers, &c.,	88,472	31·1	50	23	6	5	11	4	1	.	.	.	.	.	.	.	.	6	6	8	5	1	3	27
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	28	2	2	4	6	12	2	.	.	.	.	.	.	.	.	.	.	4	.	5	.	19

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	June 16,	23·0	.	12	.	.	.	.	.	.	.	.	.	4	3	1
		„ 23,	15·4	.	7	.	.	.	.	.	.	.	.	.	1	.	1
		„ 30,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	4	.
		July 7,	7·7	.	4	.	.	.	.	.	.	.	.	.	2	.	.
		„ 14,	7·7	1·9	4	.	.	.	.	.	.	.	1	.	1	1	.
		„ 21,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	.	2	2
		„ 28,	17·3	1·9	9	.	.	.	.	.	.	.	.	1	1	3	.
		Aug. 4,	17·3	3·8	9	.	.	.	.	.	.	.	.	2	1	1	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	June 16,	23·9	1·5	16	.	.	.	.	.	1	.	.	.	5	3	.
		„ 23,	15·0	1·5	10	.	.	.	.	.	.	.	1	.	1	1	.
		„ 30,	13·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.
		July 7,	23·9	3·0	16	.	.	.	.	2	.	.	.	.	2	1	.
		„ 14,	26·9	1·5	18	.	.	.	.	.	.	.	.	1	6	1	.
		„ 21,	22·5	3·0	15	.	.	.	.	.	.	.	1	1	3	1	.
		„ 28,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	3	3	.
		Aug. 4,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	2	1	2
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	June 16,	23·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		„ 23,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
		„ 30,	19·9	.	11	.	.	.	.	.	.	.	.	.	1	2	1
		July 7,	16·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
		„ 14,	19·9	1·3	11	.	.	.	.	.	.	1	.	.	2	2	.
		„ 21,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	4	3	1
		„ 28,	21·7	.	12	.	.	.	.	.	.	.	.	.	3	.	1
		Aug. 4,	25·3	3·6	14	.	.	.	.	.	.	.	1	1	.	2	1
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	June 16,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	3	.
		„ 23,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	.	2	.
		„ 30,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
		July 7,	12·0	.	6	.	.	.	.	.	.	.	.	.	3	.	1
		„ 14,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	2	1
		„ 21,	32·0	.	16	.	.	.	.	.	.	.	.	.	6	2	.
		„ 28,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
		Aug. 4,	20·0	.	10	.	.	.	.	.	.	.	.	.	4	.	1
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 33,194.	June 16,	18·9	.	12	.	.	.	.	.	.	.	.	.	2	3	.
		„ 23,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	6	3	.
		„ 30,	28·3	1·6	18	.	.	.	.	.	.	.	.	1	3	6	1
		July 7,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	5	3	1
		„ 14,	40·8	1·6	26	.	.	.	.	1	.	.	.	.	4	6	2
		„ 21,	33·0	4·7	21	.	.	.	.	1	.	.	.	2	5	3	.
		„ 28,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	4	3	1
		Aug. 4,	28·3	1·6	18	.	.	.	.	.	.	.	.	1	4	3	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	June 16,	39·4	2·8	14	.	.	.	.	.	.	.	1	.	2	3	.
		„ 23,	36·5	.	13	.	.	.	.	.	.	.	.	.	.	6	.
		„ 30,	28·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		July 7,	28·1	2·8	10	.	.	.	.	.	.	.	1	.	3	3	.
		„ 14,	14·1	.	5	.	.	.	.	.	.	.	.	.	3	1	.
		„ 21,	36·5	.	13	.	.	.	.	.	.	.	.	.	4	.	.
		„ 28,	28·1	2·8	10	.	.	.	.	.	.	.	.	1	1	1	1
		Aug. 4,	33·7	2·8	12	.	.	.	.	.	.	.	.	1	2	.	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	June 16,	34·7	3·9	27	.	.	1	.	.	1	.	1	.	.	3	.
		„ 23,	28·3	.	22	.	.	.	.	.	.	.	.	.	2	5	.
		„ 30,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	3	6	.
		July 7,	28·3	1·3	22	.	.	.	.	1	.	.	.	.	4	1	1
		„ 14,	16·7	.	13	.	.	.	.	.	.	.	.	.	4	2	.
		„ 21,	20·6	1·3	16	.	.	1	.	.	.	.	.	.	1	4	.
		„ 28,	19·3	.	15	.	.	.	.	.	.	.	.	.	4	4	.
		Aug. 4,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	2	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798.	June 16,	20·4	1·5	14	.	.	.	.	.	.	.	.	1	5	3	.
		„ 23,	18·9	1·5	13	.	.	.	.	1	.	.	.	.	2	2	.
		„ 30,	11·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		July 7,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	1	1
		„ 14,	13·1	.	9	.	.	.	.	.	.	.	.	.	4	2	.
		„ 21,	14·6	.	10	.	.	.	.	.	.	.	.	.	2	3	.
		„ 28,	16·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
		Aug. 4,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	June 16,	18·1	.	7	.	.	.	.	.	.	.	.	.	1	3	.
	„ 23,	16·9	.	9	.	.	.	.	.	.	.	.	.	3	.	.
	„ 30,	15·0	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	July 7,	11·5	.	6	.	.	.	.	.	.	.	.	.	1	1	1
	„ 14,	9·4	.	5	.	.	.	.	.	.	.	.	.	2	.	1
	„ 21,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 28,	16·9	1·9	9	.	.	.	.	.	1	.	.	.	.	2	.
	Aug. 4,	28·1	3·8	15	.	.	.	.	.	.	.	1	1	2	1	.
Donnybrook. Pop. (in 1891) 24,629.	June 16,	25·4	.	12	.	.	.	.	.	.	.	.	.	2	4	.
	„ 23,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	..
	„ 30,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	July 7,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	.
	„ 21,	10·6	4·2	5	.	.	.	.	1	1	.	.	.	.	1	.
	„ 28,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	Aug. 4,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
Kingstown. Pop. (in 1891) 17,886.	June 16,	2·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 23,	6·0	.	2	.	.	.	.	.	.	.	.	.	1	1	.
	„ 30,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1
	July 7,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
	„ 14,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	1	1	1
	„ 21,	33·0	3·0	11	.	.	.	.	1	.	.	.	.	4	.	.
	„ 28,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 4,	15·0	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	June 16,	20·5	2·0	141	.	1	.	.	1	.	.	11	1	33	24	4
	„ 23,	18·9	1·7	130	.	1	.	.	1	.	.	6	4	20	18	7
	„ 30,	19·8	1·6	136	.	2	.	.	2	1	.	2	4	32	17	3
	July 7,	18·3	1·3	126	.	.	.	.	1	.	.	6	2	20	24	3
	„ 14,	15·7	1·6	108	.	.	.	.	2	1	.	7	1	20	10	3
	„ 21,	19·8	1·9	136	.	1	.	.	3	.	.	1	8	20	22	3
	„ 28,	19·3	2·6	133	.	.	.	.	.	.	1	6	11	22	14	3
	Aug. 4,	22·5	3·8	155	.	1	.	.	.	1	.	5	19	30	13	5
Cork. Pop. (in 1891) 75,345.	June 16,	20·1	0·7	29	.	.	.	.	.	.	.	.	1	6	5	.
	„ 23,	18·7	.	27	.	.	.	.	.	.	.	.	.	4	2	.
	„ 30,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	2	.
	July 7,	18·7	2·1	27	.	.	.	2	.	.	.	.	1	10	3	.
	„ 14,	17·3	.	25	.	.	.	.	.	.	.	.	.	1	3	1
	„ 21,	19·4	0·7	28	.	.	.	.	.	.	.	.	1	7	5	.
	„ 28,	19·4	0·7	28	.	.	1	.	.	.	.	.	.	4	4	.
	Aug. 4,	18·0	0·7	26	.	.	.	.	.	.	.	.	1	5	5	1
Limerick. Pop. (in 1891) 37,155.	June 16,	15·4	.	11	.	.	.	.	.	.	.	.	.	4	4	.
	„ 23,	14·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 30,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	4	.
	July 7,	26·7	.	18	.	.	.	.	.	.	.	.	.	1	4	.
	„ 14,	19·6	.	14	.	.	.	.	.	.	.	.	.	3	3	.
	„ 21,	9·8	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 28,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 4,	11·2	1·4	8	.	.	.	.	.	.	.	.	1	3	2	.
Londonderry. Pop. (in 1891) 78,200.	June 16,	20·4	.	13	.	.	.	.	.	.	.	.	.	1	5	.
	„ 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	4	.
	„ 30,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	1	.
	July 7,	29·8	1·6	19	.	1	.	.	.	.	.	.	.	2	2	.
	„ 14,	12·6	3·1	8	.	.	.	.	.	.	.	.	2	1	.	.
	„ 21,	22·0	4·	14	.	.	.	.	.	1	.	.	2	3	1	1
	„ 28,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	Aug. 4,	12·6		8	.	.	.	.	.	.	.	.	.	1	.	.
Waterford. Pop (in 1891) 26,200.	June 16,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 23,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 30,	13·9	2·0	7	.	.	.	.	.	.	.	.	1	.	3	.
	July 7,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	.	1	.
	„ 14,	17·9	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 21,	11·9	2·0	6	.	.	.	.	.	1	.	.	.	2	.	3
	„ 28,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	Aug. 4,			4	.	.	.	.	.	.	1	.	.	1	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 4th August, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	2	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		8	2	2	3	1	.	.	.	.	.	.	.	.	1	2	1	.	.	.
" 2 "	37,589	37			15	1	2	6	6	.	.	.	.	.	.	.	.	1	5	3	.	.	6
" 3 "	38,845	41			24	11	3	10	.	.	.	.	.	.	.	.	1	5	1	1	1	1	4
" 4 "	33,891	30			22	7	1	12	2	.	.	.	.	.	.	.	1	.	6	3	1	1	7
" 5 "	21,284	6			5	.	2	1	2	.	.	.	.	.	.	.	.	1	.	2	.	.	2
" 6 "	43,431	20			20	8	3	5	4	.	.	.	.	.	.	.	.	4	4	.	.	1	4
" 7 "	1,112	1			2	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
" 8 "	4,904	9			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 9 "	12,866	14			10	4	1	4	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 10 "	12,256	18			12	6	2	4	.	.	.	.	.	.	.	.	1	2	2	.	.	.	1
" 11 "	19,881	29			15	7	3	5	.	.	.	.	.	.	1	.	1	2	2	.	.	.	2
" 12 "	23,282	21			17	6	1	6	4	.	.	.	.	.	.	.	1	2	5	1	2	2	2
" 13 "	6,804	13			4	2	.	1	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	241			155	56	20	58	21	.	1	.	.	.	1	.	5	19	30	13	5	5	29
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	5	13·1	.	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 2 "	9,252	5	28·2	.	5	1	1	2	1	.	.	.	.	.	.	.	.	.	1	2	.	1	2
" 3 "	9,816	6	26·6	.	5	.	1	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" 4 "	10,356	6	15·1	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1
" 5 "	8,187	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	8,823	3	29·5	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	2	2	.	.	1
" 7 "	17,034	14	15·3	3·1	5	.	1	4	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
Total,	75,345	45	18·0	0·7	26	4	3	14	5	.	.	.	.	.	.	.	.	1	5	5	1	2	8

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.
No. of week in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered,	240	186	230	216	269	218	236	229	188	197	225	261	213	244	218	218	218	219	241	213	204	236	155	263	220	241
DEATHS registered.	187	226	181	207	195	157	169	176	179	149	124	127	171	188	153	141	134	123	141	130	136	126	108	136	133	155
Annual Death-rate per 1,000 of estimated Population,	27·2	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5
AGES, Under 1 year,	30	41	31	43	42	27	26	37	31	29	21	27	33	26	34	20	25	26	24	26	28	26	22	34	39	56
AGES, 1–5 years,	15	23	16	21	28	26	30	22	21	18	12	13	23	14	27	10	13	13	17	15	15	14	13	15	15	20
AGES, 5–60 years,	99	102	84	92	90	68	77	84	86	79	56	64	86	76	65	87	76	60	72	61	76	67	55	65	61	58
AGES, 60 years and upwards,	43	60	50	51	35	36	36	33	47	23	35	23	29	22	27	24	20	24	28	28	17	19	18	22	18	21
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	1	2	1	1	2	1	.	1	.	.	.	1	1	.	3	1	1	2	.	.	1	.	1
" Scarlet Fever,	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	3	4	3	4	3	2	4	4	1	1	1	4	8	3	6	1	1	.	1	1	2	1	2	3	.	.
" Diphtheria,	3	2	1	2	1	1	2	2	2	2	1	1	1	1	1	.	1	1	.	.	1	.	1	.	.	1
" Simple continued and Ill-defined Fever,	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Enteric Fever,	1	1	2	5	3	4	3	6	1	5	5	3	8	5	12	5	11	10	11	6	2	6	7	1	6	5
" Diarrhœa, Dysentery,	1	3	3	.	1	1	3	3	1	1	2	3	4	1	2	1	3	1	1		4	2	1	8	11	19
" Phthisis,	26	27	19	26	28	26	30	39	25	31	14	23	31	31	23	34	22	18	32	20	32	20	20	20	22	30
" Diseases of Respiratory System,	56	73	67	57	75	35	49	43	46	38	26	24	33	31	32	31	29	28	24	18	17	24	10	22	14	13
Violent Deaths,	8	8	5	4	2	6	2	2	5	.	2	2	2	3	4	5	2	1	4	7	3	3	3	3	3	5

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th August, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	1	1	.	.	3
" " 1, West,	.	.	.	.	.	.	.	.	1	2	2	.	.	5
" " 2,	.	1	.	5	.	.	.	.	2	3	1	.	.	12
" " 3,	.	.	.	5	.	.	.	.	.	1	2	.	.	8
South City No. 1,	.	2	.	1	.	.	1	.	.	2	4	.	.	10
" " 2,	.	1	.	1	.	.	2	.	.	1	.	.	.	5
" " 3,	.	1	.	1	.	.	.	.	.	3	3	.	.	8
" " 4,	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Total,	.	6	.	13	.	.	3	.	3	15	13	.	.	53
Total for week ended July 28, 1900,	.	21	1	6	.	.	2	.	6	34	17	.	1	88
Total for week ended July 21, 1900,	.	5	1	18	1	.	2	.	2	25	18	.	5	77
Total for week ended July 14, 1900,	.	6	.	13	.	.	.	.	7	17	21	.	2	66

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th August, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th August.			
	July 14.	July 21.	July 28.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	12	13	7	2	6	.	3
Scarlet Fever,	62	61	53	12	14	2	49*
Typhus "	3	3	.	1	.	.	1
Diphtheria,	4	2	4	4	1	.	7
Enteric Fever,	40	42	50	7	11	.	46
Pneumonia,	19	24	22	5	14	1	12

* Exclusive of 20 patients in 'Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XL—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Aug. 4,	2,701	1,768	20·1	.	29	5	24	44	7	398
EDINBURGH,	302,262	„ 4,	160	83	15·1	.	4	.	1	1	4	3
GLASGOW,	743,969	„ 4,	467	279	19·5	2	14	.	1	9	6	37
CALCUTTA,	466,460	May 26,	.	596	43·5	33	3	.	.	.	96‡	104*
BOMBAY,	821,764	July 17,	211	1,219	74·4	5	2	?	?	?	96§	377*
MADRAS,	452,518	„ 13,	430	307	35·2	.	.	?	?	?	86	62
PARIS,	2,511,629	„ 28,	1,239	1,350	27·9	2	37	10	10†	7	24	331
BRUSSELS (with 8 Faubourgs).	561,130	„ 28,	284	224	20·5	.	1	.	.	1	1	34
AMSTERDAM,	526,072	„ 21,	286	178	17·6	.	1	.	1	3	5	.
ROTTERDAM,	323,487	„ 21,	244	120	19·2	.	4	.	2	1	.	.
THE HAGUE,	205,328	„ 21,	109	52	13·2	.	.	.	1	.	.	.
COPENHAGEN,	349,000	„ 28,	177	113	16·9	.	.	1	.	3	.	9
CHRISTIANIA,	221,255	„ 28,	158	74	17·0	.	.	.	.	1	.	12
ST. PETERSBURG,	1,132,677	„ 28,	595	605	27·8	17	9	6	13	3	14	228
BERLIN,	1,854,964	„ 21,	916	557	15·6	.	7	12	7	6	1	54
HAMBURG,	691,349	„ 28,	403	318	23·9	.	1	1	.	3	2	76
DRESDEN,	400,400	June 23,	245	128	16·9	.	1	1	1	1	1	10
BRESLAU,	406,012	July 28,	272	301	38·6	.	2	1	.	1	3	115
MUNICH,	463,000	June 30,	332	208	23·4	.	4	.	1	3	1	49
VIENNA (with suburbs).	1,656,662	July 28,	874	712	22·3	.	15	2	4	8	3	182
BUDA-PESTH,	685,340	„ 14,	382	273	20·7	.	4	3	1	.	2	36
PRAGUE and Faubourgs.	391,693	„ 28,	216	157	20·8	.	.	.	.	1	2	7
ROME,	514,306	„ 7,	191	195	16·6	.	1	.	.	.	8	33
TURIN,	344,203	May 20,	217	201	30·4	.	3	.	.	1	3	14
VENICE,	172,924	July 7,	67	58	17·4	.	.	.	.	.	1	11
NEW YORK,	3,654,594	„ 14,	1,661	1,579	22·5	4	18	9	33	6	10	336
PHILADELPHIA,	1,266,832	„ 21,	590	564	23·2	.	6	3	11	1	5	98

* Including 51 deaths from cholera in Calcutta and 239 in Bombay. † Including deaths from croup.
‡ Exclusive of 135 deaths from bubonic fever. § Exclusive of 60 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 4th August, 1900:—

"The weather became very unsettled as the week under review advanced, and a storm of wind and rain of unexampled severity for the time of year swept over Ireland and England on Thursday night and Friday. On Sunday morning, the centre of the disturbance which had caused the rainstorm of the preceding 36 hours, lay over the West of Scotland. Thence it travelled northeastwards to Norway, leaving finer weather in its wake. By Tuesday morning a new disturbance had appeared in the N.W. and was spreading quickly eastwards. This system caused heavy showers and squally S.W. to N.W. winds. A 'secondary,' which passed eastwards across the S. of England, brought a copious rainfall to that region. At 8 a.m. of Thursday the 'primary' was central off the N.E. of Scotland, and fresh N.W. to S.W. winds were blowing all over the Kingdom. At night, without warning, a new and deep depression rapidly approached St. George's Channel from S.W. Its centre was found over Cardigan Bay at 8 a.m. of Friday, and thence it travelled eastward across England to Holland in the following 24 hours. It wrought much havoc through its gales, rains, and thunderstorms. In Dublin the mean height of the barometer was 29·771 inches, pressure being observed to range from 30·034 inches at 9 p.m. of Monday (wind, W. by N.) to 29·416 inches at 9 a.m. of Friday (wind, N.N.W.). The corrected mean temperature was 60·4°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 58·7°. The screened thermometers rose to 72·9° on Tuesday and fell to 48·1° on Saturday. The rainfall was as much as 2·629 inches on six days, 2·135 inches being measured on Thursday. The prevailing wind was W.N.W. Bright sunshine was estimated at 49 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·773 inches. The highest reading (30·043) was on Monday at 9 p.m., air calm, and the lowest (29·428) on Friday at 9 a.m., wind N.N.W.

The mean temperature for the week was 58·7°, being ·4° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Tuesday, when the thermometer registered 71·4°, and was lowest on Saturday, the mercury having fallen to 46·5°. The mean of the Dry Bulb for the week was 57·7°, and of the Wet Bulb 54·5°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 46·3 hours. The rainfall measured 2·660 ins.

At Greenwich the mean temperature for the week was 61·9°, the maximum 79·0°, and the minimum 50·8°; at Glasgow the maximum was 70·9°, the minimum 45·7°, and the mean 58·8°, and at Edinburgh the maximum was 69·5°; the minimum 48·0°, and the mean 58·9°. The rainfall at Greenwich measured 0·58 in.; at Glasgow 1·04 in.; and at Edinburgh 0·40 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 29,	29·757	66·1	54·8	60·5	59·1	55·8	·80	·4	4·0	·040	W.	W.
Monday, „ 30,	29·978	68·5	50·7	59·6	59·5	56·5	·82	·2	10·9	—	W.	Calm.
Tuesday, „ 31,	29·915	71·4	51·0	61·2	61·1	58·2	·84	·4	3·6	·165	S.W.	Calm.
Wednesday, Aug. 1,	29·643	64·1	52·3	58·2	58·4	54·3	·87	·7	10·2	·045	S.W.	S.W.
Thursday, „ 2,	29·686	66·5	54·1	60·3	57·6	54·1	·79	1·0	7·2	2·110	W.	S.W.
Friday, „ 3,	29·581	61·8	49·9	55·9	52·8	50·7	·87	·7	1·3	·190	N.N.W.	N.W.
Saturday, „ 4,	29·854	63·8	46·5	55·2	55·1	51·8	·81	·5	9·1	·110	N.W.	Calm.
Mean, . .	29·773	66·0	51·3	58·7	57·7	54·5	·81	·6	Total 46·3	Total 2·660	Prevailing wind Westerly.	

Sunday—A cloudy day; showery p.m.; night cloudy. *Monday*—A fine but cloudy day; night cloudy. *Tuesday*—A cloudy day; heavy showers p.m.; night cloudy. *Wednesday*—A cloudy day; showery p.m.; night cloudy. *Thursday*—A cloudy day; showers 3 to 10 p.m.; night overcast, heavy rain 10.30 p.m. to 9 a.m. *Friday*—Dull a.m., cloudy p.m.; rain 9 to 11.30 a.m., and showery p.m.; night cloudy. *Saturday*—A cloudy day; rain 7 to 7.30 p.m. and 10.30 to 3 a.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

7. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 11TH AUGUST, 1900. [No. 32.

General Register Office, Charlemont House,
Dublin, 13th August, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 18·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending July 21.	Week ending July 28.	Week ending Aug. 4.	Week ending Aug. 11.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 21.	Week ending July 28.	Week ending Aug. 4.	Week ending Aug. 11.	Average Rate for 4 weeks.
23 Town Dists.	20·2	18·2	20·3	18·9	19·4	Limerick, . .	9·8	14·0	11·2	12·6	11·9
Armagh, . .	14·3	7·1	14·3	0·0	8·9	Lisburn, . .	12·8	34·1	25·7	21·3	23·5
Ballymena, .	28·2	11·3	11·3	22·5	18·3	Londonderry, .	22·0	15·7	12·6	20·4	17·7
Belfast, . .	19·8	19·3	22·5	18·3	20·0	Lurgan, . .	27·4	18·2	18·2	4·6	17·1
Carrickfergus, .	17·5	0·0	17·5	11·7	11·7	Newry, . .	36·2	12·1	12·1	8·1	17·1
Clonmel, . .	9·7	19·5	24·3	4·9	14·6	Newtownards, .	22·7	5·7	5·7	34·0	17·0
Cork, . . .	19·4	19·4	18·0	12·5	17·3	Portadown, .	12·4	18·6	18·6	12·4	15·5
Drogheda, . .	26·6	19·0	22·8	30·4	24·7	Queenstown, .	11·5	11·5	0·0	28·7	12·9
Dublin, Reg. Area,	23·4	18·3	23·3	23·0	22·0	Sligo, . . .	10·2	20·3	15·2	20·3	16·5
Dundalk, . .	20·9	12·6	8·4	50·3	23·0	Tralee, . .	16·8	11·2	28·0	5·6	15·4
Galway, . .	22·7	34·0	11·3	7·6	18·9	Waterford, .	11·9	15·9	8·0	11·9	11·9
Kilkenny, . .	4·7	23·6	9·4	14·2	13·0	Wexford, . .	9·0	9·0	27·1	4·5	12·4

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·4 per 1,000, the rates varying from 0·0 in thirteen of the districts to 11·3 in Ballymena. Among the 126 deaths from all causes registered in Belfast are one from measles, 8 from enteric fever, and 7 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 149—80 boys and 69 girls; and the deaths to 161—92 males and 69 females.

DEATHS.

The deaths, which are one over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 24·0 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 23·0 per 1,000. During the thirty-two weeks ending with Saturday last the death-rate averaged 30·8, and was 2·7 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 25 deaths from zymotic diseases registered during the week, being 8 over the number for the preceding week, but 12 under the average for the corresponding week of the last 10 years; they include one from whooping-cough, 3 from diphtheria, 19 from diarrhœa, one from erysipelas, &c. Eighteen of the 19 deaths from diarrhœa were of children under one year old.

Tuberculosis caused 36 deaths—including 24 from phthisis, 6 from tabes mesenterica, 5 from tubercular meningitis, and one from scrofula.

Diseases of the respiratory system caused 15 deaths, being one over the number recorded during the preceding week, and also one above the average for the corresponding week of the last 10 years. They include 9 from bronchitis and 3 from pneumonia.

The deaths of 5 children under one year of age (including one infant under one month old) were ascribed to convulsions.

Five deaths were caused by apoplexy, 2 by epilepsy, 7 by other diseases of the nervous system (exclusive of convulsions), and 12 by diseases of the circulatory system.

Five accidental deaths were registered.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 children under one year old, and one person aged 68 years.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (46 being infants under one year, of whom 9 were under one month old) and 30 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 4 were octogenarians.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 23·0 per 1,000; the rate in the city was 25·8 (26·8 on the North side, and 24·8 on the South), and in the Suburbs 16·5.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 3·4 per 1,000 inhabitants, the rate for the city being 3·6 (3·6 in the North City Districts, and 3·7 in the South), and for the Suburbs 3·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 23·0 per 1,000. One death was caused by diphtheria, 2 by diseases of the respiratory system, and 2 by diseases of the brain and nervous system.

No. 1 North City District, West (Summer-hill).—The deaths (24) are equal to an annual rate of 35·9 per 1,000. They include 6 from diarrhœa, 6 from diseases of the brain and nervous system, 4 from phthisis, and 3 from cancer.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 27·1 per 1,000. Three deaths were caused by diseases of the respiratory system, 3 by phthisis, 2 by diseases of the circulatory system, and 2 by mesenteric disease.

No. 3 North City District (Blackhall-place).—The deaths (9) represent an annual rate of 18·0 per 1,000, including one from diarrhœa, which was the only death from any zymotic disease recorded.

* See Table VI.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 29·8 per 1,000. They include one from diphtheria, one from diarrhœa, and 4 from phthisis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·3 per 1,000. Among them are one from whooping-cough, one from diphtheria, and 2 from cancer.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 21·9 per 1,000. Five deaths were caused by diarrhœa, 2 by diseases of the respiratory system, 4 by diseases of the circulatory system, and 2 by phthisis.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·3 per 1,000. Four deaths were caused by diseases of the respiratory system, 2 by phthisis, and 2 by diseases of the circulatory system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 19·4; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 7·2; Rathmines, 15·0; Donnybrook, 12·7; Blackrock, 43·4; and Kingstown, 12·0. The deaths from zymotic diseases tabulated for these districts consist of one from diarrhœa for Clontarf and Howth, No. 1; one from diarrhœa for Coolock and Drumcondra, No. 1; one from diarrhœa for Donnybrook; 2 from diarrhœa for Blackrock; and one from diarrhœa for Kingstown. The 4 deaths from all causes tabulated for Coolock and Drumcondra, No. 1, comprise 2 from phthisis; among the 8 deaths for Rathmines are 2 from cancer; 3 of the 6 deaths for Donnybrook were caused by phthisis; and the 7 deaths for Blackrock include 2 from diseases of the brain and nervous system.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	21st July,	77 cases.
" "	28th July,	88 cases.
" "	4th August,	53 cases.
" "	11th August,	62 cases.

Of the 62 cases notified, 10 were erysipelas, 19 enteric fever, 7 scarlatina, 7 measles, meningitis† nil, 14 diphtheria, and 4 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th August, 1900.

From this it appears that:—

Eight cases of scarlatina were admitted to hospital, 7 were discharged, and 50* remained under treatment at the close of the week.

Eleven cases of enteric fever were admitted to hospital, 3 were discharged, and 54 remained under treatment at the close of the week.

Eleven cases of diphtheria were admitted to hospital, one was discharged, 2 died, and 15 remained under treatment at the close of the week.

There were also 4 cases of measles and one of typhus admitted to hospital during the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 20·5) was equal to an average annual death-rate of 20·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·0 per 1,000, the rate for Glasgow being 17·8, and for Edinburgh 17·0.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 11th August, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 11th August, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Deaths. Under 1 year of Age	Deaths. At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 11th Aug., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th Aug., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th July, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	28·0	18·9	2·4	571	385	97	73	.	1	.	.	3	5	1	9	30	68	45	11	18	114	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	22·2	23·0	3·4	149	154	45	28	.	.	.	.	1	3	.	.	19	28	15	5	10	57	65·8	46·9	55·5	2·32	71·4	46·5	58·7	2·66	77·8	45·5	63·8	3·19
City	245,001	65·6	26·0	25·8	3·6	122	121	34	22	.	.	.	.	1	3	.	.	18	17	14	3	6	51	66·7	49·9	56·3	2·10	72·9	48·1	60·4	2·63	78·0	53·6	65·9	2·35
Registrars' Districts. Clontarf &c. No. 1	4,138	1·5	25·2	25·2	12·6	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	10,780	1·8	24·3	19·4	4·9	5	4	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a)	4,240	0·8	.	12·3	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·3	46·4	55·9	1·99	74·1	47·0	59·4	2·78	78·3	47·0	64·8	2·37
Palmerston, part of and Crumlin part of (b)	7,278	8·0	7·2	7·2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	7·5	15·0	.	4	8	1	2	.	.	.	.	.	.	.	.	1	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	24,629	12·4	16·9	12·7	2·1	8	6	2	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	12·4	43·4	12·4	2	7	3	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	67	51	56·7	2·10	71	51	60·2	2·34	79	51	65·0	1·70
Kingstown, 1 & 2,‖	17,386	11·9	15·0	12·0	3·0	5	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts																																			
Belfast	359,000	21·8	32·2	18·3	2·8	222	126	39	20	.	1	.	.	.	.	.	8	7	27	13	2	4	30	64·1	47·1	55·2	1·72	69·1	49·1	58·2	2·26	75·9	48·1	63·4	1·84
Cork	75,845	33·3	30·5	12·5	0·7	44	18	1	5	.	.	.	.	.	.	.	.	1	4	5	.	.	8	66	50	57·8	1.56	70	51	60·3	0·88	70	54	63·3	0·15
Limerick	37,155	17·9	11·2	12·6	.	8	9	1	1	.	.	.	.	.	.	.	.	.	5	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry	38,200	15·3	26·1	20·4	1·6	23	13	4	3	.	.	.	.	.	.	.	.	1	2	3	.	.	.	67·0	48·0	56·1	0·68	67·0	49·0	63·8	1·08	74·0	49·5	61·4	1·31
Waterford	26,208	18·3	21·9	11·9	2·0	11	6	1	1	.	.	.	.	.	.	.	.	1	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,800	2·6	11·8	7·6	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	69	50	59	2·65	71	48	69	1·50	78	52	59	0·33
Drogheda	18,708	8·7	3·8	30·4	3·8	1	8	2	1	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,961	18·5	40·2	8·1	.	10	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	67·2	45·5	55·4	1·55	69·0	47·2	58·3	1·84	73·8	45·0	62·7	1·33
Dundalk	12,449	9·0	46·1	50·8	4·2	11	12	1	6	.	.	.	.	1	.	.	.	.	.	1	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn	12,250	10·8	12·8	21·3	8·5	3	5	.	1	.	.	.	.	.	.	.	1	1	.	1	.	.	2	67·2	45·5	55·4	1·55	69·0	47·2	58·3	1·84	73·8	45·0	62·7	1·33
Wexford	11,545	24·0	22·6	4·5	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	11,429	13·4	31·9	4·6	.	7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	67·2	45·5	55·4	1·55	69·0	47·2	58·3	1·84	73·8	45·0	62·7	1·33
Kilkenny	11,048	19·0	61·4	14·2	.	18	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67	42	56	1·99	70·0	49·0	58·4	1·16	77	49	68·5	1·32
Clonmel	10,708	8·2	43·8	4·9	.	9	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,274	3·4	40·6	20·8	.	8	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	68·3	42·7	54·8	1·73	66·3	49·0	57·4	1·38	73·4	40·9	60·4	0·23
Tralee	9,818	15·9	28·0	5·6	.	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	9,252	9·3	45·1	22·5	11·3	8	4	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,197	19·0	62·4	34·0	5·7	11	6	.	2	.	.	.	.	.	1	.	.	.	.	1	1	.	4	62	48	54·1	1·88	66	48	57·5	1·95	73	50	60·2	1·24
Queenstown	9,082	17·0	28·7	28·7	.	5	5	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	66	50	57·8	1·56	70	51	60·3	0·83	70	54	63·3	0·15
Carrickfergus	8,923	0·5	29·2	11·7	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,480	11·0	24·7	12·4	.	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	67·2	45·5	55·4	1·55	69·0	47·2	58·3	1·84	73·8	45·0	62·7	1·33
Armagh	7,187	21·4	42·8	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·2	45·5	55·4	1·55	69·0	47·2	58·3	1·84	73·8	45·0	62·7	1·33

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

‡ Exclusive of 7 deaths of persons (including 1 under one year old and 2 at 60 years or upwards), admitted to hospital from localities outside the district.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 11th August, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																	
	North City.* Districts.				South City.† Districts.				Clontarf & Howth. No. 1.	Coolock and Drumcondra, No. 1.	Finglas and Glasnevin, part of (a).	Palmerston, pt. of, & Chumlin, pt. of (b).	Rathmines (c).	Donnybrook.	Blackrock (c).	Kingstown, Nos. 1 and 2 (c).	Total for Dublin Registration Area.	Deaths in Institutions of Persons from without the Area.
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	282	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	3	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	.	6	.	1	1	.	5	.	1	1	.	.	.	1	2	1	19	.
Other Zymotic Diseases	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Total,	1	7	.	1	2	2	5	1	1	1	.	.	.	1	2	1	25	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	3	.
IV. CONSTITUTIONAL DISEASES																		
Phthisis, or Pulmonary Consumption,	1	4	3	1	4	.	2	2	.	2	.	.	1	2	.	.	23	1
Other Constitutional Diseases,	2	3	5	2	4	3	2	2	.	.	.	.	2	.	1	1	27	1
Total,	3	7	8	3	8	3	4	4	.	2	.	.	3	3	1	1	50	2
V. DEVELOPMENTAL DISEASES,	2	.	.	2	5	.	.	.	.	.	.	.	1	.	1	.	11	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	2	6	1	.	.	1	1	2	.	.	.	.	1	1	2	.	17	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	.	2	1	1	.	4	2	.	.	.	.	.	1	.	.	11	1
Respiratory System,	2	1	3	.	1	1	2	4	.	.	.	.	1	.	.	.	15	.
Digestive System,	2	1	.	1	1	.	.	1	.	.	1	.	.	.	1	.	8	.
Lymphatic System, &c.,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Urinary System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	9	7	2	3	2	8	9	.	.	1	.	2	2	3	1	55	4
VII. VIOLENT DEATHS,	.	.	.	.	1	.	.	2	1	.	.	.	1	.	.	.	5	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	.	.	.	2	.	.	.	1	.	.	.	.	.	1	5	1
Deaths from all Causes,	12	24	15	9	19	9	17	16	2	4	1	1	8	6	7	4	154	7
Annual Rate of Mortality in every 1,000 of the population.	23·0	35·9	27·1	18·0	29·8	25·3	21·9	23·3	25·2	19·4	12·3	7·2	15·0	12·7	43·4	12·0		
	26·8				24·8				16·5									
	25·8																23·0	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	4	1	5	1	3	5	1	2	.	.	.	3	.	.	31	4
Workhouse Hospitals,	4	4	3	5	5	2	2	1	.	.	.	.	.	.	.	.	26	3

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blacknall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office. 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 32nd Week of the 10 years 1890–99.	In the week ending Saturday, 11th August, 1900.							
												Deaths of persons of the Ages of							
	Aug. 9, 1890.	Aug. 15, 1891.	Aug. 13, 1892.	Aug. 12, 1893.	Aug. 11, 1894.	Aug. 10, 1895.	Aug. 8, 1896.	Aug. 14, 1897.	Aug. 13, 1898.	Aug. 12, 1899.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	59·4°	60·4°	56·8°	64·0°	57·2°	56·0°	55·2°	59·0°	58·6°	57·6°	58·4°	Mean Temp. 55·5°	Under 1 month.	1 month and under 1 year.	1 to 5.					
ALL CAUSES,	126	156	145	175	124	149	161	178	171	214	159·9	161	9	87	11	9	31	34	26	4
I. FEBRILE OR ZYMOTIC DISEASES,	18	19	18	52	20	33	46	53	37	70	36·6	25	1	17	5	.	1	1	.	.
II. PARASITIC DISEASES,	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	2	.	.	.	2	.	1	.	.	·6	3	.	.	.	.	1	1	1	.
IV. CONSTITUTIONAL "	34	41	45	39	30	43	44	42	36	43	39·7	52	.	8	4	5	18	12	5	.
V. DEVELOPMENTAL "	12	7	11	5	10	7	12	7	20	19	11·0	11	1	.	.	.	.	.	8	2
VI. LOCAL "	57	80	63	63	51	56	53	66	62	69	62·0	59	3	10	.	4	8	20	12	2
VII. VIOLENT DEATHS,	.	1	1	6	4	8	.	6	5	8	2·9	5	.	1	2	.	2	.	.	.
VIII. ILL-DEFINED CAUSES,	1	6	7	10	9	5	6	3	11	10	6·8	6	4	1	.	.	1	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	5	1	.	.	1	.	.	9	1·7	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	3	3	.	·6	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	2	1	1	2	.	·7	.	.	.	.	.	.	.	.	.
Whooping Cough,	3	6	2	5	1	1	4	5	5	3	3·5	1	.	.	1	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	2	.	1	2	·5	3	.	.	3	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	2	.	5	2	2	3	4	3	4	2·7	.	.	.	.	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	.	4	.	1	3	.	.	6	1·4	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	8	8	6	30	8	22	29	39	19	43	21·2	19	1	17	1	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	1	1	1	1	.	.	.	2	1	·8	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	1	1	.	1	.	.	1	1	·5	1	.	.	.	.	1	.	.	.
Pyæmia, Septicæmia,	.	1	.	.	2	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	2	2	1	.	.	.	.	·5	1	.	.	.	.	.	1	.	.
Other Zymotic Diseases,	3	1	3	2	2	1	2	1	1	.	1·6	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	2	.	.	.	2	.	1	.	.	·5	3	.	.	.	.	1	1	1	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	1	1	.	.	.	.	2	.	.	·4	1	.	.	.	.	1	.	.	.
Rheumatism,	.	.	1	.	2	1	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	1	.	.	.	.	.
Cancer,	4	7	4	9	4	3	4	4	6	8	5·3	11	.	.	.	.	1	7	3	.
Tabes Mesenterica,	4	2	7	7	1	5	6	3	3	4	4·2	6	.	5	1	.	.	.	.	.
Tubercular Meningitis,	2	1	6	1	.	6	6	4	3	4	3·3	5	.	3	2	.	.	.	.	.
Phthisis,	19	25	22	17	19	23	21	22	17	24	20·9	24	.	.	.	5	15	3	1	.
Scrofula, Tuberculosis,	5	4	3	5	4	2	6	5	7	2	4·3	1	.	.	.	.	1	.	.	.
Other Constitutional Diseases,	.	1	1	.	.	1	1	1	.	1	·6	3	.	.	.	.	.	2	1	.
V. Developmental Diseases—																				
Premature Birth,	2	.	2	.	2	1	3	3	4	4	2·1	1	1	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Old Age,	10	7	8	5	8	5	9	4	16	14	8·6	10	.	.	.	.	.	8	2	.

each Disease registered in the THIRTY-SECOND WEEK ending Saturday, 11th August, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday Aug. 9, 1890	Aug. 15, 1891	Aug. 13, 1892	Aug. 12, 1893	Aug. 11, 1894	Aug. 10, 1895	Aug. 8, 1896	Aug. 14, 1897	Aug. 13, 1898	Aug. 12, 1899	Averages in 32nd Week of the 10 years 1890-99.	In the Week ending Saturday, 11th August, 1900. Deaths of Persons of the Ages of: ALL AGES.	0 to 5: Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	59·4	60·4	56·8	64·0	57·2	56·0	55·2	59·0	58·6	57·6	58·4	55·5								
VI. Local Diseases.																				
Apoplexy,	1	2	2	2	4	2	4	1	.	2	2·0	5	.	.	.	.	.	3	2	.
Epilepsy,	1	1	1	.	.	1	.	1	1	1	·7	2	.	.	.	1	1	.	.	.
Convulsions,	11	10	14	12	8	13	11	8	7	16	11·0	5	1	4	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	6	9	6	8	2	8	4	7	7	6	6·3	7	.	3	.	.	1	2	1	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	11	16	16	11	10	6	8	16	11	15	12·0	12	.	.	.	1	2	5	4	.
Croup,	.	1	.	1	.	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
Bronchitis,	8	8	3	7	6	7	4	8	15	12	7·8	9	.	2	.	.	1	2	3	1
Pneumonia	5	8	3	3	5	2	.	6	8	7	4·7	3	.	.	.	.	1	2	.	.
Pleurisy,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System,	1	5	3	1	2	1	.	2	.	.	1·5	2	.	.	.	1	.	1	.	.
Teething,	.	2	2	4	1	2	2	2	.	.	1·5	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	1	.	.	.	.
Enteritis,	1	1	2	1	.	.	2	1	1	3	1·2	.	.	.	.	.	.	.	.	.
Peritonitis	1	.	.	1	1	.	.	1	.	.	·4	1	.	.	.	.	1	.	.	.
Disease of Liver,	2	3	2	3	2	1	5	2	3	.	2·3	2	.	.	.	.	.	1	1	.
Other Diseases of Digestive System,	3	5	4	4	6	5	7	6	4	4	4·8	4	2	1	.	.	.	1	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	1	.	.	1	.	·2	1	.	.	.	.	.	1	.	.
Diseases of Urinary System,		7	3	3	2	4	2	3	3	1	3·2	3	.	.	.	.	.	2	1	.
Diseases of Generative System,	1	.	2	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	1	.	1	.	2	.	.	.	.	·5	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	.	1	.	.	.	1	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	1	2	.	1	1	1	.	·6	.	.	.	.	.	.	.	.	.
VII. Violent Deaths (ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	1	.	.	.	.	.	1		2	.	.	1	.	1	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	.	.	.	.	1	1	.	1	2	1	2·7	2	.	1	1	.	.	.	.	.
By Drowning,		.	.	1	1	1	.	4	2	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		1	.	3	2	1	.	.	1	.		1	.	.	.	.	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	1	6	7	10	9	5	6	3	11	10	6·8	6	4	1	.	.	1	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900—Week ending																									
	Feb. 17.	Feb 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.
No. of weeks in Annual Series,	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered,	175	257	179	215	217	226	234	128	184	225	202	246	222	198	214	199	222	194	198	228	181	208	186	187	245	149
Average Births in corresponding week of previous 10 years,	196	208	225	195	192	195	217	199	194	192	213	214	212	192	201	209	199	208	202	219	193	188	185	185	195	200
DEATHS registered,	284	342	230	247	209	286	244	194	230	204	178	204	179	168	176	157	161	167	122	144	124	127	165	129	159	161
Annual Death-rate per 1,000,	42·4	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0
Average Deaths in corresponding week of previous 10 years,	216	212	214	218	218	218	219	204	184	185	184	178	170	174	167	162	156	164	150	156	149	148	154	162	159	160
AGES, Under 5 years,	63	74	55	66	56	69	55	50	59	66	51	54	52	47	43	43	54	37	29	33	38	32	47	35	40	57
5—20 "	24	20	22	15	12	17	12	14	26	13	15	17	19	20	26	15	14	27	16	13	10	8	13	7	13	9
20—40 "	48	47	33	42	39	34	45	24	29	30	33	47	27	28	30	22	31	35	19	32	25	35	26	18	25	31
40—60 "	65	80	51	60	44	51	54	42	53	32	48	42	36	31	35	40	38	31	29	33	23	24	44	33	39	34
60—80 "	73	104	59	56	42	52	59	53	47	45	27	35	36	36	35	31	19	30	23	27	26	23	30	30	35	26
80 years and upwards,	11	17	10	8	16	13	19	11	16	18	4	9	9	6	7	6	5	7	6	6	2	5	5	6	7	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	5	1	2	4	.	.	3	2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
" Scarlet Fever,	1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	5	.	.	.	1	.	.	3	1	2	2	4	1	1	3	.	5	.	1	2	3	4	5	.	3	1
" Diphtheria,	3	.	1	2	.	1	1	.	2	2	.	.	.	1	.	.	2	2	1	.	.	.	2	1	.	3
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.
" Enteric Fever,	3	1	4	2	.	.	1	3	2	3	5	6	1	2	2	1	2	2	2	.	2	2	2	.	2	.
" Diarrhœa, Dysentery,	2	4	5	3	4	4	.	.	1	3	3	1	3	2	.	1	2	1	.	1	2	1	4	4	9	19
" Phthisis,	32	40	30	37	29	29	30	27	23	27	32	29	32	30	32	13	28	28	22	21	26	31	28	19	24	24
" Heart Diseases,	28	33	24	18	17	20	23	16	17	11	11	17	14	17	11	14	10	11	9	9	10	9	19	17	23	12
" Diseases of Respiratory System,	74	94	55	78	39	72	56	46	53	47	40	29	34	25	30	23	23	34	27	29	15	20	23	23	14	15
Violent Deaths,	8	4	2	2	4	9	6	2	9	3	4	6	4	5	1	6	4	1	1	5	6	6	5	4	4	5
Mean Temperature of the Air (Phœnix Park),	32·9	41·4	40·2	38·3	41·1	36·4	37·3	42·6	46·9	50·2	47·6	45·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5
Average Mean Temperature in corresponding week of previous 10 years,	40·5	40·4	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4
Rainfall in inches,	·680	·520	1·025	·000	·115	·305	·075	·535	·735	·170	·190	·350	·585	·005	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·315
Mean Humidity of the Air, complete Saturation 1·0,	·87	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·78	·80	·83	·82	·80	·83	·84	·81	·76	·82	·83	·81	·86

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th August, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 11th August, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	24·0	161	57	9	31	34	26	4	.	.	.	.	1	3	.	.	19	23	24	5	15	5	89
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	16·7	5	.	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
II.	MIDDLE CLASS,	81,469	14·0	22	5	.	6	5	5	1	.	.	.	.	.	.	.	.	2	2	1	.	.	1	18
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	16·7	32	11	4	3	11	3	.	.	.	.	.	1	2	.	.	5	8	6	1	3	.	14
IV.	GENERAL SERVICE CLASS,	147,978	34·6	73	39	4	11	10	9	.	.	.	.	.	.	1	.	.	11	12	12	4	6	4	35
V.	INMATES OF WORKHOUSES,	5,191		29	2	.	11	7	8	1	.	.	.	.	.	.	.	.	1	1	5	.	5	.	18
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	6·5	1		.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,857	28·0	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,733	27·2	3	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	8·0	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	6. Clerks and Commercial Assistants,	95,091	16·6	8	3	.	5	.	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	1	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	17·0	8	1	.	1	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	49·0	7	3	2	.	2	.	.	.	.	.	.	1	1	.	.	1	3	.	.	.	.	4
	9. Building and Furnishing Trades,	26,294	17·8	9	3	1	1	3	1	.	.	.	.	.	.	.	.	.	2	2	3	.	.	.	4
	10. Clothing Trades,	23,927	8·7	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	2
	11. Food Supply Trades,	7,949	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,987	21·2	11	4	1	1	4	1	.	.	.	.	.	.	1	.	.	1	2	2	1	2	.	4
	13. Petty Shopkeepers,	6,889	7·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	49·2	13	9	1	2	.	1	.	.	.	.	.	.	.	.	.	3	3	1	.	1	.	8
	15. Domestic Servants,	39,967	6·5	5	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	19·4	4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	2
	17. Hawkers, Porters, Labourers, &c.,	88,472	31·8	51	27	2	8	8	6	.	.	.	.	.	.	1	.	.	6	7	9	4	5	4	22
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	29	2	.	11	7	8	1	.	.	.	.	.	.	.	.	1	1	5	.	5	.	18

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
North City, No. 1 (E.)	June 23,	18·4	.	7	.	.	.	.	.	.	.	.	.	1	.	1
	„ 30,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	4	.
	July 7,	7·7	.	4	.	.	.	.	.	.	.	.	.	2	.	.
(Office, Clarence-street, Nth.)	„ 14,	7·7	1·9	4	.	.	.	.	.	.	.	1	.	1	1	.
	„ 21,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	.	2	2
	„ 28,	17·3	1·9	9	.	.	.	.	.	.	.	.	1	1	3	.
	Aug. 4,	17·3	3·8	9	.	.	.	.	.	.	.	.	2	1	1	.
Pop. (in 1891) 27,147.	„ 11,	23·0	1·9	12	.	.	.	.	.	1	.	.	.	1	2	.
North City, No. 1 (W.)	June 23,	15·0	1·5	10	.	.	.	.	.	.	.	1	.	1	1	.
	„ 30,	18·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	July 7,	23·9	3·0	16	.	.	.	.	2	.	.	.	.	2	1	.
(Office, Summer-hill.)	„ 14,	26·9	1·5	18	.	.	.	.	.	.	.	.	1	6	1	.
	„ 21,	22·5	3·0	15	.	.	.	.	.	.	.	1	1	3	1	.
	„ 28,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	3	3	.
	Aug. 4,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	2	1	2
Pop. (in 1891) 34,886.	„ 11,	35·9	9·0	24	.	.	.	.	.	.	.	.	6	4	1	.
North City, No. 2.	June 23,	14·4	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	„ 30,	19·9	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	July 7,	16·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
(Office, Lisburn-street.)	„ 14,	19·9	1·8	11	.	.	.	.	.	.	1	.	.	2	2	.
	„ 21,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	4	3	1
	„ 28,	21·7	.	12	.	.	.	.	.	.	.	.	.	3	.	1
	Aug. 4,	25·3	3·6	14	.	.	.	.	.	.	.	1	1	.	2	1
Pop. (in 1891) 28,871.	„ 11,	27·1	.	15	.	.	.	.	.	.	.	.	.	3	3	.
North City, No. 3.	June 23,	10·0	2·0	5	.	.	.	.	.	.	.	1	.	.	2	.
	„ 30,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
	July 7,	12·0	.	6	.	.	.	.	.	.	.	.	.	3	.	1
(Office, Blackhall-place.)	„ 14,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	2	1
	„ 21,	32·0	.	16	.	.	.	.	.	.	.	.	.	3	2	.
	„ 28,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 4,	20·0	.	10	.	.	.	.	.	.	.	.	.	4	.	1
Pop. (in 1891) 26,055.	„ 11,	18·0	2·0	9	.	.	.	.	.	.	.	.	1	1	.	.
South City, No. 1.	June 23,	25·1	1·6	16	.	.	.	.	.	1	.	.	.	6	3	.
	„ 30,	28·2	1·6	18	.	.	.	.	.	.	.	.	1	3	6	1
	July 7,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	5	3	1
(Office, South Earl-street.)	„ 14,	40·8	1·6	26	.	.	.	.	1	.	.	.	.	4	6	2
	„ 21,	53·0	4·7	31	.	.	.	.	1	.	.	.	2	5	3	.
	„ 28,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	4	3	1
	Aug. 4,	28·3	1·6	18	.	.	.	.	.	.	.	.	1	4	3	.
Pop. (in 1891) 33,194.	„ 11,	29·8	5·1	19	.	.	.	.	.	1	.	.	1	4	1	1
South City, No. 2.	June 23,	36·5	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	„ 30,	28·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	July 7,	28·1	2·8	10	.	.	.	.	.	.	.	1	.	3	5	.
(Office, Castle-street.)	„ 14,	14·1	.	5	.	.	.	.	.	.	.	.	.	3	1	.
	„ 21,	36·5	.	13	.	.	.	.	.	.	.	.	.	4	.	.
	„ 28,	28·1	2·8	10	.	.	.	.	.	.	.	.	1	1	1	1
	Aug. 4,	33·7	2·8	12	.	.	.	.	.	.	.	.	1	2	.	.
Pop. (in 1891) 18,547.	„ 11,	25·3	5·6	9	.	.	.	.	1	1	.	.	.	.	1	.
South City, No. 3.	June 23,	28·3	.	22	.	.	.	.	.	.	.	.	.	2	5	.
	„ 30,	27·0	2·6	21	.	.	.	.	2	.	.	.	.	3	6	.
	July 7,	28·3	1·3	22	.	.	.	.	1	.	.	.	.	4	1	1
(Office, Peter-street.)	„ 14,	16·7	.	13	.	.	.	.	.	.	.	.	.	4	2	.
	„ 21,	20·6	1·3	16	.	.	1	.	.	.	.	.	.	1	4	.
	„ 28,	19·3	.	15	.	.	.	.	.	.	.	.	.	4	4	.
	Aug. 4,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	2	.
Pop. (in 1891) 40,558.	„ 11,	21·9	6·4	17	.	.	.	.	.	.	.	.	5	2	2	.
South City, No. 4.	June 23,	18·9	1·5	13	.	.	.	.	1	.	.	.	.	2	2	.
	„ 30,	11·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	July 7,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	1	1
(Office, Grand Canal-street).	„ 14,	13·1	.	9	.	.	.	.	.	.	.	.	.	4	2	.
	„ 21,	14·6	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 28,	16·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	Aug. 4,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	2	.
Pop. (in 1891) 35,798.	„ 11,	23·3	.	16	.	.	.	.	.	.	.	.	.	2	4	2

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases; *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	June 23,	16·9	.	9	.	.	.	.	.	.	.	.	.	3	.	.
	„ 30,	15·0	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	July 7,	11·3	.	6	.	.	.	.	.	.	.	.	.	1	1	1
	„ 14,	9·4	.	5	.	.	.	.	.	.	.	.	.	2	.	1
	„ 21,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 28,	16·9	1·9	9	.	.	.	.	.	1	.	.	.	.	2	.
	Aug. 4,	28·1	5·3	15	.	.	.	.	.	.	.	1	1	2	1	.
	„ 11,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	1
Donnybrook. Pop. (in 1891) 24,629.	June 23,	12·7	.	6	.	.	.	.	.	.	.	.	.	1	2	..
	„ 30,	16·9	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	July 7,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	2	.
	„ 14,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	.
	„ 21,	10·6	4·2	5	.	.	.	.	1	1	.	.	.	.	1	.
	„ 28,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	Aug. 4,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 11,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	3	.	.
Kingstown. Pop. (in 1891) 17,386.	June 23,	6·0	.	2	.	.	.	.	.	.	.	.	.	1	1	.
	„ 30,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1
	July 7,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
	„ 14,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	1	1	1
	„ 21,	33·0	3·0	11	.	.	.	.	1	.	.	.	.	4	.	.
	„ 28,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 4,	15·0	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.
	„ 11,	12·0	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	June 23,	18·9	1·7	130	.	1	.	.	1	.	.	6	4	20	18	7
	„ 30,	19·8	1·6	136	.	2	.	.	2	1	.	2	4	32	17	3
	July 7,	18·3	1·3	126	.	.	.	.	1	.	.	6	2	20	24	3
	„ 14,	15·7	1·6	108	.	.	.	.	2	1	.	7	1	20	10	2
	„ 21,	19·8	1·9	136	.	1	.	.	3	.	.	1	8	20	22	3
	„ 28,	19·3	2·6	133	.	.	.	.	.	.	1	6	11	22	14	3
	Aug. 4,	22·5	3·8	155	.	1	.	.	.	1	.	5	19	30	13	5
	„ 11,	18·3	2·3	126	.	1	.	.	.	.	.	8	7	27	13	2
Cork. Pop. (in 1891) 75,345.	June 23,	18·7	.	27	.	.	.	.	.	.	.	.	.	4	2	.
	„ 30,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	2	.
	July 7,	18·7	2·1	27	.	.	.	2	.	.	.	.	1	10	3	.
	„ 14,	17·3	.	25	.	.	.	.	.	.	.	.	.	1	3	1
	„ 21,	19·4	0·7	28	.	.	.	.	.	.	.	.	1	7	5	.
	„ 28,	19·4	0·7	28	.	.	1	.	.	.	.	.	.	4	4	.
	Aug. 4,	18·0	0·7	26	.	.	.	.	.	.	.	.	1	5	5	1
	„ 11,	12·5	0·7	18	.	.	.	.	.	.	.	.	1	4	5	.
Limerick. Pop. (in 1891) 37,155.	June 23,	14·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 30,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	4	.
	July 7,	26·7	.	13	.	.	.	.	.	.	.	.	.	1	4	.
	„ 14,	19·6	.	14	.	.	.	.	.	.	.	.	.	3	3	.
	„ 21,	9·8	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 28,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 4,	11·2	1·4	8	.	.	.	.	.	.	.	.	1	2	2	.
	„ 11,	12·6	.	9	.	.	.	.	.	.	.	.	.	5	2	.
Londonderry Pop. (in 1891) 33,300.	June 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	2	4	.
	„ 30,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	1	.
	July 7,	29·8	1·6	19	.	1	.	.	.	.	.	.	.	2	2	.
	„ 14,	12·6	3·1	8	.	.	.	.	.	.	.	.	2	1	.	.
	„ 21,	22·0	4·7	14	.	.	.	.	.	1	.	.	2	3	1	1
	„ 28,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 11,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	2	3	.
Waterford. Pop (in 1891) 26,200.	June 23,	17·9	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 30,	13·9	2·0	7	.	.	.	.	.	.	.	.	1	.	3	.
	July 7,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	.	1	.
	„ 14,	17·9	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 21,	11·9	2·0	6	.	.	.	.	.	1	.	.	.	2	.	3
	„ 28,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	Aug. 4,	8·0	2·0	4	.	.	.	.	.	.	1	.	.	1	1	.
	„ 11,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	3	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 11th August, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	3	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 2 "	37,539	36			20	5	.	10	5	.	.	.	.	.	.	.	3	2	6	1	1	1	5
" 3 "	38,845	28			22	10	1	5	6	.	.	.	.	.	.	.	1	.	5	2	.	1	.
" 4 "	33,391	43			14	3	1	9	1	.	.	.	.	.	.	.	1	.	2	2	.	.	7
" 5 "	21,284	10			7	2	.	4	1	.	.	.	.	.	.	.	.	.	.	2	.	1	4
" 6 "	43,431	19			14	4	1	7	2	.	.	.	.	.	.	.	.	3	3	1	.	.	2
" 7 "	1,112	.			1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	4			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	8			7	2	.	5	.	.	.	.	.	.	.	.	.	1	4	.	.	.	3
" 10 "	12,256	21			12	4	3	4	1	.	.	.	.	.	.	.	1	.	2	1	.	.	4
" 11 "	19,881	18			11	3	.	5	3	.	.	.	.	.	.	.	1	.	3	.	.	.	2
" 12 "	23,282	24			11	2	2	6	1	.	.	.	.	.	.	.	1	1	2	2	1	1	2
" 13 "	6,804	7			4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 14 "	362	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	222			126	39	9	58	20	.	1	.	.	.	.	.	8	7	27	13	2	4	30
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	7	35·0	.	8	.	.	5	3	.	.	.	.	.	.	.	.	.	3	2	.	.	5
" 2 "	9,252	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 3 "	9,816	4	15·9	5·8	3	.	1	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.
" 4 "	10,356	3	10·1	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 5 "	8,137	5	6·4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 6 "	3,823	17	5·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	8	9·2	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Total,	75,345	44	12·5	0·7	18	1	3	9	5	.	.	.	.	.	.	.	.	1	4	5	.	.	8

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.
No. of week in Annual Series,	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered,	186	250	216	269	218	236	229	188	197	225	261	213	244	218	218	218	219	241	213	204	236	155	268	220	241	222
DEATHS registered.	226	181	207	195	157	169	176	179	149	124	127	171	188	158	141	134	123	141	130	136	126	108	136	133	155	126
Annual Death-rate per 1,000 of estimated Population,	32·8	26·3	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3
AGES, Under 1 year,	41	51	43	42	27	26	37	31	29	21	27	33	26	34	20	25	26	24	26	28	26	22	34	39	56	39
AGES, 1–5 years,	23	16	21	28	26	30	22	21	18	12	13	28	14	27	10	18	18	17	15	15	14	13	15	15	20	9
AGES, 5–60 years,	102	84	92	90	68	77	84	80	79	56	64	86	76	65	87	76	60	72	61	76	67	55	65	61	58	58
AGES, 60 years and upwards,	60	50	51	35	36	36	38	47	23	35	23	29	22	27	24	20	24	28	28	17	19	18	22	18	21	20
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	1	2	1	1	2	1	.	1	.	.	.	1	1	.	3	1	1	2	.	.	1	.	1	1
" Scarlet Fever,	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	4	3	4	3	2	4	4	1	1	1	4	8	3	6	1	1	.	1	1	2	1	2	3	.	.	.
" Diphtheria,	2	1	2	1	1	2	2	2	2	1	1	1	1	1	.	1	1	.	.	1	.	1	.	.	1	.
" Simple continued and Ill-defined Fever,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
" Enteric Fever,	1	2	5	3	4	5	6	1	5	5	8	8	5	12	5	11	10	11	6	2	6	7	1	6	5	8
" Diarrhœa, Dysentery,	3	3	.	1	1	3	3	1	1	2	3	4	1	2	1	3	1	1	4	4	2	1	8	11	19	7
" Phthisis,	27	19	26	28	26	30	39	25	13	14	23	31	31	23	34	22	18	32	20	32	20	20	20	22	30	27
" Diseases of Respiratory System,	73	67	57	75	35	49	43	46	38	26	24	33	31	32	31	29	28	24	18	17	24	10	22	14	13	13
Violent Deaths,	8	5	4	2	6	2	2	5	.	2	2	2	3	4	5	2	1	4	7	3	3	3	3	3	5	2

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th August, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	1	.	.	.	2
" " 1, West,	.	1	.	1	.	.	4	.	.	6	.	.	.	12
" " 2,	.	.	.	1	.	.	.	.	.	3	1	.	.	5
" " 3,	.	.	.	1	.	.	8	.	1	1	3	.	.	14
South City No. 1,	.	2	.	2	.	.	.	.	1	2	5	.	.	12
" " 2,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 3,	.	4	.	1	.	.	2	.	1	5	1	.	.	14
" " 4,	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Total,	.	7	.	7	1	.	14	.	4	19	10	.	.	62
Total for week ended Aug. 4, 1900,	.	6	.	13	.	.	3	.	3	15	13	.	.	53
Total for week ended July 28, 1900,	.	21	1	6	.	.	2	.	6	34	17	.	1	88
Total for week ended July 21, 1900,	.	5	1	18	1	.	2	.	2	25	18	.	5	77

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th August, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th August.			
	July 21.	July 28.	Aug. 4.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	13	7	3	4	3	.	4
Scarlet Fever,	61	53	49	8	7	.	50*
Typhus "	3	.	1	1	.	.	2
Diphtheria,	2	4	7	11	1	2	15
Enteric Fever,	42	50	46	11	3	.	54
Pneumonia,	24	22	12	4	1	.	15

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,589,129	Aug. 11,	2,332	1,804	20·5	.	25	6	25	44	7	399
EDINBURGH, .	302,262	„ 11,	155	99	17·0	.	2	1	.	2	.	7
GLASGOW, . .	743,969	„ 11,	474	254	17·8	1	8	2	.	19	4	39
CALCUTTA, .	466,460	June 9,	.	336	37·5	28	2	.	.	.	63‡	55*
BOMBAY, . .	821,764	July 24,	297	1,491	94·3	6	6	?	?	?	113§	480*
MADRAS, . .	452,518	„ 13,	430	307	35·2	.	.	?	?	?	86	62
PARIS, . . .	2,511,629	Aug. 4,	1,124	974	20·1	1	22	4	3†	3	26	224
BRUSSELS (with 8 Faubourgs).	570,844	„ 4,	294	181	16·5	.	1	.	.	1	1	54
AMSTERDAM, .	526,538	July 28,	293	146	14·4	.	3	1	1	2	2	.
ROTTERDAM, .	325,556	„ 28,	240	127	20·3	.	2	.	2	2	2	1
THE HAGUE, .	205,328	„ 28,	105	74	18·5	.	3	.	.	.	.	.
COPENHAGEN, .	354,000	„ 28,	219	94	13·9	.	.	.	.	.	.	7
CHRISTIANIA, .	226,423	Aug. 4,	154	44	10·1	.	2	.	.	1	.	7
ST. PETERSBURG,	1,132,677	„ 4,	441	629	28·9	6	9	6	26	3	16	183
BERLIN, . .	1,854,964	July 14,	950	584	16·4	.	17	10	8	14	1	79
HAMBURG, . .	691,349	Aug. 4,	.	252	19·0	.	1	1	1†	7	.	71
DRESDEN, . .	406,500	June 30,	241	129	16·5	.	3	2	.	.	1	10
BRESLAU, .	412,959	Aug. 4,	.	270	34·0	.	1	.	.	3	2	104
MUNICH, . .	463,000	June 30,	332	208	23·4	.	4	.	1	3	1	49
VIENNA (with suburbs).	1,656,662	July 28,	874	712	22·3	.	15	2	4	8	3	182
BUDA-PESTH, .	685,340	„ 21,	416	266	20·2	.	2	4	.	.	.	20
PRAGUE and Faubourgs.	391,693	„ 28,	216	157	20·8	.	.	.	.	1	2	7
ROME, . . .	518,333	„ 14,	190	171	17·2	.	.	.	3	.	3	47
TURIN (11 days),	344,203	May 31,	190	186	17·9	.	1	.	.	1	2	14
VENICE, . .	172,924	uly 14,	80	63	18·1	.	.	.	.	.	1	6
NEW YORK. .	3,654,594	„ 14,	1,664	1,579	22·5	4	18	9	33	6	10	336
PHILADELPHIA, .	1,266,832	„ 21,	590	564	23·2	.	6	3	11	1	5	98

* Including 33 deaths from cholera in Calcutta and 327 in Bombay. † Including deaths from croup.
‡ Exclusive of 64 deaths from bubonic fever. § Exclusive of 81 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 11th August, 1900:—

"For the third week in succession more than 2 inches of rain have been registered in Dublin—the total measurement for the 3 weeks amounting to no less than 7·077 inches on 15 days. The summer heats of July were replaced this week by temperatures which were much below the average, and the weather was generally unsettled and autumnal. On Sunday morning a new disturbance was central off the North of Ireland, while its secondaries covered the remainder of this country, extending as far south as Brittany. Heavy showers fell at intervals and thunder and lightning occurred in England. By Monday morning another and still deeper depression had reached Kerry, whence it travelled rapidly to Cardigan Bay and afterwards more slowly across England to the North Sea. It brought downpours of rain, low temperatures and squally winds from various quarters. In its wake a ridge of high pressure passed eastwards, with N. and N.W. winds and temporarily fine, though cool weather. At 8 a.m. of Thursday yet another depression was central over the Co. Cork. This system travelled quickly eastwards, reaching Holland on Friday morning. In connection with it rain and squalls were once more supreme. A ridge of high pressure followed, but early on Saturday appearances again looked unsettled in Ireland, although the day proved fine and warm. In Dublin the mean atmospheric pressure was 29·840 inches, the barometer falling to 29·088 inches at 2 p.m. of Monday (wind N.E.) but rising to 30·365 inches at 9 a.m. of Saturday (wind, calm). The corrected mean temperature was 56·3°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 55·7°. The screened thermometers rose to 66·7° on Saturday, having fallen to 49·9° on Tuesday. N.W. winds predominated. The rainfall was 2·096 inches on six days, ·937 inch being measured on Monday, ·513 inch on Thursday, and ·502 inch on Sunday. Bright sunshine was estimated at 24½ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·829 inches. The highest reading (30·351) was on Saturday at 9 a.m., wind W., and the lowest (29·324) on Monday at 9 a.m., wind E.

The mean temperature for the week was 55·5°, being 2·9° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Saturday, when the thermometer registered 65·8°, and was lowest on Thursday, the mercury having fallen to 46·9°. The mean of the Dry Bulb for the week was 55·1°, and of the Wet Bulb 52·9°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 24·9 hours. The rainfall measured 2·315 ins.

At Greenwich the mean temperature for the week was 56·5°, the maximum 72·1°, and the minimum 48·2°; at Glasgow the maximum was 66·8°, the minimum 43·9°, and the mean 55·4°, and at Edinburgh the maximum was 66·5°; the minimum 43·0°, and the mean 54·4°. The rainfall at Greenwich measured 0·74 in.; at Glasgow 2·14 in.; and at Edinburgh 2·33 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, August 5.	29·595	65·5	49·1	57·3	57·2	54·5	·84	·6	6·5	·775	S.W.	W.
Monday, „ 6,	29·357	54·8	48·8	51·8	51·7	51·0	·95	·6	0·0	1·010	E.	W.
Tuesday, „ 7,	29·642	62·8	50·0	56·4	54·8	52·2	·84	·5	2·4	·010	W.	N.W.
Wednesday, „ 8,	29·954	61·9	50·1	56·0	55·2	52·0	·78	·3	5·3	·045	N.W.	Calm.
Thursday, „ 9,	29·756	56·7	46·9	51·8	52·5	51·5	·94	·6	0·1	·450	S.E.	W.
Friday, „ 10,	30·178	65·5	52·1	58·8	55·8	53·6	·86	·4	6·4	·025	N.	Calm.
Saturday, „ 11,	30·319	65·8	47·5	56·7	58·7	55·3	·79	·6	4·2	—	W.	S.W.
Mean, . .	29·829	61·9	49·2	55·5	55·1	52·9	·86	·5	Total 24·9	Total 2·315	Prevailing wind W.	

Sunday—A cloudy day; heavy showers 10.30 to 4 p.m.; thunder 4 p.m.; night cloudy; heavy rain 5.30 to 9 a.m. *Monday*—A dull day; rain 9 a.m. to 5.30 p.m., 8.30 to 12.45, and 6 to 9 a.m.; night overcast. *Tuesday*—Dull a.m., cloudy p.m.; showery 9 to 11.30 a.m.; night cloudy. *Wednesday*—A cloudy day; lunar halo 11 p.m.; night cloudy p.m.; overcast a.m.; rain 2.15 to 9 a.m. *Thursday*—A dull day; rain 9 to 1.30 p.m.; night cloudy; showery 8.45 to 11 p.m. *Friday*—A cloudy day; rain 3.45 to 4.15; night cloudy. *Saturday*—A fine but cloudy day; lunar corona p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 174. 6. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 18TH AUGUST, 1900. [No. 33.

General Register Office, Charlemont House,
Dublin, 20th August, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks.
	July 28.	Aug. 4.	Aug. 11.	Aug. 18.			July 28.	Aug. 4.	Aug. 11.	Aug. 18.	
23 Town Dists.	18·2	20·3	18·9	20·2	19·4	Limerick, . .	14·0	11·2	12·6	7·0	11·2
Armagh, . .	7·1	14·3	0·0	28·5	12·5	Lisburn, . .	34·1	25·7	21·3	29·8	27·7
Ballymena, .	11·3	11·3	22·5	16·9	15·5	Londonderry, .	15·7	12·6	20·4	28·3	19·3
Belfast, . .	19·3	22·5	18·3	21·6	20·4	Lurgan, . .	18·2	18·2	4·6	27·4	17·1
Carrickfergus, .	0·0	17·5	11·7	5·8	8·3	Newry, . .	12·1	12·1	8·1	20·1	13·1
Clonmel, . .	19·5	24·3	4·9	19·5	17·1	Newtownards, .	5·7	5·7	34·0	17·0	15·6
Cork, . . .	19·4	18·0	12·5	13·1	15·8	Portadown, .	18·6	18·6	12·4	18·6	17·1
Drogheda, . .	19·0	22·8	30·4	11·4	20·9	Queenstown, .	11·5	0·0	28·7	11·5	12·9
Dublin, Reg. Area,	18·3	23·3	23·0	21·2	21·4	Sligo, . . .	20·3	15·2	20·3	10·2	16·5
Dundalk, . .	12·6	8·4	50·3	8·4	19·9	Tralee, . .	11·2	28·0	5·6	16·8	15·4
Galway, . .	34·0	11·3	7·6	11·3	16·1	Waterford, .	15·9	8·0	11·9	31·8	16·9
Kilkenny, . .	23·6	9·4	14·2	14·2	15·4	Wexford, . .	9·0	27·1	4·5	36·1	19·2

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 3·4 per 1,000, the rates varying from 0·0 in thirteen of the districts to 8·5 in Lisburn; the 7 deaths from all causes in that district comprising 2 from enteric fever. Among the 149 deaths from all causes registered in Belfast are 3 from whooping-cough, 2 from diphtheria, 8 from enteric fever, and 16 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 256—125 boys and 131 girls; and the deaths to 147—65 males and 82 females.

DEATHS.

The deaths, which are 10 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 21·9 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 21·2 per 1,000. During the thirty-three weeks ending with Saturday last the death-rate averaged 30·5, and was 2·6 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 32 deaths from zymotic diseases registered during the week, being 7 over the number for the preceding week, and one over the average for the corresponding week of the last 10 years; they comprise one from typhus fever, one from whooping-cough, one from ill-defined fever, one from typhoid fever, one from simple cholera, 24 from diarrhœa, 2 from cerebro-spinal meningitis, &c. Twenty-two of the 24 deaths from diarrhœa were of children under 5 years of age, of whom 17 were infants under one year old.

Tuberculosis caused 31 deaths—comprising 20 from phthisis, 3 from tabes mesenterica, 3 from tubercular meningitis, and 5 from scrofula.

Diseases of the respiratory system caused 13 deaths, being 2 under the number recorded during the preceding week, and also 2 under the average for the corresponding week of the last 10 years. They consist of 9 from bronchitis, 3 from pneumonia, and one from pleurisy.

The deaths of 7 children under 5 years of age (including 6 infants under one year old) were ascribed to convulsions.

Three deaths were caused by apoplexy, 2 by epilepsy, 8 by other diseases of the brain and nervous system (exclusive of convulsions), 12 by diseases of the circulatory system and 6 by cancer.

Four accidental deaths were registered.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under one year of age, and the deaths of 3 persons aged 60 years and upwards.

Fifty-one of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 11 were under one month old) and 30 were aged 60 years and upwards, including 12 persons aged 70 and upwards, of whom 4 were octogenarians.

Forty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 21·2 per 1,000; the rate in the city was 24·5 (25·0 on the North side, and 24·0 on the South), and in the Suburbs 13·5.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 4·2 per 1,000 inhabitants, the rate for the city being 5·3 (5·8 in the North City Districts, and 4·9 in the South), and for the Suburbs 1·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 25·0 per 1,000. Among them are 4 from zymotic diseases, viz.:—one from enteric fever, 2 from diarrhœa, and one from cerebro-spinal meningitis. The 9 deaths from other causes include 2 from phthisis and 2 from diseases of the brain and nervous system.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 21·0 per 1,000. They include 5 from diarrhœa, but no deaths from any other zymotic disease were recorded.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 25·3 per 1,000. One death from whooping-cough and one from diarrhœa constitute the mortality from zymotic disease. Three deaths were caused by phthisis, 2 by diseases of the brain and nervous system, and 2 by diseases of the circulatory system.

No. 3 North City District (Blackhall-place).—The deaths (15) represent an annual rate of 30·0 per 1,000. They comprise 4 from zymotic diseases, including 3 from diarrhœa. Four deaths were caused by phthisis and 3 by diseases of the circulatory system.

* See Table VI.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 28·3 per 1,000. Five were from zymotic diseases, viz. :—one from typhus fever and 4 from diarrhœa. Three deaths were caused by diseases of the respiratory system, and 3 by diseases of the brain and nervous system.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·7 per 1,000. The only death from any zymotic disease recorded was one from diarrhœa. Diseases of the brain and nervous system caused 3 deaths.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 23·1 per 1,000. They include 2 from zymotic diseases, viz. :—one from diarrhœa and one from cerebro-spinal meningitis. Bronchitis caused 4 deaths, and diseases of the brain and nervous system 4.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·3 per 1,000. Five were caused by diarrhœa, but no deaths from any other zymotic disease were recorded. Diseases of the respiratory system caused 2 deaths and scrofula 2.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 9·7; Finglas and Glasnevin, part of, 24·6; Palmerston, part of, and Crumlin, part of, 21·5; Rathmines, 11·3; Donnybrook, 14·8; Blackrock, 24·8; and Kingstown, 6·0. The deaths from zymotic diseases tabulated for these districts consist of one from infantile cholera for Rathmines, one from diarrhœa for Donnybrook, one from diarrhœa for Blackrock, and one from ill-defined fever for Kingstown. Two of the 3 deaths tabulated for Palmerston, part of, were from diseases of the circulatory system; and the 7 deaths for Donnybrook comprise 2 from diseases of the brain and nervous system.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	28th July,	88 cases.
" "	4th August,	53 cases.
" "	11th August,	62 cases.
" "	18th August,	47 cases.

Of the 47 cases notified, 6 were erysipelas, 22 enteric fever, one scarlatina, 5 measles, meningitis† one, 7 diphtheria, 4 continued fever, and one typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th August, 1900.

From this it appears that :—

Five cases of scarlatina were admitted to hospital, 7 were discharged, and 48* remained under treatment at the close of the week.

Twelve cases of enteric fever were admitted to hospital, 8 were discharged, and 58 remained under treatment at the close of the week.

One case of diphtheria and 2 of measles were admitted to hospital; 16 cases of the former disease and 5 of the latter remained under treatment on Saturday last.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 19·4) was equal to an average annual death-rate of 19·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·9 per 1,000, the rate for Glasgow being 19·1, and for Edinburgh 14·3.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 18th August, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature and Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 18th August, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 23 Town Districts	1,062,188	12·2	30·2	20·2	3·4	616	411	104	68	.	.	.	1	4	2	2	12	48	61	37	9	22	94
Dublin Registration Area: Total,‡	349,594	14·2	38·2	21·2	4·2	256	142	37	30	.	.	.	1	1	.	1	1	24	19	12	4	6	48
Registrars' Districts. City	245,001	65·6	43·6	24·5	5·3	205	115	33	21	.	.	.	1	1	.	.	1	22	14	11	3	5	37
Clontarf &c. No. 1,	4,188	1·5	25·2	12·6	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	48·6	9·7	.	10	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Finglas & Glasnevin, pt. of (a),	4,240	0·8	24·6	24·6	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Palmerston, part of and Crumlin part of (b),	7,273	8·0	21·5	21·5	.	3	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Rathmines,‖	27,796	16·2	24·4	11·3	.	13	6	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Donnybrook,	24,629	12·4	16·9	14·8	2·1	8	7	.	4	.	.	.	.	.	.	.	.	1	1	.	1	1	.
Blackrock,‖	8,401	7·8	18·6	24·8	6·2	3	4	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
Kingstown, 1 & 2,‖	17,886	11·9	30·0	6·0	3·0	10	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Urban Districts: Belfast,	359,000	21·8	24·8	21·6	4·2	171	149	52	15	.	.	.	.	3	2	.	8	16	16	12	3	10	28
Cork,	75,345	33·3	28·4	18·1	.	41	19	1	4	.	.	.	.	.	.	.	.	.	2	4	.	.	8
Limerick,	37,155	17·9	28·9	7·0	1·4	17	5	1	1	.	.	.	.	.	.	.	.	1	1	2	.	2	2
Londonderry,	33,200	15·8	33·0	28·3	4·7	21	18	2	4	.	.	.	.	.	.	.	.	3	5	2	.	.	2
Waterford,	26,208	18·3	28·9	31·8	4·0	12	16	2	2	.	.	.	.	.	.	.	.	2	6	.	.	.	4
Galway,	13,800	2·6	22·7	11·3	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Drogheda	13,708	8·7	34·2	11·4	.	9	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Newry,	12,961	18·5	20·1	20·1	4·0	5	5	.	1	.	.	.	.	.	.	1	.	.	1	.	.	1	.
Dundalk,	12,449	9·0	25·1	8·4	4·2	6	2	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Lisburn,	12,250	10·8	17·0	29·8	8·5	4	7	1	.	.	.	.	.	.	.	.	2	.	3	.	.	.	1
Wexford,	11,545	24·0	45·2	36·1	.	10	8	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Lurgan,	11,429	13·4	68·9	27·4	.	14	6	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Kilkenny,	11,048	12·0	.	14·2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Clonmel,	10,708	8·2	4·9	19·5	.	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Sligo,	10,274	3·4	10·2	10·2	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,318	15·9	16·8	16·8	.	3	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Ballymena,	9,252	9·8	39·5	16·9	.	7	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Newtownards,	9,197	19·0	22·7	17·0	.	4	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Queenstown,	9,082	17·0	34·4	11·5	5·7	6	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Carrickfergus	8,928	0·5	28·4	5·8	5·8	4	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Portadown	8,430	11·0	74·2	18·6	.	12	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh,	7,187	21·4	35·6	28·5	.	5	4	.	1	.	.	.	.	.	.	.	.	.	.	.	2	2	.

Towns and Districts.	Meteorology.† Week ending 18th Aug., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th Aug., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th Aug., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area: Total,‡	$75·8	46·1	60·2	0·02	$65·8	46·9	55·5	2·82	$71·4	46·5	58·7	2·66
City	75·0	52·8	62·5	0·03	66·7	49·9	56·3	2·10	72·9	48·1	60·4	2·63
Clontarf &c. No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	76·9	48·0	61·0	0·03	67·3	46·4	55·9	1·99	74·1	47·0	59·4	2·78
Palmerston, part of and Crumlin part of (b),	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	73	52	61·9	.	67	51	56·7	2·10	71	51	60·2	2·34
Urban Districts: Belfast,	76·6	47·1	60·2	0·04	64·1	47·1	55·2	1·72	69·1	49·1	58·2	2·26
Cork,	70	50	60·0	0·35	66	50	57·8	1·56	70	51	60·3	0·83
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	85·5	47·0	64·0	0·00	67·0	48·0	56·1	0·68	67·0	49·0	63·8	1·08
Waterford,	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	83	47	63	.	69	50	59	2·65	71	48	59	1·50
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	79·3	45·7	61·5	0·08	67·2	45·5	55·4	1·55	69·0	47·2	58·3	1·84
Dundalk,	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	79·3	45·7	61·5	0·08	67·2	45·5	55·4	1·55	69·0	47·2	58·3	1·84
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	79·3	45·7	61·5	0·08	67·2	45·5	55·4	1·55	69·0	47·2	58·3	1·84
Kilkenny,	78	47	61·3	0·00	67	43	56	1·99	70·0	49·0	58·4	1·16
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	80·3	37·6	60·0	0·06	65·3	42·7	54·8	1·73	66·3	49·0	57·4	1·38
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	72	49	59·7	0·01	62	48	54·1	1·88	66	48	57·5	1·95
Queenstown,	70	50	60·0	0·35	66	50	57·8	1·56	70	51	60·3	0·83
Carrickfergus	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	79·3	45·7	61·5	0·08	67·2	45·5	55·4	1·55	69·0	47·2	58·3	1·84
Armagh,	79·3	45·7	61·5	0·08	67·2	45·5	55·4	1·55	69·0	47·2	58·3	1·84

(*a* That portion of the District situated in Glasnevin District Electoral Division. (*b*) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 5 deaths of persons admitted to hospital from localities outside the district.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 18th August, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping Cough,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	2	5	1	3	4	1	1	5	.	.	.	.	.	1	1	.	24	.
Other Zymotic Diseases	1	.	.	1	.	.	1	.	.	.	.	.	1	.	.	.	4	.
Total,	4	5	2	4	5	1	2	5	.	.	.	.	1	1	1	1	32	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	2	1	3	4	1	1	1	1	.	.	1	1	1	1	1	.	19	1
Other Constitutional Diseases,	1	1	2	2	1	1	2	3	1	.	.	.	1	1	.	1	17	.
Total,	3	2	5	6	2	2	3	4	1	.	1	1	2	2	1	1	36	1
V. DEVELOPMENTAL DISEASES,	.	2	.	1	1	.	2	1	.	.	.	.	2	1	.	.	10	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	2	.	2	1	3	3	4	1	.	.	.	.	1	2	1	.	20	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	1	1	2	3	1	.	1	.	.	.	.	2	.	.	.	.	11	1
Respiratory System,	1	1	.	.	3	.	4	2	.	1	.	.	.	.	.	.	12	1
Digestive System,	1	.	1	.	1	.	1	.	.	.	1	.	.	.	1	.	6	1
Lymphatic System, &c.,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Urinary System,	1	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	3	6	4	9	3	10	4	.	2	1	2	1	2	2	.	55	3
VII. VIOLENT DEATHS,	.	.	1	.	.	.	1	1	.	.	.	.	.	1	.	.	4	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	2	.	.	1	1	.	1	.	.	.	.	.	.	.	.	5	.
Deaths from all Causes,	13	14	14	15	18	7	18	16	1	2	2	3	6	7	4	2	142	5
Annual Rate of Mortality in every 1,000 of the population.	25·0	21·0	25·8	30·0	28·3	19·7	23·1	23·3	12·6	9·7	24·6	21·5	11·3	14·8	24·8	6·0		
	25·0				24·0				18·5									
	24·5																21·2	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	1	4	2	2	.	5	3	.	1	.	1	.	.	1	1	24	5
Workhouse Hospitals,	3	1	1	4	4	2	1	1	.	.	1	1	.	.	.	.	19	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Bercsford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary.—Office; Dispensary, Blackball-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office. 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 33rd Week of the 10 years 1890–99.	In the week ending Saturday, 18th August, 1900.								
												Deaths of persons of the Ages of								
	Aug. 16, 1890	Aug. 22, 1891	Aug. 20, 1892	Aug. 19, 1893	Aug. 18, 1894	Aug. 17, 1895	Aug. 15, 1896	Aug. 21, 1897	Aug. 20, 1898	Aug. 19, 1899		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	55·9	56·8	57·2	56·6	56·5	59·3	58·6	58·8	59·5	61·0	59·0	60·2								
ALL CAUSES,	186	141	181	179	132	161	145	168	146	234	156·8	147	11	26	14	15	17	34	26	4
I. FEBRILE OR ZYMOTIC DISEASES,	15	14	22	38	17	25	32	48	38	75	31·4	32	8	14	7	3	3	1	1	.
II. PARASITIC DISEASES,	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	.	2	1	.	3	2	1	.	1·0	1	.	.	.	.	.	1	.	.
IV. CONSTITUTIONAL "	44	49	37	44	42	45	38	41	41	50	42·6	37	.	4	3	7	8	11	4	.
V. DEVELOPMENTAL "	7	15	11	10	7	10	9	7	3	9	8·8	10	3	.	.	.	.	.	5	2
VI. LOCAL "	58	55	47	68	58	70	57	59	57	86	61·5	58	3	6	3	3	6	20	15	2
VII. VIOLENT DEATHS,	2	2	6	7	2	1	4	4	4	5	3·7	4	.	.	.	2	.	1	1	.
VIII. ILL-DEFINED CAUSES,	9	4	8	10	5	10	7	7	7	9	7·6	5	2	2	1	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	2	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	3	2	1	.	.	1	1	10	1·9	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	1	1	.	1	2	4	3	1	.	1·3	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	1	.	.	1	.	.	.	·2	1	.	.	.	.	1	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	1	2	2	1	.	4	1·0	.	.	.	.	.	.	.	.	.
Whooping Cough,	3	1	1	7	2	1	1	2	1	7	2·6	1	.	.	1	.	.	.	.	.
Diphtheria,	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	.	1	.	.
Enteric Fever,	2	.	2	9	1	1	3	2	3	1	2·4	1	.	.	.	1	.	.	.	.
Cholera and Chol. Diarr.,	.	.	1	.	.	1	5	1	1	6	1·5	1	.	.	.	1	.	.	.	.
Diarrhœa, Dysentery,	8	9	12	12	6	16	16	31	22	43	17·5	24	8	14	5	.	1	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	2	.	2	.	.	.	.	4	.	·8	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	.	.	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
Other Zymotic Diseases,	.	1	1	3	2	1	.	2	.	.	1·0	2	.	.	1	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	2	1	.	3	2	1	.	1·0	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	.	.	.	.	1	.	2	.	·3	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Gout,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Cancer,	7	4	9	3	3	9	6	1	5	8	5·5	6	.	.	.	.	.	2	4	.
Tabes Mesenterica,	5	7	5	4	2	2	5	9	5	9	5·3	3	.	2	1	.	.	.	.	.
Tubercular Meningitis,	5	3	4	2	6	5	5	1	5	2	3·8	3	.	1	2	.	.	.	.	.
Phthisis,	22	32	18	26	26	23	18	26	18	26	23·0	20	.	.	.	6	6	8	.	.
Scrofula, Tuberculosis,	4	2	1	6	3	6	3	2	6	4	3·6	5	.	1	.	1	2	1	.	.
Other Constitutional Diseases,	1	.	.	3	1	.	1	2	.	.	·3	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	1	5	.	2	.	2	3	2	.	.	1·5	2	2	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	2	.	.	1	1	.	.	.	.	·4	1	1	.	.	.	.	.	.	.
Old Age,	6	8	11	8	6	7	6	5	3	9	6·9	7	.	.	.	.	.	.	5	2

each Disease registered in the THIRTY-THIRD WEEK ending Saturday, 18th August, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 33rd Week of the 10 years 1890-99.	In the Week ending Saturday, 18th August, 1900. Deaths of Persons of the Ages of							
	Aug. 16, 1890	Aug. 22, 1891	Aug. 20, 1892	Aug. 19, 1893	Aug. 18, 1894	Aug. 17, 1895	Aug. 15, 1896	Aug. 21, 1897	Aug. 20, 1898	Aug. 19, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	55·9°	56·3°	57·2°	66·6°	56·5°	59·3°	58·6°	58·8°	59·5°	61·0°	59·0°	Mean Temp. 60·2°	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases.																				
Apoplexy,	3	1	1	3	2	2	2	2	1	5	2·2	3	.	.	.	.	.	.	3	.
Epilepsy,	.	.	.	.	.	1	2	.	2	1	·6	2	.	.	.	.	.	1	1	.
Convulsions,	17	11	10	9	9	9	10	10	8	7	10·0	7	3	3	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	2	1	2	5	5	4	4	6	8	4	4·1	8	.	1	1	1	2	1	1	1
Diseases of Organs of Special Sense,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	7	18	10	10	11	13	13	10	11	13	11·6	12	.	.	.	1	2	5	4	.
Croup,	.	2	.	1	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Bronchitis,	7	6	3	13	7	5	6	11	12	15	8·5	9	.	.	.	.	.	2	6	1
Pneumonia	8	2	2	5	4	6	5	3	3	12	5·0	3	.	.	.	1	.	2	.	.
Pleurisy,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System,	1	2	3	.	1	1	1	1	.	2	1·2	.	.	.	.	.	.	.	.	.
Teething,	.	1	2	2	2	.	1	2	.	5	1·5	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Enteritis,	.	1	.	2	.	2	.	2	3	4	1·4	2	.	2	.	.	.	.	.	.
Peritonitis	1	.	2	1	3	.	1	.	.	2	1·0	1	.	.	.	.	1	.	.	.
Disease of Liver,	1	5	2	3	5	7	6	1	1	3	3·4	2	.	.	.	.	.	2	.	.
Other Diseases of Digestive System,	7	2	3	5	3	13	2	6	3	3	4·7	1	.	.	.	.	.	1	.	.
Diseases of Lymphatics, &c.,	.	1	.	1	.	.	.	.	1	.	·3	2	.	.	.	.	1	1	.	.
Diseases of Urinary System,	3	1	6	5	3	4	2	3	2	6	3·5	4	.	.	.	.	.	4	.	.
Diseases of Generative System,	.	1	.	1	1	.	1	1	.	2	·7	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	1	.	1	.	1	2	1	·6	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	1	1	1	.	1	.	.	1	·5	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	1	1	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	1	.	.	.	.	1	.	2		2	.	.	.	2	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	.	1	.	1	1	.	.	.	.	3·2	.	.	.	.	.	.	.	.	.
By Drowning,		1	2	2	.	.	2	1	1	.		1	.	.	.	.	.	.	1	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		1	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		.	2	2	1	.	1	.	1	2		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	3	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	4	8	10	5	10	7	7	7	9	7·6	5	2	2	1	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																									
	Feb 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
Births registered,	257	179	215	217	226	234	128	184	225	202	246	222	198	214	199	222	194	198	228	181	208	186	187	245	149	256
Average Births in corresponding week of previous 10 years,	208	225	195	192	195	217	199	194	192	213	214	212	192	201	209	199	208	202	219	193	188	185	185	195	200	196
Deaths registered,	342	230	247	209	236	244	194	230	204	178	204	179	168	176	157	161	167	122	144	124	127	165	129	159	161	147
Annual Death-rate per 1,000,	51·0	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9
Average Deaths in corresponding week of previous 10 years,	212	214	218	218	218	219	204	184	185	184	178	170	174	167	162	156	164	150	156	149	148	154	162	159	160	157
Ages, Under 5 years,	74	55	66	56	69	55	50	59	66	51	54	52	47	48	43	54	37	29	33	38	32	47	35	40	57	51
5—20 „	20	22	15	12	17	12	14	26	13	15	17	19	20	26	15	14	27	16	13	10	8	13	7	13	9	15
20—40 „	47	33	42	39	34	45	24	29	30	33	47	27	28	30	22	31	35	19	32	25	35	26	18	25	31	17
40—60 „	80	51	60	44	51	54	42	53	32	48	42	36	31	35	40	38	31	29	33	23	24	44	33	39	34	34
60—80 „	104	59	56	42	52	69	53	47	45	27	35	36	36	35	31	19	30	23	27	26	23	30	30	35	26	26
80 years and upwards,	17	10	8	16	13	19	11	16	18	4	9	9	6	7	6	5	7	6	6	2	5	5	6	7	4	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	5	1	2	4	.	.	3	2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Scarlet Fever,	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ Whooping-cough,	.	.	.	1	.	.	3	1	2	2	4	1	1	3	.	5	.	1	2	3	4	5	.	3	1	1
„ Diphtheria,	.	1	2	.	1	1	.	2	2	.	.	.	1	.	.	2	2	1	.	.	.	2	1	.	3	.
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1
„ Enteric Fever,	1	4	2	.	.	1	3	2	3	5	6	1	2	2	1	2	2	2	.	2	2	2	.	2	.	1
„ Diarrhœa, Dysentery,	4	5	3	4	4	.	.	1	3	3	1	3	2	.	1	2	1	.	1	2	1	4	4	9	19	24
„ Phthisis,	40	30	37	29	29	30	27	28	27	32	29	32	30	32	13	28	28	22	21	26	31	28	19	24	24	20
„ Heart Diseases,	33	24	18	17	20	28	16	17	11	11	17	14	17	11	14	10	11	9	9	10	9	19	17	23	12	12
„ Diseases of Respiratory System,	94	55	78	39	72	56	46	53	47	40	29	34	25	30	23	23	34	27	29	15	20	23	23	14	15	13
Violent Deaths,	4	2	2	4	9	6	2	2	3	4	6	4	5	1	6	4	1	1	5	6	6	5	4	4	5	4
Mean Temperature of the Air (Phœnix Park),	41·4	40·2	38·3	41·1	36·4	37·8	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2
Average Mean Temperature in corresponding week of previous 10 years,	40·4	40·4	40·1	43·4	42·9	43·	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0
Rainfall in inches,	·520	1·025	·000	·115	·305	·075	·535	·785	·170	·190	·350	·585	·005	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·315	·015
Mean Humidity of the Air, complete Saturation 1·0,	·83	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·78	·80	·88	·82	·80	·83	·84	·81	·76	·82	·83	·81	·86	·85

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th August, 1900; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 18th August, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	21·9	147	51	15	17	34	26	4	.	.	.	1	1	.	1	1	24	28	20	7	13	4	75
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	10·0	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
II.	MIDDLE CLASS,	81,469	16·6	26	9	1	3	7	5	1	.	.	.	.	.	.	.	.	5	5	.	1	.	.	20
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	19·9	38	10	3	5	11	7	2	.	.	.	.	.	.	1	.	3	4	7	2	3	1	21
IV.	GENERAL SERVICE CLASS,	147,978	27·2	61	31	8	5	12	5	.	.	.	.	.	1	.	.	1	15	17	8	4	6	3	23
V.	INMATES OF WORKHOUSES,	5,191	..	19	1	3	3	4	8	.	.	.	.	1	.	.	.	.	.	1	5	.	4	.	9
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,357	28·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,733	18·1	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	3·0	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	6. Clerks and Commercial Assistants,	25,001	20·8	10	5	1	1	2	1	.	.	.	.	.	.	.	.	.	2	2	.	1	.	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	21·2	10	2	.	1	3	3	1	.	.	.	.	.	.	.	.	2	2	.	.	.	.	8
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	35·0	5	1	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	9. Building and Furnishing Trades,	26,294	27·7	14	6	.	1	2	3	2	.	.	.	.	.	.	1	.	1	2	.	2	1	1	8
	10. Clothing Trades,	23,927	13·0	6	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4
	11. Food Supply Trades,	7,949	26·2	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	17·4	9	2	.	1	5	1	.	.	.	.	.	.	.	.	.	1	1	4	.	1	.	3
	13. Petty Shopkeepers,	6,889	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	26·5	7	5	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	4
	15. Domestic Servants,	89,967	3·9	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	28·9	6	1	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	17. Hawkers, Porters, Labourers, &c.,	88,472	28·0	45	24	7	4	7	3	.	.	.	.	.	1	.	.	1	13	15	6	4	2	3	15
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	19	1	3	3	4	8	.	.	.	.	1	.	.	.	.	.	1	5	.	4	.	9

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	June 30,	19·2	.	10	.	.	.	.	.	.	.	.	.	1	4	.
		July 7,	7·7	.	4	.	.	.	.	.	.	.	.	.	2	.	.
		„ 14,	7·7	1·9	4	.	.	.	.	.	.	.	1	.	1	1	.
		„ 21,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	.	2	2
		„ 28,	17·3	1·9	9	.	.	.	.	.	.	.	.	1	1	3	.
		Aug. 4,	17·3	3·8	9	.	.	.	.	.	.	.	.	2	1	1	.
		„ 11,	23·0	1·9	12	.	.	.	.	.	1	.	.	.	1	2	.
		„ 18,	26·0	5·8	13	.	.	.	.	.	.	.	1	2	2	1	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	June 30,	18·5	.	9	.	.	.	.	.	.	.	.	.	.	1	.
		July 7,	23·9	3·0	16	.	.	.	.	2	.	.	.	.	2	1	.
		„ 14,	26·9	1·5	18	.	.	.	.	.	.	.	.	1	6	1	.
		„ 21,	22·5	3·0	15	.	.	.	.	.	.	.	1	1	3	1	.
		„ 28,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	3	3	.
		Aug. 4,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	2	1	2
		„ 11,	35·9	9·0	24	.	.	.	.	.	.	.	.	6	4	1	.
		„ 18,	21·0	7·5	14	.	.	.	.	.	.	.	.	5	1	1	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,671.	June 30,	19·9	.	11	.	.	.	.	.	.	.	.	.	1	2	1
		July 7,	16·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
		„ 14,	19·9	1·8	11	.	.	.	.	.	.	1	.	.	2	2	.
		„ 21,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	4	3	1
		„ 28,	21·7	.	12	.	.	.	.	.	.	.	.	.	3	.	1
		Aug. 4,	25·3	3·6	14	.	.	.	.	.	.	.	1	1	.	2	1
		„ 11,	27·1	.	15	.	.	.	.	.	.	.	.	.	3	3	.
		„ 18,	25·3	3·6	14	.	.	.	.	1	.	.	.	1	3	.	1
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	June 30,	10·0	.	5	.	.	.	.	.	.	.	.	.	1	.	.
		July 7,	12·0	.	6	.	.	.	.	.	.	.	.	.	3	.	1
		„ 14,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	2	1
		„ 21,	32·0	.	16	.	.	.	.	.	.	.	.	.	3	2	.
		„ 28,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
		Aug. 4,	20·0	.	10	.	.	.	.	.	.	.	.	.	4	.	1
		„ 11,	18·0	2·0	9	.	.	.	.	.	.	.	.	1	1	.	.
		„ 18,	30·0	6·0	15	.	.	.	.	.	.	.	.	3	4	.	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 38,194.	June 30,	28·3	1·6	18	.	.	.	.	.	.	.	.	1	3	6	1
		July 7,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	5	3	1
		„ 14,	40·8	1·6	26	.	.	.	.	1	.	.	.	.	4	6	2
		„ 21,	53·0	4·7	21	.	.	.	.	1	.	.	.	2	5	3	.
		„ 28,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	4	3	1
		Aug. 4,	28·3	1·6	18	.	.	.	.	.	.	.	.	1	4	3	.
		„ 11,	29·8	3·1	19	.	.	.	.	.	1	.	.	1	4	1	1
		„ 18,	28·3	7·9	18	.	.	.	1	.	.	.	.	4	1	3	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	June 30,	28·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		July 7,	28·1	2·8	10	.	.	.	.	.	.	.	1	.	3	3	.
		„ 14,	14·1	.	5	.	.	.	.	.	.	.	.	.	3	1	.
		„ 21,	36·5	.	13	.	.	.	.	.	.	.	.	.	4	.	.
		„ 28,	28·1	2·8	10	.	.	.	.	.	.	.	.	1	1	1	1
		Aug. 4,	33·7	2·8	12	.	.	.	.	.	.	.	.	1	2	.	.
		„ 11,	25·3	5·6	9	.	.	.	.	1	1	.	.	.	.	1	.
		„ 18,	19·7	2·8	7	.	.	.	.	.	.	.	.	1	1	.	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	June 30,	27·0	2·9	21	.	.	.	.	2	.	.	.	.	3	6	.
		July 7,	28·3	1·8	22	.	.	.	.	1	.	.	.	.	4	1	1
		„ 14,	16·7	.	13	.	.	.	.	.	.	.	.	.	4	2	.
		„ 21,	20·6	1·8	16	.	.	1	.	.	.	.	.	.	1	4	.
		„ 28,	19·3	.	15	.	.	.	.	.	.	.	.	.	4	4	.
		Aug. 4,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	2	.
		„ 11,	21·9	6·4	17	.	.	.	.	.	.	.	.	5	2	2	.
		„ 18,	23·1	1·3	18	.	.	.	.	.	.	.	.	1	1	4	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798.	June 30,	11·7	.	8	.	.	.	.	.	.	.	.	.	1	.	.
		July 7,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	1	1
		„ 14,	13·1	.	9	.	.	.	.	.	.	.	.	.	4	2	.
		„ 21,	14·6	.	10	.	.	.	.	.	.	.	.	.	2	3	.
		„ 28,	16·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
		Aug. 4,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	2	.
		„ 11,	23·3	.	16	.	.	.	.	.	.	.	.	.	2	4	3
		„ 18,	23·3	7·3	16	.	.	.	.	.	.	.	.	5	1	2	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	June 30,	15·0	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	July 7,	11·3	.	6	.	.	.	.	.	.	.	.	.	1	1	1
	„ 14,	9·4	.	5	.	.	.	.	.	.	.	.	.	2	.	1
	„ 21,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 28,	16·9	1·9	9	.	.	.	.	.	1	.	.	.	.	2	.
	Aug. 4,	28·1	3·8	15	.	.	.	.	.	.	.	1	1	2	1	.
	„ 11,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	1
	„ 18,	11·3	.	6	.	.	.	.	.	.	.	.	.	1	.	.
Donnybrook. Pop. (in 1891) 24,629.	June 30,	16·9	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	July 7,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	3	.
	„ 14,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	.
	„ 21,	10·6	4·2	5	.	.	.	.	1	1	.	.	.	.	1	.
	„ 28,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	Aug. 4,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 11,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	3	.	.
	„ 18,	14·8	2·1	7	.	.	.	.	.	.	.	.	1	1	.	1
Kingstown. Pop (in 1891) 17,686.	June 30,	24·0	.	8	.	.	.	.	.	.	.	.	.	.	.	1
	July 7,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
	„ 14,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	1	1	1
	„ 21,	33·0	3·0	11	.	.	.	.	1	.	.	.	.	4	.	.
	„ 28,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 4,	15·0	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.
	„ 11,	12·0	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 18,	6·0	3·0	2	.	.	.	.	.	.	1	.	.	.	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	June 30,	19·8	1·6	136	.	2	.	.	2	1	.	2	4	32	17	3
	July 7,	18·3	1·3	126	.	.	.	.	1	.	.	6	2	30	24	3
	„ 14,	15·7	1·6	108	.	.	.	.	2	1	.	7	1	20	10	3
	„ 21,	19·8	1·9	136	.	1	.	.	3	.	.	1	8	20	22	3
	„ 28,	19·3	2·6	133	.	.	.	.	.	.	1	6	11	22	14	3
	Aug. 4,	22·5	3·8	155	.	1	.	.	.	1	.	5	19	30	13	5
	„ 11,	18·3	2·3	126	.	1	.	.	.	.	.	8	7	27	13	2
	„ 18,	21·6	4·2	149	.	.	.	.	3	2	.	3	16	16	12	3
Cork. Pop. (in 1891) 75,345.	June 30,	21·5	0·7	31	.	.	.	.	.	.	.	.	1	6	2	.
	July 7,	18·7	2·1	27	.	.	.	2	.	.	.	.	1	10	3	.
	„ 14,	17·3	.	25	.	.	.	.	.	.	.	.	.	1	3	1
	„ 21,	19·4	0·7	28	.	.	.	.	.	.	.	.	1	7	5	.
	„ 28,	19·4	0·7	28	.	.	1	.	.	.	.	.	.	4	4	.
	Aug. 4,	18·0	0·7	26	.	.	.	.	.	.	.	.	1	5	5	1
	„ 11,	12·5	0·7	18	.	.	.	.	.	.	.	.	1	4	5	.
	„ 18,	13·1	.	19	.	.	.	.	.	.	.	.	.	2	4	.
Limerick. Pop. (in 1891) 37,155.	June 30,	30·9	.	22	.	.	.	.	.	.	.	.	.	4	4	.
	July 7,	26·7	.	13	.	.	.	.	.	.	.	.	.	1	4	.
	„ 14,	19·6	.	14	.	.	.	.	.	.	.	.	.	3	3	.
	„ 21,	9·8	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 28,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 4,	11·2	1·4	8	.	.	.	.	.	.	.	.	1	2	2	.
	„ 11,	12·6	.	9	.	.	.	.	.	.	.	.	.	5	2	.
	„ 18,	7·0	1·4	.	.	.	.	.	.	.	.	.	1	1	2	.
Londonderry Pop (in 1891) 75,200.	June 30,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	1	.
	July 7,	29·8	1·6	19	.	1	.	.	.	.	.	.	.	2	2	.
	„ 14,	12·6	3·1	8	.	.	.	.	.	.	.	.	2	1	.	.
	„ 21,	22·0	4·7	14	.	.	.	.	.	1	.	.	2	3	1	1
	„ 28,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 11,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	2	3	.
	„ 18,	28·3	4·7	18	.	.	.	.	.	.	.	.	3	5	2	.
Waterford. Pop (in 1891) 26,200.	June 30,	13·9	2·0	7	.	.	.	.	.	.	.	.	1	.	3	.
	July 7,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	.	1	.
	„ 14,	17·9	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 21,	11·9	2·0	6	.	.	.	.	.	1	.	.	.	2	.	3
	„ 28,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	Aug. 4,	6·0	2·0	4	.	.	.	.	.	.	1	.	.	1	1	.
	„ 11,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	3	.	.
	„ 18,	31·8	4·0	16	.	.	.	.	.	.	.	.	2	6	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 18th August, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	4	The estimate of the present Population of Belfast now adopted (see Table 1.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		6	1	1	4															
" 2 "	37,539	26			33	7	2	20	4					1					1		1	2	3
" 3 "	36,345	19			16	7	3	6									3	3	4	3		4	7
" 4 "	38,391	16			19	7	1	9	2								2		3	1		1	1
" 5 "	21,284	9			9	2	1	2	4								1		1		1	1	6
" 6 "	43,131	15			15	5	3	5	2					1				2		2			8
" 7 "	1,112				1	1												2	1	4			2
" 8 "	4,904	2																					
" 9 "	12,866	13			9	4		3	2								1	4					2
" 10 "	12,256	8			11	3	2	6											3	1			1
" 11 "	19,881	24			9	6		3									1	1					2
" 12 "	28,282	18			18	8	4	6						1	2			4	2	1	1	2	1
" 13 "	6,804	14			3	1		1	1										1				
" 14 "	862																						
Total,	278,079	171			149	52	17	65	15					3	2		8	16	16	12	3	10	28
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	4	8·7		2			1	1											1			
" 2 "	9,252	8	16·9		3	1	1	1															1
" 3 "	9,816	4	37·2		7			5	2										2	2			4
" 4 "	10,856	2	5·0		1				1														
" 5 "	8,187	5																					
" 6 "	3,823	8	17·7		8		1	2												1			
" 7 "	17,034	10	9·2		8			3															3
Total,	75,345	41	18·1		19	1	2	12	4										2	4			8

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.
No. of week in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered,	230	216	269	218	236	229	188	197	225	261	213	244	218	218	218	219	241	213	204	236	155	263	220	241	222	171
DEATHS registered,	181	207	195	157	169	176	179	149	124	127	171	138	153	141	134	139	141	130	136	126	108	136	133	155	126	149
Annual Death-rate per 1,000 of estimated Population,	26·3	30·1	28·2	22·9	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6
AGES, Under 1 year,	31	43	42	27	26	37	31	29	21	27	33	26	34	20	25	26	24	26	28	26	22	34	39	56	39	52
AGES, 1–5 years,	16	21	28	26	30	22	21	18	12	13	23	14	27	10	13	13	17	15	15	14	13	15	15	20	9	17
AGES, 5–60 years,	84	92	90	68	77	84	80	79	56	64	86	76	65	87	76	60	72	61	76	67	55	65	61	58	58	65
AGES, 60 years and upwards,	50	51	35	36	36	38	47	23	35	23	29	22	27	24	20	24	28	28	17	19	18	22	18	21	20	15
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	2	1	1	2	1	.	1	.	.	.	1	1	.	3	1	1	2	.	.	1	.	1	1	.
,, Scarlet Fever,	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	4	3	2	4	4	1	1	1	4	8	3	6	1	1	.	1	1	2	1	2	3	.	.	.	3
,, Diphtheria,	1	2	1	1	2	2	2	2	1	1	1	1	1	.	1	1	.	.	1	.	1	.	.	1	.	2
,, Simple continued and Ill-defined Fever,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, Enteric Fever,	2	5	3	4	3	6	1	5	5	3	8	5	12	5	11	10	11	6	2	6	7	1	6	5	8	8
,, Diarrhœa, Dysentery,	3	.	1	1	3	3	1	1	2	3	4	1	2	1	3	1	1	4	4	2	1	6	11	19	7	16
,, Phthisis,	19	26	28	26	30	39	25	13	14	23	31	31	23	34	22	18	2	20	32	20	20	20	22	30	27	1
,, Diseases of Respiratory System,	67	57	75	35	49	43	46	38	26	24	33	31	32	31	29	28	24	18	17	24	10	22	14	13	13	12
Violent Deaths,	5	4	2	6	2	2	5	.	2	2	2	3	4	5	2	1	4	7	3	3	3	3	3	5	2	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th August, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	.	.	.	2	.	1	6	1	.	1	11
" " 2,	.	.	.	.	.	.	.	.	.	3	.	.	.	3
" " 3,	.	3	.	.	.	.	5	.	2	4	1	.	.	15
South City No. 1,	.	.	.	.	1	.	.	.	1	5	2	.	.	9
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	2	.	1	.	.	.	.	.	2	1	.	.	6
" " 4,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Total,	.	5	.	1	1	.	7	.	4	22	6	.	1	47
Total for week ended Aug. 11, 1900,	.	7	.	7	1	.	14	.	4	19	10	.	.	62
Total for week ended Aug 4, 1900,	.	6	.	13	.	.	3	.	3	15	13	.	.	53
Total for week ended July 28, 1900,	.	21	1	6	.	.	2	.	6	34	17	.	1	88

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th August, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th August.			
	July 28.	Aug. 4.	Aug. 11.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	7	3	4	2	1	.	5
Scarlet Fever,	53	49	50	5	7	.	48*
Typhus "	.	1	2	.	.	.	2
Diphtheria,	4	7	15	1	.	.	16
Enteric Fever,	50	46	54	12	8	.	58
Pneumonia,	22	12	15	5	.	1	19

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,589,129	Aug. 18,	2,621	1,707	19·4	.	20	4	17	44	8	299
EDINBURGH, .	302,262	„ 18,	168	83	14·3	.	2	.	3	1	.	6
GLASGOW, . .	743,969	„ 18,	460	273	19·1	.	13	4	1	13	5	31
CALCUTTA, .	466,460	June 16,	.	359	40·1	11	2	.	2	1	62‡	105*
BOMBAY, . .	821,764	Aug. 2,	241	1,394	88·2	2	4	?	?	?	84§	540*
MADRAS, . .	452,518	July 20,	389	393	45·1	.	3	?	?	?	105	71
PARIS, . . .	2,511,629	Aug. 11,	1,049	847	17·5	2	18	5	2†	7	16	158
BRUSSELS (with 8 Faubourgs).	570,844	„ 11,	238	202	18·4	.	1	1	.	2	2	60
AMSTERDAM, .	526,538	„ 4,	270	157	15·5	.	3	2	1	2	2	.
ROTTERDAM, .	325,556	„ 4,	220	107	17·3	.	.	.	.	.	1	1
THE HAGUE, .	205,328	„ 4,	123	76	19·4	.	.	.	.	.	.	4
COPENHAGEN, .	354,000	„ 11,	172	100	14·7	.	.	2	1	1	2	19
CHRISTIANIA, .	226,423	„ 11,	115	53	12·2	.	.	.	.	.	.	5
ST. PETERSBURG,	1,132,677	„ 11,	514	584	26·8	10	12	10	21	11	18	140
BERLIN, . .	1,854,964	July 21,	1,082	841	23·6	.	15	12	5	9	6	197
HAMBURG, . .	691,349	Aug. 11,	.	227	17·1	.	2	.	2†	5	2	64
DRESDEN, . .	406,500	July 7,	238	119	15·2	.	.	1	1†	.	.	7
BRESLAU, .	412,959	Aug. 11,	.	265	33·4	.	1	.	1	7	.	108
MUNICH, . .	463,000	June 30,	332	208	23·4	.	4	.	1	3	1	49
VIENNA (with suburbs).	1,656,662	Aug. 4,	932	670	21·0	.	8	.	3†	6	4	192
BUDA-PESTH, .	685,340	July 28,	515	269	20·4	.	.	3	2	.	.	33
PRAGUE and Faubourgs.	391,693	Aug. 4,	173	152	20·5	.	.	.	1	.	1	6
ROME, . . .	518,333	July 21,	224	193	19·4	.	.	.	.	.	3	43
TURIN (10 days),	344,203	June 10,	198	182	19·3	.	.	.	1†	1	2	19
VENICE, . .	172,924	July 21,	82	99	29·8	.	.	.	2†	.	1	12
NEW YORK, .	3,654,594	„ 21,	1,478	1,944	27·8	.	23	5	29	16	11	398
PHILADELPHIA, .	1,266,832	„ 28,	.	514	21·1	.	9	1	9	1	12	81

* Including 86 deaths from cholera in Calcutta and 379 in Bombay. † Including deaths from croup.
‡ Exclusive of 70 deaths from bubonic fever. § Exclusive of 45 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 18th August, 1900:—

"A spell of perfect summer weather was enjoyed during this week, which was fine, dry and warm, as well as, for the most part, bright. Until Friday the distribution of atmospheric pressure was anticyclonic, and on Monday and Tuesday the high pressure area was central over England and Ireland. At the very beginning of the period a shallow depression in the far north had brought a heavy rainfall to Scotland, and again on Friday rain fell in the north of that country. Scarcely any cloud was seen from Dublin until Thursday morning, when clouds, dense haze, and fog prevailed for a time. As the day advanced, however, the clouds dispersed and the atmosphere cleared. On and after Wednesday the anticyclone moved slowly northeastwards, and a warm southerly air current passed over Ireland. At 8 a.m. of the day named the thermometer read 74° at Valentia in Kerry, and later on temperature rose to 82° at Parsonstown (Birr) and 80° even as far north as Malin Head, in Donegal. The maximum in London on that day was only 73°, an easterly breeze prevailing. On Friday threatening electrical clouds developed and local rains fell in various parts of our Islands especially in London, where a severe thunderstorm occurred. Saturday was a quiet, cool, and rather dull day. In Dublin the mean height of the barometer was 30·227 inches, pressure ranging from 30·425 inches at 9 a.m. of Monday (wind, N.W.) to 30·041 inches at both 9 a.m. and 9 p.m. of Friday (wind, W.). The corrected mean temperature was 62·5°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 61·2°. The screened thermometers fell to 52·8° on Monday and rose to 75·0° on Wednesday. The prevalent wind was E.N.E. As many as 73 hours of bright sunshine were observed. Rain fell on Saturday (rather on the morning of Sunday, August 19) to the amount of 0·028 inch."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·222 inches. The highest reading (30·416) was on Monday at 9 a.m., wind W., and the lowest (30·037) on Friday at 9 a.m., wind S.

The mean temperature for the week was 60·2°, being 1·2° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Wednesday, when the thermometer registered 75·8°, and was lowest on Tuesday, the mercury having fallen to 46·1°. The mean of the Dry Bulb for the week was 59·4°, and of the Wet Bulb 56·9°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 70·3 hours. The rainfall measured ·015 in.

At Greenwich the mean temperature for the week was 66·7°, the maximum 82·1°, and the minimum 52·0°; at Glasgow the maximum was 83·3°, the minimum 50·0°, and the mean 63·1°, and at Edinburgh the maximum was 76·3°; the minimum 53·0°, and the mean 62·5°. The rainfall at Greenwich measured 0·05 in.; and at Edinburgh 0·03 in. There was no rainfall at Glasgow.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, August 12,	30·333	70·1	52·9	61·5	56·9	54·7	·87	·2	11·1	—	W.S.W.	Calm.
Monday, " 13,	30·403	70·0	47·7	58·9	58·4	56·1	·86	·1	12·9	—	W.	Calm.
Tuesday, " 14,	30·371	69·5	46·1	57·8	61·3	58·0	·82	·1	13·8	—	E.	E.
Wednesday, " 15,	30·215	75·8	50·9	63·4	63·0	59·7	·82	·1	13·2	—	Calm.	Calm.
Thursday, " 16,	30·120	71·2	49·4	60·3	58·2	56·6	·89	·1	9·0	—	Calm.	Calm.
Friday, " 17,	30·043	71·7	49·1	60·4	61·3	58·6	·84	·3	8·0	—	S.	W.
Saturday, " 18,	30·068	63·2	54·6	58·9	56·8	54·3	·85	·1	2·3	·015	Calm.	Calm.
Mean, . .	30·222	70·2	50·1	60·2	59·4	56·9	·85	0·2	Total 70·3	Total ·015	—	

Sunday—A beautiful day from 10 a.m.; night clear. *Monday*—A beautiful day; night clear. *Tuesday*—A beautiful day; night clear. *Wednesday*—A beautiful day; night clear p.m., cloudy a.m. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—A fine but cloudy day; night cloudy. *Saturday*—A cloudy day; night overcast; rain 12.45 to 1.15 and 4.30 to 9 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 174. 6. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 25TH AUGUST, 1900. [No. 34.

General Register Office, Charlemont House,
Dublin, 27th August, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Aug. 4.	Week ending Aug. 11.	Week ending Aug. 18.	Week ending Aug. 25.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 4.	Week ending Aug. 11.	Week ending Aug. 18.	Week ending Aug. 25.	Average Rate for 4 weeks.
23 Town Dists.	**20·3**	**18·9**	**20·2**	**20·5**	**20·0**	Limerick, . .	11·2	12·6	7·0	16·8	11·9
Armagh, . .	14·3	0·0	28·5	28·5	17·8	Lisburn, . .	25·7	21·3	29·8	21·3	24·5
Ballymena, .	11·3	22·5	16·9	22·5	18·3	Londonderry, .	12·6	20·4	28·3	18·8	20·0
Belfast, . .	22·5	18·3	21·6	18·0	20·1	Lurgan, . .	18·2	4·6	27·4	18·2	17·1
Carrickfergus, .	17·5	11·7	5·8	5·8	10·2	Newry, . .	12·1	8·1	20·1	8·1	12·1
Clonmel, . .	24·3	4·9	19·5	24·3	18·3	Newtownards, .	5·7	34·0	17·0	0·0	14·2
Cork, . . .	18·0	12·5	13·1	13·1	14·2	Portadown, .	18·6	12·4	18·6	18·6	17·1
Drogheda, . .	22·8	30·4	11·4	3·8	17·1	Queenstown, .	0·0	28·7	11·5	5·7	11·5
Dublin, Reg. Area,	23·3	23·0	21·2	27·0	23·6	Sligo, . .	15·2	20·3	10·2	10·2	14·0
Dundalk, . .	8·4	50·3	8·4	12·6	19·9	Tralee, . .	28·0	5·6	16·8	33·6	21·0
Galway, . .	11·3	7·6	11·3	64·2	23·6	Waterford, .	8·0	11·9	31·8	13·9	16·4
Kilkenny, . .	9·4	14·2	14·2	9·4	11·8	Wexford, . .	27·1	4·5	36·1	13·5	20·3

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 3·6 per 1,000, the rates varying from 0·0 in twelve of the districts to 11·3 in Galway; the 17 deaths from all causes registered in that district comprising 3 from measles. Among the 124 deaths from all causes registered in Belfast are 2 from whooping-cough, 7 from enteric fever, and 15 from diarrhœa. The Registrar of Cork Urban No. 7 reports "one death from cerebro-spinal meningitis."

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 221—112 boys and 109 girls; and the deaths to 185—93 males and 92 females.

DEATHS.

The deaths, which are 23 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 27·6 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 27·0 per 1,000. During the thirty-four weeks ending with Saturday last the death-rate averaged 30·4, and was 2·6 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 41 deaths from zymotic diseases registered during the week, being 9 over the number for the preceding week, and also 9 over the average for the corresponding week of the last 10 years; they comprise 5 from whooping-cough, 2 from enteric fever, one each from influenza, diphtheria, and continued fever, 25 from diarrhœa, &c. Twenty-four of the 25 deaths from diarrhœa were of children under 5 years of age, of whom 20 were infants under one year old.

Tuberculosis caused 43 deaths—comprising 25 from phthisis, 9 from tabes mesenterica, 2 from tubercular meningitis, and 7 from scrofula.

Diseases of the respiratory system caused 14 deaths, being one over the number recorded during the preceding week, but 4 under the average for the corresponding week of the last 10 years. They consist of 8 from bronchitis and 6 from pneumonia or inflammation of the lungs.

The deaths of 7 children under 5 years of age (including 6 infants under one year old) were ascribed to convulsions.

One death was caused by apoplexy, one by epilepsy, 10 by other diseases of the brain and nervous system (exclusive of convulsions), 18 by diseases of the circulatory system, and 10 by cancer.

Nine accidental deaths were registered.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 children under one year of age.

Seventy-nine of the persons whose deaths were registered during the week were under 5 years of age (63 being infants under one year, of whom 12 were under one month old) and 21 were aged 60 years and upwards, including 8 persons aged 70 and upwards, of whom one was an octogenarian.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse, 14 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 27·0 per 1,000; the rate in the city was 30·4 (32·1 on the North side, and 28·9 on the South), and in the Suburbs 18·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 5·1 per 1,000 inhabitants, the rate for the city being 6·4 (7·1 in the North City Districts, and 5·7 in the South), and for the Suburbs 2·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (18) are equal to an annual rate of 34·6 per 1,000. They comprise 6 from zymotic diseases, including 2 from whooping-cough, 2 from diarrhœa, and one from influenza. Three deaths were caused by phthisis and 2 by diseases of the brain and nervous system.

No. 1 North City District, West (Summer-hill).—The deaths (22) are equal to an annual rate of 32·9 per 1,000. Among them are 5 rom zymotic diseases, viz.:—one from diphtheria and 4 from diarrhœa. Phthisis caused 7 deaths, diseases of the respiratory system 2, and diseases of the brain and nervous system 4.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 36·1 per 1,000. They include 5 from zymotic diseases, of which 3 were caused by diarrhœa. Phthisis caused 3 deaths and diseases of the brain and nervous system 5.

No. 3 North City District (Blackhall-place).—The deaths (12) represent an annual rate of 24·0 per 1,000. They comprise 4 from zymotic diseases, of which one was caused by enteric fever and 2 by diarrhœa.

* See Table VI.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 23·6 per 1,000. Three were caused by diarrhœa, but no deaths from any other zymotic disease were recorded. Five deaths were caused by mesenteric disease.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·3 per 1,000. No deaths from any zymotic disease were recorded.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 28·3 per 1,000. Three were from zymotic diseases, including 2 from whooping-cough. Of the 19 deaths from other causes, 3 were from diseases of the respiratory system, 4 from diseases of the circulatory system, 4 from phthisis, 2 from convulsions, and 2 from cancer.

No. 4 South City District (Grand Canal-street).—The deaths (25) are equivalent to an annual rate of 36·4 per 1,000. They include 9 from zymotic diseases, viz.:—eight from diarrhœa, and one from enteric fever. Four deaths were caused by diseases of the respiratory system, 3 by diseases of the circulatory system, and 2 by cancer.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 24·3; Finglas and Glasnevin, part of, 0·0; Palmerston, part of, and Crumlin, part of, 0·0; Rathmines, 13·1; Donnybrook, 29·6; Blackrock, 6·2; and Kingstown, 30·1. The deaths from zymotic diseases tabulated for these districts consist of one from diarrhœa for each of the districts of Coolock and Drumcondra, No. 1, Rathmines, and Donnybrook, and one from whooping-cough for Blackrock. The five deaths from all causes tabulated for Coolock and Drumcondra, No. 1, comprise 3 from phthisis; two of the 7 deaths for Rathmines were from diseases of the circulatory system; the 14 deaths for Donnybrook include 2 from phthisis, 2 from diseases of the circulatory system, and 2 from diseases of the brain and nervous system; and the 10 deaths for Kingstown comprise 2 from diseases of the circulatory system and 3 from cancer.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 4th August, ...	53 cases.
" " 11th August, . . .	62 cases.
" " 18th August, . . .	47 cases.
" " 25th August, . . .	68 cases.

Of the 68 cases notified, 7 were erysipelas, 39 enteric fever, 9 scarlatina, 4 measles, meningitis† one, 4 diphtheria, 3 continued fever, and one typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th August, 1900.

From this it appears that:—

Eight cases of scarlatina were admitted to hospital, 11 were discharged, and 45* remained under treatment at the close of the week.

Seventeen cases of enteric fever were admitted to hospital, 10 were discharged, 2 died, and 63 remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 2 were discharged, one died, and 17 remained under treatment at the close of the week.

The hospital admissions for the week also include 5 cases of measles; 10 cases of the disease remained under treatment on Saturday last.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 19·2) was equal to an average annual death-rate of 19·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·9 per 1,000, the rate for Glasgow being 17·5, and for Edinburgh 16·7.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 25th August, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 25th August, 1900. Annual Rate per 1,000 persons represented by: Births	Deaths: From all Causes.	Deaths: From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 23 Town Districts	1,062,188	12·2	31·3	20·5	3·6	687	418	130	71	.	3	.	.	9	2	1	11	47	54	37	15	19	114
Dublin Registration Area:—																							
Total,‡	849,594	14·2	33·0	27·0	5·1	221	181	62	20	.	.	.	.	5	1	1	2	25	25	14	9	6	65
Registrars' Districts. City	245,001	65·6	36·6	30·4	6·4	172	143	54	13	.	.	.	.	4	1	1	2	22	20	12	5	3	51
Clontarf &c. No. 1,	4,138	1·5	50·4	12·6	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Coolock & Drumcondra, No. 1,	10,730	1·8	24·3	24·3	4·9	5	5	1	1	.	.	.	.	.	.	.	.	1	3	1	.	.	1
Finglas & Glasnevin, pt. of (a),	4,240	0·8	24·6	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Palmerston, part of and Crumlin part of (b),	7,273	8·0	14·3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	30·0	13·1	1·9	16	7	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	3
Donnybrook,	24,629	12·4	28·8	29·6	2·1	11	14	3	2	.	.	.	.	.	.	.	.	1	2	.	4	3	5
Blackrock,‖	8,401	7·8	6·2	6·2	6·2	1	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	24·0	30·0	.	8	10	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	5
Urban Districts																							
Belfast,	359,000	21·8	29·9	18·0	3·5	206	124	40	21	.	.	.	.	2	.	.	7	15	16	10	3	6	21
Cork,	75,845	33·3	19·4	18·1	2·1	28	19	4	4	.	.	.	.	.	.	.	.	3	3	1	1	1	3
Limerick,	37,155	17·9	74·4	16·8	.	58	12	1	3	.	.	.	.	.	.	.	.	.	3	3	1	.	4
Londonderry,	33,200	15·3	42·4	18·8	.	27	12	.	3	.	.	.	.	.	.	.	.	.	4	.	.	1	3
Waterford,	26,203	18·3	49·7	13·9	.	25	7	2	2	.	.	.	.	.	.	.	.	.	.	1	.	3	4
Galway,	18,800	2·6	11·3	64·2	11·3	3	17	9	3	.	3	.	.	.	.	.	.	.	.	1	1	1	2
Drogheda	13,708	8·7	15·2	3·8	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	16·1	8·1	4·0	4	2	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Dundalk,	12,449	9·0	20·9	12·6	.	5	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Lisburn,	12,250	10·8	12·8	21·3	8·5	3	5	.	3	.	.	.	.	.	.	.	2	.	.	1	.	.	2
Wexford,	11,545	24·0	18·1	18·5	.	4	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	13·4	54·7	18·2	4·6	12	4	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1
Kilkenny,	11,048	12·0	9·4	9·4	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,708	8·2	.	24·3	.	.	5	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	5
Sligo,	10,274	3·4	5·1	10·2	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Tralee,	9,818	15·9	16·8	33·6	11·2	3	6	2	3	.	.	.	.	.	1	.	.	1	.	2	.	.	3
Ballymena,	9,252	9·3	50·7	22·5	5·6	9	4	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	22·7	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown,	9,082	17·0	17·2	5·7	5·7	3	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Carrickfergus	8,928	0·5	17·5	5·8	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	55·7	18·6	.	9	3	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Armagh,	7,187	21·4	57·0	28·5	7·1	8	4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1

Towns and Districts.	Meteorology.† Week ending 25th Aug., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th Aug., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th Aug., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	68·1	45·3	56·8	1·25	75·8	46·1	60·2	0·02	65·8	46·9	55·5	2·32
Registrars' Districts. City	67·0	51·1	58·7	1·21	75·0	52·8	62·5	0·03	66·7	49·9	56·3	2·10
Clontarf &c. No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	69·3	47·6	57·8	1·34	76·9	48·0	61·0	0·08	67·3	46·4	55·9	1·99
Palmerston, part of and Crumlin part of (b),	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	66	51	58·5	0·86	73	52	61·9	.	67	51	56·7	2·10
Kingstown, 1 & 2,‖												
Urban Districts												
Belfast,	.	.	.	.	76·6	47·1	60·2	0·04	64·1	47·1	55·2	1·72
Cork,	65	53	59·1	0·71	70	50	60·0	0·35	66	50	57·8	1·56
Limerick,	68·0	48·0	58·1	1·87	85·5	47·0	64·0	0·00	67·0	48·0	56·1	0·68
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	68	50	60	1·09	83	47	68	.	69	50	59	2·65
Galway,	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	64·0	41·0	56·0	1·68	79·3	45·7	61·5	0·08	67·2	45·5	55·4	1·55
Newry,	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk,	64·0	41·0	56·0	1·68	79·3	45·7	61·5	0·08	67·2	45·5	55·4	1·55
Lisburn,	.	.	.	.	.	.	.	.	.	.	.	.
Wexford,	64·0	41·0	56·0	1·68	79·3	45·7	61·5	0·08	67·2	45·5	55·4	1·55
Lurgan,	68	50	58·1	1·42	78	47	61·3	0·06	67	49	56	1·99
Kilkenny,	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	68·9	41·2	57·5	1·24	80·3	37·6	60·0	0·06	63·3	42·7	54·8	1·73
Sligo,	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	62	42	55·8	2·05	72	49	59·7	0·01	62	48	54·1	1·88
Newtownards,	65	53	59·1	0·71	70	50	60·0	0·35	66	50	57·8	1·56
Queenstown,	.	.	.	.	.	.	.	.	.	.	.	.
Carrickfergus	64·0	41·0	56·0	1·68	79·3	45·7	61·5	0·08	67·2	45·5	55·4	1·55
Portadown	64·0	41·0	56·0	1·68	79·3	45·7	61·5	0·08	67·2	45·5	55·4	1·55
Armagh,												

(*a* That portion of the District situated in Glasnevin District Electoral Division. (*b*) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been used—those of Armagh for Lisburn, Lurgan, Newry, and Portadown; those at Markree for Sligo, and those at Roche's

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday 25th August, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,610	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	2	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	5	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Diarrhœa, Dysentery,	2	4	3	2	3	.	.	8	.	1	.	.	1	1	.	.	25	.
Other Zymotic Diseases	2	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	5	2
Total,	6	5	5	4	3	.	3	9	.	1	.	.	1	1	1	.	39	2
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	3	7	3	1	1	.	4	1	.	3	.	.	.	2	.	.	25	.
Other Constitutional Diseases,	2	2	2	4	6	1	3	3	.	.	.	.	1	1	.	3	28	.
Total,	5	9	5	5	7	1	7	4	.	3	.	.	1	3	.	3	53	.
V. DEVELOPMENTAL DISEASES,	.	1	.	1	1	3	.	.	.	.	.	.	1	.	.	.	7	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	2	4	5	1	1	.	2	1	.	.	.	.	.	2	.	1	19	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	1	1	1	1	.	1	4	3	.	.	.	.	2	2	.	2	18	.
Diseases of Respiratory System,	1	2	.	.	1	1	3	4	1	1	.	.	.	.	.	.	14	.
Diseases of Digestive System,	1	.	1	.	.	1	1	.	.	.	.	.	2	1	.	2	9	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2	2
Diseases of Generative System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	7	7	2	2	4	11	9	1	1	.	.	4	5	.	6	64	2
VII. VIOLENT DEATHS,	1	.	1	.	.	1	1	1	.	.	.	.	.	4	.	.	9	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	1	.	1	.	2	.	.	2	.	.	.	.	.	1	.	1	8	.
Deaths from all Causes,	18	22	20	12	15	9	22	25	1	5	.	.	7	14	1	10	181	4
Annual Rate of Mortality in every 1,000 of the population.	34·6	32·9	36·1	24·0	23·6	25·3	28·3	36·4	12·6	24·3	.	.	18·1	29·6	6·2	20·1	27·0	
	32·1				28·9				18·9									
	30·4																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	2	2	2	1	1	4	4	.	1	.	.	3	3	.	3	23	4
Workhouse Hospitals,	1	7	7	6	2	1	3	6	.	.	.	.	.	2	.	2	37	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blacknall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Aug. 23, 1890	Aug. 29, 1891	Aug. 27, 1892	Aug. 26, 1893	Aug. 25, 1894	Aug. 24, 1895	Aug. 22, 1896	Aug. 28, 1897	Aug. 27, 1898	Aug. 26, 1899	Averages in 34th Week of the 10 years 1890–99.	In the week ending Saturday, 25th August, 1900. Deaths of persons of the Ages of ALL AGES.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	♀ 55·2	♀ 55·1	♀ 59·7	♀ 57·9	♀ 55·1	♀ 59·5	♀ 56·0	♀ 57·5	♀ 58·5	♀ 61·7	♀ 57·6	Mean Temp. ♀ 56·8								
ALL CAUSES,	139	164	161	146	188	140	167	154	150	207	161·6	185	12	51	16	12	38	35	20	1
I. FEBRILE OR ZYMOTIC DISEASES,	15	11	23	38	31	18	33	46	36	74	32·0	41	2	24	7	2	4	1	1	.
II. PARASITIC DISEASES,	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	5	1	.	.	1	1	4	1	1·3	1	.	.	.	1	.	.	.	.
IV. CONSTITUTIONAL "	34	42	41	38	42	38	33	40	38	37	38·3	53	.	16	5	3	20	14	1	.
V. DEVELOPMENTAL "	13	16	15	8	16	13	17	7	9	14	12·8	7	4	.	.	.	.	.	3	.
VI. LOCAL "	68	78	67	52	79	61	67	54	49	61	63·6	66	4	12	4	5	10	17	14	.
VII. VIOLENT DEATHS,	3	11	2	3	4	8	5	3	4	8	5·1	9	1	.	2	3	1	1	1	
VIII. ILL-DEFINED CAUSES,	5	6	8	6	16	6	11	3	10	12	8·3	8	1	5	.	.	2	.	.	
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	2	.	.	.	.	.	.	18	2·2	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	4	1	1	2	.	2	1·0	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	1	2	1	1	3	·9	1	.	.	1	.	.	.	.	.
Whooping Cough,	1	2	.	3	4	1	2	.	.	1	1·4	5	.	2	3	.	.	.	.	.
Diphtheria,	.	.	.	1	.	.	.	2	2	.	·5	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Enteric Fever,	4	4	1	3	4	.	4	3	3	6	3·2	2	.	.	.	2	.	.	.	.
Cholera and Chol. Diarr.,	.	.	2	4	.	.	1	3	2	3	1·5	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	7	4	9	23	9	9	21	32	24	39	17·7	25	2	18	4	.	.	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	2	1	1	1	.	.	2	1	·8	5	.	3	.	.	1	1	.	.
Erysipelas,	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	.	1	.	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Other Zymotic Diseases,	1	.	6	1	1	.	1	2	2	.	1·4	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	4	1	.	.	1	1	4	1	1·2	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatism,	2	1	1	2	.	.	.	.	1	.	·7	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Cancer,	6	4	3	3	3	4	3	4	3	9	4·2	10	.	.	.	.	1	8	1	.
Tabes Mesenterica,	9	4	4	4	4	5	5	6	8	3	5·2	9	.	8	1	.	.	.	.	.
Tubercular Meningitis,	3	3	5	1	4	2	3	3	3	4	3·1	2	.	1	1	.	.	.	.	.
Phthisis,	11	29	24	24	25	26	17	21	19	19	21·5	25	.	.	.	1	18	6	.	.
Scrofula, Tuberculosis,	3	1	3	4	4	1	4	5	4	1	3·0	7	.	1	3	2	1	.	.	.
Other Constitutional Diseases,	.	.	1	.	2	.	1	1	.	.	·5	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	6	1	1	.	3	1	5	2	4	1	2·4	3	3	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	2	.	1	.	.	1	1	.	1	·6	1	1	.	.	.	.	.	.	.
Old Age,	7	13	14	7	13	12	11	3	5	12	9·7	3	.	.	.	.	.	.	3	.

each Disease registered in the THIRTY-FOURTH WEEK ending Saturday, 25th August, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 34th Week of the 10 years 1890-99.	In the Week ending Saturday, 25th August, 1900. Deaths of Persons of the Ages of							
	Aug. 28, 1890	Aug. 29, 1891	Aug. 27, 1892	Aug. 26, 1893	Aug. 25, 1894	Aug. 24, 1895	Aug. 22, 1896	Aug. 28, 1897	Aug. 27, 1898	Aug. 26, 1899		ALL AGES. Mean Temp.	0 to 5: Under 1 month.	0 to 5: 1 month and under 1 year.	0 to 5: 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 55·2	° 55·1	° 59·7	° 57·9	° 55·1	° 59·5	° 56·0	° 57·5	° 58·5	° 61·7	° 57·6	° 56·3								
VI. Local Diseases.																				
Apoplexy,	1	5	1	3	.	4	5	.	1	4	2·4	1	.	.	.	.	.	1	.	.
Epilepsy,	1	.	1	.	3	.	.	.	.	.	·5	1	.	.	.	.	1	.	.	.
Convulsions,	13	14	16	14	10	9	14	8	8	7	11·3	7	2	4	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	7	11	8	3	7	3	8	6	3	2	5·8	10	.	5	1	.	1	2	1	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	12	8	10	9	17	11	9	11	10	10	10·7	18	1	.	.	2	2	8	5	.
Croup,	1	.	1	1	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Bronchitis,	11	16	9	6	10	10	8	9	9	10	9·8	8	.	2	1	1	.	1	3	.
Pneumonia	5	4	5	4	10	7	5	2	4	13	5·9	6	.	.	1	2	.	1	2	.
Pleurisy,	.	.	.	.	1	.	1	1	1	.	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	3	1	4	.	.	1	2	1	.	.	1·2	.	.	.	.	.	.	.	.	.
Teething,	.	.	1	2	.	1	2	.	.	1	·7	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	.	.	5	.	.	1	4	2	1·3	2	.	1	.	.	1	.	.	.
Peritonitis	.	1	1	1	.	2	1	1	.	1	·8	1	.	.	.	.	1	.	.	.
Disease of Liver,	2	5	1	2	4	2	1	2	3	1	2·3	4	1	.	.	.	1	2	.	.
Other Diseases of Digestive System,	5	5	4	4	4	8	4	5	2	2	4·3	2	.	.	.	.	.	.	2	.
Diseases of Lymphatics, &c.,	.	1	1	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	5	6	3	1	6	1	3	4	2	5	3·6	4	.	.	.	.	2	1	1	.
Diseases of Generative System,	1	.	.	1	.	1	.	1	.	.	·4	2	.	.	.	.	1	1	.	.
Accidents of Childbirth,	.	1	.	.	1	1	.	1	.	1	·5	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	1	.	4	1	1	.	·7	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		1	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	.	.	.	.	1	4		1	.	.	.	1	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	2	.	.	1	.	1	1	1	.	.	4·6	.	.	.	.	.	.	.	.	.
By Drowning,		5	1	1	.	2	1	1	.	3		2	.	.	.	.	2	.	.	.
By Suffocation in Bed,		.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	1	.	.	.	.		1	.	.	.	.	.	1	.	.
Other or Not Stated Causes,		5	1	1	4	2	.	1	2	1		5	1	.	.	1	1	.	1	1
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	1	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	5	6	8	6	16	6	11	3	10	12	8·3	8	1	5	.	.	.	2	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																									
	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
Births registered,	179	215	217	226	234	128	184	225	202	246	222	198	214	199	222	194	198	228	181	208	186	157	245	149	256	221
Average Births in corresponding week of previous 10 years,	225	195	192	195	217	199	194	192	213	214	212	192	201	209	199	208	202	219	193	188	185	185	195	200	196	185
Deaths registered,	230	247	209	236	244	194	230	204	178	204	179	168	176	157	161	167	122	144	124	127	165	129	159	161	147	185
Annual Death-rate per 1,000,	34·3	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6
Average Deaths in corresponding week of previous 10 years,	214	218	218	218	219	204	184	185	184	178	170	174	167	162	156	164	150	156	149	148	154	162	159	160	157	162
Ages, Under 5 years,	55	66	56	69	55	50	59	66	51	54	52	47	43	43	54	37	29	33	38	32	47	35	40	37	51	79
5—20 "	22	15	12	17	12	14	26	13	15	17	19	20	26	15	14	27	16	18	10	8	13	7	13	9	15	12
20—40 "	33	42	39	34	45	24	29	30	33	47	27	28	30	22	31	35	19	32	25	35	26	16	25	31	17	38
40—60 "	51	60	44	51	54	42	53	32	48	42	36	31	35	40	38	31	29	33	23	24	44	33	39	34	34	35
60—80 "	59	56	42	52	59	53	47	45	27	35	36	36	35	31	19	30	23	27	26	23	30	30	35	26	26	20
80 years and upwards,	10	8	16	13	19	11	16	18	4	9	9	6	7	6	5	7	6	6	2	5	5	6	7	4	4	1
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	2	4	.	.	3	2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Scarlet Fever,	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Whooping-cough,	.	.	1	.	.	3	1	2	2	4	1	1	3	.	5	.	1	2	3	4	5	.	3	1	1	5
" Diphtheria,	1	2	.	1	1	.	2	2	.	.	.	1	.	.	2	2	1	.	.	.	2	1	.	3	.	1
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1
" Enteric Fever,	4	2	.	.	1	3	2	3	5	6	1	2	2	1	2	2	2	.	2	2	2	.	2	.	1	2
" Diarrhœa, Dysentery,	5	3	4	4	.	.	1	3	3	1	3	2	.	1	2	1	.	1	2	1	4	4	9	19	24	25
" Phthisis,	36	37	29	29	30	27	28	27	32	29	32	30	32	13	28	28	22	21	26	31	28	19	24	24	20	25
" Heart Diseases,	24	18	17	20	28	16	17	11	11	17	14	17	11	14	10	11	9	9	10	9	19	17	23	12	12	18
" Diseases of Respiratory System,	55	78	39	72	56	46	53	47	40	29	34	25	30	23	23	34	27	29	15	20	23	23	14	15	13	14
Violent Deaths,	2	2	4	9	6	2	9	3	4	6	4	5	1	6	4	1	1	5	6	6	5	4	4	5	4	9
Mean Temperature of the Air (Phœnix Park),	40·2	38·3	41·1	36·4	37·3	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8
Average Mean Temperature in corresponding week of previous 10 years,	40·4	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6
Rainfall in inches,	1·025	·000	·115	·305	·075	·535	·735	·170	·190	·350	·585	·005	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·315	·015	1·245
Mean Humidity of the Air, complete Saturation 1·0,	·87	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·73	·80	·83	·82	·80	·88	·84	·81	·76	·82	·83	·81	·86	·85	·90

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th August, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 25th August, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	27·6	185	79	12	38	35	20	1	.	.	.	.	5	1	1	2	25	34	25	7	14	9	96
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	16·7	5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	3
II.	MIDDLE CLASS,	81,469	16·0	25	3	2	9	9	2	.	.	.	.	.	1	.	.	.	1	2	6	.	2	1	14
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	17·8	34	16	2	9	4	3	.	.	.	.	.	1	.	1	1	6	9	6	2	1	2	14
IV.	GENERAL SERVICE CLASS,	147,978	41·1	84	49	8	10	10	7	.	.	.	.	.	3	1	.	1	15	20	6	4	8	5	41
V.	INMATES OF WORKHOUSES,	5,191		37	10	.	10	11	6	.	.	.	.	.	.	.	.	.	2	2	7	1	3	.	24
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	32·5	5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	3
	2. Merchants and Manufacturers, Higher Class,	1,857	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,783	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	26·5	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	8·0	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	6. Clerks and Commercial Assistants,	25,091	22·9	11	2	1	4	4	.	.	.	.	.	.	1	.	.	.	1	2	3	.	.	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	14·3	7	.	1	2	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	4
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	28·0	4	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2
	9. Building and Furnishing Trades,	26,294	23·7	12	6	1	2	2	1	.	.	.	.	.	.	.	1	.	1	2	1	1	.	1	7
	10. Clothing Trades,	28,927	10·9	5	4	.	.	1	.	.	.	.	.	.	1	.	.	.	2	3	.	.	1	.	1
	11. Food Supply Trades,	7,949	6·5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,937	17·4	9	4	1	3	.	1	.	.	.	.	.	.	.	.	1	1	2	3	1	.	.	3
	13. Petty Shopkeepers,	6,889	22·8	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	49·2	13	9	3	.	1	.	.	.	.	.	.	1	1	.	.	3	5	.	1	2	.	5
	15. Domestic Servants,	89,967	9·1	7	2	1	.	2	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	33·7	7	3	.	3	1	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	1	3
	17. Hawkers, Porters, Labourers, &c.,	83,472	35·5	57	35	4	7	6	5	.	.	.	.	.	2	.	.	1	10	13	4	2	6	4	28
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	37	10	.	10	11	6	.	.	.	.	.	.	.	.	.	2	2	7	1	3	.	24

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891: 27,147.	July 7,	7·7	.	4	.	.	.	.	.	.	.	.	.	2	.	.
		" 14,	7·7	1·9	4	.	.	.	.	.	.	.	1	.	1	1	.
		" 21,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	.	2	2
		" 28,	17·3	1·9	9	.	.	.	.	.	.	.	.	1	1	3	.
		Aug. 4,	17·3	9·9	9	.	.	.	.	.	.	.	.	2	1	1	.
		" 11,	28·0	1·9	12	.	.	.	.	.	1	.	.	.	1	2	.
		" 18,	25·0	5·8	13	.	.	.	.	.	.	.	1	2	2	1	.
		" 25,	34·6	7·7	16	.	.	.	.	2	.	.	.	2	3	1	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,836.	July 7,	23·9	3·0	16	.	.	.	.	2	.	.	.	.	2	1	.
		" 14,	26·9	1·5	18	.	.	.	.	.	.	.	.	1	6	1	.
		" 21,	22·5	3·0	15	.	.	.	.	.	.	.	1	1	3	1	.
		" 28,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	3	3	.
		Aug. 4,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	2	1	2
		" 11,	35·9	9·0	24	.	.	.	.	.	.	.	.	6	4	1	.
		" 18,	21·0	7·5	14	.	.	.	.	.	.	.	.	5	1	1	.
		" 25,	32·9	7·5	22	.	.	.	.	.	1	.	.	4	7	2	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	July 7,	16·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
		" 14,	19·9	1·8	11	.	.	.	.	.	.	1	.	.	2	2	.
		" 21,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	4	3	1
		" 28,	21·7	.	12	.	.	.	.	.	.	.	.	.	3	.	1
		Aug. 4,	25·3	3·6	14	.	.	.	.	.	.	.	1	1	.	2	1
		" 11,	27·1	.	15	.	.	.	.	.	.	.	.	.	3	3	.
		" 18,	25·3	3·6	14	.	.	.	.	1	.	.	.	1	3	.	1
		" 25,	36·1	7·2	20	.	.	.	.	.	.	1	.	3	3	.	1
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	July 7,	12·0	.	6	.	.	.	.	.	.	.	.	.	3	.	1
		" 14,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	2	1
		" 21,	32·0	.	16	.	.	.	.	.	.	.	.	.	3	2	.
		" 28,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
		Aug. 4,	20·0	.	10	.	.	.	.	.	.	.	.	.	4	.	1
		" 11,	18·0	2·0	9	.	.	.	.	.	.	.	.	1	1	.	.
		" 18,	30·0	6·0	15	.	.	.	.	.	.	.	.	3	4	.	.
		" 25,	24·0	6·0	12	.	.	.	.	.	.	.	1	2	1	.	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 38,194.	July 7,	26·7	1·6	17	.	.	.	.	.	.	.	.	1	5	3	1
		" 14,	40·8	1·6	26	.	.	.	.	1	.	.	.	.	4	6	2
		" 21,	33·0	4·7	21	.	.	.	.	1	.	.	.	2	5	3	.
		" 28,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	4	3	1
		Aug. 4,	28·3	1·6	18	.	.	.	.	.	.	.	.	1	4	3	.
		" 11,	29·8	3·1	19	.	.	.	.	.	1	.	.	1	4	1	1
		" 18,	28·3	7·9	18	.	.	.	1	.	.	.	.	4	1	3	.
		" 25,	23·6	4·7	15	.	.	.	.	.	.	.	.	3	1	1	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	July 7,	28·1	2·8	10	.	.	.	.	.	.	.	1	.	3	3	.
		" 14,	14·1	.	5	.	.	.	.	.	.	.	.	.	3	1	.
		" 21,	36·5	.	13	.	.	.	.	.	.	.	.	.	4	.	.
		" 28,	28·1	2·8	10	.	.	.	.	.	.	.	.	1	1	1	1
		Aug. 4,	33·7	2·8	12	.	.	.	.	.	.	.	.	1	2	.	.
		" 11,	25·3	5·6	9	.	.	.	.	1	1	.	.	.	.	1	.
		" 18,	19·7	2·8	7	.	.	.	.	.	.	.	.	1	1	.	.
		" 25,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	1
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	July 7,	28·3	1·3	22	.	.	.	.	1	.	.	.	.	4	1	1
		" 14,	16·7	.	13	.	.	.	.	.	.	.	.	.	4	2	.
		" 21,	20·6	1·3	16	.	.	1	.	.	.	.	.	.	1	4	.
		" 28,	19·3	.	15	.	.	.	.	.	.	.	.	.	4	4	.
		Aug. 4,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	2	.
		" 11,	21·9	6·4	17	.	.	.	.	.	.	.	.	5	2	2	.
		" 18,	23·1	1·3	18	.	.	.	.	.	.	.	.	1	1	4	1
		" 25,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	3	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	July 7,	18·9	.	13	.	.	.	.	.	.	.	.	.	2	1	1
		" 14,	13·1	.	9	.	.	.	.	.	.	.	.	.	4	3	.
		" 21,	14·6	.	10	.	.	.	.	.	.	.	.	.	2	3	.
		" 28,	16·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
		Aug. 4,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	2	.
		" 11,	23·3	.	16	.	.	.	.	.	.	.	.	.	2	4	3
		" 18,	23·3	7·3	16	.	.	.	.	.	.	.	.	5	1	2	1
		" 25,	36·4	13·1	25	.	.	.	.	.	.	.	1	3	1	4	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	July 7,	11·3	.	6	.	.	.	.	.	.	.	.	.	1	1	1
	" 14,	9·4	.	5	.	.	.	.	.	.	.	.	.	2	.	1
	" 21,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	" 28,	16·2	1·9	9	.	.	.	.	.	1	.	.	.	.	2	.
	Aug. 4,	26·1	5·8	15	.	.	.	.	.	.	.	1	1	2	1	.
	" 11,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	1
	" 18,	11·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	" 25,	13·1	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.
Donnybrook. Pop. (in 1891) 24,629.	July 7,	6·4	.	3	.	.	.	.	.	.	.	.	.	.	2	.
	" 14,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	.
	" 21,	10·6	4·2	5	.	.	.	.	1	1	.	.	.	.	1	.
	" 28,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	Aug. 4,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	" 11,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	3	.	.
	" 18,	14·8	2·1	7	.	.	.	.	.	.	.	.	1	1	.	1
	" 25,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	2	.	4
Kingstown. Pop (in 1891) 17,886.	July 7,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	.	1
	" 14,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	1	1	1
	" 21,	33·0	8·0	11	.	.	.	.	1	.	.	.	.	4	.	.
	" 28,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 4,	15·0	8·0	5	.	.	.	.	.	.	.	.	1	1	.	.
	" 11,	12·0	8·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	" 18,	6·0	8·0	2	.	.	.	.	.	.	1	.	.	.	.	.
	" 25,	30·1	.	10	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	July 7,	18·3	1·3	126	.	.	.	.	1	.	.	6	2	20	24	3
	" 14,	15·7	1·6	108	.	.	.	.	2	1	.	7	1	20	10	3
	" 21,	19·8	1·9	136	.	1	.	.	3	.	.	1	8	20	22	3
	" 28,	19·3	2·6	133	.	.	.	.	.	.	1	6	11	22	14	3
	Aug. 4,	22·5	3·8	155	.	1	.	.	.	1	.	5	19	30	13	5
	" 11,	18·3	2·8	126	.	1	.	.	.	.	.	8	7	27	13	2
	" 18,	21·6	4·2	149	.	.	.	.	3	2	.	8	16	16	12	3
	" 25,	18·0	3·5	124	.	.	.	.	2	.	.	7	15	16	10	3
Cork. Pop. (in 1891) 75,845.	July 7,	18·7	2·1	27	.	.	.	2	.	.	.	.	1	10	3	.
	" 14,	17·3	.	25	.	.	.	.	.	.	.	.	.	1	3	1
	" 21,	19·4	0·7	28	.	.	.	.	.	.	.	.	1	7	5	.
	" 28,	19·4	0·7	28	.	.	1	.	.	.	.	.	.	4	4	.
	Aug. 4,	18·0	0·7	26	.	.	.	.	.	.	.	.	1	5	5	1
	" 11,	12·5	0·7	18	.	.	.	.	.	.	.	.	1	4	5	.
	" 18,	13·1	.	19	.	.	.	.	.	.	.	.	.	2	4	.
	" 25,	13·1	2·1	19	.	.	.	.	.	.	.	.	3	3	1	1
Limerick. Pop. (in 1891) 37,155.	July 7,	26·7	.	18	.	.	.	.	.	.	.	.	.	1	4	.
	" 14,	19·6	.	14	.	.	.	.	.	.	.	.	.	3	3	.
	" 21,	9·8	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	" 28,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 4,	11·2	1·4	8	.	.	.	.	.	.	.	.	1	3	2	.
	" 11,	12·6	.	9	.	.	.	.	.	.	.	.	.	5	2	.
	" 18,	7·0	1·4	.	.	.	.	.	.	.	.	.	1	1	2	.
	" 25,	16·8	.	12	.	.	.	.	.	.	.	.	.	3	3	1
Londonderry Pop (in 1891) 75,200.	July 7,	29·8	1·6	19	.	1	.	.	.	.	.	.	.	2	2	.
	" 14,	12·6	3·1	8	.	.	.	.	.	.	.	.	2	1	.	.
	" 21,	22·0	4·7	14	.	.	.	.	.	1	.	.	2	3	1	1
	" 28,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	" 11,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	2	3	.
	" 18,	28·3	4·7	18	.	.	.	.	.	.	.	.	3	5	2	.
	" 25,	18·8	.	12	.	.	.	.	.	.	.	.	.	4	.	.
Waterford. Pop (in 1891) 26,200.	July 7,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	.	1	.
	" 14,	17·9	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	" 21,	11·9	2·0	6	.	.	.	.	.	1	.	.	.	2	.	
	" 28,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	Aug. 4,	8·0	2·0	4	.	.	.	.	.	.	1	.	.	1	1	.
	" 11,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	3	.	.
	" 18,	31·8	4·0	16	.	.	.	.	.	.	.	.	2	6	.	.
	" 25,	13·9		7	.	.	.	.	.	.	.	.	.	.	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 25th August, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 60 years.	Ages at Death: 60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	10	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		9	4	.	3	2	.	.	.	.	1	.	.	.	1	.	.	.	.	1
" 2 "	37,589	32			15	4	.	9	2	.	.	.	.	.	.	.	1	2	2	2	.	.	2
" 3 "	33,843	31			17	7	1	6	3	.	.	.	.	.	.	.	.	2	3	1	1	1	1
" 4 "	33,391	16			18	7	3	5	3	.	.	.	.	.	.	.	.	.	1	2	.	3	6
" 5 "	21,284	10			9	1	1	4	3	.	.	.	.	.	.	.	.	1	1	2	.	.	1
" 6 "	43,431	29			9	4	.	4	1	.	.	.	.	.	.	.	1	2	1	.	.	.	3
" 7 "	1,112	2			2	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" 8 "	4,904	1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	13			9	2	2	2	3	.	.	.	.	.	.	.	.	1	1	.	1	1	1
" 10 "	12,256	7			9	.	.	8	1	.	.	.	.	.	.	.	2	1	2	1	.	.	2
" 11 "	19,881	20			11	5	.	4	2	.	.	.	.	1	.	.	1	3	1	.	1	1	1
" 12 "	23,282	25			11	4	.	6	1	.	.	.	.	.	.	.	2	1	3	1	.	.	2
" 13 "	6,804	9			4	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	206			124	40	7	56	21	.	.	.	.	2	.	.	7	15	16	10	3	6	21
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	3	21·9	.	5	.	.	3	2	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" 2 "	9,252	2	22·5	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 3 "	9,816	3	10·6	5·3	2	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
" 4 "	10,356	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	8,187	1	12·3	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	3,823	7	5·9	5·9	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 7 "	17,034	8	15·3	3·1	5	1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1
Total,	75,345	28	13·1	2·1	19	4	1	10	4	.	.	.	.	.	.	.	.	3	3	1	1	1	3

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																								
	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31	Apr. 7.	Apr. 14.	Apr. 21.	Apr 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.
No. of week in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered,	216	269	218	236	229	188	197	225	261	213	244	218	218	218	219	241	213	204	236	155	263	220	241	222	171	206
DEATHS registered.	207	195	157	169	176	179	149	124	127	171	138	153	141	134	123	141	130	136	126	108	136	138	155	126	149	124
Annual Death-rate per 1,000 of estimated Population,	30·1	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0
AGES, Under 1 year,	43	42	27	26	37	31	29	21	27	33	26	34	20	25	26	24	26	28	26	22	34	39	56	39	52	40
AGES, 1–5 years,	21	28	26	30	22	21	18	12	13	28	14	27	10	13	18	17	15	15	14	13	15	15	20	9	17	7
AGES, 5–60 years,	92	90	68	77	84	80	79	56	64	86	76	65	87	76	60	72	61	76	67	55	65	61	58	58	65	56
AGES, 60 years and upwards,	51	35	36	36	33	47	23	35	23	29	22	27	24	20	24	28	28	17	19	18	22	18	21	20	15	21
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	2	1	1	2	1	.	1	.	.	.	1	1	.	3	1	1	2	.	.	1	.	1	1	.	.
" Scarlet Fever,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	4	3	2	4	4	1	1	1	4	8	3	6	1	1	.	1	1	2	1	2	3	.	.	.	3	2
" Diphtheria,	2	1	1	2	2	2	2	1	1	1	1	1	.	1	1	.	.	1	.	1	.	.	1	.	2	.
" Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" Enteric Fever,	5	3	4	3	6	1	5	5	3	8	5	12	5	11	10	11	6	2	6	7	1	6	5	3	8	7
" Diarrhœa, Dysentery,	.	1	1	3	3	1	1	2	3	4	1	2	1	3	1	1	4	4	2	1	8	11	19	7	16	15
" Phthisis,	26	28	26	30	39	25	13	14	28	31	31	23	34	22	18	2	20	32	20	20	20	22	30	27	16	16
" Diseases of Respiratory System,	57	75	35	49	43	46	38	26	24	33	31	32	31	29	28	24	18	17	24	10	22	14	13	13	12	10
Violent Deaths,	4	2	6	2	2	5	.	2	2	2	3	4	5	2	1	4	7	3	3	3	3	3	5	2	3	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th August, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	2	.	1	.	.	.	.	1	3	.	.	.	7
" " 2,	.	.	.	.	.	.	.	.	1	6	.	.	.	7
" " 3,	.	.	.	1	.	.	3	.	.	13	2	.	1	20
South City No. 1,	.	1	.	2	.	.	.	.	1	7	2	.	.	13
" " 2,	.	.	.	1	.	.	.	.	.	3	.	.	.	4
" " 3,	.	1	.	3	.	.	1	.	.	2	2	.	.	9
" " 4,	.	.	.	1	1	.	.	.	.	4	1	.	.	7
Total,	.	4	.	9	1	.	4	.	3	39	7	.	1	68
Total for week ended Aug. 18, 1900,	.	5	.	1	1	.	7	.	4	22	6	.	1	47
Total for week ended Aug 11, 1900,	.	7	.	7	1	.	14	.	4	19	10	.	.	62
Total for week ended Aug. 4, 1900,	.	6	.	13	.	.	3	.	3	15	13	.	.	53

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th August, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th August.			
	Aug. 4.	Aug. 11.	Aug. 18.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	3	4	5	5	.	.	10
Scarlet Fever,	49	50	48	8	11	.	45*
Typhus "	1	2	2	.	2	.	.
Diphtheria,	7	15	16	4	2	1	17
Enteric Fever,	46	54	58	17	10	2	63
Pneumonia,	12	15	19	4	8	.	15

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,589,129	Aug. 25,	2,678	1,691	19·2	.	22	10	14	44	17	314
EDINBURGH, .	302,262	„ 25,	140	97	16·7	.	4	1	.	.	1	4
GLASGOW, . .	743,969	„ 25,	451	251	17·5	.	4	3	3	15	4	17
CALCUTTA, .	466,460	June 23,	.	380	42·5	15	3	.	2	.	67‡	99*
BOMBAY, . .	821,764	Aug. 7,	243	1,455	92·1	5	1	?	?	?	106§	520*
MADRAS, . .	452,518	July 27,	454	380	43·6	.	1	?	?	?	101	64*
PARIS, . . .	2,511,629	Aug. 18,	1,260	949	19·6	3	6	.	1†	8	29	137
BRUSSELS (with 8 Faubourgs).	570,844	„ 18,	256	194	17·7	.	4	.	.	2	1	51
AMSTERDAM, .	526,538	„ 11,	215	145	14·3	.	.	.	.	2	.	.
ROTTERDAM, .	325,556	„ 11,	204	113	17·1	.	.	.	.	1	.	2
THE HAGUE, .	205,328	„ 11,	114	67	16·8	.	.	.	1	.	.	1
COPENHAGEN, .	354,000	„ 18,	201	99	14·8	.	.	1	.	.	2	14
CHRISTIANIA, .	226,423	„ 18,	114	39	8·5	.	1	.	.	1	.	4
ST. PETERSBURG,	1,132,677	„ 18,	522	591	27·1	7	14	15	12	3	27	167
BERLIN, . .	1,854,964	July 28,	932	979	27·4	.	12	8	5	12	2	375
HAMBURG, . .	691,349	Aug. 18,	.	259	19·5	.	1	4	2†	3	1	63
DRESDEN, . .	406,500	July 14,	262	118	15·1	.	.	1	1†	.	.	8
BRESLAU, .	412,959	Aug. 18,	.	229	28·8	.	2	.	2	5	1	77
MUNICH, . .	463,000	June 30,	332	208	23·4	.	4	.	1	3	1	49
VIENNA (with suburbs).	1,656,662	Aug. 11,	812	570	17·9	.	7	2	2†	2	3	139
BUDA-PESTH, .	685,340	„ 4,	429	348	25·8	.	5	1	2	1	3	49
PRAGUE and Faubourgs.	391,693	„ 11,	171	153	20·1	.	.		1	.	4	7
ROME, . . .	518,333	July 28,	211	159	16·0	.	.	.	1	.	9	48
TURIN (10 days),	344,203	June 20,	183	183	19·4	.	.	.	.	.	1	32
VENICE, . .	172,924	July 28,	89	110	33·1	.	.	.	2†	.	3	13
NEW YORK, .	3,654,594	„ 28,	1,691	1,394	19·9	.	8	3	23	13	13	269
PHILADELPHIA, .	1,266,832	Aug. 4,	.	439	18·0	.	4	1	13	1	10	48

* Including 68 deaths from cholera in Calcutta, 354 in Bombay, and 5 in Madras. † Including deaths from croup. ‡ Exclusive of 45 deaths from bubonic fever. § Exclusive of 51 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 25th August, 1900:—

"In marked contrast to the previous week, this was a period of clouds, rain, thunder, and relatively low temperature. The distribution of atmospheric pressure was until Saturday constantly cyclonic over the British Isles, but the low pressure systems seemed to form on the spot rather than to drift in from the Atlantic. A progressive yet gradual decrease of pressure took place during the first three days of the week, and on Wednesday morning a well defined depression with central barometric readings of about 29·30 inches lay over England and Ireland, the lowest reported pressures at 8 a.m. being 29·31 inches at Malin Head, Co. Donegal, and 29·32 inches at Blacksod Point, Donaghadee, and Holyhead. On Tuesday, at 11.40 a.m., a thunderstorm with torrents of rain passed over Dublin from S.W., the surface current being E.S.E. Wednesday was at first fine, but there were heavy thunder showers in the afternoon. On Thursday and Friday the depression was filling up and changing its form, causing N. winds in Ireland, E. and N.E. winds in Scotland, and S.W. and S. winds in England, with heavy thunderstorm in the S. and S.E. of that country. Saturday witnessed a further increase of atmospheric pressure and a great improvement in the weather. In Dublin the mean height of the barometer was 29·712 inches, the range being from 29·329 inches at 9 a.m. of Wednesday (wind, W.) to 30·139 inches at 9 p.m. of Saturday (wind, E.N.E.). The corrected mean temperature was 58·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·9°. On Monday the screened thermometers rose to 67·0° and fell to 51·1°. The rainfall was 1·207 inches on five days, ·922 inch being registered on Tuesday. The prevalent wind was E.N.E. The estimated duration of bright sunshine was 21¼ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·714 inches. The highest reading (30·139) was on Saturday at 9 p.m., wind E.N.E., and the lowest (29·332) on Wednesday at 9 a.m, wind W.S.W.

The mean temperature for the week was 56·8°, being ·8° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Monday, when the thermometer registered 68·1°, and was lowest on Friday, the mercury having fallen to 45·3°. The mean of the Dry Bulb for the week was 56·7°, and of the Wet Bulb 55·1°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 18·3 hours. The rainfall measured 1·245 ins.

At Greenwich the mean temperature for the week was 61·0°, the maximum 79·8°, and the minimum 48·2°; at Glasgow the maximum was 66·8°, the minimum 52·0°, and the mean 58·1°, and at Edinburgh the maximum was 63·9°; the minimum 46·3°, and the mean 54·2°. The rainfall at Greenwich measured 0·56 in.; and at Edinburgh 2·86 ins. There was no rainfall at Glasgow.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. MONTH AND DAY.	BAROMETER. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	THERMOMETER. Maximum	THERMOMETER. Minimum.	THERMOMETER. Mean.	HYGROMETER. Dry Bulb.	HYGROMETER. Wet Bulb.	HYGROMETER. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, August 19,	29·964	60·8	52·9	56·9	54·8	54·0	·94	·2	0·5	·015	Calm.	Calm.
Monday, " 20,	29·798	68·1	46·1	57·1	59·3	56·3	·83	·2	7·5	·055	W.	Calm.
Tuesday, " 21,	29·510	63·8	54·7	59·3	58·9	56·8	·88	·4	0·1	·805	Calm.	Calm.
Wednesday, " 22,	29·356	63·6	50·2	56·9	53·6	53·2	·97	·4	4·2	·345	W.S.W.	Calm.
Thursday, " 23,	29·526	60·8	50·3	55·6	55·7	53·8	·89	·4	0·6	—	S.E.	Calm.
Friday, " 24,	29·781	59·0	45·3	52·2	56·2	55·1	·93	·6	0·0	·025	N.	N.
Saturday, " 25,	30·062	64·1	55·6	59·9	58·7	56·5	·86	·5	5·4	—	N,	E.N.E.
Mean, . .	29·714	62·9	50·7	56·8	56·7	55·1	·90	·4	Total 18·3	Total 1·245	——	

Sunday—Dull a.m., cloudy p.m.; rain 9 to 11 a.m.; night cloudy. *Monday*—A fine but cloudy day; night cloudy; rain 3.30 to 4.30 a.m. *Tuesday*—A cloudy day; rain 9.45 a.m. to 1 p.m., and 4 to 9.15 p.m.; thunder and lightning 11.30 a.m.; night cloudy. *Wednesday*—A cloudy day; rain 2 to 3 p.m.; thunder 5.15 p.m.; night cloudy; rain 7.45 to 8.15 a.m. *Thursday*—A cloudy day; night cloudy. *Friday*—A cloudy day; rain 11.30 a.m. to 1.30 p.m.; night cloudy. *Saturday*—A cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 174. 6. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 1ST SEPTEMBER, 1900. [No. 35.

General Register Office, Charlemont House,
Dublin, 3rd September, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 21·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

TOWNS, &c.	Week ending Aug. 11.	Week ending Aug. 18.	Week ending Aug. 25.	Week ending Sept. 1.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Aug. 11.	Week ending Aug. 18.	Week ending Aug. 25.	Week ending Sept. 1.	Average Rate for 4 weeks.
23 Town Dists.	**18·9**	**20·2**	**20·5**	**21·9**	**20·4**	Limerick, . .	12·6	7·0	16·8	22·5	14·7
Armagh, . .	0·0	28·5	28·5	28·5	21·4	Lisburn, . .	21·3	29·8	21·3	4·3	19·2
Ballymena, .	22·5	16·9	22·5	11·3	18·3	Londonderry, .	20·4	28·3	18·8	22·0	22·4
Belfast, . .	18·3	21·6	18·0	19·3	19·3	Lurgan, . .	4·6	27·4	18·2	18·2	17·1
Carrickfergus, .	11·7	5·8	5·8	29·2	13·1	Newry, . .	8·1	20·1	8·1	24·1	15·1
Clonmel, . .	4·9	19·5	24·3	19·5	17·0	Newtownards, .	34·0	17·0	0·0	0·0	12·8
Cork, . . .	12·5	13·1	13·1	13·8	13·1	Portadown, .	12·4	18·6	18·6	18·6	17·0
Drogheda, . .	30·4	11·4	3·8	45·6	22·8	Queenstown, .	28·7	11·5	5·7	11·5	14·3
Dublin, Reg. Area,	23·0	21·2	27·0	26·7	24·5	Sligo, . . .	20·3	10·2	10·2	5·1	11·4
Dundalk, . .	50·3	8·4	12·6	20·9	23·0	Tralee, . .	5·6	16·8	33·6	50·4	26·6
Galway, . .	7·6	11·3	64·2	37·8	30·2	Waterford, .	11·9	31·8	13·9	13·9	17·9
Kilkenny, . .	14·2	14·2	9·4	23·6	15·3	Wexford, . .	4·5	36·1	13·5	18·1	18·0

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 4·1 per 1,000, the rates varying from 0·0 in eleven of the districts to 16·8 in Tralee; the 9 deaths from all causes registered in that district comprising 2 deaths from typhus and one from diarrhœa. Among the 133 deaths from all causes registered in Belfast are 10 from enteric fever and 16 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 228—109 boys and 119 girls; and the deaths to 186—86 males and 100 females.

DEATHS.

The deaths, which are 22 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 27·7 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 26·7 per 1,000. During the thirty-five weeks ending with Saturday last the death-rate averaged 30·3, and was 2·6 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 51 deaths from zymotic diseases registered during the week, being 10 over the number for the preceding week, and 15 over the average for the corresponding week of the last 10 years; they comprise one from scarlatina, 2 from influenza, 4 from whooping-cough, 4 from diphtheria, 2 from enteric fever, 3 from choleraic diarrhœa, 33 from diarrhœa, one from cerebro-spinal meningitis, &c. Thirty-one of the 36 deaths from diarrhœal diseases were of children under 5 years of age, of whom 22 were infants under one year old.

Tuberculosis caused 41 deaths—comprising 32 from phthisis, 5 from tabes mesenterica, 2 from tubercular meningitis, and 2 from scrofula.

Diseases of the respiratory system caused 6 deaths, being 8 under the number recorded during the preceding week, and also 8 under the average for the corresponding week of the last 10 years. They comprise 3 from bronchitis and 2 from pneumonia or inflammation of the lungs.

The deaths of 11 children under 5 years of age (including 9 infants under one year old) were ascribed to convulsions.

Three deaths were caused by apoplexy, 11 by other diseases of the brain and nervous system (exclusive of convulsions), 10 by diseases of the circulatory system, and 7 by cancer.

Two accidental deaths were registered.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 children under one year of age.

Seventy-one of the persons whose deaths were registered during the week were under 5 years of age (52 being infants under one year, of whom 13 were under one month old) and 30 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a woman) was stated to have been aged 92 years.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 26·7 per 1,000; the rate in the city was 30·0 (35·2 on the North side, and 25·2 on the South), and in the Suburbs 18·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 6·1 per 1,000 inhabitants, the rate for the city being 7·0 (8·9 in the North City Districts, and 5·3 in the South), and for the Suburbs 4·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (22) are equal to an annual rate of 42·3 per 1,000. They comprise 9 from zymotic diseases, viz.:—one from diphtheria, 6 from diarrhœa, and 2 from influenza. Four deaths were caused by phthisis.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 26·9 per 1,000. Of these 4 were from zymotic diseases, viz.:—3 from diarrhœa and one from choleraic diarrhœa. Three deaths were caused by phthisis and 2 by diseases of the brain and nervous system.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 36·1 per 1,000. Four were caused by diarrhœa, but no deaths from any other zymotic disease were recorded. Of the 16 deaths from other causes, 5 were from diseases of the brain and nervous system, and 3 from phthisis.

No. 3 North City District (Blackhall-place).—The deaths (19) represent an annual rate of 38·0 per 1,000. They include 7 from zymotic diseases, viz.:—2 from whooping-cough, one from diphtheria, 3 from diarrhœa and one from choleraic diarrhœa. Two deaths were caused by diseases of the circulatory system, 2 by phthisis, 2 by convulsions, and 2 by cancer.

* See Table VI.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 29·8 per 1,000. They comprise 6 from zymotic diseases, viz.:—one from scarlatina, one from enteric fever, and 4 from diarrhœa. Phthisis caused 4 deaths and diseases of the circulatory system 2.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·7 per 1,000. The only death from any zymotic disease recorded was one from diarrhœa. Two of the six deaths from other causes were from phthisis.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 16·7 per 1,000. Three of these were from zymotic diseases, including 2 from diarrhœa. Phthisis caused 5 deaths.

No. 4 South City District (Grand Canal-street).—The deaths (23) are equivalent to an annual rate of 33·5 per 1,000 Four were caused by diarrhœa, but no deaths from any other zymotic disease were recorded. Phthisis caused 3 deaths, diseases of the brain and nervous system 7, and diseases of the circulatory system 2.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 14·6; Finglas and Glasnevin, part of, 36·9; Palmerston, part of, and Crumlin, part of, 21·5; Rathmines, 22·5; Donnybrook, 19·1; Blackrock, 18·6; and Kingstown, 12·0. The deaths from zymotic diseases tabulated for these districts consist of one from diarrhœa for Coolock and Drumcondra, No. 1, one from diarrhœa and one from diphtheria for Finglas and Glasnevin, part of, one from diarrhœa for Palmerston, part of, 2 from whooping-cough and one from diarrhœa for Rathmines, one from choleraic diarrhœa for Blackrock, and one from diarrhœa and one from cerebro-spinal meningitis for Kingstown. Two of the 3 deaths from all causes tabulated for Palmerston, part of, were from phthisis; and the 9 deaths for Donnybrook comprise 2 from diseases of the circulatory system and 2 from cancer.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	11th August,	62 cases.
,, ,,	18th August,	47 cases.
,, ,,	25th August,	68 cases.
,, ,,	1st September,	59 cases.

Of the 59 cases notified, 9 were erysipelas, 37 enteric fever, 3 scarlatina, 2 measles, meningitis† one, 3 diphtheria, and 4 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st September, 1900.

From this it appears that:—

Five cases of scarlatina were admitted to hospital, 7 were discharged, and 43* remained under treatment at the close of the week.

Eighteen cases of enteric fever were admitted to hospital, 7 were discharged, one died, and 73 remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 2 were discharged, 3 died, and 16 remained under treatment at the close of the week.

The hospital admissions for the week also include 2 cases of measles; 4 patients were discharged; and 8 cases of the disease remained under treatment on Saturday last.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 20·2) was equal to an average annual death-rate of 21·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·6 per 1,000, the rate for Glasgow being 17·5, and for Edinburgh 16·0.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending **Saturday, 1st September, 1900,** in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 1st September, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 1st Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th Aug., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th Aug., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 28 Town Districts	1,062,188	18·2	30·2	21·9	4·1	615	446	129	79	.	1	1	3	4	3	.	12	59	59	29	6	14	109	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	849,594	14·2	34·0	26·7	6·1	228	179	52	30	.	.	1	.	4	3	.	1	32	31	6	2	2	58	§67·6	43·3	55·9	0·14	§68·1	45·3	56·8	1·25	§75·8	46·1	60·2	0·02
Registrars' Districts. City	245,001	65·6	39·4	30·0	7·0	185	141	41	28	.	.	1	.	2	2	.	1	27	26	5	1	1	51	70·0	51·0	59·1	0·14	67·0	51·1	58·7	1·21	75·0	52·8	62·5	0·03
Clontarf &c. No. 1,	4,188	1·5	12·6	12·6	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	9·7	14·6	4·9	2	3	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	24·6	36·9	24·6	2	3	2	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	69·9	46·6	56·7	0·12	69·3	47·6	57·8	1·34	76·9	48·0	61·0	0·03
Palmerston, part of and Crumlin part of (b),	7,278	8·0	7·2	21·5	7·2	1	3	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	18·8	22·5	5·6	10	12	4	2	.	.	.	.	2	.	.	.	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	21·2	19·1	.	10	9	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·6	31·0	18·6	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	36·0	12·0	3·0	12	4	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	72	50	59·4	.	66	51	58·5	0·86	73	52	61·9	.
Urban Districts																																			
Belfast,	359,000	21·8	28·0	19·3	3·8	193	133	44	22	.	.	.	.	.	.	.	10	16	13	9	3	6	17	66·1	45·1	55·7	0·31	65·1	49·1	57·1	1·81	76·6	47·1	60·2	0·04
Cork,	75,345	33·3	38·8	18·8	2·8	56	20	8	3	.	.	.	.	.	.	.	.	4	3	3	.	.	5	66	50	58·8	0·10	65	53	59·1	0·71	70	50	60·0	0·35
Limerick,	37,155	17·9	19·6	22·5	.	14	16	2	6	.	.	.	.	.	.	.	.	.	.	4	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	38,200	15·8	22·0	22·0	1·6	14	14	4	2	.	.	.	.	.	.	.	.	1	4	1	.	.	3	.	.	.	.	68·0	48·0	58·1	1·87	85·5	47·0	64·0	0·00
Waterford,	26,208	18·3	17·9	13·9	2·0	9	7	1	1	.	.	.	.	.	.	.	.	1	2	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	26·4	37·8	.	7	10	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	2	68	44	59	0·65	68	50	60	1·09	83	47	63	.
Drogheda	13,708	8·7	38·0	45·6	.	10	12	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	12·1	24·1	8·1	3	6	4	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1	67·1	43·0	56·2	0·27	64·0	41·0	56·0	1·63	79·3	45·7	61·5	0·08
Dundalk,	12,449	9·0	25·1	20·9	.	6	5	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	21·3	4·3	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·1	43·0	56·2	0·27	64·0	41·0	56·0	1·63	79·3	45·7	61·5	0·08
Wexford,	11,545	24·0	40·6	18·1	4·5	9	4	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	13·4	22·8	18·2	4·6	5	4	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	67·1	43·0	56·2	0·27	64·0	41·0	56·0	1·63	79·3	45·7	61·5	0·08
Kilkenny,	11,048	12·0	66·1	23·6	.	14	5	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	3	69	45	57·2	0·05	68	50	58·1	1·42	78	47	61·3	0·00
Clonmel,	10,708	8·2	19·5	19·5	4·9	4	4	.	2	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	3·4	15·2	5·1	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·4	36·7	55·5	0·36	68·9	41·2	57·5	1·24	80·3	37·6	60·0	0·06
Tralee,	9,318	15·9	56·0	50·4	16·8	10	9	1	2	.	.	.	2	.	.	.	.	1	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	22·5	11·3	5·6	4	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67	50	56·3	0·29	62	42	55·3	2·05	72	49	59·7	0·01
Queenstown,	9,082	17·0	28·7	11·5	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	66	50	58·3	0·10	65	53	59·1	0·71	70	50	60·0	0·35
Carrickfergus	8,923	0·5	23·4	29·2	5·8	4	5	.	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	49·5	18·6	.	8	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·1	43·0	56·2	0·27	64·0	41·0	56·0	1·63	79·3	45·7	61·5	0·08
Armagh,	7,187	21·4	28·5	26·5	.	4	4	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	67·1	43·0	56·2	0·27	64·0	41·0	56·0	1·63	79·3	45·7	61·5	0·08

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 7 deaths of persons admitted to hospital from localities outside the district.

§ Calculated on the Population of Registrar-General's Survey Office, Phœnix Park.

‖ The Urban District.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 1st September, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	2	.	.	.	.	.	.	.	.	2	.	.	.	4	.
Diphtheria,	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	3	1
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1
Diarrhœa, Dysentery,	6	3	4	3	4	1	2	4	.	1	1	1	1	.	.	1	32	1
Other Zymotic Diseases	2	1	.	1	.	.	1	.	.	.	.	.	.	.	1	1	7	.
Total,	9	4	4	7	6	1	3	4	.	1	2	1	3	.	1	2	48	3
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	4	2	3	2	4	2	5	3	1	1	.	2	1	.	.	.	31	1
Other Constitutional Diseases,	3	1	1	2	2	.	1	1	.	.	1	.	3	3	.	.	18	1
Total,	7	4	4	4	6	2	6	4	1	1	1	2	4	3	.	.	49	2
V. DEVELOPMENTAL DISEASES,	1	4	1	5	.	1	.	1	.	.	.	.	2	2	.	1	16	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	1	2	5	2	1	1	.	7	.	.	.	.	1	2	1	1	24	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of Circulatory System,	1	1	1	2	2	1	.	2	.	.	.	.	.	.	.	.	10	.
Diseases of Respiratory System,	1	1	.	.	1	.	1	1	.	1	.	.	.	.	.	.	6	.
Diseases of Digestive System,	1	.	2	1	1	.	1	2	.	.	.	.	2	.	.	.	10	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	1	1	.	.	.	.	1	.	.	.	.	.	1	1	.	5	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Integumentary System,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Total,	4	6	9	5	5	3	2	14	.	1	.	.	3	3	2	1	58	1
VII. VIOLENT DEATHS,	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	4	1
Deaths from all Causes,	22	18	20	19	19	7	18	23	1	3	3	3	12	9	3	4	179	7
Annual Rate of Mortality in every 1,000 of the population.	42·3	26·9	36·1	38·0	29·8	19·7	16·7	33·5	12·6	14·6	36·9	21·5	22·5	19·1	18·6	12·0	26·7	
	35·2				25·2				18·9									
	30·0																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	1	1	4	.	1	2	4	.	.	1	1	2	2	.	.	22	6
Workhouse Hospitals,	5	3	7	4	6	1	5	2	.	.	.	.	.	1	.	.	36	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office. 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Aug. 30, 1890	Sept. 5, 1891	Sept. 3, 1892	Sept. 2, 1893	Sept. 1, 1894	Aug. 31, 1895	Aug. 29, 1896	Sept. 4, 1897	Sept. 3, 1898	Sept. 2, 1899	Averages in 35th Week of the 10 years 1890–99.	In the week ending Saturday, 1st September, 1900. Deaths of persons of the Ages of ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 51·5	° 58·9	° 55·5	° 56·1	° 55·3	° 59·1	° 56·1	° 53·3	° 58·3	° 59·1	° 55·9	° 55·9								
ALL CAUSES,	161	127	176	195	131	158	142	155	185	205	163·5	186	13	39	19	21	25	39	26	4
I. FEBRILE OR ZYMOTIC DISEASES,	30	20	36	57	18	25	24	36	44	68	35·8	51	3	22	12	5	2	4	3	.
II. PARASITIC DISEASES,	.	.	.	1	.	1	2	.	.	.	·4	.	.	.	.	.	.	.	.	.
III. DIETETIC „	2	1	1	1	1	1	.	.	1	1	·9	2	.	.	.	.	1	1	.	.
IV. CONSTITUTIONAL „	48	26	32	31	37	26	37	37	42	49	38·6	51	1	3	3	10	15	16	3	.
V. DEVELOPMENTAL „	9	9	12	10	3	18	14	13	9	10	10·7	16	1	2	.	.	.	.	10	3
VI. LOCAL „	65	60	70	70	61	70	58	53	68	62	63·2	59	8	10	4	6	6	15	9	1
VII. VIOLENT DEATHS,	3	4	6	3	4	5	4	6	9	6	5·0	2	.	.	.	.	2	.	.	.
VIII. ILL-DEFINED CAUSES,	4	7	9	12	7	12	8	10	11	9	8·9	5	.	2	.	.	.	3	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	1	1	.	.	.	.	1	14	1·9	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	2	.	1	.	2	1	.	.	·6	1	.	.	1	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	3	.	1	.	.	.	1	·5	2	.	.	1	.	.	1	.	.
Whooping Cough,	3	4	.	5	2	3	.	3	4	3	2·7	4	.	3	.	1	.	.	.	.
Diphtheria,	1	2	2	.	.	.	.	4	.	1	1·0	4	.	.	1	3	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	2	2	6	4	5	3	.	1	4	3·0	2	.	.	.	1	1	.	.	.
Cholera and Chol. Diarr.,	2	.	4	1	.	1	2	2	2	7	2·1	3	1	2	.	.	.	.	.	.
Diarrhœa, Dysentery,	18	9	19	36	10	11	17	25	33	36	20·9	33	2	17	9	.	1	1	3	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	3	.	.	.	1	.	.	.	1	1	·6	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	.	1	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	1	1	2	.	.	.	1	1	.	·6	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	1	4	1	.	4	.	.	.	.	1·3	2	.	.	.	.	.	2	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	1	2	.	.	.	·3	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	2	1	1	1	1	1	.	.	1	1	·9	2	.	.	.	.	.	1	1	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	.	.	.	3	.	1	.	1	·5	1	.	.	.	.	1	.	.	.
Rheumatism,	.	.	.	.	.	.	.	.	1	1	·2	1	.	.	.	.	.	1	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	5	2	4	7	2	3	8	7	4	6	4·8	7	.	.	.	.	.	5	2	.
Tabes Mesenterica,	10	5	7	5	1	5	5	7	2	10	5·7	5	1	2	2	.	.	.	.	.
Tubercular Meningitis,	1	1	3	3	5	2	1	3	4	6	2·9	2	.	1	1	.	.	.	.	.
Phthisis,	28	16	25	23	25	12	19	16	29	22	21·5	32	.	.	.	9	14	8	1	.
Scrofula, Tuberculosis,	3	2	2	2	3	1	4	2	3	2	2·4	2	.	.	.	1	.	1	.	.
Other Constitutional Diseases,	1	.	1	1	1	.	.	1	.	1	·6	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	1	3	.	4	.	3	.	2	2	2	1·7	1	1	.	.	.	.	.	.	.
Atelectasis,	.	1	.	.	.	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	.	.	.	2	.	.	.	·3	1	.	1	.	.	.	.	.	.
Old Age,	8	5	11	6	3	15	12	11	7	8	8·6	13	.	.	.	.	.	.	10	3

each Disease registered in the THIRTY-FIFTH WEEK ending Saturday, 1st September, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 35th Week of the 10 years 1890-99.	In the Week ending Saturday, 1st September, 1900. Deaths of Persons of the Ages of							
	Aug. 30, 1890	Sept. 5, 1891	Sept. 3, 1892	Sept. 9, 1893	Sept. 1, 1894	Aug. 31, 1895	Aug. 29, 1896	Sept. 4, 1897	Sept. 3, 1898	Sept. 2, 1899		ALL AGES. Mean Temp.	0 to 5: Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 51·5	° 53·9	° 55·5	° 56·1	° 55·3	° 59·1	° 56·1	° 53·8	° 58·3	° 59·1	° 55·9	° 55·9								
VI. Local Diseases.																				
Apoplexy,	3	3	2	4	4	3	.	1	.	1	2·1	3	.	.	.	.	1	1	1	.
Epilepsy,	.	1	.	2	1	2	1	1	.	1	·9	.	.	.	.	.	.	.	.	.
Convulsions,	11	14	12	18	6	11	9	8	12	11	11·5	11	3	6	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	4	4	3	8	4	7	5	5	9	6	5·5	11	.	2	.	3	1	2	3	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	1	.	.	.	.
Diseases of Circulatory System,	10	11	11	12	12	13	16	15	11	13	12·4	10	.	.	.	2	2	5	1	.
Croup,	.	.	.	.	.	.	2	1	.	.	·3	.	.	.	.	.	.	.	.	.
Bronchitis,	10	6	13	5	6	8	8	6	13	7	8·2	3	.	1	.	.	.	.	1	1
Pneumonia	2	3	5	5	7	2	2	2	5	6	3·9	2	.	.	1	.	.	1	.	.
Pleurisy,	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	6	2	1	1	1	2	.	1	.	.	1·4	1	.	.	.	.	.	1	.	.
Teething,	1	.	1	1	.	3	1	1	2	1	1·1	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	2	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	.	1	1	1	1	.	3	1	·8	3	1	1	1	.	.	.	.	.
Peritonitis	.	.	.	.	1	.	1	.	2	1	·5	.	.	.	.	.	.	.	.	.
Disease of Liver,	4	5	3	4	2	1	3	5	.	1	2·8	3	1	.	.	.	.	2	.	.
Other Diseases of Digestive System,	7	8	8	2	5	10	.	2	4	9	5·5	4	2	.	.	.	.	2	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	7	3	9	4	6	.	1	5	5	1	4·1	5	.	.	.	.	1	1	3	.
Diseases of Generative System,	.	.	2	1	1	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	4	.	1	.	.	1	·6	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
Diseases of Integumentary System,	.	.	.	.	.	1	.	.	2	.	·3	1	1	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	.	2	.	2	2	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	2	.	.	.	.	.	.	1	.	1	4·0	1	.	.	.	.	1	.	.	.
By Drowning,		.	3	1	2	.	.	1	.	3		1	.	.	.	.	1	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	1	.	1	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		4	2	.	1	1	2	2	4	1		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	1	.	.	.	.	2	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	1	.	1	1	1	.	.	1	·6	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	4	7	9	12	7	12	8	10	11	9	8·9	5	.	2	.	.	.	3	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																								
	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.
No. of weeks in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
Births registered,	215	217	226	234	128	184	225	202	246	222	198	214	199	222	194	198	228	181	208	186	187	245	149	256	221	228
Average Births in corresponding week of previous 10 years,	195	192	195	217	199	194	192	213	214	212	192	201	209	199	208	202	219	193	188	185	185	195	200	196	185	197
Deaths registered,	247	209	236	244	194	230	204	178	204	179	168	176	157	161	167	122	144	124	127	165	129	159	161	147	185	186
Annual Death-rate per 1,000,	36·8	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7
Average Deaths in corresponding week of previous 10 years,	218	218	218	219	204	184	185	184	178	170	174	167	162	156	164	150	156	149	148	154	162	159	160	157	162	164
Ages, Under 5 years,	66	56	69	55	50	59	66	51	54	52	47	43	43	54	37	29	33	38	32	47	35	40	57	51	79	71
5—20 ,,	15	12	17	12	14	26	13	15	17	19	20	26	15	14	27	16	13	10	8	13	7	13	9	15	12	21
20—40 ,,	42	39	34	45	24	29	30	33	47	27	28	30	22	31	35	19	32	25	35	26	13	25	31	17	38	25
40—60 ,,	60	44	51	54	42	53	32	43	42	36	31	35	40	38	31	29	33	23	24	44	33	39	34	34	35	39
60—80 ,,	56	42	52	59	53	47	45	27	35	36	36	35	31	19	30	23	27	26	23	30	30	35	26	26	20	26
80 years and upwards,	8	16	13	19	11	16	18	4	9	9	6	7	6	5	7	6	6	2	5	5	6	7	4	4	1	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	4	.	.	3	2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
,, Whooping-cough,	.	1	.	.	3	1	2	2	4	1	1	3	.	5	.	1	2	3	4	5	.	3	1	1	5	4
,, Diphtheria,	2	.	1	1	.	2	2	.	.	.	1	.	.	2	2	1	.	.	.	2	1	.	3	.	1	4
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.
,, Enteric Fever,	2	.	.	1	3	2	3	5	6	1	2	2	1	2	2	2	.	2	2	2	.	2	.	1	2	2
,, Diarrhœa, Dysentery,	3	4	4	.	.	1	3	3	1	3	2	.	1	2	1	.	1	2	1	4	4	9	19	24	25	33
,, Phthisis,	37	29	29	30	27	28	27	32	29	32	30	32	13	28	28	22	21	26	31	28	19	24	24	20	25	32
,, Heart Diseases,	18	17	20	23	16	17	11	11	17	14	17	11	14	10	11	9	9	10	9	19	17	23	12	12	18	10
,, Diseases of Respiratory System,	78	89	72	56	46	53	47	40	29	34	25	30	23	23	34	27	29	15	20	23	23	14	15	13	14	6
Violent Deaths,	2	4	9	6	2	9	3	4	6	4	5	1	6	4	1	1	5	6	6	5	4	4	5	4	9	2
Mean Temperature of the Air Phœnix Park),	38·3	41·1	36·4	37·3	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2	52·3	56·6	57·8	53·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9
Average Mean Temperature in corresponding week of previous 10 years,	40·1	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9
Rainfall in inches,	·000	·115	·305	·075	·535	·735	·170	·190	·350	·535	·005	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·315	·015	1·245	·140
Mean Humidity of the Air, complete Saturation 1·0,	·80	·84	·89	·79	·82	·81	·76	·81	·77	·84	·73	·80	·83	·82	·80	·83	·84	·81	·76	·82	·83	·81	·86	·85	·90	·83

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st September, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	27·7	186	71	21	25	39	26	4	.	.	1	.	4	4	.	2	33	44	32	11	6	2	91
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	13·4	4	1	.	.	2	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3
II.	MIDDLE CLASS,	81,469	17·9	28	4	4	6	6	6	2	.	.	.	.	.	.	.	.	3	3	6	.	2	.	17
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,877	19·9	33	12	9	7	3	2	.	.	.	.	.	1	2	.	.	7	10	12	1	1	.	14
IV.	GENERAL SERVICE CLASS,	147,978	89·4	79	48	5	7	12	6	1	.	.	1	.	3	2	.	2	19	27	5	10	3	1	33
V.	INMATES OF WORKHOUSES,	5,191		37	6	3	5	11	12	.	.	.	.	.	.	.	.	.	3	3	9	.	.	1	24
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	13·0	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,857	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	18·1	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	16·0	8	1	1	2	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	5
	6. Clerks and Commercial Assistants,	25,001	10·4	5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	27·5	13	1	2	2	3	3	2	.	.	.	.	.	.	.	.	1	1	4	.	.	.	8
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	63·0	9	5	3	1	.	.	.	.	.	.	.	1	1	.	.	3	5	1	.	.	.	3
	9. Building and Furnishing Trades,	26,294	33·6	17	6	3	3	4	1	.	.	.	.	.	.	1	.	.	4	5	5	1	.	.	6
	10. Clothing Trades,	23,927	8·7	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1
	11. Food Supply Trades,	7,949	19·6	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,987	9·7	5	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	2
	13. Petty Shopkeepers,	6,889	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	22·7	6	6	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3	.	3	.	.	.
	15. Domestic Servants,	39,967	10·4	8	1	.	2	3	2	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	43·3	9	3	1	2	2	1	.	.	.	.	.	.	.	.	1	1	2	1	1	1	.	4
	17. Hawkers, Porters, Labourers, &c.,	83,472	34·9	56	38	4	3	7	3	1	.	.	1	.	3	2	.	.	15	21	3	5	2	1	24
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	37	6	3	5	11	12	.	.	.	.	.	.	.	.	.	3	3	9	.	.	1	24

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	July 14,	7·7	1·9	4	.	.	.	.	.	.	.	1	.	1	1	.
		„ 21,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	.	2	2
		„ 28,	17·3	1·9	9	.	.	.	.	.	.	.	.	1	1	3	.
		Aug. 4,	17·3	3·8	9	.	.	.	.	.	.	.	.	2	1	1	.
		„ 11,	23·0	1·9	12	.	.	.	.	.	1	.	.	.	1	2	.
		„ 18,	25·0	5·8	13	.	.	.	.	.	.	.	1	2	2	1	.
		„ 25,	34·6	7·7	18	.	.	.	.	2	.	.	.	2	3	1	1
		Sept. 1,	42·3	13·4	22	.	.	.	.	.	1	.	.	6	4	1	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,856.	July 14,	26·9	1·5	18	.	.	.	.	.	.	.	.	1	6	1	.
		„ 21,	22·5	3·0	15	.	.	.	.	.	.	.	1	1	3	1	.
		„ 28,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	3	3	.
		Aug. 4,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	2	1	2
		„ 11,	35·9	9·0	24	.	.	.	.	.	.	.	.	6	4	1	.
		„ 18,	21·0	7·5	14	.	.	.	.	.	.	.	.	5	1	1	.
		„ 25,	33·9	7·5	22	.	.	.	.	.	1	.	.	4	7	2	.
		Sept. 1,	26·9	4·5	18	.	.	.	.	.	.	.	.	3	3	1	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	July 14,	19·9	1·8	11	.	.	.	.	.	.	1	.	.	2	2	.
		„ 21,	41·5	5·6	23	.	.	.	.	2	.	.	.	.	4	3	1
		„ 28,	21·7	.	12	.	.	.	.	.	.	.	.	.	3	.	1
		Aug. 4,	25·3	3·6	14	.	.	.	.	.	.	.	1	1	.	2	1
		„ 11,	27·1	.	15	.	.	.	.	.	.	.	.	.	3	3	.
		„ 18,	25·3	3·6	14	.	.	.	.	1	.	.	.	1	3	.	1
		„ 25,	36·1	7·2	20	.	.	.	.	.	.	1	.	3	3	.	1
		Sept. 1,	36·1	7·2	20	.	.	.	.	.	.	.	.	4	3	.	1
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	July 14,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	2	1
		„ 21,	32·0	.	16	.	.	.	.	.	.	.	.	.	3	2	.
		„ 28,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
		Aug. 4,	20·0	.	10	.	.	.	.	.	.	.	.	.	4	.	1
		„ 11,	18·0	2·0	9	.	.	.	.	.	.	.	.	1	1	.	.
		„ 18,	30·0	6·0	15	.	.	.	.	.	.	.	.	5	4	.	.
		„ 25,	24·0	6·0	12	.	.	.	.	.	.	.	1	2	1	.	.
		Sept. 1,	38·0	12·0	19	.	.	.	.	2	1	.	.	3	2	.	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 38,194.	July 14,	40·8	1·6	26	.	.	.	.	1	.	.	.	.	4	6	2
		„ 21,	33·0	4·7	21	.	.	.	.	1	.	.	.	2	5	3	.
		„ 28,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	4	3	1
		Aug. 4,	28·3	1·6	18	.	.	.	.	.	.	.	.	1	4	3	.
		„ 11,	29·8	3·1	19	.	.	.	.	.	1	.	.	1	4	1	1
		„ 18,	28·3	7·9	18	.	.	.	1	.	.	.	.	4	1	3	.
		„ 25,	23·6	4·7	15	.	.	.	.	.	.	.	.	3	1	1	.
		Sept. 1,	29·8	9·4	19	.	.	1	.	.	.	.	1	4	4	1	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	July 14,	14·1	.	5	.	.	.	.	.	.	.	.	.	2	1	.
		„ 21,	36·5	.	13	.	.	.	.	.	.	.	.	.	4	.	.
		„ 28,	28·1	2·8	10	.	.	.	.	.	.	.	.	1	1	1	1
		Aug. 4,	33·7	2·8	12	.	.	.	.	.	.	.	.	1	2	.	.
		„ 11,	25·3	5·6	9	.	.	.	.	1	1	.	.	.	.	1	.
		„ 18,	19·7	2·8	7	.	.	.	.	.	.	.	.	1	1	.	.
		„ 25,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	1
		Sept. 1,	19·7	2·8	7	.	.	.	.	.	.	.	.	1	2	.	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	July 14,	16·7	.	13	.	.	.	.	.	.	.	.	.	4	2	.
		„ 21,	20·6	1·3	16	.	.	1	.	.	.	.	.	.	1	4	.
		„ 28,	19·3	.	15	.	.	.	.	.	.	.	.	.	4	4	.
		Aug. 4,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	2	.
		„ 11,	21·9	6·4	17	.	.	.	.	.	.	.	.	5	2	2	.
		„ 18,	23·1	1·3	18	.	.	.	.	.	.	.	.	1	1	4	1
		„ 25,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	3	1
		Sept. 1,	16·7	2·6	13	.	.	.	.	.	.	.	.	2	5	1	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	July 14,	13·1	.	9	.	.	.	.	.	.	.	.	.	4	3	.
		„ 21,	14·6	.	10	.	.	.	.	.	.	.	.	.	2	3	.
		„ 28,	16·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
		Aug. 4,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	2	.
		„ 11,	23·3	.	16	.	.	.	.	.	.	.	.	.	2	4	2
		„ 18,	23·3	7·3	16	.	.	.	.	.	.	.	.	5	1	2	1
		„ 25,	36	13·1	25	.	.	.	.	.	.	.	1	8	1	4	1
		Sept. 1,	33·5	5·8	23	.	.	.	.	.	.	.	.	4	3	1	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	July 14,	9·4	.	5	.	.	.	.	.	.	.	.	.	2	.	1
	„ 21,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 28,	16·9	1·9	9	.	.	.	.	.	1	.	.	.	.	2	.
	Aug. 4,	28·1	3·8	15	.	.	.	.	.	.	.	1	1	2	1	.
	„ 11,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	1
	„ 18,	11·3	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	„ 25,	13·1	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.
	Sept. 1,	22·5	5·6	12	.	.	.	.	2	.	.	.	1	1	.	.
Donnybrook. Pop. (in 1891) 24,629.	July 14,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	.
	„ 21,	10·6	4·2	5	.	.	.	.	1	1	.	.	.	.	1	.
	„ 28,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	Aug. 4,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 11,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	3	.	.
	„ 18,	14·8	2·1	7	.	.	.	.	.	.	.	.	1	1	.	1
	„ 25,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	2	.	4
	Sept. 1,	19·1	.	9	.	.	.	.	.	.	.	.	.	.	.	1
Kingstown. Pop. (in 1891) 17,336.	July 14,	21·0	6·0	7	.	.	.	.	2	.	.	.	.	1	1	1
	„ 21,	33·0	3·0	11	.	.	.	.	1	.	.	.	.	4	.	.
	„ 28,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 4,	15·9	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.
	„ 11,	12·0	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 18,	6·0	3·0	2	.	.	.	.	.	.	1	.	.	.	.	.
	„ 25,	30·1	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 1,	12·0	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	July 14,	15·7	1·6	108	.	.	.	.	2	1	.	7	1	20	10	3
	„ 21,	19·8	1·9	136	.	1	.	.	3	.	.	1	8	20	22	3
	„ 28,	19·3	2·6	133	.	.	.	.	.	.	1	6	11	22	14	3
	Aug. 4,	22·5	3·8	155	.	1	.	.	.	1	.	5	19	30	13	5
	„ 11,	18·3	2·3	126	.	1	.	.	.	.	.	8	7	27	13	2
	„ 18,	21·6	4·2	149	.	.	.	.	3	2	.	8	13	16	12	3
	„ 25,	18·0	3·5	124	.	.	.	.	2	.	.	7	15	16	10	3
	Sept. 1,	19·3	3·8	133	.	.	.	.	.	.	.	10	16	13	9	3
Cork. Pop. (in 1891) 75,345.	July 14,	17·3	.	25	.	.	.	.	.	.	.	.	.	1	3	1
	„ 21,	19·4	0·7	28	.	.	.	.	.	.	.	.	1	7	5	.
	„ 28,	19·4	0·7	28	.	.	1	.	.	.	.	.	.	4	4	.
	Aug. 4,	18·0	0·7	26	.	.	.	.	.	.	.	.	1	5	5	1
	„ 11,	12·5	0·7	18	.	.	.	.	.	.	.	.	1	4	5	.
	„ 18,	13·1	.	19	.	.	.	.	.	.	.	.	.	2	4	.
	„ 25,	13·1	2·1	19	.	.	.	.	.	.	.	.	3	3	1	1
	Sept. 1,	13·8	2·8	20	.	.	.	.	.	.	.	.	4	3	3	.
Limerick. Pop. (in 1891) 37,155.	July 14,	19·6	.	14	.	.	.	.	.	.	.	.	.	3	3	.
	„ 21,	9·8	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 28,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 4,	11·2	1·4	8	.	.	.	.	.	.	.	.	1	2	2	.
	„ 11,	12·6	.	9	.	.	.	.	.	.	.	.	.	5	2	.
	„ 18,	7·0	1·4	.	.	.	.	.	.	.	.	.	1	1	2	.
	„ 25,	16·8	.	12	.	.	.	.	.	.	.	.	.	3	3	1
	Sept. 1,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	4	.
Londonderry Pop. (in 1891) 28,200.	July 14,	12·6	3·1	8	.	.	.	.	.	.	.	.	2	1	.	.
	„ 21,	22·0	4·7	14	.	.	.	.	.	1	.	.	2	3	1	1
	„ 28,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 11,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	2	3	.
	„ 18,	28·3	4·7	18	.	.	.	.	.	.	.	.	3	5	2	.
	„ 25,	18·8	.	12	.	.	.	.	.	.	.	.	.	4	.	.
	Sept. 1,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	4	1	.
Waterford. Pop. (in 1891) 26,200.	July 14,	17·9	.	9	.	.	.	.	.	.	.	.	.	.	8	.
	„ 21,	11·9	2·0	6	.	.	.	.	.	1	.	.	.	2	.	.
	„ 28,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	Aug. 4,	8·0	2·0	4	.	.	.	.	.	.	1	.	.	1	1	.
	„ 11,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	3	.	.
	„ 18,	31·8	4·0	16	.	.	.	.	.	.	.	.	2	6	.	.
	„ 25,	13·9		7	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 1,	13·9	2·0	7	.	.	.	.	.	.	.	.	1	2	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 1st September, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	8	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		5	1	.	4	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
" 2 "	37,589	22			17	4	2	8	3	.	.	.	.	.	.	.	2	.	.	1	1	2	4
" 3 "	38,845	26			24	11	2	9	2	.	.	.	.	.	.	.	1	6	4	.	.	.	3
" 4 "	33,391	26			20	9	2	7	2	.	.	.	.	.	.	.	3	4	2	.	.	1	3
" 5 "	21,284	8			8	.	2	3	3	.	.	.	.	.	.	.	2	.	.	1	.	.	2
" 6 "	43,431	17			17	5	.	6	6	.	.	.	.	.	.	.	.	2	2	.	.	1	1
" 7 "	1,112	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	5			3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	12			6	1	.	3	2	.	.	.	.	.	.	.	.	.	2	2	.	.	1
" 10 "	19,256	17			7	.	6	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.
" 11 "	19,881	17			10	3	.	4	3	.	.	.	.	.	.	.	1	1	.	1	1	1	2
" 12 "	28,282	26			14	8	3	2	1	.	.	.	.	.	.	.	1	2	.	1	1	1	.
" 13 "	6,804	9			2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	198			188	44	18	49	22	.	.	.	.	.	.	.	10	16	13	9	3	6	17
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	3	13·1	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	3
" 2 "	9,252	8	16·2	5·6	3	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" 3 "	9,816	5	21·2	10·6	4	1	1	2	.	.	.	.	.	.	.	.	.	2	.	2	.	.	1
" 4 "	10,356	12	5·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 5 "	8,187	3	19·2	.	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 6 "	8,823	6	5·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	19	15·3	3·1	5	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Total,	75,345	56	13·8	2·8	20	8	1	8	3	.	.	.	.	.	.	.	.	4	3	3	.	.	5

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.
No. of week in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered,	269	218	236	229	188	197	225	261	213	244	218	218	218	219	241	213	204	236	155	268	220	241	222	171	206	193
DEATHS registered.	195	157	169	176	179	149	124	127	171	188	158	141	134	128	141	130	136	126	108	136	133	155	126	149	124	133
Annual Death-rate per 1,000 of estimated Population,	28·3	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3
AGES, Under 1 year,	42	27	26	37	31	29	21	27	33	26	34	20	25	26	24	26	28	26	22	34	39	56	39	52	40	44
AGES, 1–5 years,	28	26	30	22	21	18	12	13	23	14	27	10	13	13	17	15	15	14	13	15	15	20	9	17	7	18
AGES, 5–60 years,	90	68	77	84	80	79	56	64	86	76	65	87	76	60	72	61	76	67	55	65	61	58	58	65	56	49
AGES, 60 years and upwards,	35	36	36	38	47	23	35	23	29	22	27	24	20	24	28	28	17	19	18	22	18	21	20	15	21	22
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	1	1	2	1	.	1	.	.	.	1	1	.	3	1	1	2	.	.	1	.	1	1	.	.	.
" Scarlet Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	3	2	4	4	1	1	1	4	8	3	6	1	1	.	1	1	2	1	2		.	.	.	3	2	.
" Diphtheria,	1	1	2	2	2	2	1	1	1	1	1	.	1	1	.	.	1	.		.	.	1	.	2	.	.
" Simple continued and Ill-defined Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" Enteric Fever,	3	4	3	6	1	5	5	3	8	5	12	5	11	10	11	6	2	6	7	1	6	5	8	8	7	10
" Diarrhœa, Dysentery,	1	1	3	2	1	1	2	3	4	1	2	1	3	1	1	4	4	2	1	8	11	19	7	16	15	16
" Phthisis,	28	26	30	39	25	13	14	23	31	31	23	34	22	18	2	20	32	20	20	20	22	30	27	16	16	13
" Diseases of Respiratory System,	75	35	49	43	46	38	26	24	33	31	32	31	29	28	24	18	17	24	10	22	14	13	13	12	10	9
Violent Deaths,	2	6	2	2	5	.	2	2	2	3	4	5	2	1	4	7	3	3	3	3	3	5	2	3	3	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st September, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	.	.	.	.	.	1	.	1	13	3	.	.	18
" " 2,	.	.	.	.	.	.	.	.	2	1	1	.	.	4
" " 3,	.	.	1	1	.	.	.	.	.	14	2	.	.	18
South City No. 1,	.	1	.	.	.	.	1	.	1	2	2	.	.	7
" " 2,	.	.	.	2	.	.	.	.	.	1	.	.	1	4
" " 3,	.	.	.	.	.	.	1	.	.	3	1	.	.	5
" " 4,	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Total,	.	1	1	3	.	.	3	.	4	37	9	.	1	59
Total for week ended Aug. 25, 1900,	.	4	.	9	1	.	4	.	3	39	7	.	1	68
Total for week ended Aug. 18, 1900,	.	5	.	1	1	.	7	.	4	22	6	.	1	47
Total for week ended Aug. 11, 1900,	.	7	.	7	1	.	14	.	4	19	10	.	.	62

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st September, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st September.			
	Aug. 11.	Aug. 18.	Aug. 25.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	4	5	10	2	4	.	8
Scarlet Fever,	50	48	45	5	7	.	43*
Typhus "	2	2	.	.	.	.	.
Diphtheria,	15	16	17	4	2	3	16
Enteric Fever,	54	58	63	18	7	1	73
Pneumonia,	15	19	15	1	4	1	11

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Sept. 1,	2,763	1,776	20·2	.	11	5	19	39	9	392
EDINBURGH,	302,262	„ 1,	145	93	16·0	.	5	2	.	1	1	4
GLASGOW,	743,969	„ 1,	468	250	17·5	.	3	3	2	16	3	27
CALCUTTA,	466,460	June 30,	.	325	36·3	26	1	.	.	.	63‡	60*
BOMBAY,	821,764	Aug. 14,	241	1,536	97·2	1	5	?	?	?	116§	538*
MADRAS,	452,518	„ 3,	431	451	51·8	2	3	?	?	?	124	96*
PARIS,	2,511,629	„ 25,	1,179	901	18·6	.	7	1	3†	6	31	96
BRUSSELS (with 8 Faubourgs).	570,844	„ 25,	280	205	18·7	.	3	.	.	3	2	41
AMSTERDAM,	527,747	„ 18,	280	150	14·8	.	.	1	1	3	3	1
ROTTERDAM,	325,556	„ 18,	235	95	15·2	.	1	2	1	1	.	1
THE HAGUE,	205,328	„ 18,	112	69	17·3	.	.	1	.	.	.	1
COPENHAGEN,	354,000	„ 25,	251	127	18·7	.	.	2	2	2	1	20
CHRISTIANIA,	226,423	„ 25,	179	56	12·9	.	.	.	.	.	1	7
ST. PETERSBURG,	1,132,677	„ 18,	522	591	27·1	7	14	15	12	3	27	167
BERLIN,	1,859,512	„ 4,	940	949	26·5	.	12	9	3	5	1	440
HAMBURG,	691,349	„ 25,	.	275	20·7	.	1	2	2†	3	.	79
DRESDEN,	407,500	July 21,	263	164	21·0	.	2	.	.	1	.	24
BRESLAU,	412,959	Aug. 25,	.	321	40·4	.	1	.	.	6	.	140
MUNICH,	463,000	June 30,	332	208	23·4	.	4	.	1	3	1	49
VIENNA (with suburbs).	1,656,662	Aug. 18,	879	557	17·5	.	3	2	3	3	1	137
BUDA-PESTH,	685,340	„ 11,	428	283	21·5	.	3	6	.	.	1	36
PRAGUE and Faubourgs.	391,693	„ 18,	164	150	19·9	.	.	.	1	.	1	2
ROME,	518,333	„ 4,	185	182	18·3	.	.	1	2	.	5	39
TURIN (10 days),	344,203	June 30,	205	173	18·3	.	.	1	.	3	1	33
VENICE,	172,924	Aug. 4,	85	106	31·9	.	.	.	1†	.	.	15
NEW YORK,	3,654,594	„ 4,	1,655	1,250	17·9	.	6	5	27	10	14	187
PHILADELPHIA,	1,266,832	„ 11,	.	452	18·6	.	.	.	7	3	2	51

* Including 39 deaths from cholera in Calcutta, 339 in Bombay, and 13 in Madras. † Including deaths from croup. ‡ Exclusive of 57 deaths from bubonic fever. § Exclusive of 54 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 1st September, 1900:—

"Remarkably fine weather prevailed in Ireland, except on Friday, which proved squally and rainy. At the beginning of the week it was unsettled both in the S. and S.E. of England and in France, owing to the advance of a depression northeastwards over the latter country. Ireland, Scotland, and the greater part of England were at the time under the more favourable influence of an anticyclone. Cool northeasterly winds and fine, dry weather prevailed except in the S.E. and S. of England where it was dull, with rain on Monday. The anticyclone gradually moved southeastwards, so that its centre, which had been off the N.W. of Scotland on Sunday, was found near Paris on Friday. As the high pressure area changed its position, gradients for S.W. winds came to be developed over Ireland and on Friday it blew strongly from the point named, while an abundant downpour of rain took place as the wind veered to W.N.W. and moderated. Saturday was chiefly fine and genial, though the amount of cloud was large. In Dublin the mean height of the barometer was 30·245 inches, the range being from 30·392 inches at 9 a.m. of Wednesday (wind, S.E.) to 30·028 inches at 9 p.m. of Friday (wind, S.W.). The corrected mean temperature was 59·1°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 58·1°. The screened thermometers rose to 70·0° on Friday, having fallen to 51·0° on Thursday. The prevalent winds were first N.E., then W.N.W. Rain fell on Friday to the amount of ·140 inch, and on Saturday a light shower yielded ·002 inch in the gauge, the total measurement being ·142 inch. Sunshine was estimated at 35 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·247 inches. The highest reading (30·399) was on Wednesday at 9 a.m., air calm, and the lowest (30·087) on Saturday at 9 a.m., wind W.

The mean temperature for the week was 55·9°, being equal to the average for the corresponding week of the ten years 1890–99. The temperature was highest on Thursday, when the thermometer registered 67·6°, and was lowest on Wednesday, the mercury having fallen to 43·3°. The mean of the Dry Bulb for the week was 56·3°, and of the Wet Bulb 53·5°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 33·3 hours. The rainfall measured ·140 in.

At Greenwich the mean temperature for the week was 59·2°, the maximum 75·1°, and the minimum 45·9°; at Glasgow the maximum was 72·0°, the minimum 50·1°, and the mean 59·2°, and at Edinburgh the maximum was 68·6°; the minimum 44·8°, and the mean 55·1°. The rainfall at Greenwich measured 0·62 in.; at Glasgow 0·30 in.; and at Edinburgh 0·28 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, August 26,	30·205	57·9	48·0	53·0	53·5	49·7	·77	·7	7·0	—	N.E.	N.E.
Monday, " 27,	30·256	59·7	50·8	55·3	54·1	51·7	·85	·7	6·6	—	N.E.	Calm.
Tuesday, " 28,	30·367	60·0	44·7	52·4	50·8	48·3	·84	·4	7·5	—	N.E.	Calm.
Wednesday, " 29,	30·394	60·7	43·3	52·0	56·1	53·8	·86	·1	0·3	—	Calm.	Calm.
Thursday, " 30,	30·318	67·6	44·6	56·1	60·1	56·3	·78	·5	7·3	—	Calm.	S.W.
Friday, " 31,	30·097	67·0	58·1	62·6	61·8	59·7	·88	·5	2·0	·140	S.W.	Calm.
Saturday, Sept. 1,	30·090	64·8	55·4	60·1	57·8	55·0	·83	·4	2·6	—	W.	W.
Mean, . .	30·247	62·5	49·3	55·9	56·3	53·5	·83	·5	Total 33·3	Total ·140	——	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A fine but cloudy day; night cloudy. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—A cloudy day; night cloudy. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—A cloudy day; rain 12.45 to 8 p.m.; night cloudy. *Saturday*—A cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 174. 6. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90 WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 8TH SEPTEMBER, 1900. [No. 36.

General Register Office, Charlemont House,
Dublin, 10th September, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 19·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Aug. 18.	Week ending Aug. 25.	Week ending Sept. 1.	Week ending Sept. 8.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 18.	Week ending Aug. 25.	Week ending Sept. 1.	Week ending Sept. 8.	Average Rate for 4 weeks.
23 Town Dists.	**20·2**	**20·5**	**21·9**	**19·2**	**20·5**	Limerick, . .	7·0	16·8	22·5	18·2	16·1
Armagh, . .	28·5	28·5	28·5	0·0	21·4	Lisburn, . .	29·8	21·3	4·3	12·8	17·1
Ballymena, .	16·9	22·5	11·3	28·2	19·7	Londonderry, .	28·3	18·8	22·0	22·0	22·8
Belfast, . .	21·6	18·0	19·3	19·8	19·7	Lurgan, . .	27·4	18·2	18·2	27·4	22·8
Carrickfergus, .	5·8	5·8	29·2	5·8	11·7	Newry, . .	20·1	8·1	24·1	12·1	16·1
Clonmel, . .	19·5	24·3	19·5	9·7	18·3	Newtownards, .	17·0	0·0	0·0	0·0	4·3
Cork, . . .	13·1	13·1	13·8	11·1	12·8	Portadown, .	18·6	18·6	18·6	18·6	18·6
Drogheda, . .	11·4	3·8	45·6	7·6	17·1	Queenstown, .	11·5	5·7	11·5	0·0	7·2
Dublin, Reg. Area,	21·2	27·0	26·7	22·2	24·3	Sligo, . . .	10·2	10·2	5·1	25·4	12·7
Dundalk, . .	8·4	12·6	20·9	8·4	12·6	Tralee, . .	16·8	33·6	50·4	28·0	32·2
Galway, . .	11·3	64·2	37·8	18·9	33·0	Waterford, .	31·8	13·9	13·9	27·9	21·9
Kilkenny, . .	14·2	9·4	23·6	18·9	16·5	Wexford, . .	36·1	13·5	18·1	18·1	21·4

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 3·1 per 1,000, the rates varying from 0·0 in sixteen of the districts to 11·3 in Ballymena; the 5 deaths from all causes registered in that district comprising one from whooping-cough and one from diarrhœa. Among the 136 deaths from all causes registered in Belfast are 2 from scarlatina, 2 from whooping-cough, 6 from enteric fever, and 19 from diarrhœa; and the 16 deaths in Cork comprise 2 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 225—123 boys and 102 girls; and the deaths to 154—73 males and 81 females.

DEATHS.

The deaths, which are 16 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 23·0 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 22·2 per 1,000. During the thirty-six weeks ending with Saturday last the death-rate averaged 30·1, and was 2·5 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 28 deaths from zymotic diseases registered during the week, being 23 under the number for the preceding week, and 7 under the number for the corresponding week of the last 10 years; they consist of 5 from whooping-cough, one from enteric fever, 20 from diarrhœa, one from choleraic diarrhœa, and one from beri-beri. Twenty of the 21 deaths from diarrhœal diseases were of children under 5 years of age, of whom 16 were infants under one year old.

Tuberculosis caused 38 deaths—comprising 22 from phthisis, 7 from tabes mesenterica, one from tubercular meningitis, and 8 from scrofula.

Diseases of the respiratory system caused 19 deaths, being 13 over the number recorded during the preceding week, and equal to the average for the corresponding week of the last 10 years. They consist of 13 from bronchitis, 4 from pneumonia or inflammation of the lungs, one from croup, and one from pleurisy.

The deaths of 7 children under 5 years of age (including 5 infants under one year old) were ascribed to convulsions.

Two deaths were caused by apoplexy, one by epilepsy, 5 by other diseases of the brain and nervous system (exclusive of convulsions), 14 by diseases of the circulatory system, and one by cancer.

Five accidental deaths were registered.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 6 were under one month old) and 33 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 10 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, 12 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 22·2 per 1,000; the rate in the city was 24·5 (29·9 on the North side, and 19·5 on the South), and in the Suburbs 17·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 3·9 per 1,000 inhabitants, the rate for the city being 4·7 (5·8 in the North City Districts, and 3·7 in the South), and for the Suburbs 2·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 26·9 per 1,000. They comprise 5 from zymotic diseases, viz.:—one from enteric fever, and 4 from diarrhœa. Three deaths were caused by diseases of the circulatory system.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 29·9 per 1,000. Four were caused by bronchitis, 2 by pneumonia, 3 by diseases of the circulatory system, and 2 by diseases of the brain and nervous system. No deaths from any zymotic disease were recorded.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 28·9 per 1,000. They comprise 4 from zymotic diseases, viz.:—3 from whooping-cough and one from diarrhœa. Of the 12 deaths from other causes 2 were from diseases of the respiratory system, 3 from phthisis, and 2 from diseases of the brain and nervous system.

No. 3 North City District (Blackhall-place).—The deaths (17) represent an annual rate of 34·0 per 1,000. They comprise 4 deaths from diarrhœa, but none from any other zymotic disease. Two deaths were caused by phthisis, 2 by scrofula, and 3 by diseases of the brain and nervous system.

* See Table VI.

No. 1 South City District (South Earl-street).—The deaths (11) represent an annual rate of 17·3 per 1,000. One death from diarrhœa constitutes the mortality from zymotic disease. Two deaths were caused by phthisis, and 2 by mesenteric disease.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·5 per 1,000. Three were caused by diarrhœa, but no deaths from any other zymotic disease were recorded.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 25·7 per 1,000. The only deaths from any zymotic disease recorded were 2 from diarrhœa. Two deaths were caused by diseases of the respiratory system, 5 by phthisis, and 2 by convulsions.

No. 4 South City District (Grand Canal-street).—The deaths (9) are equivalent to an annual rate of 13·1 per 1,000. They comprise 3 from diarrhœa, but none from any other zymotic disease. Scrofula caused 2 deaths, and diseases of the brain and nervous system 2.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 14·6; Finglas and Glasnevin, part of, 24·6; Palmerston, part of, and Crumlin, part of, 0·0; Rathmines, 16·9; Donnybrook, 10·6; Blackrock, 6·2; and Kingstown, 36·0. The deaths from zymotic diseases tabulated for these districts consist of one from diarrhœa for Coolock and Drumcondra, No. 1, one from whooping-cough, and one from choleraic diarrhœa for Rathmines, one from diarrhœa for Donnybrook, and one from whooping-cough for Kingstown. The 9 deaths from all causes tabulated for Rathmines comprise 2 from phthisis; and the 12 deaths for Kingstown include 3 from bronchitis, 2 from phthisis, and 2 from diseases of the circulatory system.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	18th August,	47 cases.
" "	25th August,	68 cases.
" "	1st September,	59 cases.
" "	8th September,	72 cases.

Of the 72 cases notified, 7 were erysipelas, 49 enteric fever, 6 scarlatina, 5 measles, one German measles, meningitis† nil, one diphtheria, and 3 continued fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th September, 1900.

From this it appears that:—

Ten cases of scarlatina were admitted to hospital, 8 were discharged, and 45* remained under treatment at the close of the week.

Twenty-five cases of enteric fever were admitted to hospital, 4 were discharged, and 94 remained under treatment at the close of the week, being 21 over the number in hospital on Saturday, the 1st instant.

Three cases of diphtheria were admitted to hospital, 5 were discharged, and 14 remained under treatment at the close of the week.

The hospital admissions for the week also include one case of measles; 6 measles patients were discharged; and 3 cases of the disease remained under treatment on Saturday last.

ENGLAND AND SCOTLAND

The mortality last week in 33 large English towns, including London (in which the rate was 18·0) was equal to an average annual death-rate of 19·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·5 per 1,000, the rate for Glasgow being 17·9, and for Edinburgh 15·1.

* See Note (*) at foot of Table X.

† This disease has been placed upon the list of compulsory notifiable diseases by the Public Health Committee of the Corporation from the 9th May for a period of 4 months upon the recommendation of Sir C. Cameron, C.B.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 8th September, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 8th September, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	Not in Public Institutions.	Meteorology.† Week ending 8th Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th Aug., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	19·2	31·2	19·2	3·1	635	392	104	78	.	.	2	.	8	.	.	7	46	52	52	10	18	105	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	33·6	22·2	3·9	225	149	35	32	.	.	.	.	5	.	.	1	20	22	18	4	5	53	$65·0	35·9	53·4	0·00	$67·6	43·3	55·9	0·14	$68·1	45·3	56·8	1·25
City	245,001	65·6	40·0	24·5	4·7	188	115	28	28	.	.	.	.	3	.	.	1	18	16	13	3	4	43	66·2	43·1	56·3	0·00	70·0	51·0	59·1	0·14	67·0	51·1	58·7	1·21
Registrars' Districts. Clontarf &c. No. 1,	4,188	1·5	12·6	25·2	.	1	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,730	1·8	29·2	14·6	4·9	6	3	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	.	24·6	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66·9	39·0	54·7	0·00	69·9	46·6	56·7	0·12	69·3	47·6	57·8	1·34
Palmerston, part of and Crumlin part of (b),	7,278	8·0	28·7	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	15·0	16·9	1·9	8	9	2	2	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	25·4	16·6	2·1	12	5	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	18·6	6·2	.	3	1	.	.	.	.	.	.	.	.	.	.	.	2	3	.	.	2	68	45	57·7	0·00	72	50	59·4	0·00	66	51	58·5	0·86
Kingstown, 1 & 2,‖	17,386	11·9	9·0	36·0	3·0	3	12	2	4	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts																																			
Belfast,	359,000	21·8	32·1	19·8	4·2	221	136	45	22	.	.	2	.	2	.	.	6	19	14	12	4	6	31	65·1	40·1	55·0	0·19	66·1	45·1	55·7	0·31	65·1	49·1	57·1	1·81
Cork,	75,845	33·3	25·6	11·1	1·4	37	16	3	2	.	.	.	.	.	.	.	.	2	2	4	.	1	5	67	46	56·4	0·00	66	50	58·3	0·10	65	53	59·1	0·71
Limerick,	37,155	17·9	44·9	18·2	.	32	13	4	6	.	.	.	.	.	.	.	.	.	2	2	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·8	29·8	22·0	1·6	19	14	1	4	.	.	.	.	.	.	.	.	1	1	2	.	2	1	64·0	40·6	55·3	0·29	69·6	46·0	57·2	0·48	68·0	48·0	58·1	1·87
Waterford,	26,208	18·3	33·8	27·9	4·0	17	14	6	.	.	.	.	.	.	.	.	.	2	4	2	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,800	2·6	22·7	18·9	.	6	5	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	68	44	59	0·65	68	50	60	1·09
Drogheda	18,708	8·7	38·0	7·6	.	10	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	20·1	12·1	.	5	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	67·0	38·0	54·7	0·29	67·1	43·0	56·2	0·27	64·0	41·0	56·0	1·63
Dundalk,	12,449	9·0	20·9	8·4	4·2	5	2	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	38·3	12·8	.	9	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·0	38·0	54·7	0·29	67·1	43·0	56·2	0·27	64·0	41·0	56·0	1·63
Wexford,	11,545	24·0	22·6	18·1	.	5	4	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	13·4	31·9	27·4	.	7	6	2	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	67·0	38·0	54·7	0·29	67·1	43·0	56·2	0·27	64·0	41·0	56·0	1·63
Kilkenny,	11,048	12·0	.	18·9	.	.	4	.	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	69	37	55·1	0·00	69	45	57·2	0·05	68	50	58·1	1·42
Clonmel,	10,708	8·2	24·3	9·7	.	5	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	3·4	30·5	25·4	.	6	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	66·5	32·6	53·5	0·17	67·4	36·7	55·5	0·36	68·9	41·2	57·5	1·24
Tralee,	9,818	15·9	61·6	28·0	.	11	5	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	45·1	28·2	11·3	8	5	1	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66	43	53·7	0·17	67	50	56·3	0·29	62	42	55·3	2·05
Queenstown,	9,082	17·0	23·0	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67	46	56·4	0·00	66	50	58·3	0·10	65	53	59·1	0·71
Carrickfergus	8,923	0·5	5·8	5·8	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,480	11·0	6·2	18·6	.	1	3	.	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.	67·0	38·0	54·7	0·29	67·1	43·0	56·2	0·27	64·0	41·0	56·0	1·63
Armagh,	7,187	21·4	7·1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·0	38·0	54·7	0·29	67·1	43·0	56·2	0·27	64·0	41·0	56·0	1·63

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 5 deaths of persons (including one under one year old and one at 83 years), admitted to hospital from localities outside the district.

‖ Thus, three Office Houses, Dublin Metropolitan Police District.

‡ The Urban Districts.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 8th September, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	821	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	3	.	.	.	.	.	.	.	.	.	1	.	.	1	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	4	.	1	4	1	3	2	3	.	1	.	.	.	1	.	.	10	.
Other Zymotic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
Total,	5	.	4	4	1	3	2	3	.	1	.	.	2	1	.	1	27	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	1	1	3	2	2	1	.	1	1	.	.	.	2	.	1	2	22	.
Other Constitutional Diseases,	1	2	1	2	4	1	1	2	.	1	.	.	.	2	.	.	17	1
Total,	2	3	4	4	6	2	6	3	1	1	.	.	2	2	1	2	39	1
V. DEVELOPMENTAL DISEASES,	2	3	3	1	1	.	.	1	.	.	.	.	.	.	.	.	10	1
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	1	2	2	3	1	.	2	2	.	.	.	.	1	.	.	1	15	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	3	3	.	1	.	1	1	.	.	.	1	.	1	1	.	2	14	.
Diseases of Respiratory System,	1	6	2	.	1	1	2	.	1	1	.	.	.	.	.	3	18	1
Diseases of Digestive System,	.	2	1	1	.	1	3	.	.	.	1	.	1	1	.	1	12	.
Diseases of Lymphatic System, &c.,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Urinary System,	.	.	1	2	.	.	.	.	.	.	.	.	1	.	.	1	5	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	13	6	8	2	3	9	2	1	1	2	.	4	2	.	8	66	1
VII. VIOLENT DEATHS,	.	1	.	.	.	.	2	.	.	.	.	.	1	.	.	.	4	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2	.
Deaths from all Causes,	14	20	16	17	11	8	20	9	2	3	2	.	9	5	1	12	119	5
Annual Rate of Mortality in every 1,000 of the population.	26·9	29·9	28·9	34·0	17·8	22·5	25·7	18·1	25·2	14·6	24·6	.	16·9	10·6	6·2	36·0		
	29·9				19·5				17·0									
	24·5																22·2	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	6	2	4	1	1	6	2	1	1	.	.	3	1	1	.	31	3
Workhouse Hospitals,	1	2	4	3	3	1	4	1	.	.	.	.	.	1	.	2	22	2

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin; thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford street, North King-street, Church street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office. 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 36th Week of the 10 years 1890–99.	In the week ending Saturday, 8th September, 1900. Deaths of persons of the Ages of								
	Sept. 6, 1890	Sept. 12, 1891	Sept. 10, 1892	Sept. 9, 1893	Sept. 8, 1894	Sept. 7, 1895	Sept. 5, 1896	Sept. 11, 1897	Sept. 10, 1898	Sept. 9, 1899		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	58·9	58·8	54·0	56·7	50·5	57·1	56·0	51·8	63·0	59·1	56·6	Mean Temp. 58·4								
ALL CAUSES,	130	151	190	147	175	149	156	150	206	251	170·5	151	6	30	18	16	25	26	22	11
I. FEBRILE OR ZYMOTIC DISEASES,	18	20	17	40	21	15	25	32	59	83	35·5	28	2	15	9	1	.	1	.	.
II. PARASITIC DISEASES,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	.	1	2	.	1	.	.	.	·4	1	.	.	.	.	.	1	.	.
IV. CONSTITUTIONAL "	27	48	41	31	44	51	44	42	89	68	43·0	40	.	4	2	9	14	7	2	2
V. DEVELOPMENTAL "	14	8	12	8	9	8	14	11	14	18	11·6	11	2	.	.	.	.	.	5	4
VI. LOCAL "	68	62	76	54	76	59	58	61	78	71	66·3	67	2	9	6	5	9	16	15	5
VII. VIOLENT DEATHS,	3	3	4	2	6	6	4	2	7	6	4·3	5	.	.	1	1	2	1	.	.
VIII. ILL-DEFINED CAUSES,	5	10	10	11	17	9	10	2	9	10	9·3	2	.	2	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	8	2	.	.	.	.	1	17	2·4	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	1	1	5	2	2	2	1·3	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	.	.	1	.	.	1	2	·5	.	.	.	.	.	.	.	.	.
Whooping Cough,	4	1	1	4	4	2	3	3	6	2	3·0	5	.	1	4	.	.	.	.	.
Diphtheria,	.	.	.	1	.	1	1	3	2	1	·9	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	1	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	3	4	8	3	1	1	4	5	7	3·6	1	.	.	1	.	.	.	.	.
Cholera and Chol. Diarr.,	.	.	8	2	1	.	2	1	1	5	2·0	1	.	1	.	.	.	.	.	.
Diarrhœa, Dysentery,		14	28	19	7	8	9	16	38	42	18·7	20	2	13	4	1	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	1	.	.	.	1	1	2	·5	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	1	.	1	1	1	.	1	·5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	.	1	.	2	.	.	.	·3	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	2	2	2	.	.	.	.	2	1	1·1	1	.	.	.	.	.	1	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	1	2	.	1	.	.	.	·4	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	1	1	.	1	.	.	.	2	·5	1	.	.	.	.	.	.	.	1
Gout,	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	5	4	7	2	5	.	.	10	6	12	6·6	1	.	.	.	.	.	1	.	.
Tabes Mesenterica,	2	4	7	1	4	.	4	4	8	7	4·4	7	.	2	1	3	1	.	.	
Tubercular Meningitis,	3	2	2	5	1	3	2	1	4	6	2·9	1	.	1	.	.	.	.	.	
Phthisis,	14	32	23	18	29	27	25	21	16	31	23·9	22	.	.	.	3	11	6	1	1
Scrofula, Tuberculosis,	3	4	.	3	.	6	.	3	4	5	3·4	8	.	1	1	3	2	.	1	.
Other Constitutional Diseases,	.	1	1	1	2	2	1	.	.	.	·8	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	2	1	4	1	.	3	4	4	6	4	2·9	2	2	.	.	.	.			.
Atelectasis,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.			.
Congenital Malformations, &c.	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.			.
Old Age,	12	7	8	7	9	5	10	5	8	13	8·4	9	.	.	.	.	.	.	5	4

each Disease registered in the THIRTY-SIXTH WEEK ending Saturday, 8th September, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 36th Week of the 10 years 1890-99.	In the Week ending Saturday, 8th September, 1900. Deaths of Persons of the Ages of								
	Sept. 6, 1890	Sept. 12, 1891	Sept. 10, 1892	Sept. 9, 1893	Sept. 8, 1894	Sept. 7, 1895	Sept. 5, 1896	Sept. 11, 1897	Sept. 10, 1898	Sept. 9, 1899		ALL AGES. Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 58·9	° 58·8	° 54·0	° 56·7	° 50·5	° 57·1	° 56·0	° 51·8	° 63·0	° 59·1	° 56·6	° 53·4								
VI. Local Diseases.																				
Apoplexy,	3	1	1	1	1	2	7	1	3	.	2·0	2	.	.	.	.	.	.	2	.
Epilepsy,	.	1	.	.	1	.	1	1	.	.	·4	1	.	.	.	.	1	.	.	.
Convulsions,	15	14	22	10	11	11	10	9	13	7	12·2	7	2	3	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	8	8	6	5	6	9	5	3	10	9	6·9	5	.	.	1	2	1	1	.	.
Diseases of Organs of Special Sense,	.	.	1	.	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	12	9	12	10	19	18	12	10	9	6	11·2	14	.	.	.	1	2	7	2	2
Croup,	1	1	1	.	2	.	1	1	1	.	·3	1	.	.	1	.	.	.	.	.
Bronchitis,	10	8	8	9	10	6	4	9	15	18	9·7	13	.	3	.	2	3	4	1	
Pneumonia	4	4	8	4	12	3	1	8	9	13	6·6	4	.	.	.	.	1	2	1	.
Pleurisy,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System,	2	2	.	.	2	1	3	2	2	.	1·4	.	.	.	.	.	.	.	.	.
Teething,	2	.	2	1	2	.	1	3	2	.	1·3	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	2	2	1	2	.	.	3	2	4	3	1·9	.	.	.	.	.	.	.	.	.
Peritonitis	.	1	.	1	.	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Disease of Liver,	4	3	3	4	.	.	2	5	1	4	2·6	2	.	.	.	.	.	.	2	.
Other Diseases of Digestive System,	2	2	6	4	4	5	2	5	5	8	4·3	9	.	1	2	1	1	.	2	2
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	2	.	.	.	·2	1	.	.	.	1	.	.	.	.
Diseases of Urinary System,	3	5	5	3	6	2	3	.	1	3	3·1	5	.	1	.	.	.	2	2	.
Diseases of Generative System,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	2	.	.	1	.	·3	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	.	1	.	.	1	.		2	.	.	.	.	2	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	3	.	.	1	2	.	.	.	.	.	3·6	.	.	.	.	.	.	.	.	.
By Drowning,		1	1	.	2	1	.	.	1	2		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	1	2		1	.	.	.	.	1	.	.	.
Other or Not Stated Causes,		2	2	.	1	4	2	2	2	2		2	.	.	1	1	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	1	.	2	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	1	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	5	10	10	11	17	9	10	2	9	10	9·	2	.	2	.	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																									
	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
Births registered,	217	226	234	128	184	225	202	246	222	198	214	199	222	194	198	228	181	208	186	187	245	149	256	221	228	225
Average Births in corresponding week of previous 10 years,	192	195	217	199	194	192	213	214	212	192	201	209	199	208	202	219	193	188	185	185	195	200	196	185	197	183
Deaths registered,	209	236	244	194	230	204	178	204	179	168	176	157	161	167	122	144	124	127	165	129	159	161	147	185	186	154
Annual Death-rate per 1,000,	31·2	35·2	36·4	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0
Average Deaths in corresponding week of previous 10 years,	218	218	219	204	184	185	184	178	170	174	167	162	156	164	150	156	149	148	154	162	159	160	157	162	164	170
Ages, Under 5 years,	56	69	55	50	59	66	51	54	52	47	43	43	54	37	29	33	38	32	47	35	40	57	51	79	71	54
5—20 "	12	17	12	14	26	13	15	17	19	20	26	15	14	27	16	13	10	8	13	7	13	9	15	12	21	16
20—40 "	39	34	45	24	29	30	33	47	27	28	30	22	31	35	19	32	25	35	26	18	25	31	17	38	25	25
40—60 "	44	51	54	42	53	32	48	42	36	31	35	40	38	31	29	33	23	24	44	33	39	34	34	35	39	26
60—80 "	42	52	59	53	47	45	27	35	36	36	35	31	19	30	23	27	26	23	30	30	35	26	26	20	26	22
80 years and upwards,	16	13	19	11	16	18	4	9	9	6	7	6	5	7	6	6	2	5	5	6	7	4	4	1	4	11
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	4	.	.	3	2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" Whooping-cough,	1	.	.	3	1	2	2	4	1	1	3	.	5	.	1	2	3	4	5	.	3	1	1	5	4	5
" Diphtheria,	.	1	1	.	2	2	.	.	.	1	.	.	2	2	1	.	.	.	2	1	.	3	.	1	4	.
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.
" Enteric Fever,	.	.	1	3	2	3	5	6	1	2	2	1	2	2	2	.	2	2	2	.	2	.	.	2	2	1
" Diarrhœa, Dysentery,	4	4	.	.	1	3	3	1	3	2	.	1	2	1	.	1	2	1	4	4	9	19	24	25	33	20
" Phthisis,	29	29	30	27	28	27	32	29	32	30	32	13	28	28	22	21	26	31	28	19	24	24	20	25	32	22
" Heart Diseases,	17	20	23	16	17	11	11	17	14	17	11	14	10	11	9	9	10		19	17	23	12	12	18	10	14
" Diseases of Respiratory System,	59	72	56	46	53	47	40	29	34	25	30	23	23	34	27	29	15	20	23	23	14	15	13	14	6	19
Violent Deaths,	4	9	6	2	9	3	4	6	4	5	1	6	4	1	1	5	6	6	5	4	4	5	4	9	2	5
Mean Temperature of the Air (Phœnix Park),	41·1	36·4	37·3	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4
Average Mean Temperature in corresponding week of previous 10 years,	43·4	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6
Rainfall in inches,	·115	·305	·075	·535	·735	·170	·190	·350	·535	·005	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·315	·015	1·245	·140	·000
Mean Humidity of the Air, complete Saturation 1·0,	·84	·89	·79	·82	·81	·76	·81	·77	·84	·73	·80	·83	·82	·80	·83	·84	·81	·76	·82	·83	·81	·86	·85	·90	·83	·87

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th September, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 8th September, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	23·0	154	54	16	25	26	22	11	.	.	.	.	5	.	.	1	20	26	22	7	19	5	75
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	13·4	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
II.	MIDDLE CLASS,	81,469	16·6	26	4	2	2	6	6	6	.	.	.	.	.	.	.	.	2	2	4	.	5	.	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	18·3	35	16	2	8	5	3	1	.	.	.	.	2	.	.	1	5	8	6	3	4	.	14
IV.	GENERAL SERVICE CLASS,	147,978	30·2	65	27	11	13	7	5	2	.	.	.	.	2	.	.	.	11	13	7	4	7	5	29
V.	INMATES OF WORKHOUSES,	5,191		24	7	1	1	8	6	1	.	.	.	.	1	.	.	.	2	3	5	.	2	.	14
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	26·0	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	2. Merchants and Manufacturers, Higher Class,	1,857	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	10·0	5	1	.	.	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	3
	6. Clerks and Commercial Assistants,	25,091	20·8	10	3	1	2	3	1	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	23·3	11	.	1	.	.	4	6	.	.	.	.	.	.	.	.	.	.	3	.	2	.	6
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	56·0	8	5	1	1	.	1	.	.	.	.	.	.	.	.	1	2	3	1	1	1	.	2
	9. Building and Furnishing Trades,	26,294	19·8	10	4	.	2	3	1	.	.	.	.	.	.	.	.	.	3	3	2	.	.	.	5
	10. Clothing Trades,	23,927	4·3	2	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
	11. Food Supply Trades,	7,949	26·2	4	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	17·4	9	4	.	4	.	.	1	.	.	.	.	1	.	.	.	.	1	2	1	1	.	4
	13. Petty Shopkeepers,	6,839	15·2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	34·1	9	4	2	.	.	3	.	.	.	.	.	.	.	.	.	3	3	.	.	.	.	6
	15. Domestic Servants,	39,967	9·1	7	1	1	2	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	33·7	7	3	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	2	2
	17. Hawkers, Porters, Labourers, &c.,	83,472	26·2	42	19	6	9	5	2	1	.	.	.	.	2	.	.	.	7	9	5	3	7	2	16
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	24	7	1	1	8	6	1	.	.	.	.	1	.	.	.	2	3	5	.	2	.	14

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. (in 1891) 27,147.	July 21,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	.	2	2
		„ 28,	17·8	1·9	9	.	.	.	.	.	.	.	.	1	1	3	.
		Aug. 4,	17·8	3·8	9	.	.	.	.	.	.	.	.	2	1	1	.
		„ 11,	23·0	1·9	12	.	.	.	.	.	1	.	.	.	1	2	.
		„ 18,	25·0	5·8	13	.	.	.	.	.	.	.	1	2	2	1	.
		„ 25,	34·6	7·7	18	.	.	.	.	2	.	.	.	2	3	1	1
		Sept. 1,	42·3	13·4	22	.	.	.	.	.	1	.	.	6	4	1	.
		„ 8,	26·9	9·6	14	.	.	.	.	.	.	.	1	4	1	1	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	July 21,	22·5	3·0	15	.	.	.	.	.	.	.	1	1	3	1	.
		„ 28,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	3	3	.
		Aug. 4,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	2	1	2
		„ 11,	35·9	9·0	24	.	.	.	.	.	.	.	.	6	4	1	.
		„ 18,	21·0	7·5	14	.	.	.	.	.	.	.	.	5	1	1	.
		„ 25,	32·9	7·5	22	.	.	.	.	.	1	.	.	4	7	2	.
		Sept. 1,	26·9	4·5	18	.	.	.	.	.	.	.	.	3	3	1	.
		„ 8,	29·9	.	20	.	.	.	.	.	.	.	.	.	1	6	1
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	July 21,	41·5	3·6	23	.	.	.	.	2	.	.	.	.	4	3	1
		„ 28,	21·7	.	12	.	.	.	.	.	.	.	.	.	3	.	1
		Aug. 4,	25·3	3·6	14	.	.	.	.	.	.	.	1	1	.	2	1
		„ 11,	27·1	.	15	.	.	.	.	.	.	.	.	.	3	3	.
		„ 18,	25·3	3·6	14	.	.	.	.	1	.	.	.	1	3	.	1
		„ 25,	36·1	7·2	20	.	.	.	.	.	.	1	.	3	3	.	1
		Sept. 1,	36·1	7·2	20	.	.	.	.	.	.	.	.	4	3	.	1
		„ 8,	28·9	7·2	16	.	.	.	.	3	.	.	.	1	3	2	.
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	July 21,	32·0	.	16	.	.	.	.	.	.	.	.	.	3	2	.
		„ 28,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
		Aug. 4,	20·0	.	10	.	.	.	.	.	.	.	.	.	4	.	1
		„ 11,	18·0	2·0	9	.	.	.	.	.	.	.	.	1	1	.	.
		„ 18,	30·0	6·0	15	.	.	.	.	.	.	.	.	3	4	.	.
		„ 25,	24·0	6·0	12	.	.	.	.	.	.	.	1	2	1	.	.
		Sept. 1,	38·0	12·0	19	.	.	.	.	2	1	.	.	3	2	.	.
		„ 8,	34·0	8·0	17	.	.	.	.	.	.	.	.	4	2	.	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 33,194.	July 21,	33·0	4·7	21	.	.	.	.	1	.	.	.	2	5	3	.
		„ 28,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	4	3	1
		Aug. 4,	28·3	1·6	18	.	.	.	.	.	.	.	.	1	4	2	.
		„ 11,	22·8	3·1	19	.	.	.	.	.	1	.	.	1	4	1	1
		„ 18,	28·3	7·9	18	.	.	.	1	.	.	.	.	4	1	3	.
		„ 25,	23·6	4·7	15	.	.	.	.	.	.	.	.	3	1	1	.
		Sept. 1,	29·8	9·4	19	.	.	1	.	.	.	.	1	4	4	1	.
		„ 8,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	1	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	July 21,	36·5	.	13	.	.	.	.	.	.	.	.	.	4	.	.
		„ 28,	28·1	2·8	10	.	.	.	.	.	.	.	.	1	1	1	1
		Aug. 4,	33·7	2·8	12	.	.	.	.	.	.	.	.	1	2	.	.
		„ 11,	25·3	5·6	9	.	.	.	.	1	1	.	.	.	.	1	.
		„ 18,	19·7	2·8	7	.	.	.	.	.	.	.	.	1	1	.	.
		„ 25,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	1
		Sept. 1,	19·7	2·8	7	.	.	.	.	.	.	.	.	1	2	.	.
		„ 8,	22·5	8·4	8	.	.	.	.	.	.	.	.	3	1	1	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	July 21,	20·6	1·3	16	.	.	1	.	.	.	.	.	.	1	4	.
		„ 28,	19·3	.	15	.	.	.	.	.	.	.	.	.	4	4	.
		Aug. 4,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	2	.
		„ 11,	21·9	6·4	17	.	.	.	.	.	.	.	.	5	2	2	.
		„ 18,	23·1	1·3	18	.	.	.	.	.	.	.	.	1	1	4	1
		„ 25,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	3	1
		Sept. 1,	16·7	2·6	13	.	.	.	.	.	.	.	.	2	5	1	.
		„ 8,	25·7	2·6	20	.	.	.	.	.	.	.	.	2	5	2	2
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,796.	July 21,	14·6	.	10	.	.	.	.	.	.	.	.	.	2	3	.
		„ 28,	16·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
		Aug. 4,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	2	.
		„ 11,	23·3	.	16	.	.	.	.	.	.	.	.	.	2	4	2
		„ 18,	23·3	7·3	16	.	.	.	.	.	.	.	.	5	1	2	1
		„ 25,	36·4	13·1	25	.	.	.	.	.	.	.	1	8	1	4	1
		Sept. 1,	33·5	5·8	23	.	.	.	.	.	.	.	.	4	3	1	.
		„ 8,	13·1	4·4	9	.	.	.	.	.	.	.	.	3	1	.	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	July 21,	16·9	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 28,	16·9	1·9	9	.	.	.	.	.	1	.	.	.	.	2	.
	Aug. 4,	28·1	3·8	15	.	.	.	.	.	.	.	1	1	2	1	.
	„ 11,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	1
	„ 18,	11·3	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	„ 25,	13·1	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.
	Sept. 1,	22·5	5·6	12	.	.	.	.	2	.	.	.	1	1	.	.
	„ 8,	16·9	1·9	9	.	.	.	.	1	.	.	.	.	2	.	1
Donnybrook. Pop. (in 1891) 24,629.	July 21,	10·6	4·2	5	.	.	.	.	1	1	.	.	.	.	1	.
	„ 28,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	3	1
	Aug. 4,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 11,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	3	.	.
	„ 18,	14·8	2·1	7	.	.	.	.	.	.	.	.	1	1	.	1
	„ 25,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	2	.	4
	Sept. 1,	19·1	.	9	.	.	.	.	.	.	.	.	.	.	.	1
	„ 8,	10·6	2·1	5	.	.	.	.	.	.	.	.	1	.	.	.
Kingstown. Pop. (in 1891) 17,886.	July 21,	33·0	3·0	11	.	.	.	.	1	.	.	.	.	4	.	.
	„ 28,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 4,	15·0	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.
	„ 11,	12·0	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 18,	6·0	3·0	2	.	.	.	.	.	.	1	.	.	.	.	.
	„ 25,	30·1	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 1,	12·0	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 8,	36·0	3·0	12	.	.	.	.	1	.	.	.	.	2	3	.
Belfast. Pop. in 1900 (Est.) 359,000.	July 21,	19·3	1·9	136	.	1	.	.	3	.	.	1	8	20	22	3
	„ 28,	19·3	2·6	133	.	.	.	.	.	.	1	6	11	22	14	3
	Aug. 4,	22·5	3·8	155	.	1	.	.	.	1	.	5	19	30	13	5
	„ 11,	18·3	2·8	126	.	1	.	.	.	.	.	8	7	27	13	2
	„ 18,	21·6	4·2	149	.	.	.	.	3	2	.	8	16	16	12	5
	„ 25,	18·0	3·5	124	.	.	.	.	2	.	.	7	15	16	10	3
	Sept. 1,	19·3	3·8	133	.	.	.	.	.	.	.	10	16	13	9	3
	„ 8,	19·8	4·2	136	.	.	2	.	2	.	.	6	19	14	12	4
Cork. Pop. (in 1891) 75,845.	July 21,	19·4	0·7	28	.	.	.	.	.	.	.	.	1	7	5	.
	„ 28,	19·4	0·7	28	.	.	1	.	.	.	.	.	.	4	4	.
	Aug. 4,	18·0	0·7	26	.	.	.	.	.	.	.	.	1	5	5	1
	„ 11,	12·5	0·7	18	.	.	.	.	.	.	.	.	1	4	5	.
	„ 18,	13·1	.	19	.	.	.	.	.	.	.	4	.	2	4	.
	„ 25,	13·1	2·1	19	.	.	.	.	.	.	.	.	3	3	1	1
	Sept. 1,	13·8	2·8	20	.	.	.	.	.	.	.	.	4	3	3	.
	„ 8,	11·1	1·4	16	.	.	.	.	.	.	.	.	2	2	4	.
Limerick. Pop. (in 1891) 37,155.	July 21,	9·8	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 28,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 4,	11·2	1·	8	.	.	.	.	.	.	.	.	1	2	2	.
	„ 11,	12·6	.	9	.	.	.	.	.	.	.	.	.	5	2	.
	„ 18,	7·0	1·4	.	.	.	.	.	.	.	.	.	1	1	2	.
	„ 25,	16·8	.	12	.	.	.	.	.	.	.	.	.	3	3	1
	Sept. 1,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	„ 8,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	2	.
Londonderry. Pop. (in 1891) 28,200.	July 21,	22·0	4·7	14	.	.	.	.	.	1	.	.	2	3	1	1
	„ 28,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 11,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	2	3	.
	„ 18,	28·3	4·7	18	.	.	.	.	.	.	.	.	3	5	2	.
	„ 25,	18·8	.	12	.	.	.	.	.	.	.	.	.	4	.	.
	Sept. 1,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	4	1	.
	„ 8,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.
Waterford. Pop. (in 1891) 26,200.	July 21,	11·9	2·0	6	.	.	.	.	.	1	.	.	.	2	.	.
	„ 28,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	Aug. 4,	8·0	2·0	4	.	.	.	.	.	.	1	.	.	1	1	.
	„ 11,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	2	.	.
	„ 18,	31·8	4·0	16	.	.	.	.	.	.	.	.	2	6	.	.
	„ 25,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 1,	13·9	2·0	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 8,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	4	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 8th September, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	9	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		12	2	4	3	3	.	.	.	.	.	.	.	.	2	1	3	.	.	3
" 2 "	37,539	30			19	5	2	7	5	.	.	.	.	1	.	.	1	2	1	.	1	1	5
" 3 "	38,845	32			19	6	1	10	2	.	.	.	.	.	.	.	1	5	1	3	1	1	2
" 4 "	33,391	46			20	9	1	7	3	.	.	.	.	.	.	.	.	1	3	1	.	1	6
" 5 "	21,284	6			6	2	.	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 6 "	43,431	22			10	1	2	6	1	.	.	.	.	.	.	.	1	1	2	2	1	1	2
" 7 "	1,112	1			2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 8 "	4,904	2			8	1	.	4	3	.	.	1	.	.	.	.	1	.	2	1	.	.	.
" 9 "	12,866	11			10	4	1	4	1	.	.	.	.	.	.	.	1	.	1	.	.	.	4
" 10 "	12,256	11			7	3	2	1	1	.	.	1	.	.	.	.	.	2	1	.	.	.	1
" 11 "	19,881	22			8	4	.	3	1	.	.	.	.	.	.	.	1	3	1	.	.	.	3
" 12 "	23,282	22			12	5	2	4	1	.	.	.	.	1	.	.	.	3	.	1	1	1	2
" 13 "	6,804	7			3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	221			136	45	15	54	22	.	.	2	.	2	.	.	6	19	14	12	4	6	31
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	6	21·9	4·4	5	2	.	2	1	.	.	.	.	.	.	.	.	1	1	1	.	1	1
" 2 "	9,252	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 3 "	9,816	3	26·6	5·3	5	1	1	3	.	.	.	.	.	.	.	.	.	1	.	2	.	.	3
" 4 "	10,356	6	5·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 5 "	8,137	5	6·4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	3,823	6	11·8	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	9	6·1	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	75,345	37	11·1	1·4	16	3	2	9	2	.	.	.	.	.	.	.	.	2	2	4	.	1	5

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Mar. 17.	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.
No. of week in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered,	218	236	229	188	197	225	261	213	244	218	218	218	219	241	213	204	236	155	268	220	241	222	171	206	193	221
DEATHS registered.	157	169	176	179	149	124	127	171	188	153	141	134	123	141	130	186	126	108	136	133	155	126	149	124	133	136
Annual Death-rate per 1,000 of estimated Population,	22·8	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8
AGES, Under 1 year,	27	26	37	31	29	21	27	33	26	34	20	25	26	24	26	28	26	22	34	39	56	39	52	40	44	45
AGES, 1–5 years,	26	30	22	21	18	12	13	23	14	27	10	18	13	17	15	15	14	13	15	15	20	9	17	7	18	15
AGES, 5–60 years,	68	77	84	86	79	56	64	86	76	65	87	76	60	72	61	76	67	55	65	61	58	58	65	56	49	54
AGES, 60 years and upwards,	36	36	33	47	23	35	23	29	22	27	24	20	24	28	28	17	19	18	22	18	21	20	15	21	22	22
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	2	1	.	1	.	.	.	1	1	.	3	1	1	2	.	.	1	.	1	1	.	.	.	.
" Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2
" Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	2	4	4	1	1	1	4	8	3	6	1	1	.	1	1	2	1	2	3	.	.	.	3	2	.	2
" Diphtheria,	1	2	2	2	2	1	1	1	1		.	1	1	.	.	1	.	1	.	.	1	.	2	.	.	.
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" Enteric Fever,	4	3	6	1	5	5	3	8	5	12	5	11	10	11	6	2	6	7	1	6	5	8	8	7	10	6
" Diarrhœa, Dysentery,	1	3	3	1	1	2	3	4	1	2	1	3	1	1		4	2	1	8	11	19	7	16	15	16	19
" Phthisis,	26	30	33	25	13	14	23	31	31	2	34	22	18	2	20	32	20	20	20	22	30	27	16	16	13	14
" Diseases of Respiratory System,	35	49	43	46	38	26	24	33	31	32	31	29	28	24	18	17	24	10	22	14	13	13	12	10	9	12
Violent Deaths,	6	2	2	5	.	2	2	2	3	4	5	2	1	4	7	3	3	3	3	3	5	2	3	3	3	4

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th September, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	2	.	2	.	.	.	.	.	14	.	.	.	18
" " 2,	.	.	.	.	.	.	.	.	2	11	2	.	.	15
" " 3,	.	.	1	.	.	.	.	.	1	9	1	.	.	12
South City No. 1,	.	2	.	3	.	.	.	.	.	3	2	.	.	10
" " 2,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 3,	.	1	.	.	.	.	.	.	.	9	.	.	.	10
" " 4,	.	.	.	.	.	.	1	.	.	1	2	.	.	4
Total,	.	5	1	6	.	.	1	.	3	49	7	.	.	72
Total for week ended Sept. 1, 1900,	.	1	1	3	.	.	3	.	4	37	9	.	1	59
Total for week ended Aug. 25, 1900,	.	4	.	9	1	.	4	.	3	39	7	.	1	68
Total for week ended Aug. 18, 1900,	.	5	.	1	1	.	7	.	4	22	6	.	1	47

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th September, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th September.			
	Aug. 18.	Aug. 25.	Sept. 1.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	5	10	8	1	6	.	3
Scarlet Fever,	48	45	43	10	8	.	45*
Typhus "	2	.	.	.	.	.	.
Diphtheria,	16	17	16	3	5	.	14
Enteric Fever,	58	63	73	25	4	.	94
Pneumonia,	19	15	11	2	2	.	11

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,589,129	Sept. 8,	2,628	1,582	18·0	.	22	4	19	31	15	262
EDINBURGH, .	302,262	„ 8,	137	88	15·1	.	2	1	1	1	.	9
GLASGOW, . .	743,969	„ 8,	455	256	17·9	.	3	3	2	11	2‖	17
CALCUTTA, .	466,460	July 7,	.	311	34·7	16	1	.	.	.	76‡	54*
BOMBAY, . .	821,764	Aug. 21,	257	2,163	136·9	1	8	?	?	?	115§	992*
MADRAS, . .	452,518	„ 10,	430	497	57·1	.	3	?	?	?	144	135*
PARIS, . . .	2,511,629	Sept. 1,	1,110	815	16·8	2	4	1	2†	5	20	111
BRUSSELS (with 8 Faubourgs).	570,844	„ 1,	230	185	16·2	.	3	.	.	.	7	48
AMSTERDAM, .	527,747	Aug. 25,	271	152	15·0	.	4	.	.	.	2	2
ROTTERDAM, .	325,556	„ 25,	241	99	15·8	.	1	.	.	1	.	.
THE HAGUE, .	205,328	„ 25,	108	62	15·5	.	.	.	.	.	1	.
COPENHAGEN, .	354,000	Sept. 1,	179	120	17·6	.	.	.	.	.	3	22
CHRISTIANIA, .	226,423	„ 1,	126	64	14·7	.	3	.	.	3	.	12
ST. PETERSBURG,	1,132,677	Aug. 25,	545	626	28·7	11	14	11	21	5	22	184
BERLIN, . .	1,859,512	„ 11,	930	820	22·9	.	7	8	5	5	2	366
HAMBURG, . .	691,349	Sept. 1,	.	255	19·2	.	1	2	1†	2	1	75
DRESDEN, . .	407,500	July 28,	.	210	26·9	.	.	2	.	.	.	44
BRESLAU, .	412,959	Sept. 1,	.	255	32·1	.	.	.	.	6	4	104
MUNICH, . .	463,000	June 30,	332	208	23·4	.	4	.	1	3	1	49
VIENNA (with suburbs).	1,656,662	Aug. 25,	899	630	19·8	.	8	1	3†	4	7	154
BUDA-PESTH, .	685,340	„ 18,	403	304	23·1	.	1	5	.	2	.	34
PRAGUE and Faubourgs.	391,693	„ 25,	175	130	17·3	.	.	.	2	1	1	6
ROME, . . .	518,333	„ 11,	247	173	17·4	.	1	.	.	.	5	35
TURIN (10 days),	344,203	July 10,	213	202	21·4	.	1	.	.	1	4	40
VENICE, . .	172,924	Aug. 11,	66	52	15·6	.	.	.	2†	.	.	10
NEW YORK, .	3,654,594	„ 11,	1,441	1,384	19·8	1	5	3	27	15	16	229
PHILADELPHIA, .	1,266,832	„ 18,	.	550	22·6	.	2	1	10	2	8	51

* Including 26 deaths from cholera in Calcutta, 764 in Bombay, and 26 in Madras. † Including deaths from croup. ‡ Exclusive of 49 deaths from bubonic fever. § Exclusive of 65 deaths from bubonic fever. ‖ Including one death from bubonic plague.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 8th September, 1900:—

"The favourable weather enjoyed during the greater part of the previous week continued throughout this period, which in and near Dublin was fine, quiet, and genial. In Scotland and Scandinavia, on the contrary, the weather was broken, with a good deal of rain from time to time, fresh W. and N.W. winds, and low temperatures considering the time of year. On Thursday, however, the thermometer rose to 70° at Leith. Already on Sunday a new anticyclone had appeared over Ireland, and as the day advanced the weather, though cold, became brilliant. In the evening the moon, equidistant from the planets Saturn (to the E.) and Jupiter (to the W.), formed a striking object in the southwestern sky. The succeeding night was clear, calm, and very cold, the thermometer (screened) falling to 43° in Dublin, 37° at Birr, and 33° at Nairn, in Scotland. Depressions now began to pass eastwards or southeastwards across Scandinavia, causing the unsettled weather in the north already mentioned. The anticyclone over Ireland, England, and Central Europe meanwhile slowly dispersed, but the fall of the barometer was so uniform that the weather remained fine, save that on Friday the sky was densely overcast and some showers fell. On Saturday the anticyclone seemed to be again developing. In Dublin the mean height of the barometer was 30·244 inches, pressure ranging from 30·486 inches at 9 a.m. of Monday (wind, calm) to 30·004 inches at 9 p.m. of Friday (wind, W.N.W.). The corrected mean temperature was 56·3°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 55·8°. The screened thermometers fell to 43·1° on Monday and rose to 66·2° on Saturday. N.W. winds prevailed throughout. Bright sunshine was estimated at 47 hours. There was no measurable rainfall."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·245 inches. The highest reading (30·488) was on Monday at 9 a.m., air calm, and the lowest (30·008) on Friday at 9 p.m., air calm.

The mean temperature for the week was 53·4°, being 3·2° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Friday, when the thermometer registered 65·0°, and was lowest on Monday, the mercury having fallen to 35·9°. The mean of the Dry Bulb for the week was 53·3°, and of the Wet Bulb 51·2°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 48·3 hours. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 55·7°, the maximum 74·1°, and the minimum 40·4°; at Glasgow the maximum was 66·2°, the minimum 35·0°, and the mean 55·9°, and at Edinburgh the maximum was 67·7°; the minimum 38·0°, and the mean 54·1°. The rainfall at Glasgow measured 0·64 in.; and at Edinburgh 0·49 in. There was no rain at Greenwich.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 2,	30·297	58·7	42·6	50·7	48·6	46·7	·88	·3	7·0	—	N.N.W.	Calm.
Monday, " 3,	30·485	64·0	35·9	50·0	51·9	49·7	·87	·2	9·9	—	Calm.	Calm.
Tuesday, " 4,	30·421	63·7	42·4	53·1	51·4	49·7	·89	·4	7·0	—	W.	Calm.
Wednesday, " 5,	30·274	64·8	44·2	54·5	52·0	49·7	·87	·3	10·5	—	W.	Calm.
Thursday, " 6,	30·172	62·6	41·0	51·8	54·7	52·5	·87	·3	8·9	—	Calm.	Calm.
Friday, " 7,	30·017	65·0	44·9	55·0	56·7	55·3	·91	·6	2·5	—	Calm.	Calm.
Saturday, " 8,	30·049	64·8	52·9	58·9	57·9	55·0	·82	·5	2·5	—	W.	Calm.
Mean,	30·245	63·4	43·4	53·4	53·3	51·2	·87	·4	Total 48·3	—	—	

Sunday—A fine but cloudy day; night clear. *Monday*—A fine but cloudy day from 11 a.m.; night cloudy. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—A fine but cloudy day; night clear p.m., cloudy a.m. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—A cloudy day; light shower 4.15 p.m. inappreciable; night cloudy. *Saturday*—A cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 174. 6. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & Co., LIMITED, 104, GRAFTON-STREET, DUBLIN;
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C. or
JOHN MENZIES & Co., ROSE-STREET, EDINBURGH,
and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 15TH SEPTEMBER, 1900. [No. 37.

General Register Office, Charlemont House,
Dublin, 17th September, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 21·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Aug. 25.	Week ending Sept. 1.	Week ending Sept. 8.	Week ending Sept. 15.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 25.	Week ending Sept. 1.	Week ending Sept. 8.	Week ending Sept. 15.	Average Rate for 4 weeks.
23 Town Dists.	**20·5**	**21·9**	**19·2**	**21·1**	**21·2**	Limerick, . .	16·8	22·5	18·2	15·4	18·2
Armagh, . .	28·5	28·5	0·0	7·1	16·0	Lisburn, . .	21·3	4·3	12·8	17·0	13·9
Ballymena, .	22·5	11·3	28·2	5·6	16·9	Londonderry, .	18·8	22·0	22·0	20·4	20·8
Belfast, . .	18·0	19·3	19·8	19·0	19·0	Lurgan, . .	18·2	18·2	27·4	9·1	18·2
Carrickfergus, .	5·8	29·2	5·8	11·7	13·1	Newry, . .	8·1	24·1	12·1	16·1	15·1
Clonmel, . .	24·3	19·5	9·7	19·5	18·3	Newtownards, .	0·0	0·0	0·0	34·4	8·6
Cork, . . .	13·1	13·8	11·1	21·5	14·9	Portadown, .	18·6	18·6	18·6	12·4	17·1
Drogheda, . .	3·8	45·6	7·6	15·2	18·1	Queenstown, .	5·7	11·5	0·0	51·7	17·2
Dublin, Reg. Area,	27·0	26·7	22·2	24·8	25·2	Sligo, . . .	10·2	5·1	25·4	35·5	19·1
Dundalk, . .	12·6	20·9	8·4	8·4	12·6	Tralee, . .	33·6	50·4	28·0	22·4	33·6
Galway, . .	64·2	37·8	18·9	30·2	37·8	Waterford, .	13·9	13·9	27·9	13·9	17·4
Kilkenny, . .	9·4	23·6	18·9	9·4	15·3	Wexford, . .	13·5	18·1	18·1	36·1	21·5

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 4·1 per 1,000, the rates varying from 0·0 in fifteen of the districts to 28·7 in Queenstown; the 9 deaths from all causes registered in that district comprising 4 from whooping-cough and one from diarrhœa. Among the 131 deaths from all causes registered in Belfast are one from scarlatina, one from whooping-cough, 2 from diphtheria, 8 from enteric fever, and 11 from diarrhœa; the 31 deaths in Cork comprise 2 from scarlatina and 4 from diarrhœa; and the 7 deaths from all causes in Waterford include 3 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 177—93 boys and 84 girls; and the deaths to 171—83 males and 88 females.

DEATHS

The deaths, which are 6 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 25·5 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 24·8 per 1,000. During the thirty-seven weeks ending with Saturday last the death-rate averaged 30·0, and was 2·4 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 47 deaths from zymotic diseases registered during the week, being 19 over the number for the preceding week, and 12 over the number for the corresponding week of the last 10 years; they comprise one from scarlet fever, 2 from influenza, 7 from whooping-cough, 2 from diphtheria, 7 from enteric fever, 27 from diarrhœa, &c. Twenty-six of the 27 deaths from diarrhœa were of children under 5 years of age, of whom 17 were infants under one year old.

Tubercular diseases caused 36 deaths—comprising 20 from phthisis, 8 from tabes mesenterica, 4 from tubercular meningitis, and 4 from scrofula.

Diseases of the respiratory system caused 18 deaths, being one under the number recorded during the preceding week, and equal to the average for the corresponding week of the last 10 years. They comprise 8 from bronchitis, 7 from pneumonia, and one from pleurisy.

The deaths of 8 infants under one year old were ascribed to convulsions.

Four deaths were caused by apoplexy, 6 by other diseases of the brain and nervous system (exclusive of convulsions), 11 by diseases of the circulatory system, and 7 by cancer.

Five accidental deaths were registered.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Seventy of the persons whose deaths were registered during the week were under 5 years of age (46 being infants under one year, of whom 11 were under one month old) and 31 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 5 were octogenarians, and 3 (females) were stated to have been aged 90, 90, and 95 years respectively.

Fifty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 24·8 per 1,000; the rate in the city was 27·5 (30·3 on the North side, and 24·8 on the South), and in the Suburbs 18·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 6·6 per 1,000 inhabitants, the rate for the city being 8·1 (8·5 in the North City Districts, and 7·7 in the South), and for the Suburbs 3·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 26·9 per 1,000. They comprise 7 from zymotic diseases, viz.:—2 from whooping-cough, one from enteric fever, 3 from diarrhœa, and one from influenza. Three deaths were caused by diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (27) are equal to an annual rate of 40·4 per 1,000. Of these 6 were from zymotic diseases, viz.:—one from diphtheria and 5 from diarrhœa. Three deaths were caused by diseases of the respiratory system, 3 by diseases of the circulatory system, 2 by phthisis, 2 by mesenteric disease, and 6 by diseases of the brain and nervous system.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 21·7 per 1,000. They include 4 from zymotic diseases, viz.:—2 from enteric fever and 2 from diarrhœa. Two deaths were caused by diseases of the respiratory system.

No. 3 North City District (Blackhall-place).—The deaths (15) represent an annual rate of 30·0 per 1,000. Three were from zymotic diseases, viz.:—one from whooping-cough and 2 from diarrhœa. Three deaths were caused by diseases of the respiratory system, and 3 by phthisis.

* See Table VI.

No. 1 *South City District* (South Earl-street).—The deaths (15) represent an annual rate of 23·6 per 1,000. They comprise 3 from zymotic diseases, including one from enteric fever, and one from diarrhœa. Two deaths were caused by diseases of the respiratory system, 3 by phthisis, and 3 by mesenteric disease.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 33·7 per 1,000. Among them are 6 from zymotic diseases, viz.:—one from diphtheria, and 5 from diarrhœa. Two deaths were caused by phthisis.

No. 3 *South City District* (Peter-street).—The deaths (25) are equal to an annual rate of 32·1 per 1,000. Among them are 7 from zymotic diseases, viz.:—two from whooping-cough, one from enteric fever, and 4 from diarrhœa. Four deaths were caused by diseases of the circulatory system, 3 by phthisis, and 5 by diseases of the brain and nervous system.

No. 4 *South City District* (Grand Canal-street).—The deaths (9) are equivalent to an annual rate of 13·1 per 1,000. They comprise 4 from zymotic diseases, viz.:—one from whooping-cough and 3 from diarrhœa. Two deaths were caused by diseases of the respiratory system and 2 by phthisis.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 14·6; Finglas and Glasnevin, part of, 49·2; Palmerston, part of, and Crumlin, part of, 28·7; Rathmines, 18·8; Donnybrook, 12·7; Blackrock, 12·4; and Kingstown, 21·0. The deaths from zymotic diseases tabulated for these districts consist of one from influenza for Coolock and Drumcondra, No. 1, one from enteric fever for Palmerston, part of, one from scarlet fever, one from whooping-cough, and one from enteric fever for Rathmines, one from diarrhœa for Donnybrook, and one from diarrhœa for Kingstown. The 4 deaths from all causes tabulated for Finglas and Glasnevin, part of, comprise 2 from cancer; two of the 4 deaths for Palmerston, part of, were from phthisis; two of the 10 deaths for Rathmines were from diseases of the brain and nervous system; and the 7 deaths for Kingstown comprise 2 from phthisis.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	25th August,	68 cases.
,, ,,	1st September,	59 cases.
,, ,,	8th September,	72 cases.
,, ,,	15th September,	65 cases.

Of the 65 cases notified, 8 were erysipelas, 40 enteric fever, 4 scarlatina, 4 measles, 2 diphtheria, one membranous croup, 4 continued fever, and one typhus fever.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th September, 1900.

From this it appears that:—

Four cases of scarlatina were admitted to hospital, 4 were discharged, one died, and 44* remained under treatment at the close of the week.

Nineteen cases of enteric fever were admitted to hospital, 17 were discharged, 2 died, and 94 remained under treatment on Saturday last, being equal to the number in hospital at the close of the preceding week.

Four cases of diphtheria were admitted to hospital, 4 were discharged, one died, and 13 remained under treatment at the close of the week.

The hospital admissions for the week also include 6 cases of measles; 2 measles patients were discharged; and 7 cases of the disease remained under treatment on Saturday last.

ENGLAND AND SCOTLAND

The mortality last week in 33 large English towns, including London (in which the rate was 16·7) was equal to an average annual death-rate of 18·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·9 per 1,000, the rate for Glasgow being 19·2, and for Edinburgh 18·9.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 15th September, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 15th September, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 23 Town Districts	1,062,188	12·2	28·8	21·1	4·1	587	429	120	77	..	.	4	.	12	4	.	15	49	46	45	9	21	105
Dublin Registration Area:—																							
Total,‡	349,594	14·2	26·4	24·8	6·6	177	166	46	28	.	.	1	.	7	2	.	7	27	20	18	3	4	47
City	245,001	65·6	27·9	27·5	8·1	131	129	39	17	.	.	.	.	6	2	.	5	25	16	16	2	3	41
Registrars' Districts. Clontarf &c. No. 1,	4,188	1·5	37·8	12·6	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Coolock & Drumcondra, No. 1,	10,730	1·8	14·6	14·6	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	49·2	49·2	.	4	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Palmerston, part of and Crumlin part of (b),	7,273	8·0	50·2	28·7	7·2	7	4	.	1	.	.	.	.	.	.	.	1	.	2	.	.	.	1
Rathmines,‖	27,796	16·2	13·1	18·8	5·6	7	10	3	3	.	.	1	.	1	.	.	1	.	.	.	1	1	2
Donnybrook,	24,629	12·4	21·2	12·7	2·1	10	6	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	1
Blackrock,‖	8,401	7·6	12·4	12·4	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	30·0	21·0	3·0	10	7	3	1	.	.	.	.	.	.	.	.	1	2	.	.	.	.
Urban Districts																							
Belfast,	359,000	21·8	32·5	19·0	3·3	224	131	44	20	.	.	1	.	1	2	.	8	11	16	15	1	7	26
Cork,	75,845	33·3	28·4	21·5	4·2	41	31	5	7	.	.	2	.	.	.	.	.	4	4	2	.	1	11
Limerick,	37,155	17·9	15·4	15·4	1·4	11	11	2	4	.	.	.	.	.	.	.	.	1	1	2	.	.	5
Londonderry,	33,200	15·3	28·3	20·4	1·6	18	13	5	2	.	.	.	.	.	.	.	.	1	.	1	2	2	1
Waterford,	26,203	18·3	25·9	13·9	6·0	13	7	3	1	.	.	.	.	.	.	.	.	3	1	.	1	.	1
Galway,	13,800	2·6	18·9	30·2	.	5	8	1	3	.	.	.	.	.	.	.	.	.	2	2	.	1	4
Drogheda	13,708	8·7	26·6	15·2	.	7	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Newry,	12,961	18·5	28·2	16·1	.	7	4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Dundalk,	12,449	9·0	29·3	8·4	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Lisburn,	12,250	10·8	12·8	17·0	4·3	3	4	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1
Wexford,	11,545	24·0	4·5	36·1	.	1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Lurgan,	11,429	13·4	4·6	9·1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny,	11,048	12·0	.	9·4	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,708	8·2	39·0	19·5	.	8	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Sligo,	10,274	3·4	10·2	35·5	.	2	7	1	3	.	.	.	.	.	.	.	.	.	1	.	.	1	2
Tralee,	9,818	15·9	56·0	22·4	.	10	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.
Ballymena,	9,252	9·3	22·5	5·6	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	26·4	34·4	.	17	6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Queenstown,	9,082	17·0	40·2	51·7	28·7	7	9	3	.	.	.	.	.	4	.	.	.	1	.	2	.	.	.
Carrickfergus	8,923	0·5	46·7	11·7	.	8	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	61·9	12·4	.	10	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh,	7,187	21·4	42·8	7·1	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1

Towns and Districts.	Meteorology.† Week ending 15th Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§68·6	34·3	54·5	0·01	§65·0	35·9	53·4	0·00	§67·6	43·3	55·9	0·14
City	68·8	41·2	57·1	0·00	66·2	43·1	56·3	0·00	70·0	51·0	59·1	0·14
Clontarf &c. No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	68·1	36·0	55·4	0·00	66·9	39·0	54·7	0·00	69·9	46·6	56·7	0·12
Palmerston, part of and Crumlin part of (b),	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	69·0	43·0	57·6	0·00	68	45	57·4	0·00	72	50	59·4	0·00
Urban Districts												
Belfast,	69·1	40·1	55·8	0·04	65·1	40·1	·0	0·19	66·1	45·1	55·7	0·31
Cork,	66	48	58·8	0·00	67	46	56·4	0·00	66	50	58·3	0·10
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	78·0	44·0	59·8	0·12	64·0	40·6	55·3	0·29	69·6	46·0	57·2	0·48
Waterford,	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	.	.	.	.	68	40	56	0·00	68	44	59	0·65
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	70·9	39·7	55·9	0·04	67·0	38·0	54·7	0·29	67·1	43·0	56·2	0·27
Dundalk,	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	70·9	39·7	55·9	0·04	67·0	38·0	54·7	0·29	67·1	43·0	56·2	0·27
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	70·9	39·7	55·9	0·04	67·0	38·0	54·7	0·29	67·1	43·0	56·2	0·27
Kilkenny,	70	36	55·3	0·00	69	37	55·1	0·00	69	45	57·2	0·05
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	70·5	36·0	55·2	0·09	66·5	32·6	53·5	0·17	67·4	36·7	55·5	0·36
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	65	43	54·3	0·03	66	43	53·7	0·17	67	50	56·3	0·29
Queenstown,	66	48	58·8	0·00	67	46	56·4	0·00	66	50	58·3	0·10
Carrickfergus	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	70·9	39·7	55·9	0·04	67·0	38·0	54·7	0·29	67·1	43·0	56·2	0·27
Armagh,	70·9	39·7	55·9	0·04	67·0	38·0	54·7	0·29	67·1	43·0	56·2	0·27

(a) That portion of the District situated in Glasnevin District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 5 deaths of persons (including 3 at 60 years or upwards), admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 15th September, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLAS. NEVIN, part of (c).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	821	282	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	2	.	.	1	.	.	2	1	.	.	.	.	1	.	.	.	7	.
Diphtheria,	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	2	.	1	.	1	.	.	.	.	1	1	.	.	.	7	.
Diarrhœa, Dysentery,	3	5	2	2	1	5	4	3	.	.	.	.	.	1	.	1	27	.
Other Zymotic Diseases	1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	3	.
Total,	7	6	4	3	3	6	7	4	.	1	.	1	3	1	.	1	47	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	.	2	1	3	3	2	3	2	.	.	.	2	.	.	.	2	20	.
Other Constitutional Diseases,	1	5	1	2	3	3	4	.	.	1	3	.	2	.	.	.	25	1
Total,	1	7	2	5	6	5	7	2	.	1	3	2	2	.	.	2	45	1
V. DEVELOPMENTAL DISEASES,	1	1	.	2	.	.	1	.	1	.	.	.	1	1	.	1	9	1
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	1	6	1	.	.	.	5	.	.	1	.	1	2	.	.	1	13	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	1	3	.	.	1	.	4	.	.	.	.	.	.	1	.	1	11	.
Diseases of Respiratory System,	3	3	2	3	2	.	1	2	.	.	.	.	.	1	1	.	18	.
Diseases of Digestive System,	.	1	1	1	1	1	.	.	.	.	.	.	.	1	1	.	7	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	1
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	5	13	4	4	5	1	10	2	.	1	1	1	2	4	2	2	57	1
VII. VIOLENT DEATHS,	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	3	2
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	1	4	.
Deaths from all Causes,	14	27	12	15	15	12	25	9	1	3	4	4	10	6	2	7	166	5
Annual Rate of Mortality in every 1,000 of the population.	26·9	40·4	21·7	30·0	23·6	33·7	32·1	13·1	12·6	14·6	49·2	28·7	18·8	12·7	12·4	21·0		
	30·3				24·8				18·4									
	27·5																24·8	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	2	5	5	1	1	6	.	.	.	1	.	2	1	.	.	25	3
Workhouse Hospitals,	1	8	1	3	4	2	1	.	1	.	.	1	.	.	.	.	22	2

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blacknall place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) That portion of the District situated in Glasnevin District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 37th Week of the 10 years 1890-99.	In the week ending Saturday, 15th September, 1900. Deaths of persons of the Ages of							
	Sept. 13, 1890	Sept. 19, 1891	Sept. 17, 1892	Sept. 16, 1893	Sept. 15, 1894	Sept. 14, 1895	Sept. 12, 1896	Sept. 18, 1897	Sept. 17, 1898	Sept. 16, 1899		ALL AGES.	0 to 5.						
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 59·8	° 57·8	° 53·7	° 54·4	° 51·8	° 56·5	° 56·7	° 55·6	° 60·6	° 57·4	° 56·4	° 54·5								
ALL CAUSES,	117	144	156	190	146	170	146	160	182	235	164·6	171	11	35	24	15	21	34	23	8
I. FEBRILE OR ZYMOTIC DISEASES,	18	27	0	48	17	25	24	32	40	88	34·9	47	3	17	16	2	5	2	2	.
II. PARASITIC DISEASES,	.	.	.	.	2	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	1	.	.	1	.	.	.	.	·3	1	.	.	.	.	.	1	.	.
IV. CONSTITUTIONAL "	30	33	53	42	40	38	31	38	46	52	40·3	46	2	7	5	9	9	10	4	.
V. DEVELOPMENTAL "	11	10	8	17	16	11	10	12	12	15	12·2	10	.	.	.	.	.	.	4	6
VI. LOCAL "	51	57	55	73	61	88	69	62	66	71	64·8	58	5	10	2	4	5	19	11	2
VII. VIOLENT DEATHS,	4	8	.	3	3	4	7	8	7	5	4·9	5	.	.	.	.	2	2	1	.
VIII. ILL-DEFINED CAUSES,	3	8	9	7	7	7	5	8	11	4	6·9	4	1	1	1	.	.	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	1	1	.	.	.	.	1	23	2·7	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	3	1	2	1	.	1	·8	1	.	1	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	.	.	3	.	.	.	.	·4	2	.	.	.	.	.	1	1	.
Whooping Cough,	1	4	1	2	.	3	6	5	4	1	2·7	7	.	2	5	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	3	1	1	·5	2	.	.	1	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	1	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	4	3	18	2	4	5	5	3	9	5·0	7	.	.	.	1	5	.	1	.
Cholera and Chol. Diarr.,	1	1	1	1	.	.	.	1	2	5	1·2	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	11	14	18	25	8	12	9	13	26	45	18·1	27	3	14	9	.	.	1	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	1	1	.	.	1	.	1	2	2	·9	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	1	2	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	1	.	.	1	.	1	.	·3	1	.	.	1	.	.	.	.	.
Puerperal Fever,	1	.	.	.	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	.	3	2	2	1	.	1	2	.	.	1·1	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	1	.	.	1	.	.	.	.	·3	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	1	.	.	.
Rheumatism,	.	1	.	1	1	2	1	1	1	2	1·0	1	.	.	.	.	.	1	.	.
Gout,	1	.	.	.	.	1	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	2	6	5	11	5	10	6	8	4	3	6·0	7	.	.	.	.	.	4	3	.
Tabes Mesenterica,	2	3	10	6	2	4	3	2	6	6	4·4	8	2	4	2	.	.	.	.	.
Tubercular Meningitis,	2	5	4	2	3	1	1	2	3	6	2·9	4	.	2	.	2	.	.	.	.
Phthisis,	20	16	29	20	24	18	13	22	23	29	21·4	20	.	.	2	4	8	5	1	.
Scrofula, Tuberculosis,	3	1	4	1	4	1	4	2	7	6	3·3	4	.	1	1	2	.	.	.	.
Other Constitutional Diseases,	.	1	1	1	1	1	1	1	1	.	·8	1	.	.	.	1	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	3	2	2	1	4	.	.	6	3	5	2·6	.	.	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	1	1	.	1	1	·4	.	.	.	.	.	.	.	.	.
Old Age,	8	8	6	16	12	10	9	6	8	9	9·2	10	.	.	.	.	.	.	4	6

each Disease registered in the THIRTY-SEVENTH WEEK ending Saturday, 15th September, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 37th Week of the 10 years 1890-99.	In the Week ending Saturday, 15th September, 1900. Deaths of Persons of the Ages of							
	Sept. 18, 1890	Sept. 19, 1891	Sept. 17, 1892	Sept. 16, 1893	Sept. 15, 1894	Sept. 14, 1895	Sept. 12, 1896	Sept. 18, 1897	Sept. 17, 1898	Sept. 16, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 59·3	° 57·8	° 53·7	° 54·4	° 51·8	° 56·5	° 56·7	° 55·6	° 60·6	° 57·4	° 53·4	° 54·5								
VI. Local Diseases.																				
Apoplexy,	2	1	5	2	1	2	1	4	4	3	2·5	4	.	.	.	.	.	2	2	.
Epilepsy,	2	.	2	.	1	.	1	.	1	.	·7	.	.	.	.	.	.	.	.	.
Convulsions,	12	11	5	22	5	17	10	9	10	11	11·2	8	4	4	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	3	2	3	9	5	6	8	5	3	4	4·8	6	.	.	1	1	1	1	2	.
Diseases of Organs of Special Sense,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	7	9	12	10	16	21	17	9	8	12	12·1	11	.	.	.	1	1	5	4	.
Croup,	1	.	1	.	1	2	.	2	.	.	·7	.	.	.	.	.	.	.	.	.
Bronchitis,	9	13	6	6	8	12	10	13	9	10	9·6	8	.	2	1	.	1	4	.	.
Pneumonia	6	5	3	3	7	3	3	5	7	10	5·2	7	.	1	.	1	1	2	2	.
Pleurisy,	.	1	.	1	2	.	1	1	.	.	·6	1	.	.	.	.	.	.	1	.
Other Diseases of Respiratory System,	1	1	2	2	.	.	1	1	1	1	1·0	2	.	.	.	.	.	2	.	.
Teething,	1	1	1	2	.	2	2	.	.	1	1·0	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	1	.	.	2	·8	.	.	.	.	.	.	.	.	.
Enteritis,	1	1	1	1	2	2	1	3	3	5	2·0	1	1	.	.	.	.	.	.	.
Peritonitis	.	.	.	.	1	1	.	.	1	.	·3	1	.	1	.	.	.	.	.	.
Disease of Liver,	.	2	5	4	2	4	5	2	5	3	3·2	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	4	3	4	4	4	7	3	1	6	5	4·1	4	.	2	.	1	.	1	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	3	4	4	1	1	4	2	5	4	2·9	3	.	.	.	.	1	1	.	1
Diseases of Generative System,	1	.	.	.	2	.	1	2	.	.	·6	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	2	.	2	1	.	.	1	1	.	·7	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	2	.	1	.	.	.	2	1	.	·6	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	1	.	1	1	.	.	1	.	·4	1	.	.	.	.	.	.	.	1
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		1	.	.	.	.	.	1	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	4	2	.	1	.	.	1	4	1	1	4·7	1	.	.	.	.	1	.	.	.
By Drowning,		2	.	.	2	.	1	.	.	1		1	.	.	.	.	1	.	.	.
By Suffocation in Bed,		.	.	.	.	2	.	1	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		3	.	2	1	2	5	2	1	3		3	.	.	.	.	.	2	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	3	8	9	7	7	7	5	8	11		6·9	4	1	1	1	.	.	.	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900—Week ending																									
	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered,	226	234	128	184	225	202	246	222	198	214	199	222	194	198	228	181	208	186	187	245	149	256	221	228	225	177
Average Births in corresponding week of previous 10 years,	195	217	199	194	192	213	214	212	192	201	209	199	208	202	219	193	188	185	185	195	200	196	185	197	183	211
DEATHS registered,	236	244	194	230	204	178	204	179	168	176	157	161	167	122	144	124	127	165	129	159	161	147	185	186	154	171
Annual Death-rate per 1,000,	35·2	36·4	28·9	34·8	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5
Average Deaths in corresponding week of previous 10 years,	218	219	204	184	185	184	178	170	174	167	162	156	164	150	156	149	148	154	162	159	160	157	162	164	170	165
AGES, Under 5 years,	69	55	50	59	66	51	54	52	47	43	43	54	37	29	33	38	32	47	35	40	57	51	79	71	54	70
5—20 "	17	12	14	26	13	15	17	19	20	26	15	14	27	16	18	10	8	13	7	13	9	15	12	21	16	15
20—40 "	34	45	24	29	30	33	47	27	28	30	22	31	35	19	32	25	35	26	18	25	31	17	38	25	25	21
40—60 "	51	54	42	53	32	48	42	36	31	35	40	38	31	29	33	23	24	44	33	39	34	34	35	39	26	34
60—80 "	52	59	53	47	45	27	35	36	36	35	31	19	30	23	27	26	23	30	30	35	26	26	20	26	22	23
80 years and upwards,	18	19	11	16	18	4	9	9	6	7	6	5	7	6	6	2	5	5	6	7	4	4	1	4	11	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	8	2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" Whooping-cough,	.	.	3	1	2	2	4	1	1	3	.	5	.	1	2	3	4	5	.	3	1	1	5	4	5	7
" Diphtheria,	1	1	.	2	2	.	.	.	1	.	.	2	2	1	.	.	.	2	1	.	3	.	1	4	.	2
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.
" Enteric Fever,	.	1	3	2	3	5	6	1	2	2	1	2	2	2	.	2	2	2	.	2	.	1	2	2	1	7
" Diarrhœa, Dysentery,	4	.	.	1	3	3	1	3	2	.	1	2	1	.	1	2	1	4	4	9	19	24	25	33	20	27
" Phthisis,	29	30	27	28	27	32	29	32	30	32	13	28	28	22	21	26	31	28	19	24	24	20	25	32	22	20
" Heart Diseases,	20	23	16		11	11	17	14	17	11	14	10	11	9	9	10	9	19	17	23	12	12	18	10	14	11
" Diseases of Respiratory System,	72	56	46	53	47	40	29	34	25	30	23	23	34	27	29	15	20	23	23	14	15	13	14	6	19	18
Violent Deaths,	9	6	2	9	3	4	6	4	5	1	6	4	1	1	5	6	6	5	4	4	5	4	9	2	5	5
Mean Temperature of the Air (Phœnix Park),	36·4	37·3	42·6	46·9	50·2	47·6	45·6	48·7	47·0	51·2	52·3	56·6	57·8	53·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5
Average Mean Temperature in corresponding week of previous 10 years,	42·9	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4
Rainfall in inches,	·805	·075	·535	·785	·170	·190	·350	·585	·005	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·815	·015	1·245	·140	·000	·010
Mean Humidity of the Air, complete Saturation 1·0,	·89	·79	·82	·81	·76	·81	·77	·84	·73	·80	·83	·82	·80	·88	·84	·81	·76	·82	·83	·81	·86	·85	·90	·83	·87	·87

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th September, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 15th September, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	25·5	171	70	15	21	34	23	8	.	.	1	.	7	2	.	7	27	44	20	8	18	5	76
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	3·3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
II.	MIDDLE CLASS,	81,469	18·5	29	9	2	4	5	4	5	.	.	.	.	1	1	.	1	3	6	4	1	2	.	16
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	24·6	47	13	7	5	16	6	.	.	.	.	.	3	.	.	3	6	12	8	.	4	3	20
IV.	GENERAL SERVICE CLASS,	147,978	31·9	70	45	6	7	6	5	1	.	.	1	.	3	1	.	3	16	24	5	7	6	2	26
V.	INMATES OF WORKHOUSES,	5,191		24	3	.	5	7	7	2	.	.	.	.	.	.	.	.	2	2	3	.	6	.	13
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	6·5	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,857	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	26·5	3	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	12·0	6	4	.	.	.	.	2	.	.	.	.	1	.	.	.	1	2	.	1	.	.	3
	6. Clerks and Commercial Assistants,	25,091	20·8	10	3	1	3	3	.	.	.	.	.	.	.	1	.	.	1	2	4	.	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	21·2	10	1	1	.	1	4	3	.	.	.	.	.	.	.	.	1	1	.	.	2	.	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	42·0	6	1	1	3	.	1	.	.	.	.	.	.	.	.	2	1	3	3	.	.	.	.
	9. Building and Furnishing Trades,	26,294	29·7	15	3	3	.	8	1	.	.	.	.	.	1	.	.	.	2	3	2	.	1	1	8
	10. Clothing Trades,	23,927	10·9	5	2	2	.	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	2
	11. Food Supply Trades,	7,949	6·5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	12. Other Trades and Callings ranking with Trades,	26,937	36·7	19	5	1	2	7	4	.	.	.	.	.	1	.	.	.	2	3	2	.	2	2	10
	13. Petty Shopkeepers,	6,889	7·6	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	26·5	7	4	.	1	.	2	.	.	.	.	.	1	.	.	1	3	5	.	.	.	.	2
	15. Domestic Servants,	39,967	7·8	6	1	1	3	.	1	.	.	.	.	.	.	.	.	1	.	1	1	.	1	1	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	24·0	5	3	.	.	2	.	.	.	.	1	.	1	.	.	.	1	3	.	.	2	.	.
	17. Hawkers, Porters, Labourers, &c.,	88,472	32·4	52	37	5	3	4	2	1	.	.	.	.	1	1	.	1	12	15	4	7	3	1	22
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	24	3	.	5	7	7	2	.	.	.	.	.	.	.	.	2	2	3	.	6	.	13

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.																
North City, No. 1 (E.)	July 28,	17·3	1·9	9	.	.	.	.	.	.	.	.	1	1	3	.
	Aug. 4,	17·3	3·8	9	.	.	.	.	.	.	.	.	2	1	1	.
	„ 11,	23·0	1·9	12	.	.	.	.	.	1	.	.	.	1	2	.
(*Office,*	„ 18,	25·0	5·8	13	.	.	.	.	.	.	.	1	2	2	1	.
Clarence-street, Nth.	„ 25,	34·6	7·7	18	.	.	.	.	2	.	.	.	2	3	1	1
	Sept. 1,	4·3	13·4	22	.	.	.	.	.	1	.	.	6	4	1	.
	„ 8,	26·9	9·6	14	.	.	.	.	.	.	.	1	4	1	1	.
Pop. (in 1891) 27,147.	„ 15,	26·9	11·5	14	.	.	.	.	2	.	.	1	3	.	3	.
North City, No. 1 (W.)	July 28,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	3	3	.
	Aug. 4,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	2	1	2
	„ 11,	35·9	9·0	24	.	.	.	.	.	.	.	.	6	4	1	.
	„ 18,	21·0	7·5	14	.	.	.	.	.	.	.	.	5	1	1	.
(*Office,*	„ 25,	32·9	7·5	22	.	.	.	.	.	1	.	.	4	7	2	.
Summer-hill.)	Sept 1,	26·9	4·5	18	.	.	.	.	.	.	.	.	3	3	1	.
	„ 8,	29·9	.	20	.	.	.	.	.	.	.	.	.	1	6	1
Pop. (in 1891) 34,836.	„ 15,	40·4	9·0	27	.	.	.	.	.	1	.	.	5	2	3	.
North City, No. 2.	July 28,	21·7	.	12	.	.	.	.	.	.	.	.	.	3	.	1
	Aug. 4,	25·3	3·6	14	.	.	.	.	.	.	.	1	1	.	2	1
	„ 11,	27·1	.	15	.	.	.	.	.	.	.	.	.	3	3	.
	„ 18,	25·3	3·6	14	.	.	.	.	1	.	.	.	1	3	.	1
(*Office,*	„ 25,	36·1	7·2	20	.	.	.	.	.	.	1	.	3	3	.	1
Lisburn-street.)	Sept. 1,	36·1	7·2	20	.	.	.	.	.	.	.	.	4	3	.	1
	„ 8,	28·9	7·2	16	.	.	.	.	3	.	.	.	1	3	2	.
Pop. (in 1891) 28,871.	„ 15,	21·7	7·2	12	.	.	.	.	.	.	.	2	2	1	2	2
North City, No. 3.	July 28,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 4,	20·0	.	10	.	.	.	.	.	.	.	.	.	4	.	1
	„ 11,	18·0	2·0	9	.	.	.	.	.	.	.	.	1	1	.	.
	„ 18,	30·0	6·0	15	.	.	.	.	.	.	.	.	3	4	.	.
(*Office,*	„ 25,	24·0	6·0	12	.	.	.	.	.	.	.	1	2	1	.	.
Blackhall-place.)	Sept. 1,	38·0	12·0	19	.	.	.	.	2	1	.	.	3	2	.	.
	„ 8,	34·0	6·0	17	.	.	.	.	.	.	.	.	4	2	.	.
Pop. (in 1891) 26,055.	„ 15,	30·0	6·0	15	.	.	.	.	1	.	.	.	2	3	3	.
South City, No. 1.	July 28,	33·0	1·6	21	.	.	.	.	.	.	.	.	1	4	3	1
	Aug. 4,	28·3	1·6	18	.	.	.	.	.	.	.	.	1	4	3	.
	„ 11,	29·8	3·1	19	.	.	.	.	.	1	.	.	1	4	1	1
	„ 18,	28·3	7·9	18	.	.	.	1	.	.	.	.	4	1	3	.
(*Office,*	„ 25,	23·6	4·7	15	.	.	.	.	.	.	.	.	3	1	1	.
South Earl-street.)	Sept. 1,	29·8	9·4	19	.	.	1	.	.	.	.	1	4	4	1	.
	„ 8,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	1	.
Pop. (in 1891) 33,194.	„ 15,	23·6	3·1	15	.	.	.	.	.	.	.	1	1	3	2	.
South City, No. 2.	July 28,	28·1	2·8	10	.	.	.	.	.	.	.	.	1	1	1	1
	Aug. 4,	33·7	2·8	12	.	.	.	.	.	.	.	.	1	2	.	.
	„ 11,	25·3	5·6	9	.	.	.	.	1	1	.	.	.	.	1	.
	„ 18,	19·7	2·8	7	.	.	.	.	.	.	.	.	1	1	.	.
(*Office,*	„ 25,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	1
Castle-street.)	Sept. 1,	19·7	2·8	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 8,	22·5	8·4	8	.	.	.	.	.	.	.	.	3	1	1	.
Pop. (in 1891) 18,547.	„ 15,	33·7	15·9	12	.	.	.	.	.	1	.	.	5	2	.	.
South City, No. 3.	July 28,	19·3	.	15	.	.	.	.	.	.	.	.	.	4	4	.
	Aug. 4,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	2	.
	„ 11,	21·9	6·4	17	.	.	.	.	.	.	.	.	5	2	2	.
	„ 18,	23·1	1·3	18	.	.	.	.	.	.	.	.	1	1	4	1
(*Office,*	„ 25,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	3	1
Peter-street.)	Sept. 1,	16·7	2·6	13	.	.	.	.	.	.	.	.	2	5	1	.
	„ 8,	25·7	2·6	20	.	.	.	.	.	.	.	.	2	5	2	2
Pop. (in 1891) 40,558.	„ 15,	32·1	9·0	25	.	.	.	.	2	.	.	1	4	3	1	.
South City, No. 4.	July 28,	16·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	Aug. 4,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	2	.
	„ 11,	23·3	.	16	.	.	.	.	.	.	.	.	.	2	4	2
	„ 18,	28·3	7·3	16	.	.	.	.	.	.	.	.	5	1	2	1
(*Office,*	„ 25,	36·4	18·1	25	.	.	.	.	.	.	.	1	8	1	4	1
Grand Canal-street.)	Sept. 1,	33·5	5·8	23	.	.	.	.	.	.	.	.	4	3	1	.
	„ 8,	18·1	4·4	9	.	.	.	.	.	.	.	.	3	1	.	.
Pop. (in 1891) 35,793.	„ 15,	18·1	5·8	9	.	.	.	.	1	.	.	.	3	2	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	July 28,	16·9	1·9	9	.	.	.	.	.	1	.	.	.	.	2	.
	Aug. 4,	28·1	3·8	15	.	.	.	.	.	.	.	1	1	2	1	.
	„ 11,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	1
	„ 18,	11·3	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	„ 25,	13·1	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.
	Sept. 1,	22·5	5·6	12	.	.	.	.	2	.	.	.	1	1	.	.
	„ 8,	16·9	1·9	9	.	.	.	.	1	.	.	.	.	2	.	1
	„ 15,	15·3	5·6	10	.	.	1	.	1	.	.	1	.	.	.	1
Donnybrook. Pop. (in 1891) 24,629.	July 28,	16·9	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	Aug. 4,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 11,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	3	.	.
	„ 18,	14·8	2·1	7	.	.	.	.	.	.	.	.	1	1	.	1
	„ 25,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	2	.	4
	Sept. 1,	19·1	.	9	.	.	.	.	.	.	.	.	.	.	.	1
	„ 8,	10·6	2·1	5	.	.	.	.	.	.	.	.	1	.	.	.
	„ 15,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	.	1	.
Kingstown. Pop. (in 1891) 17,336.	July 28,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 4,	15·0	3·0	5	.	.	.	.	.	.	.	.	1	1	.	.
	„ 11,	12·0	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 18,	6·0	3·0	2	.	.	.	.	.	.	1	.	.	.	.	.
	„ 25,	30·1	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 1,	12·0	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 8,	36·0	3·0	12	.	.	.	.	1	.	.	.	.	2	3	.
	„ 15,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	2	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	July 28,	19·3	2·6	133	.	.	.	.	.	.	1	6	11	22	14	3
	Aug. 4,	22·5	3·8	155	.	1	.	.	.	1	.	5	19	30	13	5
	„ 11,	18·3	2·3	126	.	1	.	.	.	.	.	8	7	27	13	2
	„ 18,	21·6	4·2	149	.	.	.	.	3	2	.	8	16	16	12	3
	„ 25,	18·0	3·5	124	.	.	.	.	2	.	.	7	15	16	10	3
	Sept. 1,	19·3	3·8	133	.	.	.	.	.	.	.	10	16	13	9	3
	„ 8,	19·8	4·2	136	.	.	2	.	2	.	.	6	19	14	12	4
	„ 15,	19·0	3·3	131	.	.	1	.	1	2	.	8	11	16	15	1
Cork. Pop. (in 1891) 75,345.	July 28,	19·4	0·7	28	.	.	1	.	.	.	.	.	.	4	4	.
	Aug. 4,	18·0	0·7	26	.	.	.	.	.	.	.	.	1	5	5	1
	„ 11,	12·5	0·7	18	.	.	.	.	.	.	.	.	1	4	5	.
	„ 18,	13·1	.	19	.	.	.	.	.	.	.	.	.	2	4	.
	„ 25,	13·1	2·1	19	.	.	.	.	.	.	.	.	3	3	1	1
	Sept. 1,	13·8	2·8	20	.	.	.	.	.	.	.	.	4	3	3	.
	„ 8,	11·1	1·4	16	.	.	.	.	.	.	.	.	2	2	4	.
	„ 15,	21·5	4·2	31	.	.	2	.	.	.	.	.	4	4	2	.
Limerick. Pop. (in 1891) 37,155.	July 28,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 4,	11·2	1·4	8	.	.	.	.	.	.	.	.	1	2	2	.
	„ 11,	12·6	.	9	.	.	.	.	.	.	.	.	.	5	2	.
	„ 18,	7·0	1·4	.	.	.	.	.	.	.	.	.	1	1	2	.
	„ 25,	16·8	.	12	.	.	.	.	.	.	.	.	.	3	3	1
	Sept. 1,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	„ 8,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	„ 15,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
Londonderry Pop. (in 1891) 28,200.	July 28,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 11,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	2	3	.
	„ 18,	28·3	4·7	18	.	.	.	.	.	.	.	.	3	5	2	.
	„ 25,	18·8	.	12	.	.	.	.	.	.	.	.	.	4	.	.
	Sept. 1,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	4	1	.
	„ 8,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	3	.
	„ 15,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	.	1	2
Waterford. Pop. (in 1891) 26,200.	July 28,	15·9	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	Aug. 4,	8·0	2·0	4	.	.	.	.	.	.	1	.	.	1	1	.
	„ 11,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	3	.	.
	„ 18,	31·8	4·0	16	.	.	.	.	.	.	.	.	2	6	.	.
	„ 25,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 1,	13·9	2·0	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 8,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	4	2	.
	„ 15,	13·9	6·0	7	.	.	.	.	.	.	.	.	3	1	.	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 15th September, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	8	The estimate of the present Population of Belfast now adopted (see Table 1,) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		5	2	1	2	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1
" 2 "	37,539	25			17	4	2	9	2	.	.	.	.	.	.	.	3	2	1	1	.	2	3
" 3 "	38,845	36			23	5	3	10	5	.	.	.	.	.	1	.	.	1	3	4	.	1	6
" 4 "	33,391	26			14	7	1	6	.	.	.	.	.	.	1	.	1	2	2	2	.	.	5
" 5 "	21,284	14			3	2	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
" 6 "	43,431	24			17	2	2	8	5	.	.	.	.	.	.	.	1	2	3	2	1	1	1
" 7 "	1,112	2			2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" 8 "	4,904	5			5	3	.	2	.	.	.	1	.	.	.	.	.	.	1	.	.	1	1
" 9 "	12,866	17			5	3	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 10 "	12,256	16			14	6	.	4	4	.	.	.	.	.	.	.	.	1	1	3	.	.	3
" 11 "	19,881	20			11	5	.	5	1	.	.	.	.	.	.	.	1	1	3	1	.	.	.
" 12 "	23,282	23			11	5	1	4	1	.	.	.	.	.	.	.	1	1	1	.	.	1	1
" 13 "	6,804	7			4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "	362	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	224			131	44	11	56	20	.	.	1	.	1	2	.	8	11	16	15	1	7	26
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	1	21·9	.	5	1	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3
" 2 "	9,252	11	5·6	5·6	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
" 3 "	9,816	3	26·6	5·3	5	1	.	4	.	.	.	.	.	.	.	.	.	1	2	1	.	.	3
" 4 "	10,356	5	10·1	5·0	2	.	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.
" 5 "	8,137	2	19·2	12·8	3	1	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.
" 6 "	8,823	15	35·4	.	6	2	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 7 "	17,034	4	27·5	3·1	9	.	1	4	4	.	.	1	.	.	.	.	.	.	1	.	.	.	2
Total,	75,845	41	21·5	4·2	31	5	3	16	7	.	.	2	.	.	.	.	.	4	4	2	.	1	11

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Mar. 24.	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.
No. of week in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered,	236	229	188	197	225	261	213	244	218	218	218	219	241	213	204	236	155	263	220	241	222	171	206	193	221	224
DEATHS registered.	169	176	179	149	124	127	171	188	153	141	134	123	141	130	136	126	108	136	133	155	126	149	124	133	136	131
Annual Death-rate per 1,000 of estimated Population,	24·5	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0
AGES, Under 1 year,	26	37	31	29	21	27	33	26	34	20	25	26	24	26	28	26	22	34	39	56	39	52	40	44	45	44
AGES, 1–5 years,	30	22	21	18	12	13	23	14	27	10	18	13	17	15	15	14	13	15	15	20	9	17	7	18	15	11
AGES, 5–60 years,	77	84	80	79	56	64	86	76	65	87	76	60	72	61	76	67	55	65	61	58	58	65	56	49	54	56
AGES, 60 years and upwards,	36	33	47	23	35	23	29	22	27	24	20	24	28	28	17	19	18	22	18	21	20	15	21	22	22	20
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	2	1	.	1	.	.	.	1	1	.	3	1	1	2	.	.	1	.	1	1	.	.	.	.	.
" Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1
" Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	4	4	1	1	1	4	8	3	6	1	1	.	1	1	2	1	2	3	.	.	.	3	2	.	2	1
" Diphtheria,	2	2	2	2	1	1	1	1	1	.	1	1	.	.	1	.	1	.	.	1	.	2	.	.	.	2
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
" Enteric Fever,	3	6	1	5	5	3	8	5	12	5	11	10	11	6	2	6	7	1	6	5	8	8	7	10	6	8
" Diarrhœa, Dysentery,	3	3	1	1	2	3	4	1	2	1	3	1	1	4	4	2	1	8	11	19	7	16	15	16	19	11
" Phthisis,	30	39	25	13	14	23	31	31	23	34	22	18	2	20	32	20	20	20	22	30	27	16	16	13	14	16
" Diseases of Respiratory System,	49	43	46	38	26	24	33	31	32	31	29	28	24	18	17	24	10	22	14	13	13	12	10	9	12	15
Violent Deaths,	2	2	5	.	2	2	2	3	4	5	2	1	4	7	3	3	3	3	3	5	2	3	3	3	4	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th September, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	1	.	.	.	.	2
" " 1, West,	.	1	.	.	.	.	.	.	1	7	1	.	.	10
" " 2,	.	.	.	.	.	.	.	.	1	7	2	.	.	10
" " 3,	.	.	.	.	.	1	.	.	1	13	1	.	.	16
South City No. 1,	.	3	.	2	1	.	1	.	.	2	2	.	.	11
" " 2.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	.	.	.	8	1	.	.	9
" " 4,	.	.	.	1	.	.	1	1	.	3	1	.	.	7
Total,	.	4	.	4	1	1	2	1	4	40	8	.	.	65
Total for week ended Sept. 8, 1900,	.	5	1	6	.	.	1	.	3	49	7	.	.	72
Total for week ended Sept. 1, 1900,	.	1	1	3	.	.	3	.	4	37	9	.	1	59
Total for week ended Aug. 25, 1900,	.	4	.	9	1	.	4	.	3	39	7	.	1	68

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th September, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th September.			
	Aug. 25.	Sept. 1.	Sept. 8.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	10	8	3	6	2	.	7
Scarlet Fever,	45	43	45	4	4	1	44*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	17	16	14	4	4	1	13
Enteric Fever,	63	73	94	19	17	2	94
Pneumonia,	15	11	11	12	3	3	17

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,589,129	Sept. 15,	2,519	1,470	16·7	.	17	3	17	57	23	166
EDINBURGH, .	302,262	„ 15,	162	110	18·9	.	1	.	2	1	1	11
GLASGOW, . .	743,969	„ 15,	459	274	19·2	1	.	6	.	16	1‖	21
CALCUTTA, .	466,460	July 14,	.	309	34·5	12	.	.	.	.	78‡	60*
BOMBAY, . .	821,764	Aug. 28,	274	1,580	100·0	2	3	?	?	?	100§	610*
MADRAS, . .	452,518	„ 17,	441	593	68·1	.	2	?	?	?	166	180*
PARIS, . . .	2,511,629	Sept. 8,	1,073	797	16·4	5	6	2	2†	5	20	86
BRUSSELS (with 8 Faubourgs).	570,844	„ 8,	239	174	21·8	.	2	.	.	3	4	30
AMSTERDAM, .	527,747	„ 1,	263	135	13·3	.	.	.	.	2	1	.
ROTTERDAM, .	325,556	„ 1,	233	112	17·9	.	.	.	.		2	.
THE HAGUE, .	205,328	„ 1,	132	58	14·8	.	.	.	.	.	.	.
COPENHAGEN, .	354,000	„ 8,	155	111	16·3	.	.	3	.	.	1	23
CHRISTIANIA, .	226,423	„ 8,	141	50	11·0	.	.	.	.	.	.	16
ST. PETERSBURG,	1,132,677	„ 1,	630	572	26·3	5	7	8	15	3	14	175
BERLIN, . .	1,859,512	„ 18,	941	828	23·2	.	11	17	3	8	3	300
HAMBURG, . .	691,349	„ 8,	.	251	18·9	.	1	1	1†	2	.	69
DRESDEN, . .	407,500	Aug. 4,	259	165	21·1	.	1	.	1†	1	.	52
BRESLAU, .	412,959	Sept. 8,	.	215	27·1	.	.	.	1	6	1	76
MUNICH, . .	463,000	June 30,	332	208	23·4	.	4	.	1	3	1	49
VIENNA (with suburbs).	1,656,662	Sept. 1,	826	584	18·3	.	2	3	5†	4	3	160
BUDA-PESTH, .	685,340	Aug. 25,	459	258	19·5	.	3	3	.	.	2	26
PRAGUE and Faubourgs.	391,693	Sept. 1,	195	165	21·9	.	1	.	1	.	.	6
ROME, . . .	518,333	„ 11,	247	173	17·4	.	1	.	.	.	5	35
TURIN (10 days),	344,203	July 20,	170	169	17·9	.	2	.	.	1	3	38
VENICE, . .	172,924	Aug. 18,	77	60	18·0	.	.	.	4†	.	1	10
NEW YORK, .	3,654,594	„ 11,	1,441	1,384	19·8	1	5	3	27	15	16	229
PHILADELPHIA, .	1,266,832	„ 25,	.	372	22·6	.	2	3	9	5	9	30

* Including 44 deaths from cholera in Calcutta, 408 in Bombay, and 60 in Madras. † Including deaths from croup ‡ Exclusive of 35 deaths from bubonic fever. § Exclusive of 64 deaths from bubonic fever. ‖ Bubonic plague.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 15th September, 1900:—

"The 'Indian Summer' reigned supreme throughout this week. Only on Monday morning were conditions slightly unsettled—clouds prevailing and a light shower having fallen, which however yielded only ·001 inch of rain in the gauge. The beautiful and favourable weather of the period was due to the presence of an anticyclone, which slowly drifted eastwards across Ireland, England, and Germany in the course of the week. On Sunday this system was found covering Kerry and Cork in Ireland, Cornwall in England, and Brittany in France. Some shallow depressions, subsidiary to a primary near the Shetlands, moved eastwards across the British Isles on Sunday and during the following night. These caused clouds and showers. As they disappeared, the anticyclone advanced, ever gaining strength until at 8 a.m. of Wednesday the isobar of 30·5 inches embraced the whole of Ireland and England. As the sky was very free from cloud and the wind was light in force, the diurnal range of temperature became very large—for example, at Loughborough on Thursday the thermometer rose from 40° to 75°—a range of 35° in a few hours. At Birr, King's Co., the range on that day was 32°—from a minimum of 38° to a maximum of 70°. On Thursday night much fog prevailed, checking radiation. On Friday and Saturday a progressive rise of temperature took place. At Nairn on Friday the thermometer ranged from 37° to 75°. In Dublin the mean height of the barometer was 30·329 inches, the range being from 30·574 inches at 9 a.m. of Wednesday (wind, calm) to 30·072 inches at 9 p.m. of Saturday (wind, N.E.). The corrected mean temperature was 57·1°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 55·1°. The screened thermometers fell to 41·2° on Wednesday and rose to 68·8° on Saturday. The prevalent wind was E.N.E. Bright sunshine was estimated at 72½ hours. A light shower on Monday morning yielded only ·001 in the gauge. There was, therefore, no 'rainy day.'"

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·330 inches. The highest reading (30·571) was on Wednesday at 9 a.m., air calm, and the lowest (30·072) on Sunday at 9 p.m., air calm.

The mean temperature for the week was 54·5°, being 1·9° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Friday, when the thermometer registered 68·6°, and was lowest on Wednesday, the mercury having fallen to 34·3°. The mean of the Dry Bulb for the week was 53·8°, and of the Wet Bulb 52·0°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 65·5 hours. The rainfall measured ·01 in.

At Greenwich the mean temperature for the week was 58·4°, the maximum 70·9°, and the minimum 43·2°; at Glasgow the maximum was 77·5°, the minimum 39·0°, and the mean 57·5°, and at Edinburgh the maximum was 70·2°; the minimum 43·8°, and the mean 57·7°. The rainfall at Glasgow measured 0·06 in.; and at Edinburgh 0·08 in. There was no rain at Greenwich.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 9,	30·080	66·8	50·4	58·6	55·2	53·2	·88	·4	8·0	·010	W.	Calm.
Monday, „ 10,	30·291	62·7	49·7	56·2	54·4	51·3	·80	·6	7·1	—	N.W.	Calm.
Tuesday, „ 11,	30·531	63·4	42·3	52·9	51·0	49·0	·88	·1	9·7	—	W.	Calm.
Wednesday, „ 12,	30·549	63·4	34·3	48·9	51·2	50·0	·92	·1	10·7	—	Calm.	Calm.
Thursday, „ 13,	30·457	63·5	37·3	50·4	55·1	53·5	·80	·3	10·5	—	E.	Calm.
Friday, „ 14,	30·302	68·6	46·9	57·8	53·2	52·6	·95	·1	8·8	—	Calm.	Calm.
Saturday, „ 15,	30·101	67·9	45·9	56·9	56·5	54·6	·89	·1	10·7	—	E.	Calm.
Mean, . . .	30·330	65·2	43·8	54·5	53·8	52·0	·87	·2	Total 65·5	Total ·010	—	

Sunday—A fine but cloudy day; night cloudy; showers 1 to 6 a.m. *Monday*—A fine but cloudy day; night clear. *Tuesday*—A beautiful day, light clouds; night clear. *Wednesday*—A beautiful day; night sky clear; ground fog 7 p.m. to 6 a.m. *Thursday*—A beautiful day; night sky clear; ground fog 7 p.m. to 8 a.m. *Friday*—A beautiful day; night clear; ground fog p.m. *Saturday*—A beautiful day; night clear p.m.; cloudy a.m.; ground fog 8 p.m. to 7 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 174. 6. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & Co., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C. or
JOHN MENZIES & Co., ROSE-STREET, EDINBURGH,
and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 22ND SEPTEMBER, 1900. [No. 38.

General Register Office, Charlemont House,
Dublin, 24th September, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Sept. 1.	Week ending Sept. 8.	Week ending Sept. 15.	Week ending Sept. 22.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 1.	Week ending Sept. 8.	Week ending Sept. 15.	Week ending Sept. 22.	Average Rate for 4 weeks.
23 Town Dists.	**21·9**	**19·2**	**21·1**	**20·5**	**20·7**	Limerick, . .	22·5	18·2	15·4	22·5	19·7
Armagh, . .	28·5	0·0	7·1	21·4	14·3	Lisburn, . .	4·3	12·8	17·0	17·0	12·8
Ballymena, .	11·3	28·2	5·6	16·9	15·5	Londonderry, .	22·0	22·0	20·4	14·1	19·6
Belfast, . .	19·3	19·8	19·0	18·0	19·0	Lurgan, . .	18·2	27·4	9·1	0·0	13·7
Carrickfergus, .	29·2	5·8	11·7	17·5	16·1	Newry, . .	24·1	12·1	16·1	28·2	20·1
Clonmel, . .	19·5	9·7	19·5	29·2	19·5	Newtownards, .	0·0	0·0	34·4	11·3	11·4
Cork, . . .	13·8	11·1	21·5	19·4	16·5	Portadown, .	18·6	18·6	12·4	18·6	17·1
Drogheda, . .	45·6	7·6	15·2	7·6	19·0	Queenstown, .	11·5	0·0	51·7	40·2	25·8
Dublin, Reg. Area,	26·7	22·2	24·8	24·5	24·5	Sligo, . . .	5·1	25·4	35·5	15·2	20·3
Dundalk, . .	20·9	8·4	8·4	16·8	13·6	Tralee, . .	50·4	28·0	22·4	22·4	30·8
Galway, . .	37·8	18·9	30·2	18·9	26·4	Waterford, .	13·9	27·9	13·9	17·9	18·4
Kilkenny, . .	23·6	18·9	9·4	33·0	21·2	Wexford, . .	18·1	18·1	36·1	22·6	23·7

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 3·3 per 1,000, the rates varying from 0·0 in fourteen of the districts to 16·8 in Tralee; the 4 deaths from all causes registered in that district comprising 3 from diarrhœa. Among the 124 deaths from all causes registered in Belfast are 2 from whooping-cough, 2 from diphtheria, 3 from enteric fever, and 10 from diarrhœa; the 27 deaths in Cork comprise 6 from diarrhœa; and the 6 deaths in Clonmel include one from measles and 2 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 165—75 boys and 90 girls; and the deaths to 167—71 males and 96 females.

DEATHS.

The deaths, which are 5 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 24·9 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 24·5 per 1,000. During the thirty-eight weeks ending with Saturday last the death-rate averaged 29·9, and was 2·4 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 37 deaths from zymotic diseases registered during the week, being 10 under the number for the preceding week, but 4 over the average for the corresponding week of the last 10 years; they include 24 deaths from diarrhœa, 2 deaths from simple cholera, 3 deaths each from enteric fever and whooping-cough, and one death each from influenza, diphtheria, and erysipelas. Of the 24 deaths from diarrhœa 14 were of children under one year of age and 9 of children aged one and under 5 years.

Tubercular disease caused 29 deaths, namely—13 from pulmonary phthisis, 8 from tabes mesenterica, and 8 from scrofula.

Diseases of the respiratory organs caused 15 deaths, comprising 9 from bronchitis, 5 from pneumonia, and one from croup.

Convulsions caused 8 deaths of children, of whom 3 were under one month old, 2 over one month and under one year, and 3 between one year and 5 years of age.

Three deaths were caused by apoplexy, 11 by other diseases of the brain and nervous system (exclusive of convulsions), 16 by diseases of the circulatory system, and 7 by cancer.

Four accidental deaths were registered, and one case of suicide.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 8 children under 5 years of age (including 6 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Seventy-three of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 10 were under one month old) and 36 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 4 were octogenarians.

Forty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 24·5 per 1,000; the rate in the city was 26·8 (24·1 on the North side, and 29·3 on the South), and in the Suburbs 18·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 4·6 per 1,000 inhabitants, the rate for the city being 5·3 (7·1 in the North City Districts, and 3·7 in the South), and for the Suburbs 3·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 21·1 per 1,000. Enteric fever and whooping-cough caused each one death.

No. 1 North City District, West (Summer-hill).—The deaths (12) are equal to an annual rate of 18·0 per 1,000. Diarrhœa caused 2 deaths, and enteric fever and influenza caused one death each; pulmonary tuberculosis caused one death and diseases of the organs of respiration two deaths.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 27·1 per 1,000. Diarrhœal diseases caused 7 deaths and diphtheria one death, pulmonary tuberculosis caused 3 deaths.

No. 3 North City District (Blackhall-place).—The deaths (16) represent an annual rate of 32·0 per 1,000. Diarrhœa caused 4 deaths and pulmonary tuberculosis one death, 3 deaths were caused by diseases of the brain and nervous system, and 2 deaths were caused by diseases of the respiratory system.

* See Table VI.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 26·7 per 1,000. Enteric fever and diarrhœa each caused one death, and three deaths each were due to diseases of the "respiratory," "circulatory," and "brain and nervous" systems.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·7 per 1,000. There was no death from zymotic disease registered in this district.

No. 3 South City District (Peter-street).—The deaths (26) are equal to an annual rate of 33·4 per 1,000. Diarrhœa caused 4 deaths and whooping-cough caused 2 deaths, pulmonary tuberculosis caused 4 deaths and diseases of the respiratory system 3 deaths.

No. 4 South City District (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·0 per 1,000. Two deaths were caused by diarrhœal diseases and one by erysipelas; three deaths were due to pulmonary tuberculosis, 4 deaths were caused by diseases of the brain and nervous system, and 2 deaths from diseases of the respiratory system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 29·2; Finglas and Glasnevin, part of, 61·5; Palmerston, part of, and Crumlin, part of, 0·0; Rathmines, 22·5; Donnybrook, 19·1; Blackrock, 6·2; and Kingstown, 9·0. The deaths from zymotic diseases tabulated for these districts comprise 2 from diarrhœa for Coolock and Drumcondra, No. 1, one from diarrhœa for Finglas and Glasnevin, part of, one from diarrhœa for Rathmines, and two from diarrhœa for Donnybrook. Two of the 5 deaths from all causes tabulated for Finglas and Glasnevin, part of, were from mesenteric disease; among the 12 deaths for Rathmines are 3 from diseases of the brain and nervous system; and the 9 deaths for Donnybrook comprise 2 from cancer.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 1st September,	. . .	59 cases.
" " 8th September,	. . .	72 cases.
" " 15th September,	. . .	65 cases.
" " 22nd September,	. . .	78 cases.

Of the 78 cases notified, 11 were erysipelas, 27 enteric fever, 5 scarlatina, 22 measles, one diphtheria, 7 continued fever, one typhus fever, one relapsing fever and 3 German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd September, 1900.

From this it appears that:—

Twenty cases of enteric fever were admitted to hospital, 14 were discharged, 1 died, and 99 remained under treatment at the close of the week.

Thirteen cases of measles were admitted to hospital during the week.

Ten cases of scarlatina were admitted to hospital during the week, 8 were discharged, no death occurred, and 46* remained under treatment at the close of the week.

Three cases of typhus fever were admitted to hospital during the week, making a total of 4 cases under treatment in hospital for this disease.

Two cases of diphtheria were admitted to hospital during the week, 3 were discharged, one died, and 11 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·5) was equal to an average annual death-rate of 18·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·9 per 1,000, the rate for Glasgow being 19·3, and for Edinburgh 18·1.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 22nd September, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 22nd September, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 22nd Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	26·7	20·5	3·3	543	418	105	88	.	2	.	1	5	3	.	7	50	42	46	8	12	92	°	°	°	.	°	°	°	.	°	°	°	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	24·6	24·5	4·6	165	164	43	35	.	.	.	.	3	1	.	3	24	13	15	4	3	40	$67·8	37·8	56·2	0·54	$68·6	34·3	54·5	0·01	$65·0	35·9	53·4	0·00
Registrars' Districts. City	245,001	65·6	27·9	26·8	5·3	131	126	35	27	.	.	.	.	3	1	.	3	18	12	13	2	1	37	68·2	49·1	58·9	0·51	68·8	41·2	57·1	0·00	66·2	43·1	56·3	0·00
Clontarf &c. No. 1,	4,188	1·5	.	25·2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·3	10·4	29·2	9·7	4	6	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	61·5	61·5	12·3	5	5	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	69·9	41·6	57·3	0·54	68·1	36·0	55·4	0·00	66·9	39·0	54·7	0·00
Palmerston, part of and Crumlin part of (b),	7,273	8·0	7·2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	18·8	22·5	1·8	10	12	2	2	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	14·8	19·1	4·2	7	9	2	4	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·6	24·8	6·2	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	9·0	9·0	.	8	8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68	50	60·0	0·14	69·0	43·0	57·6	0·00	68	45	57·4	0·00
Urban Districts																																			
Belfast,	359,000	21·8	26·9	18·0	2·5	185	124	34	17	.	.	.	.	2	2	.	3	10	10	17	2	5	21	67·1	44·1	56·0	0·42	69·1	40·1	55·8	0·04	65·1	40·1	55·0	0·19
Cork,	75,845	33·3	18·7	19·4	4·2	27	28	5	5	.	.	.	.	.	.	.	.	6	5	1	1	1	9	65	47	59·5	0·23	66	48	58·8	0·00	67	46	56·4	0·00
Limerick,	37,155	17·9	21·1	22·5	.	15	16	1	3	.	.	.	.	.	.	.	.	.	3	3	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	42·4	14·1	3·1	27	9	2	.	.	1	.	.	.	.	.	.	1	2	1	.	.	2	72·0	46·0	56·9	0·21	78·0	44·0	59·8	0·12	64·0	40·6	55·3	0·29
Waterford,	26,208	18·3	31·8	17·9	6·0	16	9	4	3	.	.	.	.	.	.	.	1	2	1	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	15·1	18·9	.	4	5	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	70	46	60	0·00	68	40	56	0·00
Drogheda	13,708	8·7	30·4	7·6	3·8	8	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	16·1	28·2	.	4	7	.	1	.	.	.	.	.	.	.	.	.	1	1	1	1	.	64·8	44·8	56·7	0·32	70·9	39·7	55·9	0·04	67·0	38·0	54·7	0·29
Dundalk,	12,449	9·0	33·5	16·8	.	8	4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	21·3	17·0	.	5	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	64·8	44·8	56·7	0·32	70·9	39·7	55·9	0·4	67·0	38·0	54·7	0·29
Wexford,	11,545	24·0	22·6	22·6	.	5	5	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	13·4	18·2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·8	44·8	56·7	0·32	70·9	39·7	55·9	0·04	67·0	38·0	54·7	0·29
Kilkenny,	11,048	13·0	66·1	33·0	.	14	7	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	71	39	57·6	0·40	70	36	55·3	0·00	69	37	55·1	0·00
Clonmel,	10,708	8·2	19·5	29·2	14·6	4	6	4	3	.	1	.	.	.	.	.	.	2	1	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	3·4	25·4	15·2	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66·5	36·6	55·5	0·31	70·5	36·0	55·2	0·09	66·5	32·6	53·5	0·17
Tralee,	9,318	15·9	117·5	22·4	16·8	21	4	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	38·8	16·9	.	6	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	11·3	11·3	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	63	45	55·9	0·50	65	43	54·3	0·03	66	43	53·7	0·17
Queenstown,	9,082	17·0	23·0	40·2	11·5	4	7	3	3	.	.	.	.	.	.	.	.	2	.	2	.	.	.	65	47	59·5	0·23	66	48	58·8	0·00	67	46	56·4	0·00
Carrickfergus	8,923	0·5	23·4	17·5	.	4	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,480	11·0	24·7	18·6	.	4	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	64·8	44·8	56·7	0·32	70·9	39·7	55·9	0·04	67·0	38·0	54·7	0·29
Armagh,	7,187	21·4	42·8	21·4	.	6	3	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	64·8	44·8	56·7	0·32	70·9	39·7	55·9	0·04	67·0	38·0	54·7	0·29

(a) All the District except that portion in Finglas District Electoral Division (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche' Point for Cork and Queenstown.

‡ Exclusive of 3 deaths of persons (including one at 70 years), admitted to hospital from localities outside the area.

‖ Included in Dublin District.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 22nd September, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	282	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	3	.
Diarrhœa, Dysentery,	.	2	6	4	1	.	4	1	.	2	1	.	1	2	.	.	24	.
Other Zymotic Diseases	.	2	1	.	.	.	.	2	.	.	.	.	1	.	.	.	6	.
Total,	2	5	8	4	2	.	6	3	.	2	1	.	2	2	.	.	37	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	.	1	3	1	.	.	4	3	.	.	.	.	1	.	.	.	13	.
Other Constitutional Diseases,	2	2	2	4	2	.	3	2	.	1	2	.	2	2	.	.	24	1
Total,	2	3	5	5	2	.	7	5	.	1	2	.	3	2	.	.	37	1
V. DEVELOPMENTAL DISEASES,	1	1	.	1	1	1	3	1	.	.	.	.	1	2	.	.	12	1
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	1	1	.	3	3	2	2	4	1	.	1	.	3	.	.	1	22	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	2	.	1	.	3	1	3	3	.	1	.	.	.	1	1	.	16	.
Respiratory System,	1	2	.	2	3	.	3	2	.	1	.	.	1	.	.	.	15	.
Digestive System,	1	.	.	1	2	2	1	1	.	1	.	.	1	1	.	.	11	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	5	3	2	6	11	5	9	11	2	3	1	.	5	2	1	2	68	.
VII. VIOLENT DEATHS,	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.	1	4	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	1	.	.	.	.	1	1	1	.	.	1	.	1	.	.	.	6	.
Deaths from all Causes,	11	12	15	16	17	7	26	22	2	6	5	.	12	9	1	3	164	3
Annual Rate of Mortality in every 1,000 of the population.	21·1	18·0	27·1	32·0	26·7	19·7	33·4	32·0	25·2	29·2	61·5	.	22·5	19·1	6·2	9·0		
	24·1				29·3				18·9									
	26·8																24·5	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	2	3	1	2	2	4	3	.	.	.	.	2	.	.	.	20	2
Workhouse Hospitals,	1	3	.	3	2	2	2	6	.	1	.	.	.	.	.	.	20	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 36th Week of the 10 years 1890–99.	In the week ending Saturday, 22nd September, 1900. Deaths of persons of the Ages of							
	Sept. 20, 1890	Sept. 26, 1891	Sept. 24, 1892	Sept. 23, 1893	Sept. 22, 1894	Sept. 21, 1895	Sept. 19, 1896	Sept. 26, 1897	Sept. 24, 1898	Sept. 23, 1899		ALL AGES.	0 to 5.						
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 56·6	° 52·9	° 53·1	° 49·3	° 52·9	° 54·9	° 56·0	° 53·7	° 54·9	° 52·4	° 53·7	° 56·2								
ALL CAUSES,	131	188	132	161	137	148	148	190	181	200	161·6	167	10	33	30	7	18	33	22	4
I. FEBRILE OR ZYMOTIC DISEASES,	21	36	21	40	21	21	20	44	43	58	32·5	37	1	16	13	1	3	1	2	.
II. PARASITIC DISEASES,	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	1	1	.	2	1	.	.	2	·8	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	27	41	23	37	32	38	35	52	53	44	38·2	38	1	4	8	3	8	9	5	.
V. DEVELOPMENTAL "	10	13	9	13	6	8	10	7	14	17	10·7	13	4	.	.	.	.	.	9	.
VI. LOCAL "	57	78	66	59	66	65	69	69	58	67	65·4	68	3	10	8	3	5	19	16	4
VII. VIOLENT DEATHS,	5	7	2	3	4	4	3	10	1	4	4·3	5	.	.	1	.	2	2	.	.
VIII. ILL-DEFINED CAUSES,	11	11	10	8	8	10	10	8	12	7	9·5	6	1	3	.	.	.	2	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	.	.	.	.	.	.	1	23	2·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	1	1	2	2	4	1	2	1·4	.	.	.	.	.	.	.	.	.
Typhus,	1	.	.	.	.	2	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	.	1	1	2	.	·5	1	.	.	.	.	.	1	.	.
Whooping Cough,	2	5	1	2	2	1	3	4	4	1	2·5	3	.	1	2	.	.	.	.	.
Diphtheria,	1	.	.	1	.	.	.	1	.	.	·3	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	3	2	8	7	2	2	9	5	5	4·6	3	.	.	.	1	1	.	1	.
Cholera and Chol. Diarr.,	1	1	1	2	.	1	3	.	7	4	2·0	2	.	1	1	.	.	.	.	.
Diarrhœa, Dysentery,	4	20	15	17	6	11	7	21	20	20	14·1	24	1	13	9	.	.	1	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	.	1	.	.	.	1	.	·3	2	.	1	.	.	1	.	.	.
Erysipelas,	2	.	.	2	1	.	.	1	1	.	·7	1	.	.	.	.	1	.	.	.
Pyæmia, Septicæmia,	.	.	.	.	1	.	.	1	.	2	·4	.	.	.	.	.	.	.	.	.
Puerperal Fever,	1	4	.	.	.	.	1	1	.	1	·8	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	4	3	.	6	2	.	1	1	.	.	1·7	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	1	1	.	2	1	.	.	2	·8	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	4	7	5	7	5	7	5	6	8	6	6·0	7	.	.	.	.	.	4	3	.
Tabes Mesenterica,	3	7	1	7	1	7	8	2	6	5	4·7	8	.	3	5	.	.	.	.	.
Tubercular Meningitis,	2	1	1	1	1	3	2	10	9	5	3·5	.	.	.	.	.	.	.	.	.
Phthisis,	17	22	14	21	22	18	13	29	23	18	19·7	13	.	.	.	2	6	4	1	.
Scrofula, Tuberculosis,	.	3	1	1	1	3	1	7	4	6	3·4	8	1	1	3	1	2	.	.	.
Other Constitutional Diseases,	1	1	.	.	.	1	.	1	1	2	·7	2	.	.	.	.	.	1	1	.
V. Developmental Diseases—																				
Premature Birth,	1	4	.	1	.	.	1	3	4	5	1·9	4	4	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	1	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Old Age,	9	9	8	11	6	8	8	4	10	10	8·3	9	.	.	.	.	.	.	9	.

each Disease registered in the THIRTY-EIGHTH WEEK ending Saturday, 22nd September, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 38th Week of the 10 years 1890-99.	In the Week ending Saturday, 22nd September, 1900. Deaths of Persons of the Ages of								
	Sept. 20, 1890	Sept. 26, 1891	Sept. 24, 1892	Sept. 23, 1893	Sept. 22, 1894	Sept. 21, 1895	Sept. 19, 1896	Sept. 25, 1897	Sept. 24, 1898	Sept. 23, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 56·6	° 52·9	° 53·1	° 49·3	° 52·9	° 54·9	° 56·0	° 53·7	° 54·9	° 52·4	° 53·7	° 56·2								
VI. Local Diseases.																				
Apoplexy,	3	2	2	3	1	2	4	2	4	4	2·7	3	.	.	.	.	.	1	1	1
Epilepsy,	.	.	2	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Convulsions,	11	18	12	10	11	12	8	10	8	12	11·2	8	3	2	3	.	.	.	.	.
Other Diseases of Brain and Nervous System,	6	8	5	3	9	4	4	7	5	2	5·3	11	.	1	.	1	.	2	6	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	8	11	15	12	8	8	8	12	8	7	9·7	16	.	.	.	.	.	10	5	1
Croup,	.	.	2	.	1	1	.	1	.	1	·6	1	.	.	.	1	.	.	.	.
Bronchitis,	7	15	8	8	18	9	12	10	9	14	11·0	9	.	3	2	.	1	.	3	.
Pneumonia	4	5	1	6	1	12	4	8	6	8	5·5	5	.	1	1	1	2	.	.	.
Pleurisy,	.	.	.	1	1	.	1	1	1	.	5	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	1	1	.	.	2	.	1	1	.	1	·7	.	.	.	.	.	.	.	.	.
Teething,	2	2	3	.	1	.	1	.	1	.	1·0	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	1	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	1	1	1	.	4	.	3	2	1·3	1	.	1	.	.	.	.	.	.
Peritonitis	.	1	.	1	1	1	.	.	1	1	·6	.	.	.	.	.	.	.	.	.
Disease of Liver,	2	5	2	2	4	7	6	3	2	1	3·4	5	.	.	.	.	1	2	1	1
Other Diseases of Digestive System,	7	4	7	1	2	3	11	9	8	5	5·7	4	.	1	2	.	.	1	.	.
Diseases of Lymphatics, &c.,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	2	4	6	3	3	3	5	2	5	3·4	3	.	.	.	.	1	2	.	.
Diseases of Generative System,	1	2	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	1	1	1	.	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	2	1	1	.	1	2	.	.	.	1	·8	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	2	.	1	.	.	.	2	·5	1	.	.	.	.	.	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	1	.	.	.	2	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	4	1	.	.	1	.	1	3	.	1	3·8	1	.	.	1	.	.	.	.	.
By Drowning,		.	1	.	1	.	.	.	1	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		1	.	.	.	1	.	.	.	1		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		5	.	2	1	2	1	3	.	1		3	.	.	.	.	2	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	1	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	1	.	1	.	.	1	.	.	·4	1	.	.	.	.	1	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	11	11	10	8	8	10	10	8	12	7	9·5	6	1	3	.	.	.	2	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																									
	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.
No. of weeks in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
Births registered,	234	128	184	225	202	246	222	198	214	199	222	194	198	228	181	208	186	187	245	149	256	221	238	225	177	165
Average Births in corresponding week of previous 10 years,	217	199	194	192	213	214	212	192	201	209	199	208	202	219	193	188	185	185	195	200	196	185	197	183	211	206
Deaths registered,	244	194	230	204	178	204	179	168	176	157	161	167	122	144	124	127	165	129	159	161	147	185	186	154	171	167
Annual Death-rate per 1,000,	36·4	28·9	34·8	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9
Average Deaths in corresponding week of previous 10 years,	219	204	184	185	184	178	170	174	167	162	156	164	150	156	149	148	154	162	159	160	157	162	164	170	165	162
Ages, Under 5 years,	55	50	59	66	51	54	52	47	48	43	54	37	29	33	38	32	47	35	40	57	51	79	71	54	70	73
5—20 "	12	14	26	18	15	17	19	20	26	15	14	27	16	18	10	8	13	7	13	9	15	12	21	16	15	7
20—40 "	45	24	29	30	33	47	27	28	30	22	31	35	19	32	25	25	26	18	25	31	17	38	25	25	21	18
40—60 "	54	42	58	32	48	42	36	31	35	40	38	31	29	33	23	24	44	33	39	34	34	35	39	26	34	33
60—80 "	69	53	47	45	27	35	36	36	35	31	19	30	23	27	26	23	30	30	35	26	26	20	26	22	23	32
80 years and upwards,	19	11	16	18	4	9	9	6	7	6	5	7	6	6	2	5	5	6	7	4	4	1	4	11	8	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	3	2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" Whooping-cough,	.	3	1	2	2	4	1	1	3	.	5	.	1	2	3	4	5	.	3	1	1	5	4	5	7	3
" Diphtheria,	1	.	2	2	.	.	.	1	.	.	2	2	1	.	.	.	2	1	.		.	1	4	.	2	1
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.
" Enteric Fever,	1	3	2	3	5	6	1	2	2	1	2	2	2	.	2	2	2	.	2	.	1	2	2	1	7	3
" Diarrhœa, Dysentery,	.	.	1	3	3	1	3	2	.	1	2	1	.	1	2	1	4	4	9	19	24	25	33	20	27	24
" Phthisis,	30	27	28	27	32	29	32	30	32	13	28	28	23	21	26	31	28	19	24	24	20	25	32	22	20	13
" Heart Diseases,	23	16		11	11	17	14	17	11	14	10	11	9	9	10	9	19	17	23	12	12	18	16	14	11	16
" Diseases of Respiratory System,	56	46	53	47	40	29	34	25	30	23	23	34	27	29	15	20	23	23	14	15	18	14	6	19	18	15
Violent Deaths,	6	2	9	3	4	6	4	5	1	6	4	1	1	5	6	6	5	4	4	5	4	9	2	5	5	5
Mean Temperature of the Air Phœnix Park),	37·3	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·2
Average Mean Temperature in corresponding week of previous 10 years,	43·5	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7
Rainfall in inches,	·075	·535	·785	·170	·190	·350	·535	·605	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·815	·015	1·245	·140	·000	·010	·540
Mean Humidity of the Air, complete Saturation 1·0,	·79	·82	·81	·76	·81	·77	·84	·78	·80	·88	·82	·80	·88	·84	·81	·76	·82	·83	·81	·86	·85	·90	·83	·87	·87	·89

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd September, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND SEPTEMBER, 1900.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	24·9	167	73	7	13	33	32	4	.	.	.	.	3	1	.	3	24	31	13	8	15	5	95
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	16·7	5	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
II.	MIDDLE CLASS,	81,469	16·6	26	9	4	5	4	3	1	.	.	.	.	.	1	.	1	1	3	4	1	4	1	13
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	18·3	35	17	1	3	11	3	.	.	.	.	.	1	.	.	1	8	10	2	1	2	1	19
IV.	GENERAL SERVICE CLASS,	147,978	34·3	80	44	2	8	15	10	1	.	.	.	.	2	.	.	1	15	18	4	6	7	3	42
V.	INMATES OF WORKHOUSES,	5,191		21	3	.	2	3	13	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	16
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	19·5	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,857	28·0	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,733	9·1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	53·1	6	2	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	12·0	6	2	1	2	.	1	.	.	.	.	.	.	1	.	.	.	1	1	.	1	1	2
	6. Clerks and Commercial Assistants,	25,001	12·5	6	4	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	17·0	8	1	2	2	2	.	1	.	.	.	.	.	.	.	1	.	1	1	.	1	.	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	35·0	5	3	1	.	1	.	.	.	.	.	.	.	.	.	.	2	2	.	1	.	.	2
	9. Building and Furnishing Trades,	26,294	17·8	9	6	.	.	3	.	.	.	.	.	.	1	.	.	.	3	4	.	.	1	.	4
	10. Clothing Trades,	23,927	15·2	7	3	.	1	3	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	5
	11. Food Supply Trades,	7,949	19·6	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,937	19·3	10	3	.	1	4	2	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	6
	13. Petty Shopkeepers,	6,839	7·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	22·7	6	5	.	1	.	.	.	.	.	.	.	.	.	.	.	2	2	.	1	.	1	2
	15. Domestic Servants,	39,967	6·5	5	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	52·9	11	5	.	.	3	3	.	.	.	.	.	1	.	.	1	2	4	.	1	.	.	6
	17. Hawkers, Porters, Labourers, &c.,	83,472	36·1	58	32	2	7	11	5	1	.	.	.	.	1	.	.	.	11	12	4	3	7	2	30
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates,	5,191	—	21	3	.	2	3	13	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	16

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin. DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	Aug. 4,	17·3	3·8	9	.	.	.	.	.	.	.	.	2	1	1	.
	„ 11,	23·0	1·9	12	.	.	.	.	.	1	.	.	.	1	2	.
	„ 18,	25·0	5·8	13	.	.	.	.	.	.	.	1	2	2	1	.
	„ 25,	34·6	7·7	18	.	.	.	.	2	.	.	.	2	3	1	1
	Sept. 1,	42·8	18·4	22	.	.	.	.	.	1	.	.	6	4	1	.
	„ 8,	26·9	9·6	14	.	.	.	.	.	.	.	1	4	1	1	.
	„ 15,	26·9	11·5	14	.	.	.	.	2	.	.	1	3	.	3	.
	„ 22,	21·1	3·8	11	.	.	.	.	1	.	.	1	.	.	1	.
North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,836.	Aug. 4,	26·9	1·5	18	.	.	.	.	1	.	.	.	.	2	1	2
	„ 11,	35·9	9·0	24	.	.	.	.	.	.	.	.	6	4	1	.
	„ 18,	21·0	7·5	14	.	.	.	.	.	.	.	.	5	1	1	.
	„ 25,	32·9	7·5	22	.	.	.	.	.	1	.	.	4	7	2	.
	Sept 1,	26·9	4·5	18	.	.	.	.	.	.	.	.	3	3	1	.
	„ 8,	29·9	.	20	.	.	.	.	.	.	.	.	.	1	6	1
	„ 15,	40·4	9·0	27	.	.	.	.	.	1	.	.	5	2	3	.
	„ 22,	18·0	4·5	12	.	.	.	.	.	.	.	1	2	1	2	.
North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,371.	Aug. 4,	25·3	3·6	14	.	.	.	.	.	.	.	1	1	.	2	1
	„ 11,	27·1	.	15	.	.	.	.	.	.	.	.	.	3	3	.
	„ 18,	25·3	3·6	14	.	.	.	.	1	.	.	.	1	3	.	1
	„ 25,	36·1	7·2	20	.	.	.	.	.	.	1	.	3	3	.	1
	Sept. 1,	36·1	7·2	20	.	.	.	.	.	.	.	.	4	3	.	1
	„ 8,	28·9	7·2	16	.	.	.	.	3	.	.	.	1	3	2	.
	„ 15,	21·7	7·2	12	.	.	.	.	.	.	.	2	2	1	2	2
	„ 22,	27·1	12·6	15	.	.	.	.	.	1	.	.	6	3	.	.
North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 25,055.	Aug. 4,	20·0	.	10	.	.	.	.	.	.	.	.	.	4	.	1
	„ 11,	18·0	2·0	9	.	.	.	.	.	.	.	.	1	1	.	.
	„ 18,	30·0	6·0	15	.	.	.	.	.	.	.	.	3	4	.	.
	„ 25,	24·0	6·0	12	.	.	.	.	.	.	.	1	2	1	.	.
	Sept. 1,	38·0	12·0	19	.	.	.	.	2	1	.	.	3	2	.	.
	„ 8,	34·0	8·0	17	.	.	.	.	.	.	.	.	4	2	.	.
	„ 15,	30·0	6·0	15	.	.	.	.	1	.	.	.	2	3	3	.
	„ 22,	32·0	8·0	16	.	.	.	.	.	.	.	.	4	1	2	.
South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 53,194.	Aug. 4,	28·3	1·6	18	.	.	.	.	.	.	.	.	1	4	3	.
	„ 11,	29·8	3·1	19	.	.	.	.	.	1	.	.	1	4	1	1
	„ 18,	28·3	7·9	18	.	.	.	1	.	.	.	.	4	1	3	.
	„ 25,	23·6	4·7	15	.	.	.	.	.	.	.	.	3	1	1	.
	Sept. 1,	29·8	9·4	19	.	.	1	.	.	.	.	1	4	4	1	.
	„ 8,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	1	.
	„ 15,	28·6	3·1	15	.	.	.	.	.	.	.	1	1	3	2	.
	„ 22,	26·7	3·1	17	.	.	.	.	.	.	.	1	1	.	3	1
South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Aug. 4,	33·7	2·8	12	.	.	.	.	.	.	.	.	1	2	.	.
	„ 11,	25·3	5·6	9	.	.	.	.	1	1	.	.	.	.	1	.
	„ 18,	19·7	2·8	7	.	.	.	.	.	.	.	.	1	1	.	.
	„ 25,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	1
	Sept. 1,	19·7	2·8	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 8,	22·5	8·4	8	.	.	.	.	.	.	.	.	3	1	1	.
	„ 15,	33·7	16·9	12	.	.	.	.	.	1	.	.	5	2	.	.
	„ 22,	19·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.
South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Aug. 4,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	2	.
	„ 11,	21·9	6·4	17	.	.	.	.	.	.	.	.	5	2	2	.
	„ 18,	28·1	1·3	18	.	.	.	.	.	.	.	.	1	1	4	1
	„ 25,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	3	1
	Sept. 1,	16·7	2·6	13	.	.	.	.	.	.	.	.	2	5	1	.
	„ 8,	25·7	2·6	20	.	.	.	.	.	.	.	.	2	5	2	2
	„ 15,	32·1	0·0	25	.	.	.	.	2	.	.	1	4	3	1	.
	„ 22,	33·4	7·7	26	.	.	.	.	2	.	.	.	4	4	3	.
South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798.	Aug. 4,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	2	.
	„ 11,	23·3	.	16	.	.	.	.	.	.	.	.	.	2	4	2
	„ 18,	23·3	7·3	16	.	.	.	.	.	.	.	.	5	1	2	1
	„ 25,	36·4	13·1	25	.	.	.	.	.	.	.	1	8	1	4	1
	Sept. 1,	33·5	5·8	23	.	.	.	.	.	.	.	.	4	3	1	.
	„ 8,	13·1	4·4	9	.	.	.	.	.	.	.	.	3	1	.	.
	„ 15,	13·1	5·8	9	.	.	.	.	1	.	.	.	3	2	2	.
	„ 22,	32·0	1·5	22	.	.	.	.	.	.	.	.	1	3	2	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Aug. 4,	28·1	3·8	15	.	.	.	.	.	.	.	1	1	2	1	.
	„ 11,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	1
	„ 18,	11·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	„ 25,	13·1	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.
	Sept. 1,	22·5	5·6	12	.	.	.	.	2	.	.	.	1	1	.	.
	„ 8,	16·9	1·9	9	.	.	.	.	1	.	.	.	.	2	.	1
	„ 15,	15·8	5·6	10	.	.	1	.	1	.	.	1	.	.	.	1
	„ 22,	22·5	1·9	12	.	.	.	.	.	.	.	.	1	1	1	.
Donnybrook. Pop. (in 1891) 24,629.	Aug. 4,	16·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 11,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	3	.	.
	„ 18,	14·8	2·1	7	.	.	.	.	.	.	.	.	1	1	.	1
	„ 25,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	2	.	4
	Sept. 1,	19·1	.	9	.	.	.	.	.	.	.	.	.	.	.	1
	„ 8,	10·6	2·1	5	.	.	.	.	.	.	.	.	1	.	.	.
	„ 15,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	.	1	.
	„ 22,	19·1	4·2	9	.	.	.	.	.	.	.	.	2	.	.	1
Kingstown. Pop. (in 1891) 17,886.	Aug. 4,	15·0	8·0	5	.	.	.	.	.	.	.	.	1	1	.	.
	„ 11,	12·0	8·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 18,	6·0	3·0	2	.	.	.	.	.	.	1	.	.	.	.	.
	„ 25,	30·1	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 1,	12·0	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 8,	36·0	3·0	12	.	.	.	.	1	.	.	.	.	2	3	.
	„ 15,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 22,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1900 (Est.) 359,000.	Aug. 4,	22·5	3·8	155	.	1	.	.	.	1	.	5	19	30	13	5
	„ 11,	18·3	2·3	126	.	1	.	.	.	.	.	8	7	27	13	2
	„ 18,	21·6	4·2	149	.	.	.	.	3	2	.	8	16	16	12	3
	„ 25,	18·0	3·5	124	.	.	.	.	2	.	.	7	15	16	10	3
	Sept. 1,	19·3	3·8	133	.	.	.	.	.	.	.	10	16	13	9	3
	„ 8,	19·8	4·2	136	.	.	2	.	2	.	.	6	19	14	12	4
	„ 15,	19·0	3·3	131	.	.	1	.	1	2	.	8	11	16	15	1
	„ 22,	18·0	2·5	124	.	.	.	.	2	2	.	3	10	10	17	2
Cork. Pop. (in 1891) 75,345.	Aug. 4,	18·0	0·7	26	.	.	.	.	.	.	.	.	1	5	5	1
	„ 11,	12·5	0·7	18	.	.	.	.	.	.	.	.	1	4	5	.
	„ 18,	13·1	.	19	.	.	.	.	.	.	.	.	.	2	4	.
	„ 25,	13·1	2·1	19	.	.	.	.	.	.	.	.	3	3	1	1
	Sept. 1,	13·8	2·8	20	.	.	.	.	.	.	.	.	4	3	3	.
	„ 8,	11·1	1·4	16	.	.	.	.	.	.	.	.	2	2	4	.
	„ 15,	21·5	4·2	31	.	.	2	.	.	.	.	.	4	4	2	.
	„ 22,	19·4	4·2	28	.	.	.	.	.	.	.	.	6	5	1	1
Limerick. Pop. (in 1891) 37,155.	Aug. 4,	11·2	1·4	8	.	.	.	.	.	.	.	.	1	2	2	.
	„ 11,	12·6	.	9	.	.	.	.	.	.	.	.	.	5	2	.
	„ 18,	7·0	1·4	.	.	.	.	.	.	.	.	.	1	1	2	.
	„ 25,	16·8	.	12	.	.	.	.	.	.	.	.	.	3	3	1
	Sept. 1,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	„ 8,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	„ 15,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
	„ 22,	22·5	.	16	.	.	.	.	.	.	.	.	.	3	3	.
Londonderry Pop. (in 1891) 28,200.	Aug. 4,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 11,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	2	3	.
	„ 18,	28·3	4·7	18	.	.	.	.	.	.	.	.	3	5	2	.
	„ 25,	18·8	.	12	.	.	.	.	.	.	.	.	.	4	.	.
	Sept. 1,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	4	1	.
	„ 8,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.
	„ 15,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	.	1	2
	„ 22,	14·1	3·1	9	.	1	.	.	.	.	.	.	1	2	1	.
Waterford. Pop. (in 1891) 26,200.	Aug. 4,	8·0	2·0	4	.	.	.	.	.	.	1	.	.	1	1	.
	„ 11,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	3	.	.
	„ 18,	31·8	4·0	16	.	.	.	.	.	.	.	.	2	6	.	.
	„ 25,	13·9	.	7	.	.	.	.	.	.	.	.	.	3	1	.
	Sept. 1,	13·9	2·0	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 8,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	4	2	.
	„ 15,	13·9	6·0	7	.	.	.	.	.	.	.	.	3	1	.	1
	„ 22,	17·9	6·0	9	.	.	.	.	.	.	.	1	2	1	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 22nd September, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	9	The estimate of the present Population of Belfast now adopted (see Table II.) being so much in excess of the population in 1891, and the several distribution of the increase through the Districts not being at present practicable, Death-rates are omitted from this Table.		15	6	1	8	.	.	.	.	.	.	.	.	.	3	2	4	1	1	
" 2 "	37,589	25			13	.	3	7	3	.	.	.	.	.	.	.	.	2	2	1	.	.	1
" 3 "	38,845	26			18	7	2	7	2	.	.	.	.	.	.	.	.	1	1	4	.	.	1
" 4 "	33,391	23			10	5	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	10
" 5 "	21,284	11			6	1	1	3	1	.	.	.	.	.	.	.	1	.	1	2	.	.	1
" 6 "	43,431	14			13	4	1	6	2	.	.	.	.	.	.	.	.	2	1	2	.	.	2
" 7 "	1,112	1			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1
" 8 "	4,904	.			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	12			9	2	3	3	1	.	.	.	.	1	.	.	.	.	.	2	.	.	.
" 10 "	12,256	19			11	3	.	7	1	.	.	.	.	.	.	.	1	2	1	.	.	.	.
" 11 "	19,861	12			14	3	3	5	3	.	.	.	.	1	.	.	.	.	2	1	.	1	.
" 12 "	23,282	26			10	3	2	5	.	.	.	.	.	.	2	.	1	.	.	.	.	1	1
" 13 "	6,804	7			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "	362	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Total,	278,079	185			124	34	17	56	17	.	.	.	.	2	2	.	3	10	10	17	2	5	21
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	11,927	.	17·5	4·4	4	.	.	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" 2 "	9,252	3	22·5	11·3	4	.	2	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2
" 3 "	9,816	5	15·9	5·3	3	.	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
" 4 "	10,356	3	15·1	10·1	3	2	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
" 5 "	8,187	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	3,828	4	35·4	.	6	1	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1
" 7 "	17,034	12	24·5	.	8	2	.	3	3	.	.	.	.	.	.	.	.	.	2	.	.	.	4
Total,	75,345	27	19·4	4·2	28	5	2	16	5	.	.	.	.	.	.	.	.	6	5	1	1	1	9

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Mar. 31.	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.
No. of week in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered,	229	188	197	225	261	213	244	218	218	218	219	241	213	204	286	155	263	220	241	222	171	206	193	221	224	185
DEATHS registered,	176	179	149	124	127	171	188	153	141	134	123	141	130	136	126	108	136	133	155	126	149	124	133	136	131	124
Annual Death-rate per 1,000 of estimated Population,	25·6	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0
AGES, Under 1 year,	37	31	29	21	27	33	26	34	20	25	26	24	26	28	26	22	34	39	56	39	52	40	44	45	44	34
AGES, 1–5 years,	22	21	18	12	13	23	14	27	10	18	18	17	15	15	14	13	15	15	20	9	17	7	18	15	11	17
AGES, 5–60 years,	84	80	79	56	64	86	76	65	87	76	60	72	61	76	67	55	65	61	58	58	65	56	49	54	56	56
AGES, 60 years and upwards,	33	47	23	35	23	29	22	27	24	20	24	28	28	17	19	18	22	18	21	20	15	21	22	22	20	17
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	1	.	1	.	.	.	1	1	.	3	1	1	2	.	.	1	.	1	1	.	.	.	.	.	.
" Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.
" Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	4	1	1	1	4	8	3	6	1	1	.	1	1	2	1	2	3	.	.	.	3	2	.	2	1	2
" Diphtheria,	2	2	2	1	1	1	1	1	.	1	1	.	.	1	.	1	.	.	1	.	2	.	.	.	2	2
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
" Enteric Fever,	6	1	5	5	3	8	5	12	5	11	10	11	6	2	6	7	1	6	5	8	8	7	10	6	8	3
" Diarrhœa, Dysentery,	3	1	1	2	3	4	1	2	1	3	1	1	4	4	2	1	8	11	19	7	16	15	16	19	11	10
" Phthisis,	39	25	13	14	23	31	31	23	34	22	18	2	20	32	20	20	20	22	30	27	16	16	13	14	16	10
" Diseases of Respiratory System,	43	46	38	26	24	33	31	32	31	29	28	24	18	17	24	10	22	14	13	13	12	10	9	12	15	17
Violent Deaths,	2	5	.	2	2	2	3	4	5	2	1	4	7	3	3	3	3	3	5	2	3	3	3	4	1	2

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd September, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	1	1	.	.	3
" " 1, West,	.	8	1	3	.	.	.	.	1	8	1	.	.	22
" " 2,	.	2	.	.	.	.	.	.	6	3	.	.	.	11
" " 3,	.	2	2	.	.	.	.	.	.	6	1	.	.	11
South City No. 1,	.	10	.	.	1	.	1	.	.	2	5	.	.	19
" " 2,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" " 3,	.	.	.	1	.	1	.	.	.	4	.	.	.	6
" " 4,	.	.	.	.	.	.	.	.	.	2	2	.	.	4
Total,	.	22	3	5	1	1	1	.	7	27	11	.	.	78
Total for week ended Sept. 15, 1900,	.	4	.	4	1	1	2	1	4	40	8	.	.	65
Total for week ended Sept. 8, 1900,	.	5	1	6	.	.	1	.	3	49	7	.	.	72
Total for week ended Sept. 1, 1900,	.	1	1	3	.	.	3	.	4	37	9	.	1	59

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd September, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd September.			
	Sept. 1.	Sept. 8.	Sept. 15.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	8	3	7	13	4	.	16
Scarlet Fever,	43	45	44	10	8	.	46*
Typhus "	.	.	1	3	.	.	4
Diphtheria,	16	14	13	2	3	1	11
Enteric Fever,	73	94	94	20	14	1	99
Pneumonia,	11	11	17	5	6	.	16

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,589,129	Sept. 22,	2,448	1,450	16·5	.	9	3	30	48	14	133
EDINBURGH, .	302,262	„ 22,	152	105	18·1	.	2	.	3	1	1	11
GLASGOW, . .	743,969	„ 22,	469	276	19·3	3	2	3	.	16	3‖	26
CALCUTTA, .	466,460	July 21,	.	281	31·4	9	2	.	2	1	79‡	54*
BOMBAY, . .	821,764	Sept. 4,	194	1,185	75·0	.	1	?	?	?	97§	367*
MADRAS, . .	452,518	Aug. 24,	438	653	75·0	2	3	?	?	?	169	221*
PARIS, . . .	2,511,629	Sept. 15,	1,078	842	17·4	12	3	.	4†	1	19	83
BRUSSELS (with 8 Faubourgs).	570,844	„ 15,	210	168	15·3	.	2	.	.	1	3	23
AMSTERDAM, .	528,646	„ 8,	295	142	14·0	.	4	.	.	4	.	.
ROTTERDAM, .	325,556	„ 8,	241	114	18·2	.	.	.	2	.	2	.
THE HAGUE, .	205,328	„ 8,	128	73	18·3	.	.	.	.	.	.	.
COPENHAGEN, .	354,000	„ 15,	185	135	19·8	.	.	.	.	.	5	30
CHRISTIANIA, .	226,423	„ 15,	158	68	15·8	.	.	.	.	4	.	13
ST. PETERSBURG,	1,132.677	„ 8,	561	556	25·5	12	9	17	21	8	23	125
BERLIN, . .	1,859,512	Aug. 25,	956	920	25·7	.	15	13	5	8	5	361
HAMBURG, . .	691,349	Sept. 15,	.	245	18·4	.	1	1	.	6	1	39
DRESDEN, . .	407,500	Aug. 11,	277	188	24·0	.	3	.	1†	.	.	81
BRESLAU, .	412,959	Sept. 15,	.	207	26·1	.	.	.	2	1	5	50
MUNICH, . .	463,000	June 30,	332	208	23·4	.	1	.	1	3	1	49
VIENNA (with suburbs).	1,656,662	Sept. 8,	908	531	16·7	.	3	5	4†	1	3	123
BUDA-PESTH, .	685,340	„ 1,	445	277	21·0	.	1	10	.	1	4	31
PRAGUE and Faubourgs.	391,693	„ 8,	166	150	19·9	.	.	.	2	.	1	5
ROME, . . .	518,333	Aug. 11,	247	173	17·4	.	1	.	.	.	5	35
TURIN (11 days),	344,203	July 31,	242	213	20·5	.	.	.	.	1	4	39
VENICE, . .	172,924	Aug. 25,	82	61	18·3	.	.	.	1†	.	3	7
NEW YORK, .	3,654,594	„ 18,	1,546	1,523	21·7	.	6	2	33	9	12	198
PHILADELPHIA, .	1,266,832	Sept. 1,	.	413	17·0	.	.	3	13	2	8	47

* Including 29 deaths from cholera in Calcutta, 177 in Bombay, and 87 in Madras. † Including deaths from croup. ‡ Exclusive of 32 deaths from bubonic fever. § Exclusive of 57 deaths from bubonic fever. ‖ Including one death from bubonic plague.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 22nd September, 1900:—

"There was a marked falling away from the beautiful weather of previous weeks, although conditions were by no means unfavourable either to health or to vegetation. The barometer still ranged high, but the area of highest pressure was usually found over France and Germany except on Wednesday and Thursday when the barometer stood highest over England, the English Channel and Northern France. In the Northwest successive shallow depressions kept the weather in a changeable state. On Tuesday morning a trough of V.-shaped secondary depressions advanced over the Irish Sea, Wales, and the S.W. of England. These systems caused a rather copious rainfall in Dublin (·26 inch), the South of Ireland, and Wales. As the disturbances passed away, a new anticyclone spread in over the S. of Ireland and England. The diurnal range of temperature became very large in Central England—at Loughborough the thermometer fell from 71° on Tuesday to 36° during the ensuing night, rising again to 67° on Wednesday to fall a few hours later to 34°. At 8 a.m. on Thursday the thermometer read 40° at that station, while it stood at 57° at Stornoway in the Hebrides. In Dublin the most striking features of the week were a dense vapour fog on Sunday night and the warmth of Friday night, the thermometer reading 64·7° at 9 p.m. Saturday was a gloomy, wet day. The mean height of the barometer in this city was 30·128 inches, the extreme readings being: highest 30·282 inches at 9 p.m. of Wednesday (wind, S.), and 9 a.m. of Friday (wind, W. by S.); lowest, 29·872 inches at 7.15 a.m. of Tuesday (wind, W.S.W.). The corrected mean temperature was 58·9°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 57·9°. The screened thermometers rose to 68·2° on Monday and fell to 49·1 on Wednesday. The wind was very variable in direction and force. Bright sunshine was estimated at 38½ hours. The rainfall was ·512 inch on 4 days, ·257 inch being registered on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·125 inches. The highest reading (30 284) was on Wednesday at 9 p.m., air calm, and the lowest (29·889) on Monday at 9 p.m., wind S.

The mean temperature for the week was 56·2°, being 2·5° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Monday, when the thermometer registered 67·3°, and was lowest on Thursday, the mercury having fallen to 37·8°. The mean of the Dry Bulb for the week was 56·3°, and of the Wet Bulb 54·4°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 30·6 hours. The rainfall measured ·540 in.

At Greenwich the mean temperature for the week was 60·5°, the maximum 82·6°, and the minimum 41·2°; at Glasgow the maximum was 71·0°, the minimum 42·9°, and the mean 55·6°, and at Edinburgh the maximum was 70·6°; the minimum 44·9°, and the mean 55·9°. The rainfall at Greenwich measured 0·07 in.; at Glasgow 0·12 in.; and at Edinburgh 0·05 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 16,	30·092	66·0	44·9	55·5	55·5	55·1	·98	·0	4·0	—	Calm.	Calm.
Monday, „ 17,	29·966	67·3	50·8	59·1	58·6	55·9	·85	·5	2·3	·270	Calm.	S.
Tuesday, „ 18,	29·969	61·7	47·9	54·8	52·2	49·6	·83	·6	7·2	—	W.S.W.	Calm.
Wednesday, „ 19,	30·221	62·9	42·9	52·9	50·0	47·9	·87	·6	9·2	—	S.W.	Calm.
Thursday, „ 20,	30·218	65·9	37·8	51·9	60·1	57·6	·87	·3	1·8	·030	S.W.	S.W.
Friday, „ 21,	30·214	65·5	53·5	59·5	61·0	58·4	·84	·2	6·1	·115	Calm.	S.W.
Saturday, „ 22,	30·194	64·8	54·4	59·6	56·8	56·3	·98	·3	0·0	·125	Calm.	Calm.
Mean, . .	30·125	64·9	47·5	56·2	56·3	54·4	·89	·4	Total 30·6	Total ·540	—	

* *Sunday*—A cloudy day; fog 5 p.m. to 9 a.m.; night overcast. *Monday*—A cloudy day; fog to 10 a.m.; night cloudy; heavy rain 3.15 to 5.30 a.m. *Tuesday*—A fine but cloudy day; night clear. *Wednesday*—Bright a.m., cloudy p.m.; night cloudy. *Thursday*—A cloudy day; light rain 4.30 to 5 p.m. *Friday*—A cloudy day; night overcast; rain 3.30 to 9 a.m. *Saturday*—A dull day; rain 9 to 4 p.m., 10.30 p.m. to 3 a.m., and 7.30 to 8.30 a.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.
* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 174. 6. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C. or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90 WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 29TH SEPTEMBER, 1900. [No. 39.

General Register Office, Charlemont House,
Dublin, 1st October, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Sept. 8.	Week ending Sept. 15.	Week ending Sept. 22.	Week ending Sept. 29.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 8.	Week ending Sept. 15.	Week ending Sept. 22.	Week ending Sept. 29.	Average Rate for 4 weeks.
23 Town Dists.	19·2	21·1	20·5	20·1	20·2	Limerick, . .	18·2	15·4	22·5	33·7	22·4
Armagh, . .	0·0	7·1	21·4	0·0	7·1	Lisburn, . .	12·8	17·0	17·0	8·5	13·8
Ballymena, . .	28·2	5·6	16·9	28·2	19·7	Londonderry, .	22·0	20·4	14·1	23·6	20·0
Belfast, . .	19·8	19·0	18·0	16·1	18·2	Lurgan, . .	27·4	9·1	0·0	22·8	14·8
Carrickfergus, .	5·8	11·7	17·5	17·5	13·1	Newry, . .	12·1	16·1	28·2	20·1	19·1
Clonmel, . .	9·7	19·5	29·2	29·2	21·9	Newtownards, .	0·0	34·4	11·3	11·3	14·3
Cork, . . .	11·1	21·5	19·4	21·5	18·4	Portadown, .	18·6	12·4	18·6	6·2	14·0
Drogheda, . .	7·6	15·2	7·6	15·2	11·4	Queenstown, .	0·0	51·7	40·2	51·7	35·9
Dublin, Reg. Area,	22·2	24·8	24·5	24·5	24·0	Sligo, . . .	25·4	35·5	15·2	0·0	19·0
Dundalk, . .	8·4	8·4	16·8	8·4	10·5	Tralee, . .	28·0	22·4	22·4	0·0	18·2
Galway, . .	18·9	30·2	18·9	18·9	21·7	Waterford, .	27·9	13·9	17·9	11·9	17·9
Kilkenny, . .	18·9	9·4	33·0	4·7	16·5	Wexford, . .	18·1	36·1	22·6	40·6	29·3

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 3·1 per 1,000, the rates varying from 0·0 in twelve of the districts to 34·4 in Queenstown; the 9 deaths from all causes registered in that district comprising 5 from whooping-cough and one from diarrhœa. Among the 111 deaths from all causes registered for Belfast are one from measles, one from typhus, one from whooping-cough, one from diphtheria, 5 from enteric fever, and 10 from diarrhœa; and the 5 deaths in Ballymena comprise 2 from whooping-cough and one from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 239—130 boys and 109 girls; and the deaths to 167—90 males and 77 females.

DEATHS.

The deaths, which are 7 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 24·9 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 24·5 per 1,000. During the thirty-nine weeks ending with Saturday last the death-rate averaged 29·7, and was 2·3 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 30 deaths from zymotic diseases registered during the week, being 7 under the number for the preceding week, and one under the average for the corresponding week of the past 10 years; these include 18 deaths from diarrhœa, 4 from enteric fever, 3 from whooping-cough, 2 from influenza, and one each from erysipelas and pyæmia.

Tubercular disease caused 43 deaths, namely—31 from pulmonary tuberculosis, 6 from tabes mesenterica, 4 from scrofula, and 2 from tubercular meningitis.

Diseases of the respiratory system caused 14 deaths, including 10 from bronchitis and 3 from pneumonia.

Convulsions caused 11 deaths of children, 7 of these were under one month old, 3 were over one month but under one year, and one was between one year and 5 years of age.

Apoplexy caused 3 deaths, and 9 deaths were caused by other diseases of the brain and nervous system (exclusive of convulsions), 10 deaths were caused by diseases of the circulatory system, and 5 deaths were caused by cancer.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases are of children under 5 years of age, including 12 infants under one year old.

Sixty-nine of the persons whose deaths were registered during the week were under 5 years of age (52 being infants under one year, of whom 18 were under one month old) and 33 were aged 60 years and upwards, including 11 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a man) was stated to have been aged 90 years.

Fifty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, 14 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 24·5 per 1,000; the rate in the city was 27·2 (24·5 on the North side, and 29·7 on the South), and in the Suburbs 17·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 3·7 per 1,000 inhabitants, the rate for the city being 4·0 (4·5 in the North City Districts, and 3·7 in the South), and for the Suburbs 3·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 25·0 per 1,000. Diarrhœa caused 2 deaths, and 3 deaths were caused by pulmonary tuberculosis; diseases of the brain and nervous system caused 3 deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 28·4 per 1,000. Diarrhœa and pulmonary tuberculosis each caused 3 deaths, 5 deaths were due to diseases of the digestive system, and 3 deaths to diseases of the brain and nervous system.

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 25·3 per 1,000. Diarrhœa caused 3 deaths and whooping-cough caused 1 death, 3 deaths were due to pulmonary tuberculosis and 2 deaths were caused by diseases of the respiratory system.

No. 3 *North City District* (Blackhall-place).—The deaths (9) represent an annual rate of 18·0 per 1,000. Enteric fever caused 1 death and pulmonary tuberculosis 3 deaths.

* See Table VI.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 34·6 per 1,000. Diarrhœa caused 2 deaths, and one death each was caused by influenza and erysipelas, pulmonary tuberculosis caused 3 deaths and diseases of the respiratory system caused 4 deaths.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 16·9 per 1,000. Diarrhœa caused 2 deaths.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 20·6 per 1,000. Enteric fever caused 1 death, and one death was due to pulmonary tuberculosis; 3 deaths were due to diseases of the brain and nervous system.

No. 4 South City District (Grand Canal-street).—The deaths (29) are equivalent to an annual rate of 42·2 per 1,000. Diarrhœa caused 3 deaths and whooping-cough 1 death; 7 deaths were due to pulmonary tuberculosis, and 5 deaths were caused by diseases of the brain and nervous system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 4·9; Finglas and Glasnevin, part of, 36·9; Palmerston, part of, and Crumlin, part of, 43·0; Rathmines, 16·9; Donnybrook, 10·6; Blackrock, 24·8; and Kingstown, 18·0. The deaths from zymotic diseases tabulated for these districts consist of one from enteric fever for Clontarf and Howth, No. 1, one from diarrhœa for Palmerston, part of, one from enteric fever and one from diarrhœa for Rathmines, one from whooping-cough for Donnybrook, and one from diarrhœa and one from influenza for Kingstown. Phthisis caused 2 deaths in each of the districts of Rathmines, Donnybrook, and Kingstown.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th September,	72 cases.
" "	15th September,	65 cases.
" "	22nd September,	78 cases.
" "	29th September,	71 cases.

Of the 71 cases notified, 17 were erysipelas, 22 enteric fever, 8 scarlatina, 6 measles, 4 diphtheria, 7 continued fever, 2 typhus fever, and 4 German measles, and one membranous croup.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th September, 1900.

From this it appears that:—

Fourteen cases of enteric fever were admitted to hospital, during the week, 19 cases were discharged, and 1 died, 93 cases remained under treatment at the close of the week.

Eight cases of scarlatina were admitted to hospital during the week, 5 were discharged, and 49 remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 2 were discharged, and 15 remained under treatment at the close of the week.

One case of typhus fever was discharged from hospital, 3 cases remaining under treatment; no fresh case was admitted during the week.

Three cases of measles were admitted and 3 were discharged during the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·7) was equal to an average annual death-rate of 18·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·9 per 1,000, the rate for Glasgow being 18·7, and for Edinburgh 19·8.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 29th September, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 29th September, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No in Public Institutions.	Meteorology.† Week ending 29th Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	32·1	20·1	3·1	654	410	110	79	.	1	1	2	12	1	.	10	37	60	55	8	16	120	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,†	349,594	14·2	35·6	24·5	3·7	289	164	51	33	.	.	.	.	3	.	.	4	18	30	14	3	4	53	§67·8	41·1	54·1	0·64	§67·3	37·8	56·2	0·54	§68·6	34·3	54·5	0·01
Registrars' Districts. City	245,001	65·6	40·7	27·2	4·0	191	128	38	24	.	.	.	.	2	.	.	2	15	23	12	2	3	48	68·9	44·6	56·3	0·40	68·2	49·1	58·9	0·51	68·8	41·2	57·1	0·00
Clontarf &c. No. 1,	4,138	1·5	25·2	25·2	12·6	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	34·0	4·9	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	24·6	36·9	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	69·9	40·0	54·8	0·52	69·9	41·6	57·3	0·54	68·1	36·0	55·4	0·00
Palmerston, part of and Crumlin part of (b),	7,273	8·0	43·0	48·0	.	6	6	3	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	24·4	16·9	3·8	13	9	3	2	.	.	.	.	.	.	.	1	1	2	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	14·8	10·6	2·1	7	5	2	1	.	.	.	.	1	.	.	.	.	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	37·2	24·8	.	6	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	15·0	18·0	3·0	5	6	1	2	.	.	.	.	.	.	.	.	1	2	.	.	.	2	70	45	57·8	0·20	68	50	60·0	0·14	69·0	43·0	57·6	0·00
Urban Districts																																			
Belfast,	359,000	21·8	31·8	16·1	2·8	219	111	30	20	.	1	.	1	1	1	.	5	10	16	17	3	9	25	64·6	40·1	54·3	1·44	67·1	44·1	56·0	0·42	69·1	40·1	55·8	0·04
Cork,	75,845	38·3	33·9	21·5	2·8	49	31	8	4	.	.	.	.	.	.	.	.	4	2	6	.	1	10	62	46	56·2	0·76	65	47	59·5	0·23	66	48	58·8	0·00
Limerick,	87,155	17·9	48·1	33·7	1·4	85	24	2	4	.	.	.	.	1	.	.	.	.	2	6	.	.	19	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	83,200	15·3	26·7	23·6	3·1	17	15	2	3	.	.	.	1	.	.	.	.	1	3	3	.	.	4	63·3	42·0	52·4	2·40	72·0	46·0	56·9	0·21	78·0	44·0	59·8	0·12
Waterford,	26,208	18·3	9·8	11·9	2·0	15	6	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,800	2·6	37·8	18·9	.	10	5	.	4	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	70	46	60	0·00
Drogheda	13,708	8·7	15·2	15·2	.	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	16·1	20·1	.	4	5	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	64·9	42·2	53·3	1·33	64·8	44·8	56·7	0·32	70·9	39·7	55·9	0·04
Dundalk,	12,449	9·0	20·9	8·4	.	5	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	34·1	8·5	4·3	8	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	64·9	42·2	53·3	1·33	64·8	44·8	56·7	0·32	70·9	39·7	55·9	00·4
Wexford,	11,545	24·0	18·1	40·6	.	4	9	2	2	.	.	.	.	.	.	.	.	.	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	13·4	27·4	22·8	4·6	6	5	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	64·9	42·2	53·3	1·33	64·8	44·8	56·7	0·32	70·9	39·7	55·9	0·04
Kilkenny,	11,048	12·0	23·6	4·7	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62	34	54·0	0·72	71	39	57·6	0·40	70	36	55·3	0·00
Clonmel,	10,708	8·2	14·6	29·2	4·9	3	6	2	1	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	3·4	25·4	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	63·8	42·2	52·7	2·01	66·5	36·6	55·5	0·31	70·5	36·0	55·2	0·09
Tralee,	9,818	15·9	33·6	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	16·9	28·2	16·9	3	5	3	.	.	.	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	17·0	11·3	.	3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65	40	52·8	1·37	63	45	55·9	0·50	65	43	54·3	0·03
Queenstown,	9,082	17·0	17·2	51·7	34·4	3	9	3	1	.	.	.	.	5	.	.	.	1	.	.	.	.	.	62	46	56·2	0·76	65	47	59·5	0·23	66	48	58·8	0·00
Carrickfergus	8,928	0·5	35·1	17·5	.	6	3	.	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	24·7	6·2	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·9	42·2	53·3	1·33	64·8	44·8	56·7	0·32	70·9	39·7	55·9	0·04
Armagh,	7,187	21·4	7·1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·9	42·2	53·3	1·33	64·8	44·8	56·7	0·32	70·9	39·7	55·9	0·04

(a) All the District except that portion in Finglas District Electoral Division (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 8 deaths of persons (including one under one year old), admitted to hospital from localities outside the area.

§ Observations at Orchardson Bursary Office, Phœnix Park.

‖ Also United Townships.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 29th September, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																	
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	1	.	1	.	.	.	1	.	.	.	4	.
Diarrhœa, Dysentery,	2	3	3	.	2	2	.	3	.	.	.	1	1	.	.	1	18	.
Other Zymotic Diseases	.	1	.	.	2	.	1	.	.	.	.	.	.	.	.	1	5	.
Total,	2	4	4	1	4	2	2	4	1	.	.	1	2	1	.	2	30	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.		.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	3	3	3	3	3	.	1	7	1	.	.	.	2	2	.	2	30	1
Other Constitutional Diseases,	1	2	1	.	4	1	1	2	.	.	1	1	1	.	1	1	17	1
Total,	4	5	4	3	7	1	2	9	1	.	1	1	3	2	1	3	47	2
V. DEVELOPMENTAL DISEASES,	1	.	2	1	1	1	.	.	.	.	.	2	.	.	1	.	9	.
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	3	3	1	2	1	1	3	5	.	.	1	1	.	.	1	.	22	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	.	.	.	2	1	3	2	.	1	.	.	.	.	.	1	10	.
Respiratory System,	.	2	2	1	4	.	1	2	.	.	1	.	1	.	.	.	14	.
Digestive System,	2	5	.	1	1	.	3	2	.	.	.	1	1	.	.	.	16	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	2	.	1	2	.	.	.	.	.	.	.	.	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Total,	5	10	3	4	10	2	11	13	.	1	2	2	3	.	1	1	68	1
VII. VIOLENT DEATHS,	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	3	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	.	.	.	3	.	.	.	.	1	1	.	.	5	.
Deaths from all Causes,	13	19	14	9	22	6	16	29	2	1	3	6	9	5	4	6	164	3
Annual Rate of Mortality in every 1,000 of the population.	25·0	28·4	25·3	18·0	34·6	16·9	20·6	42·2	25·2	4·9	36·9	43·0	16·9	10·6	24·8	18·0		
	24·5				29·7				17·9									
	27·2																24·5	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	2	1	3	5	2	3	6	.	.	.	.	1	1	.	1	25	2
Workhouse Hospitals,	1	5	4	3	4	1	3	5	.	.	.	.	1	.	.	1	23	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office. 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 39th Week of the 10 years 1890–99.	In the week ending Saturday, 29th September, 1900. Deaths of persons of the Ages of							
	Sept. 27, 1890	Oct. 3, 1891	Oct. 1, 1892	Sept. 30, 1893	Sept. 29, 1894	Sept. 28, 1895	Sept. 26, 1896	Oct. 2, 1897	Oct. 1, 1898	Sept. 30, 1899		ALL AGES.	0 to 5. Under 1 month.	0 to 5. 1 month and under 1 year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 57·4	° 53·6	° 49·6	° 53·3	° 49·5	° 59·4	° 51·2	° 53·0	° 50·0	° 47·5	° 52·4	Mean Temp. ° 54·1							
ALL CAUSES,	141	177	144	156	144	166	104	178	165	228	159·8	167	18	34	17	10	30	25	29	4
I. FEBRILE OR ZYMOTIC DISEASES,	28	29	26	29	17	27	19	28	44	74	31·1	30	1	15	6	1	3	1	3	.
II. PARASITIC DISEASES,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	1	1	.	2	.	1	1	.	.	·7	2	.	.	.	.	1	1	.	.
IV. CONSTITUTIONAL "	35	35	44	45	37	46	19	41	43	50	39·5	49	.	5	4	6	18	7	8	1
V. DEVELOPMENTAL "	12	15	12	10	9	12	7	11	12	12	11·2	9	4	.	.	.	.	.	3	2
VI. LOCAL "	58	78	50	63	65	66	50	86	52	76	64·4	69	8	13	6	3	8	15	15	1
VII. VIOLENT DEATHS,	3	5	2	8	2	4	1	4	5	5	3·4	3	1	1	.	.	.	1	.	.
VIII. ILL-DEFINED CAUSES,	8	14	9	6	12	11	7	12	9	6	9·4	5	4	.	1	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	1	1	.	1	.	.	.	28	3·2	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	.	.	2	4	2	1	.	1·0	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	1	.	1	1	.	1	.	·5	2	.	.	.	.	.	1	1	.
Whooping Cough,	1	4	1	1	2	4	2	1	5	2	2·3	3	.	.	3	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	3	.	1	·4	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	5	2	6	4	2	3	6	4	11	4·7	4	.	.	1	1	2	.	.	.
Cholera and Chol. Diarr.,	.	1	.	1	.	1	.	1	2	.	·6	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	13	17	20	16	8	13	8	8	27	27	15·7	18	1	14	2	.	.	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	1	.	1	.	.	·2	1	.	1	.	.	.	.	.	.
Erysipelas,	.	1	.	1	.	.	1	.	1	1	·5	1	.	.	.	.	.	.	1	.
Pyæmia, Septicæmia,	.	.	.	1	.	.	.	.	2	2	·5	1	.	.	.	.	1	.	.	.
Puerperal Fever,	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	1	.	1	1	.	.	1	.	1	·8	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	1	.	.	2	.	1	1	.	.	·6	2	.	.	.	.	1	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart,	.	.	1	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
Rheumatism,	.	2	.	1	.	.	1	1	.	.	·5	1	.	.	.	.	.	.	.	1
Gout,	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	4	8	1	4	4	5	3	5	8	7	4·9	5	.	.	.	.	1	2	2	.
Tabes Mesenterica,	6	3	7	5	3	11	.	6	10	8	5·9	6	.	4	2	.	.	.	.	.
Tubercular Meningitis,	6	3	7	3	3	6	2	5	3	3	4·1	2	.	1	1	.	.	.	.	.
Phthisis,	17	14	23	29	23	22	12	18	19	23	20·0	31	.	.	.	5	17	5	4	.
Scrofula, Tuberculosis,	1	2	5	3	3	2	1	4	2	6	2·9	4	.	.	1	1	.	.	2	.
Other Constitutional Diseases,	1	2	.	.	.	.	.	1	.	3	·7	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	5	4	.	4	2	3	2	1	1	3	2·3	4	4	.	.	.	.	.	.	.
Atelectasis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
Old Age,	7	11	12	6	7	9	4	10	11	8	8·5	5	.	.	.	.	.	3	2	.

each Disease registered in the THIRTY-NINTH WEEK ending Saturday, 29th September, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 39th Week of the 10 years 1890-99.	In the Week ending Saturday, 29th September, 1900.								
													Deaths of Persons of the Ages of							
	Sept. 27, 1890	Oct. 3, 1891	Oct. 1, 1892	Sept. 30, 1893	Sept. 29, 1894	Sept. 28, 1895	Sept. 26, 1896	Oct. 2, 1897	Oct. 1, 1898	Sept. 30, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 57·4	° 53·6	° 49·6	° 53·3	° 49·5	° 59·4	° 51·2	° 53·0	° 50·0	° 47·5	° 52·4	° 54·1								
VI. Local Diseases.																				
Apoplexy,	3	3	6	2	1	6	2	3	3	2	3·1	3	.	.	.	.	1	1	1	.
Epilepsy,	.	.	1	1	.	1	3	.	.	3	·9	.	.	.	.	.	.	.	.	.
Convulsions,	14	18	7	10	6	17	4	10	5	12	10·3	11	7	3	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	2	9	7	7	3	2	5	9	5	6	5·5	9	.	3	1	1	1	1	2	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	12	9	5	8	22	14	13	15	13	11	12·2	10	1	.	.	.	3	5	1	.
Croup,	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Bronchitis,	5	6	7	10	10	5	6	17	11	13	9·0	10	.	2	3	.	.	1	3	1
Pneumonia	2	6	4	6	6	6	2	10	8	16	6·6	3	.	.	.	.	.	1	2	.
Pleurisy,	.	.	.	.	2	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	1	5	1	1	2	2	2	2	3	1	2·0	1	.	.	.	.	1	.	.	.
Teething,	1	4	1	.	.	.	.	1	.	.	·7	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	1	1	.	.	.	·2	1	.	1	.	.	.	.	.	.
Enteritis,	1	3	2	.	.	1	.	2	.	1	1·0	.	.	.	.	.	.	.	.	.
Peritonitis	.	1	.	.	1	1	.	1	.	1	·5	2	.	.	.	.	1	1	.	.
Disease of Liver,	4	3	1	2	5	2	2	.	.	2	2·1	2	.	.	.	.	.	1	1	.
Other Diseases of Digestive System,	3	2	2	6	4	1	3	4	2	5	3·2	10	.	2	1	.	1	4	2	.
Diseases of Lymphatics, &c.,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	7	4	.	5	2	5	5	7	1	1	3·7	5	.	.	.	2	.	.	3	.
Diseases of Generative System,	1	.	.	1	.	.	1	3	.	.	·6	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	1	1	1	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	4	4	1	.	1	.	1	.	.	1·2	1	.	1	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	3	.	.	.	1	2	1	.	2	1	3·2	.	.	.	.	.	.	.	.	.
By Drowning,		.	1	1	.	.	.	1	1	2		1	.	1	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	1	.	1	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		5	.	1	1	1	.	2	2	2		1	.	.	.	.	.	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
SUICIDE,	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	8	14	9	6	12	11	7	12	9	6	9·4	5	4	.	1	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900—Week ending																									
	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.
No. of weeks in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered,	128	184	225	202	246	222	198	214	199	222	194	198	228	181	208	186	187	245	149	256	221	228	225	177	165	289
Average Births in corresponding week of previous 10 years,	199	194	192	213	214	212	192	201	209	199	208	202	219	193	188	185	185	195	200	196	185	197	183	211	206	204
DEATHS registered,	194	230	204	178	204	179	168	176	157	161	167	122	144	124	127	165	129	159	161	147	185	186	154	171	167	167
Annual Death-rate per 1,000,	28·9	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9
Average Deaths in correspondin week of previous 10 years,	204	184	185	184	178	170	174	167	162	156	164	150	156	149	148	154	162	159	160	157	162	164	170	165	162	160
AGES, Under 5 years,	50	59	66	51	54	53	47	43	43	54	37	29	33	38	32	47	35	40	57	51	79	71	54	70	73	69
5—20 "	14	26	13	15	17	19	20	26	15	14	27	16	13	10	8	13	7	13	9	15	13	21	16	15	7	10
20—40 "	24	29	30	33	47	27	28	30	22	31	35	19	32	25	35	26	18	26	31	17	38	25	25	21	18	30
40—60 "	42	53	32	48	42	36	31	35	40	38	31	29	33	23	24	44	33	39	34	34	35	39	26	34	33	25
60—80 "	53	47	45	27	35	36	36	35	31	19	30	23	27	26	23	30	30	35	26	26	20	26	22	23	32	29
80 years and upwards,	11	16	18	4	9	9	6	7	6	5	7	6	6	2	5	5	6	7	4	4	1	4	11	8	4	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	3	2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Scarlet Fever,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" Whooping-cough,	3	1	2	2	4	1	1	3	.	5	.	1	2	3	4	5	.	3	1	1	5	4	5	7	3	3
" Diphtheria,	.	2	2	.	.	.	1	.	.	2	2	1	.	.	.	2	1	.		.	1	4	.	2	1	.
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
" Enteric Fever,	3	2	3	5	6	1	2	2	1	2	2	2	.	2	2	2	.	2	.	1	2	2	1	7	3	4
" Diarrhœa, Dysentery,	.	1	3	3	1	3	2	.	1	2	1	.	1	2	1	4	4	9	19	24	25	33	20	27	24	18
" Phthisis,	27	28	27	32	29	32	30	32	13	28	28	22	21	26	31	28	19	24	24	20	25	32	22	20	13	31
" Heart Diseases,	16	17	11	11	17	14	17	11	14	10	11	9	9	10	9	19	17	23	12	12	18	10	14	11	16	10
" Diseases of Respiratory System,	46	53	47	40	29	34	25	30	23	23	34	27	29	15	20	23	28	14	15	13	14	6	19	13	15	14
Violent Deaths,	2	9	3	4	6	4	5	1	6	4	1	1	5	6	6	5	4	4	5	4	9	2	5	5	5	3
Mean Temperature of the Air (Phœnix Park),	42·6	46·9	50·2	47·6	48·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·2	54·1
Average Mean Temperature in corresponding week of previous 10 years,	44·9	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4
Rainfall in inches,	·535	·785	·170	·190	·350	·535	·005	1·185	·005	·560	·485	2·005	·650	·280	·800	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640
Mean Humidity of the Air, complete Saturation 1·0,	·82	·81	·76	·81	·77	·84	·73	·80	·83	·82	·80	·83	·84	·81	·76	·82	·83	·81	·86	·85	·90	·83	·87	·87	·89	·84

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th September, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 29th September, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	24·9	167	69	10	30	25	29	4	.	.	.	.	3	.	.	4	13	25	31	11	14	3	83
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	10·0	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
II.	MIDDLE CLASS,	81,469	17·2	27	9	5	3	4	6	.	.	.	.	.	.	.	.	1	3	4	7	.	1	.	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	19·4	37	14	2	8	6	6	1	.	.	.	.	1	.	.	3	3	7	4	3	1	.	22
IV.	GENERAL SERVICE CLASS,	147,978	33·9	71	40	2	10	10	8	1	.	.	.	.	2	.	.	.	11	13	9	8	8	3	30
V.	INMATES OF WORKHOUSES,	5,191		29	6	1	9	4	7	2	.	.	.	.	.	.	.	.	1	1	11	.	3	.	14
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	6·5	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	2. Merchants and Manufacturers, Higher Class,	1,857	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	18·1	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	26·5	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	22·0	11	4	2	.	2	3	.	.	.	.	.	.	.	.	.	3	3	3	.	.	.	5
	6. Clerks and Commercial Assistants,	95,001	20·8	10	4	2	2	.	2	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	6·4	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades,	26,294	25·7	13	5	1	3	2	2	.	.	.	.	.	.	.	.	2	.	2	2	.	.	.	9
	10. Clothing Trades,	23,927	6·5	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	1
	11. Food Supply Trades,	7,949	13·1	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,937	30·9	16	4	1	3	4	3	1	.	.	.	.	1	.	.	1	.	2	2	1	1	.	10
	13. Petty Shopkeepers,	6,839	22·8	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	18·9	5	3	.	.	1	1	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	2
	15. Domestic Servants,	39,967	7·8	6	2	.	.	1	2	1	.	.	.	.	.	.	.	.	1	1	1	1	1	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	62·5	13	5	2	1	3	2	.	.	.	.	.	.	.	.	.	1	1	2	2	.	1	7
	17. Hawkers, Porters, Labourers, &c.,	88,472	29·3	47	30	.	9	5	3	.	.	.	.	.	2	.	.	.	7	9	6	5	3	2	19
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	—	29	6	1	9	4	7	2	.	.	.	.	.	.	.	.	1	1	11	.	3	.	14

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin. DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
North City, No. 1 (E.)	Aug. 11,	28·0	1·9	12	.	.	.	.	.	1	.	.	.	1	2	.
	„ 18,	25·0	5·8	13	.	.	.	.	.	.	.	1	2	2	1	.
	„ 25,	34·6	7·7	18	.	.	.	.	2	.	.	.	2	3	1	1
	Sept. 1,	42·3	13·4	22	.	.	.	.	.	1	.	.	6	4	1	.
(*Office, Clarence-street, Nth.*)	„ 8,	26·9	9·6	14	.	.	.	.	.	.	.	1	4	1	1	.
	„ 15,	26·9	11·5	14	.	.	.	.	2	.	.	1	3	.	3	.
	„ 22,	21·1	3·8	11	.	.	.	.	1	.	.	1	.	.	1	.
Pop. (in 1891) 27,147.	„ 29,	25·0	3·8	13	.	.	.	.	.	.	.	.	2	3	.	1
North City, No. 1 (W.)	Aug. 11,	35·9	9·0	24	.	.	.	.	.	.	.	.	6	4	1	.
	„ 18,	21·0	7·5	14	.	.	.	.	.	.	.	.	5	1	1	.
	„ 25,	32·9	7·5	22	.	.	.	.	.	1	.	.	4	7	2	.
	Sept 1,	26·9	4·5	18	.	.	.	.	.	.	.	.	3	3	1	.
(*Office, Summer-hill.*)	„ 8,	29·9	.	20	.	.	.	.	.	.	.	.	.	1	6	1
	„ 15,	40·4	9·0	27	.	.	.	.	.	1	.	.	5	2	3	.
	„ 22,	18·0	4·5	12	.	.	.	.	.	.	.	1	2	1	2	.
Pop. (in 1891) 34,836.	„ 29,	28·4	4·5	19	.	.	.	.	.	.	.	.	3	3	2	.
North City, No. 2.	Aug. 11,	27·1	.	15	.	.	.	.	.	.	.	.	.	3	3	.
	„ 18,	25·3	3·6	14	.	.	.	.	1	.	.	.	1	3	.	1
	„ 25,	36·1	7·2	20	.	.	.	.	.	.	1	.	3	3	.	1
	Sept. 1,	36·1	7·2	20	.	.	.	.	.	.	.	.	4	3	.	1
(*Office, Lisburn-street.*)	„ 8,	28·9	7·2	16	.	.	.	.	3	.	.	.	1	3	2	.
	„ 15,	21·7	7·2	12	.	.	.	.	.	.	.	2	2	1	2	2
	„ 22,	27·1	12·6	15	.	.	.	.	.	1	.	.	6	3	.	.
Pop. (in 1891) 28,871.	„ 29,	25·3	7·2	14	.	.	.	.	1	.	.	.	3	3	2	.
North City, No. 3.	Aug. 11,	18·0	2·0	9	.	.	.	.	.	.	.	.	1	1	.	.
	„ 18,	30·0	6·0	15	.	.	.	.	.	.	.	.	3	4	.	.
	„ 25,	24·0	6·0	12	.	.	.	.	.	.	.	1	2	1	.	.
	Sept. 1,	38·0	12·0	19	.	.	.	.	2	1	.	.	3	2	.	.
(*Office, Blackhall-place.*)	„ 8,	34·0	8·0	17	.	.	.	.	.	.	.	.	4	2	.	.
	„ 15,	30·0	6·0	15	.	.	.	.	1	.	.	.	2	3	3	.
	„ 22,	32·0	8·0	16	.	.	.	.	.	.	.	.	4	1	2	.
Pop. (in 1891) 26,055.	„ 29,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	3	1	.
South City, No. 1.	Aug. 11,	29·8	3·1	19	.	.	.	.	.	1	.	.	1	4	1	1
	„ 18,	28·3	7·9	18	.	.	.	1	.	.	.	.	4	1	3	.
	„ 25,	23·6	4·7	15	.	.	.	.	.	.	.	.	3	1	1	.
	Sept. 1,	29·8	9·4	19	.	.	1	.	.	.	.	1	4	4	1	.
(*Office, South Earl-street.*)	„ 8,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	1	.
	„ 15,	23·6	3·1	15	.	.	.	.	.	.	.	1	1	3	2	.
	„ 22,	26·7	3·1	17	.	.	.	.	.	.	.	1	1	.	3	1
Pop. (in 1891) 33,194.	„ 29,	34·6	3·1	22	.	.	.	.	.	.	.	.	2	3	4	.
South City, No. 2.	Aug. 11,	25·3	5·6	9	.	.	.	.	1	1	.	.	.	.	1	.
	„ 18,	19·7	2·8	7	.	.	.	.	.	.	.	.	1	1	.	.
	„ 25,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	1
	Sept. 1,	19·7	2·8	7	.	.	.	.	.	.	.	.	1	2	.	.
(*Office, Castle-street.*)	„ 8,	22·5	6·4	8	.	.	.	.	.	.	.	.	3	1	1	.
	„ 15,	33·7	16·9	12	.	.	.	.	.	1	.	.	5	2	.	.
	„ 22,	19·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Pop. (in 1891) 18,547.	„ 29,	16·9	5·6	6	.	.	.	.	.	.	.	.	2	.	.	.
South City, No. 3.	Aug. 11,	21·9	6·4	17	.	.	.	.	.	.	.	.	5	2	2	.
	„ 18,	23·1	1·3	13	.	.	.	.	.	.	.	.	1	1	4	1
	„ 25,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	3	1
	Sept. 1,	16·7	2·6	13	.	.	.	.	.	.	.	.	2	5	1	.
(*Office, Peter-street.*)	„ 8,	25·7	2·6	20	.	.	.	.	.	.	.	.	2	5	2	2
	„ 15,	32·1	9·0	25	.	.	.	.	2	.	.	1	4	3	1	.
	„ 22,	33·4	7·7	26	.	.	.	.	2	.	.	.	4	4	3	.
Pop. (in 1891) 40,558.	„ 29,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	1	1	1
South City, No. 4.	Aug. 11,	23·3	.	16	.	.	.	.	.	.	.	.	.	2	4	2
	„ 18,	23·3	7·3	16	.	.	.	.	.	.	.	.	5	1	2	1
	„ 25,	36·4	13·1	25	.	.	.	.	.	.	.	1	8	1	4	1
	Sept. 1,	33·5	5·8	23	.	.	.	.	.	.	.	.	4	3	1	.
(*Office, Grand Canal-street.*)	„ 8,	13·1	4·4	9	.	.	.	.	.	.	.	.	3	1	.	.
	„ 15,	13·1	5·8	9	.	.	.	.	1	.	.	.	3	2	2	.
	„ 22,	32·0	1·5	22	.	.	.	.	.	.	.	.	1	3	2	1
Pop (in 1891) 35,793.	„ 29,	42·2	5·8	29	.	.	.	.	1	.	.	.	3	7	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases; *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Aug. 11,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	1
	„ 18,	11·8	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	„ 25,	13·1	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.
	Sept. 1,	22·5	5·6	12	.	.	.	.	2	.	.	.	1	1	.	.
	„ 8,	16·9	1·9	9	.	.	.	.	1	.	.	.	.	2	.	1
	„ 15,	15·8	5·6	10	.	.	1	.	1	.	.	1	.	.	.	1
	„ 22,	22·5	1·9	12	.	.	.	.	.	.	.	.	1	1	1	.
	„ 29,	16·9	3·8	9	.	.	.	.	.	.	.	1	1	2	1	.
Donnybrook. Pop. (in 1891) 24,629.	Aug. 11,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	3	.	.
	„ 18,	14·8	2·1	7	.	.	.	.	.	.	.	.	1	1	.	1
	„ 25,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	2	.	4
	Sept. 1,	19·1	.	9	.	.	.	.	.	.	.	.	.	.	.	1
	„ 8,	10·6	2·1	5	.	.	.	.	.	.	.	.	1	.	.	.
	„ 15,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	.	1	.
	„ 22,	19·1	4·2	9	.	.	.	.	.	.	.	.	2	.	.	1
	„ 29,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	1
Kingstown. Pop. (in 1891) 17,386.	Aug. 11,	12·0	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 18,	6·0	3·0	2	.	.	.	.	.	.	1	.	.	.	.	.
	„ 25,	30·1	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 1,	12·0	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 8,	36·0	3·0	12	.	.	.	.	1	.	.	.	.	2	3	.
	„ 15,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 22,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 29,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	2	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	Aug. 11,	18·3	2·3	126	.	1	.	.	.	.	.	8	7	27	13	2
	„ 18,	21·6	4·2	149	.	.	.	.	3	2	.	8	16	16	12	3
	„ 25,	18·0	3·5	124	.	.	.	.	2	.	.	7	15	16	10	3
	Sept. 1,	19·3	3·8	133	.	.	.	.	.	.	.	10	16	13	9	3
	„ 8,	19·8	4·2	136	.	.	2	.	2	.	.	6	19	14	12	4
	„ 15,	19·0	3·3	131	.	.	1	.	1	2	.	8	11	16	15	1
	„ 22,	18·0	2·5	124	.	.	.	.	2	2	.	3	10	10	17	2
	„ 29,	16·1	2·8	111	.	1	.	1	1	1	.	5	10	16	17	3
Cork. Pop. (in 1891) 75,345.	Aug. 11,	12·5	0·7	18	.	.	.	.	.	.	.	.	1	4	5	.
	„ 18,	13·1	.	19	.	.	.	.	.	.	.	.	.	2	4	.
	„ 25,	13·1	2·1	19	.	.	.	.	.	.	.	.	3	3	1	1
	Sept. 1,	13·8	2·8	20	.	.	.	.	.	.	.	.	4	3	3	.
	„ 8,	11·1	1·4	16	.	.	.	.	.	.	.	.	2	2	4	.
	„ 15,	21·5	4·2	31	.	.	2	.	.	.	.	.	4	4	2	.
	„ 22,	19·4	4·2	28	.	.	.	.	.	.	.	.	6	5	1	1
	„ 29,	21·5	2·8	31	.	.	.	.	.	.	.	.	4	2	6	.
Limerick. Pop. (in 1891) 37,155.	Aug. 11,	12·6	.	9	.	.	.	.	.	.	.	.	.	5	2	.
	„ 18,	7·0	1·4	.	.	.	.	.	.	.	.	.	1	1	2	.
	„ 25,	16·8	.	12	.	.	.	.	.	.	.	.	.	3	3	1
	Sept. 1,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	„ 8,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	„ 15,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
	„ 22,	22·5	.	16	.	.	.	.	.	.	.	.	.	3	3	.
	„ 29,	33·7	1·4	24	.	.	.	.	1	.	.	.	.	2	6	.
Londonderry Pop. (in 1891) 33,200.	Aug. 11,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	2	3	.
	„ 18,	28·3	4·7	18	.	.	.	.	.	.	.	.	3	5	2	.
	„ 25,	18·8	.	12	.	.	.	.	.	.	.	.	.	4	.	.
	Sept. 1,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	4	1	.
	„ 8,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.
	„ 15,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	.	1	2
	„ 22,	14·1	3·1	9	.	1	.	.	.	.	.	.	1	2	1	.
	„ 29,	23·6	3·1	15	.	.	.	1	.	.	.	.	1	3	3	.
Waterford. Pop. (in 1891) 26,200.	Aug. 11,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	3	.	.
	„ 18,	31·3	4·0	16	.	.	.	.	.	.	.	.	2	6	.	.
	„ 25,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 1,	13·9	2·0	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 8,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	4	2	.
	„ 15,	13·9	6·0	7	.	.	.	.	.	.	.	.	3	1	.	1
	„ 22,	17·9	6·0	9	.	.	.	.	.	.	.	1	2	1	2	.
	„ 29,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 29th September, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	14	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		9	4	.	4	1	.	1	.	.	.	.	.	.	1	3	1	.	.	1
" 2 "	37,589	22			14	4	1	6	3	.	.	.	.	.	.	.	1	.	1	1	1	4	4
" 3 "	38,845	20			14	5	1	7	1	.	.	.	.	.	.	.	2	3	3	1	.	.	2
" 4 "	33,391	24			14	4	1	8	1	.	.	.	1	.	1	.	1	.	1	3	.	1	5
" 5 "	21,284	8			6	1	.	4	1	.	.	.	.	.	.	.	.	.	2	1	1	1	3
" 6 "	43,431	21			14	3	1	6	4	.	.	.	.	.	.	.	.	2	1	1	.	1	4
" 7 "	1,112	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	2			3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 9 "	12,866	12			6	.	1	3	2	.	.	.	.	.	.	.	.	.	1	3	.	.	2
" 10 "	12,256	19			8	1	1	3	3	.	.	.	.	.	.	.	1	1	2	1	.	.	1
" 11 "	19,881	20			9	2	2	4	1	.	.	.	.	1	.	.	.	2	1	1	1	1	3
" 12 "	23,282	39			11	5	.	4	2	.	.	.	.	.	.	.	.	1	.	2	.	1	.
" 13 "	6,804	17			3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	219			111	30	8	53	20	.	1	.	1	1	1	.	5	10	16	17	3	9	25
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	11,927	4	21·9	.	5	.	.	4	1	.	.	.	.	.	.	.	.	.	2	.	.	.	4
" 2 "	9,252	6	11·3	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 3 "	9,816	5	26·6	.	5	1	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2
" 4 "	10,356	1	10·1	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 5 "	8,187	3	25·6	6·4	4	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" 6 "	9,823	17	11·8	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,084	13	33·7	9·2	11	3	4	2	2	.	.	.	.	.	.	.	.	3	.	4	.	.	1
Total,	75,345	49	21·5	2·8	31	8	6	13	4	.	.	.	.	.	.	.	.	4	2	6	.	1	10

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Apr. 7.	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.
No. of week in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered,	188	197	225	261	218	244	218	218	218	219	241	218	204	236	155	263	220	241	222	171	206	193	221	224	185	219
DEATHS registered.	179	149	124	127	171	188	153	141	134	123	141	130	136	126	108	136	133	155	126	149	124	133	136	131	124	111
Annual Death-rate per 1,000 of estimated Population,	26·0	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1
AGES, Under 1 year,	31	22	21	37	33	26	34	20	25	20	34	36	28	26	22	34	39	56	39	52	40	44	45	44	34	30
AGES, 1–5 years,	21	18	12	13	23	14	27	10	13	13	17	15	15	14	13	15	15	20	9	17	7	18	15	11	17	8
AGES, 5–60 years,	80	79	56	64	86	76	65	87	76	60	72	61	76	67	55	65	61	58	58	65	56	49	54	56	56	53
AGES, 60 years and upwards,	47	23	35	23	29	22	27	24	20	24	28	28	17	19	18	22	18	21	20	15	21	22	22	20	17	20
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	1	.	.	.	1	1	.	3	1	1	2	.	.	1	.	1	1	.	.	.	.	.	.	1
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.
,, Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, Whooping-cough,	1	1	1	4	8	3	6	1	1	.	1	1	2	1	2	3	.	.	.	3	2	.	2	1	2	1
,, Diphtheria,	2	2	1	1	1	1	1	.	1	1	.	.	1	.	1	.	.	1	.	2	.	.	.	2	2	1
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	1	5	5	3	8	5	12	5	11	10	11	6	2	6	7	1	6	5	8	8	7	10	6	8	3	5
,, Diarrhœa, Dysentery,	1	1	2	3	4	1	2	1	3	1	1	4	4	2	1	8	11	19	7	16	15	16	19	11	10	10
,, Phthisis,	25	13	14	23	31	31	23	34	22	18	2	20	32	20	20	20	22	30	27	16	16	13	14	16	10	16
,, Diseases of Respiratory System,	46	38	26	24	33	31	32	31	29	28	24	18	17	24	10	22	14	13	13	12	10	9	12	15	17	17
Violent Deaths,	5	.	2	2	2	3	4	5	2	1	4	7	3	3	3	3	3	5	2		3	3	4	1	2	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th September, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 1, West,	.	2	1	2		.	.	.	1	5	2	.		13
" " 2,	.	.	2	1	.	.	2	.	2	3	5	.	.	15
" " 3,	.	1	1	1	.	.	.	1	1	6	.	.	.	11
South City No. 1,	.	3	.	2	.	.	1	.	.	3	8	.	.	17
" " 2,	.	.	.	.	2	.	.	.	1	1	1			5
" " 3,	.	.	.	2	.	.	.	.	1	1			.	4
" " 4,	.	.	.	.	.	.	1	.	.	3	1	.	.	5
Total,	.	6	4	8	2	.	4	1	7	22	17	.	.	71
Total for week ended Sept. 22, 1900,	.	22	3	5	1	1	1	.	7	27	11	.	.	78
Total for week ended Sept. 15, 1900,	.	4	.	4	1	1	2	1	4	40	8	.	.	65
Total for week ended Sept. 8, 1900,	.	5	1	6	.	.	1	.	3	49	7	.	.	72

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th September, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th September.			
	Sept. 8.	Sept. 15.	Sept. 22.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	3	7	16	3	3	.	16
Scarlet Fever,	45	44	46	8	5	.	49*
Typhus "	.	1	4	.	1	.	3
Diphtheria,	14	13	11	6	2	.	15
Enteric Fever,	94	94	99	14	19	1	93
Pneumonia,	11	17	16	7	4	1	18

* Exclusive of 7 patients in "Bencavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Sept. 29,	2,239	1,471	16·7	.	13	5	40	27	18	123
EDINBURGH,	302,262	„ 29,	140	115	19·8	.	1	.	1	.	1	14
GLASGOW,	743,969	„ 29,	421	268	18·7	.	3	6	4	5	7‖	21
CALCUTTA,	466,460	July 28,	.	305	34·1	9	.	1	.	.	89‡	46*
BOMBAY,	821,764	Sept. 11,	320	1,050	66·4	1	3	?	?	?	117§	252*
MADRAS,	452,518	Aug. 31,	457	581	66·7	3	6	?	?	?	182	166*
PARIS,	2,511,629	Sept. 22,	1,100	808	16·7	3	2	1	4†	3†	36	84
BRUSSELS (with 8 Faubourgs).	570,844	„ 22,	246	147	13·4	.	1	.	.	3	5	25
AMSTERDAM,	528,646	„ 15,	283	128	12·6	.	1	1	.	2	.	1
ROTTERDAM,	325,556	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	354,000	Sept. 22,	231	111	16·3	.	.	2	.	.	1	20
CHRISTIANIA,	226,423	„ 22,	116	57	13·1	.	1	1	.	2	.	19
ST. PETERSBURG,	1,132.677	„ 15,	530	547	25·1	3	8	11	16	6	27	135
BERLIN,	1,859,512	Sept. 1,	924	732	20·5	.	9	4	5	17	1	255
HAMBURG,	691,349	„ 22,	.	233	17·5	.	.	1	3†	3	2	27
DRESDEN,	407,500	Aug. 13,	231	167	21·3	.	1	1	.	.	.	54
BRESLAU,	412,959	Sept. 22,	.	176	22·2	.	.	.	.	3	2	42
MUNICH,	463,000	June 30,	332	208	23·4	.	4	.	1	3	1	49
VIENNA (with suburbs).	1,656,662	Sept. 15,	707	527	16·5	.	2	4	6†	2	1	92
BUDA-PESTH,	685,340	„ 8,	471	243	18·4	.	3	2	2	.	4	30
PRAGUE and Faubourgs.	391,693	„ 15,	182	138	18·3	.	.	.	2	1	1	1
ROME,	518,333	Aug. 11,	247	173	17·4	.	1	.	.	.	5	35
TURIN (10 days),	344,203	„ 10,	225	158	16·8	.	1	.	.	.	4	32
VENICE,	172,924	„ 25,	82	61	18·3	.	.	.	1†	.	3	7
NEW YORK.	3,654,594	„ 25,	1,789	1,157	16·5	1	5	3	28	8	14	186
PHILADELPHIA,	1,266,832	Sept. 8,	.	370	15·2	.	.	.	11	2	4	32

* Including 13 deaths from cholera in Calcutta, 121 in Bombay, and 44 in Madras. † Including deaths from croup. ‡ Exclusive of 30 deaths from bubonic fever. § Exclusive of 53 deaths from bubonic fever. ‖ Including three deaths from bubonic plague.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 29th September, 1900:—

"Changeable and showery though it was, the weather was not ungenial or unhealthy. Fresh winds from westerly points prevailed nearly every day, but there were bright, sunny intervals between the showers, which on some days fell at rather frequent intervals. The general distribution of atmospheric pressure was cyclonic over Northwestern Europe, anticyclonic over Central and Southeastern Europe and the Mediterranean Basin. On Sunday night a large depression with V.-shaped secondaries passed over the British Isles—it caused rains, which were heavy only in the N.W. of Ireland and N. of Scotland. A ridge of high pressure followed in its wake, and under a clear sky the thermometer fell on Monday night to 37° at Aberdeen, 38° at Nairn, and 39° at Birr, King's Co. The following night was still colder in Scotland, minima of 34° being recorded at Stornoway and Wick, and of 33° at Nairn. In Ireland, however, temperature was already rising in front of a new depression, the centre of which reached the Shetlands on Thursday morning, when the barometer was down to 29·02 inches at Sumburgh Head. This disturbance afterwards moved southeastwards and filled up after causing a widespread rainfall. A fine, bright spell on Friday was followed by renewed unsettled weather on Saturday. In Dublin the mean height of the barometer was 29·731 inches, pressure ranging between 30·028 inches at 9 a.m. of Tuesday (wind, W.N.W.), and 29·346 inches at 4 p.m. of Thursday (wind, S.W.). The corrected mean temperature was 56·3°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 55·2°. The screened thermometers rose to 68·9° on Sunday and fell to 44·6 on Tuesday. S.W. and N.W. winds prevailed alternately. The rainfall was ·399 inch on six days, ·120 inch being registered on Wednesday, and ·210 inch on Saturday. Bright sunshine was estimated at 32½ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·731 inches. The highest reading (30·029) was on Tuesday at 9 a.m., wind W.S.W., and the lowest (29·375) on Tuesday at 9 p.m., wind S.W.

The mean temperature for the week was 54·1°, being 1·7° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Sunday, when the thermometer registered 67·8°, and was lowest on Tuesday, the mercury having fallen to 41·1°. The mean of the Dry Bulb for the week was 54·0°, and of the Wet Bulb 51·4°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 28·0 hours. The rainfall measured ·640 in.

At Greenwich the mean temperature for the week was 56·9°, the maximum 73·9°, and the minimum 43·1°; at Glasgow the maximum was 64·5°, the minimum 41·2°, and the mean 53·5°, and at Edinburgh the maximum was 63·5°; the minimum 42·3°, and the mean 52·8°. The rainfall at Greenwich measured 0·35 in.; at Glasgow 2·06 ins.; and at Edinburgh 1·15 ins.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 23,	29·845	67·8	54·3	61·1	61·7	58·9	·83	·2	5·2	·025	S.W.	S.W.
Monday, „ 24,	29·799	61·3	43·5	52·4	49·5	45·7	·75	·3	8·2	—	W.	W.
Tuesday, „ 25,	30·004	57·8	41·1	49·5	51·2	48·5	·83	·4	8·7	·020	W.S.W.	W.S.W.
Wednesday, „ 26,	29·697	62·2	47·1	54·7	55·9	54·0	·89	·5	0·0	·250	S.W.	S.W.
Thursday, „ 27,	29·390	59·7	50·9	55·3	52·0	49·6	·84	·4	2·3	·025	S.W.	S.W.
Friday, „ 28,	29·731	60·9	47·4	54·2	51·1	49·6	·90	·6	3·5	·010	N.W.	Calm.
Saturday, „ 29,	29·652	60·8	41·8	51·3	56·5	53·7	·82	·6	0·1	·310	S.W.	S.W.
Mean, . .	29·731	61·5	46·6	54·1	54·0	51·4	·84	·4	Total 28·0	Total ·640	Prevailing Wind, S.W.	

Sunday—A cloudy day; night cloudy; rain 3 to 4 a.m. *Monday*—A fine but cloudy day; night clear. *Tuesday*—Bright a.m., cloudy p.m.; night cloudy; rain 9.30 to 10 p.m. and 6 to 6.45 a.m. *Wednesday*—A dull day; rain 9 to 2 p.m., showery 6.30 p.m. to 12.30 a.m; night cloudy. *Thursday*—A cloudy day; showery 5 to 7 p.m.; night cloudy. *Friday*—A cloudy day; rain 2.45 to 3.15 p.m.; night clear p.m., cloudy a.m. *Saturday*—A cloudy day; night cloudy; rain 11.30 p.m. to 6.30 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 174. 6. 1900.—375.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN

DUBLIN,

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN TWENTY-TWO OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS & CO. (LIMITED), 104, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
JOHN MENZIES & CO., ROSE STREET, EDINBURGH, and 90, WEST NILE STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] QUARTER ENDING SATURDAY, 29TH SEPTEMBER, 1900. [No. 39A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin, the districts of Rathmines, Donnybrook, Blackrock, Kingstown, Clontarf and Howth, No. 1, and Coolock and Drumcondra, No. 1, and portions of the districts of Finglas and Glasnevin, Palmerston, and Crumlin, the total area thereof being 24,640 statute acres, and the population according to the Census of 1891, 349,594, there were registered during the thirteen weeks ended on Saturday, 29th September, 1900, 2,677 births—1,378 boys and 1,299 girls—being equal to an annual ratio of 1 in 32·6, or 30·6 in every 1,000 of the population.

The number of births registered in the city was 2,094, equivalent to an annual rate of 34·2 in every 1,000 of the population and in the suburban districts named above, 583, equal to an annual rate of 22·3 in every 1,000 of the population.

There were registered in London during the same period 32,764 births—being equal to an annual birth-rate of 28·6 in every 1,000 of the estimated population; in Glasgow there were registered 6,040, being equal to 32·5 per 1,000; and in Edinburgh, 2,003—a number affording an annual birth-rate of 26·5 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,042—1,018 males and 1,024 females—affording an annual ratio of 1 in 42·8, or 23·4 in every 1,000 of the population according to the Census of 1891; omitting the deaths (66) of persons admitted into Public Institutions from localities outside the district, the rate was 22·6 per 1,000. The average number of deaths registered in the third quarter of the ten years 1890–99 was 2,071, equivalent to an annual mortality of 23·7 per 1,000 persons; thus the deaths last quarter were 29, or 1·4 per cent., under the average for the September quarter.

The number of deaths of inhabitants* of that portion of the City of Dublin north of the Liffey registered last quarter was 740, representing an annual mortality of 25·3 in every 1,000 of the population; and the number in that portion south of the river was 806 equivalent to a rate of 25·2 per 1,000. In the suburban districts the number of deaths registered was 430, being equal to an annual death-rate of 16·4 in every 1,000.

The number of deaths registered in London during the quarter was 20,425—a number equal to an annual mortality of 17·8 in every 1,000 of the inhabitants; in Glasgow the number was 3,507 equal to 18·9 in every 1,000; and in Edinburgh, 1,278, affording an annual death-rate of 16·9 in every 1,000 of the estimated population.

Diseases.—The number of deaths from *zymotic diseases* registered in the Dublin Registration Area during last quarter is 357, being 137 over the number for the preceding quarter, but 35 under the average for the third quarter of the ten years 1890–99, and 416 under the number for the third quarter of last year. The annual rate per 1,000 of the population, represented by the deaths from these diseases during last quarter, is 4·1, being 1·6 over the rate for the preceding three months, but 0·4 under the average rate for the third quarter of the ten years 1890–99.

Diarrhœa caused 210 deaths, which is 13 above the average for the corresponding quarter of the past 10 years, and 192 in excess of the deaths from diarrhœa in the preceding quarter of the year 1900. *Cholera Diarrhœa* caused 7 deaths; 196 of the deaths from diarrhœa occurred in children that were under 5 years of age.

Whooping-cough caused 44 deaths; this number is 19 in excess of the deaths from this disease in the preceding quarter of the year, and 10 above the average for the corresponding quarter of the past ten years.

Enteric Fever caused 28 deaths, or 3 less than occurred in the preceding quarter, and 9 below the average of the corresponding quarter of the past ten years.

Diphtheria caused 14 deaths, or 4 in excess of the preceding quarter of the year, and 7 above the average for the corresponding quarter of the past ten years.

Influenza caused 11 deaths, or 25 less than in the June quarter of the year, but 1 in excess of the average for the corresponding period of the last ten years.

Scarlatina caused 3 deaths; 2 deaths occurred in the preceding quarter of the year. The number of deaths from scarlatina is 9 below the average for the corresponding quarter of the past ten years.

There were 3 deaths from *continued* and 1 from *typhus fever*. Cerebro-spinal meningitis caused 14 deaths; the last occurring on 7th September.

No death from *small-pox* or *measles* occurred in the Dublin Registration Area during the quarter.

Diseases of the *respiratory system* caused 209 deaths, being 231 below the number registered during the preceding quarter, and 24 under the average of the corresponding quarter of the past ten years; bronchitis caused 122 deaths, and pneumonia 67 deaths; 6 deaths were due to pleurisy, and 4 deaths to croup.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 29th September, 1900.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small Pox,	.	.	.	.	.
Measles,	12	54	50	.	16
Scarlet Fever,	58	104	110	3	49*
Typhus "	2	9	8	.	3
Diphtheria,	8	46	30	9	15
Enteric Fever,	41	187	126	9	93
Pneumonia,	28	78	76	12	18

The number of deaths of children ascribed to convulsions is 93, being 28 under that for the preceding quarter, and 44 under the average for the third quarter of the ten years 1890–99.

Thirty-nine deaths were caused by apoplexy, 6 by epilepsy, 88 by other diseases of the brain and nervous system (exclusive of convulsions), and 181 by diseases of the circulatory system.

Phthisis or pulmonary consumption caused 315 deaths—being 35 above the average for the corresponding quarter of the ten years 1890–99—mesenteric disease 70, tubercular meningitis 37, and cancer 84.

Fifty-eight accidental deaths, three cases of suicide and two of homicide were registered.

In 82 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 82 cases, 56, or 68 per cent., were deaths of children under 5 years of age: these 82 deaths form 11 per cent. of the total number of deaths of children of that age. Of the deaths of 135 infants under one month old registered, there were 33 (or 24 per cent.) regarding which the cause was uncertified.

From Table II., on page 648, it will be seen that, excluding 66 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,976, equal to an annual rate of 22·6 per 1,000 of the population according to the Census of 1891, and that 298 of these deaths, representing an annual rate of 3·4 per 1,000 persons, were caused by the principal zymotic diseases.† The death-rate for the city (from all causes) was 25·2 per 1,000, and for the suburbs 16·4 per 1,000, the district rates ranging from 13·8 for Palmerston, part of, and Crumlin, part of, to 28·8 for No. 1 South City (South Earl-street) District. The death-rate represented by the mortality from the principal zymotic diseases† in the city is 4·0, and in the suburbs 2·1, the rates for the several districts varying from 1·8 in Donnybrook to 5·2 in North City No. 1 East: the 153 deaths from all causes tabulated for the last-named district comprising 5 from whooping-cough, 2 from diphtheria, 5 from enteric fever, and 23 from diarrhœa.

Occupations.—Table III., on page 649, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 18·2 per 1,000 of the persons in that class according to the Census of 1891; in the "Middle Class" the death-rate was 14·4 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 18·0; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 32·1.

* Exclusive of 7 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.
† See note (*) on page 650.

Ages.—Of the 2,042 persons whose deaths were registered in the Dublin Area during the quarter, 716 were under 5 years of age, this number being equal to an annual mortality of 77·4 in every 1,000 children at that age (according to the Census of 1891); 156 were between the ages of 5 and 20, representing an annual death-rate of 6·1 per 1,000 persons of that age period: the total number under 20 years being equal to an annual mortality of 25·1 per 1,000 of the population at that age (according to the Census of 1891):—334, or 11·1 per 1,000 persons, were between 20 and 40; —423, or 25·9 per 1,000, between 40 and 60;—348, or 58·6 per 1,000, between 60 and 80; and 65, or 142·9 per 1,000, were aged 80 and upwards, including 13 persons (4 males and 9 females) stated to have been nonagenarians.

Public Institutions.—Of the 2,042 deaths recorded during the quarter, 739, or 37·4 per cent., occurred in public institutions, viz., 398 in the various hospitals, prisons, and lunatic asylums; 174 in the North Dublin Union Workhouse; 153 in the South Dublin Union Workhouse; and 14 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for the quarter, deduced from the mean weekly temperature, as returned from the Ordnance Survey Office, Phœnix Park, was 57·7°. At Greenwich the mean temperature was 61·9°; at Glasgow, 58·6°; and at Edinburgh, 57·7°.

The rainfall at Dublin during the thirteen weeks measured 11·950 inches; at Greenwich, 4·38 inches; at Glasgow, 9·63 inches; and at Edinburgh, 10·37 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 29th September, 1900,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Zymotic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

Registrars' Districts.	Population, 1891.	Quarter (13 Weeks) ended 29th September, 1900. Annual Rate of Mortality per 1,000 Living represented by Deaths: From all Causes.	From the Principal Zymotic Diseases.*	Total Deaths.	Number of Deaths from Principal Zymotic Diseases: Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).
North City, No. 1, E.,	27,147	22·5	5·2	153	.	.	.	.	5	2	.	5	23	19	17	4
" " W.,	34,836	27·1	4·4	236	.	.	.	.	3	2	.	2	31	37	25	3
" 2,	28,871	26·9	4·7	194	.	.	.	.	7	1	2	3	21	32	19	6
" 3,	26,055	24·1	4·0	157	.	.	.	.	3	1	.	3	19	27	11	3
South City, No. 1,	33,194	28·8	3·6	239	.	.	1	1	2	1	.	3	22	40	34	6
" 2,	18,547	24·8	3·9	115	.	.	.	.	1	2	.	1	14	19	8	2
" 3,	40,558	24·2	3·0	245	.	.	1	.	9	.	.	2	18	42	30	6
" 4,	35,793	23·1	3·5	207	.	.	.	.	2	.	.	1	28	35	27	6
Clontarf & Howth, No. 1,	4,138	15·4	2·9	16	.	.	.	.	.	.	.	1	2	3	2	1
Coolock & Drumcondra, No. 1,	10,730	16·8	2·6	45	.	.	.	.	.	.	.	.	7	9	7	.
Finglas and Glasnevin, part of,	4,240	21·7	2·8	23	.	.	.	.	.	1	.	.	2	1	1	.
Palmerston, part of, and Crumlin, part of,	7,273	13·8	2·2	25	.	.	.	.	.	.	.	2	2	5	2	.
Rathmines,†	27,796	16·8	2·0	117	.	.	1	.	4	1	.	3	5	14	9	5
Donnybrook,	24,629	14·6	1·8	90	.	.	.	.	3	1	.	.	7	11	7	9
Blackrock,†	8,401	16·2	1·9	34	.	.	.	.	1	.	.	.	3	4	3	.
Kingstown, Nos. 1 and 2 †	17,386	18·4	2·3	80	.	.	.	.	4	.	1	.	5	12	4	3
Total City, North,	116,909	25·3	4·5	740	.	.	.	.	18	6	2	13	94	115	72	18
Total City, South,	128,092	25·2	3·4	806	.	.	2	1	14	3	.	7	82	136	99	20
Total City, N. & S.,	245,001	25·2	4·0	1,546	.	.	2	1	32	9	2	20	176	251	171	38
Total Suburbs,	104,593	16·4	2·1	430	.	.	1	.	12	3	1	6	33	59	35	18
Total Registration Area,	349,594	22·6	3·4	1,976	.	.	3	1	44	12	3	26	209	310	206	56
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				66	.	.	.	.	.	2	.	2	1	5	3	7

* See note (*) on page 650. † The Urban District.

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the **13 weeks ending Saturday, 29th September, 1900**; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class.	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths (13 Weeks) ending Saturday, 29th September, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	23·4	2,042	716	156	334	423	348	65	.	.	3	1	44	14	3	28	210	303	315	93	209	63	1,059
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	18·2	71	3	3	5	13	33	14	.	.	.	.	.	1	.	.	3	4	3	.	8	4	52
II.	MIDDLE CLASS,	81,469	14·4	294	73	27	52	66	54	22	.	.	1	.	4	2	.	6	21	34	44	6	28	4	178
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	99,377	18·0	446	141	48	91	99	60	7	.	.	.	.	13	4	2	12	46	77	80	19	42	13	215
IV.	GENERAL SERVICE CLASS,	147,978	32·1	890	447	68	120	154	90	11	.	.	2	.	26	7	1	10	129	175	111	67	88	39	410
V.	INMATES OF WORKHOUSES,	5,191		341	52	10	66	91	111	11	.	.	.	1	1	.	.	.	11	13	77	1	43	3	204
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,989	15·5	31	2	1	4	6	13	5	.	.	.	.	.	1	.	.	2	3	2	.	2	3	21
	2. Merchants and Manufacturers, Higher Class,	1,857	15·1	7	.	1	.	1	3	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	4
	3. Persons of Rank and Property, not otherwise described,	5,733	23·0	33	1	1	1	6	17	7	.	.	.	.	.	.	.	.	1	1	.	.	4	1	27
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.	5,877	17·7	26	5	.	6	8	6	1	.	.	.	.	.	.	.	1	2	3	2	.	2	.	19
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	26,036	10·4	68	20	7	4	18	16	3	.	.	.	.	1	1	.	.	5	7	7	2	8	1	43
	6. Clerks and Commercial Assistants,	25,001	17·8	111	37	11	33	19	9	2	.	.	1	.	3	1	.	4	10	19	23	4	9	2	54
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	24,555	14·5	89	11	9	9	21	23	16	.	.	.	.	.	–	.	1	4	5	12	.	9	1	62
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	7,431	29·6	55	19	10	15	6	5	.	.	.	.	.	2	2	.	4	10	18	10	2	1	3	21
	9. Building and Furnishing Trades,	26,294	23·1	152	54	18	23	37	16	4	.	.	.	.	4	1	2	2	18	27	21	7	12	4	81
	10. Clothing Trades,	23,927	9·4	56	17	6	12	13	8	.	.	.	.	.	2	.	.	2	7	11	10	.	6	.	29
	11. Food Supply Trades,	7,949	14·6	29	6	3	6	7	6	1	.	.	.	.	.	.	.	.	4	4	7	1	3	.	14
	12. Other Trades and Callings ranking with Trades,	26,937	20·0	135	38	10	29	35	21	2	.	.	.	.	4	1	.	4	6	15	28	7	15	5	65
	13. Petty Shopkeepers,	6,839	11·1	19	7	1	6	1	4	.	.	.	.	.	1	.	.	.	1	2	4	2	5	1	5
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	30·0	103	65	9	11	4	14	.	.	.	.	.	4	3	.	1	23	31	6	7	11	1	47
	15. Domestic Servants,	39,967	7·2	72	14	6	16	14	18	4	.	.	.	.	.	.	.	3	4	7	14	4	4	2	41
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	34·8	94	36	10	17	21	10	.	.	.	1	.	3	.	.	2	10	16	14	6	9	7	42
	17. Hawkers, Porters, Labourers, &c.,	83,472	29·8	621	332	43	76	115	48	7	.	.	1	.	19	4	1	4	92	121	77	50	64	29	280
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	–	341	52	10	66	91	111	11	.	.	.	1	1	.	.	.	11	13	77	1	43	3	204

Twenty-three Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-two of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 19·7 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—

Carrickfergus, 12·6; Newtownards, 13·0; Sligo, 14·0; Armagh, 14·8; Waterford, 15·6; Dundalk, 15·7; Portadown, 15·7; Cork, 16·8; Lurgan, 16·8; Limerick, 17·0; Ballymena, 17·7; Drogheda, 18·1; Kilkenny, 18·1; Belfast, 18·9; Lisburn, 18·9; Queenstown, 18·9; Clonmel, 19·1; Newry, 19·4; Tralee, 19·7; Londonderry, 20·1; Wexford, 20·1; Galway, 28·1.

The average annual rate represented by the deaths from the principal zymotic diseases* in the 23 districts is 2·7 per 1,000 of the population, the rates varying from 0·0 in Kilkenny to 6·6 per 1,000 in Queenstown; the 43 deaths from all causes in Queenstown comprising 10 from whooping-cough and 5 from diarrhœa.

The following is a synopsis of the mortality from the principal zymotic diseases* in the *twenty-two provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter.

Small-pox.—No deaths from small-pox were rgistered in any of the 22 districts during the quarter.

Measles caused 17 deaths—8 in Galway, 4 in Belfast, 2 each in Londonderry and Clonmel, and 1 in Portadown.

Scarlatina caused 9 deaths—3 each in Belfast and Cork, and 1 each in Waterford Clonmel and Tralee.

Typhus Fever caused 8 deaths—2 deaths occurred in Cork, 2 in Tralee, and 1 death occured in each of the following districts :—Belfast, Londonderry, Drogheda, and Wexford.

Whooping-cough caused 37 deaths—17 occurred in Belfast, 10 in Queenstown, 7 in Ballymena, and 1 death each in Limerick, Clonmel, and Sligo.

Diphtheria caused 15 deaths—9 occurred in Belfast, and 1 death occurred in each of the following districts :—Londonderry, Waterford, Dundalk, Tralee, Ballymena, and Newtownards.

Simple-continued or *Ill-defined Fever* caused 4 deaths—1 in Belfast, 1 in Waterford, 1 in Drogheda, and 1 in Newry.

Enteric Fever caused caused 89 deaths—80 occurred in Belfast, 6 in Lisburn, 1 in Waterford, 1 in Dundalk, and 1 in Ballymena.

Diarrhœa caused 228 deaths—145 occurred in Belfast, 27 in Cork, 13 in Londonderry, and 12 in Waterford. For other districts, see Table IV.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and ill-defined fever, enteric fever, diarrhœa, and dysentery.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 29th September, 1900,** in the Dublin Registration Area, and in each of the undermentioned Twenty-two Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes.

TOWNS AND DISTRICTS.	Census Statistics of Districts.*		REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 29TH SEPTEMBER, 1900.																					
			Annual Rate per 1,000 persons represented by			NUMBER REGISTERED.																		
							DEATHS.																	
				DEATHS from						Number caused by														
	Population.	Persons to an Acre.	BIRTHS.	All Causes.	Principal Zymotic Diseases.†	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years and upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
TOTAL OF 23 TOWN DISTRICTS,	1,062,188	12·2	29·8	19·7	2·7	7,915	5,231	1,280	1,043	.	17	12	9	81	27	7	115	437	783	617	125	232	1,346
DUBLIN REGISTRATION AREA,	349,594	14·2	30·6	22·6	3·4	2,677	1,976	490	399	.	.	3	1	44	12	3	26	209	310	206	56	74	673
URBAN DISTRICTS.																								
BELFAST,	359,000	21·2	30·7	18·9	2·9	2,756	1,692	505	255	.	4	3	1	17	9	1	80	145	240	188	38	94	310
CORK,	75,345	33·3	27·8	16·8	1·7	523	316	48	67	.	.	3	2	.	.	.	.	27	52	46	4	9	97
LIMERICK,	37,155	17·9	29·9	17·0	0·4	278	158	25	45	.	.	.	.	1	.	.	.	3	24	34	1	4	61
LONDONDERRY,	33,200	15·3	32·0	20·1	2·0	266	167	28	39	.		.	1	.	1	.	.	13	31	17	3	10	25
WATERFORD,	26,203	18·3	26·7	15·6	2·4	175	102	24	24	.	.	1	.		1	1	1	12	22	18	4	4	38
GALWAY,	13,800	2·6	26·4	28·1	2·3	91	97	21	25	.	8	.	.		.	.	.	.	14	14	1	2	20
DROGHEDA,	13,708	8·7	26·8	18·1	0·6	92	62	7	10	.	.	.	1		.	1	.	.	7	3	.	5	16
NEWRY,	12,961	18·5	21·6	19·4	1·2	70	63	13	12	.	.	.	.	.	.	1	.	3	7	11	4	6	1
DUNDALK,	12,449	9·0	28·0	15·7	1·0	87	49	10	16	.	.	.	.	.	1	.	1	1	2	6	1	2	10
LISBURN,	12,250	10·8	23·2	18·9	2·6	71	58	14	12		.	.	.	.	.	.	6	2	10	7	.	2	13
WEXFORD,	11,545	24·0	21·1	20·1	0·3	61	58	8	9	.	.	.	1	.	.	.	.	.	10	4	2	4	9
LURGAN,	11,429	13·4	31·9	16·8	1·1	91	48	16	11	.	.	.	.	.	.	.	.	3	6	6	2	2	9
KILKENNY,	11,048	12·0	28·2	18·1	–	78	50	7	21	.	.	.	.	.	.	.	.	.	6	6	.	.	13
CLONMEL,	10,708	8·2	22·0	19·1	2·2	59	51	11	13	.	2	1	.	1	.	.	.	2	7	12	.	1	21
SLIGO,	10,274	3·4	20·2	14·0	0·8	52	36	6	14	.	.	.	.	1	.	.	.	1	4	1	.	2	4
TRALEE,	9,318	15·9	41·6	19·7	4·3	97	46	6	12	.	.	1	2	.	1	.	.	6	8	10	.	2	15
BALLYMENA,	9,252	9·3	30·7	17·7	4·8	71	41	9	8	.	.	.	.	7	1	.	1	2	4	3	1	.	.
NEWTOWNARDS,	9,197	19·0	26·5	13·0	0·4	61	30	6	9	.	.	.	.	.	1	.	.	.	2	5	1	.	6
QUEENSTOWN,	9,082	17·0	27·3	18·9	6·6	62	43	12	10	.	.	.	.	10	.	.	.	5	3	9	.	.	1
CARRICKFERGUS,	8,923	0·5	24·2	12·6	0·9	54	28	2	12	.	.	.	.	.	.	.	.	2	6	4	5	5	
PORTADOWN,	8,430	11·0	41·3	15·7	0·5	87	33	6	13	.	1	.	.	.	.	.	.	.	5	5	.	1	.
ARMAGH,	7,317	21·4	30·6	14·8	0·5	56	27	6	7	.	.	.	.	.	.	.	.	1	3	2	2	3	4

* The Population iven or Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is he population according to the Census of 1891.
note (*) on page 650.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended 29th SEPTEMBER, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1891 represented by the Deaths from All Causes and from the principal Zymotic Diseases; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES; &c.

REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	97	The estimate of the present Population of Belfast now adopted (see Table 1.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		100	25	13	54	8	.	2	.	.	2	.	.	.	9	15	18	5	9	22
" 2 "	37,589	366			215	44	21	108	42	.	.	.	.	3	.	.	15	17	29	20	5	22	46
" 3 "	38,845	393			251	89	26	108	28	.	.	.	.	1	1	.	12	27	36	29	3	6	28
" 4 "	33,391	368			224	78	21	97	33	.	.	.	1	.	2	.	9	7	22	27	7	16	79
" 5 "	21,284	182			92	17	12	43	20	.	.	.	.	1	.	.	6	6	9	21	1	5	24
" 6 "	43,481	268			193	50	18	85	40	.	.	.	.		.	1	5	21	27	20	3	6	33
" 7 "	1,112	17			12	4	1	6	1	.	1		.	.	.	.	.	2	1	1	.	2	5
" 8 "	4,904	88			29	9	1	15	4	.	.	2	.	.	.	.	1	.	5	8	.	1	1
" 9 "	12,866	156			92	25	10	41	16	.	.	.	.	1	1	.	2	6	16	10	1	1	17
" 10 "	12,256	214			181	41	18	56	16	.	.	1	.	.	.	.	11	13	24	12	.	3	19
" 11 "	19,881	261			137	47	11	58	21	.	.	.	.	3	1	.	7	18	21	12		7	19
" 12 "	23,282	316			166	62	23	64	17	.	.	.	.	4	4	.	11	19	23	16	7	13	16
" 13 "	6,804	131			49	19	4	17	9	.	1	.	.	.	.	.	1	.	5	4	1	2	.
" 14 "	362	4			1	.	.	1	.	.		.	.	.	.	.	.	.	.	.	1	1	1
Total,	278,079	2,756			1,692	505	179	753	255	.	4	3	1	17	9	1	80	145	240	188	38	94	310
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	69	18·8	0·7	56	5	.	32	19	.	.	.	.	.	.	.	.	2	16	5	.	1	32
" 2 "	9,252	73	15·1	2·2	35	7	9	16	3	.	.	1	1	.	.	.	.	3	6	4	.	2	11
" 3 "	9,816	56	20·4	2·9	50	4	5	33	8	.	.	.	.	.	.	.	.	7	8	15	.	.	22
" 4 "	10,356	68	12·0	1·5	31	5	4	14	8	.	.	1	.	.	.	.	.	3	6	5	1	1	8
" 5 "	8,157	50	10·8	2·0	21	5	4	8	4	.	.	.	.	.	.	.	.	4	.	3	.	2	1
" 6 "	8,823	92	20·4	0·5	45	10	5	21	9	.	.	.	.	.	.	.	.	1	5	6	2	2	5
" 7 "	17,034	129	18·8	2·1	78	12	12	38	16	.	.	1	1	.	.	.	.	7	11	8	1	1	18
Total,	75,345	523	16·8	1·7	316	48	39	162	67	.	.	3	2	.	.	.	.	27	52	46	4	9	97

GENERAL REGISTER OFFICE,
Charlemont House, Dublin, 20th October, 1900.

ROBERT E. MATHESON,
Registrar-General.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90 WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 6TH OCTOBER, 1900. [No. 40.

General Register Office, Charlemont House,
Dublin, 8th October, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Sept. 15.	Week ending Sept. 22.	Week ending Sept. 29.	Week ending Oct. 6.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 15.	Week ending Sept. 22.	Week ending Sept. 29.	Week ending Oct. 6.	Average Rate for 4 weeks.
23 Town Dists.	21·1	20·5	20·1	20·9	20·6	Limerick, . .	15·4	22·5	33·7	18·2	22·4
Armagh, . .	7·1	21·4	0·0	21·4	12·5	Lisburn, . .	17·0	17·0	8·5	8·5	12·8
Ballymena, . .	5·6	16·9	28·2	11·3	15·5	Londonderry, .	20·4	14·1	23·6	20·4	19·6
Belfast, . .	19·0	18·0	16·1	18·9	18·0	Lurgan, . .	9·1	0·0	22·8	9·1	10·3
Carrickfergus, .	11·7	17·5	17·5	17·5	16·1	Newry, . .	16·1	28·2	20·1	8·1	18·1
Clonmel, . .	19·5	29·2	29·2	14·6	23·1	Newtownards, .	34·4	11·3	11·3	17·0	18·5
Cork, . . .	21·5	19·4	21·5	22·1	21·1	Portadown, .	12·4	18·6	6·2	12·4	12·4
Drogheda, . .	15·2	7·6	15·2	19·0	14·3	Queenstown, .	51·7	40·2	51·7	28·7	43·1
Dublin, Reg. Area,	24·8	24·5	24·5	26·0	24·9	Sligo, . . .	35·5	15·2	0·0	10·2	15·2
Dundalk, . .	8·4	16·8	8·4	16·8	12·6	Tralee, . .	22·4	22·4	0·0	33·6	19·6
Galway, . .	30·2	18·9	18·9	0·0	17·0	Waterford, .	13·9	17·9	11·9	27·9	17·9
Kilkenny, . .	9·4	33·0	4·7	18·9	16·5	Wexford, . .	36·1	22·6	40·6	4·5	25·9

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 3·6 per 1,000, the rates varying from 0·0 in fourteen of the districts to 5·7 in Queenstown. Among the 130 deaths from all causes registered in Belfast are one from measles, one from scarlatina, 2 from diphtheria, 9 from enteric fever, and 11 from diarrhœa; and the 32 deaths in Cork comprise one from scarlatina, one from enteric fever, and 4 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 175—96 boys and 79 girls; and the deaths to 182—93 males and 89 females.

DEATHS.

The deaths, which are 31 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 27·1 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 26·0 per 1,000. During the forty weeks ending with Saturday last the death-rate averaged 29·7, and was 2·4 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 38 deaths from zymotic diseases registered during the week, being 8 over the number for the preceding week, and 13 over the average for the corresponding week of the past 10 years; these include 28 deaths from diarrhœa—25 of these deaths occurred in children under 5 years of age—5 deaths from whooping-cough, 3 deaths from enteric fever, and one death each from measles and erysipelas.

Tubercular disease caused 26 deaths, namely—14 from pulmonary tuberculosis, 7 from tabes mesenterica, 3 from tubercular meningitis, and 2 from scrofula.

Diseases of the respiratory system caused 23 deaths, being 2 over the average for the corresponding week of the past 10 years, and 9 over the number which occurred in the preceding week; of these 11 were due to bronchitis, 5 to pneumonia., 3 to croup, and 2 to pleurisy.

Convulsions caused the deaths of 15 children—7 of these were under one month old, 7 were over one month but under one year, and one was between one year and 5 years of age.

Cancer caused 7 deaths; one death was due to epilepsy, and 3 deaths were due to other diseases of the brain and nervous system (exclusive of convulsions); 13 deaths were caused by diseases of the circulatory system.

Seven accidental deaths were registered.

In 16 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 15 children under 5 years of age, including 9 infants under one year old.

Eighty-eight of the persons whose deaths were registered during the week were under 5 years of age (66 being infants under one year, of whom 22 were under one month old) and 31 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 4 were octogenarians.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, 10 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 26·0 per 1,000; the rate in the city was 28·9 (27·7 on the North side, and 30·1 on the South), and in the Suburbs 18·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 5·4 per 1,000 inhabitants, the rate for the city being 6·6 (7·1 in the North City Districts, and 6·1 in the South), and for the Suburbs 2·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 17·3 per 1,000. Enteric fever caused one death.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 28·4 per 1,000. Diarrhœa caused 7 deaths, and measles and whooping-cough each one death; pulmonary tuberculosis caused one death.

No. 2 *North City District* (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 37·9 per 1,000. Diarrhœa caused 5 deaths, pulmonary tuberculosis caused 1 death, and 2 deaths were due to diseases of the respiratory system.

No. 3 *North City District* (Blackhall-place).—The deaths (13) represent an annual rate of 26·0 per 1,000. Diarrhœa caused 1 death, one death was due to erysipelas, and 1 death was caused by pulmonary tuberculosis.

* See Table VI.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 25·1 per 1,000. Diarrhœa caused 3 deaths, 2 deaths were due to pulmonary tuberculosis, 3 deaths were caused by diseases of the brain and nervous system.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·1 per 1,000. Enteric fever and whooping-cough each caused 1 death, two deaths were due to pulmonary tuberculosis, and 2 deaths were caused by diseases of the brain and nervous system.

No. 3 South City District (Peter-street).—The deaths (32) are equal to an annual rate of 41·1 per 1,000. Diarrhœa caused 5 deaths and whooping-cough 2 deaths, one death was due to enteric fever, and 2 deaths to pulmonary tuberculosis; 7 deaths were caused by diseases of the respiratory system and 5 deaths were due to diseases of the brain and nervous system.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·3 per 1,000. Diarrhœa caused 2 deaths and pulmonary tuberculosis 1 death, while 3 deaths were due to diseases of the respiratory system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 24·3; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 14·3; Rathmines, 20·6; Donnybrook, 21·2; Blackrock, 6·2; and Kingstown, 18·0. The deaths from zymotic diseases tabulated for these districts consist of one from whooping-cough for Clontarf and Howth, No. 1, one from diarrhœa for Finglas and Glasnevin, part of, and 3 from diarrhœa for Rathmines. Of the 11 deaths tabulated for Rathmines, 5 were from diseases of the respiratory system; the 10 deaths for Donnybrook include 2 from phthisis and 2 from convulsions; and the 6 deaths for Kingstown comprise 2 from pneumonia.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	15th September, . . .	65 cases.
" "	22nd September, . . .	78 cases.
" "	29th September, . . .	71 cases.
" "	6th October, . . .	56 cases.

Of the 56 cases notified, 9 were erysipelas, 24 enteric fever, 9 scarlatina, 4 measles, 1 diphtheria, 5 continued fever, 1 typhus fever, and 3 German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th October, 1900.

From this it appears that:—

Fourteen cases of scarlatina were admitted to hospital, 10 were discharged, no death occurred, and 53* cases remained under treatment at the close of the week.

Twelve cases of enteric fever were admitted to hospital, 17 were discharged, one death occurred, and 87 cases remained under treatment at the close of the week.

Two cases of typhus fever were admitted to hospital, 5 cases remaining under treatment at the close of the week.

There was no case of diphtheria admitted to hospital, 2 were discharged, leaving 13 cases under treatment.

Ten cases of measles remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 15·8) was equal to an average annual death-rate of 17·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·3 per 1,000, the rate for Glasgow being 19·9, and for Edinburgh 17·7.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 6th October, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 6th October, 1900. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No in Public Institutions.
Total of 23 Town Districts	1,062,188	12·2	26·0	20·9	3·6	529	425	122	81	.	3	2	.	5	3	.	13	48	47	57	8	14	105
Dublin Registration Area:—																							
Total,‡	349,594	14·2	26·1	26·0	5·4	175	174	66	28	.	1	.	.	5	.	.	3	27	12	22	7	8	54
Registrars' Districts. City	245,001	65·6	29·2	28·9	6·6	137	136	52	21	.	1	.	.	4	.	.	3	23	10	14	5	6	43
Clontarf &c. No. 1,	4,138	1·5	25·2	25·2	12·6	2	2	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	1
Coolock & Drumcondra, No. 1,	10,780	1·6	4·9	24·3	.	1	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Finglas & Glasnevin, pt. of (a),	4,240	0·8	.	12·3	12·3	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Palmerston, part of and Crumlin part of (b),	7,278	8·0	21·5	14·3	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Rathmines,‖	27,796	16·2	22·5	20·6	5·6	12	11	6	1	.	.	.	.	.	.	.	.	3	.	5	.	.	2
Donnybrook,	24,629	12·4	25·4	21·2	.	12	10	5	2	.	.	.	.	.	.	.	.	.	2	1	1	1	2
Blackrock,‖	8,401	7·8	18·6	6·2	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Kingstown, 1 & 2,‖	17,886	11·9	15·0	18·0	.	5	6	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Urban Districts																							
Belfast,	359,000	21·8	31·2	18·9	3·5	215	130	33	29	.	1	1	.	.	2	.	9	11	19	19	1	2	27
Cork,	75,345	33·3	17·3	22·1	4·2	25	32	4	6	.	.	1	.	.	.	.	1	4	3	5	.	1	11
Limerick,	37,155	17·9	22·5	18·2	2·8	16	18	3	1	.	.	.	.	.	.	.	.	2	2	1	.	.	3
Londonderry,	33,200	15·3	26·7	20·4	1·6	17	13	2	5	.	1	.	.	.	.	.	.	.	3	3	.	.	2
Waterford,	26,208	18·3	23·9	27·9	4·0	12	14	2	1	.	.	.	.	.	.	.	.	2	1	2	.	.	1
Galway,	18,800	2·6	11·3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	13,708	8·7	15·2	19·0	.	4	5	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Newry,	12,961	18·5	16·1	8·1	.	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk,	12,449	9·0	20·9	16·8	4·2	5	4	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Lisburn,	12,250	10·8	8·5	8·5	.	2	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Wexford,	11,545	24·0	22·6	4·5	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	13·4	27·4	9·1	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Kilkenny,	11,048	12·0	33·0	18·9	.	7	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	3
Clonmel,	10,708	8·2	34·1	14·6	.	7	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Sligo,	10,274	3·4	10·2	10·2	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	9,818	15·9	.	33·6	5·6	.	6	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	3
Ballymena,	9,252	9·3	28·2	11·3	.	5	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Newtownards,	9,197	19·0	.	17·0	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Queenstown,	9,082	17·0	40·2	28·7	5·7	7	5	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Carrickfergus	8,928	0·5	17·5	17·5	.	3	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Portadown	8,430	11·0	37·1	12·4	.	6	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Armagh,	7,187	21·4	21·4	21·4	.	3	3	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Towns and Districts.	Meteorology.† Week ending 6th Oct., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§61·6	35·6	50·4	0·99	§67·8	41·1	54·1	0·64	§67·3	37·8	56·2	0·54
City	63·1	39·3	51·9	1·03	68·9	44·6	56·3	0·40	68·2	49·1	58·9	0·51
Clontarf &c. No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	61·8	35·0	50·8	0·99	69·9	40·0	54·8	0·52	69·9	41·6	57·3	0·54
Palmerston, part of and Crumlin part of (b),	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	66	41	53·5	0·60	70	45	57·8	0·20	68	50	60·0	0·14
Urban Districts												
Belfast,	59·1	36·0	49·7	1·31	64·6	40·1	54·3	1·44	67·1	44·1	56·0	0·42
Cork,	60	42	52·7	2·28	62	46	56·2	0·76	65	47	59·5	0·23
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	59·0	38·0	48·4	1·81	63·8	42·0	52·4	2·40	72·0	46·0	56·9	0·21
Waterford,	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	.	.	.	.	65	43	56	1·20	74	46	59	0·54
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	59·2	36·4	49·4	1·20	64·9	42·2	53·3	1·33	64·8	44·8	56·7	0·32
Dundalk,	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	59·2	36·4	49·4	1·20	64·9	42·2	53·3	1·33	64·8	44·8	56·7	0·32
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	59·2	36·4	49·4	1·20	64·9	42·2	53·3	1·33	64·8	44·8	56·7	0·32
Kilkenny,	62	30	50·7	1·10	62	34	54·0	0·72	71	39	57·6	0·40
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	58·7	37·4	48·7	1·84	63·8	42·2	52·7	2·01	66·5	36·6	55·5	0·31
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	58	37	49·0	1·06	65	40	52·8	1·37	63	45	55·9	0·50
Queenstown,	60	42	52·7	2·28	62	46	56·2	0·76	65	47	59·5	0·23
Carrickfergus	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	59·2	36·4	49·4	1·20	64·9	42·2	53·3	1·33	64·8	44·8	56·7	0·32
Armagh,	59·2	36·4	49·4	1·20	64·9	42·2	53·3	1·33	64·8	44·8	56·7	0·32

(a) All the District except that portion in Finglas District Electoral Division (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 8 deaths of persons (including 3 at 60 years or upwards), admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 6th October, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	1	.	.	.	1	2	.	1	.	.	.	.	.	.	.	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	3	.
Diarrhœa, Dysentery,	.	7	5	1	3	.	5	2	.	.	1	.	3	.	.	.	27	1
Other Zymotic Diseases	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	1	9	5	2	3	2	8	2	1	.	1	.	3	.	.	.	37	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	.	1	1	1	2	2	2	1	.	.	.	.	.	2	.	.	12	2
Other Constitutional Diseases,	3	2	3	2	2	1	4	1	.	3	.	.	.	.	.	1	22	1
Total,	3	3	4	3	4	3	6	2	.	3	.	.	.	2	.	1	34	3
V. DEVELOPMENTAL DISEASES,	.	3	4	2	1	.	1	3	.	.	.	.	1	2	.	.	17	1
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	.	.	3	2	3	2	5	.	.	.	.	1	.	2	.	.	18	1
Organs of Special Sense,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Circulatory System,	.	2	1	2	.	2	1	1	.	1	.	.	.	1	1	1	13	.
Respiratory System,	.	1	2	.	1	.	7	3	.	.	.	.	5	1	.	2	22	1
Digestive System,	2	.	.	1	1	.	.	.	.	1	.	1	1	1	.	.	8	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	3	.
Generative System,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Total,	4	4	7	5	5	4	14	6	.	2	.	2	6	5	1	4	69	3
VII. VIOLENT DEATHS,	1	.	1	.	2	.	1	.	1	.	.	.	.	1	.	.	7	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	1	1	2	3	.	.	.	.	1	.	.	1	9	.
Deaths from all Causes,	9	19	21	13	16	10	32	16	2	5	1	2	11	10	1	6	174	8
Annual Rate of Mortality in every 1,000 of the population.	17·3	28·4	37·9	26·0	25·1	28·1	41·1	23·8	25·2	24·3	12·3	14·3	20·6	21·2	6·2	18·0		
	27·7				30·1				18·9								26·0	
	28·9																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	4	4	2	1	3	6	3	1	2	.	1	2	1	.	1	35	6
Workhouse Hospitals,	.	2	6	2	2	1	1	2	.	.	.	1	.	1	1	.	19	2

*CITY REGISTRATION DISTRICTS.—NORTH CITY.—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office. 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office; Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Judo.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 40th Week of the 10 years 1890–99.	In the week ending Saturday, 6th October, 1900.								
												Deaths of persons of the Ages of								
	Oct. 4, 1890	Oct. 10, 1891	Oct. 8, 1892	Oct. 7, 1893	Oct. 6, 1894	Oct. 5, 1895	Oct. 3, 1896	Oct. 9, 1897	Oct. 8, 1898	Oct. 7, 1899		ALL AGES.	0 to 5.							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 54·6	° 53·1	° 45·8	° 48·9	° 47·9	° 51·4	° 53·2	° 51·2	° 56·4	° 46·1	° 50·9	° 50·4								
ALL CAUSES,	131	153	134	156	158	143	135	147	155	196	150·8	182	22	44	22	12	22	29	27	4
I. FEBRILE OR ZYMOTIC DISEASES,	24	28	14	36	22	14	16	21	22	56	25·3	38	2	18	10	1	2	4	.	1
II. PARASITIC DISEASES,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	.	.	1	2	1	1	1	.	·7	1	.	.	.	.	.	1	.	.
IV. CONSTITUTIONAL "	36	37	38	40	41	37	30	36	47	41	37·8	37	1	8	3	2	9	7	7	.
V. DEVELOPMENTAL "	9	16	12	9	11	13	11	11	10	13	11·5	18	7	.	.	.	.	.	8	3
VI. LOCAL "	48	55	64	63	67	68	61	66	59	79	63·0	72	9	14	6	7	10	15	11	.
VII. VIOLENT DEATHS,	3	6	2	3	10	7	5	6	3	4	4·9	7	.	.	1	2	1	2	1	.
VIII. ILL-DEFINED CAUSES,	11	9	9	5	6	2	11	6	13	3	7·5	9	3	4	2	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	.	32	3·3	1	.	.	.	1	.	.	.	.
Scarlet Fever,	.	.	.	.	1	2	3	3	.	.	·9	.	.	.	.	.	.	.	.	.
Typhus,	1	2	.	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	1	.	2	.	1	·5	.	.	.	.	.	.	.	.	.
Whooping Cough,	2	4	.	6	.	1	1	.	3	2	1·9	5	.	1	4	.	.	.	.	.
Diphtheria,	1	.	.	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	3	3	7	1	.	6	4	2	4	3·3	3	.	.	.	.	1	2	.	.
Cholera and Chol. Diarr.,	1	.	.	1	1	2	.	1	1	1	·8	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	12	16	9	13	9	6	3	10	14	16	10·8	23	2	17	6	.	1	1	.	1
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	1	1	.	.	.	.	2	1	.	.	·5	.	.	.	.	.	.	.	.	.
Erysipelas,	1	.	1	2	1	.	.	.	.	.	·5	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	.	1	.	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	1	2	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	1	.	3	2	1	.	.	1	.	1·0	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	.	.	1	2	1	1	1	.	·7	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	.	.	1	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	.	2	.	.	1	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	2	.	.	.	.	.	.	.	.	·2	1	.	.	1	.	.	.	.	.
Cancer,	7	5	6	5	7	5	1	5	9	3	5·1	7	.	.	.	.	.	1	6	.
Tabes Mesenterica,	5	4	5	4	3	3	4	1	7	8	4·4	7	.	7	.	.	.	.	.	.
Tubercular Meningitis,	2	4	2	1	4	5	2	3	10	6	3·9	3	1	1	1	.	.	.	.	.
Phthisis,	14	17	18	28	20	17	18	23	14	20	18·9	14	.	.	.	2	6	5	1	.
Scrofula, Tuberculosis,	4	5	2	.	4	5	2	.	7	2	3·1	2	.	.	1	.	.	1	.	.
Other Constitutional Diseases,	3	.	.	1	2	1	1	3	.	2	1·3	3	.	.	.	.	3	.	.	.
V. Developmental Diseases—																				
Premature Birth,	3	3	3	.	5	5	.	4	3	.	2·6	7	7	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	.	1	1	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Old Age,	6	12	9	8	5	7	11	7	7	12	8·4	11	.	.	.	.	.	.	8	3

each Disease registered in the FORTIETH WEEK ending Saturday, 6th October, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 40th Week of the 10 years 1890-99.	In the Week ending Saturday, 6th October, 1900. Deaths of Persons of the Ages of								
	Oct. 5, 1900	Oct. 10, 1891	Oct. 8, 1892	Oct. 7, 1893	Oct. 6, 1894	Oct. 5, 1895	Oct. 3, 1896	Oct. 9, 1897	Oct. 8, 1898	Oct. 7, 1899		All Ages.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 54·6	° 53·1	° 45·8	° 48·9	° 47·9	° 51·4	° 53·2	° 51·2	° 56·4	° 46·1	° 50·9	° 50·4								
VI. Local Diseases.																				
Apoplexy,	1	5	2	.	1	1	3	.	2	4	1·9	.	.	.	.	.	.	.	.	.
Epilepsy,	.	1	.	.	1	.	.	.	2	.	·4	1	.	.	.	1	.	.	.	.
Convulsions,	9	9	11	7	5	9	11	8	7	7	8·3	15	7	7	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	4	2	8	5	7	1	5	11	9	4	5·6	3	.	.	.	2	1	.	.	.
Diseases of Organs of Special Sense,	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	.	1	.	.
Diseases of Circulatory System,	14	8	12	14	17	14	10	12	12	14	12·7	13	.	.	.	.	5	4	4	.
Croup,	1	.	.	.	1	1	1	.	.	1	·5	3	.	.	1	2	.	.	.	.
Bronchitis,	8	9	12	8	13	13	15	14	8	16	11·9	11	1	1	3	1	.	1	4	.
Pneumonia	2	3	6	6	6	8	7	7	6	13	6·4	5	.	.	.	1	.	2	2	.
Pleurisy,	.	2	1	.	1	.	.	.	.	.	·4	2	.	.	.	.	1	1	.	.
Other Diseases of Respiratory System,	2	.	3	2	1	5	1	1	1	1	1·7	2	.	1	1	.	.	.	.	.
Teething,	.	1	.	.	.	.	.	.	.	2	·3	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	1	.	2	2	1	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
Peritonitis	.	1	.	1	1	1	1	.	1	.	·6	.	.	.	.	.	.	.	.	.
Disease of Liver,	4	3	1	3	.	4	1	3	.	5	2·4	2	.	.	.	.	1	1	.	.
Other Diseases of Digestive System,	1	4	3	4	1	5	3	3	2	7	3·3	6	1	3	.	.	.	2	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	4	3	8	3	3	3	4	4	3	3·7	3	.	.	.	.	1	1	1	.
Diseases of Generative System,	.	.	.	1	.	.	.	1	.	.	·2	1	.	.	.	.	.	1	.	.
Accidents of Childbirth,	.	1	.	1	2	1	.	1	2	1	·9	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	1	1	1	1	.	.	1	.	·6	2	.	1	.	.	.	1	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		1	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		1	.	.	2	1	.	.	.	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	2	1	.	.	1	1	2	.	.	.	4·3	.	.	.	.	.	.	.	.	.
By Drowning,		1	.	1	1	2	.	1	2	.		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	1	.	.	.	.	1		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		1	1	1	4	2	3	5	1	1		6	.	.	1	2	1	1	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	1	1	.	1	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	11	9	9	5	6	2	11	6	13	3	7·5	9	3	4	2	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																									
	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
Births registered,	184	225	202	246	222	198	214	199	222	194	198	228	181	208	186	187	245	149	256	221	228	225	177	165	239	175
Average Births in corresponding week of previous 10 years,	194	192	213	214	212	192	201	209	199	208	202	219	193	188	185	185	195	200	196	185	197	183	211	206	204	175
Deaths registered,	230	204	178	204	179	168	176	157	161	167	122	144	124	127	165	129	159	161	147	185	186	154	171	167	167	182
Annual Death-rate per 1,000,	34·3	30·4	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1
Average Deaths in corresponding week of previous 10 years,	184	185	184	178	170	174	167	162	156	164	150	156	149	148	154	162	159	160	157	162	164	170	165	162	160	151
Ages, Under 5 years,	59	66	51	54	52	47	43	43	54	37	29	33	38	32	47	35	40	57	51	79	71	54	70	73	69	88
5—20 „	26	13	15	17	19	20	26	15	14	27	16	13	10	8	13	7	13	9	15	12	21	16	15	7	10	12
20—40 „	29	30	33	47	27	28	30	22	31	35	19	32	25	35	26	18	25	31	17	38	25	25	21	18	30	22
40—60 „	53	32	48	42	36	31	35	40	38	31	29	33	23	24	44	33	39	34	34	35	39	26	34	33	25	29
60—80 „	47	45	27	35	36	36	35	31	19	30	23	27	26	23	30	30	35	26	26	20	26	22	23	32	29	27
80 years and upwards,	16	18	4	9	9	6	7	6	5	7	6	0	2	5	5	6	7	4	4	1	4	11	8	4	4	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ Scarlet Fever,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
„ Whooping-cough,	1	2	2	4	1	1	3	.	5	.	1	2	3	4	5	.	3	1	1	5	4	5	7	3	3	5
„ Diphtheria,	2	2	.	.	.	1	.	.	2	2	1	.	.	.	2	1	.		.	1	4	.	2	1	.	.
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.
„ Enteric Fever,	2	3	5	6	1	3	2	1	2	2	2	.	2	2	2	.	2	.	1	2	2	1	7	3	4	3
„ Diarrhœa, Dysentery,	1	3	3	1	3	2	.	1	2	1	.	1	2	1	4	4	9	19	24	25	33	20	27	24	18	28
„ Phthisis,	28	27	32	29	32	30	32	13	28	28	22	21	26	31	28	19	24	24	20	25	32	22	20	13	31	14
„ Heart Diseases,	17	11	11	17	14	17	11	14	10	11	9	9	10	9	19	17	23	12	12	18	10	14	11	16	10	13
„ Diseases of Respiratory System,	53	47	40	29	34	25	30	23	23	34	27	29	15	20	23	23	14	15	13	14	6	19	18	15	14	23
Violent Deaths,	9	3	4	6	4	5	1	6	4	1	1	5	6	6	5	4	4	5	4	9	2	5	5	5	3	7
Mean Temperature of the Air (Phœnix Park),	46·9	50·2	47·6	48·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·2	54·1	50·4
Average Mean Temperature in corresponding week of previous 10 years,	45·3	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9
Rainfall in inches,	·735	·170	·190	·350	·595	·005	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985
Mean Humidity of the Air, complete Saturation 1·0,	·81	·76	·81	·77	·84	·73	·80	·83	·82	·80	·83	·84	·81	·76	·82	·83	·81	·86	·85	·90	·83	·87	·87	·89	·84	83

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th October, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	27·1	182	88	12	22	29	27	4	.	1	.	.	5	.	.	3	23	37	14	15	23	7	86
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	13·4	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	2
II.	MIDDLE CLASS,	81,469	16·0	25	11	1	5	3	5	.	.	.	.	.	1	.	.	.	4	5	1	1	5	.	13
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	24·6	47	25	3	8	11	5	.	.	.	.	.	2	.	.	2	4	8	3	5	8	.	23
IV.	GENERAL SERVICE CLASS,	147,978	36·0	85	48	7	10	11	6	3	.	1	.	.	2	.	.	1	16	20	5	9	7	7	37
V.	INMATES OF WORKHOUSES,	5,191		21	2	1	4	4	9	1	.	.	.	.	.	.	.	.	3	3	5	.	2	.	11
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	19·3	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,857	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	9·1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	24·0	12	6	.	2	2	2	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	8
	6. Clerks and Commercial Assistants,	25,091	12·5	6	3	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	10·6	5	.	1	1	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	2
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	7·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	9. Building and Furnishing Trades,	26,294	31·6	16	10	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	4	.	10
	10. Clothing Trades,	23,927	15·2	7	3	1	.	2	1	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.	5
	11. Food Supply Trades,	7,949	13·1	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	33·8	17	10	.	1	3	3	.	.	.	.	.	.	.	.	1	3	4	1	4	3	.	5
	13. Petty Shopkeepers,	6,839	30·4	4	.	1	.	3	.	.	.	.	.	.	.	.	.	1	1	2	1	.	1	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,799	37·9	10	7	.	2	.	1	.	.	.	.	.	.	.	.	.	3	3	.	1	1	.	5
	15. Domestic Servants,	39,967	11·7	9	2	.	3	1	1	2	.	.	.	.	.	.	.	1	3	4	1	.	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	38·5	8	4	1	1	1	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	2	2
	17. Hawkers, Porters, Labourers, &c.,	88,472	36·1	58	35	6	4	9	3	1	.	1	.	.	2	.	.	.	9	12	2	7	5	5	26
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	21	2	1	4	4	9	1	.	.	.	.	.	.	.	.	3	3	5	.	2	.	11

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.)	Aug. 18,	25·0	5·8	13	.	.	.	.	.	.	.	1	2	2	1	.
		„ 25,	34·6	7·7	18	.	.	.	.	2	.	.	.	2	3	1	1
		Sept. 1,	42·3	18·4	22	.	.	.	.	.	1	.	.	6	4	1	.
	(*Office,*	„ 8,	26·9	9·6	14	.	.	.	.	.	.	.	1	4	1	1	.
		„ 15,	26·9	11·5	14	.	.	.	.	2	.	.	1	3	.	3	.
	Clarence-street, Nth.	„ 22,	21·1	8·8	11	.	.	.	.	1	.	.	1	.	.	1	.
		„ 29,	25·0	8·8	13	.	.	.	.	.	.	.	.	2	3	.	1
	Pop. (in 1891) 27,147.	Oct. 6,	17·3	1·9	9	.	.	.	.	.	.	.	1	.	.	.	1
	North City, No. 1 (W.)	Aug. 18,	21·0	7·5	14	.	.	.	.	.	.	.	.	5	1	1	.
		„ 25,	32·9	7·5	22	.	.	.	.	.	1	.	.	4	7	2	.
		Sept 1,	26·9	4·5	18	.	.	.	.	.	.	.	.	3	3	1	.
		„ 8,	29·9	.	20	.	.	.	.	.	.	.	.	.	1	6	1
	(*Office,*	„ 15,	40·4	9·0	27	.	.	.	.	.	1	.	.	5	2	3	.
	Summer-hill.)	„ 22,	18·0	4·5	12	.	.	.	.	.	.	.	1	2	1	2	.
		„ 29,	28·4	4·5	19	.	.	.	.	.	.	.	.	3	3	2	.
	Pop. (in 1891) 34,886.	Oct. 6,	28·4	13·5	19	.	1	.	.	1	.	.	.	7	1	1	.
	North City, No. 2.	Aug. 18,	25·3	3·6	14	.	.	.	.	1	.	.	.	1	3	.	1
		„ 25,	36·1	7·2	20	.	.	.	.	.	.	1	.	3	3	.	1
		Sept. 1,	36·1	7·2	20	.	.	.	.	.	.	.	.	4	3	.	1
		„ 8,	28·9	7·2	16	.	.	.	.	3	.	.	.	1	3	2	.
	(*Office,*	„ 15,	21·7	7·2	12	.	.	.	.	.	.	.	2	2	1	2	2
	Lisburn-street.)	„ 22,	27·1	18·6	15	.	.	.	.	.	1	.	.	6	3	.	.
		„ 29,	25·3	7·2	14	.	.	.	.	1	.	.	.	3	3	2	.
	Pop. (in 1891) 28,871.	Oct. 6,	37·9	9·0	21	.	.	.	.	.	.	.	.	5	1	2	1
	North City, No. 3.	Aug. 18,	30·0	6·0	15	.	.	.	.	.	.	.	.	3	4	.	.
		„ 25,	24·0	6·0	12	.	.	.	.	.	.	.	1	2	1	.	.
		Sept. 1,	38·0	12·0	19	.	.	.	.	2	1	.	.	3	2	.	.
		„ 8,	34·0	8·0	17	.	.	.	.	.	.	.	.	4	2	.	.
	(*Office,*	„ 15,	30·0	6·0	15	.	.	.	.	1	.	.	.	2	3	3	.
	Blackhall-place.)	„ 22,	32·0	8·0	16	.	.	.	.	.	.	.	.	4	1	2	.
		„ 29,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	3	1	.
	Pop. (in 1891) 26,055.	Oct. 6,	26·0	2·0	13	.	.	.	.	.	.	.	.	1	1	.	.
	South City, No. 1.	Aug. 18,	28·3	7·9	18	.	.	.	1	.	.	.	.	4	1	3	.
		„ 25,	23·6	4·7	15	.	.	.	.	.	.	.	.	3	1	1	.
		Sept. 1,	29·8	9·4	19	.	.	1	.	.	.	.	1	4	4	1	.
		„ 8,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	1	.
	(*Office,*	„ 15,	23·6	3·1	15	.	.	.	.	.	.	.	1	1	3	2	.
	South Earl-street.)	„ 22,	26·7	3·1	17	.	.	.	.	.	.	.	1	1	.	3	1
		„ 29,	34·6	3·1	22	.	.	.	.	.	.	.	.	2	3	4	.
	Pop. (in 1891) 33,194.	Oct. 6,	25·1	4·7	16	.	.	.	.	.	.	.	.	3	2	1	2
	South City, No. 2.	Aug. 18,	19·7	2·3	7	.	.	.	.	.	.	.	.	1	1	.	.
		„ 25,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	1
		Sept. 1,	19·7	2·3	7	.	.	.	.	.	.	.	.	1	2	.	.
		„ 8,	22·5	3·4	8	.	.	.	.	.	.	.	.	3	1	1	.
	(*Office,*	„ 15,	33·7	16·9	12	.	.	.	.	.	1	.	.	5	2	.	.
	Castle-street.)	„ 22,	19·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.
		„ 29,	16·9	5·6	6	.	.	.	.	.	.	.	.	2	.	.	.
	Pop. (in 1891) 18,547.	Oct. 6,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	2	.	.
	South City, No. 3.	Aug. 18,	23·1	1·3	18	.	.	.	.	.	.	.	.	1	1	4	1
		„ 25,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	3	1
		Sept. 1,	16·7	2·6	13	.	.	.	.	.	.	.	.	2	5	1	.
		„ 8,	25·7	2·6	20	.	.	.	.	.	.	.	.	2	5	2	2
	(*Office,*	„ 15,	32·1	9·0	25	.	.	.	.	2	.	.	1	4	3	1	.
	Peter-street.)	„ 22,	33·4	7·7	26	.	.	.	.	2	.	.	.	4	4	3	.
		„ 29,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	1	1	1
	Pop. (in 1891) 40,558.	Oct. 6,	41·1	10·3	33	.	.	.	.	2	.	.	1	5	2	7	1
	South City, No. 4.	Aug. 18,	23·3	7·3	16	.	.	.	.	.	.	.	.	5	1	2	1
		„ 25,	36·4	13·1	25	.	.	.	.	.	.	.	1	8	1	4	1
		Sept. 1,	33·5	5·8	23	.	.	.	.	.	.	.	.	4	3	1	.
		„ 8,	13·1	4·4	9	.	.	.	.	.	.	.	.	3	1	.	.
	(*Office,*	„ 15,	13·1	5·8	9	.	.	.	.	1	.	.	.	3	2	2	.
	Grand Canal-street.)	„ 22,	32·0	1·5	22	.	.	.	.	.	.	.	.	1	3	2	1
		„ 29,	42·2	5·8	29	.	.	.	.	1	.	.	.	3	7	2	.
	Pop. (in 1891) 35,798.	Oct. 6,	23·3	2·9	16	.	.	.	.	.	.	.	.	2	1	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases; *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Aug. 18,	11·3	.	6	.	.	.	.	.	.	.	.	.	1	.	.
	„ 25,	13·1	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.
	Sept. 1,	22·5	5·6	12	.	.	.	.	2	.	.	.	1	1	.	.
	„ 8,	16·9	1·9	9	.	.	.	.	1	.	.	.	.	2	.	1
	„ 15,	15·8	5·6	10	.	.	1	.	1	.	.	1	.	.	.	1
	„ 22,	22·5	1·9	12	.	.	.	.	.	.	.	.	1	1	1	.
	„ 29,	16·9	3·8	9	.	.	.	.	.	.	.	1	1	2	1	.
	Oct. 6,	20·6	5·6	11	.	.	.	.	.	.	.	.	3	.	5	.
Donnybrook. Pop. (in 1891) 24,629.	Aug. 18,	14·8	2·1	7	.	.	.	.	.	.	.	.	1	1	.	1
	„ 25,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	2	.	4
	Sept. 1,	19·1	.	9	.	.	.	.	.	.	.	.	.	.	.	1
	„ 8,	10·6	2·1	5	.	.	.	.	.	.	.	.	1	.	.	.
	„ 15,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	.	1	.
	„ 22,	19·1	4·2	9	.	.	.	.	.	.	.	.	2	.	.	1
	„ 29,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	1
	Oct. 6,	21·2	.	10	.	.	.	.	.	.	.	.	.	2	1	1
Kingstown. Pop. (in 1891) 17,386.	Aug. 18,	6·0	3·0	2	.	.	.	.	.	.	1	.	.	.	.	.
	„ 25,	30·1	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 1,	12·0	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	„ 8,	36·0	3·0	12	.	.	.	.	1	.	.	.	.	2	3	.
	„ 15,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 22,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 29,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	2	.	.
	Oct. 6,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
Belfast. Pop. in 1900 (Est.) 359,000.	Aug. 18,	21·6	4·2	149	.	.	.	.	3	2	.	8	16	16	12	3
	„ 25,	18·0	3·5	124	.	.	.	.	2	.	.	7	15	16	10	3
	Sept. 1,	19·3	3·8	133	.	.	.	.	.	.	.	10	16	13	9	3
	„ 8,	19·8	4·2	136	.	.	2	.	2	.	.	6	19	14	12	4
	„ 15,	19·0	3·3	131	.	.	1	.	1	2	.	8	11	16	15	1
	„ 22,	18·0	2·5	124	.	.	.	.	2	2	.	8	10	10	17	2
	„ 29,	16·1	2·8	111	.	1	.	1	1	1	.	5	10	16	17	3
	Oct. 6,	18·9	3·5	130	.	1	1	.	.	2	.	9	11	19	19	1
Cork. Pop. (in 1891) 75,345.	Aug. 18,	13·1	.	19	.	.	.	.	.	.	.	.	.	2	4	.
	„ 25,	13·1	2·1	19	.	.	.	.	.	.	.	.	3	3	1	1
	Sept. 1,	13·8	2·8	20	.	.	.	.	.	.	.	.	4	3	3	.
	„ 8,	11·1	1·4	16	.	.	.	.	.	.	.	.	2	2	4	.
	„ 15,	21·5	4·2	31	.	.	2	.	.	.	.	.	4	4	2	.
	„ 22,	19·4	4·2	28	.	.	.	.	.	.	.	.	6	5	1	1
	„ 29,	21·5	2·8	31	.	.	.	.	.	.	.	.	4	2	6	.
	Oct. 6,	22·1	4·2	32	.	.	1	.	.	.	.	1	4	3	5	.
Limerick. Pop. (in 1891) 37,155.	Aug. 18,	7·0	1·4	.	.	.	.	.	.	.	.	.	1	1	2	.
	„ 25,	16·8	.	12	.	.	.	.	.	.	.	.	.	3	3	1
	Sept. 1,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	„ 8,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	„ 15,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
	„ 22,	22·5	.	16	.	.	.	.	.	.	.	.	.	3	3	.
	„ 29,	33·7	1·4	24	.	.	.	.	1	.	.	.	.	3	6	.
	Oct. 6,	18·2	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.
Londonderry Pop. (in 1891) 28,200.	Aug. 18,	28·3	4·7	18	.	.	.	.	.	.	.	.	3	5	2	.
	„ 25,	18·8	.	12	.	.	.	.	.	.	.	.	.	4	.	.
	Sept. 1,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	4	1	.
	„ 8,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.
	„ 15,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	.	1	2
	„ 22,	14·1	3·1	9	.	1	.	.	.	.	.	.	1	2	1	.
	„ 29,	23·6	3·1	15	.	.	.	1	.	.	.	.	1	3	3	.
	Oct. 6,	20·4	1·6	13	.	1	.	.	.	.	.	.	.	3	3	.
Waterford. Pop. (in 1891) 26,200.	Aug. 18,	31·3	4·0	16	.	.	.	.	.	.	.	.	2	6	.	.
	„ 25,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 1,	13·9	2·0	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 8,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	4	2	.
	„ 15,	13·9	6·0	7	.	.	.	.	.	.	.	.	3	1	.	1
	„ 22,	17·9	6·0	9	.	.	.	.	.	.	.	1	2	1	2	.
	„ 29,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	.	.
	Oct. 6,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	1	2	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 6th October, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 60 years.	Ages at Death: 60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	4	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the corrected estimate of the Population through the several Districts not being at present practicable, Death-rates are omitted from this Table.		8	3	.	3	2	.	.	.	.	.	.	.	1	.	3	1	.	.	2
" 2 "	37,539	35			19	4	2	10	3	.	.	.	.	.	.	.	.	2	7	1	.	.	4
" 3 "	38,845	20			16	5	2	5	4	.	.	1	.	.	2	.	.	1	2	1	.	.	2
" 4 "	33,391	19			23	5	5	9	4	.	.	.	.	.	.	.	2	1	3	3	.	1	5
" 5 "	21,284	14			12	3	4	2	3	.	.	.	.	.	.	.	.	.	1	3	.	.	3
" 6 "	43,431	21			15	2	1	4	8	.	.	.	.	.	.	.	2	.	1	6	.	.	4
" 7 "	1,112	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	11			2	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2
" 9 "	12,866	11			7	3	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	2
" 10 "	12,256	21			10	4	1	4	1	.	.	.	.	.	.	.	1	1	1	1	.	.	2
" 11 "	19,881	22			10	3	4	3	.	.	1	.	.	.	.	.	1	4	1	2	.	.	.
" 12 "	23,282	24			7	1	3	2	1	.	.	.	.	.	.	.	.	2	.	1	.	.	1
" 13 "	6,804	10			1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" 14 "	362	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	215			130	33	22	46	29	.	1	1	.	.	2	.	9	11	19	19	1	2	27
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	2	17·5	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2
" 2 "	9,252	4	28·2	.	5	1	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2
" 3 "	9,816	4	21·2	10·6	4	.	1	3	.	.	.	.	.	.	.	.	1	1	.	1	.	.	2
" 4 "	10,856	5	30·2	15·1	6	1	3	2	.	.	.	1	.	.	.	.	.	2	.	1	.	.	1
" 5 "	8,187	1	25·6	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	1	1
" 6 "	8,823	2	11·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	7	21·4	3·1	7	1	2	2	2	.	.	.	.	.	.	.	.	1	.	2	.	.	3
Total,	75,845	25	22·1	4·2	2	4	6	16	6	.	.	1	.	.	.	.	1	4	3	5	.	1	11

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Apr. 14.	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.
No. of week in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered,	197	225	261	213	244	218	218	218	219	241	213	204	236	155	263	220	241	222	171	206	193	221	224	185	219	215
DEATHS registered,	149	124	127	171	188	153	141	134	123	141	130	136	126	108	136	133	155	126	149	124	133	136	131	124	111	130
Annual Death-rate per 1,000 of estimated Population,	21·6	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9
AGES, Under 1 year,	29	21	27	33	26	34	20	25	26	24	26	28	26	22	34	39	56	39	52	40	44	45	44	34	30	38
AGES, 1–5 years,	18	12	13	23	14	27	10	13	13	17	15	15	14	13	15	15	20	9	17	7	18	15	11	17	8	22
AGES, 5–60 years,	79	56	64	86	76	65	87	76	60	72	61	76	67	55	65	61	58	58	65	56	49	54	56	56	53	46
AGES, 60 years and upwards,	23	35	23	29	22	27	24	20	24	28	28	17	19	18	22	18	21	20	15	21	22	22	20	17	20	29
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	.	.	.	1	1	.	3	1	1	2	.	.	1	.	1	1	.	.	.	.	.	.	1	1
" Scarlet Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1
" Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Whooping-cough,	1	1	4	8	3	6	1	1	.	1	1	2	1	2	3	.	.	.	3	2	.	2	1	2	1	.
" Diphtheria,	2	1	1	1	1	1	.	1	1	.	.	1	.	1	.	.	1	.	2	.	.	.	2	2	1	2
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	5	5	3	8	5	12	5	11	10	11	6	2	6	7	1	6	5	8	8	7	10	6	8	3	5	9
" Diarrhœa, Dysentery,	1	2	3	4	1	2	1	3	1	1	4	4	2	1	8	11	19	7	16	15	16	19	11	10	10	11
" Phthisis,	13	14	23	31	31	23	34	22	18	2	20	32	20	20	20	22	30	27	16	16	13	14	16	10	16	19
" Diseases of Respiratory System,	38	26	24	33	31	32	31	29	28	24	18	17	24	10	22	14	13	13	12	10	9	12	15	17	17	19
Violent Deaths,	.	2	2	2	3	4	5	2	1	4	7	3	3	3	3	3	5	2	3	3	3	4	1	2	3	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th October, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Meningitis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	2	,	3	.	.	.	.	1	1	2	.	.	9
" " 2,	.	.	2	.	.	.	.	.	4	5	1	.	.	12
" " 3,	.	.	1	2	.	.	1	.	.	7	.	.	.	11
South City No. 1,	.	2	.	4	1	.	.	.	.	5	4	.	.	16
" " 2,	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" " 3,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" " 4,	.	.	.	.	.	.	.	.	.	3	1	.	.	4
Total,	.	4	3	9	1	.	1	.	5	24	9	.	.	56
Total for week ended Sept. 29, 1900,	.	6	4	8	2	.	4	1	7	22	17	.	.	71
Total for week ended Sept. 22, 1900,	.	22	3	5	1	1	1	.	7	27	11	.	.	78
Total for week ended Sept. 15, 1900,	.	4	.	4	1	1	2	1	4	40	8	.	.	65

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th October, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th October.			
	Sept. 15.	Sept. 22.	Sept. 29.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	7	16	16	4	10	.	10
Scarlet Fever,	44	46	49	14	10	.	53*
Typhus ,,	1	4	3	2	.	.	5
Diphtheria,	13	11	15	.	2	.	13
Enteric Fever,	94	99	93	12	17	1	87
Pneumonia,	17	16	18	4	5	2	15

* Exclusive of 6 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Oct. 6,	2,319	1,391	15·8	.	4	14	29	18	15	110
EDINBURGH,	302,262	„ 6,	159	103	17·7	.	3	.	3	2	.	6
GLASGOW,	743,969	„ 6,	450	285	19·9	1	6	5	2	7	11‖	26
CALCUTTA,	466,460	Aug. 4,	.	301	33·6	9	.	1	.	.	74‡	38*
BOMBAY,	821,764	Sept. 18,	270	1,065	67·4	2	.	?	?	?	106§	237*
MADRAS,	452,518	„ 7,	480	503	57·7	.	3	?	?	?	134	140*
PARIS,	2,511,629	„ 29,	1,100	868	17·9	6	4	1	5	2	23	73
BRUSSELS (with 8 Faubourgs).	570,844	„ 22,	246	147	13·4	.	1	.	.	3	5	25
AMSTERDAM,	528,646	„ 22,	264	144	14·6	.	1	.	1	3	3	2
ROTTERDAM,	327,815	„ 15,	220	95	15·1	.	.	.	3	1	1	.
THE HAGUE,	205,328	„ 15,	111	55	13·8	.	1	.	.	.	.	.
COPENHAGEN,	354,000	„ 29,	175	103	15·1	.	.	.	.	1	1	11
CHRISTIANIA,	226,423	„ 29,	206	67	15·4	.	.	.	.	.	.	13
ST. PETERSBURG,	1,132,677	„ 22,	638	500	23·0	4	9	14	20	4	12	93
BERLIN,	1,859,512	„ 8,	919	757	21·2	.	5	11	8	12	1	266
HAMBURG,	691,349	„ 29,	.	224	16·8	.	1	3	1†	2	2	33
DRESDEN,	407,500	Aug. 25,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU,	412,959	Sept. 29,	.	195	24·6	.	.	.	1	4	1	36
MUNICH,	463,000	June 30,	332	208	23·4	.	4	.	1	3	1	49
VIENNA (with suburbs).	1,656,662	Sept. 22,	792	539	16·9	.	1	4	6†	3	5	121
BUDA-PESTH,	685,340	„ 15,	418	204	15·5	.	.	6	3	.	3	15
PRAGUE and Faubourgs.	391,693	„ 22,	193	133	17·7	.	.	.	1	.	1	1
ROME,	518,333	Aug. 25,	170	160	16·1	.	.	.	2	.	7	33
TURIN (10 days),	344,203	„ 20,	198	152	16·1	.	1	.	1†	.	5	20
VENICE,	172,924	„ 25,	82	61	18·3	.	.	.	1†	.	3	7
NEW YORK,	3,654,594	Sept. 1,	1,486	1,269	19·2	.	5	4	17	11	20	172
PHILADELPHIA,	1,266,832	„ 15,	.	420	17·2	.	2	1	16	1	10	29

* Including 10 deaths from cholera in Calcutta, 103 in Bombay, and 52 in Madras. † Including deaths from croup. ‡ Exclusive of 21 deaths from bubonic fever. § Exclusive of 102 deaths from bubonic fever. ‖ Including one death from bubonic plague.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 6th October, 1900:—

"Changeable and distinctly autumnal weather marked this period. On Sunday morning the trough of a series of V.-shaped depressions stretched south-south-westwards from Aberdeenshire to the Land's End. In Ireland the weather was fair with N.W. winds, after heavy rain during the previous night. In Great Britain S. and S.W. winds still blew, accompanied with rain. Another V.-shaped depression advanced eastwards across the British Isles on Tuesday, bringing with it showers and squalls—first from S.W., afterwards from N.W. In its wake a great dip in temperature occurred—the screened thermometer falling on Tuesday night to 34° at Parsonstown (Birr) and 39° in Dublin. During Wednesday night the lowest temperatures were 30° at Nairn, 32° at Wick, 33° at Loughborough, 34° at Aberdeen, 35° at Leith, and 36° at Shields and Birr. In the course of Wednesday night a dangerous depression came in suddenly over Ireland, travelling northeastwards. It was attended by S.E. and S. gales and downpours of rain. At Roche's Point the measurement was 1·60 inches at 8 a.m. of Thursday. The centre of the disturbance reached the Shetlands on Friday morning, where the barometer was about 29 inches. On Saturday another depression came in from the Atlantic, bringing S.W. gales and showers. Some thunder and lightning accompanied the depressions abovementioned. In Dublin the mean height of the barometer was 29·692 inches, pressure ranging from 29·978 inches at 9 a.m. of Wednesday (wind, W.N.W.) to 29·329 inches at 9 a.m. of Thursday (wind, S.S.E.). The corrected mean temperature was 51·9°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 50·5°. The screened thermometers rose to 63·1° on Saturday, having fallen to 39·3 on Wednesday. S.W. winds prevailed. Bright sunshine was estimated at 36 hours. The rainfall was 1·031 inches on six days. ·618 inch being measured on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·699 inches. The highest reading (29·978) was on Wednesday at 9 a.m., wind W., and the lowest (29·339) on Thursday at 9 a.m., wind S.E.

The mean temperature for the week was 50·4°, being ·5° under the average for the corresponding week of the ten years 1890–99. The temperature was highest on Saturday, when the thermometer registered 61·6°, and was lowest on Wednesday, the mercury having fallen to 35·6°. The mean of the Dry Bulb for the week was 50·2°, and of the Wet Bulb 47·7°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 33·6 hours. The rainfall measured ·985 in.

At Greenwich the mean temperature for the week was 54·2°, the maximum 66·7°, and the minimum 38·1°; at Glasgow the maximum was 58·3°, the minimum 33·5°, and the mean 48·6°, and at Edinburgh the maximum was 57·2°; the minimum 35·3°, and the mean 49·1°. The rainfall at Greenwich measured 0·54 in.; at Glasgow 1·54 ins.; and at Edinburgh 1·02 ins.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 30,	29·664	58·4	44·9	51·7	48·9	46·8	·85	·4	8·0	—	W.	W.
Monday, Oct. 1,	29·795	57·0	45·1	51·1	51·7	48·6	·83	·5	5·1	·110	S.W.	S.W.
Tuesday, „ 2,	29·721	59·8	41·9	50·9	47·9	45·7	·86	·5	4·4	·185	S.W.	Calm.
Wednesday, „ 3,	29·947	55·1	35·6	45·4	46·5	43·5	·79	·5	8·5	·350	W.	S.
Thursday, „ 4,	29·383	60·0	45·6	52·8	51·9	50·1	·88	·6	1·9	·175	S.E.	S.W.
Friday, „ 5,	29·622	53·3	43·6	48·5	47·3	44·7	·82	·4	3·5	·080	S.W.	W.S.W.
Saturday, „ 6,	29·749	61·6	43·4	52·5	57·2	54·2	·81	·4	2·2	·085	S.W.	S.W.
Mean, . .	29·699	57·9	42·9	50·4	50·2	47·7	·83	·5	Total 33·6	Total ·985	Prevailing Wind, S.W.	

Sunday—A fine but cloudy day; night clear p.m., cloudy a.m. *Monday*—A cloudy day; rain 12.10 to 12.45 and 9 to 10 p.m.; night cloudy. *Tuesday*—A cloudy day; rain and hail showers 11.30 a.m. to 6 p.m.; night clear. *Wednesday*—A beautiful day; light clouds; lunar halo p.m.; night cloudy, rain 3.45 to 9 a.m. *Thursday*—A cloudy day; rain 9 to 9.30, showery 2 to 5; night cloudy. *Friday*—A cloudy day; showery 3.45 p.m. to 3 a.m.; night cloudy. *Saturday*—A cloudy day; rain 2 to 4 p.m.; night cloudy and showery.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 174. 6. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90 WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 13TH OCTOBER, 1900. [No. 41.

General Register Office, Charlemont House,
Dublin, 15th October, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Sept. 22.	Week ending Sept. 29.	Week ending Oct. 6.	Week ending Oct. 13.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 22.	Week ending Sept. 29.	Week ending Oct. 6.	Week ending Oct. 13.	Average Rate for 4 weeks.
23 Town Dists.	20·5	20·1	20·9	20·9	20·6	Limerick, . .	22·5	33·7	18·2	21·1	23·9
Armagh, . .	21·4	0·0	21·4	28·5	17·8	Lisburn, . .	17·0	8·5	8·5	12·8	11·7
Ballymena, . .	16·9	28·2	11·3	33·8	22·5	Londonderry, .	14·1	23·6	20·4	18·8	19·2
Belfast, . .	18·0	16·1	18·9	19·3	18·1	Lurgan, . .	0·0	22·8	9·1	31·9	16·0
Carrickfergus, .	17·5	17·5	17·5	11·7	16·1	Newry, . .	28·2	20·1	8·1	8·1	16·1
Clonmel, . .	29·2	29·2	14·6	4·9	19·5	Newtownards, .	11·3	11·3	17·0	28·3	17·0
Cork, . . .	19·4	21·5	22·1	15·9	19·7	Portadown, .	18·6	6·2	12·4	0·0	9·3
Drogheda, . .	7·6	15·2	19·0	19·0	15·2	Queenstown, .	40·2	51·7	28·7	23·0	35·9
Dublin, Reg. Area,	24·5	24·5	26·0	26·4	25·3	Sligo, . . .	15·2	0·0	10·2	15·2	10·2
Dundalk, . .	16·8	8·4	16·8	16·8	14·7	Tralee, . .	22·4	0·0	33·6	5·6	15·4
Galway, . .	18·9	18·9	0·0	22·7	15·1	Waterford, .	17·9	11·9	27·9	9·9	16·9
Kilkenny, . .	33·0	4·7	18·9	33·0	22·4	Wexford, . .	22·6	40·6	4·5	4·5	18·1

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·4 per 1,000, the rates varying from 0·0 in thirteen of the districts to 17·3 in Queenstown; the 4 deaths from all causes registered in that district comprising 3 from whooping-cough. Among the 133 deaths from all causes registered in Belfast are one from whooping-cough, 2 from diphtheria, 4 from enteric fever, and 6 from diarrhœa; and the 23 deaths in Cork comprise 3 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 152—80 boys and 72 girls; and the deaths to 183—99 males and 84 females.

DEATHS.

The deaths, which are 20 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 27·3 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 26·4 per 1,000. During the forty-one weeks ending with Saturday last the death-rate averaged 29·6, and was 2·4 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 23 deaths from zymotic diseases during the week, being 15 under the number for the preceding week, and 6 under the average for the corresponding week of the last 10 years; these include 16 deaths from diarrhœa, 4 deaths from enteric fever; whooping-cough, diphtheria, and erysipelas each caused one death.

Tubercular disease caused 41 deaths, namely—26 from pulmonary tuberculosis, 8 from scrofula, 5 from tabes mesenterica, and 2 from tubercular meningitis.

Diseases of the respiratory system caused 29 deaths, namely, 22 from bronchitis and 7 from pneumonia. This number is 6 in excess of the preceding week. and 8 above the average for the corresponding week of the past 10 years.

Convulsions caused the deaths of 13 persons—of these 4 were under one month old, 7 were over one month but under one year of age, and one was between one year and 5 years of age.

Cancer caused 5 deaths; one death was due to apoplexy, and 9 deaths were due to other diseases of the brain and nervous system (exclusive of convulsions); 14 deaths were due to diseases of the circulatory system.

Five accidental deaths were registered.

In 17 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 14 children under 5 years of age (including 12 infants under one year old) and the death of a person aged 75 years.

Sixty-one of the persons whose deaths were registered during the week were under 5 years of age (46 being infants under one year, of whom 16 were under one month old) and 43 were aged 60 years and upwards, including 24 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a woman) was stated to have been aged 98 years.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 26·4 per 1,000; the rate in the city was 30·9 (29·4 on the North side, and 32·2 on the South), and in the Suburbs 16·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 3·1 per 1,000 inhabitants, the rate for the city being 3·6 (2·7 in the North City Districts, and 4·5 in the South), and for the Suburbs 2·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 19·2 per 1,000. Diarrhœa caused 1 death, and pulmonary tuberculosis also caused 1 death.

No. 1 North City District, West (Summer-hill).—The deaths (22) are equal to an annual rate of 32·9 per 1,000. Diarrhœa caused 3 deaths, and enteric fever 1 death; pulmonary tuberculosis caused 2 deaths, and 7 deaths were caused by diseases of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 28·9 per 1,000. Enteric fever caused 1 death, pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system 3 deaths.

No. 3 North City District (Blackhall-place).—The deaths (18) represent an annual rate of 36·0 per 1,000. Erysipelas caused 1 death, pulmonary tuberculosis caused 4 deaths, and diseases of the respiratory system caused 3 deaths.

* See Table VI.

No. 1 South City District (South Earl-street).—The deaths (23) represent an annual rate of 36·1 per 1,000. Diarrhœa caused 3 deaths, pulmonary tuberculosis caused 3 deaths, and 4 deaths were caused by diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·1 per 1,000. Pulmonary tuberculosis caused 1 death.

No. 3 South City District (Peter-street).—The deaths (28) are equal to an annual rate of 36·0 per 1,000. Diarrhœa caused 4 deaths and enteric fever 1 death, 6 deaths were due to pulmonary tuberculosis, and 2 deaths to diseases of the respiratory system.

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·2 per 1,000. Enteric fever, diarrhœa, and whooping-cough caused each one death, one death was due to pulmonary tuberculosis, and 2 deaths were caused by diseases of the respiratory system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, 19·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, 0·0; Finglas and Glasnevin, part of, 49·2; Palmerston, part of, and Crumlin, part of, 14·3; Rathmines, 16·9; Donnybrook, 12·7; Blackrock, 6·2; and Kingstown, 18·0. The deaths from zymotic diseases tabulated for these districts consist of one from diarrhœa for Finglas and Glasnevin, part of, one from diarrhœa for Palmerston, part of, and Crumlin, part of, one from diphtheria for Donnybrook, and one from diarrhœa for Kingstown. Among the 9 deaths from all causes tabulated for Rathmines are 3 from phthisis and 3 from diseases of the brain and nervous system; and the 6 deaths for Donnybrook comprise 2 from cancer.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	22nd September,	78 cases.
" "	29th September,	71 cases.
" "	6th October,	56 cases.
" "	13th October,	76 cases.

Of the 76 cases notified, 12 were erysipelas, 27 enteric fever, 10 scarlatina, 11 measles, 6 diphtheria, 7 continued fever, 1 typhus fever, and 2 German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th October, 1900.

From this it appears that:—

Twenty cases of enteric fever were admitted to hospital, 23 were discharged, and 84 remained under treatment at the close of the week.

Fourteen cases of scarlatina were admitted to hospital, 7 were discharged, 2 died, and 58* cases remained under treatment at the close of the week.

Nine cases of diphtheria were admitted to hospital, 5 cases were discharged, and 17 cases remained under treatment at the close of the week.

One case of typhus fever was admitted during the week, a total of 6 cases remained under treatment at the close of the week.

Sixteen cases of measles were admitted to hospital, one was discharged, and 25 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 14·8) was equal to an average annual death-rate of 17·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·0 per 1,000, the rate for Glasgow being 19·0, and for Edinburgh 14·5.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 13th October, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 13th October, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 13th Oct., 1900. Air Temperature. Absolute High st.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th Oct., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th Sept., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	26·5	20·9	2·4	539	426	103	86	.	1	.	.	6	3	.	8	30	68	55	5	15	101	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	22·7	26·4	3·1	152	177	45	41	.	.	.	.	1	1	.	4	15	25	27	5	7	56	63·9	32·2	52·9	1·06	61·6	35·6	50·4	0·99	67·8	41·1	54·1	0·64
City	245,001	65·6	23·2	30·9	3·6	109	145	39	30	.	.	.	.	1	.	.	4	12	21	23	4	6	53	66·4	38·2	52·9	1·12	63·1	39·3	51·9	1·08	68·9	44·6	56·3	0·40
Registrars' Districts. Clontarf &c. No. 1,	4,188	1·5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·6	24·3	19·4	.	5	4	1	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	24·6	49·2	12·8	2	4	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	66·1	32·8	51·8	1·11	61·8	35·0	50·8	0·99	69·9	40·0	54·8	0·52
Palmerston, part of and Crumlin part of (b),	7,273	8·0	21·5	14·3	7·2	3	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	26·3	16·9	.	14	9	.	4	.	.	.	.	.	.	.	.	.	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	16·9	12·7	2·1	8	6	1	3	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	31·0	6·2	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	18·0	18·0	3·0	6	6	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	67	39	52·7	0·88	66	41	52·5	0·60	70	45	57·8	0·20
Urban Districts																																			
Belfast,	359,000	21·8	33·8	19·3	1·9	233	133	32	19	.	.	.	.	1	2	.	4	6	21	20	.	7	24	63·1	33·6	51·5	1·86	59·1	36·0	49·7	1·31	64·6	40·1	54·3	1·44
Cork,	75,845	38·3	24·2	15·9	2·1	35	23	4	3	.	.	.	.	.	.	.	.	3	5	2	.	.	5	61	40	53·5	0·67	60	42	52·7	2·28	62	46	56·2	0·76
Limerick,	37,155	17·9	16·8	21·1	2·8	12	15	3	3	.	.	.	.	.	.	.	.	2	6	2	.	.	7	61·0	39·0	49·5	1·25	59·0	38·0	48·4	1·81	63·3	42·0	52·4	2·40
Londonderry,	33,200	15·3	25·1	18·8	3·1	16	12	4	2	.	1	.	.	.	.	.	.	1	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,208	18·3	25·9	9·9	.	13	5	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	64	40	53	2·02	60	42	51	3·22	65	43	56	1·20
Galway,	18,800	2·6	11·3	22·7	.	3	6	1	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	13,708	8·7	3·8	19·0	.	1	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	65·4	39·9	50·4	1·34	59·2	36·4	49·4	1·20	64·9	42·2	53·3	1·33
Newry,	12,961	18·5	24·1	8·1	4·0	6	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk,	12,449	9·0	12·6	16·8	.	3	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	65·4	39·9	50·4	1·34	59·2	36·4	49·4	1·20	64·9	42·2	53·3	1·33
Lisburn,	12,250	10·8	34·1	12·8	4·3	8	3	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Wexford,	11,545	24·0	22·6	4·5	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	65·4	39·9	50·4	1·34	59·2	36·4	49·4	1·20	64·9	42·2	53·3	1·33
Lurgan,	11,429	13·4	31·9	31·9	.	7	7	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	63	30	50·9	0·89	62	30	50·7	1·10	62	34	54·0	0·72
Kilkenny,	11,048	12·0	47·2	33·0	.	10	7	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,708	8·2	19·5	4·9	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	3·4	20·3	15·2	.	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	62·2	36·9	50·6	1·10	58·7	37·4	48·7	1·84	63·8	42·2	52·7	2·01
Tralee,	9,818	15·9	11·2	5·6	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·8	28·2	33·8	5·6	5	6	2	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	62	39	50·4	1·40	58	37	49·0	1·06	65	40	52·8	1·37
Newtownards,	9,197	19·0	11·3	28·8	.	2	5	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	61	40	53·5	0·67	60	42	52·7	2·23	62	46	56·2	0·76
Queenstown,	9,082	17·0	11·5	23·0	17·2	2	4	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carrickfergus	8,928	0·5	23·4	11·7	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65·4	39·9	50·4	1·34	59·2	36·4	49·4	1·20	64·9	42·2	53·3	1·33
Portadown	8,480	11·0	37·1	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh,	7,187	21·4	42·8	28·5	7·1	6	4	2	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	65·4	39·9	50·4	1·34	59·2	36·4	49·4	1·20	64·9	42·2	53·3	1·33

(a) All the District except that portion in Finglas District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude.

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 6 deaths of persons (including one under one year old and 1 at 60 years of upwards) admitted to hospital from localities outside the area.

‖ Exclusive of deaths of persons (including one under one year old) admitted to hospital from localities outside the area.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 13th October, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DEUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	821	282	564	797	161	397	587	2737	5924	5095	904	1714	1987	1094	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	1	.	.	.	1	1	.	.	.	.	.	.	.	.	4	.
Diarrhœa, Dysentery,	1	3	.	.	3	.	4	1	.	.	1	1	.	.	.	1	15	1
Other Zymotic Diseases	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	1	4	1	1	3	.	5	3	.	.	1	1	.	1	.	1	23	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	1	2	3	4	3	1	6	1	.	1	.	.	3	.	.	.	25	1
Other Constitutional Diseases,	1	2	4	1	1	1	8	3	.	.	.	.	.	2	1	2	26	.
Total,	2	4	7	5	4	2	14	4	.	1	.	.	3	2	1	2	51	1
V. DEVELOPMENTAL DISEASES,	2	1	.	3	2	2	.	.	.	.	1	.	2	.	.	.	13	.
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	1	4	1	2	4	2	2	2	.	.	1	.	3	.	.	1	23	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	2	.	1	.	3	3	1	1	.	.	.	.	.	1	.	1	13	1
Respiratory System,	1	7	3	3	4	1	2	2	.	.	1	1	1	1	.	.	27	2
Digestive System,	1	1	2	2	.	.	.	3	.	1	.	.	.	1	.	.	11	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	12	7	8	12	6	5	9	.	2	2	1	4	3	.	2	78	4
VII. VIOLENT DEATHS,	.	1	1	.	.	.	1	1	.	1	.	.	.	.	.	.	5	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	1	2	.	3	1	.	.	.	.	.	.	.	1	8	.
Deaths from all Causes,	10	22	16	18	23	10	23	18	.	4	4	2	9	6	1	6	177	6
Annual Rate of Mortality in every 1,000 of the population.	19·2	32·9	28·9	36·0	36·1	28·1	36·0	26·2	.	19·4	19·2	14·3	16·9	12·7	6·2	18·0	26·4	
	29·4				32·2				16·0									
	30·9																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	5	2	4	1	4	3	.	.	.	.	2	1	.	.	27	6
Workhouse Hospitals,	2	4	6	4	5	3	2	3	.	.	.	.	.	.	.	.	29	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blacknall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 41st Week of the 10 years 1890-99.	In the week ending Saturday, 13th October, 1900.								
												Deaths of persons of the Ages of								
	Oct. 11, 1890	Oct. 17, 1891	Oct. 15, 1892	Oct. 14, 1893	Oct. 13, 1894	Oct. 12, 1895	Oct. 10, 1896	Oct. 16, 1897	Oct. 15, 1898	Oct. 14, 1899		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 52·5	° 47·0	° 44·7	° 46·6	° 52·8	° 47·6	° 47·4	° 49·5	° 48·9	° 48·0	° 48·5	Mean Temp. ° 50·9								
ALL CAUSES,	132	164	139	164	144	180	158	161	167	225	163·4	183	16	30	15	9	32	38	34	9
I. FEBRILE OR ZYMOTIC DISEASES,	25	22	9	26	21	33	27	21	28	74	28·6	23	1	7	5	2	1	3	3	1
II. PARASITIC DISEASES,	1	.	1	1	1	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	1	2	1	2	.	1	1	1	1	1·1	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	28	36	38	48	39	45	42	41	38	47	39·7	52	1	6	4	3	21	12	5	.
V. DEVELOPMENTAL "	8	8	7	8	5	12	5	12	17	18	10·0	13	4	.	.	.	.	.	5	4
VI. LOCAL "	60	78	68	62	65	75	72	74	68	72	69·4	82	7	13	5	4	10	20	19	4
VII. VIOLENT DEATHS,	5	2	5	3	3	9	4	6	2	3	4·2	5	.	.	1	.	.	2	2	.
VIII. ILL-DEFINED CAUSES,	9	17	9	15	8	6	7	6	13	9	9·9	8	3	4	.	.	.	1	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	2	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	1	.	.	.	.	1	44	4·7	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	1	4	1	2	2	1·0	.	.	.	.	.	.	.	.	.
Typhus,	1	.	.	1	.	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	1	2	2	3	2	1·1	.	.	.	.	.	.	.	.	.
Whooping Cough,	2	2	.	3	2	3	2	1	1	.	1·6	1	.	.	1	.	.	.	.	.
Diphtheria,	.	.	.	.	1	1	.	2	.	1	·5	1	.	.	.	.	.	.	1	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	6	9	4	9	7	5	4	7	3	7	6·1	4	.	.	.	1	1	1	1	.
Cholera and Chol. Diarr.,	1	.	1	.	.	1	1	1	3	1	·9	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	9	9	3	7	3	16	9	3	11	14	8·4	16	1	7	4	1	.	1	1	1
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	1	1	2	.	2	3	2	1·1	.	.	.	.	.	.	.	.	.
Erysipelas,	1	.	.	1	1	.	.	1	.	.	·4	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	1	.	.	.	.	.	1	1	1	.	·4	.	.	.	.	.	.	.	.	.
Puerperal Fever,	2	1	.	1	1	.	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	1	1	1	3	1	1	.	.	1	1·0	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	1	1	1	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	1	1	1	2	.	1	.	1	1	·9	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	1	2	1	.	.	.	.	.	·4	1	.	.	.	.	1	.	.	.
Rheumatism,	.	1	1	1	.	.	1	.	.	1	·5	1	.	.	.	.	.	1	.	.
Gout,	.	1	.	.	1	.	.	.	.	.	·2	1	.	.	.	.	.	.	1	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	8	4	5	2	3	6	9	8	1	7	4·3	5	.	.	.	.	.	2	3	.
Tabes Mesenterica,	6	4	5	6	5	10	7	4	7	8	6·2	5	1	3	1	.	.	.	.	.
Tubercular Meningitis,	1	2	1	3	3	3	2	4	4	7	3·0	2	.	2	.	.	.	.	.	.
Phthisis,	12	20	16	32	22	18	19	24	20	22	20·5	26	.	.	.	1	17	7	1	.
Scrofula, Tuberculosis,	1	3	9	2	3	7	2	5	5	1	3·8	8	.	1	3	2	2	.	.	.
Other Constitutional Diseases,	.	1	.	.	1	1	2	1	1	1	·8	3	.	.	.	.	1	2	.	.
V. Developmental Diseases—																				
Premature Birth,	.	2	1	.	.	1	1	1	2	6	1·4	4	4	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	8	6	6	7	5	11	4	11	15	12	8·5	9	.	.	.	.	.	.	5	4

each Disease registered in the FORTY-FIRST WEEK ending Saturday, 13th October, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 41st Week of the 10 years 1890-99.	In the Week ending Saturday, 13th October, 1900. Deaths of Persons of the Ages of								
	Oct. 11, 1890	Oct. 17, 1891	Oct. 15, 1892	Oct. 14, 1893	Oct. 13, 1894	Oct. 12, 1895	Oct. 10, 1896	Oct. 16, 1897	Oct. 15, 1898	Oct. 14, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 52·5	° 47·0	° 44·7	° 46·6	° 52·8	° 47·6	° 47·4	° 49·5	° 48·9	° 48·0	° 48·5	Mean Temp. ° 50·9	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases.																				
Apoplexy,	1	2	2	3	2	3	3	1	.	2	1·9	1	.	.	.	.	.	.	.	1
Epilepsy,	.	2	1	2	2	.	1	.	1	.	·9	.	.	.	.	.	.	.	.	.
Convulsions,	10	17	11	8	14	14	5	3	14	9	10·5	13	4	7	1	1	.	.	.	.
Other Diseases of Brain and Nervous System,	6	5	5	7	5	4	5	3	4	11	5·5	9	.	1	.	.	3	2	3	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	13	10	16	11	16	12	19	16	10	10	13·3	14	.	.	.	2	3	3	5	1
Croup,	1	.	.	.	.	1	1	2	.	.	·5	.	.	.	.	.	.	.	.	.
Bronchitis,	12	14	9	9	9	12	10	17	14	15	12·1	22	1	3	2	1	.	8	5	2
Pneumonia	6	11	9	5	5	6	3	7	7	13	7·2	7	.	1	.	.	2	2	2	.
Pleurisy,	.	1	1	.	.	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	1	1	2	.	1	1	1	4	1	.	1·2	.	.	.	.	.	.	.	.	.
Teething,	1	.	.	1	.	.	.	1	1	2	·6	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	1	1	.	1	.	2	1	1	2	2	1·1	3	1	1	.	.	.	1	.	.
Peritonitis	.	1	1	1	.	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
Disease of Liver,	1	2	1	3	3	5	3	4	6	.	2·8	3	1	.	.	.	.	2	.	.
Other Diseases of Digestive System,	2	5	7	6	1	5	9	6	6	4	5·1	5	.	.	1	.	1	1	2	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	5	3	.	4	4	5	8	5	1	3	3·8	3	.	.	.	.	.	1	2	.
Diseases of Generative System,	.	2	1	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	3	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	1	1	1		1	1	1	.	.	·9	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		1	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	5	.	1	.	.	1	1	1	.	.	3·6	2	.	.	.	.	.	1	1	.
By Drowning,		.	.	2	1	.	.	2	.	1		2	.	.	1	.	.	1	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		.	2	.	2	5	2	3	1	1		1	.	.	.	.	.	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	1	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	1	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	17	9	15	8	6	7	6	13	9	9·9	8	3	4	.	.	.	1	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																									
	April 21.	April 28.	May 5.	May 12.	May 19.	May 26	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 18.
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
Births registered,	225	202	246	222	198	214	199	222	194	198	228	181	208	186	187	245	149	256	221	228	225	177	165	239	175	152
Average Births in corresponding week of previous 10 years,	192	213	214	212	192	201	209	199	208	202	219	193	188	185	185	195	200	196	185	197	183	211	206	204	175	172
Deaths registered,	204	178	204	179	168	176	157	161	167	122	144	124	127	165	129	159	161	147	185	186	154	171	167	167	182	183
Annual Death-rate per 1,000,	30·4	26·5	30·4	26·7	25·1	26·8	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3
Average Deaths in corresponding week of previous 10 years,	185	184	178	170	174	167	162	156	164	150	156	149	148	154	162	159	160	157	162	164	170	165	162	160	151	163
Ages, Under 5 years,	66	51	54	52	47	43	43	54	37	29	33	38	32	47	35	40	57	51	79	71	54	70	73	69	88	61
5—20 "	13	15	17	19	20	26	15	14	27	16	13	10	8	13	7	13	9	15	12	21	16	15	7	10	12	9
20—40 "	30	33	47	27	28	30	22	31	35	19	32	25	35	26	18	25	31	17	38	25	25	21	18	30	22	32
40—60 "	32	48	42	36	31	35	40	38	31	29	33	23	24	44	33	29	34	34	35	39	26	34	33	25	29	38
60—80 "	45	27	35	36	36	35	31	19	30	23	27	26	23	30	30	35	26	26	20	26	22	23	32	29	27	34
80 years and upwards,	18	4	9	9	6	7	6	5	7	6	6	2	5	5	6	7	4	4	1	4	11	8	4	4	4	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Scarlet Fever,	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
" Whooping-cough,	2	2	4	1	1	3	.	5	.	1	2	3	4	5	.	3	1	1	5	4	5	7	3	3	5	1
" Diphtheria,	2	.	.	.	1	.	.	2	2	1	.	.	.	2	1	.		.	1	4	.	2	1	.	.	1
" Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.
" Enteric Fever,	3	5	6	1	2	2	1	2	2	2	.	2	2	2	.	2	.	1	2	2	1	7	3	4	3	4
" Diarrhœa, Dysentery,	3	3	1	3	2	.	1	2	1	.	1	2	1	4	4	9	19	24	25	33	20	27	24	18	28	16
" Phthisis,	27	32	29	32	30	32	13	28	28	23	21	26	31	28	19	24	24	20	25	32	22	20	13	31	14	26
" Heart Diseases,	11	11	17	14	17	11	14	10	11	9	9	10	9	19	17	23	12	12	18	16	14	11	16	10	13	14
" Diseases of Respiratory System,	47	40	29	34	25	30	23	23	34	27	29	15	20	23	23	14	15	18	14	6	19	18	15	14	23	29
Violent Deaths,	3	4	6	4	5	1	6	4	1	1	5	6	6	5	4	4	5	4	9	2	5	5	5	3	7	5
Mean Temperature of the Air (Phœnix Park),	50·2	47·6	48·6	48·7	47·0	51·2	52·3	56·6	57·8	53·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·3	54·1	50·4	50·9
Average Mean Temperature in corresponding week of previous 10 years,	46·4	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5
Rainfall in inches,	·170	·190	·350	·585	·005	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055
Mean Humidity of the Air, complete Saturation 1·0,	·76	·81	·77	·84	·73	·80	·83	·82	·80	·88	·84	·81	·76	·82	·83	·81	·86	·85	·90	·88	·87	·87	·89	84	·83	·89

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th October, 1900: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 21 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 13th October, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	27·3	183	61	9	32	38	34	9	.	.		.	1	1	.	4	16	22	26	13	29	5	88
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	16·7	5	.	.	.	2	3	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	4
II.	MIDDLE CLASS,	81,469	19·8	31	7	1	6	3	10	4	.	.	.	.	.	.	.	2	3	5	2	1	6	.	17
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	21·5	41	14	5	7	10	5	.	.	.	.	.	.	.	.	1	6	7	6	4	4	1	19
IV.	GENERAL SERVICE CLASS,	147,978	36·0	77	34	3	12	13	10	5	.	.	.	.	1	.	.	1	6	8	11	8	10	4	36
V.	INMATES OF WORKHOUSES,	5,191		29	6	.	7	10	6	.	.	.	.	.	.	.	.	.	1	1	7	.	9	.	12
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	19·5	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,857	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,783	18·1	2	.	.	.	.	2	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	18·0	9	1	.	3	2	3	.	.	.	.	.	.	.	.	1	.	1	1	.	3	.	4
	6. Clerks and Commercial Assistants,	25,091	16·6	8	2	1	3	.	1	1	.	.	.	.	.	.	.	1	2	3	.	1	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	25·4	12	3	.	.	1	5	3	.	.	.	.	.	.	.	.	1	1	1	.	3	.	7
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	28·0	4	2	.	1	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	1	.	.
	9. Building and Furnishing Trades,	26,294	27·7	14	6	.	3	3	2	.	.	.	.	.	.	.	.	.	2	2	2	2	1	.	7
	10. Clothing Trades,	23,927	8·7	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1
	11. Food Supply Trades,	7,949	6·5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,987	25·1	13	3	3	1	5	1	.	.	.	.	.	.	.	.	.	2	2	1	.	1	1	8
	13. Petty Shopkeepers,	6,889	38·0	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	30·3	8	2	.	.	3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	7
	15. Domestic Servants,	39,967	9·1	7	.	.	2	1	2	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	33·7	7	4	.	2	1	.	.	.	.	.	.	1	.	.	.	.	1	3	2	.	.	1
	17. Hawkers, Porters, Labourers, &c.,	33,472	34·3	55	28	3	8	8	7	1	.	.	.	.	.	.	.	1	6	7	5	5	10	4	24
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	29	6	.	7	10	6	.	.	.	.	.	.	.	.	.	1	1	7	.	9	.	12

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	Aug. 25,	34·6	7·7	18	.	.	.	.	2	.	.	.	2	3	1	1
		Sept. 1,	42·3	13·4	22	.	.	.	.	.	1	.	.	6	4	1	.
		„ 8,	26·9	9·6	14	.	.	.	.	.	.	.	1	4	1	1	.
		„ 15,	26·9	11·5	14	.	.	.	.	2	.	.	1	3	.	3	.
		„ 22,	21·1	3·8	11	.	.	.	.	1	.	.	1	.	.	1	.
		„ 29,	25·0	3·8	13	.	.	.	.	.	.	.	.	2	3	.	1
		Oct. 6,	17·3	1·9	9	.	.	.	.	.	.	.	1	.	.	.	1
		„ 13,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	Aug. 25,	32·9	7·5	22	.	.	.	.	.	1	.	.	4	7	2	.
		Sept 1,	26·9	4·5	18	.	.	.	.	.	.	.	.	3	3	1	.
		„ 8,	29·9	.	20	.	.	.	.	.	.	.	.	.	1	6	1
		„ 15,	40·4	9·0	27	.	.	.	.	.	1	.	.	5	2	3	.
		„ 22,	18·0	4·5	12	.	.	.	.	.	.	.	1	2	1	2	.
		„ 29,	28·4	4·5	19	.	.	.	.	.	.	.	.	3	3	2	.
		Oct. 6,	28·4	13·5	19	.	1	.	.	1	.	.	.	7	1	1	.
		„ 13,	32·9	6·0	22	.	.	.	.	.	.	.	1	3	2	7	1
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Aug. 25,	36·1	7·2	20	.	.	.	.	.	.	1	.	3	3	.	1
		Sept. 1,	36·1	7·2	20	.	.	.	.	.	.	.	.	4	3	.	1
		„ 8,	28·9	7·2	16	.	.	.	.	3	.	.	.	1	3	2	.
		„ 15,	21·7	7·2	12	.	.	.	.	.	.	.	2	2	1	2	2
		„ 22,	27·1	12·6	15	.	.	.	.	.	1	.	.	6	3	.	.
		„ 29,	25·3	7·2	14	.	.	.	.	1	.	.	.	3	3	2	.
		Oct. 6,	37·9	9·0	21	.	.	.	.	.	.	.	.	5	1	2	1
		„ 13,	25·9	1·8	16	.	.	.	.	.	.	.	1	.	3	3	1
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Aug. 25,	24·0	6·0	12	.	.	.	.	.	.	.	1	2	1	.	.
		Sept. 1,	38·0	12·0	19	.	.	.	.	2	1	.	.	3	2	.	.
		„ 8,	34·0	6·0	17	.	.	.	.	.	.	.	.	4	2	.	.
		„ 15,	30·0	6·0	15	.	.	.	.	1	.	.	.	2	3	3	.
		„ 22,	32·0	8·0	16	.	.	.	.	.	.	.	.	4	1	2	.
		„ 29,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	3	1	.
		Oct. 6,	26·0	2·0	13	.	.	.	.	.	.	.	.	1	1	.	.
		„ 13,	36·0	.	18	.	.	.	.	.	.	.	.	.	4	3	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 38,194.	Aug. 25,	23·6	4·7	15	.	.	.	.	.	.	.	.	3	1	1	.
		Sept. 1,	29·8	9·4	19	.	.	1	.	.	.	.	1	4	4	1	.
		„ 8,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	1	.
		„ 15,	23·6	3·1	15	.	.	.	.	.	.	.	1	1	3	2	.
		„ 22,	26·7	3·1	17	.	.	.	.	.	.	.	1	1	.	3	1
		„ 29,	34·6	3·1	22	.	.	.	.	.	.	.	.	2	3	4	.
		Oct. 6,	25·1	4·7	16	.	.	.	.	.	.	.	.	3	2	1	2
		„ 13,	36·1	4·7	23	.	.	.	.	.	.	.	.	3	3	4	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Aug. 25,	25·3	.	9	.	.	.	.	.	.	.	.	.	.	1	1
		Sept. 1,	19·7	2·8	7	.	.	.	.	.	.	.	.	1	2	.	.
		„ 8,	22·5	8·4	8	.	.	.	.	.	.	.	.	3	1	1	.
		„ 15,	33·7	16·9	12	.	.	.	.	.	1	.	.	5	2	.	.
		„ 22,	19·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.
		„ 29,	16·9	5·6	6	.	.	.	.	.	.	.	.	2	.	.	.
		Oct. 6,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	2	.	.
		„ 13,	28·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Aug. 25,	28·3	2·6	22	.	.	.	.	2	.	.	.	.	4	3	1
		Sept. 1,	16·7	2·6	13	.	.	.	.	.	.	.	.	2	5	1	.
		„ 8,	25·7	2·6	20	.	.	.	.	.	.	.	.	2	5	2	2
		„ 15,	32·1	9·0	25	.	.	.	.	2	.	.	1	4	3	1	.
		„ 22,	33·4	7·7	26	.	.	.	.	2	.	.	.	4	4	3	.
		„ 29,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	1	1	1
		Oct. 6,	41·1	10·3	32	.	.	.	.	2	.	.	1	5	2	7	1
		„ 13,	36·0	6·4	28	.	.	.	.	.	.	.	1	4	6	.	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798.	Aug 25,	36·4	13·1	25	.	.	.	.	.	.	.	1	3	1	4	1
		Sept. 1,	33·5	5·8	23	.	.	.	.	.	.	.	.	4	3	1	.
		„ 8,	18·1	4·4	9	.	.	.	.	.	.	.	.	3	1	.	.
		„ 15,	18·1	5·8	9	.	.	.	.	1	.	.	.	3	2	2	.
		„ 22,	32·0	1·5	22	.	.	.	.	.	.	.	.	1	3	2	1
		„ 29,	42·2	5·8	29	.	.	.	.	1	.	.	.	3	7	2	.
		Oct. 6,	23·3	2·9	16	.	.	.	.	.	.	.	.	2	1	3	.
		„ 13,	26·2	4·4	18	.	.	.	.	1	.	.	1	1	1	2	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted*; also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Aug. 25,	13·1	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.
	Sept. 1,	22·5	5·6	12	.	.	.	.	2	.	.	.	1	1	.	.
	" 8,	16·9	1·9	9	.	.	.	.	1	.	.	.	.	2	.	1
	" 15,	15·8	5·6	10	.	.	1	.	1	.	.	1	.	.	.	1
	" 22,	22·5	1·9	12	.	.	.	.	.	.	.	.	1	1	1	.
	" 29,	16·9	3·8	9	.	.	.	.	.	.	.	1	1	2	1	.
	Oct. 6,	20·6	5·6	11	.	.	.	.	.	.	.	.	3	.	5	.
	" 13,	16·9	.	9	.	.	.	.	.	.	.	.	.	3	1	.
Donnybrook. Pop. (in 1891) 24,629.	Aug. 25,	29·6	2·1	14	.	.	.	.	.	.	.	.	1	2	.	4
	Sept. 1,	19·1	.	9	.	.	.	.	.	.	.	.	.	.	.	1
	" 8,	10·6	2·1	5	.	.	.	.	.	.	.	.	1	.	.	.
	" 15,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	.	1	.
	" 22,	19·1	4·2	9	.	.	.	.	.	.	.	.	2	.	.	1
	" 29,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	1
	Oct. 6,	21·2	.	10	.	.	.	.	.	.	.	.	.	2	1	1
	" 13,	12·7	2·1	6	.	.	.	.	.	1	.	.	.	.	1	.
Kingstown. Pop. (in 1891) 17,386.	Aug. 25,	30·1	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 1,	12·0	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	" 8,	36·0	3·0	12	.	.	.	.	1	.	.	.	.	2	3	.
	" 15,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	2	.	.
	" 22,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	" 29,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	2	.	.
	Oct. 6,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	" 13,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	Aug. 25,	18·0	3·5	124	.	.	.	.	2	.	.	7	15	16	10	3
	Sept. 1,	19·3	3·8	133	.	.	.	.	.	.	.	10	16	18	9	3
	" 8,	19·8	4·2	136	.	.	2	.	2	.	.	6	19	14	12	4
	" 15,	19·0	3·8	131	.	.	1	.	1	2	.	8	11	16	15	1
	" 22,	18·0	2·5	124	.	.	.	.	2	2	.	3	10	10	17	2
	" 29,	16·1	2·8	111	.	1	.	1	1	1	.	5	10	16	17	3
	Oct. 6,	18·9	3·5	130	.	1	1	.	.	2	.	9	11	19	19	1
	" 13,	19·3	1·9	133	.	.	.	.	1	2	.	4	6	21	20	.
Cork. Pop. (in 1891) 75,345.	Aug. 25,	13·1	2·1	19	.	.	.	.	.	.	.	.	3	3	1	1
	Sept. 1,	13·8	2·8	20	.	.	.	.	.	.	.	.	4	3	3	.
	" 8,	11·1	1·4	16	.	.	.	.	.	.	.	.	2	2	4	.
	" 15,	21·5	4·2	31	.	.	2	.	.	.	.	.	4	4	2	.
	" 22,	19·4	4·2	28	.	.	.	.	.	.	.	.	6	5	1	1
	" 29,	21·5	2·8	31	.	.	.	.	.	.	.	.	4	2	6	.
	Oct. 6,	22·1	4·2	32	.	.	1	.	.	.	.	1	4	3	5	.
	" 13,	15·9	2·1	23	.	.	.	.	.	.	.	.	3	4	2	.
Limerick. Pop. (in 1891) 37,155.	Aug. 25,	16·8	.	12	.	.	.	.	.	.	.	.	.	3	3	1
	Sept. 1,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	" 8,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	" 15,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
	" 22,	22·5	.	16	.	.	.	.	.	.	.	.	.	3	3	.
	" 29,	33·7	1·4	24	.	.	.	.	1	.	.	.	.	3	6	.
	Oct. 6,	18·2	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.
	" 13,	21·1	2·8	15	.	.	.	.	.	.	.	.	2	6	2	.
Londonderry Pop. (in 1891) 28,200.	Aug. 25,	18·8	.	12	.	.	.	.	.	.	.	.	.	4	.	.
	Sept. 1,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	4	1	.
	" 8,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.
	" 15,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	.	1	2
	" 22,	14·1	3·1	9	.	1	.	.	.	.	.	.	1	2	1	.
	" 29,	23·6	3·1	15	.	.	1	.	.	.	.	.	1	3	3	.
	Oct. 6,	20·4	1·6	13	.	1	.	.	.	.	.	.	.	3	3	.
	" 13,	18·8	3·1	12	.	1	.	.	.	.	.	.	1	4	3	.
Waterford. Pop. (in 1891) 26,200.	Aug. 25,	13·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 1,	13·9	2·0	7	.	.	.	.	.	.	.	.	1	2	.	.
	" 8,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	4	2	.
	" 15,	13·9	6·0	7	.	.	.	.	.	.	.	.	3	1	.	1
	" 22,	17·9	6·0	9	.	.	.	.	.	.	.	1	2	1	2	.
	" 29,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	.	.
	Oct. 6,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	1	2	.
	" 13,	9·9	.	5	.	.	.	.	.	.	.	.	.	2	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 13th October, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.			The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.																				
BELFAST URBAN, No. 1 DISTRICT,	17,122	11			5	1	.	2	2	.	.	.	.	.	.	.	.	.	1	1	.	1	2
" 2 "	37,589	35			18	5	4	8	1	.	.	.	.	.	.	.	2	1	3	5	.	1	2
" 3 "	38,845	30			13	3	1	6	3	.	.	.	.	1	.	.	.	2	2	1	.	.	.
" 4 "	33,391	35			22	6	3	11	2	.	.	.	.	.	2	.	.	.	3	2	.	.	8
" 5 "	21,284	16			10	1	3	5	1	.	.	.	.	.	.	.	.	.	4	.	.	2	3
" 6 "	48,431	19			15	3	.	9	3	.	.	.	.	.	.	.	1	.	4	1	.	2	1
" 7 "	1,112	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	3			3	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 9 "	12,866	18			8	3	.	4	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 10 "	12,256	18			10	5	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
" 11 "	19,881	21			13	3	1	6	3	.	.	.	.	.	.	.	1	1	1	2	.	.	3
" 12 "	28,282	21			13	2	3	5	3	.	.	.	.	.	.	.	.	2	.	4	.	1	3
" 13 "	6,804	4			3	.	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 14 "	362	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	233			133	32	15	67	19	.	.		.	1	2	.	4	6	21	20	.	7	24
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	6	13·1	.	3	.		2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 2 "	9,252	6	28·2	5·6	5	2	.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	2
" 3 "	9,816	3	15·9	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1
" 4 "	10,856	5	20·1	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	8,187	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	3,823	5	11·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "	17,034	9	18·4	6·1	6	2	.	4	.	.	.	.	.	.	.	.	.	2	2	1	.	.	1
Total,	75,845	35	15·9	2·1	23	4	3	13	3	.	.	.	.	.	.	.	.	3	5	2	.	.	5

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the ast twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Apr. 21.	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.
No. of week in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered,	225	261	213	244	218	218	218	219	241	213	204	236	155	263	220	241	222	171	206	193	221	224	185	219	215	238
DEATHS registered.	124	127	171	138	153	141	134	123	141	130	136	126	108	136	133	155	126	149	124	133	136	131	124	111	130	133
Annual Death-rate per 1,000 of estimated Population,	18·0	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3
AGES, Under 1 year,	21	27	33	26	34	20	25	26	24	26	18	26	22	34	39	56	39	52	40	44	45	44	34	30	38	32
AGES, 1–5 years,	12	13	23	14	27	10	13	13	17	15	15	14	13	15	15	20	9	17	7	18	15	11	17	8	22	15
AGES, 5–60 years,	56	64	86	76	65	87	76	60	72	61	76	67	55	65	61	58	58	65	56	49	54	56	76	53	46	67
AGES, 60 years and upwards,	35	23	29	22	27	24	20	24	28	28	17	19	18	22	18	21	20	15	21	22	22	20	17	20	29	19
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	.	.	.	1	1	.	3	1	1	2	.	.	1	.	1	1	.	.	.	.	.	.	1	1	.
" Scarlet Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.
" Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
" Whooping-cough,	1	4	8	3	6	1	1	.	1	1	2	1	2	3	.	.	.	3	2	.	2	1	2	1	.	1
" Diphtheria,	1	1	1	1	1	.	1	1	.	.	1	.	1	.	.	1	.	2	.	.	.	2	2	1	2	2
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	5	3	8	5	12	5	11	10	11	6	2	6	7	1	6	5	8	8	7	10	6	8	3	5	9	4
" Diarrhœa, Dysentery,	2	3	4	1	2	1	3	1	1	4	4	2	1	8	11	19	7	16	15	16	19	11	10	10	11	6
" Phthisis,	14	23	31	31	23	34	22	18	2	20	32	20	20	20	22	30	27	16	16	13	14	16	10	16	19	21
" Diseases of Respiratory System,	26	24	33	31	32	31	29	23	24	18	17	24	10	22	14	13	13	12	10	9	12	15	17	17	19	20
Violent Deaths,	2	2	2	3	4	5	2	1	4	7	3	3	3	3	3	5	2	3	3	3	4	1	2	3	1	.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th October, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	2	.	.	.	.	.	6	.	.	8
" " 1, West,	.	5	.	2	.	.	1	.	4	5	1	.	18
" " 2,	.	.	.	1	.	.	1	.	.	2	2	.	6
" " 3,	.	3	2	1	.	.	.	.	2	8	4	.	20
South City No. 1,	.	1	.	3	1	.	.	.	.	3	2	.	10
" " 2,	.	.	.	.	.	.	.	.	1	.	1	.	2
" " 3,	.	2	.	1	.	.	.	.	.	.	1	.	4
" " 4,	.	.	.	.	.	.	4	.	.	3	1	.	8
Total,	.	11	2	10	1	.	6	.	7	27	12	.	76
Total for week ended Oct. 6, 1900,	.	4	3	9	1	.	1	.	5	24	9	.	56
Total for week ended Sept. 29, 1900,	.	6	4	8	2	.	4	1	7	22	17	.	71
Total for week ended Sept. 22, 1900,	.	22	3	5	1	1	1	.	7	27	11	.	78

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th October, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th October.			
	Sept. 22.	Sept. 29.	Oct. 6.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	16	16	10	16	1	.	25
Scarlet Fever,	46	49	53	14	7	2	58*
Typhus "	4	3	5	1	.	.	6
Diphtheria,	11	15	13	9	5	.	17
Enteric Fever,	99	93	87	20	23	.	84
Pneumonia,	16	18	15	5	6	1	13

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Oct. 13,	2,429	1,304	14·8	.	11	7	26	27	22	75
EDINBURGH,	302,262	„ 13,	171	84	14·5	.	1	1	1	1	.	2
GLASGOW,	743,969	„ 13,	477	272	19·0	2	1	5	4	10	5‖	17
CALCUTTA,	466,460	Aug. 11,	.	323	36·1	5	.	.	.	.	88‡	53*
BOMBAY,	821,764	Sept. 25,	299	987	62·5	1	.	?	?	?	95§	191*
MADRAS,	452,518	„ 14,	472	525	60·3	.	.	?	?	?	127	172*
PARIS,	2,511,629	Oct. 6,	1,067	849	17·5	7	5	3	3†	6	18	73
BRUSSELS (with 8 Faubourgs).	570,844	Sept. 29,	236	169	15·4	.	1	.	1†	.	1	34
AMSTERDAM,	515,938	„ 29,	240	133	13·4	.	4	.	2	2	4	1
ROTTERDAM,	327,815	„ 22,	260	88	14·0	.	.	.	.	1	1	1
THE HAGUE,	205,328	„ 22,	110	56	14·0	.	.	.	.	.	.	.
COPENHAGEN,	354,000	Oct. 6,	258	90	13·2	.	.	4	.	1	.	8
CHRISTIANIA,	226,423	„ 6,	117	55	12·6	.	1	.	.	.	.	14
ST. PETERSBURG,	1,132,677	Sept. 29,	358	482	22·1	.	4	16	14	7	21	75
BERLIN,	1,863,128	„ 15,	932	679	19·0	.	6	10	14	9	2	189
HAMBURG,	691,349	Oct. 6,	.	214	16·1	.	.	2	2†	2	.	37
DRESDEN,	407,500	Aug. 25,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU,	412,959	Sept. 29,	.	195	24·6	.	.	.	1	4	1	36
MUNICH,	463,000	June 30,	332	208	23·4	.	4	.	1	3	1	49
VIENNA (with suburbs).	1,656,662	Sept. 29,	936	533	16·7	.	5	8	3†	2	3	85
BUDA-PESTH,	685,340	„ 22,	471	217	16·5	.	.	3	2	2	1	12
PRAGUE and Faubourgs.	391,693	„ 29,	193	165	21·9	.	.	.	1	1	2	1
ROME,	518,333	„ 1,	213	157	15·8	.	1	.	.	.	3	31
TURIN (11 days),	344,203	Aug. 31,	201	142	13·7	.	.	.	.	2	2	10
VENICE,	172,924	„ 25,	82	61	18·3	.	.	.	1†	.	3	7
NEW YORK,	3,654,594	Sept. 8,	1,698	1,258	19·1	.	3	2	14	10	27	170
PHILADELPHIA,	1,293,697	„ 22,	.	356	14·3	.	.	2	15	6	5	22

* Including 24 deaths from cholera in Calcutta, 64 in Bombay, and 81 in Madras. † Including deaths from croup. ‡ Exclusive of 20 deaths from bubonic fever. § Exclusive of 89 deaths from bubonic fever. ‖ Including one death from bubonic plague.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 13th October, 1900:—

"Changeable, windy and showery at the beginning and close of this week, the weather was fine and dry from Tuesday evening until Saturday forenoon. As usual in October, some brisk alternations of temperature were recorded. On Sunday the thermometer rose to 66·4° in Dublin and to 69° in London On Monday, 75° was reached in London and 72° at Yarmouth. On Tuesday the maximum at both of these stations was 74°, while 72° was recorded at Loughborough and Oxford, and 70° at Spurn Head, in Yorkshire. On the other hand, the screened thermometer fell on Wednesday night to 38° in Dublin and 34° at Birr and Loughborough. The barometer stood high throughout over France and Germany, whereas depressions skirted the west coasts of Ireland and Scotland, finally passing eastwards or north-eastwards across Scandinavia. A very heavy rainfall was caused in Ireland and afterwards in the North of England and South of Scotland by a small and irregular secondary depression which formed over the S.W. and centre of Ireland early on Tuesday morning. About 2 inches of rain fell at Blacksod Point, Co. Mayo, in connection with this disturbance; and about half that amount at Holyhead, Donaghadee, and Shields. On Saturday morning there was a gale from W.S.W. and rain fell heavily in Dublin for an hour. In this city the mean height of the barometer was 30·010 inches, pressure ranging between 30·264 inches at 9 p.m. of Wednesday (wind, N.W.) and 29·672 inches at 9 a.m. of Saturday (wind W.S.W.). The corrected mean temperature was 52·9°. The mean dry bulb reading at 9 a.m. and 9 p.m was 52·0°. The screened thermometers rose to 66·4° on Sunday and fell to 38·2° on Thursday. South-westerly winds prevailed. Bright sunshine was estimated at 30 hours. The rainfall was 1·122 inches on 4 days, ·688 inch being registered on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·012 inches. The highest reading (30·264) was on Wednesday at 9 p.m., wind W, and the lowest (29·679) on Saturday at 9 a.m., wind S.W.

The mean temperature for the week was 50·9°, being 2·4° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Sunday, when the thermometer registered 63·9°, and was lowest on Thursday, the mercury having fallen to 32·2°. The mean of the Dry Bulb for the week was 51·0°, and of the Wet Bulb 49·3°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 27·0 hours. The rainfall measured 1·055 ins.

At Greenwich the mean temperature for the week was 55·3°, the maximum 74·2°, and the minimum 40·0°; at Glasgow the maximum was 62·9°, the minimum 37·7°, and the mean 50·4°. The rainfall at Greenwich measured 0·03 in.; and at Glasgow 1·48 ins.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Oct. 7,	29·933	63·9	51·9	57·9	60·5	57·6	·83	·4	5·7	·030	S.S.W.	S.W.
Monday, " 8,	30·027	63·7	53·4	58·6	57·5	56·3	·93	·4	0·1	·250	S.	Calm.
Tuesday, " 9,	30·025	55·6	49·2	52·4	50·7	50·2	·97	·3	0·0	·660	N.	N.W.
Wednesday, " 10,	30·241	54·8	40·1	47·5	44·8	43·0	·88	·4	8·7	—	W.	W.
Thursday, " 11,	30·108	53·8	32·2	43·0	47·9	45·5	·84	·5	6·7	—	W.	S.W.
Friday, " 12,	30·024	52·9	42·8	47·9	47·6	46·0	·89	·3	0·1	—	S.W.	S.W.
Saturday, " 13,	29·705	54·1	43·6	48·9	48·3	46·8	·90	·4	5·7	·115	S.W.	W.
Mean, . .	30·012	57·0	44·7	50·9	51·0	49·3	·89	·4	Total 27·0	Total 1·055	Prevailing Wind, S.W.	

Sunday—A fine but cloudy day; night cloudy; rain 2 to 3.30 a.m. *Monday*—A cloudy and showery day; night overcast; rain 12.30 to 9 a.m. *Tuesday*—A dull day; rain 9 to 3 p.m.; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—A cloudy day; night cloudy. *Saturday*—A cloudy day; rain 9.30 to 10.30 a.m.; night cloudy; rain 12.30 to 1 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

10. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 20TH OCTOBER, 1900. [No. 42.

General Register Office, Charlemont House,
Dublin, 22nd October, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks.
	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.			Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	
23 Town Dists.	**20·1**	**20·9**	**20·9**	**20·3**	**20·5**	Limerick, . .	33·7	18·2	21·1	11·2	21·0
Armagh, . .	0·0	21·4	28·5	7·1	14·3	Lisburn, . .	8·5	8·5	12·8	34·1	16·0
Ballymena, .	28·2	11·3	33·8	33·8	26·8	Londonderry, .	23·6	20·4	18·8	14·1	19·2
Belfast, . .	16·1	18·9	19·3	16·3	17·7	Lurgan, . .	22·8	9·1	31·9	18·2	20·5
Carrickfergus, .	17·5	17·5	11·7	11·7	14·6	Newry, . .	20·1	8·1	8·1	28·2	16·1
Clonmel, . .	29·2	14·6	4·9	29·2	19·5	Newtownards, .	11·3	17·0	28·3	28·3	21·2
Cork, . . .	21·5	22·1	15·9	23·5	20·7	Portadown, .	6·2	12·4	0·0	24·7	10·8
Drogheda, . .	15·2	19·0	19·0	15·2	17·1	Queenstown, .	51·7	28·7	23·0	0·0	25·8
Dublin, Reg. Area,	24·5	26·0	26·4	24·9	25·4	Sligo, . . .	0·0	10·2	15·2	35·5	15·2
Dundalk, . .	8·4	16·8	16·8	41·9	21·0	Tralee, . .	0·0	33·6	5·6	0·0	9·8
Galway, . .	18·9	0·0	22·7	11·3	13·2	Waterford, .	11·9	27·9	9·9	23·9	18·4
Kilkenny, . .	4·7	18·9	33·0	18·9	18·9	Wexford, . .	40·6	4·5	4·5	4·5	13·5

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in twelve of the districts to 5·7 in Newtownards. Among the 112 deaths from all causes registered in Belfast are 2 from scarlatina, 4 from enteric fever, and 6 from diarrhœa; and the 34 deaths in Cork comprise 2 from scarlatina, one from enteric fever, and one from diarrhœa.

Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 214—119 boys and 95 girls; and the deaths to 168—80 males and 88 females.

DEATHS.

The deaths, which are 9 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 25·1 in every 1,000 of the population; omitting the death of a person admitted into a public institution from a locality outside the Area, the rate was 24·9 per 1,000. During the forty-two weeks ending with Saturday last the death-rate averaged 29·5, and was 2·4 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 20 deaths from zymotic diseases during the week, being 3 under the number for the preceding week, and 6 under the average for the corresponding week of the past 10 years. Diarrhœa caused 9 deaths (all these deaths occurred in children under 5 years of age), enteric fever caused 4 deaths, ill-defined fever one death, diphtheria 3 deaths, and whooping-cough 2 deaths.

Tubercular disease caused 34 deaths, namely—pulmonary tuberculosis 23 deaths, tabes mesenterica 4 deaths, tubercular meningitis 2 deaths, and other forms of the disease caused 5 deaths.

Diseases of the respiratory system caused 33 deaths, being 4 in excess of the preceding week, and 6 above the average for the corresponding week of the last 10 years. Bronchitis caused 24 deaths, pneumonia 7 deaths, and croup 2 deaths.

Convulsions caused the deaths of 7 children—2 of these were under one month old, and the other 5 were over one month but under one year of age.

Cancer caused 7 deaths; 4 deaths were due to apoplexy, and 6 deaths were due to other diseases of the brain and nervous system (exclusive of convulsions); 12 deaths were due to diseases of the circulatory system.

Two accidental deaths were registered.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under 5 years of age, including 4 infants under one year old.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 10 were under one month old) and 32 were aged 60 years and upwards, including 16 persons aged 70 and upwards, of whom 5 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Fifty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 24·9 per 1,000; the rate in the city was 26·6 (28·1 on the North side, and 25·2 on the South), and in the Suburbs 20·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the city being 2·1 (2·7 in the North City Districts, and 1·6 in the South), and for the Suburbs 4·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (18) are equal to an annual rate of 34·6 per 1,000. Enteric fever caused 1 death, continued fever caused 1 death, whooping-cough caused 1 death, and pulmonary tuberculosis caused 4 deaths, and 2 deaths were due to diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 21·0 per 1,000. Diarrhœa caused 1 death, pulmonary tuberculosis caused 2 deaths, and 4 deaths were caused by diseases of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 27·1 per 1,000. Diarrhœa caused 1 death, pulmonary tuberculosis caused 5 deaths, and 5 deaths were caused by diseases of the respiratory system.

No. 3 North City District (Blackhall-place).—The deaths (16) represent an annual rate of 32·0 per 1,000. Diarrhœa caused 1 death, and diseases of the respiratory system caused 3 deaths.

* See Table VI.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 37·7 per 1,000. Enteric fever caused 1 death, pulmonary tuberculosis caused 5 deaths, and 3 deaths were due to diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (15) are equal to an annual rate of 42·2 per 1,000. Diarrhœa caused 1 death, and 6 deaths were caused by diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (11) are equal to an annual rate of 14·1 per 1,000. Pulmonary tuberculosis caused 3 deaths, and 3 deaths were due to diseases of the respiratory system.

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·5 per 1,000. Diarrhœa caused 1 death, enteric fever caused 1 death, and 2 deaths were caused by diseases of the respiratory system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 29·2; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 21·5; Rathmines, 26·3; Donnybrook, 19·1; Blackrock, 6·2; and Kingstown, 18·0. The deaths from zymotic diseases tabulated for these districts comprise one from whooping-cough for Clontarf and Howth, No. 1, one from enteric fever for Coolock and Drumcondra, No. 1, one from diphtheria for Palmerston, part of, 4 from diarrhœa for Rathmines, and 2 from diphtheria for Donnybrook. Two of the 6 deaths from all causes tabulated for Coolock and Drumcondra, No. 1, were from phthisis; the 14 deaths for Rathmines include 3 from cancer; and the 9 deaths for Donnybrook comprise 2 from diseases of the respiratory system.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	29th September,	71 cases.
" "	6th October,	56 cases.
" "	13th October,	76 cases.
" "	20th October,	49 cases.

Of the 49 cases notified, 7 were erysipelas, 21 enteric fever, 7 scarlatina, 9 measles, 1 diphtheria, 2 continued fever, 1 typhus fever, and 1 German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th October, 1900.

From this it appears that:—

Eighteen cases of scarlatina were admitted to hospital, 9 were discharged, and 67* remained under treatment at the close of the week.

Seventeen cases of enteric fever were admitted to hospital, 19 were discharged, 5 died, and 77 cases remained under treatment at the close of the week.

Eleven cases of measles were admitted to hospital, 10 were discharged, and 26 remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 8 were discharged, 1 died, and 12 cases remained under treatment at the close of the week.

Two cases of typhus fever were admitted to hospital, one was discharged, and 17 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 15·8) was equal to an average annual death-rate of 17·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·5 per 1,000, the rate for Glasgow being 18·9, and for Edinburgh 15·0.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 20th October, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Registration—Week ending Saturday, 20th October, 1900.

Towns and Districts	Census Statistics of Districts: Population, Total.*	Census Statistics of Districts: Population, Persons to an Acre	Annual Rate per 1,000 persons represented by: Births	Annual Rate per 1,000 persons represented by: Deaths, From all Causes	Annual Rate per 1,000 persons represented by: Deaths, From Principal Zymotic Diseases	Numbers Registered: Births	Deaths: Total Number	Deaths: Under 1 year of Age	Deaths: At 60 years & upwards	Caused by: Small Pox	Measles	Scarlet Fever	Typhus	Whooping Cough	Diphtheria	Simple continued & Ill-defined Fever	Enteric Fever	Diarrhœa, Dysentery	Phthisis	Diseases of Respiratory System	Violence	Inquest Cases	No. in Public Institutions
Total of 23 Town Districts	1,062,188	12·2	28·5	20·3	2·2	581	414	90	75	.	.	4	1	3	6	1	11	19	58	67	3	13	104
Dublin Registration Area:—																							
Total,‡	349,594	14·2	31·9	24·9	2·8	214	167	36	32	.	.	.	.	2	3	1	4	9	23	33	1	4	55
Registrars' Districts. City	245,001	65·6	33·4	26·6	2·1	157	125	23	23	.	.	.	.	1	.	1	3	5	19	28	.	4	47
Clontarf &c. No. 1,	4,188	1·5	50·4	25·2	12·6	4	2	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	63·2	29·2	4·9	13	6	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	2
Finglas & Glasnevin, pt. of (a),	4,240	0·8	36·9	12·3	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Palmerston, part of and Crumlin part of (b),	7,273	8·0	14·3	21·5	7·2	2	3	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2
Rathmines,‖	27,796	16·2	11·8	26·3	7·5	6	14	5	6	.	.	.	.	.	.	.	.	4	1	1	.	.	3
Donnybrook,	24,629	12·4	33·9	19·1	4·2	1	9	4	1	.	.	.	.	.	2	.	.	.	1	2	.	.	1
Blackrock,‖	8,401	7·8	.	6·2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	39·0	18·0	.	13	6	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Urban Districts																							
Belfast,	359,000	21·8	30·2	16·3	1·7	208	112	1	13	.	.	2	.	.	.	.	4	6	15	16	.	1	16
Cork,	75,845	33·3	25·6	23·5	2·8	37	34	8	3	.	.	2	.	.	.	.	1	1	6	9	.	2	13
Limerick,	37,155	17·9	19·6	11·2	.	14	8	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Londonderry,	33,200	15·3	33·0	14·1	3·1	21	9	1	3	.	.	.	1	.	.	.	.	1	1	.	.	2	.
Waterford,	26,208	18·3	15·9	23·9	4·0	8	12	2	3	.	.	.	.	.	.	.	1	1	2	1	.	1	6
Galway,	13,800	2·6	41·5	11·3	.	11	3	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Drogheda	13,708	8·7	7·6	15·2	.	2	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Newry,	12,961	18·5	40·2	28·2	.	10	7	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk,	12,449	9·0	16·8	41·9	.	4	10	1	3	.	.	.	.	.	.	.	.	.	3	.	1	2	2
Lisburn,	12,250	10·8	17·0	34·1	4·3	4	8	2	.	.	.	.	.	.	.	.	1	.	3	.	.	.	2
Wexford,	11,545	24·0	13·5	4·5	.	8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Lurgan,	11,429	13·4	18·2	18·2	.	4	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Kilkenny,	11,048	12·0	28·3	18·9	4·7	6	4	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Clonmel,	10,708	8·2	4·9	29·2	4·9	1	6	.	.	.	.	.	.	1	.	.	.	.	.	4	.	.	1
Sligo,	10,274	3·4	50·8	35·5	5·1	10	7	1	4	.	.	.	.	.	1	.	.	.	1	.	.	.	1
Tralee,	9,318	15·9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	38·8	33·8	5·6	6	6	3	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Newtownards,	9,197	19·0	17·0	28·3	5·7	3	5	.	1	.	.	.	.	.	1	.	.	.	1	2	.	.	.
Queenstown,	9,082	17·0	34·4	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carrickfergus	8,923	0·5	5·8	11·7	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Portadown	8,430	11·0	37·1	24·7	.	6	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Armagh,	7,187	21·4	14·3	7·1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Meteorology.†

Towns and Districts	Week ending 20th Oct., 1900: Air Temperature, Absolute Highest	Absolute Lowest	Mean	Rainfall in Inches	Week ending 13th Oct., 1900: Air Temperature, Absolute Highest	Absolute Lowest	Mean	Rainfall in Inches	Week ending 6th Oct., 1900: Air Temperature, Absolute Highest	Absolute Lowest	Mean	Rainfall in Inches
Total of 23 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§58·8	31·2	46·4	0·18	§63·9	32·2	50·9	1·06	§61·6	35·6	50·4	0·99
Registrars' Districts. City	59·4	37·2	48·3	0·19	66·4	38·2	52·9	1·12	63·1	39·3	51·9	1·03
Clontarf &c. No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	57·8	31·0	46·8	0·28	66·1	32·8	51·8	1·11	61·8	35·0	50·8	0·99
Palmerston, part of and Crumlin part of (b),	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	58	39	50·3	0·17	67	39	52·7	0·88	66	41	52·5	0·60
Urban Districts												
Belfast,	55·0	30·5	46·2	0·27	63·1	38·6	51·5	1·86	59·1	36·0	49·7	1·31
Cork,	57	42	50·2	0·83	61	40	53·5	0·67	60	42	52·7	2·28
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	57·0	35·0	45·8	0·49	61·0	39·0	49·5	1·26	59·0	38·0	48·4	1·81
Waterford,	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	58	43	50	0·82	64	40	53	2·02	60	42	51	3·22
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	57·6	33·0	46·1	0·18	65·4	39·9	50·4	1·34	59·2	36·4	49·1	1·20
Dundalk,	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	57·6	33·0	46·1	0·18	65·4	39·9	50·4	1·34	59·2	36·4	49·4	1·20
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	57·6	33·0	46·1	0·18	65·4	39·9	50·4	1·34	59·2	36·4	49·4	1·20
Kilkenny,	57	30	46·9	0·22	63	30	50·9	0·89	62	30	50·7	1·10
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	57·5	28·2	44·8	0·40	62·2	36·9	50·6	1·10	58·7	37·4	48·7	1·84
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	55	34	46·5	0·43	62	39	50·4	1·40	58	37	49·0	1·06
Queenstown,	57	42	50·2	0·83	61	40	53·5	0·67	60	42	52·7	2·28
Carrickfergus	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	57·6	33·0	46·1	0·18	65·4	39·9	50·4	1·34	59·2	36·4	49·4	1·20
Armagh,	57·6	33·0	46·1	0·18	65·4	39·9	50·4	1·34	59·2	36·4	49·4	1·20

(a) All the District except that portion in Finglas District Electoral Division. (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude.

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, [illegible]

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 20th October, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2787	5921	5095	904	1714	1987	1031	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	3	.
Simple & Ill-defined Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever,	1	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.	4	.
Diarrhœa, Dysentery,	.	1	1	1	.	1	.	1	.	.	.	.	4	.	.	.	9	.
Other Zymotic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Total,	3	1	1	1	1	1	.	2	1	1	.	1	4	2	.	1	20	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	4	2	5	.	5	.	3	.	.	2	.	.	1	1	.	.	23	.
Other Constitutional Diseases,	2	.	.	2	3	3	2	2	.	.	1	.	4	1	.	.	20	.
Total,	6	2	5	2	8	3	5	2	.	2	1	.	5	2	.	.	43	.
V. DEVELOPMENTAL DISEASES,	1	2	1	3	3	1	2	.	.	.	.	1	3	.	.	1	18	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	1	1	2	2	4	2	1	1	1	1	.	.	.	1	.	.	17	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	.	2	1	3	2	.	.	2	.	1	.	.	.	.	.	1	12	.
Diseases of Respiratory System,	2	4	5	3	3	6	3	2	.	.	.	1	1	2	.	1	33	.
Diseases of Digestive System,	4	.	.	1	2	1	.	2	.	1	.	.	1	.	.	.	12	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	4	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	2	.
Total,	8	8	8	10	12	9	4	8	1	3	.	1	2	4	1	2	81	.
VII. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.
Deaths from all Causes,	13	14	15	16	24	15	11	12	2	6	1	3	14	9	1	6	167	1
Annual Rate of Mortality in every 1,000 of the population.	34·6	21·0	27·1	32·0	37·7	42·2	14·1	17·5	25·2	29·2	12·3	21·5	26·3	19·1	6·2	18·0	24·9	
	28·1				25·2				20·9									
	26·6																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	1	1	4	5	1	2	2	.	2	.	1	3	1	.	.	23	1
Workhouse Hospitals,	2	4	4	6	7	4	1	1	.	.	.	1	.	.	.	.	30	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blacknall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office. 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1 District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 42nd Week of the 10 years 1890–99.	In the week ending Saturday, 20th October, 1900. Deaths of persons of the Ages of								
	Oct. 18, 1890	Oct. 24, 1891	Oct. 22, 1892	Oct. 21, 1893	Oct. 20, 1894	Oct. 19, 1895	Oct. 17, 1896	Oct. 23, 1897	Oct. 22, 1898	Oct. 21, 1899		ALL AGES.	0 to 5.							
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	48·8°	45·9°	40·9°	51·0°	43·1°	48·0°	42·8°	51·7°	50·2°	49·5°	47·5°	46·4°								
ALL CAUSES,	144	153	130	164	121	162	148	142	174	250	158·8	168	10	26	20	18	28	34	26	6
I. FEBRILE OR ZYMOTIC DISEASES,	24	23	11	27	18	22	27	18	27	68	26·5	20	.	10	4	3	3	.	.	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC „	.	.	3	.	2	2	.	.	.	1	·8	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL „	40	38	30	35	38	48	25	32	38	59	37·8	43	.	2	5	9	13	10	4	.
V. DEVELOPMENTAL „	8	10	10	12	10	10	7	11	7	12	9·7	18	5	1	.	.	.	.	8	4
VI. LOCAL „	62	65	67	78	54	67	75	77	86	98	72·9	81	3	13	11	6	10	22	14	2
VII. VIOLENT DEATHS,	4	3	2	8	1	3	7	3	5	5	4·1	2	.	.	.	.	1	1	.	.
VIII. ILL-DEFINED CAUSES,	6	14	7	4	8	10	7	1	11	7	7·0	3	2	.	.	.	.	1	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	2	.	.	.	1	.	52	5·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	1	3	2	2	1	1	1·0	.	.	.	.	.	.	.	.	.
Typhus,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	2	.	1	1	.	1	2	·8	.	.	.	.	.	.	.	.	.
Whooping Cough,	4	4	1	4	.	.	8	1	7	1	2·5	2	.	1	1	.	.	.	.	.
Diphtheria,	.	1	.	.	.	1	.	1	.	2	·5	3	.	2	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	1	.	.	.	.	.	1	.	.	.	·2	1	.	.	1	.	.	.	.	.
Enteric Fever,	4	5	2	9	4	4	7	6	4	4	4·9	4	.	.	.	2	2	.	.	.
Cholera and Chol. Diarr.,	.	.	.	1	.	.	1	1	3	.	·6	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	13	10	4	6	9	12	4	2	8	4	7·2	9	.	7	2	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	.	1	1	.	1	2	.	2	·8	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	.	1	.	.	1	.	.	2	.	·5	1	.	.	.	.	1	.	.	.
Puerperal Fever,	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	.	1	2	1	1	.	7	1	1	.	1·4	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	2	.	2	2	.	.	.	1	·7	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	.	.	1	.	.	1	.	.	2	·5	.	.	.	.	.	.	.	.	.
Rheumatism,	.	1	1	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Gout,	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	4	3	3	7	5	6	2	4	4	9	4·7	7	.	.	.	.	.	5	2	.
Tabes Mesenterica,	5	8	5	6	1	6	5	7	6	8	5·7	4	.	1	3	.	.	.	.	.
Tubercular Meningitis,	1	1	1	1	2	5	5	4	6	8	3·4	2	.	.	.	2	.	.	.	.
Phthisis,	20	20	14	15	21	28	8	12	19	26	18·3	23	.	1	.	5	10	5	2	.
Scrofula, Tuberculosis,	6	2	4	5	2	2	4	2	1	5	3·3	5	.	.	2	2	1	.	.	.
Other Constitutional Diseases,	2	3	2	.	2	1	.	2	1	1	1·4	2	.	.	.	.	2	.	.	.
V. Developmental Diseases—																				
Premature Birth,	2	1	3	3	3	1	1	3	2	1	2·0	4	3	1	.	.	.	.	.	.
Atelectasis	.	.	.	1	.	.	.	.	.	.	·1	2	2	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	1	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
Old Age,	6	8	6	8	7	9	5	8	5	10	7·2	12	.	.	.	.	.	8	4	.

each Disease registered in the FORTY-SECOND WEEK ending Saturday, 20th October, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 42nd Week of the 10 years 1890-99.	In the Week ending Saturday, 20th October, 1900. Deaths of Persons of the Ages of								
	Oct. 18, 1890	Oct. 24, 1891	Oct. 22, 1892	Oct. 21, 1893	Oct. 20, 1894	Oct. 19, 1895	Oct. 17, 1896	Oct. 23, 1897	Oct. 22, 1898	Oct. 21, 1899		All Ages.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 48·8	° 45·9	° 40·9	° 54·0	° 43·1	° 48·0	° 42·8	° 51·7	° 50·2	° 49·5	° 47·5	Mean Temp. ° 46·4	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases.																				
Apoplexy,	3	4	2	1	3	2	5	3	.	5	2·8	4	.	.	.	.	.	2	2	.
Epilepsy,	2	.	.	.	1	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	.
Convulsions,	13	7	13	9	8	14	8	11	8	5	9·6	7	2	5	.	.	.	.	.	.
Other Diseases of Brain and Nervous System,	4	3	5	9	4	6	6	11	5		5·9	6	.	.	.	.	.	4	2	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	5	9	15	9	10	9	23	12	16	23	13·1	12	.	.	.	4	2	3	2	1
Croup,	.	1	1	1	.	.	1	3	2	.	·9	2	.	.	2	.	.	.	.	.
Bronchitis,	12	13	15	20	16	12	15	18	27	20	16·8	24	1	6	5	.	3	4	5	.
Pneumonia	5	6	9	4	3	7	1	7	10	17	6·9	7	.	.	2	2	1	2	.	.
Pleurisy,	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	3	2	.	5	.	2	1	3	.	1	1·7	.	.	.	.	.	.	.	.	.
Teething,	2	1	.	.	.	1	.	.	2	2	·8	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	1	.	1	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
Enteritis,	2	2	.	1	.	1	1	.	1	2	1·0	.	.	.	.	.	.	.	.	.
Peritonitis	.	1	.	2	2	1	1	.	1	.	·8	1	.	.	.	.	1	.	.	.
Disease of Liver,	2	3	3	3	2	2	1	1	3	3	2·3	7	.	.	.	.	1	5	1	.
Other Diseases of Digestive System,	5	5	2	2	1	5	4	2	3	6	3·5	4	.	2	1	.	.	.	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	3	2	6	3	4	5	4	3	3	3·6	4	.	.	.	.	1	1	1	1
Diseases of Generative System,	.	1	.	3	.	.	1	1	.	.			.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	1	.	.	.	.	.	1	·2		.	.	.	.	1	.	.	.
Diseases of Locomotive System,	1	.	.	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	3	.	1	.	.	1	.	2	.	·7	2	.	.	1	.	1	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	1	.	.	.		2	.	.	.	.	1	1	.	.
By Vehicles or Horses,		.	.	.	.	.	1	.	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	4	1	.	1	.	.	3	1	1	.	3·7	.	.	.	.	.	.	.	.	.
By Drowning,		1	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		.	2	5	.	.	2	2	3	5		.	.	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	6	14	7	4	3	10	7	1	11	7	7·0	3	2	.	.	.	.	1	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																									
	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.
No. of weeks in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Births registered,	202	246	222	198	214	199	222	194	198	228	181	208	186	187	245	149	256	221	228	225	177	165	239	175	152	214
Average Births in corresponding week of previous 10 years,	213	214	212	192	201	209	199	208	202	219	193	188	185	185	195	200	196	185	197	183	211	206	204	175	172	181
Deaths registered,	178	204	179	168	176	157	161	167	122	144	124	127	165	129	159	161	147	185	186	154	171	167	167	182	183	168
Annual Death-rate per 1,000,	26·5	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1
Average Deaths in corresponding week of previous 10 years,	184	178	170	174	167	162	156	164	150	156	149	148	154	162	159	160	157	162	164	170	165	162	160	151	163	159
Ages, Under 5 years,	51	54	52	47	48	43	54	37	29	33	33	32	47	35	40	57	51	79	71	54	70	73	69	88	61	56
5—20 ,,	15	17	19	20	26	15	14	27	16	13	10	8	13	7	13	9	15	12	21	16	15	7	10	12	9	18
20—40 ,,	33	47	27	28	30	22	31	35	19	32	25	35	26	13	25	31	17	38	25	25	21	18	30	22	32	28
40—60 ,,	48	42	36	31	35	40	38	31	29	33	23	24	44	33	39	34	34	35	39	26	34	33	25	29	38	34
60—80 ,,	27	35	36	36	35	31	19	30	23	27	26	23	30	30	35	26	26	20	26	22	23	32	29	27	34	26
80 years and upwards,	4	9	9	6	7	6	5	7	6	6	2	5	5	6	7	4	4	1	4	11	8	4	4	4	9	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Scarlet Fever,	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
,, Whooping-cough,	2	4	1	1	3	.	5	.	1	2	3	4	5	.	3	1	1	5	4	5	7	3	3	5	1	2
,, Diphtheria,	.	.	.	1	.	.	2	2	1	.	.	.	2	1	.		.	1	4	.	2	1	.	.	1	3
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	1
,, Enteric Fever,	5	6	1	2	2	1	2	2	2	.	2	2	2	.	2	.	1	2	2	1	7	3	4	3	4	4
,, Diarrhœa, Dysentery,	3	1	5	2	.	1	2	1	.	1	2	1	4	4	9	19	24	25	33	20	27	24	18	28	16	9
,, Phthisis,	32	29	32	30	32	13	28	28	22	21	26	31	28	19	24	24	20	25	32	22	20	13	31	14	26	23
,, Heart Diseases,	11	17	14	17	11	14	10	11	9	9	10	9	19	17	23	12	12	18	10	14	11	16	10	13	14	12
,, Diseases of Respiratory System,	40	29	34	25	30	23	23	34	27	29	15	20	23	23	14	15	13	14	6	19	18	15	14	23	29	33
Violent Deaths,	4	6	4	5	1	6	4	1	1	5	6	6	5	4	4	5	4	9	2	5	5	5	3	7	5	2
Mean Temperature of the Air (Phœnix Park),	47·6	45·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4
Average Mean Temperature in corresponding week of previous 10 years,	48·1	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	7·5
Rainfall in inches,	·190	·350	·585	·005	1·185	·005	·560	·485	2·005	·650	·280	·800	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175
Mean Humidity of the Air, complete Saturation 1·0,	·81	·77	·84	·78	·80	·88	·82	·80	·88	·84	·81	·76	·82	·83	·81	·86	·85	·90	·88	·87	·87	·89	·84	·83	·89	·91

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th October, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 20th October, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	25·1	168	56	18	28	34	26	6	.	.	.	.	2	3	1	4	0	19	23	7	33	2	34
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	13·4	4	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
II.	MIDDLE CLASS,	81,469	15·3	24	6	3	4	4	5	.	.	.	.	.	2	1	.	.	2	5	2	.	.	.	17
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	17·8	34	9	1	7	12	4	1	.	.	.	.	.	.	.	1	.	1	6	2	6	.	19
IV.	GENERAL SERVICE CLASS,	147,978	36·0	76	39	11	11	10	5	.	.	.	.	.	.	2	1	3	7	13	10	5	18	2	28
V.	INMATES OF WORKHOUSES,	5,191		30	2	2	6	6	11	3	.	.	.	.	.	.	.	.	.	.	4	.	8	.	18
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	19·5	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,857	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,788	9·1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	8·3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	14·0	7	1	2	1	2	1	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	5
	6. Clerks and Commercial Assistants,	25,001	18·7	9	4	1	2	2	.	.	.	.	.	.	2	.	.	.	1	3	1	.	.	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	14·8	7	1	.	1	.	3	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	6
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	28·0	4	2	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	.
	9. Building and Furnishing Trades,	26,294	11·9	6	4	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	2
	10. Clothing Trades,	23,927	17·4	8	1	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	5
	11. Food Supply Trades,	7,949	26·2	4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	15·4	8	1	.	1	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
	13. Petty Shopkeepers,	6,889	30·4	4	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	37·9	10	7	.	1	1	1	.	.	.	.	.	.	1	.	.	3	4	1	1	1	.	3
	15. Domestic Servants,	39,967	11·7	9	1	1	2	4	1	.	.	.	.	.	.	1	.	1	.	2	.	.	1	1	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	33·7	7	3	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.	2
	17. Hawkers, Porters, Labourers, &c.,	33,472	31·1	50	28	10	7	3	2	.	.	.	.	.	.	.	1	2	4	7	8	4	12	1	18
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	30	2	2	6	6	11	3	.	.	.	.	.	.	.	.	.	.	4	.	8	.	18

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	**North City, No. 1 (E.)** (Office, Clarence-street, Nth. Pop. (in 1891) 27,147.	Sept. 1,	42·3	13·4	22	.	.	.	.	.	1	.	.	6	4	1	.
		„ 8,	26·9	9·6	14	.	.	.	.	.	.	.	1	4	1	1	.
		„ 15,	26·9	11·5	14	.	.	.	.	2	.	.	1	3	.	3	.
		„ 22,	21·1	8·8	11	.	.	.	.	1	.	.	1	.	.	1	.
		„ 29,	25·0	3·8	13	.	.	.	.	.	.	.	.	2	3	.	1
		Oct. 6,	17·3	1·9	9	.	.	.	.	.	.	.	1	.	.	.	1
		„ 13,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.
		„ 20,	31·6	5·8	18	.	.	.	.	1	.	1	1	.	4	2	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	Sept 1,	26·9	4·5	18	.	.	.	.	.	.	.	.	2	3	1	.
		„ 8,	29·9	.	20	.	.	.	.	.	.	.	.	.	1	6	1
		„ 15,	40·4	9·0	27	.	.	.	.	.	1	.	.	5	2	3	.
		„ 22,	18·0	4·5	12	.	.	.	.	.	.	.	1	2	1	2	.
		„ 29,	28·4	4·5	19	.	.	.	.	.	.	.	.	3	3	2	.
		Oct. 6,	28·4	13·5	19	.	1	.	.	1	.	.	.	7	1	1	.
		„ 13,	32·9	6·0	22	.	.	.	.	.	.	.	1	3	2	7	1
		„ 20,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	2	4	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Sept. 1,	36·1	7·2	20	.	.	.	.	.	.	.	.	4	3	.	1
		„ 8,	28·9	7·2	16	.	.	.	.	3	.	.	.	1	3	2	.
		„ 15,	21·7	7·2	12	.	.	.	.	.	.	.	2	2	1	2	2
		„ 22,	27·1	12·6	15	.	.	.	.	.	1	.	.	6	3	.	.
		„ 29,	25·3	7·2	14	.	.	.	.	1	.	.	.	3	3	2	.
		Oct. 6,	37·9	9·0	21	.	.	.	.	.	.	.	.	5	1	2	1
		„ 13,	25·9	1·8	16	.	.	.	.	.	.	.	1	.	3	3	1
		„ 20,	27·1	1·8	15	.	.	.	.	.	.	.	.	1	5	5	.
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Sept. 1,	38·0	12·0	19	.	.	.	.	2	1	.	.	3	2	.	.
		„ 8,	34·0	8·0	17	.	.	.	.	.	.	.	.	4	2	.	.
		„ 15,	30·0	6·0	15	.	.	.	.	1	.	.	.	2	3	3	.
		„ 22,	32·0	8·0	16	.	.	.	.	.	.	.	.	4	1	2	.
		„ 29,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	3	1	.
		Oct. 6,	26·0	2·0	13	.	.	.	.	.	.	.	.	1	1	.	.
		„ 13,	36·0	.	18	.	.	.	.	.	.	.	.	1	4	3	.
		„ 20,	32·0	2·0	16	.	.	.	.	.	.	.	.	1	.	3	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 33,194.	Sept. 1,	29·8	9·4	19	.	.	1	.	.	.	.	1	4	4	1	.
		„ 8,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	1	.
		„ 15,	23·6	3·1	15	.	.	.	.	.	.	.	1	1	3	2	.
		„ 22,	26·7	3·1	17	.	.	.	.	.	.	.	1	1	.	3	1
		„ 29,	34·6	3·1	22	.	.	.	.	.	.	.	.	2	3	4	.
		Oct. 6,	25·1	4·7	16	.	.	.	.	.	.	.	.	2	2	1	2
		„ 13,	36·1	4·7	23	.	.	.	.	.	.	.	.	3	3	4	.
		„ 20,	37·7	1·6	24	.	.	.	.	.	.	.	1	.	5	3	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Sept. 1,	19·7	2·3	7	.	.	.	.	.	.	.	.	1	2	.	.
		„ 8,	22·5	8·4	8	.	.	.	.	.	.	.	.	3	1	1	.
		„ 15,	33·7	16·9	12	.	.	.	.	.	1	.	.	5	2	.	.
		„ 22,	19·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.
		„ 29,	16·9	5·6	6	.	.	.	.	.	.	.	.	2	.	.	.
		Oct. 6,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	2	.	.
		„ 13,	28·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 20,	42·2	2·8	15	.	.	.	.	.	.	.	.	1	.	6	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Sept. 1,	16·7	2·6	13	.	.	.	.	.	.	.	.	2	5	1	.
		„ 8,	25·7	2·6	20	.	.	.	.	.	.	.	.	2	5	2	2
		„ 15,	32·1	9·0	25	.	.	.	.	2	.	.	1	4	3	1	.
		„ 22,	33·4	7·7	26	.	.	.	.	2	.	.	.	4	4	3	.
		„ 29,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	1	1	1
		Oct. 6,	41·1	10·3	32	.	.	.	.	2	.	.	1	5	2	7	1
		„ 13,	36·0	6·4	28	.	.	.	.	.	.	.	1	4	6	2	1
		„ 20,	14·1	.	11	.	.	.	.	.	.	.	.	.	3	3	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	Sept. 1,	33·5	5·8	23	.	.	.	.	.	.	.	.	4	3	1	.
		„ 8,	18·1	4·4	9	.	.	.	.	.	.	.	.	3	1	.	.
		„ 15,	18·1	5·8	9	.	.	.	.	1	.	.	.	3	2	2	.
		„ 22,	32·0	1·5	22	.	.	.	.	.	.	.	.	1	3	2	1
		„ 29,	42·2	5·8	29	.	.	.	.	.	.	.	.	3	7	2	.
		Oct. 6,	28·3	2·9	16	.	.	.	.	.	.	.	.	2	1	3	.
		„ 13,	26·2	4·4	18	.	.	.	.	1	.	.	1	1	1	2	1
		„ 20,	17·5	2·9	12	.	.	.	.	.	.	.	1	1	.	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Sept. 1,	22·5	5·6	12	.	.	.	.	2	.	.	.	1	1	.	.
	" 8,	16·9	1·9	9	.	.	.	.	1	.	.	.	.	2	.	1
	" 15,	15·8	5·6	10	.	.	1	.	1	.	.	1	.	.	.	1
	" 22,	22·5	1·9	12	.	.	.	.	.	.	.	.	1	1	1	.
	" 29,	16·9	3·8	9	.	.	.	.	.	.	.	1	1	2	1	.
	Oct. 6,	20·6	5·6	11	.	.	.	.	.	.	.	.	3	.	5	.
	" 13,	16·9	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	" 20,	26·3	7·5	14	.	.	.	.	.	.	.	.	4	1	1	.
Donnybrook. Pop. (in 1891) 24,629.	Sept. 1,	19·1	.	9	.	.	.	.	.	.	.	.	.	.	.	1
	" 8,	10·6	2·1	5	.	.	.	.	.	.	.	.	1	.	.	.
	" 15,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	.	1	.
	" 22,	19·1	4·2	9	.	.	.	.	.	.	.	.	2	.	.	1
	" 29,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	1
	Oct. 6,	21·2	.	10	.	.	.	.	.	.	.	.	.	2	1	1
	" 13,	12·7	2·1	6	.	.	.	.	.	1	.	.	.	.	1	.
	" 20,	19·1	4·2	9	.	.	.	.	.	2	.	.	.	1	2	.
Kingstown. Pop. (in 1891) 17,886.	Sept. 1,	12·0	3·0	4	.	.	.	.	.	.	.	.	1	.	.	.
	" 8,	36·0	3·0	12	.	.	.	.	1	.	.	.	.	2	3	.
	" 15,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	2	.	.
	" 22,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	" 29,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	2	.	.
	Oct. 6,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	" 13,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	" 20,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	1
Belfast. Pop. in 1900 (Est.) 359,000.	Sept. 1,	19·3	3·8	133	.	.	.	.	.	.	.	10	16	13	9	3
	" 8,	19·8	4·2	136	.	.	2	.	2	.	.	6	19	14	12	4
	" 15,	19·0	3·8	131	.	.	1	.	1	2	.	8	11	16	15	1
	" 22,	18·0	2·5	124	.	.	.	.	2	2	.	3	10	10	17	2
	" 29,	16·1	2·8	111	.	1	.	1	1	1	.	5	10	16	17	3
	Oct. 6,	18·9	3·5	130	.	1	1	.	.	2	.	9	11	19	19	1
	" 13,	19·3	1·9	133	.	.	.	.	1	2	.	4	6	21	20	.
	" 20,	16·3	1·7	112	.	.	2	.	.	.	.	4	6	15	16	.
Cork. Pop. (in 1891) 75,345.	Sept. 1,	13·3	2·3	20	.	.	.	.	.	.	.	.	4	3	3	.
	" 8,	11·1	1·4	16	.	.	.	.	.	.	.	.	2	2	4	.
	" 15,	21·5	4·2	31	.	.	2	.	.	.	.	.	4	4	2	.
	" 22,	19·4	4·2	28	.	.	.	.	.	.	.	.	6	5	1	1
	" 29,	21·5	2·8	31	.	.	.	.	.	.	.	.	4	2	6	.
	Oct. 6,	22·1	4·2	32	.	.	1	.	.	.	.	1	4	3	5	.
	" 13,	15·9	2·1	23	.	.	.	.	.	.	.	.	3	4	2	.
	" 20,	23·5	2·8	34	.	.	2	.	.	.	.	1	1	6	9	.
Limerick. Pop. (in 1891) 37,155.	Sept. 1,	22·5	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	" 8,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	" 15,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
	" 22,	22·5	.	16	.	.	.	.	.	.	.	.	.	3	3	.
	" 29,	33·7	1·4	24	.	.	.	.	1	.	.	.	.	2	6	.
	Oct. 6,	18·2	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.
	" 13,	21·1	2·8	15	.	.	.	.	.	.	.	.	2	6	2	.
	" 20,	11·2	.	8	.	.	.	.	.	.	.	.	.	1	.	.
Londonderry. Pop. (in 1891) 28,200.	Sept. 1,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	4	1	.
	" 8,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.
	" 15,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	.	1	2
	" 22,	14·1	3·1	9	.	1	.	.	.	.	.	.	1	2	1	.
	" 29,	23·6	3·1	15	.	.	.	1	.	.	.	.	1	3	2	.
	Oct. 6,	20·4	1·6	13	.	1	.	.	.	.	.	.	.	3	3	.
	" 13,	18·8	3·1	12	.	1	.	.	.	.	.	.	1	4	2	.
	" 20,	14·1	3·1	9	.	.	.	1	.	.	.	.	1	1	.	.
Waterford. Pop. (in 1891) 26,200.	Sept. 1,	18·9	2·0	7	.	.	.	.	.	.	.	.	1	2	.	.
	" 8,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	4	2	.
	" 15,	18·9	6·0	7	.	.	.	.	.	.	.	.	3	1	.	1
	" 22,	17·9	6·0	9	.	.	.	.	.	.	.	1	2	1	2	.
	" 29,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	.	.
	Oct. 6,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	1	2	.
	" 13,	9·9	.	5	.	.	.	.	.	.	.	.	.	2	.	.
	" 20,	28·9	4·0	12	.	.	.	.	.	.	.	1	1	2	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 20th October, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	10	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		6	3	.	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
" 2 "	37,589	23			16	5	2	8	1	.	.	.	.	.	.	.	2	1	.	4	.	1	3
" 3 "	38,845	28			14	5	3	4	2	.	.	.	.	.	.	.	.	2	1	2	.	.	2
" 4 "	33,391	30			14	5	3	5	1	.	.	.	.	.	.	.	1	1	2	1	.	.	3
" 5 "	21,284	7			6	2	1	2	1	.	.	.	.	.	.	.	.	.	1	2	.	.	2
" 6 "	43,431	20			19	1	4	10	4	.	.	1	.	.	.	.	1	.	2	1	.	.	4
" 7 "	1,112	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 9 "	12,866	14			3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 10 "	12,256	12			9	3	.	4	2	.	.	.	.	.	.	.	.	1	3	1	.	.	.
" 11 "	19,881	19			13	2	4	7	.	.	.	1	.	.	.	.	.	.	2	1	.	.	.
" 12 "	23,282	31			9	4	1	3	1	.	.	.	.	.	.	.	.	.	3	2	.	.	.
" 13 "	6,804	12			2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	278,079	208			112	31	18	50	13	.	.	2	.	.	.	.	4	6	15	16	.	1	16
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	6	13·1	4·4	3	.	.	3	.	.	.	1	.	.	.	.	.	.	1	.	.	1	2
" 2 "	9,252	9	22·5	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1
" 3 "	9,816	4	31·9	.	6	.	1	5	.	.	.	.	.	.	.	.	.	.	3	2	.	.	5
" 4 "	10,356	6	25·2	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 5 "	8,137	3	6·4	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" 6 "	8,823	3	23·6	5·9	4	.	.	3	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.
" 7 "	17,034	6	33·7	6·1	11	2	1	6	2	.	.	1	.	.	.	.	.	1	2	4	.	.	3
Total,	75,345	37	23·5	2·8	34	8	3	20	3	.	.	2	.	.	.	.	1	1	6	9	.	2	13

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	Apr. 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.
No. of week in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered,	261	213	244	218	218	218	219	241	213	204	236	155	263	220	241	222	171	206	193	221	224	185	219	215	233	208
DEATHS registered.	127	171	138	158	141	134	123	141	130	136	126	108	136	133	155	126	149	124	133	136	131	124	111	130	133	112
Annual Death-rate per 1,000 of estimated Population,	18·4	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3
AGES, Under 1 year,	27	33	26	34	20	25	26	24	26	28	26	22	34	39	56	39	52	40	44	45	44	34	30	38	32	31
AGES, 1–5 years,	13	23	14	27	10	13	13	17	15	15	14	13	15	15	20	9	17	7	18	15	11	17	8	22	15	18
AGES, 5–60 years,	64	86	76	65	87	76	60	72	61	76	67	55	65	61	58	58	65	56	49	51	56	56	53	46	67	50
AGES, 60 years and upwards,	23	29	22	27	24	20	24	28	28	17	19	18	22	18	21	20	15	21	22	22	20	17	20	29	19	13
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	1	1	.	3	1	1	2	.	.	1	.	1	1	.	.	.	.	.	.	1	1	.	.
" Scarlet Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	2
" Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" Whooping-cough,	4	8	3	6	1	1	.	1	1	2	1	2	3	.	.	.	3	2	.	2	1	2	1	.	1	.
" Diphtheria,	1	1	1	1	.	1	1	.	.	1	.	1	.	.	1	.	2	.	.	.	2	2	1	2	2	.
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	3	8	5	12	5	11	10	11	6	2	6	7	1	6	5	8	8	7	10	6	8	3	5	9	4	4
" Diarrhœa, Dysentery,	3	4	1	2	1	3	1	1	4	4	2	1	8	11	19	7	16	15	16	19	11	10	10	11	6	6
" Phthisis,	23	31	31	23	34	22	18	2	20	32	20	20	20	22	30	27	16	16	13	14	16	10	16	19	21	15
" Diseases of Respiratory System,	24	33	31	32	31	29	28	24	18	17	24	10	22	14	13	13	12	10	9	12	15	17	17	19	20	16
Violent Deaths,	2	2	3	4	5	2	1	4	7	3	2	3	3	3	5	2	3	3	3	4	1	2	3	1	.	.

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th October, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	1	1	.	3
" " 1, West,	.	.	.	3	.	.	.	.	1	3	1	.	8
" " 2,	.	.	.	2	.	.	.	.	.	1	1	.	4
" " 3,	.	2	.	.	.	.	1	.	.	3	1	.	7
South City No. 1,	.	6	1	2	1	.	.	.	.	7	.	.	17
" " 2,	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 3,	.	.	.	.	.	.	.	.	.	3	2	.	5
" " 4,	.	.	.	.	.	.	.	.	.	3	1	.	4
Total,	.	9	1	7	1	.	1	.	2	21	7	.	49
Total for week ended Oct. 13, 1900,	.	11	2	10	1	.	6	.	7	27	12	.	76
Total for week ended Oct. 6, 1900,	.	4	3	9	1	.	1	.	5	24	9	.	56
Total for week ended Sept. 29, 1900,	.	6	4	8	2	.	4	1	7	22	17	.	71

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th October, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th October.			
	Sept. 29.	Oct. 6.	Oct. 13.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	..	.	.	.	.	.
Measles,	16	10	25	11	10	.	26
Scarlet Fever,	49	53	58	18	9	.	67*
Typhus "	3	5	6	2	1	.	7
Diphtheria,	15	13	17	4	8	1	12
Enteric Fever,	93	87	84	17	19	5	77
Pneumonia,	18	15	13	7	1	.	19

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON, . .	4,589,129	Oct. 20,	2,485	1,392	15·8	.	8	8	36	20	20	55
EDINBURGH, .	302,262	—	.	.	.	.	.	.	.	.	.	.
GLASGOW, . .	743,969	—	.	.	.	.	.	.	.	.	.	.
CALCUTTA, .	466,460	Aug. 18,	.	276	30·8	9	2	.	.	.	83‡	37*
BOMBAY, . .	821,764	Sept. 25,	299	987	62·5	1	.	?	?	?	95§	191*
MADRAS, . .	452,518	„ 14,	472	525	60·3	.	.	?	?	?	127	172*
PARIS, . . .	2,511,629	Oct. 13,	1,144	825	17·0	6	3	1	3†	1	18	60
BRUSSELS (with 8 Faubourgs).	570,844	„ 6,	240	156	14·2	.	.	.	3†	2	4	27
AMSTERDAM, .	515,938	Sept. 29,	240	133	13·4	.	4	.	2	2	4	1
ROTTERDAM, .	327,815	„ 29,	206	88	14·0	.	.	1	.	2	4	1
THE HAGUE, .	205,328	„ 29,	111	54	13·5	.	.	.	.	.	.	.
COPENHAGEN, .	354,000	Oct. 13,	178	89	13·1	.	.	.	2	.	.	13
CHRISTIANIA, .	226,423	„ 13,	184	42	9·6	.	.	.	.	2	2	4
ST. PETERSBURG,	1,132,677	„ 6,	694	397	18·2	.	9	7	18	10	20	54
BERLIN, . .	1,863,128	Sept. 29,	888	664	18·5	.	7	12	11	7	8	144
HAMBURG, . .	691,349	Oct. 13,	.	212	15·9	.	.	5	7†	2	.	27
DRESDEN, . .	407,500	Aug. 25,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU, .	412,959	Oct. 6,	.	196	24·7	.	.	1	3	5	1	42
MUNICH, . .	463,000	June 30,	332	208	23·4	.	4	.	1	3	1	49
VIENNA (with suburbs).	1,656,662	Sept. 29,	936	553	16·7	.	5	8	3†	2	3	85
BUDA-PESTH, .	685,340	„ 29,	447	241	18·2	.	1	8	.	.	6	15
PRAGUE and Faubourgs.	391,693	Oct. 6,	189	143	18·9	.	.	.	.	.	.	3
ROME, . . .	518,333	Sept. 8,	237	142	14·2	.	.	.	.	.	5	26
TURIN (10 days),	344,203	„ 10,	196	120	12·7	.	.	.	1†	.	.	12
VENICE, . .	172,924	Aug. 25,	82	61	18·3	.	.	.	1†	.	3	7
NEW YORK, .	3,444,675	Sept. 15,	1,484	1,319	20·0	.	5	3	20	9	28	195
PHILADELPHIA, .	1,293,697	„ 29,	.	347	13·9	.	1	1	12	1	7	13

* Including 16 deaths from cholera in Calcutta, 64 in Bombay, and 81 in Madras. † Including deaths from croup. ‡ Exclusive of 32 deaths from bubonic fever. § Exclusive of 89 deaths from bubonic fever.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 20th October, 1900:—

"Autumn advanced towards winter by giant strides during this week, and at its close the leaves were falling from the trees in heavy showers. A 'cold snap' of considerable intensity ushered in the period, the weather on Sunday being very sharp for the time of year. At 8 a.m. of that day the barometer was down to 28·92 inches at Christiansund on the west coast of Norway, while it was as high as 30·03 inches at Valentia in Kerry. Strong N.W. winds and gales blew over the United Kingdom as a result of steep barometric gradients, and passing showers of sleety rain and hail were borne on the wind at intervals, particularly in Scotland and the North of Ireland. On Monday night the thermometer fell to 24° in the screen at Nairn in the N.E. of Scotland. By Tuesday morning a new depression had arrived off the W. of Ireland, and rain fell heavily in this country, accompanied by a brisk rise of temperature. This disturbance moved northwards at first, then southeastwards, arriving off the Dutch Coast on Thursday morning. Meanwhile an anticyclone formed over Ireland, where cold nights and fine days occurred. Inland the night temperatures were low, but near Dublin and on the east coast in general clouds checked terrestrial radiation. Friday and Saturday were beautiful autumnal days. In Dublin the mean height of the barometer was 29·935 inches, pressure ranging between 29·625 inches at 9 p.m. of Tuesday (wind, S.S.E.) and 30·340 inches at 9 p.m. of Saturday (wind, N.W.). The corrected mean temperature was 48·3°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 47·2°. On Tuesday the screened thermometers rose to 59·4° from a minimum of 37·2° during the previous night. The mean temperature of Sunday was only 43·8° or 16·7° below that of Sunday the 7th (60·5°). Rain fell on the first four days to the amount of ·187 inch, 1·11 inch being registered on Monday. N.W. winds were the most prevalent. Bright sunshine was estimated at 37 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·994 inches. The highest reading (30·351) was on Saturday at 9 p.m., air calm, and the lowest (29·629) on Tuesday at 9 p.m., air calm.

The mean temperature for the week was 46·4°, being 1·1° below the average for the corresponding week of the ten years 1890–99: both of the extreme readings, highest 58·8°, lowest 31·2° were recorded on Tuesday. The mean of the Dry Bulb for the week was 46·0°, and of the Wet Bulb 44·7°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 37·9 hours. The rainfall measured ·175 in.

At Greenwich the mean temperature for the week was 48·1°, the maximum 63·0°, and the minimum 35·6°. The rainfall at Greenwich measured 0·05 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Oct. 14,	29·883	48·4	37·3	42·9	42·3	40·3	·85	·5	8·8	·005	W.	W.
Monday, „ 15	29·910	50·2	32·1	41·2	38·3	36·7	·88	·2	8·1	·085	W.	Calm.
Tuesday, „ 16,	29·628	58·8	31·2	45·0	53·7	52·7	·93	·2	0·0	·065	S.E.	Calm.
Wednesday, „ 17,	29·767	57·7	41·0	49·9	47·9	47·0	·94	·5	5·0	·020	Calm.	Calm.
Thursday, „ 18,	30·120	55·1	42·5	48·8	49·4	47·4	·86	·4	7·3	—	W.	Calm.
Friday, „ 19,	30·264	55·0	40·5	47·8	45·2	44·3	·91	·1	1·9	—	Calm.	Calm.
Saturday, „ 20,	30·326	54·7	43·9	49·3	45·4	44·3	·96	·4	6·8	—	Calm.	Calm.
Mean, . .	29·994	54·3	38·4	46·4	46·0	44·6	·91	·3	Total 37·9	Total ·175	—	

Sunday—A cloudy day; rain 1 to 1.15 p.m.; night cloudy. *Monday*—A fine but cloudy day; night overcast; rain 3 to 9 a.m. *Tuesday*—A dull day; rain 9 to 9.30 a.m.; night cloudy and showery. *Wednesday*—A cloudy day; showery 1 to 4 p.m.; night cloudy: rain 3.15 to 3.30 a.m. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—A cloudy day; night cloudy. *Saturday*—A fine but cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrar-General of England.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

10. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 27TH OCTOBER, 1900. [No. 43.

General Register Office, Charlemont House,
Dublin, 29th October, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 19·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Oct. 6.	Week ending Oct. 13.	Week ending Oct. 20.	Week ending Oct. 27.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 6.	Week ending Oct. 13.	Week ending Oct. 20.	Week ending Oct. 27.	Average Rate for 4 weeks.
23 Town Dists.	20·9	20·9	20·3	19·3	20·4	Limerick, . .	18·2	21·1	11·2	19·6	17·5
Armagh, . .	21·4	28·5	7·1	21·4	19·6	Lisburn, . .	8·5	12·8	34·1	12·8	17·1
Ballymena, .	11·3	33·8	33·8	11·3	22·6	Londonderry, .	20·4	18·8	14·1	29·8	20·8
Belfast, . .	18·9	19·3	16·3	19·0	18·4	Lurgan, . .	9·1	31·9	18·2	22·8	20·5
Carrickfergus, .	17·5	11·7	11·7	23·4	16·1	Newry, . .	8·1	8·1	28·2	8·1	13·1
Clonmel, . .	14·6	4·9	29·2	19·5	17·1	Newtownards, .	17·0	28·3	28·3	17·0	22·7
Cork, . . .	22·1	15·9	23·5	20·1	20·4	Portadown, .	12·4	0·0	24·7	24·7	15·5
Drogheda, . .	19·0	19·0	15·2	19·0	18·1	Queenstown, .	28·7	23·0	0·0	5·7	14·4
Dublin, Reg. Area,	26·0	26·4	24·9	20·0	24·3	Sligo, . . .	10·2	15·2	35·5	10·2	17·8
Dundalk, . .	16·8	16·8	41·9	20·9	24·1	Tralee, . .	33·6	5·6	0·0	5·6	11·2
Galway, . .	0·0	22·7	11·3	7·6	10·4	Waterford, .	27·9	9·9	23·9	25·9	21·9
Kilkenny, . .	18·9	33·0	18·9	14·2	21·3	Wexford, . .	4·5	4·5	4·5	18·1	7·9

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·6 per 1,000, the rates varying from 0·0 in seven of the districts to 19·5 in Clonmel; the 4 deaths from all causes registered in that district comprising 3 from measles and one from diarrhœa. Among the 131 deaths from all causes registered for Belfast are 2 from measles, one from scarlet fever, 2 from diphtheria, 7 from enteric fever, and 3 from diarrhœa; and the 29 deaths from all causes registered in Cork comprise 3 from scarlet fever, one from diphtheria, and 2 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 183—80 boys and 103 girls; and the deaths to 141—78 males and 63 females.

DEATHS.

The deaths, which are 32 below the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 21·0 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 20·0 per 1,000. During the forty-three weeks ending with Saturday last the death-rate averaged 29·3, and was 2·2 above the mean rate for the corresponding portions of the ten years 1890–99.

There were 20 deaths from zymotic diseases registered during the week, being equal to the number recorded during the preceding week, but 6 under the average for the corresponding week of the last 10 years. They comprise 2 from scarlatina, 2 from whooping-cough, 4 from enteric fever, 5 from influenza, 6 from diarrhœa, &c.

Tubercular disease caused 24 deaths, namely—15 from pulmonary tuberculosis, 4 from tabes mesenterica, 4 from tubercular meningitis, and one from scrofula.

Diseases of the respiratory system caused 29 deaths, being 4 under the number registered during the preceding week, but equal to the average for the corresponding week of the last 10 years. They comprise 17 from bronchitis, 9 from pneumonia, one from croup, one from pleurisy, &c.

The deaths of 6 children under 5 years of age, of whom 4 were under 12 months old, were ascribed to convulsions; 8 deaths were caused by other diseases of the brain and nervous system.

Seven deaths were caused by cancer and 10 by diseases of the circulatory system.

Three accidental deaths were registered.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 9 children under 5 years of age, including 8 infants under one year old.

Fifty-three of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 9 were under one month old) and 20 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a man) was stated to have been aged 97 years.

Forty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 20·0 per 1,000; the rate in the city was 20·9 (24·5 on the North side, and 17·5 on the South), and in the Suburbs 17·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the city being 2·1 (2·2 in the North City Districts, and 2·0 in the South), and for the Suburbs 1·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 30·7 per 1,000. Among them are 4 from zymotic diseases, including one from whooping-cough and 2 from influenza. Three deaths were caused by diseases of the respiratory system, 2 by diseases of the circulatory system, and 3 by pulmonary tuberculosis.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 23·9 per 1,000. They include 2 from zymotic diseases, viz.:—one from enteric fever and one from diarrhœa. Four deaths were caused by bronchitis, 2 by diseases of the brain and nervous system, and 2 by tubercular meningitis.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 23·5 per 1,000. They comprise 2 from zymotic diseases, viz.:—one from whooping-cough and one from influenza. Two deaths were caused by pulmonary tuberculosis and 3 by diseases of the respiratory system.

No. 3 North City District (Blackhall-place).—The deaths (10) represent an annual rate of 20·0 per 1,000. Enteric fever caused one death; there was no other death from zymotic disease.

* See Table VI.

No. 1 South City District (South Earl-street).—The deaths (11) represent an annual rate of 17·3 per 1,000. Enteric fever caused two deaths and pulmonary tuberculosis caused two deaths, diseases of the respiratory system caused 3 deaths, and diseases of the brain and nervous system two deaths.

No. 2 South City District (Castle-street).—The deaths (3) are equal to an annual rate of 8·4 per 1,000. Pulmonary tuberculosis caused one death, no other death occurred from any zymotic disease; the remaining two deaths were caused by diseases of the digestive system.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 18·0 per 1,000. Diarrhœa caused one death and pulmonary tuberculosis caused three deaths, 5 deaths were due to diseases of the respiratory system, and three deaths were caused by diseases of the circulatory system.

No. 4 South City District (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 21·9 per 1,000. Diarrhœa caused two deaths, and influenza one death; pulmonary tuberculosis caused one death, and two deaths were due to diseases of the respiratory system; four deaths in this district were due to diseases of the circulatory system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 19·4; Finglas and Glasnevin, part of, 21·6; Palmerston, part of, and Crumlin, part of, 28·7; Rathmines, 7·5; Donnybrook, 14·8; Blackrock, 12·4; and Kingstown, 33·0. The deaths from zymotic diseases tabulated for these districts consist of one from influenza for Coolock and Drumcondra, No. 1, one from diarrhœa for Finglas and Glasnevin, part of, and one from diarrhœa for Blackrock. Two of the 4 deaths from all causes tabulated for Palmerston, part of, and Crumlin, part of, were from bronchitis; of the 7 deaths for Donnybrook 3 were from diseases of the respiratory system; and the eleven deaths for Kingstown include 2 from pneumonia, 2 from diseases of the brain and nervous system, and 4 from cancer.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	6th October,	56 cases.
" "	13th October,	76 cases.
" "	20th October,	49 cases.
" "	27th October,	65 cases

Of the 65 cases notified, 9 were erysipelas, 20 enteric fever, 12 scarlatina, 19 measles, 3 continued fever, 1 typhus fever, and 1 German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th October, 1900.

From this it appears that:—

Fourteen cases of enteric fever were admitted to hospital, 9 were discharged, 2 died, and 80 remained under treatment at the close of the week.

Eleven cases of scarlatina were admitted to hospital, 8 were discharged, and 70* remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 5 were discharged, and 12 remained under treatment at the close of the week.

One case of typhus fever was admitted to hospital, one was discharged, and 7 remained under treatment at the close of the week.

Eleven cases of measles were admitted to hospital, 8 were discharged, and 29 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 15·9) was equal to an average annual death-rate of 17·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·6 per 1,000, the rate for Glasgow being 20·7, and for Edinburgh 16·3.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 27th October, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 27th October, 1900. Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 27th Oct., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th Oct., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th Oct., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	25·9	19·3	2·6	527	393	85	73	.	8	5	3	3	6	.	11	17	50	70	8	20	80	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	849,594	14·2	27·3	20·0	1·8	188	134	34	19	.	.	.	.	2	.	.	4	6	15	28	3	4	40	§58·8	32·8	47·0	0·36	§58·8	31·2	46·4	0·18	§63·9	32·2	50·9	1·06
City	245,001	65·6	31·1	20·9	2·1	146	98	24	12	.	.	.	.	2	.	.	4	4	13	20	.	1	31	61·3	36·9	48·9	0·35	59·4	37·2	48·3	0·19	66·4	38·2	52·9	1·12
Registrars' Districts. Clontarf &c. No. 1	4,188	1·5	68·0	25·2	.	5	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	10,780	1·5	19·4	19·4	.	4	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a)	4,240	0·8	12·3	24·6	12·3	1	2	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	59·8	33·0	47·3	0·32	57·8	31·0	46·8	0·23	66·1	32·8	51·8	1·11
Palmerston, part of and Crumlin part of (b)	7,273	8·0	14·3	28·7	.	2	4	1	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	11·3	7·5	.	6	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	24,629	12·4	16·9	14·8	.	8	7	3	1	.	.	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·9	.	12·4	6·2	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	38·0	38·0	.	11	11	2	2	.	.	.	.	.	.	.	.	.	1	2	1	1	4	59	38	49·7	0·30	58	39	50·3	0·17	67	39	52·7	0·88
Urban Districts																																			
Belfast	359,000	21·8	26·3	19·0	2·2	181	131	28	24	.	2	1	.	.	2	.	7	8	19	24	1	11	18	57·0	34·5	47·9	0·48	55·0	30·5	46·2	0·27	63·1	38·6	51·5	1·86
Cork	75,845	33·8	25·6	20·1	4·2	37	29	6	4	.	.	3	.	.	1	.	.	2	5	2	.	2	7	58	40	50·0	0·16	57	42	50·2	0·83	61	40	53·5	0·67
Limerick	37,155	17·9	16·8	19·6	1·4	12	14	3	2	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry	33,200	15·8	44·0	29·8	3·1	28	19	4	6	.	1	.	.	.	.	.	.	1	3	7	.	.	3	57·0	36·5	47·5	1·39	57·0	35·0	45·8	0·49	61·0	39·0	49·5	1·26
Waterford	26,203	18·3	17·9	25·9	4·0	9	13	2	5	.	.	.	.	.	.	.	.	2	1	1	2	2	5	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,800	2·6	7·6	7·6	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	62	40	52	0·50	58	43	50	0·82	64	40	53	2·02
Drogheda	13,708	8·7	26·6	19·0	7·6	7	5	.	1	.	.	.	2	.	.	.	.	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,961	18·5	28·2	8·1	4·0	7	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	57·9	34·2	47·5	0·42	57·6	33·0	46·1	0·18	65·4	39·9	50·4	1·34
Dundalk	12,449	9·0	37·7	20·9	.	9	5	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn	12,250	10·8	17·0	12·8	.	4	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	57·9	34·2	47·5	0·42	57·6	33·0	46·1	0·18	65·4	39·9	50·4	1·34
Wexford	11,545	24·0	13·5	18·1	.	3	4	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	11,429	13·4	13·7	22·8	4·5	3	5	1	1	.	.	.	.	.	1	.	.	.	1	1	.	.	2	57·9	34·2	47·5	0·42	57·6	33·0	46·1	0·18	65·4	39·9	50·4	1·34
Kilkenny	11,048	12·0	.	14·2	4·7	.	3	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	61	31	47·1	0·50	57	30	46·9	0·22	65	30	50·9	0·89
Clonmel	10,708	8·2	63·3	19·5	19·5	13	4	.	.	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,274	8·4	30·5	10·2	5·0	6	2	.	2	.	.	.	1	.	.	.	.	.	.	1	.	.	.	58·2	39·0	48·2	1·25	57·5	28·2	44·8	0·40	62·2	36·9	50·6	1·10
Tralee	9,818	15·9	22·4	5·6	5·6	4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	9,252	9·3	16·9	11·8	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,197	19·0	34·0	17·0	.	6	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	60	36	48·1	0·25	55	34	46·5	0·43	62	39	50·4	1·40
Queenstown	9,082	17·0	17·2	5·7	5·7	3	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	58	40	50·0	0·16	57	42	50·2	0·83	61	40	53·5	0·67
Carrickfergus	8,923	0·5	5·8	23·4	11·7	1	4	.	.	.	2	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	30·9	24·7	6·2	5	4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	57·9	34·2	47·5	0·42	57·6	33·0	46·1	0·18	65·4	39·9	50·4	1·34
Armagh	7,187	21·4	7·1	21·4	.	1	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57·9	34·2	47·5	0·42	57·6	33·0	46·1	0·18	65·4	39·9	50·4	1·34

(a) All the District except that portion in Finglas District Electoral Division (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been

‡ Observations at Dublin [illegible]

‖ [illegible] those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 27th October, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	4	.
Diarrhœa, Dysentery,	.	1	.	.	.	.	1	2	.	.	1	.	.	.	1	.	6	.
Other Zymotic Diseases	3	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	6	.
Total,	4	2	2	1	2	.	1	3	.	1	1	.	.	.	1	.	18	2
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	3	1	2	.	2	1	3	1	1	.	.	.	.	.	.	1	15	.
Other Constitutional Diseases,	.	3	1	1	1	.	.	2	.	.	.	1	.	1	1	5	16	.
Total,	3	4	3	1	3	1	3	3	1	.	.	1	.	1	1	6	31	.
V. DEVELOPMENTAL DISEASES,	2	1	.	5	1	.	.	1	.	1	.	.	2	.	.	.	13	1
VI. LOCAL DISEASES: Diseases of																		
Brain & Nervous System,	1	2	2	.	2	.	1	.	.	1	.	.	1	1	.	2	13	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	2	1	.	.	.	.	3	4	.	.	.	.	.	.	.	.	10	.
Respiratory System,	3	4	3	.	3	.	5	2	.	.	1	2	.	3	.	2	28	1
Digestive System,	1	2	1	3	.	2	.	.	1	1	.	.	1	.	.	.	12	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Urinary System,	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	3	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	9	7	3	5	2	9	8	1	2	1	2	2	4	.	4	66	4
VII. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	3	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	1	.	.	.	1	.	.	.	.	.	.	1	.	.	3	.
Deaths from all Causes,	16	16	18	10	11	3	14	15	2	4	2	4	4	7	2	11	134	7
Annual Rate of Mortality in every 1,000 of the population.	30·7	23·9	23·5	20·0	17·3	8·4	18·0	21·9	25·2	19·4	24·6	28·7	7·5	14·8	12·4	33·0		
	24·5				17·5				17·9									
	20·9																20·0	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	1	2	3	2	.	4	3	1	.	.	1	2	.	1	4	24	6
Workhouse Hospitals,	3	.	2	3	5	1	2	2	.	.	.	.	.	.	.	.	16	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1, District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 43rd Week of the 10 years 1890–99.	In the week ending Saturday, 27th October, 1900.								
												Deaths of persons of the Ages of								
	Oct. 25, 1890	Oct. 31, 1891	Oct. 29, 1892	Oct. 28, 1893	Oct. 27, 1894	Oct. 26, 1895	Oct. 24, 1896	Oct. 30, 1897	Oct. 29, 1898	Oct. 28, 1899		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	51·2	43·2	43·5	48·1	46·1	83·1	40·5	53·5	50·5	48·9	46·5	47·0								
ALL CAUSES,	166	161	173	138	150	139	190	189	177	214	172·7	111	9	25	19	10	27	31	16	4
I. FEBRILE OR ZYMOTIC DISEASES,	21	19	17	23	21	17	33	20	20	68	25·9	20	1	6	5	4	1	3	.	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	1	3	1	1	1	1	1	.	2	1	1·2	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	34	37	44	35	41	37	44	40	40	49	40·1	31	.	3	4	2	9	12	1	.
V. DEVELOPMENTAL "	16	10	7	13	11	5	19	15	18	16	13·0	14	6	1	.	.	.	.	5	2
VI. LOCAL "	78	80	95	60	62	67	76	94	83	99	79·4	70	.	14	10	4	17	13	10	2
VII. VIOLENT DEATHS,	3	3	3	3	4	6	7	9	5	8	5·1	3	.	.	.	.	.	3	.	.
VIII. ILL-DEFINED CAUSES,	13	9	6	3	10	6	9	11	9	3	7·9	3	2	1	.	.	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	2	.	.	.	.	.	44	4·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	1	9	2	1	1	1·4	2	.	.	.	2	.	.	.	.
Typhus,	2	.	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	3	.	.	.	.	3	2	·9	5	.	1	1	1	.	2	.	.
Whooping Cough,	3	3	1	2	1	2	3	.	1	.	1·6	2	1	.	1	.	.	.	.	.
Diphtheria,	1	1	.	1	1	.	.	1	3	2	1·0	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	1	1	1	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	7	6	8	3	5	8	9	3	6	5·9	4	.	.	1	1	1	1	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	11	6	1	4	7	6	5	5	4	9	5·8	6	.	4	2	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	1	1	.	1	.	.	1	3	.	·7	1	.	1	.	.	.	.	.	.
Erysipelas,	.	.	3	1	.	.	2	1	.	1	·8	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	1	.	1	1	4	.	.	2	1·0	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	1	2	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	.	.	3	1	1	.	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	1	2	1	1	1	1	1	.	2	1	1·1	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	.	2	.	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	.
Rheumatism,	1	.	2	1	.	.	1	.	1	.	·6	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rickets,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	3	3	5	5	9	3	6	6	5	9	5·4	7	.	.	.	.	.	6	1	.
Tabes Mesenterica,	4	1	6	3	5	5	5	5	4	8	4·6	4	.	1	3	.	.	.	.	.
Tubercular Meningitis,	2	3	2	1	3	5	6	2	5	.	2·9	4	.	2	1	1	.	.	.	.
Phthisis,	18	21	27	21	20	20	20	19	20	29	21·5	15	.	.	.	.	9	6	.	.
Scrofula, Tuberculosis,	5	8	2	2	3	4	3	5	3	2	3·7	1	.	.	.	1	.	.	.	.
Other Constitutional Diseases,	.	.	.	.	1	.	3	2	1	1	·8	.	.	.	.	.	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	1	.	2	1	1	1	6	7	2	2	2·3	7	6	1	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	.	1	.	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
Old Age,	15	9	5	11	10	4	12	7	16	14	10·3	7	.	.	.	.	.	.	5	2

each Disease registered in the FORTY-THIRD WEEK ending Saturday, 27th October, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 43rd Week of the 10 years 1890-99.	In the Week ending Saturday, 27th October, 1900. Deaths of Persons of the Ages of							
	Oct. 25, 1890	Oct. 31, 1891	Oct. 29, 1892	Oct. 28, 1893	Oct. 27, 1894	Oct. 26, 1895	Oct. 24, 1896	Oct. 30, 1897	Oct. 29, 1898	Oct. 28, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 51·2	° 43·2	° 43·5	° 48·1	° 46·1	° 39·1	° 40·5	° 53·5	° 50·5	° 48·9	° 46·5	° 47·0								
VI. Local Diseases--																				
Apoplexy,	3	1	3	3	2	3	3	5	.	5	3·3	.	.	.	.	.	.	.	.	.
Epilepsy,	1	.	.	.	.	1	.	2	.	.	·4	.	.	.	.	.	.	.	.	.
Convulsions,	15	13	10	3	4	10	6	8	6	13	8·8	6	.	4	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	5	4	5	2	7	7	6	6	8	10	6·0	8	.	.	2	1	2	3	.	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	12	14	17	9	12	13	19	15	21	13	14·5	10	.	.	.	.	7	1	2	.
Croup,	.	.	1	.	1	1	1	.	.	.	·4	1	.	.	1	.	.	.	.	.
Bronchitis,	13	21	25	9	9	11	15	23	22	20	16·8	17	.	6	2	.	1	4	3	1
Pneumonia	9	10	11	11	8	7	4	15	8	19	10·2	9	.	.	2	1	1	2	3	.
Pleurisy,	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
Other Diseases of Respiratory System,	4	1	4	1	.	1	1	2	2	1	1·7	1	.	.	1	.	.	.	.	.
Teething,	.	2	2	.	.	2	1	.	1	3	1·1	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	1	.	1	1	1	.	·4	1	.	1	.	.	.	.	.	.
Enteritis,	3	1	.	2	2	1	2	2	2	.	1·5	.	.	.	.	.	.	.	.	.
Peritonitis	1	1	.	.	1	1	2	1	.	.	·7	1	.	.	.	1	.	.	.	.
Disease of Liver,	1	4	2	3	4	2	2	2	1	2	2·3	2	.	.	.	.	1	1	.	.
Other Diseases of Digestive System,	3	4	1	7	7	3	6	5	3	5	4·4	8	.	3	.	.	2	1	1	1
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	1	.	1	·2	1	.	.	.	1	.	.	.	.
Diseases of Urinary System,	5	2	5	6	1	3	5	4	4	5	4·0	4	.	.	.	.	2	1	1	.
Diseases of Generative System,	.	.	1	3	.	.	.	1	1	1	·7	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	2	.	2	.	1	.	1	.	2	.	·8	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	1	1	1	2	.	1	1	1	.	·9	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	1	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	.	.	.	2	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	2	1	1	.	2	.	1	2	.	.	4·8	.	.	.	.	.	.	.	.	.
By Drowning,		.	1	1	.	2	1	2	2	3		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,		.	.	.	1	.	1	.	.	1		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	1	.	1		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		2	.	.	1	3	4	2	2	2		2	.	.	.	.	.	2	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	1	.	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	18	9	6	3	10	6	9	11	9	3	7·9	3	2	1	.	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																									
	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.
No. of weeks in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
Births registered,	246	222	198	214	199	222	194	198	228	181	208	186	187	245	149	256	221	228	225	177	165	239	175	152	214	183
Average Births in corresponding week of previous 10 years,	214	212	192	201	209	199	208	202	219	193	188	185	185	195	200	196	185	197	183	211	206	204	175	172	181	168
Deaths registered,	204	179	168	176	157	161	167	122	144	124	127	165	129	159	161	147	185	186	154	171	167	167	182	183	168	141
Annual Death-rate per 1,000,	30·4	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0
Average Deaths in corresponding week of previous 10 years,	178	170	174	167	162	156	164	150	156	149	148	154	162	159	160	157	162	164	170	165	162	160	151	163	159	173
Ages, Under 5 years,	54	52	47	43	43	54	37	29	33	38	32	47	35	40	57	51	79	71	54	70	73	69	83	61	56	53
5—20 „	17	19	20	26	15	14	27	16	13	10	8	13	7	13	9	15	12	21	16	15	7	10	12	9	18	10
20—40 „	47	27	23	30	22	31	35	19	32	25	35	26	18	25	31	17	38	25	25	21	18	30	22	32	28	27
40—60 „	42	36	31	35	40	38	31	29	33	23	24	44	33	39	34	34	35	39	26	34	33	25	29	38	34	31
60—80 „	35	36	36	35	31	19	30	23	27	26	23	30	30	35	26	26	20	26	22	23	32	29	27	34	26	16
80 years and upwards,	9	9	6	7	6	5	7	6	6	2	5	5	6	7	4	4	1	4	11	8	4	4	4	9	6	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
„ Scarlet Fever,	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	2
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	4	1	1	3	.	5	.	1	2	3	4	5	.	3	1	1	5	4	5	7	3	3	5	1	2	2
„ Diphtheria,	.	.	1	.	.	2	2	1	.	.	.	2	1	.		.	1	4	.	2	1	.	.	1	3	.
„ Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
„ Enteric Fever,	6	1	2	2	1	2	2	2	.	2	2	2	.	2	.	1	2	2	1	7	3	4	3	4	4	4
„ Diarrhœa, Dysentery,	1	3	2	.	1	2	1	.	1	2	1	4	4	9	19	24	25	33	20	27	24	18	28	16	9	6
„ Phthisis,	29	32	30	32	13	28	28	22	21	26	31	28	19	24	24	20	25	32	22	20	13	31	14	26	23	15
„ Heart Diseases,	17	14	17	11	14	10	11	9	9	10	9	19	17	23	12	12	18	10	14	11	16	10	13	14	12	10
„ Diseases of Respiratory System,	29	34	25	30	23	23	34	27	29	15	20	23	23	14	15	13	14	6	19	12	15	14	23	29	33	29
Violent Deaths,	6	4	5	1	6	4	1	1	5	6	6	5	4	4	5	4	9	2	5	5	5	3	7	5	2	3
Mean Temperature of the Air (Phœnix Park),	48·6	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	58·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0
Average Mean Temperature in corresponding week of previous 10 years,	47·6	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5
Rainfall in inches,	·350	·535	·005	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·360
Mean Humidity of the Air, complete Saturation 1·0,	·77	·84	·73	·80	·83	·82	·80	·83	·84	·81	·76	·82	·83	·81	·86	·85	·90	·83	·87	·87	·89	·84	·83	·89	·91	·90

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th October, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 27th October, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	21·0	141	53	10	27	31	16	4	.	.	2	.	2	.	.	4	6	14	15	6	29	3	74
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	3·3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
II.	MIDDLE CLASS,	81,469	16·6	26	10	2	5	7	1	1	.	.	.	.	.	.	.	.	1	1	2	1	3	.	19
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	20·9	40	14	2	9	10	4	1	.	.	.	.	1	.	.	1	2	4	5	3	11	1	16
IV.	GENERAL SERVICE CLASS,	147,978	25·1	57	26	5	11	8	5	2	.	.	2	.	1	.	.	3	3	9	4	2	12	2	28
V.	INMATES OF WORKHOUSES,	5,191		17	3	1	2	5	6	.	.	.	.	.	.	.	.	.	.	.	4	.	3	.	10
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,857	28·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	8·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	16·0	8	4	.	1	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	5
	6. Clerks and Commercial Assistants,	25,001	14·6	7	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	21·2	10	1	.	4	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	7
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	42·0	6	1	1		1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	9. Building and Furnishing Trades,	26,294	21·8	11	3	1	2	4	1	.	.	.	.	.	.	.	.	.	2	2	2	.	2	1	4
	10. Clothing Trades,	23,927	26·0	12	6	.	3	2	1	.	.	.	.	.	1	.	.	.	.	1	1	3	5	.	2
	11. Food Supply Trades,	7,949	6·5	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,937	15·4	8	4	.	.	3	.	1	.	.	.	.	.	.	.	1	.	1	1	.	1	.	5
	13. Petty Shopkeepers,	6,889	15·2	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	30·3	8	5	.	1	1	1	.	.	.	.	.	1	.	.	.	.	1	1	.	2	1	3
	15. Domestic Servants,	39,967	10·4	8	1	1	2	3	.	.	.	.	.	1	.	.	.	.	1	2	2	.	1	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	53·7	7	4	.	2	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	5
	17. Hawkers, Porters, Labourers, &c.,	88,472	21·2	34	16	4	5	4	3	2	.	.	.	1	.	.	.	2	2	5	1	2	8	1	17
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	17	3	1	2	5	6	.	.	.	.	.	.	.	.	.	.	.	4	.	3	.	10

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. (in 1891) 27,147.	Sept. 8,	26·9	9·6	14	.	.	.	.	.	.	.	1	4	1	1	.
		„ 15,	26·9	11·5	14	.	.	.	.	2	.	.	1	3	.	3	.
		„ 22,	21·1	3·8	11	.	.	.	.	1	.	.	1	.	.	1	.
		„ 29,	25·0	3·8	18	.	.	.	.	.	.	.	.	2	3	.	1
		Oct. 6,	17·3	1·9	9	.	.	.	.	.	.	.	1	.	.	.	1
		„ 13,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	.	.	.
		„ 20,	34·6	5·8	18	.	.	.	.	1	.	1	1	.	4	2	.
		„ 27,	30·7	1·9	16	.	.	.	.	1	.	.	.	.	3	3	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,836.	Sept 8,	29·9	.	20	.	.	.	.	.	.	.	.	.	1	6	1
		„ 15,	40·4	9·0	27	.	.	.	.	.	1	.	.	5	2	3	.
		„ 22,	18·0	4·5	12	.	.	.	.	.	.	.	1	2	1	2	.
		„ 29,	28·4	4·5	19	.	.	.	.	.	.	.	.	3	3	2	.
		Oct. 6,	28·4	13·5	19	.	1	.	.	1	.	.	.	7	1	1	.
		„ 13,	32·9	6·0	22	.	.	.	.	.	.	.	1	3	2	7	1
		„ 20,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	2	4	.
		„ 27,	28·9	3·0	16	.	.	.	.	.	.	.	1	1	1	4	.
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Sept. 8,	28·9	7·2	16	.	.	.	.	3	.	.	.	1	3	2	.
		„ 15,	21·7	7·2	12	.	.	.	.	.	.	.	2	2	1	2	2
		„ 22,	27·1	12·6	15	.	.	.	.	.	1	.	.	6	3	.	.
		„ 29,	25·3	7·2	14	.	.	.	.	1	.	.	.	3	3	2	.
		Oct. 6,	37·9	9·0	21	.	.	.	.	.	.	.	.	5	1	2	1
		„ 13,	26·9	1·8	16	.	.	.	.	.	.	.	1	.	3	3	1
		„ 20,	27·1	1·8	15	.	.	.	.	.	.	.	.	1	5	5	.
		„ 27,	23·5	1·8	13	.	.	.	.	1	.	.	.	.	2	3	.
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Sept. 8,	34·0	8·0	17	.	.	.	.	.	.	.	.	4	2	.	.
		„ 15,	30·0	6·0	15	.	.	.	.	1	.	.	.	2	3	3	.
		„ 22,	32·0	8·0	16	.	.	.	.	.	.	.	.	4	1	2	.
		„ 29,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	3	1	.
		Oct. 6,	26·0	2·0	13	.	.	.	.	.	.	.	.	1	1	.	.
		„ 13,	36·0	.	18	.	.	.	.	.	.	.	.	.	4	3	.
		„ 20,	32·0	2·0	16	.	.	.	.	.	.	.	.	1	.	3	.
		„ 27,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	.	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 33,194.	Sept. 8,	17·3	1·6	11	.	.	.	.	.	.	.	.	1	2	1	.
		„ 15,	23·6	3·1	15	.	.	.	.	.	.	.	1	1	3	2	.
		„ 22,	26·7	3·1	17	.	.	.	.	.	.	.	1	1	.	3	1
		„ 29,	34·6	3·1	22	.	.	.	.	.	.	.	.	2	3	4	.
		Oct. 6,	25·1	4·7	16	.	.	.	.	.	.	.	.	3	2	1	2
		„ 13,	36·1	4·7	23	.	.	.	.	.	.	.	.	3	3	4	.
		„ 20,	37·7	1·6	24	.	.	.	.	.	.	.	1	.	5	3	.
		„ 27,	17·3	3·1	11	.	.	.	.	.	.	.	2	.	2	3	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Sept. 8,	22·5	8·4	8	.	.	.	.	.	.	.	.	3	1	1	.
		„ 15,	33·7	16·9	12	.	.	.	.	.	1	.	.	5	2	.	.
		„ 22,	19·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.
		„ 29,	16·9	5·6	6	.	.	.	.	.	.	.	.	2	.	.	.
		Oct. 6,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	2	.	.
		„ 13,	28·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 20,	42·2	2·8	15	.	.	.	.	.	.	.	.	1	.	6	.
		„ 27,	8·4	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Sept. 8,	25·7	2·6	20	.	.	.	.	.	.	.	.	2	5	2	2
		„ 15,	32·1	9·0	25	.	.	.	.	2	.	.	1	4	3	1	.
		„ 22,	33·4	7·7	26	.	.	.	.	2	.	.	.	4	4	3	.
		„ 29,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	1	1	1
		Oct. 6,	41·1	10·3	32	.	.	.	.	2	.	.	1	5	2	7	1
		„ 13,	36·0	6·4	28	.	.	.	.	.	.	.	1	4	6	2	1
		„ 20,	14·1	.	11	.	.	.	.	.	.	.	.	.	3	3	.
		„ 27,	18·0	1·3	14	.	.	.	.	.	.	.	.	1	3	5	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798	Sept. 8,	13·1	4·4	9	.	.	.	.	.	.	.	.	3	1	.	.
		„ 15,	13·1	5·8	9	.	.	.	.	1	.	.	.	3	2	2	.
		„ 22,	33·0	1·5	22	.	.	.	.	.	.	.	.	1	3	2	1
		„ 29,	42·2	5·8	29	.	.	.	.	1	.	.	.	3	7	2	.
		Oct. 6,	23·3	2·9	16	.	.	.	.	.	.	.	.	2	1	3	.
		„ 13,	26·2	4·4	18	.	.	.	.	1	.	.	1	1	1	2	1
		„ 20,	17·5	2·9	12	.	.	.	.	.	.	.	1	1	.	2	.
		„ 27,	21·9	2·9	15	.	.	.	.	.	.	.	.	2	1	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases; *to the Districts from which the deceased were admitted:* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Sept. 8,	16·9	1·9	9	.	.	.	.	1	.	.	.	.	2	.	1
	" 15,	15·8	5·6	10	.	.	1	.	1	.	.	1	.	.	.	1
	" 22,	22·5	1·9	12	.	.	.	.	.	.	.	.	1	1	1	.
	" 29,	16·9	3·8	9	.	.	.	.	.	.	.	1	1	2	1	.
	Oct. 6,	20·6	5·6	11	.	.	.	.	.	.	.	.	3	.	5	.
	" 13,	16·9	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	" 20,	26·8	7·5	14	.	.	.	.	.	.	.	.	4	1	1	.
	" 27,	7·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook. Pop. (in 1891) 24,629.	Sept. 8,	10·6	2·1	5	.	.	.	.	.	.	.	.	1	.	.	.
	" 15,	13·7	2·1	6	.	.	.	.	.	.	.	.	1	.	1	.
	" 22,	19·1	4·2	9	.	.	.	.	.	.	.	.	2	.	.	1
	" 29,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	1
	Oct. 6,	21·2	.	10	.	.	.	.	.	.	.	.	.	2	1	1
	" 13,	13·7	2·1	6	.	.	.	.	.	1	.	.	.	.	1	.
	" 20,	19·1	4·2	9	.	.	.	.	.	2	.	.	.	1	2	.
	" 27,	14·8	.	7	.	.	.	.	.	.	.	.	.	.	3	1
Kingstown. Pop. (in 1891) 17,386.	Sept. 8,	36·0	3·0	12	.	.	.	.	1	.	.	.	.	2	3	.
	" 15,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	2	.	.
	" 22,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	" 29,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	2	.	.
	Oct. 6,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	" 13,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	" 20,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	1
	" 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	2	1
Belfast. Pop. in 1900 (Est.) 359,000.	Sept. 8,	19·8	4·2	136	.	.	2	.	2	.	.	6	19	14	12	4
	" 15,	19·0	3·3	131	.	.	1	.	1	2	.	8	11	16	15	1
	" 22,	18·0	2·5	124	.	.	.	.	2	2	.	3	10	10	17	2
	" 29,	16·1	2·8	111	.	1	.	1	1	1	.	5	10	16	17	3
	Oct. 6,	18·9	3·5	130	.	1	1	.	.	2	.	9	11	19	19	1
	" 13,	19·3	1·9	133	.	.	.	.	1	2	.	4	6	21	20	.
	" 20,	16·3	1·7	112	.	.	2	.	.	.	.	4	6	15	16	.
	" 27,	19·0	2·2	131	.	2	1	.	.	2	.	7	8	19	24	1
Cork. Pop. (in 1891) 75,345.	Sept. 8,	11·1	1·4	16	.	.	.	.	.	.	.	.	2	2	4	.
	" 15,	21·5	4·2	31	.	.	2	.	.	.	.	.	4	4	2	.
	" 22,	19·4	4·2	28	.	.	.	.	.	.	.	.	6	5	1	1
	" 29,	21·5	2·8	31	.	.	.	.	.	.	.	.	4	2	6	.
	Oct. 6,	22·1	4·2	32	.	.	1	.	.	.	.	1	4	3	5	.
	" 13,	15·9	2·1	23	.	.	.	.	.	.	.	.	3	4	2	.
	" 20,	23·5	2·8	34	.	.	2	.	.	.	.	1	1	6	9	.
	" 27,	20·1	4·2	29	.	.	3	.	.	1	.	.	2	5	2	.
Limerick. Pop. (in 1891) 37,155.	Sept. 8,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	3	.
	" 15,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
	" 22,	22·5	.	16	.	.	.	.	.	.	.	.	.	3	3	.
	" 29,	33·7	1·4	24	.	.	.	.	1	.	.	.	.	2	6	.
	Oct. 6,	18·2	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.
	" 13,	21·1	2·8	15	.	.	.	.	.	.	.	.	2	3	2	.
	" 20,	11·2	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	" 27,	19·6	1·4	14	.	.	.	.	.	.	.	.	1	1	2	.
Londonderry Pop. (in 1891) 33,300.	Sept. 8,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	2	.
	" 15,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	.	1	2
	" 22,	14·1	3·1	9	.	1	.	.	.	.	.	.	1	2	1	.
	" 29,	23·6	3·1	15	.	.	.	1	.	.	.	.	1	3	3	.
	Oct. 6,	20·4	1·6	13	.	1	.	.	.	.	.	.	.	3	3	.
	" 13,	18·8	3·1	12	.	1	.	.	.	.	.	.	1	4	2	.
	" 20,	14·1	3·1	9	.	.	.	1	.	.	.	.	1	1	.	.
	" 27,	29·8	3·1	19	.	1	.	.	.	.	.	.	1	3	7	.
Waterford. Pop. (in 1891) 26,200.	Sept. 8,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	4	2	.
	" 15,	18·9	6·0	7	.	.	.	.	.	.	.	.	3	1	.	1
	" 22,	17·9	6·0	9	.	.	.	.	.	.	.	1	2	1	2	.
	" 29,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	.	.
	Oct. 6,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	1	2	.
	" 13,	9·9	.	5	.	.	.	.	.	.	.	.	.	2	.	.
	" 20,	28·9	4·0	13	.	.	.	.	.	.	.	1	1	2	1	.
	" 27,	25·9	4·0	13	.	.	.	.	.	.	.	.	2	1	1	2

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 27th October, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 yrs.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	5	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		14	4	.	9	1	.	.	.	.	.	.	.	2	.	2	2	.	2	2
" 2 "	37,589	30			20	2	2	12	4	.	1	.	.	.	.	.	2	.	3	5	.	2	2
" "	38,845	26			18	2	2	11	3	.	.	.	.	.	.	.	.	1	5	3	.	2	1
" 4 "	33,391	14			15	2	3	8	2	.	1	.	.	.	.	.	1	.	2	2	.	.	6
" 5 "	21,284	5			5	1	.	3	1	.	.	.	.	.	.	.	1	.	2	1	.	.	1
" 6 "	48,481	20			15	5	.	4	6	.	.	.	.	.	.	.	.	1	1	3	.	.	1
" 7 "	1,112	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	1			4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1
" 9 "	12,866	8			7	.	.	7	.	.	.	.	.	.	.	.	.	.	2	2	.	1	.
" 10 "	12,256	15			7	4	1	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.
" 11 "	19,881	18			13	4	1	7	1	.	.	.	.	.	1	.	1	1	1	2	.	1	4
" 12 "	28,282	33			9	3	3	2	1	.	.	.	.	.	1	.	.	.	.	1	1	3	.
" 13 "	6,804	6			4	.	.	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 14 "	362	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	181			131	28	12	67	24	.	2	1	.	.	2	.	7	3	19	24	1	11	18
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	5	8·7	4·4	2	.	.	2	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
" 2 "	9,252	6	45·1	11·3	8	4	1	3	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1
" 3 "	9,816	5	31·9	5·3	6	1	.	5	.	.	.	.	.	.	.	.	.	1	2	2	.	.	2
" 4 "	10,356	3	20·1	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.
" 5 "	8,137	2	12·8	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	3,823	5	11·8	5·9	2	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 7 "	17,034	11	15·3	3·1	5	.	1	2	2	.	.	1	.	.	.	.	.	.	1	.	.	.	2
Total,	75,345	37	20·1	4·2	29	6	2	17	4	.	.	3	.	.	1	.	.	2	5	2	.	2	7

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.
No. of week in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered,	213	244	218	218	218	219	241	213	204	236	155	263	220	241	222	171	206	193	221	224	185	219	215	233	208	181
DEATHS registered,	171	188	158	141	134	123	141	130	136	126	108	136	133	155	126	149	124	133	136	131	124	111	130	133	112	131
Annual Death-rate per 1,000 of estimated Population,	24·8	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0
AGES, Under 1 year,	33	26	34	20	25	26	24	26	18	26	22	34	39	56	39	52	40	44	45	44	34	30	33	32	31	28
AGES, 1–5 years,	23	14	27	10	13	13	17	15	15	14	13	15	15	20	9	17	7	18	15	11	17	8	22	15	18	12
AGES, 5–60 years,	86	76	65	87	76	60	72	61	76	67	55	65	61	58	58	65	56	49	54	56	56	53	46	67	50	67
AGES, 60 years and upwards,	29	22	27	24	20	24	28	28	17	19	18	22	18	21	20	15	21	22	22	20	17	20	29	19	13	24
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	1	1	.	3	1	1	2	.	.	1	.	1	1	.	.	.	.	.	.	1	1	.	.	2
,, Scarlet Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	2	1
,, Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, Whooping-cough,	8	3	6	1	1	.	1	1	2	1	2	3	.	.	.	3	2	.	2	1	2	1	.	1	.	.
,, Diphtheria,	1	1	1	.	1	1	.	.	1	.	1	.	.	1	.	2	.	.	.	2	2	1	2	2	.	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	8	5	12	5	11	10	11	6	2	6	7	1	6	5	8	8	7	10	6	8	3	5	9	4	4	7
,, Diarrhœa, Dysentery,	4	1	2	1	3	1	1	4	4	2	1	8	11	19	7	16	15	16	19	11	10	10	11	6	6	3
,, Phthisis,	31	31	23	34	22	18	2	20	32	20	20	20	22	30	27	16	16	13	14	16	10	16	19	21	15	19
,, Diseases of Respiratory System,	33	31	32	31	29	28	24	18	17	24	10	22	14	13	13	12	10	9	12	15	17	17	19	20	16	24
Violent Deaths,	2	3	4	5	2	1	4	7	3	3	3	3	3	5	2	3	3	3	4	1	2	3	1	.	.	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th October, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	2	.	.	3
" " 1, West,	.	12	.	4	.	.	.	.	.	2	1	.	19
" " 2,	.	2	1	2	.	.	.	.	.	3	.	.	8
" " 3,	.	2	.	1	.	.	.	.	2	7	1	.	13
South City No. 1,	.	3	.	4	.	.	.	.	.	3	3	.	13
" " 2,	.	.	.	.	1	.	.	.	.	.	1	.	2
" " 3,	.	.	.	.	.	.	.	.	.	3	.	.	3
" " 4,	.	.	.	1	.	.	.	.	.	.	3	.	4
Total,	.	19	1	12	1	.	.	.	3	20	9	.	65
Total for week ended Oct. 20, 1900,	.	9	1	7	1	.	1	.	2	21	7	.	49
Total for week ended Oct. 13, 1900,	.	11	2	10	1	.	6	.	7	27	12	.	76
Total for week ended Oct. 6, 1900,	.	4	3	9	1	.	1	.	5	24	9	.	56

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th October, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th October.			
	Oct. 6.	Oct. 13.	Oct. 20.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	10	25	26	11	8	.	29
Scarlet Fever,	53	58	67	11	8	.	70*
Typhus "	5	6	7	1	1	.	7
Diphtheria,	13	17	12	5	5	.	12
Enteric Fever,	87	84	77	14	9	2	80
Pneumonia,	15	13	19	7	6	1	19

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XL.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Oct. 27,	2,239	1,403	15·9	.	20	10	38	18	22	43
EDINBURGH,	302,262	„ 27,	145	95	16·3	.	2	1	2	.	1	1
GLASGOW,	743,969	„ 27,	458	296	20·7	2	1	6	1	12	3	14
CALCUTTA,	466,460	Aug. 25,	.	302	33·7	7	.	.	.	.	82‡	45*
BOMBAY,	821,764	Oct. 2,	333	1,007	63·7	.	2	?	?	?	129§	192*
MADRAS,	452,518	Sept. 14,	472	525	60·3	.	.	?	?	?	127	172*
PARIS,	2,511,629	Oct. 20,	1,070	839	17·3	11	.	3	5†	5	7	67
BRUSSELS (with 8 Faubourgs).	570,844	„ 13,	190	160	14·6	.	.	.	.	1	2	26
AMSTERDAM,	517,032	„ 6,	228	125	12·6	.	3	.	1	3	.	.
ROTTERDAM,	327,815	„ 6,	219	85	13·5	.	.	1	2	2	2	.
THE HAGUE,	205,328	„ 6,	128	50	12·5	.	.	1	1	1	.	.
COPENHAGEN,	354,000	„ 20,	187	87	12·8	.	.	.	.	.	1	8
CHRISTIANIA,	226,423	„ 20,	149	45	10·8	.	.	1	.	.	.	2
ST. PETERSBURG,	1,132 677	„ 13,	642	457	21·0	2	6	21	18	1	18	36
BERLIN,	1,863,128	„ 6,	928	617	17·2	.	6	14	10	8	3	122
HAMBURG,	691,349	„ 29,	.	198	14·9	.	.	1	8†	3	.	18
DRESDEN,	407,500	Aug. 25,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU,	412,959	Oct. 13,	.	181	22·8	.	.	.	2	6	1	35
MUNICH,	463,000	June 30,	332	208	23·4	.	4	.	1	3	1	49
VIENNA (with suburbs).	1,656,662	Oct. 13,	958	522	16·2	.	3	3	7†	2	5	81
BUDA-PESTH,	685,340	„ 6,	463	229	17·4	.	2	4	1	3	2	14
PRAGUE and Faubourgs.	391,693	„ 13,	186	135	17·6	.	.	1	.	1	1	3
ROME,	518,333	Sept. 15,	215	146	14·6	.	.	.	.	.	8	23
TURIN (10 days),	344,203	„ 20,	177	117	12·4	.	.	.	1†	.	1	10
VENICE,	172,924	Aug. 25,	82	61	18·3	.	.	.	1†	.	3	7
NEW YORK,	3,444,675	Sept. 15,	1,484	1,319	20·0	.	5	3	20	9	28	195
PHILADELPHIA,	1,493,697	Oct. 6,	.	334	13·4	.	.	.	18	1	6	10

* Including 7 deaths from cholera in Calcutta, 54 in Bombay, and 81 in Madras. † Including deaths from croup. ‡ Exclusive of 28 deaths from bubonic fever. § Exclusive of 86 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 27th October, 1900:—

"At the beginning of the week an anticyclone of considerable intensity spread in over Ireland from the Atlantic. By 8 a.m. of Monday the barometer rose to 30·70 inches at Parsonstown (Birr) and Roche's Point, Cork Harbour. Very fine, dry and bracing weather accompanied this high pressure system on Sunday, but Monday proved cloudy, dull, and at times damp. This change was brought about by the advance of an atmospheric depression to Norway, the warm westerly winds of the system passing over the British Isles. Temperature rose fast, having been very low on Monday morning, when a minimum of 29° in the screen was recorded at Loughborough, Leicestershire. Dull, muggy weather continued until Thursday, when somewhat complex depressions appeared over the N.W. of Europe. In front of these, the thermometer rose on Wednesday to 60° at several stations, 61° in Dublin and at Dungeness, and 63° at Shields. As the wind shifted to N.W. in the rear of the depressions, temperature gave way fast, frost occurring in Scotland on Thursday night. Hail showers and lightning were also reported in the N.W. and S. The week ended as it had begun—clear and cold. In Dublin the mean height of the barometer was 30·070 inches, pressure ranging from 30·636 inches at 9 a.m. of Monday (wind, N.W.), and 29·363 inches at 9 a.m. of Friday (wind, W.N.W.). The corrected mean temperature was 48·9°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 47·5°. The screened thermometers rose to 61·3° on Wednesday and fell to 36·9° on Friday. N.W. & W. winds prevailed. Rain fell on 4 days to the amount of ·349 inch, ·292 inch being measured on Thursday. Bright sunshine was estimated at 29¾ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·079 inches. The highest reading (30·644) was on Monday at 9 a.m., wind S.W., and the lowest (29·375) on Friday at 9 a.m., wind W.

The mean temperature for the week was 47·0°, being 5° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Wed., when the thermometer registered 58·8°, and was lowest on Monday, the mercury having fallen to 32·8°. The mean of the Dry Bulb for the week was 45·9°, and of the Wet Bulb 44·5°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 28·0 hours. The rainfall measured ·360 in.

At Greenwich the mean temperature for the week was 47·2°, the maximum 57·3°, and the minimum 37·4°; at Glasgow the maximum was 59·7°, the minimum 33·5°, and the mean 46·8°; and at Edinburgh the maximum was 53·2°, the minimum 33·3°, and the mean 43·7°. The rainfall at Greenwich measured 0·30 in; at Glasgow 0·47 in.; and at Edinburgh 0·55.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Oct. 21,	30·547	50·1	33·2	41·7	39·6	37·7	·86	·6	7·2	—	N.	Calm.
Monday, „ 22,	30·614	54·8	32·8	43·8	49·2	47·6	·89	·5	0·0	—	S.W.	W.
Tuesday, „ 23,	30·452	57·2	49·1	53·2	53·7	52·7	·94	·6	0·3	·020	W.S.W.	W.
Wednesday, „ 24,	30·172	58·8	53·3	56·1	55·0	54·0	·94	·6	0·1	·030	W.	S.W.
Thursday, „ 25,	29·664	55·6	40·9	48·3	43·8	42·2	·89	·6	5·3	·300	W.	W.
Friday, „ 26,	29·412	47·1	34·9	41·0	39·0	37·5	·87	·4	7·0	·010	W.	W.S.W.
Saturday, „ 27,	29·690	51·7	37·4	44·6	40·3	39·7	·91	·6	8·1	—	W.	W.
Mean, . .	30·079	53·6	40·2	47·0	45·9	44·5	·90	·6	Total 28·0	Total ·360	Prevailing W.	Wind

Sunday—A fine but cloudy day; night cloudy. *Monday*—A cloudy day; night cloudy. *Tuesday*—A dull day; night overcast; rain 9.30 p.m. to 5.30 a.m. *Wednesday*—A dull day; rain 2 to 5 p.m.; lightning p.m.; night cloudy; showery 11 p.m. to 2 a.m. *Thursday*—A cloudy day; showery p.m.; night cloudy; heavy rain 12.45 to 2.15 a.m. *Friday*—A cloudy day; rain 1.30 to 1.45 p.m.; night cloudy. *Saturday*—A fine but cloudy day; night clear p.m.; cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

10. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90 WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 3RD NOVEMBER, 1900. [No. 44.

General Register Office, Charlemont House,
Dublin, 5th November, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Oct. 13.	Week ending Oct. 20.	Week ending Oct. 27.	Week ending Nov. 3.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 13.	Week ending Oct. 20.	Week ending Oct. 27.	Week ending Nov. 3.	Average Rate for 4 weeks.
23 Town Dists.	20·9	20·3	19·3	20·2	20·2	Limerick, . .	21·1	11·2	19·6	11·2	15·8
Armagh, . .	28·5	7·1	21·4	7·1	16·0	Lisburn, . .	12·8	34·1	12·8	4·3	16·0
Ballymena, .	33·8	33·8	11·3	5·6	21·1	Londonderry, .	18·8	14·1	29·8	20·4	20·8
Belfast, . .	19·3	16·3	19·0	19·2	18·5	Lurgan, . .	31·9	18·2	22·8	9·1	20·5
Carrickfergus, .	11·7	11·7	23·4	11·7	14·6	Newry, . .	8·1	28·2	8·1	12·1	14·1
Clonmel, . .	4·9	29·2	19·5	73·0	31·6	Newtownards, .	28·3	28·3	17·0	34·0	26·9
Cork, . . .	15·9	23·5	20·1	16·6	19·0	Portadown, .	0·0	24·7	24·7	12·4	15·5
Drogheda, . .	19·0	15·2	19·0	30·4	20·9	Queenstown, .	23·0	0·0	5·7	5·7	8·6
Dublin, Reg. Area,	26·4	24·9	20·0	21·9	23·3	Sligo, . . .	15·2	35·5	10·2	40·6	25·4
Dundalk, . .	16·8	41·9	20·9	16·8	24·1	Tralee, . .	5·6	0·0	5·6	33·6	11·2
Galway, . .	22·7	11·3	7·6	30·2	18·0	Waterford, .	9·9	23·9	25·9	21·9	20·4
Kilkenny, . .	33·0	18·9	14·2	23·6	22·4	Wexford, . .	4·5	4·5	18·1	13·5	10·2

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in fifteen of the districts to 11·7 in Carrickfergus; the 2 deaths registered for that district being from measles. Among the 132 deaths from all causes registered for Belfast are 2 from measles, 2 from whooping-cough, 2 from diphtheria, 7 from enteric fever, and 5 from diarrhœa; and the 24 deaths in Cork include 3 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 186—97 boys and 89 girls; and the deaths to 152—79 males and 73 females.

DEATHS.

The deaths, which are 29 below the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 22·7 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 21·9 per 1,000. During the forty-four weeks ending with Saturday last the death-rate averaged 29·2, and was 2·1 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 16 deaths from zymotic diseases registered during the week, being 4 under the number which were recorded in the preceding week, and 9 under the average for the corresponding week of the last 10 years. This number includes 5 deaths from diarrhœal diseases; 3 deaths from enteric fever, 3 deaths from whooping-cough, and one death each from measles, scarlatina, and influenza.

Tubercular disease caused 25 deaths, comprising 16 deaths from pulmonary tuberculosis, 4 deaths from tabes mesenterica, 3 deaths from tubercular meningitis, and 2 deaths from scrofula.

Diseases of the respiratory system caused 36 deaths; 27 deaths were caused by bronchitis and 7 deaths by pneumonia. The total, 36, is over the average for the corresponding week of the last 10 years by 2, and 7 over the number which took place in the preceding week.

The deaths of 9 children were caused by convulsions; of these 5 were under one year in age and above one month, 3 were under 5 years but over one year in age, and one was under a month old.

Apoplexy caused 3 deaths, cancer caused 10 deaths, diseases of the circulatory system caused 9 deaths.

Seven accidental deaths were registered.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the death of a person aged 73 years.

Forty-four of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 4 were under one month old) and 36 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a woman) was stated to have been aged 97 years.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 21·9 per 1,000; the rate in the city was 24·9 (25·4 on the North side, and 24·4 on the South), and in the Suburbs 15·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the city being 2·3 (3·1 in the North City Districts, and 1·6 in the South), and for the Suburbs 1·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 19·2 per 1,000. Whooping-cough and diarrhœa each caused one death, pulmonary tuberculosis caused one death, and 5 deaths were due to diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 23·9 per 1,000. Pulmonary tuberculosis caused 4 deaths, diseases of the respiratory system caused 3 deaths, and diseases of the brain and nervous system caused 2 deaths.

No. 2 North City District (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 32·5 per 1,000. Diarrhœa caused 3 deaths, whooping-cough caused one death, and chicken-pox caused one death; five deaths were caused by diseases of the brain and nervous system, including 4 deaths from convulsions, and 3 deaths were caused by diseases of the respiratory system.

No. 3 North City District (Blackhall-place).—The deaths (13) represent an annual rate of 26·0 per 1,000. Enteric fever caused one death, pulmonary tuberculosis caused one death, and two deaths were caused by diseases of the respiratory system.

* See Table VI.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 25·1 per 1,000. Measles caused one death, pulmonary tuberculosis caused 4 deaths, 4 deaths were due to diseases of the respiratory system, and 3 deaths to diseases of the brain and nervous system.

No. 2 South City District (Castle-street).—The deaths (14) are equal to an annual rate of 39·4 per 1,000. Enteric fever caused one death, and pulmonary tuberculosis caused one death, five deaths were due to diseases of the respiratory system, and two deaths to diseases of the brain and nervous system.

No. 3 South City District (Peter-street).—The deaths (21) are equal to an annual rate of 27·0 per 1,000. Scarlatina caused one death, and whooping-cough caused one death; one death was due to pulmonary tuberculosis, and 6 deaths to diseases of the respiratory system.

No. 4 South City District (Grand Canal-street).—The deaths (9) are equivalent to an annual rate of 13·1 per 1,000. No death from notifiable zymotic disease occurred in this district, but 3 deaths were caused by pulmonary tuberculosis, and 4 deaths from diseases of the respiratory system occurred.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 37·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 14·6; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 21·5; Rathmines, 15·0; Donnybrook, 10·6; Blackrock, 24·3; and Kingstown, 9·0. The deaths from zymotic diseases tabulated for these districts consist of one from diarrhœa for Finglas and Glasnevin, part of, one from influenza for Rathmines, and one from enteric fever for Donnybrook. Of the 8 deaths from all causes tabulated for Rathmines, 3 were from cancer, and 2 from diseases of the circulatory system.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	13th October,	76 cases.
" "	20th October,	49 cases.
" "	27th October,	65 cases.
" "	3rd November,	85 cases.

Of the 85 cases notified, 10 were erysipelas, 25 enteric fever, 11 scarlatina, 27 measles, 8 continued fever, 3 typhus fever, and one diphtheria.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 3rd November, 1900, . . 14 cases.

Of the 14 cases notified 6 were enteric fever, 5 scarlatina, 2 erysipelas, and one diphtheria.

(3.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd November, 1900.

From this it appears that:—

Thirteen cases of enteric fever were admitted to hospital, 13 were discharged, and 80 cases remained under treatment at the close of the week.

Fifteen cases of scarlatina were admitted to hospital, 9 were discharged, one died, and 75* remained under treatment at the close of the week.

One case of typhus fever was admitted to hospital, 4 cases were discharged, and 4 remained under treatment at the close of the week.

One case of diphtheria was admitted to hospital, 3 cases were discharged, and 10 cases remained under treatment at the close of the week.

Twenty-three cases of measles were admitted to hospital, 3 were discharged, and 49 cases remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·7) was equal to an average annual death-rate of 16·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·6 per 1,000, the rate for Glasgow being 22·4, and for Edinburgh 15·1.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 3rd November, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 3rd November, 1900. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No in Public Institutions.	Meteorology.† Week ending 3rd November, 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th Oct., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th Oct., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	23·4	20·2	2·0	476	411	67	110	.	6	1	1	5	2	.	11	15	50	86	18	26	188	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	27·7	21·9	1·9	186	147	26	35	.	1	1	.	3	.	.	3	5	16	35	6	6	69	$61·1	34·2	50·8	1·01	$58·8	32·8	47·0	0·36	$58·8	31·2	46·4	0·18
City	245,001	65·6	33·2	24·9	2·3	156	117	23	26	.	1	1	.	3	.	.	2	4	15	32	6	6	60	62·8	36·7	51·8	0·92	61·3	36·9	48·9	0·35	59·4	37·2	48·3	0·19
Registrars' Districts. Clontarf &c. No. 1,	4,188	1·5	25·2	37·8	.	2	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·8	19·4	14·6	.	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	12·3	12·3	12·3	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	62·4	32·8	51·8	1·04	59·8	33·0	47·3	0·32	57·8	31·0	46·8	0·23
Palmerston, part of and Crumlin part of (b),	7,273	8·0	7·2	21·5	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	16·9	15·0	.	9	8	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	14·8	10·6	2·1	7	5	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	6·2	24·8	.	1	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	15·0	9·0	.	5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62	44	52·4	0·94	59	38	49·7	0·30	58	39	50·3	0·17
Urban Districts																																			
Belfast,	359,000	21·8	26·7	19·2	2·6	184	132	22	28	.	2	.	.	2	2	.	7	5	23	26	8	13	26	57·0	33·5	46·0	0·67	57·0	34·5	47·9	0·48	55·0	30·5	46·2	0·27
Cork,	75,845	33·3	18·8	16·6	2·1	20	24	3	7	.	.	.	.	.	.	.	.	3	5	5	.	.	6	59	41	52·4	1·80	58	40	50·0	0·16	57	42	50·2	0·83
Limerick,	67,155	17·9	18·2	11·2	.	13	8	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	22·0	20·4	3·1	14	13	2	7	.	.	.	.	.	.	.	1	1	.	3	.	.	1	67·0	36·0	49·3	0·87	57·0	36·5	47·5	1·39	57·0	35·0	45·8	0·49
Waterford,	26,203	18·3	9·9	21·9	.	5	11	2	2	.	.	.	.	.	.	.	.	.	.	1	1	2	5	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	15·1	30·2	.	4	8	.	5	.	.	.	.	.	.	.	.	.	.	2	.	1	4	59	35	51	1·53	62	40	52	0·50	58	43	50	0·82
Drogheda	13,708	8·7	22·8	30·4	.	6	8	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	12·1	12·1	.	3	3	.	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	62·0	34·0	49·0	1·22	57·9	34·2	47·5	0·42	57·6	33·0	46·1	0·18
Dundalk,	12,449	9·0	20·9	16·8	.	5	4	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	8·5	4·3	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	62·0	34·0	49·0	1·22	57·9	34·2	47·5	0·42	57·6	33·0	46·1	0·18
Wexford,	11,545	24·0	13·5	13·5	4·5	3	3	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	13·4	18·2	9·1	.	4	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	62·0	34·0	49·0	1·22	57·9	34·2	47·5	0·42	57·6	33·0	46·1	0·18
Kilkenny,	11,048	12·0	4·7	23·6	.	1	5	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	60	30	51·1	1·22	61	31	47·1	0·50	57	30	46·9	0·22
Clonmel,	10,708	8·2	19·5	73·0	4·9	4	15	.	7	.	1	.	.	.	.	.	.	.	2	4	.	.	12	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	3·4	20·3	40·6	5·1	4	8	2	3	.	.	.	1	.	.	.	.	.	.	1	.	.	2	59·9	29·8	48·5	1·07	58·2	39·0	48·3	1·25	57·5	28·2	44·8	0·40
Tralee,	9,818	15·9	33·6	33·6	.	6	6	1	5	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	5·6	5·6	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	22·7	34·0	.	4	6	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	4	56	33	47·5	1·54	60	36	48·1	0·25	55	34	46·5	0·43
Queenstown,	9,082	17·0	5·7	5·7	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	59	41	52·4	1·80	58	40	50·0	0·16	57	42	50·2	0·83
Carrickfergus	8,923	0·5	5·6	11·7	11·7	1	2	.	.	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	.	12·4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62·0	34·0	49·0	1·22	57·9	34·2	47·5	0·42	57·6	33·0	46·1	0·18
Armagh,	7,187	21·4	35·6	7·1	.	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62·0	34·0	49·0	1·22	57·9	34·2	47·5	0·42	57·6	33·0	46·1	0·18

(a) All the District except that portion in Finglas District Electoral Division

(b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† In the Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted, it having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 3rd November, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																		TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1081	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	3	.
Diarrhœa, Dysentery,	1	.	3	.	.	.	.	.	.	.	1	.	.	.	.	.	5	.
Other Zymotic Diseases	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	3	.
Total,	2	.	5	1	1	1	3	.	.	.	1	.	1	1	.	.	16	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	3	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	1	4	.	1	4	1	1	3	.	.	.	.	1	.	.	.	16	.
Other Constitutional Diseases,	1	2	1	4	1	1	2	.	1	.	.	.	3	1	1	2	20	2
Total,	2	6	1	5	5	2	3	3	1	.	.	.	4	1	1	2	36	2
V. DEVELOPMENTAL DISEASES,	.	4	1	1	2	.	2	.	1	2	.	.	.	.	1	.	14	.
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	.	2	5	.	3	2	3	1	.	.	.	1	.	.	.	.	17	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	.	.	2	.	1	.	1	.	1	.	1	2	.	1	.	9	.
Respiratory System,	5	3	3	2	4	5	6	4	.	.	.	.	1	1	1	.	35	1
Digestive System,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1
Urinary System,	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	1	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	5	9	5	7	9	10	6	1	1	.	3	3	1	2	1	68	2
VII. VIOLENT DEATHS,	1	1	.	.	.	1	3	.	.	.	.	.	.	.	.	.	6	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	4	.
Deaths from all Causes,	10	16	18	13	16	14	21	9	3	3	1	3	8	5	4	3	147	5
Annual Rate of Mortality in every 1,000 of the population.	19·2	23·9	32·5	26·0	25·1	39·4	27·0	13·1	37·8	14·6	12·3	21·5	15·0	10·6	24·8	9·0		
	25·4				24·4				15·0									
	24·9																21·9	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	1	4	5	3	3	10	4	2	.	.	1	3	1	.	.	39	4
Workhouse Hospitals,	1	4	6	3	5	5	3	1	.	.	.	.	1	1	.	.	30	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 4th Week of the 10 years 1890–99.	In the week ending Saturday, 3rd November, 1900. Deaths of persons of the Ages of								
	Nov. 1, 1890	Nov. 7, 1891	Nov. 5, 1892	Nov. 4, 1893	Nov. 3, 1894	Nov. 2, 1895	Oct. 31, 1896	Nov. 6, 1897	Nov. 5, 1898	Nov. 4, 1899		ALL AGES.	0 to 5.							
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 46·0	° 45·8	° 46·2	° 42·5	° 51·5	° 40·2	° 38·3	° 48·5	° 48·4	° 50·0	° 45·7	° 50·8								
ALL CAUSES,	171	209	191	180	160	211	159	144	166	216	180·7	152	4	28	17	10	23	39	27	9
I. FEBRILE OR ZYMOTIC DISEASES,	20	38	19	35	18	19	18	14	21	53	25·0	16	2	5	2	2	2	2	.	1
II. PARASITIC DISEASES,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	3	.	1	.	2	2	1	1	.	.	1·0	3	.	.	.	.	.	2	1	.
IV. CONSTITUTIONAL "	42	46	46	38	52	48	32	47	38	37	42·6	38	.	4	4	6	8	14	2	.
V. DEVELOPMENTAL "	17	18	12	7	13	11	13	9	12	12	12·4	14	.	.	.	.	.	.	10	4
VI. LOCAL "	70	100	99	84	69	113	85	68	83	103	87·4	70	1	14	11	1	11	17	12	3
VII. VIOLENT DEATHS,	5	3	4	5	2	7	4	3	5	4	4·2	7	.	.	.	1	2	2	1	1
VIII. ILL-DEFINED CAUSES,	18	9	10	11	4	11	6	2	7	7	8·0	4	1	.	.	.	.	2	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	1	.	4	.	.	.	.	1	38	4·5	1	.	1	.	.	.	.	.	.
Scarlet Fever,	.	2	8	2	1	5	3	.	2	.	1·8	1	.	.	.	1	.	.	.	.
Typhus,	4	.	1	.	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	2	1	2	1	1	1	1	1·0	1	.	.	.	.	.	.	.	1
Whooping Cough,	3	1	.	2	1	1	2	1	3	2	1·6	3	.	2	1	.	.	.	.	.
Diphtheria,	1	.	.	2	.	1	.	2	3	3	1·2	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	14	9	10	3	2	3	8	3	2	5·6	3	.	.	.	1	2	.	.	.
Cholera and Chol. Diarr.,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	5	9	.	6	5	4	1	1	6	6	4·3	5	1	2	.	.	.	2	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	2	.	1	.	1	1	1	.	2	.	·8	1	1	.	.	.	.	.	.	.
Erysipelas,	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	2	1	.	1	.	.	.	1	·6	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	4	2	8	5	1	6	1	.	.	2·3	1	.	.	1	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	3	.	1	.	2	2	1	1	.	.	1·0	3	.	.	.	.	.	2	1	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	2	1	.	1	.	1	.	.	1	·6	1	.	.	.	.	1	.	.	.
Rheumatism,	.	1	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Gout,	1	.	.	1	2	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Rickets,	1	.	.	.	.	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	.
Cancer,	7	7	6	5	6	8	2	11	4	3	5·9	10	.	.	.	.	1	7	2	.
Tabes Mesenterica,	4	7	2	7	2	8	4	6	3	4	4·7	4	.	2	1	1	.	.	.	.
Tubercular Meningitis,	1	2	4	1	.	8	3	6	5	7	3·7	3	.	1	1	1	.	.	.	.
Phthisis,	21	34	25	16	36	20	19	23	24	15	22·3	16	.	.	.	4	6	6	.	.
Scrofula, Tuberculosis,	6	3	8	6	3	1	2	.	2	7	3·8	2	.	.	2	.	.	.	.	.
Other Constitutional Diseases,	1	.	.	1	2	2	1	.	.	.	·7	1	.	.	.	.	.	1	.	.
V. Developmental Diseases—																				
Premature Birth,	5	4	1	.	2	3	5	1	2	5	2·8	.	.	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	.	3	.	.	·3	.	.	.	.	.	.	.	.	.
Old Age,	12	14	11	7	11	8	8	5	10	6	9·2	14	.	.	.	.	.	.	10	4

each Disease registered in the FORTY-FOURTH WEEK ending Saturday, 3rd November, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 44th Week of the 10 years 1890-99.	In the Week ending Saturday, 3rd November, 1900. Deaths of Persons of the Ages of								
	Nov. 1, 1890	Nov. 7, 1891	Nov. 5, 1892	Nov. 4, 1893	Nov. 3, 1894	Nov. 2, 1895	Oct. 31, 1896	Nov. 6, 1897	Nov. 5, 1898	Nov. 4, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	46·0	45·8	46·2	42·5	51·5	40·2	38·3	48·5	48·4	50·0	45·7	50·8								
VI. Local Diseases--																				
Apoplexy,	4	3	5	2	5	4	6	2	5	2	3·8	3	.	.	.	.	.	2	1	.
Epilepsy,	1	.	2	.	.	2	.	1	.	1	·7	.	.	.	.	.	.	.	.	.
Convulsions,	14	10	13	15	8	12	5	5	7	13	10·2	9	1	5	3	.	.	.	.	.
Other Diseases of Brain and Nervous System,	4	7	9	4	7	4	8	5	4	6	5·8	5	.	.	1	.	2	1	.	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	13	20	8	13	11	23	17	14	17	9	14·5	9	.	.	.	1	2	4	2	.
Croup,	1	.	1	.	.	.	.	4	.	.	·5	.	.	.	.	.	.	.	.	.
Bronchitis,	7	25	21	22	14	34	18	13	27	36	21·7	27	.	8	5	.	1	6	6	1
Pneumonia	8	7	8	4	13	14	11	16	8	16	10·0	7	.	1	1	.	2	2	1	.
Pleurisy,	.	1	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	2	2	5	3	2	2	1	.	.	1	1·8	2	.	.	.	.	.	1	.	1
Teething,	1	3	2	1	.	2	3	.	2	3	1·7	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis,	2	1	.	.	1	1	2	2	.	1	1·0	.	.	.	.	.	.	.	.	.
Peritonitis	1	1	2	1	1	1	3	.	.	.	1·0	.	.	.	.	.	.	.	.	.
Disease of Liver,	4	2	3	2	1	1	.	3	4	2	2·2	2	.	.	.	.	.	.	2	.
Other Diseases of Digestive System,	6	9	6	2	3	5	5	1	3	6	4·6	.	.	.	.	.	.	.	.	.
Diseases of Lymphatics, &c.,	.	1	1	.	.	.	.	.	.	1	·3	2	.	.	.	.	2	.	.	.
Diseases of Urinary System,	4	5	5	11	2	6	3	2	3	6	4·7	4	.	.	1	.	2	1	.	.
Diseases of Generative System,	.	1	3	.	.	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	1	3	1	.	.	2	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	1	1	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	2	1	1	1	1	.	1	.	1	.	·8	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	5	.	1	3	1	5	2	1	3	2	3·8	1	.	.	.	.	.	1	.	.
By Drowning,		3	.	.	.	.	.	.	1	.		1	.	.	.	.	.	.	1	.
By Suffocation in Bed,		.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		.	1	1	1	.	2	1	1	1		4	.	.	.	1	2	.	.	1
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	1	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	13	9	10	11	4	11	6	2	7	7	8·0	4	1	.	.	.	.	2	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.[1]	1900—Week ending																									
	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.
No. of weeks in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
Births registered,	222	198	214	199	222	194	198	228	181	208	186	187	245	149	256	221	228	225	177	165	239	175	152	214	183	186
Average Births in corresponding week of previous 10 years,	212	192	201	209	199	208	202	219	193	188	185	185	195	200	196	185	197	183	211	206	204	175	172	181	168	178
Deaths registered,	179	168	176	157	161	167	122	144	124	127	165	129	159	161	147	185	186	154	171	167	167	182	183	168	141	152
Annual Death-rate per 1,000,	26·7	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7
Average Deaths in corresponding week of previous 10 years,	170	174	167	162	156	164	150	156	149	148	154	162	159	160	157	162	164	170	165	162	160	151	163	159	173	181
Ages, Under 5 years,	52	47	48	48	54	37	29	33	38	32	47	35	40	57	51	79	71	54	70	73	69	88	61	56	53	44
5—20 „	19	20	26	15	14	27	16	13	10	8	13	7	13	9	15	12	21	16	15	7	10	12	9	18	10	10
20—40 „	27	28	30	22	31	35	19	32	25	25	26	18	25	31	17	38	25	25	21	18	30	22	32	28	27	23
40—60 „	36	31	35	40	38	31	29	33	23	24	44	33	39	34	34	35	39	26	34	33	25	29	38	34	31	39
60—80 „	36	36	35	31	19	30	23	27	26	23	30	30	35	26	26	20	26	22	23	32	29	27	34	26	16	27
80 years and upwards,	9	6	7	6	5	7	6	6	2	5	5	6	7	4	4	1	4	11	8	4	4	4	9	6	4	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Scarlet Fever,	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1
„ Whooping-cough,	1	1	3	.	5	.	1	2	3	4	5	.	3	1	1	5	4	5	7	3	3	5	1	2	2	3
„ Diphtheria,	.	1	.	.	2	2	1	.	.	.	2	1	.	.	.	1	4	.	2	1	.	.	1	3	.	.
„ Simple continued and Ill-defined Fever,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.	.
„ Enteric Fever,	1	2	2	1	2	2	2	.	2	2	2	.	2	.	1	2	2	1	7	3	4	3	4	4	4	3
„ Diarrhœa, Dysentery,	3	2	.	1	2	1	.	1	2	1	4	4	9	19	24	25	33	20	27	24	18	28	16	9	6	5
Phthisis,	32	30	32	13	28	28	22	21	26	31	28	19	24	24	20	25	32	22	20	13	31	14	26	23	15	16
„ Heart Diseases,	14	17	11	14	10	11	9	9	10	9	19	17	23	12	12	18	16	14	11	16	10	13	14	12	10	9
„ Diseases of Respiratory System,	34	25	30	23	23	34	27	29	15	20	23	23	14	15	13	4	6	19	12	15	14	23	29	33	29	36
Violent Deaths,	4	5	1	6	4	1	1	5	6	6	5	4	4	5	4	9	2	5	5	5	3	7	5	2	3	7
Mean Temperature of the Air (Phœnix Park),	48·7	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8
Average Mean Temperature in corresponding week of previous 10 years,	49·2	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	7·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7
Rainfall in inches,	·535	·005	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·360	1·010
Mean Humidity of the Air, complete Saturation 1·0,	·84	·73	·80	·88	·82	·80	·88	·84	·81	·76	·82	·83	·81	·86	·85	·90	·83	·87	·87	·89	·84	·83	·89	·91	·90	·91

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd November, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 3rd November, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	22·7	152	44	10	23	39	27	9	.	1	1	.	3	.	.	3	5	13	16	9	36	7	71
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	10·0	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
II.	MIDDLE CLASS,	81,469	15·3	24	4	2	4	7	4	3	.	.	.	.	.	.	.	1	1	2	1	1	3	.	17
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	18·3	35	9	2	6	7	10	1	.	.	.	.	2	.	.	.	.	2	3	1	7	2	20
IV.	GENERAL SERVICE CLASS,	147,978	30·6	59	24	6	8	16	5	.	.	1	1	.	1	.	.	2	2	7	9	7	16	4	16
V.	INMATES OF WORKHOUSES,	5,191		31	7	.	5	8	8	3	.	.	.	.	.	.	.	.	2	2	3	.	10	.	16
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	18·0	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	2. Merchants and Manufacturers, Higher Class,	1,857	23·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,783	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	8·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	8·0	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	2
	6. Clerks and Commercial Assistants,	25,001	20·8	10	1	1	2	2	1	3	.	.	.	.	.	.	.	1	.	1	1	.	1	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	19·1	9	2	1	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	7
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	19·0	7	.	.	2	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	5
	9. Building and Furnishing Trades,	26,294	17·8	9	3	2	1	1	2	.	.	.	.	.	1	.	.	.	.	1	2	.	1	1	4
	10. Clothing Trades,	23,927	18·0	6	2	.	2	.	2	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	4
	11. Food Supply Trades,	7,949	6·5	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	26,937	17·4	9	1	.	1	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	4	.	5
	13. Petty Shopkeepers,	6,889	22·8	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	26·5	7	3	1	2	1	.	.	.	.	.	.	.	.	.	1	.	1	2	.	3	.	1
	15. Domestic Servants,	39,967	9·1	7	3	.	1	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	28·9	6	.	.	.	5	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4
	17. Hawkers, Porters, Labourers, &c.,	88,472	24·8	39	18	5	5	7	4	.	.	1	1	.	1	.	.	1	1	5	5	6	12	4	7
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	31	7	.	5	8	8	3	.	.	.	.	.	.	.	.	2	2	3	.	10	.	16

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. (in 1891) 27,147.	Sept. 15,	26·9	11·5	14	.	.	.	.	2	.	.	1	3	.	3	.
		" 22,	21·1	3·8	11	.	.	.	.	1	.	.	1	.	.	1	.
		" 29,	25·0	3·8	13	.	.	.	.	.	.	.	.	2	3	.	1
		Oct. 6,	17·3	1·9	9	.	.	.	.	.	.	.	1	.	.	.	1
		" 13,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.
		" 20,	34·6	5·8	18	.	.	.	.	1	.	1	1	.	4	2	.
		" 27,	30·7	1·9	16	.	.	.	.	1	.	.	.	.	3	3	.
		Nov. 3,	19·2	3·8	10	.	.	.	.	1	.	.	.	1	1	5	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,836.	Sept. 15,	40·4	9·0	27	.	.	.	.	.	1	.	.	5	2	3	.
		" 22,	18·0	4·5	12	.	.	.	.	.	.	.	1	2	1	2	.
		" 29,	28·4	4·5	19	.	.	.	.	.	.	.	.	3	3	2	.
		Oct. 6,	28·4	13·5	19	.	1	.	.	1	.	.	.	7	1	1	.
		" 13,	32·9	6·0	22	.	.	.	.	.	.	.	1	3	2	7	1
		" 20,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	2	4	.
		" 27,	23·9	3·0	16	.	.	.	.	.	.	.	1	1	1	4	.
		Nov. 3,	23·9	.	16	.	.	.	.	.	.	.	.	.	4	3	1
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,671.	Sept. 15,	21·7	7·2	12	.	.	.	.	.	.	.	2	2	1	2	2
		" 22,	27·1	12·6	15	.	.	.	.	.	1	.	.	6	3	.	.
		" 29,	26·3	7·2	14	.	.	.	.	1	.	.	.	3	3	2	.
		Oct. 6,	37·9	9·0	21	.	.	.	.	.	.	.	.	5	1	2	1
		" 13,	28·9	1·8	16	.	.	.	.	.	.	.	1	.	3	3	1
		" 20,	27·1	1·8	15	.	.	.	.	.	.	.	.	1	5	5	.
		" 27,	23·5	1·8	13	.	.	.	.	1	.	.	.	.	2	3	.
		Nov. 3,	32·5	7·2	18	.	.	.	.	1	.	.	.	3	.	3	.
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Sept. 15,	30·0	6·0	15	.	.	.	.	1	.	.	.	2	3	3	.
		" 22,	32·0	8·0	16	.	.	.	.	.	.	.	.	4	1	2	.
		" 29,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	3	1	.
		Oct. 6,	26·0	2·0	13	.	.	.	.	.	.	.	.	1	1	.	.
		" 13,	36·0	.	18	.	.	.	.	.	.	.	.	.	4	3	.
		" 20,	32·0	2·0	16	.	.	.	.	.	.	.	.	1	.	3	.
		" 27,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	.	.
		Nov. 3,	26·0	2·0	13	.	.	.	.	.	.	.	1	.	1	2	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 55,194.	Sept. 15,	23·6	3·1	15	.	.	.	.	.	.	.	1	1	3	2	.
		" 22,	26·7	3·1	17	.	.	.	.	.	.	.	1	1	.	3	1
		" 29,	34·6	3·1	22	.	.	.	.	.	.	.	.	2	3	4	.
		Oct. 6,	25·1	4·7	16	.	.	.	.	.	.	.	.	3	2	1	2
		" 13,	36·1	4·7	23	.	.	.	.	.	.	.	.	3	3	4	.
		" 20,	37·7	1·6	24	.	.	.	.	.	.	.	1	.	5	3	.
		" 27,	17·3	3·1	11	.	.	.	.	.	.	.	2	.	2	3	.
		Nov. 3,	25·1	1·6	16	.	1	.	.	.	.	.	.	.	4	4	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Sept. 15,	33·7	16·9	12	.	.	.	.	.	1	.	.	5	2	.	.
		" 22,	19·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.
		" 29,	16·9	5·6	6	.	.	.	.	.	.	.	.	2	.	.	.
		Oct. 6,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	2	.	.
		" 13,	28·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		" 20,	42·2	2·8	15	.	.	.	.	.	.	.	.	1	.	6	.
		" 27,	8·4	.	3	.	.	.	.	.	.	.	.	.	1	.	.
		Nov. 3,	39·4	2·8	14	.	.	.	.	.	.	.	1	.	1	5	1
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Sept. 15,	32·1	9·0	25	.	.	.	.	2	.	.	1	4	3	1	.
		" 22,	33·4	7·7	26	.	.	.	.	2	.	.	.	4	4	3	.
		" 29,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	1	1	1
		Oct. 6,	41·1	10·3	32	.	.	.	.	2	.	.	1	5	2	7	1
		" 13,	36·0	6·4	28	.	.	.	.	.	.	.	1	4	6	2	1
		" 20,	14·1	.	11	.	.	.	.	.	.	.	.	.	3	3	.
		" 27,	18·0	1·3	14	.	.	.	.	.	.	.	.	1	3	5	.
		Nov. 3,	27·0	2·6	21	.	.	1	.	1	.	.	.	.	1	6	3
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798.	Sept. 15,	13·1	5·8	9	.	.	.	.	1	.	.	.	3	2	2	.
		" 22,	32·0	1·5	22	.	.	.	.	.	.	.	.	1	3	2	1
		" 29,	42·2	5·8	29	.	.	.	.	1	.	.	.	3	7	2	.
		Oct. 6,	23·3	2·9	16	.	.	.	.	.	.	.	.	2	1	3	.
		" 13,	26·2	4·4	18	.	.	.	.	1	.	.	1	1	1	2	1
		" 20,	17·5	2·9	12	.	.	.	.	.	.	.	1	1	.	2	.
		" 27,	21·9	2·9	15	.	.	.	.	.	.	.	.	2	1	2	.
		Nov. 3,	13·1	.	9	.	.	.	.	.	.	.	.	.	3	4	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases; *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop. (in 1891) 27,796.	Sept. 15,	15·8	5·6	10	.	.	1	.	1	.	.	1	.	.	.	1
	„ 22,	22·5	1·9	12	.	.	.	.	.	.	.	.	1	1	1	.
	„ 29,	16·9	3·8	9	.	.	.	.	.	.	.	1	1	2	1	.
	Oct. 6,	20·6	5·6	11	.	.	.	.	.	.	.	.	3	.	5	.
	„ 13,	16·9	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	„ 20,	26·3	7·5	14	.	.	.	.	.	.	.	.	4	1	1	.
	„ 27,	7·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 3,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
Donnybrook. Pop. (in 1891) 24,629.	Sept. 15,	12·7	2·1	6	.	.	.	.	.	.	.	.	1	.	1	.
	„ 22,	19·1	4·2	9	.	.	.	.	.	.	.	.	2	.	.	1
	„ 29,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	3	.	1
	Oct. 6,	21·2	.	10	.	.	.	.	.	.	.	.	.	2	1	1
	„ 13,	12·7	2·1	6	.	.	.	.	.	1	.	.	.	.	1	.
	„ 20,	19·1	4·2	9	.	.	.	.	.	2	.	.	.	1	2	.
	„ 27,	14·8	.	7	.	.	.	.	.	.	.	.	.	.	3	1
	Nov. 3,	10·6	2·1	5	.	.	.	.	.	.	.	1	.	.	1	.
Kingstown. Pop. (in 1891) 17,386.	Sept. 15,	21·0	3·0	7	.	.	.	.	.	.	.	.	1	2	.	.
	„ 22,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 29,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	2	.	.
	Oct. 6,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	„ 20,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	1
	„ 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	Nov. 3,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	Sept. 15,	19·0	3·3	131	.	.	1	.	1	2	.	8	11	16	15	1
	„ 22,	18·0	2·5	124	.	.	.	.	2	2	.	3	10	10	17	2
	„ 29,	16·1	2·8	111	.	1	.	1	1	1	.	5	10	16	17	3
	Oct. 6,	18·9	3·5	130	.	1	1	.	.	2	.	9	11	19	19	1
	„ 13,	19·3	1·9	133	.	.	.	.	1	2	.	4	6	21	20	.
	„ 20,	16·3	1·7	112	.	.	2	.	.	.	.	4	6	15	16	.
	„ 27,	19·0	2·2	131	.	2	1	.	.	2	.	7	3	19	24	1
	Nov 3,	19·2	2·6	132	.	2	.	.	2	2	.	7	5	23	26	8
Cork. Pop. (in 1891) 75,345.	Sept. 15,	21·5	4·2	31	.	.	2	.	.	.	.	.	4	4	2	.
	„ 22,	19·4	4·2	28	.	.	.	.	.	.	.	.	6	5	1	1
	„ 29,	21·5	2·8	31	.	.	.	.	.	.	.	.	4	2	6	.
	Oct. 6,	22·1	4·2	32	.	.	1	.	.	.	.	1	4	3	5	.
	„ 13,	15·9	2·1	23	.	.	.	.	.	.	.	.	3	4	2	.
	„ 20,	23·5	2·8	34	.	.	2	.	.	.	.	1	1	6	9	.
	„ 27,	20·1	4·2	29	.	.	3	.	.	1	.	.	2	5	2	.
	Nov. 3,	16·6	2·1	24	.	.	.	.	.	.	.	.	3	5	5	.
Limerick. Pop. (in 1891) 37,155.	Sept. 15,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
	„ 22,	22·5	.	16	.	.	.	.	.	.	.	.	.	3	3	.
	„ 29,	33·7	1·4	24	.	.	.	.	1	.	.	.	.	3	6	.
	Oct. 6,	18·2	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.
	„ 13,	21·1	2·8	15	.	.	.	.	.	.	.	.	2	6	2	.
	„ 20,	11·2	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	19·6	1·4	14	.	.	.	.	.	.	.	.	1	1	2	.
	Nov. 3,	11·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.
Londonderry. Pop. (in 1891) 33,200.	Sept. 15,	20·4	1·6	13	.	.	.	.	.	.	.	.	1	.	1	2
	„ 22,	14·1	3·1	9	.	1	.	.	.	.	.	.	1	2	1	.
	„ 29,	23·6	3·1	15	.	.	.	1	.	.	.	.	1	3	3	.
	Oct. 6,	20·4	1·6	13	.	1	.	.	.	.	.	.	.	3	3	.
	„ 13,	18·8	3·1	12	.	1	.	.	.	.	.	.	1	4	2	.
	„ 20,	14·1	3·1	9	.	.	.	1	.	.	.	.	1	1	.	.
	„ 27,	29·8	3·1	19	.	1	.	.	.	.	.	.	1	3	7	.
	Nov. 3,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	.	5	.
Waterford. Pop. (in 1891) 26,200.	Sept. 15,	13·9	6·0	7	.	.	.	.	.	.	.	.	3	1	.	1
	„ 22,	17·9	6·0	9	.	.	.	.	.	.	.	1	2	1	2	.
	„ 29,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	.	.
	Oct. 6,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	1	2	.
	„ 13,	9·9	.	5	.	.	.	.	.	.	.	.	.	2	.	.
	„ 20,	23·9	4·0	12	.	.	.	.	.	.	.	1	1	2	1	.
	„ 27,	25·9	4·0	13	.	.	.	.	.	.	.	.	2	1	1	2
	Nov. 3,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	1	1

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 3rd November, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	1	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		8	1	.	4	3	.	.	.	.	.	.	.	1	.	.	2	1	3	5
" 2 "	37,539	25			20	3	4	9	4	.	1	.	.	.	.	.	2	1	2	1	3	2	4
" 3 "	38,843	34			13	4	1	8	.	.	.	.	.	.	.	.	2	2	2	2	1	3	2
" 4 "	33,391	18			21	4	3	7	7	.	1	.	.	.	.	.	.	1	4	5	1	1	4
" 5 "	21,284	5			8	1	.	4	3	.	.	.	.	.	.	.	.	.	2	2	.	1	2
" 6 "	43,431	28			10	1	.	6	3	.	.	.	.	.	.	.	.	.	2	2	1	1	2
" 7 "	1,112	1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 8 "	4,904	3			2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 9 "	12,866	14			11	2	2	6	1	.	.	.	.	.	.	.	.	.	1	4	.	1	1
" 10 "	12,256	16			13	1	3	9	.	.	.	.	.	.	2	.	2	.	6	1	.	.	2
" 11 "	19,881	10			13	3	3	4	3	.	.	.	.	2	.	.	.	.	.	2	.	.	1
" 12 "	23,282	23			7	1	.	3	3	.	.	.	.	.	.	.	.	.	2	3	1	1	2
" 13 "	6,804	11			4	1	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
" 14 "	62	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	273,079	184			132	22	17	65	28	.	2	.	.	2	2	.	7	5	23	26	8	13	26
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	5	26·2	.	6	.	.	2	4	.	.	.	.	.	.	.	.	.	.	2	.	.	1
" 2 "	9,252	1	28·2	5·6	5	1	1	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	2
" 3 "	9,816	2	15·9	5·3	3	.	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	1
" 4 "	10,356	5	5·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	8,137	2	12·8	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
" 6 "	3,823	1	23·6	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 7 "	17,034	4	9·2	3·1	3	1	.	1	1	.	.	.	.	.	.	.	.	1	1	1	.	.	1
Total,	75,345	20	16·6	2·1	24	3	1	13	7	.	.	.	.	.	.	.	.	3	5	5	.	.	6

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.
No. of week in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered,	244	218	218	218	219	241	213	204	236	155	263	220	241	222	171	206	193	221	224	185	219	215	238	208	181	184
DEATHS registered.	138	153	141	134	123	141	130	136	126	108	136	133	155	126	149	124	133	136	131	124	111	130	133	112	131	132
Annual Death-rate per 1,000 of estimated Population,	20·0	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2
AGES, Under 1 year,	26	34	20	25	26	24	26	28	26	22	34	39	56	39	52	40	44	45	44	34	30	38	32	31	28	22
AGES, 1–5 years,	14	27	10	13	13	17	15	15	14	13	15	15	20	9	17	7	18	15	11	17	8	22	15	18	12	17
AGES, 5–60 years,	76	65	87	76	60	72	61	76	67	55	65	61	58	58	65	56	49	54	56	56	53	46	67	50	67	65
AGES, 60 years and upwards,	22	27	24	20	24	28	28	17	19	18	22	18	21	20	15	21	22	22	20	17	20	29	19	13	24	28
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	1	.	3	1	1	2	.	.	1	.	1	1	.	.	.	.	.	.	1	1	.	.	2	2
,, Scarlet Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	2	1	.
,, Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
,, Whooping-cough,	3	6	1	1	.	1	1	2	1	2	3	.	.	.	3	2	.	2	1	2	1	.	1	.	.	2
,, Diphtheria,	1	1	.	1	1	.	.	1	.	1	.	.	1	.	2	.	.	.	2	2	1	2	2	.	2	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	5	12	5	11	10	11	6	2	6	7	1	6	5	8	8	7	10	6	8	3	5	9	4	4	7	7
,, Diarrhœa, Dysentery,	1	2	1	3	1	1	4	4	2	1	8	11	19	7	16	15	16	19	11	10	10	11	6	6	3	5
,, Phthisis,	31	23	34	22	18	2	20	32	20	20	20	22	30	27	16	16	13	14	16	10	16	19	21	15	19	23
,, Diseases of Respiratory System,	31	32	31	29	28	24	18	17	24	10	22	14	13	13	12	10	9	12	15	17	17	19	20	16	24	26
Violent Deaths,	3	4	5	2	1	4	7	3	3	3	3	3	5	2	3	3	3	4	1	2	3	1	.	.	1	8

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd November, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	6	.	.	7
" " 1, West,	.	7	.	3	.	.	.	.	.	6	1	.	17
" " 2,	.	1	.	3	.	.	.	.	2	3	.	.	9
" " 3,	.	9	.	.	1	.	.	.	2	3	.	.	15
South City No. 1,	.	2	.	2	1	.	.	.	2	2	6	.	15
" " 2,	.	1	.	.	.	.	1	.	.	3	1	.	6
" " 3,	.	4	.	3	1	.	.	.	.	1	2	.	11
" " 4,	.	3	.	.	.	.	.	.	1	1	.	.	5
Total,	.	27	.	11	3	.	1	.	8	25	10	.	85
Total for week ended Oct. 27, 1900,	.	19	1	12	1	.	.	.	3	20	9	.	65
Total for week ended Oct. 20, 1900,	.	9	1	7	1	.	1	.	2	21	7	.	49
Total for week ended Oct. 13, 1900,	.	11	2	10	1	.	6	.	7	27	12	.	76

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd November, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd November.			
	Oct. 13.	Oct. 20.	Oct. 27.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	25	26	29	23	3	.	49
Scarlet Fever,	58	67	70	15	9	1	75*
Typhus "	6	7	7	1	4	.	4
Diphtheria,	17	12	12	1	3	.	10
Enteric Fever,	84	77	80	13	13	.	80
Pneumonia,	13	19	19	12	8	2	21

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XL—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Nov. 3,	2,391	1,465	16·7	.	10	8	42	13	20	28
EDINBURGH,	302,262	„ 3,	138	88	15·1	.	2	.	3	.	.	3
GLASGOW,	743,969	„ 3,	434	321	22·4	.	1	5	2	15	8	14
CALCUTTA,	466,460	Sept. 1,	.	300	33·5	5	1	.	1	.	82‡	32*
BOMBAY,	821,764	Oct. 9,	271	907	57·4	.	1	?	?	?	97§	127*
MADRAS,	452,518	Sept. 28,	445	413	47·4	2	1	?	?	?	120	96*
PARIS,	2,511,629	Oct. 27,	1,125	866	17·9	9	2	.	6†	5	7	40
BRUSSELS (with 8 Faubourgs).	570,844	„ 20,	247	151	13·8	.	1	.	.	1	3	18
AMSTERDAM,	517,032	„ 13,	232	123	12·4	.	1	1	2	.	1	.
ROTTERDAM,	327,815	„ 13,	189	76	12·1	.	.	.	2	.	.	1
THE HAGUE,	205,328	„ 13,	102	43	10·8	.	.	.	.	.	1	.
COPENHAGEN,	354,000	„ 27,	190	112	16·5	.	.	.	.	.	.	4
CHRISTIANIA,	226,423	„ 27,	148	58	13·3	.	.	1	.	1	1	3
ST. PETERSBURG,	1,132,677	„ 20,	695	458	21·0	.	3	15	24	8	15	56
BERLIN,	1,863,128	„ 13,	886	644	18·0	.	10	15	10	11	8	112
HAMBURG,	691,349	„ 27,	.	179	13·5	.	1	1	1	2	1	9
DRESDEN,	407,500	Aug. 25,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU,	412,959	Oct. 20,	.	184	23·2	.	.	.	2	2	2	24
MUNICH,	463,000	July 7,	332	209	23·5	.	4	.	4†	.	2	50
VIENNA (with suburbs).	1,656,662	Oct. 20,	927	585	18·1	.	3	5	6†	4	1	83
BUDA-PESTH,	685,340	„ 13,	442	229	17·4	.	1	5	.	.	4	18
PRAGUE and Faubourgs.	391,693	„ 20,	142	152	20·1	.	1	2	2	.	1	1
ROME,	518,333	Sept. 22,	221	137	13·7	.	.	.	2	.	6	34
TURIN (10 days),	344,203	„ 30,	208	134	14·2	.	.	.	2†	.	1	10
VENICE,	174,170	Oct. 20,	72	52	15·5	.	.	.	.	.	1	10
NEW YORK,	3,444,675	Sept. 29,	1,532	1,158	17·5	.	2	2	23	7	20	102
PHILADELPHIA,	1,293,697	Oct. 13,	.	338	13·6	.	.	1	18	2	10	13

* Including 1 death from cholera in Calcutta, 30 in Bombay, and 38 in Madras. † Including deaths from croup. ‡ Exclusive of 23 deaths from bubonic fever. § Exclusive of 87 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 3rd November, 1900:—

"A week of open but very changeable damp and often dull weather. Sunday opened fair and cold but with a quickly falling barometer the sky rapidly became overcast and by 9 p.m. rain had fallen in Dublin to the amount of ·520 inch. Monday was fine after a heavy shower in the morning. By Tuesday another atmospheric depression reached Ireland from S.W., and the weather was once more dull and rainy. Wednesday, the last day of October, was warm but dull and damp in the Dublin district. In England it was unusually warm, the thermometer rising to 65° in London, 63° at Oxford, and 62° at Loughborough—even at Holyhead 61° was touched. By 8 a.m. of Thursday, November 1, a series of V,-shaped depressions had reached the West of Scotland, St. George's and the English Channels. These disturbances caused a general rainfall, and dull, damp, foggy weather. In their rear the barometer rose more than half an inch in 24 hours, but slight gradients for S.W. winds soon reestablished themselves in the West, and Saturday was showery to very warm. In Dublin the mean height of the barometer was 29·817 inches, the range of pressure being from 29·439 inches at 9 p.m. of Sunday (wind, S. ?), to 30·197 inches at 9 p.m. of Friday (wind, S.W.). The corrected mean temperature was 51·8°. The mean dry bulb readings at 9 a.m. and 9 p.m. was 51·4°. The screened thermometers fell to 36·7° on Sunday and rose to 62·8° on Saturday. S.W. winds were the most prevalent. Bright sunshine was estimated at only 10½ hours. Rain fell on 5 days to the amount of ·923 inch, ·548 inch being measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·825 inches. The highest reading (30·206) was on Friday at 9 p.m., air calm, and the lowest (29·452) on Sunday at 9 p.m., air calm.

The mean temperature for the week was 50·8°, being 5·1° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Saturday, when the thermometer registered 61·1°, and was lowest on Sunday, the mercury having fallen to 34·2°. The mean of the Dry Bulb for the week was 51·1°, and of the Wet Bulb 49·7°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 9·0 hours. The rainfall measured 1·010 ins.

At Greenwich the mean temperature for the week was 52·7°, the maximum 65·0°, and the minimum 39·0°; and at Glasgow the maximum was 63·0°, the minimum 36·5°, and the mean 48·9°. The rainfall at Greenwich measured 0·92 in; and at Glasgow 1·10 ins.

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Oct. 28,	29·616	47·8	34·2	41·0	42·2	41·4	·94	·5	0·5	·610	Calm.	Calm.
Monday, „ 29,	29·602	52·9	42·0	47·5	48·6	46·5	·87	·7	4·6	—	S.W.	S.W.
Tuesday, „ 30,	29·788	52·4	44·7	48·6	49·6	48·9	·96	·2	0·0	·095	Calm.	E.S.E.
Wednesday, „ 31,	29·668	59·7	51·3	55·5	57·1	54·8	·86	·7	0·0	·165	S.E.	Calm.
Thursday, Nov. 1,	29·817	57·3	51·3	54·3	52·8	52·1	·96	·5	0·3	·025	S.W.	W.
Friday, „ 2,	30·197	60·5	44·0	52·3	52·2	50·9	·91	·4	2·4	—	Calm.	Calm.
Saturday, „ 3,	30·089	61·1	51·1	56·1	54·9	53·2	·89	·7	1·2	·115	S.	N.W.
Mean, . .	29·825	56·0	45·5	50·8	51·1	49·7	·91	·5	Total 9·0	Total 1·010	—	

Sunday—A dull wet day; night overcast; rain 8.15 to 8.30 a.m. *Monday*—A cloudy day; night cloudy. *Tuesday*—A dull day; rain 1.30 to 6.45 p.m.; night overcast. *Wednesday*—A dull day; night overcast; rain 3 to 4 p.m., 10.15 to 11 p.m., and 6.45 to 9 a.m. *Thursday*—A cloudy day; rain 9 to 10.30 a.m. and 4.30 to 4.45 p.m.; night cloudy; lightning 2.30 a.m. *Friday*—A cloudy day; night cloudy. *Saturday*—A cloudy day; rain 6.30 to 10.45 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

11. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 10TH NOVEMBER, 1900. [No. 45.

General Register Office, Charlemont House,
Dublin, 12*th November,* 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Oct. 20.	Week ending Oct. 27.	Week ending Nov. 3.	Week ending Nov. 10.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 20.	Week ending Oct. 27.	Week ending Nov. 3.	Week ending Nov. 10.	Average Rate for 4 weeks
23 Town Dists.	**20·3**	**19·3**	**20·2**	**20·2**	**20·0**	Limerick, . .	11·2	19·6	11·2	15·4	14·4
Armagh, .	7·1	21·4	7·1	28·5	16·0	Lisburn, . .	34·1	12·8	4·3	12·8	16·0
Ballymena, .	33·8	11·3	5·6	22·5	18·3	Londonderry, .	14·1	29·8	20·4	28·3	23·1
Belfast, . .	16·3	19·0	19·2	18·3	18·2	Lurgan, . .	18·2	22·8	9·1	13·7	16·0
Carrickfergus, .	11·7	23·4	11·7	5·8	13·2	Newry, . .	28·2	8·1	12·1	12·1	15·1
Clonmel, . .	29·2	19·5	73·0	9·7	32·8	Newtownards, .	28·3	17·0	34·0	11·3	22·6
Cork, . . .	23·5	20·1	16·6	20·1	20·1	Portadown, .	24·7	24·7	12·4	12·4	18·6
Drogheda, . .	15·2	19·0	30·4	30·4	23·7	Queenstown, .	0·0	5·7	5·7	34·4	11·5
Dublin, Reg. Area,	24·9	20·0	21·9	22·5	22·3	Sligo, . . .	35·5	10·2	40·6	10·2	24·1
Dundalk, . .	41·9	20·9	16·8	8·4	22·0	Tralee, . .	0·0	5·6	33·6	11·2	12·6
Galway, . .	11·3	7·6	30·2	37·8	21·7	Waterford, .	23·9	25·9	21·9	21·9	23·4
Kilkenny, . .	18·9	14·2	23·6	51·9	27·1	Wexford, . .	4·5	18·1	13·5	4·5	10·2

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in fourteen of the districts to 5·8 in Carrickfergus. Among the 232 deaths from all causes registered in Belfast are one from whooping-cough, 2 from diphtheria, one from ill-defined fever, 3 from enteric fever, and 2 from diarrhœa; and the 29 deaths in Cork include one from scarlatina and 2 from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 168—86 boys and 82 girls; and the deaths to 154—74 males and 80 females.

DEATHS.

The deaths, which are 20 below the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 23·0 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 22·5 per 1,000. During the forty-five weeks ending with Saturday last the death-rate averaged 29·0, and was 2·0 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 14 deaths from zymotic diseases registered during the week; these include 6 from diarrhœa, 4 from enteric fever, and one death each from influenza, whooping-cough, and puerperal fever. The number is 2 less than the preceding week, and 9 below the average for the corresponding week of the last 10 years. Of the deaths from diarrhœa 4 occurred in children under 5 years of age.

Tuberculosis caused 35 deaths, namely—26 from phthisis, 5 from tabes mesenterica and 4 deaths from other forms of tuberculosis.

Diseases of the organs of respiration caused 23 deaths—15 from bronchitis, 4 from pneumonia, one from croup, and 3 from other forms of disease. The number of deaths from respiratory diseases is 12 below the average for the corresponding period of the last 10 years, and 13 less than the number which occurred in the preceding week.

Cancer caused 9 deaths, and 4 children died of convulsions.

Apoplexy caused 4 deaths, and 7 deaths were caused by other diseases of the brain and nervous system (exclusive of convulsions); diseases of the circulatory system caused 12 deaths, and diseases of the digestive system caused 12 deaths.

Four accidental deaths (including 3 from burns), one death from homicide, and one from suicide were registered.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age (including 6 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 11 were under one month old) and 37 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 12 were octogenarians, and 2 (a man and a woman) were stated to have been aged 92 and 90 years respectively.

Fifty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 22·5 per 1,000; the rate in the city was 23·6 (23·2 on the North side, and 24·0 on the South), and in the Suburbs 19·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the city being 1·5 (1·8 in the North City Districts, and 1·2 in the South), and for the Suburbs 2·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 21·1 per 1,000. Influenza caused one death, pulmonary tuberculosis caused one death, and 3 deaths were due to diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 23·9 per 1,000. Diarrhœa caused one death, and pulmonary tuberculosis caused 2 deaths, and two deaths were caused by diseases of the circulatory system.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 36·1 per 1,000. Enteric fever caused 3 deaths and 6 deaths were caused by pulmonary tuberculosis, diseases of the organs of respiration caused two deaths, and three deaths were caused by diseases of the brain and nervous system.

No. 3 North City District (Blackhall-place).—The deaths (5) represent an annual rate of 10·0 per 1,000. Zymotic disease did not cause any death in this district, two deaths were due to diseases of the respiratory system.

* See Table VI

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 25·1 per 1,000. Diarrhœa caused one death, pulmonary tuberculosis caused two deaths, three deaths were due to diseases of the respiratory system, and two deaths to diseases of the digestive system.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 33·7 per 1,000. Pulmonary tuberculosis caused one death and 5 deaths were caused by diseases of the organs of respiration, and 2 deaths were due to diseases of the brain and nervous system.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 20·6 per 1,000. Diarrhœa caused 1 death, pulmonary tuberculosis caused 4 deaths, and 3 deaths were due to diseases of the respiratory system.

No. 4 South City District (Grand Canal-street).—The deaths (15) are equivalent to an annua rate of 21·9 per 1,000. Diarrhœa caused one death and pulmonary tuberculosis caused 4 deaths; 3 deaths were due to diseases of the respiratory system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 24·3; Finglas and Glasnevin, part of, 0·0; Palmerston, part of, and Crumlin, part of, 14·3; Rathmines 22·5; Donnybrook, 19·1; Blackrock, 24·8; and Kingstown, 21·0. The deaths from zymotic diseases tabulated for these districts include one from enteric fever for Rathmines, one from diarrhœa for Donnybrook, one from diarrhœa for Blackrock, and one from whooping-cough for Kingstown. Three of the 5 deaths tabulated for Coolock and Drumcondra, No. 1, were from diseases of the brain and nervous system; among the 12 deaths for Rathmines are 2 from pulmonary tuberculosis and 2 from diseases of the circulatory system; and the 7 deaths for Kingstown include 2 from cancer.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	20th October,	49 cases.
" "	27th October,	65 cases.
" "	3rd November,	86 cases.
" "	10th November,	72 cases.

Of the 72 cases notified, 10 were erysipelas, 27 enteric fever, 14 scarlatina, 10 measles, 5 continued fever, one membranous croup, 4 diphtheria, and one German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	3rd November, 1900,	14 cases.
" "	10th November,	5 cases.

Of the 5 cases notified 3 were enteric fever and 2 scarlatina.

(3.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th November, 1900.

From this it appears that:—

Nineteen cases of enteric fever were admitted to hospital, 19 cases were discharged, 2 deaths occurred, and 78 cases remained under treatment at the close of the week.

Ten cases of scarlatina were admitted to hospital, 4 were discharged, and 81* cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, one case was discharged, and 14 cases remained under treatment at the close of the week.

Twenty-two cases of measles were admitted to hospital, 19 cases were discharged, and 52 cases remained under treatment at the close of the week.

Four cases of typhus fever were under treatment on the week ended Saturday, 10th November, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·0) was equal to an average annual death-rate of 16·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·2 per 1,000, the rate for Glasgow being 20·3, and for Edinburgh 17·2.

* See Note (*) at foot of Table.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 10th November, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 10th November, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 10th Nov., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd Nov., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th Oct., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	26·4	20·2	1·5	538	412	83	107	.	2	1	1	4	3	1	7	11	51	71	9	15	104	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	25·1	22·5	1·6	168	151	31	37	.	.	.	.	1	.	.	4	6	25	22	6	6	49	55·1	34·2	45·1	1·53	61·1	34·2	50·8	1·01	58·8	32·8	47·0	0·36
City	245,001	65·6	27·0	23·6	1·5	127	111	26	21	.	.	.	.	.	.	.	3	4	20	21	6	6	44	55·9	36·2	46·8	1·62	62·8	36·7	51·8	0·92	61·3	36·9	48·9	0·35
Registrars' Districts. Clontarf &c. No. 1	4,188	1·5	12·6	12·6	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	10,780	1·6	9·7	24·3	.	2	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a)	4,240	0·8	49·2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	54·9	35·0	45·2	1·55	62·4	32·8	51·8	1·04	59·8	33·0	47·3	0·32
Palmerston part of and Crumlin part of (b)	7,278	8·0	28·7	14·3	.	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	11·3	22·5	1·9	6	12	.	7	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	24,629	12·4	28·3	19·1	2·1	11	9	1	3	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	31·0	24·8	6·2	5	4	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	24·0	21·0	3·0	8	7	1	3	.	.	.	.	1	.	.	.	.	1	.	.	.	.	55	36	46·8	1·42	62	44	52·4	0·94	59	38	49·7	0·30
Urban Districts																																			
Belfast,	359,000	21·8	33·7	18·3	1·3	232	126	36	22	.	.	.	.	1	2	1	3	2	12	28	1	7	16	56·0	36·5	46·3	1·76	57·0	33·5	46·0	0·67	57·0	34·5	47·9	0·48
Cork,	75,845	33·3	20·1	20·1	2·1	29	29	5	11	.	.	1	.	.	.	.	.	2	4	5	1	1	8	57	37	47·9	1·39	59	41	52·4	1·80	58	40	50·0	0·16
Limerick,	37,155	17·9	14·0	15·4	.	10	11	2	1	.	.	.	.	.	.	.	.	.	2	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	25·1	28·3	3·1	16	18	2	7	.	.	.	.	2	.	.	.	.	1	3	.	1	6	53·0	35·0	43·6	1·84	67·0	36·0	49·3	0·87	57·0	36·5	47·5	1·89
Waterford,	26,208	18·3	29·8	21·9	1·9	15	11	4	1	.	.	.	.	.	.	.	1	.	2	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	7·6	37·8	.	2	10	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	5	58	35	47	1·67	59	35	51	1·53	62	40	52	0·50
Drogheda	13,708	8·7	11·4	30·4	3·8	3	8	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	20·1	12·1	.	5	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·2	34·0	44·0	1·95	62·0	34·0	49·0	1·22	57·9	34·2	47·5	0·42
Dundalk,	12,449	9·0	25·1	8·4	.	6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	29·8	12·3	.	7	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	55·2	34·0	44·0	1·95	62·0	34·0	49·0	1·22	57·9	34·2	47·5	0·42
Wexford,	11,545	24·0	22·6	4·3	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	13·4	18·2	13·7	.	4	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	55·2	34·0	44·0	1·95	62·0	34·0	49·0	1·22	57·9	34·2	47·5	0·42
Kilkenny,	11,048	12·0	4·7	51·9	4·7	1	11	.	6	.	.	.	.	.	1	.	.	.	.	3	.	.	8	55	30	44·5	1·33	60	30	51·1	1·21	61	31	47·1	0·50
Clonmel,	10,708	8·2	9·7	9·7	4·8	2	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	3·4	30·5	10·2	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3·8	36·5	45·0	1·36	59·9	29·8	48·5	1·07	58·2	39·0	48·3	1·25
Tralee,	9,318	15·9	11·2	11·2	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	16·9	22·5	.	3	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	34·0	11·3	.	6	2	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	54	35	45·5	1·03	56	33	47·5	1·54	60	36	48·1	0·25
Queenstown,	9,082	17·0	17·2	34·4	.	3	6	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	57	37	47·9	1·39	59	41	52·4	1·80	58	40	50·0	0·16
Carrickfergus	8,923	0·5	17·5	5·8	5·8	3	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	43·3	12·4	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·2	34·0	44·0	1·95	62·0	34·0	49·0	1·22	57·9	34·2	47·5	0·42
Armagh,	7,187	21·4	21·4	28·5	.	3	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	55·2	34·0	44·0	1·95	62·0	34·0	49·0	1·22	57·9	34·2	47·5	0·42

(a) All the District except that portion in Finglas District Electoral Division (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted. In several cases, thus the readings at Tullamore have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Queenstown.

‡ Exclusive of Deaths of persons admitted to Hospitals from other Districts.

‖ Exclusive of Deaths of persons admitted to Hospitals from other Districts.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday 10th November, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	821	282	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
Diarrhœa, Dysentery,	.	1	.	.	1	.	1	1	.	.	.	.	.	1	1	.	6	.
Other Zymotic Diseases	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
Total,	1	1	3	.	1	.	1	2	.	.	.	1	1	1	1	1	14	.
II. PARASITIC DISEASES,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	1	2	6	.	2	1	4	4	.	.	.	.	2	1	1	1	25	1
Other Constitutional Diseases,	2	2	1	1	1	.	2	2	.	1	.	.	1	3	.	2	18	1
Total,	3	4	7	1	3	1	6	6	.	1	.	.	3	4	1	3	43	2
V. DEVELOPMENTAL DISEASES,	2	2	2	.	1	1	2	2	.	.	.	1	3	1	.	.	17	.
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	2	1	3	1	1	2	.	.	1	3	.	.	.	1	1	.	16	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	2	1	.	1	1	.	1	.	1	.	.	2	1	1	1	12	.
Respiratory System,	3	.	2	2	3	5	3	3	.	.	.	.	1	.	.	.	22	1
Digestive System,	.	2	2	.	2	2	1	.	.	.	.	.	2	.	.	1	12	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.	.	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	6	8	3	8	10	5	4	1	4	.	.	5	3	2	2	63	1
VII. VIOLENT DEATHS,	.	3	.	.	2	.	.	1	.	.	.	.	.	.	.	.	6	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	1	4	.
Deaths from all Causes,	11	16	20	5	16	12	16	15	1	5	.	2	12	9	4	7	151	3
Annual Rate of Mortality in every 1,000 of the population.	21·1	23·9	36·1	10·0	25·1	33·7	20·6	21·9	12·6	24·3	.	14·3	22·5	19·1	24·8	21·0		
	23·2				24·0				19·9									
	23·6																22·5	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	3	6	.	2	1	7	4	.	1	.	1	.	1	.	.	27	3
Workhouse Hospitals,	1	1	3	2	5	5	3	.	.	1	.	.	.	1	.	.	22	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blacknall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow street William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office; Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years 1890–99.	In the week ending Saturday, 10th November, 1900.								
												Deaths of persons of the Ages of								
	Nov. 8, 1890	Nov. 14, 1891	Nov. 12, 1892	Nov. 11, 1893	Nov. 10, 1894	Nov. 9, 1895	Nov. 7, 1896	Nov. 13, 1897	Nov. 12, 1898	Nov. 11, 1899		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 45·2	° 41·8	° 45·6	° 40·6	° 48·4	° 45·7	° 38·3	° 52·5	° 48·4	° 47·7	° 45·4	Mean Temp. ° 45·1	Under 1 month.	1 month and under 1 year.	1 to 5.					
ALL CAUSES,	140	192	160	179	153	163	172	133	201	249	174·2	151	11	20	12	6	30	38	23	14
I. FEBRILE OR ZYMOTIC DISEASES,	18	21	12	26	12	10	21	29	24	57	23·0	14	.	5	1	.	4	3	1	.
II. PARASITIC DISEASES,	.	.	.	2	.	.	.	.	1	3	·6	1	.	.	1	.	.	.	.	.
III. DIETETIC "	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	29	28	49	33	43	39	31	26	50	45	37·3	45	1	2	3	5	13	17	2	2
V. DEVELOPMENTAL "	15	17	18	12	7	14	15	13	22	17	15·0	17	5	1	.	.	.	.	5	6
VI. LOCAL "	66	107	73	91	72	87	96	59	81	114	84·6	67	4	10	5	.	10	17	15	6
VII. VIOLENT DEATHS,	5	7	4	8	4	2	4	.	9	8	5·1	6	1	.	1	1	2	1	.	.
VIII. ILL-DEFINED CAUSES,	7	12	4	7	15	11	5	6	13	4	8·4	4	.	2	1	.	1	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	2	.	.	.	.	.	.	39	4·3	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	2	1	.	5	8	3	1	2·0	.	.	.	.	.	.	.	.	.
Typhus,	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	.	.	2	.	2	1	1	·7	1	.	1	.	.	.	.	.	.
Whooping Cough,	.	5	.	8	3	1	3	2	4	1	2·7	1	.	1	.	.	.	.	.	.
Diphtheria,	1	.	.	.	.	1	.	1	2	3	·8	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	2	1	.	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
Enteric Fever,	6	4	4	4	2	4	7	9	5	5	5·0	4	.	.	.	.	2	2	.	.
Cholera and Chol. Diarr.,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	4	4	2	5	1	1	2	3	8	6	3·6	6	.	3	1	.	.	1	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	.	.	1	1	.	·2	1	.	.	.	.	1	.	.	.
Erysipelas,	.	2	.	1	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	1	1	.	.	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
Other Zymotic Diseases,	3	2	2	4	.	.	3	2	.	1	1·7	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	2	.	.	.	.	.	1	·8	1	.	.	1	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	1	2	·3	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	1	.	2	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Rheumatism,	1	.	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Gout,	.	.	1	1	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	2	4	5	7	5	7	3	5	6	9	5·3	9	.	.	1	.	.	4	2	2
Tabes Mesenterica,	3	3	4	.	3	3	6	3	10	5	4·0	5	1	2	1	1	.	.	.	.
Tubercular Meningitis,	4	1	5	.	6	5	3	3	10	5	4·2	.	.	.	.	.	.	.	.	.
Phthisis,	14	15	26	19	27	20	15	13	17	21	18·7	26	.	.	.	3	10	13	.	.
Scrofula, Tuberculosis,	3	5	4	6	2	3	3	2	5	3	3·6	4	.	.	1	1	2	.	.	.
Other Constitutional Diseases,	1	.	1	.	.	.	.	.	2	2	·6	1	.	.	.	.	1	.	.	.
V. Developmental Diseases—																				
Premature Birth,	4	.	1	.	2	1	2	1	6	4	2·1	6	5	1	.	.	.	.	.	.
Atelectasis	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.
Old Age,	11	17	17	11	5	13	13	12	16	11	12·6	11	.	.	.	.	.	.	5	6

each Disease registered in the FORTY-FIFTH WEEK ending Saturday, 10th November, 1900 with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years 1890-99.	In the Week ending Saturday, 10th November, 1900. Deaths of Persons of the Ages of							
	Nov. 8, 1890	Nov. 14, 1891	Nov. 12, 1892	Nov. 11, 1893	Nov. 10, 1894	Nov. 9, 1895	Nov. 7, 1896	Nov. 13, 1897	Nov. 12, 1898	Nov. 11, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 45·2	° 41·8	° 45·6	° 40·6	° 48·4	° 45·7	° 38·3	° 52·5	° 48·4	° 47·7	° 45·4	Mean Temp. ° 45·1	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases.																				
Apoplexy,	6	1	1	3	1	3	3	1	2	4	2·5	4	.	.	.	.	.	2	2	.
Epilepsy,	1	2	.	.	.	1	1	.	1	2	·8	1	.	.	.	.	1	.	.	.
Convulsions,	8	24	9	7	8	13	8	7	11	6	10·1	4	2	1	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	6	2	5	4	5	5	9	7	8	7	5·8	7	.	1	1	.	1	1	2	1
Diseases of Organs of Special Sense,	.	1	1	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	10	16	14	15	7	21	14	11	8	18	13·4	12	.	.	.	.	2	4	4	2
Croup,	1	.	.	1	.	.	2	2	.	.	·3	1	.	.	1	.	.	.	.	.
Bronchitis,	13	26	21	22	14	23	29	11	25	37	23·1	15	1	5	1	.	3	4	1	
Pneumonia	4	10	10	12	9	6	10	7	9	20	9·7	4	.	1	1	.	1	1	.	.
Pleurisy,	.	3	.	1	1	.	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	.	4	4	5	1	1	2	2	.	.	1·9	3	1	.	.	.	.	1	1	.
Teething,	3	2	.	1	1	1	1	.	1	1	1·1	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	1	2	.	1	.	.	1	2	1	2	1·0	1	.	1	.	.	.	.	.	.
Peritonitis	1	.	.	4	5	.	2	.	1	1	1·4	.	.	.	.	.	.	.	.	.
Disease of Liver,	2	4	1	1	3	.	3	3	4	1	2·2	1	.	.	.	.	.	.	1	.
Other Diseases of Digestive System,	5	5	3	6	7	7	3	1	4	6	4·7	9	.	.	.	.	3	4	1	1
Diseases of Lymphatics, &c.,	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	2	2	4	9	4	6	1	5	7	4·3	3	.	.	.	.	1	1	.	1
Diseases of Generative System,	1	.	.	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	1	.	.	.	.	1	1	1	·5	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	2	.	3	.	.	1	1	.	1	·8	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	.	1	.	.	1	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	5	1	.	4	1	1	2	.	5	.	4·8	3	.	.	1	1	1	.	.	.
By Drowning,		2	1	.	3	.	.	.	.	4		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		4	.	4	.	.	2	.	2	1		1	.	.	.	.	.	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	1	1	·3	1	1	.	.	.	.	.	.	.
SUICIDE,	.	.	2	.	.	.	.	.	.	1	·3	1	.	.	.	.	1	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	7	12	4	7	15	11	5	6	13	4	8·4	4	.	2	1	.	1	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																									
	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.
No. of weeks in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
Births registered,	198	214	199	222	194	198	228	181	208	186	187	245	149	256	221	228	225	177	165	239	175	152	214	188	186	168
Average Births in corresponding week of previous 10 years,	192	201	209	199	208	202	219	193	188	185	185	195	200	196	185	197	183	211	206	204	175	172	181	168	178	176
Deaths registered,	168	176	157	161	167	122	144	124	127	165	129	159	161	147	185	186	154	171	167	167	182	188	168	141	152	154
Annual Death-rate per 1,000,	25·1	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0
Average Deaths in corresponding week of previous 10 years,	174	167	162	156	164	150	156	149	148	154	162	159	160	157	162	164	170	165	162	160	151	163	159	173	181	174
Ages, Under 5 years,	47	43	43	54	37	29	33	38	32	47	35	40	57	51	79	71	54	70	73	69	88	61	56	53	44	43
5—20 "	20	26	15	14	27	16	18	10	8	13	7	13	9	15	12	21	16	15	7	10	12	9	18	10	10	6
20—40 "	28	30	22	31	35	19	32	25	35	26	18	25	31	17	38	25	25	21	18	30	22	32	28	27	23	30
40—60 "	31	35	40	38	31	29	33	23	24	44	33	39	34	34	35	39	26	34	33	25	29	38	34	31	39	38
60—80 "	36	35	31	19	30	23	27	26	23	30	30	35	26	26	20	26	22	23	32	29	27	34	26	16	27	23
80 years and upwards,	6	7	6	5	7	6	6	2	5	5	6	7	4	4	1	4	11	8	4	4	4	9	6	4	9	14
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" Scarlet Fever,	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	3	.	5	.	1	2	3	4	5	.	8	1	1	5	4	5	7	3	3	5	1	2	2	3	1
" Diphtheria,	1	.	.	2	2	1	.	.	.	2	1	.		.	1	4	.	2	1	.	.	1	3	.	.	.
" Simple continued and Ill-defined Fever,	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.
" Enteric Fever,	2	2	1	2	2	2	.	2	2	2	.	2	.	1	2	2	1	7	3	4	3	4	4	4	3	4
" Diarrhœa, Dysentery,	2	.	1	2	1	.	1	2	1	4	4	9	19	24	25	33	20	27	24	18	28	16	9	6	5	6
Phthisis,	30	32	13	28	28	22	21	26	31	28	19	24	24	20	25	32	22	20	13	31	14	26	23	15	16	26
" Heart Diseases,	17	11	14	10	11	9	9	10	9	19	17	23	12	12	18	10	14	11	16	10	13	14	12	10	9	12
" Diseases of Respiratory System,	25	30	23	23	34	27	29	15	20	23	23	14	15	13	14	6	19	18	15	14	23	29	33	29	36	23
Violent Deaths,	5	1	6	4	1	1	5	6	6	5	4	4	5	4	9	2	5	5	5	3	7	5	2	3	7	6
Mean Temperature of the Air (Phœnix Park),	47·0	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·3	54·1	50·4	50·9	46·4	47·0	50·8	45·1
Average Mean Temperature in corresponding week of previous 10 years,	50·3	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4
Rainfall in inches,	·005	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·360	1·010	1·525
Mean Humidity of the Air, complete Saturation 1·0,	·73	·80	·83	·82	·80	·83	·84	·81	·76	·82	·83	·81	·86	·85	·90	·83	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th November, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH NOVEMBER, 1900.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 21 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	23·0	154	43	6	30	38	23	14	.	.	.	.	1	.	.	4	6	11	26	4	23	6	84
	CLASSES. Deaths in Families of the—																								
I	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	36·7	11	1	.	.	1	2	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	11
II.	MIDDLE CLASS,	81,469	14·0	22	2	1	3	5	7	4	.	.	.	.	.	.	.	.	.	.	2	.	1	.	19
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	19·9	38	10	1	12	11	3	1	.	.	.	.	.	.	.	4	2	6	7	1	3	1	20
IV.	GENERAL SERVICE CLASS,	147,978	28·2	61	26	4	12	14	4	1	.	.	.	.	1	.	.	.	2	3	14	3	14	5	22
V.	INMATES OF WORKHOUSES,	5,191		22	4	.	3	7	7	1	.	.	.	.	.	.	.	.	2	2	3	.	5	.	12
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	32·5	5	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	2. Merchants and Manufacturers, Higher Class,	1,857	28·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,733	45·4	5	.	.	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	8·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	10·0	5	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	6. Clerks and Commercial Assistants,	25,091	16·6	8	1	1	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	17·0	8	.	.	1	1	2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	7·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	9. Building and Furnishing Trades,	26,294	17·8	9	2	1	3	3	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	6
	10. Clothing Trades,	23,927	6·5	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	11. Food Supply Trades,	7,949	19·6	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	40·5	21	5	.	7	8	1	.	.	.	.	.	.	.	.	3	1	4	5	1	2	1	8
	13. Petty Shopkeepers,	6,889	7·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	34·1	9	3	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	2	1	2	.	4
	15. Domestic Servants,	89,967	3·9	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	9·6	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	17. Hawkers, Porters, Labourers, &c.,	88,472	29·3	47	22	4	9	10	1	1	.	.	.	.	1	.	.	.	1	2	11	2	11	5	16
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	22	4	.	3	7	7	1	.	.	.	.	.	.	.	.	2	2	3	.	5	.	12

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin. DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
North City, No. 1 (E.)	Sept. 22,	21·1	3·8	11	.	.	.	.	1	.	.	1	.	.	1	.
	„ 29,	25·0	3·8	13	.	.	.	.	.	.	.	.	2	3	.	1
	Oct. 6,	17·3	1·9	9	.	.	.	.	.	.	.	1	.	.	.	1
	„ 13,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.
(Office, Clarence-street, Nth.	„ 20,	34·6	5·8	18	.	.	.	.	1	.	1	1	.	4	2	.
	„ 27,	30·7	1·9	16	.	.	.	.	1	.	.	.	.	3	3	.
	Nov. 3,	19·2	3·8	10	.	.	.	.	1	.	.	.	1	1	5	1
Pop. (in 1891) 27,147.	„ 10,	21·1	.	11	.	.	.	.	.	.	.	.	.	1	3	.
North City, No. 1 (W.)	Sept. 22,	18·0	4·5	12	.	.	.	.	.	.	.	1	2	1	2	.
	„ 29,	28·4	4·5	19	.	.	.	.	.	.	.	.	3	3	2	.
	Oct. 6,	28·4	13·5	19	.	1	.	.	1	.	.	.	7	1	1	.
	„ 13,	32·9	6·0	22	.	.	.	.	.	.	.	1	3	2	7	1
(Office, Summer-hill.)	„ 20,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	2	4	.
	„ 27,	23·9	3·0	16	.	.	.	.	.	.	.	1	1	1	4	.
	Nov. 3,	23·9	.	16	.	.	.	.	.	.	.	.	.	4	3	1
Pop. (in 1891) 34,886.	„ 10,	23·9	1·5	16	.	.	.	.	.	.	.	.	1	2	.	3
North City, No. 2.	Sept. 22,	27·1	13·6	15	.	.	.	.	.	1	.	.	6	3	.	.
	„ 29,	25·3	7·2	14	.	.	.	.	1	.	.	.	3	3	2	.
	Oct. 6,	37·9	9·0	21	.	.	.	.	.	.	.	.	5	1	2	1
	„ 13,	28·9	1·8	16	.	.	.	.	.	.	.	1	.	3	3	1
(Office, Lisburn-street.)	„ 20,	27·1	1·8	15	.	.	.	.	.	.	.	.	1	5	5	.
	„ 27,	23·5	1·8	13	.	.	.	.	1	.	.	.	.	2	3	.
	Nov. 3,	32·5	7·2	18	.	.	.	.	1	.	.	.	3	.	3	.
Pop. (in 1891) 28,871.	„ 10,	36·1	5·4	20	.	.	.	.	.	.	.	3	.	6	2	.
North City, No. 3.	Sept. 22,	32·0	8·0	16	.	.	.	.	.	.	.	.	4	1	2	.
	„ 29,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	3	1	.
	Oct. 6,	26·0	2·0	13	.	.	.	.	.	.	.	.	1	1	.	.
	„ 13,	36·0	.	18	.	.	.	.	.	.	.	.	.	4	3	.
(Office, Blackhall-place.)	„ 20,	32·0	2·0	16	.	.	.	.	.	.	.	.	1	.	3	.
	„ 27,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	.	.
	Nov. 3,	26·0	2·0	13	.	.	.	.	.	.	.	1	.	1	2	.
Pop. (in 1891) 26,055.	„ 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
South City, No. 1.	Sept. 22,	26·7	3·1	17	.	.	.	.	.	.	.	1	1	.	3	1
	„ 29,	34·6	3·1	22	.	.	.	.	.	.	.	.	2	3	4	.
	Oct. 6,	25·1	4·7	16	.	.	.	.	.	.	.	.	3	2	1	2
	„ 13,	36·1	4·7	23	.	.	.	.	.	.	.	.	3	3	4	.
(Office, South Earl-street.)	„ 20,	37·7	1·6	24	.	.	.	.	.	.	.	1	.	5	3	.
	„ 27,	17·3	3·1	11	.	.	.	.	.	.	.	2	.	2	3	.
	Nov. 3,	15·1	1·6	16	.	1	.	.	.	.	.	.	.	4	4	.
Pop. (in 1891) 33,194.	„ 10,	25·1	1·6	16	.	.	.	.	.	.	.	.	1	2	3	2
South City, No. 2.	Sept. 22,	10·7		7	.	.	.	.	.	.	.	.	.	.	.	.
	„ 29,	16·9	5·6	6	.	.	.	.	.	.	.	.	2	.	.	.
	Oct. 6,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	2	.	.
	„ 13,	25·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
(Office, Castle-street.)	„ 20,	42·2	2·8	15	.	.	.	.	.	.	.	.	1	.	6	.
	„ 27,	8·4	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	Nov. 3,	39·4	2·8	14	.	.	.	.	.	.	.	1	.	1	5	1
Pop. (in 1891) 18,547.	„ 10,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	5	.
South City, No. 3.	Sept. 22,	33·4	7·7	26	.	.	.	.	2	.	.	.	4	4	3	.
	„ 29,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	1	1	1
	Oct. 6,	41·1	10·3	32	.	.	.	.	2	.	.	1	5	2	7	1
	„ 13,	36·0	6·4	28	.	.	.	.	.	.	.	1	4	6	2	1
(Office, Peter-street.)	„ 20,	14·1	.	11	.	.	.	.	.	.	.	.	.	3	3	.
	„ 27,	18·0	1·3	14	.	.	.	.	.	.	.	.	1	3	5	.
	Nov. 3,	27·0	2·6	21	.	.	1	.	1	.	.	.	.	1	6	3
Pop. (in 1891) 40,558.	„ 10,	20·6	1·3	16	.	.	.	.	.	.	.	.	1	4	3	.
South City, No. 4.	Sept. 22,	32·0	1·5	22	.	.	.	.	.	.	.	.	1	3	2	1
	„ 29,	42·2	5·8	29	.	.	.	.	1	.	.	.	3	7	2	.
	Oct. 6,	23·3	2·9	16	.	.	.	.	.	.	.	.	2	1	3	.
	„ 13,	26·2	4·4	18	.	.	.	.	1	.	.	1	1	1	2	1
(Office, Grand Canal-street).	„ 20,	17·5	2·9	12	.	.	.	.	.	.	.	1	1	.	2	.
	„ 27,	21·9	2·9	15	.	.	.	.	.	.	.	.	2	1	2	.
	Nov. 3,	13·1	.	9	.	.	.	.	.	.	.	.	.	3	4	.
Pop. (in 1891) 35,798.	„ 10,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	3	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases; *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Sept. 22,	22·5	1·9	12	.	.	.	.	.	.	.	.	1	1	1	.
	„ 29,	16·9	3·8	9	.	.	.	.	.	.	.	1	1	2	1	.
	Oct. 6,	20·6	5·6	11	.	.	.	.	.	.	.	.	3	.	5	.
	„ 13,	16·9	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	„ 20,	26·3	7·5	14	.	.	.	.	.	.	.	.	4	1	1	.
	„ 27,	7·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 3,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 10,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	2	1	.
Donnybrook. Pop. (in 1891) 24,629.	Sept. 22,	19·1	4·3	9	.	.	.	.	.	.	.	.	2	.	.	1
	„ 29,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	1
	Oct. 6,	21·2	.	10	.	.	.	.	.	.	.	.	.	2	1	1
	„ 13,	12·7	2·1	6	.	.	.	.	.	1	.	.	.	.	1	.
	„ 20,	19·1	4·2	9	.	.	.	.	.	2	.	.	.	1	2	.
	„ 27,	14·8	.	7	.	.	.	.	.	.	.	.	.	.	3	1
	Nov. 3,	10·6	2·1	5	.	.	.	.	.	.	.	1	.	.	1	.
	„ 10,	19·1	2·1	9	.	.	.	.	.	.	.	.	1	1	.	.
Kingstown. Pop. (in 1891) 17,386.	Sept. 22,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 29,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	2	.	.
	Oct. 6,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	„ 20,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	1
	„ 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	Nov. 3,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 10,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	Sept. 22,	18·0	2·5	124	.	.	.	.	2	2	.	3	10	10	17	2
	„ 29,	16·1	2·8	111	.	1	.	1	1	1	.	5	10	16	17	3
	Oct. 6,	18·9	3·5	130	.	1	1	.	.	2	.	9	11	19	19	1
	„ 13,	19·3	1·9	133	.	.	.	.	1	2	.	4	6	21	20	.
	„ 20,	16·3	1·7	112	.	.	2	.	.	.	.	4	6	15	16	.
	„ 27,	19·0	2·2	131	.	2	1	.	.	2	.	7	3	19	24	1
	Nov 3,	19·2	2·6	132	.	2	.	.	2	2	.	7	5	23	26	8
	„ 10,	18·3	1·3	126	.	.	.	.	1	2	1	3	2	12	28	1
Cork. Pop. (in 1891) 75,345.	Sept. 22,	19·4	4·2	28	.	.	.	.	.	.	.	.	6	5	1	1
	„ 29,	21·5	2·8	31	.	.	.	.	.	.	.	.	4	2	6	.
	Oct. 6,	22·1	4·2	32	.	.	1	.	.	.	.	1	4	3	5	.
	„ 13,	15·9	2·1	23	.	.	.	.	.	.	.	.	3	4	2	.
	„ 20,	23·5	2·8	34	.	.	2	.	.	.	.	1	1	6	9	.
	„ 27,	20·1	4·2	29	.	.	3	.	.	1	.	.	2	5	2	.
	Nov. 3,	16·6	2·1	24	.	.	.	.	.	.	.	.	3	5	5	.
	„ 10,	20·1	2·1	29	.	.	1	.	.	.	.	.	2	4	5	1
Limerick. Pop. (in 1891) 37,155.	Sept. 22,	22·5	.	16	.	.	.	.	.	.	.	.	.	3	3	.
	„ 29,	33·7	1·4	24	.	.	.	.	1	.	.	.	.	3	6	.
	Oct. 6,	18·2	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.
	„ 13,	21·1	2·8	15	.	.	.	.	.	.	.	.	2	6	2	.
	„ 20,	11·2	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	19·6	1·4	14	.	.	.	.	.	.	.	.	1	1	2	.
	Nov. 3,	11·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 10,	15·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
Londonderry. Pop. (in 1891) 33,200.	Sept. 22,	14·1	3·1	9	.	1	.	.	.	.	.	.	1	2	1	.
	„ 29,	23·6	3·1	15	.	.	.	1	.	.	.	.	1	3	3	.
	Oct. 6,	20·4	1·6	13	.	1	.	.	.	.	.	.	.	3	3	.
	„ 13,	18·8	3·1	12	.	1	.	.	.	.	.	.	1	4	2	.
	„ 20,	14·1	3·1	9	.	.	.	1	.	.	.	.	1	1	.	.
	„ 27,	29·8	3·1	19	.	1	.	.	.	.	.	.	1	3	7	.
	Nov. 3,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	.	3	.
	„ 10,	28·3	3·1	18	.	.	.	.	2	.	.	.	.	1	3	.
Waterford. Pop. (in 1891) 26,200.	Sept. 22,	17·9	6·0	9	.	.	.	.	.	.	.	1	2	1	2	.
	„ 29,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	.	.
	Oct. 6,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	1	2	.
	„ 13,	9·9	.	5	.	.	.	.	.	.	.	.	.	3	.	.
	„ 20,	23·9	4·0	12	.	.	.	.	.	.	.	1	1	2	1	.
	„ 27,	25·9	4·0	13	.	.	.	.	.	.	.	.	2	1	1	2
	Nov. 3,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	1	1
	„ 10,	21·9	1·9	11	.	.	.	.	.	.	.	.	1	2	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 10th November, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	17,122	6	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		4	.	.	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
" 2 "	37,589	26			17	5	2	7	3	.	.	.	.	.	.	.	1	.	4	2	1	3	2
" 3 "	38,845	32			18	5	2	7	4	.	.	.	.	.	.	.	1	2	1	3	.	1	.
" 4 "	33,391	46			18	7	2	6	3	.	.	.	.	.	.	.	.	.	1	2	.	1	3
" 5 "	21,284	14			3	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 6 "	43,431	21			18	2	1	11	4	.	.	.	.	.	.	1	1	.	1	4	.	1	4
" 7 "	1,112	2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	1			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 9 "	12,866	13			8	.	.	7	1	.	.	.	.	.	.	.	.	.	.	3	.	.	2
" 10 "	12,256	17			6	4	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
" 11 "	19,881	23			16	3	1	7	5	.	.	.	.	1	.	.	.	.	3	5	.	.	3
" 12 "	23,282	22			12	7	1	4	.	.	.	.	.	.	1	.	.	.	.	3	.	1	.
" "	6,804	8			5	1	2	2	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.
" 14 "	62	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	232			126	36	11	57	22	.	.	.	.	1	2	1	3	2	12	28	1	7	16
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	2	30·6	4·4	7	1	1	2	3	.	.	1	.	.	.	.	.	.	1	2	.	.	3
" 2 "	9,252	6	16·9	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 3 "	9,816	4	26·6	.	5	.	2	2	1	.	.	.	.	.	.	.	.	.	.	2	1	1	3
" 4 "	10,856	6	30·2	10·1	6	4	.	1	1	.	.	.	.	.	.	.	.	2	1	1	.	.	1
" 5 "	3,137	.	12·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 6 "	3,823	4	23·6	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7 "	17,034	7	6·1	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	75,845	29	20·1	2·1	29	5	3	10	11	.	.	1	.	.	.	.	.	2	4	5	1	1	8

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.
No. of week in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered,	218	218	218	219	241	213	204	236	155	263	220	241	222	171	206	193	221	224	185	219	215	233	208	181	184	232
DEATHS registered.	153	141	134	123	141	130	136	126	108	136	133	155	126	149	124	133	136	131	124	111	130	133	112	131	132	126
Annual Death-rate per 1,000 of estimated Population,	22·2	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3
AGES, Under 1 year,	34	20	25	26	24	26	28	26	22	34	39	56	39	52	40	44	45	44	34	30	38	32	31	28	22	36
AGES, 1–5 years,	27	10	18	18	17	15	15	14	18	15	15	20	9	17	7	18	15	11	17	8	22	15	18	12	17	11
AGES, 5–60 years,	65	87	76	60	72	61	76	67	55	65	61	58	58	65	56	49	54	56	56	53	46	67	50	67	65	57
AGES, 60 years and upwards,	27	24	20	24	28	28	17	19	18	22	18	21	20	15	21	22	22	20	17	20	29	19	18	24	28	22
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	.	3	1	1	2	.	.	1	.	1	1	.	.	.	.	.	.	1	1	.	.	2	2	.
" Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	2	1	.	.
" Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" Whooping-cough,	6	1	1	.	1	1	2	1	2	3	.	.	.	3	2	.	2	1	2	1	.	1	.	.	2	1
" Diphtheria,	1	.	1	1	.	.	1	.	1	.	.	1	.	2	.	.	.	2	2	1	2	2	.	2	2	2
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Enteric Fever,	12	5	11	10	11	6	2	6	7	1	6	5	8	8	7	10	6	8	3	5	9	4	4	7	7	3
" Diarrhœa, Dysentery,	2	1	3	1	1	4	4	2	1	8	11	19	7	16	15	16	19	11	10	10	11	6	6	3	5	2
" Phthisis,	23	34	22	18	2	20	32	20	20	20	22	30	27	16	16	18	14	16	10	16	19	21	15	19	23	12
" Diseases of Respiratory System,	32	31	29	28	24	18	17	24	10	22	14	13	13	12	10	9	12	15	17	17	19	20	16	24	26	28
Violent Deaths,	4	5	2	1	4	7	3	3	3	3	3	5	2	3	3	3	4	1	2	3	1	.	.	1	8	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th November, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 1, West,	.	4	.	1	.	.	.	.	1	3	2	.	11
" " 2,	.	1	.	1	.	.	.	.	2	2	1	.	7
" " 3,	.	1	1	1	.	.	.	.	1	5	1	.	10
South City No. 1,	.	1	.	8	.	.	1	1	.	7	5	.	23
" " 2,	.		.	.	.	.	.	.	1	1	1	.	3
" " 3,	.	2	.	2	.	.	2	.	.	3	.	.	9
" " 4,	.	1	.	1	.	.	1	.	.	5	.	.	8
Total,	.	10	1	14	.	.	4	1	5	27	10	.	72
Total for week ended Nov. 3, 1900,	.	27	.	11	3	.	1	.	8	26	10	.	86
Total for week ended Oct. 27, 1900,	.	19	1	12	1	.	.	.	3	20	9	.	65
Total for week ended Oct. 20, 1900,	.	9	1	7	1	.	1	.	2	21	7	.	49

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th November, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th November.			
	Oct. 20.	Oct. 27.	Nov. 3.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	26	29	49	22	19	.	52
Scarlet Fever,	67	70	75	10	4	.	81*
Typhus "	7	7	4	.	.	.	4
Diphtheria,	12	12	10	5	1	.	14
Enteric Fever,	77	80	80	19	19	2	78
Pneumonia,	19	19	21	6	1	.	26

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Nov. 10,	2,500	1,498	17·0	.	22	8	35	16	25	23
EDINBURGH,	302,262	„ 10,	195	100	17·2	.	3	.	2	1	1	1
GLASGOW,	743,969	„ 10,	432	291	20·3	.	.	3	3	16	4	9
CALCUTTA,	466,460	Sept. 8,		294	32·8	9	.	.	.	.	81‡	31*
BOMBAY,	821,764	Oct. 16,	283	909	57·5	.	.	?	?	?	94§	111*
MADRAS,	452,518	„ 5,	438	413	47·4	1	2	?	?	?	120	81*
PARIS,	2,511,629	Nov. 3,	1,010	848	17·5	14	1	2	5†	3	12	40
BRUSSELS (with 8 Faubourgs).	570,844	Oct. 27,	253	187	17·0	.	1	.	2†	3	5	22
AMSTERDAM,	517,032	„ 20,	255	130	13·1	.	5	.	1	4	.	.
ROTTERDAM,	329,204	„ 20,	226	92	14·5	.	1	1	.	.	4	.
THE HAGUE,	205,328	„ 20,	124	67	16·8	.	.	.	1	.	1	.
COPENHAGEN,	354,000	Nov. 3,	182	107	15·7	.	1	.	.	.	.	7
CHRISTIANIA,	226,423	„ 3,	149	47	10·8	.	1	.	1	2	.	6
ST. PETERSBURG,	1,132,677	Oct. 27,	707	457	21·0	3	5	14	16	5	10	39
BERLIN,	1,863,128	„ 20,	834	595	16·6	.	11	16	12	5	1	92
HAMBURG,	691,349	Nov. 3,	.	184	13·8	.	.	1	2	2	1	7
DRESDEN,	407,500	Aug. 25,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU,	412,959	Oct. 27,	.	176	22·2	.	1	.	.	2	2	25
MUNICH,	463,000	July 14,	318	175	19·7	.	4	.	1†	1	.	36
VIENNA (with suburbs).	1,656,662	Oct. 27,	805	519	16·1	.	8	5	11†	.	4	76
BUDA-PESTH,	685,340	„ 20,	439	255	19·3	.	2	8	1	.	4	15
PRAGUE and Faubourgs.	391,693	„ 27,	161	140	18·5	.	.	.	2	.	1	4
ROME,	518,333	„ 6,	191	142	14·2	.	.	.	.	.	4	38
TURIN (10 days),	344,203	Sept. 30,	208	134	14·2	.	.	.	2†	.	1	10
VENICE,	174,170	Oct. 27,	51	54	16·1	.	.	.	.	1	2	8
NEW YORK,	3,444,675	„ 6,	1,946	1,170	17·7	.	4	2	19	5	15	88
PHILADELPHIA,	1,293,697	„ 20,		366	13·5	.	.	1	15	3	6	8

* Including 10 deaths from cholera in Calcutta, 17 in Bombay, and 27 in Madras. † Including deaths from croup. ‡ Exclusive of 27 deaths from bubonic fever. § Exclusive of 85 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 10th November, 1900:—

"At first mild, changeable, and damp, the weather afterwards became cold, bright, and squally. Sunday was in Dublin fine, though rather cloudy. This favourable weather was brought about by an equalisation of atmospheric pressure over Ireland owing to the presence of a shallow trough of low pressure over Wales and Cornwall. Monday was gloomy and wet in connection with a rather deep depression, the centre of which reached Cornwall by Tuesday morning. This system afterwards changed its course, passing across England in a northeasterly direction. It caused much gloom, fog, and very heavy rain in Ireland, Wales, and parts of Scotland. The measurements on Wednesday morning were—2·14 inches at Carlow, 1·17 inches at Malin Head, 1·10 inches in Dublin, ·97 inch at Nairn, and ·72 inch at Pembroke. At 10 a.m. of Tuesday a thick yellow fog hung for a short time over Dublin. It was followed by a brisk N. wind and fall of temperature. On Thursday this disturbance had almost disappeared, but another and even larger and deeper depression had arrived off the N.W. coasts of the British Isles, bringing squally, colder, drier and brighter weather, which lasted to the close of the week. In Dublin the mean height of the barometer was 29·627 inches, pressure ranging between 30·030 inches at 9 a.m. of Sunday (wind, W.) and 29·363 inches at 9 p.m. of Tuesday (wind, N.). The corrected mean temperature was 46·8°. The mean dry bulb readings at 9 a.m. and 9 p.m. was 45·9°. The screened thermometers rose to 55·9° on Monday and fell to 36·2° on Saturday. The rainfall amounted to 1·623 inches on four days, 1·103 inches being registered on Tuesday. Westerly winds prevailed. The estimated duration of bright sunshine was 17 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·634 inches. The highest reading (30·032) was on Sunday at 9 a.m., wind W., and the lowest (29·380) on Tuesday at 9 p.m., wind N.W.

The mean temperature for the week was 45·1°, being 0·3° below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Monday, when the thermometer registered 55·1°, and was lowest on Saturday, the mercury having fallen to 34·2°. The mean of the Dry Bulb for the week was 44·1°, and of the Wet Bulb 42·6°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 16·6 hours. The rainfall measured 1·525 ins.

At Greenwich the mean temperature for the week was 48·8°, the maximum 56·5°, and the minimum 35·2°; and at Glasgow the maximum was 54·8°, the minimum 37·0°, and the mean 46·6°. The rainfall at Greenwich measured 0·41 in; and at Glasgow 2·74 ins.

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Nov. 4,	29·978	53·2	41·7	47·5	43·7	43·4	·97	·1	1·0	·255	W.	Calm.
Monday, „ 5,	29·604	55·1	41·0	48·1	51·8	50·6	·92	·1	0·0	·225	E.S.E.	Calm.
Tuesday, „ 6,	29·406	54·4	43·9	49·2	46·8	46·0	·91	·7	0·0	1·010	Calm.	N.W.
Wednesday, „ 7,	29·666	48·6	36·1	42·4	41·1	39·0	·84	·6	3·6	—	N.W.	W.
Thursday, „ 8,	29·573	54·8	37·2	46·0	48·9	46·2	·82	·4	0·8	·015	S.W.	S.W.
Friday, „ 9,	29·572	48·8	36·8	42·8	40·4	38·4	·85	·6	5·8	·015	S.W.	S.W.
Saturday, „ 10,	29·610	44·8	34·2	39·5	36·2	34·8	·88	·8	5·4	·005	S.W.	W.
Mean, . .	29·634	51·4	38·7	45·1	44·1	42·6	·89	·5	Total 16·6	Total 1·525	Prevailing Wind S.W.	

Sunday—A cloudy day; lunar halo p.m.; night cloudy; rain 6.15 to 9 a.m. *Monday*—A dull wet day to 6 p.m.; night cloudy. *Tuesday*—A dull day; rain 9.30 a.m. to 4.45 a.m.; night overcast. *Wednesday*—A cloudy day; night cloudy. *Thursday*—A cloudy day; night cloudy; showery 10 p.m. to 1 a.m. *Friday*—A cloudy day; showers 10.30 to 11.30 a.m.; night cloudy. *Saturday*—A cloudy day; showers 4 to 5 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 359. 9. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 17TH NOVEMBER, 1900. [No. 46.

General Register Office, Charlemont House,
Dublin, 19th November, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Oct. 27.	Week ending Nov. 3.	Week ending Nov. 10.	Week ending Nov. 17.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 27.	Week ending Nov. 3.	Week ending Nov. 10.	Week ending Nov. 17.	Average Rate for 4 weeks
23 Town Dists.	19·3	20·2	20·2	20·4	20·0	Limerick, . .	19·6	11·2	15·4	15·4	15·4
Armagh, .	21·4	7·1	28·5	28·5	21·4	Lisburn, . .	12·8	4·3	12·8	17·0	11·7
Ballymena, .	11·3	5·6	22·5	11·3	12·7	Londonderry, .	29·8	20·4	28·3	11·0	22·4
Belfast, . .	19·0	19·2	18·3	17·7	18·6	Lurgan, . .	22·8	9·1	13·7	18·2	16·0
Carrickfergus, .	23·4	11·7	5·8	5·8	11·7	Newry, . .	8·1	12·1	12·1	28·2	15·1
Clonmel, . .	19·5	73·0	9·7	14·6	29·2	Newtownards, .	17·0	34·0	11·3	11·3	18·4
Cork, . .	20·1	16·6	20·1	22·8	19·9	Portadown, .	24·7	12·4	12·4	6·2	13·9
Drogheda, . .	19·0	30·4	30·4	19·0	24·7	Queenstown, .	5·7	5·7	34·4	17·2	15·8
Dublin, Reg. Area,	20·0	21·9	22·5	26·0	22·6	Sligo, . . .	10·2	40·6	10·2	20·3	20·3
Dundalk, . .	20·9	16·8	8·4	0·0	11·5	Tralee, . .	5·6	33·6	11·2	44·8	23·8
Galway, . .	7·6	30·2	37·8	15·1	22·7	Waterford, .	25·9	21·9	21·9	19·9	22·4
Kilkenny, . .	14·2	23·6	51·9	9·4	24·8	Wexford, . .	18·1	13·5	4·5	22·6	14·7

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in twelve of the districts to 8·5 in Lisburn; the 4 deaths from all causes registered in that district including one from simple continued and ill-defined fever and one from enteric fever. The 122 deaths from all causes registered for Belfast include one from whooping-cough, 4 from enteric fever, and one from diarrhœa; and the 33 deaths from all causes in Cork include 2 from scarlet fever and one from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 185—87 boys and 98 girls; and the deaths to 179—96 males and 83 females.

DEATHS.

The deaths, which are 2 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 26·7 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 26·0 per 1,000. During the forty-six weeks ending with Saturday last the death-rate averaged 29·0, and was 2·0 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 15 deaths from zymotic diseases registered during the week; this number is one in excess of the preceding week, but 7 below the average for the corresponding week of the past 10 years. Diarrhœa and enteric fever each caused 3 deaths, whooping-cough caused 2 deaths, while the following diseases each caused one death—measles, scarlatina, diphtheria, simple cholera, and erysipelas.

Tuberculosis caused 35 deaths, including 30 deaths from pulmonary tuberculosis, 3 deaths from tubercular meningitis, and 2 deaths from tabes mesenterica.

Diseases of the organs of respiration caused 36 deaths; this number is in excess of the preceding week by 13, but below the average for the corresponding period of the last 10 years by 6. Bronchitis caused 22 deaths and pneumonia 9 deaths; 2 deaths were due to pleurisy.

Cancer caused 6 deaths. Apoplexy caused 5 deaths, and 3 children under 5 years of age died of convulsions; one death was due to epilepsy, and 7 deaths were due to other diseases of the brain and nervous system.

Diseases of the circulatory system caused 21 deaths, and there were 9 deaths from diseases of the digestive system.

Seven accidental deaths were registered.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 3 infants under one month old and the death of a person aged 60 years.

Forty of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 7 were under one month old) and 62 were aged 60 years and upwards, including 25 persons aged 70 and upwards, of whom 10 were octogenarians, and 2 (women) were stated to have been aged 93 and 94 years respectively.

Fifty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse and 8 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VI.]

As already stated, the death-rate for the entire Registration Area was 26·0 per 1,000; the rate in the city was 26·4 (31·2 on the North side, and 22·0 on the South), and in the Suburbs 24·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the city being 1·7 (3·1 in the North City Districts, and 0·4 in the South), and for the Suburbs 1·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (19) are equal to an annual rate of 36·5 per 1,000. Diarrhœa and whooping-cough caused each one death, pulmonary tuberculosis caused four deaths, and diseases of the respiratory system caused six deaths.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 25·4 per 1,000. Enteric fever and diarrhœa caused each one death, pulmonary tuberculosis caused two deaths, and diseases of the respiratory system caused five deaths.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 30·7 per 1,000. Whooping-cough caused one death, pulmonary tuberculosis caused two deaths, and diseases of the respiratory system caused two deaths.

No. 3 North City District (Blackhall-place).—The deaths (17) represent an annual rate of 34·0 per 1,000. Measles and scarlatina each caused one death, pulmonary tuberculosis caused one death, and two deaths were due to diseases of the respiratory system.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 25·1 per 1,000. Pulmonary tuberculosis caused three deaths and diseases of the respiratory system caused six deaths in this district.

* See Table VI.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·3 per 1,000. Two deaths from pulmonary tuberculosis and two deaths from diseases of the respiratory system were registered.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 20·6 per 1,000. One death from enteric fever and three deaths from pulmonary tuberculosis occurred, three deaths were due to diseases of the respiratory system and 4 deaths were caused by diseases of the circulatory system.

No. 4 South City District (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 18·9 per 1,000. Three deaths from pulmonary tuberculosis were registered in this district, but no other death from infectious disease is reported to have occurred; diseases of the respiratory system caused four deaths.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 9·7; Finglas and Glasnevin, part of, 36·9; Palmerston, part of, and Crumlin, part of, 14·3; Rathmines, 31·9; Donnybrook, 19·1; Blackrock, 49·7; and Kingstown, 21·0. The deaths from zymotic diseases tabulated for these districts include one from diarrhœa and one from choleraic diarrhœa for Finglas and Glasnevin, part of, one from diphtheria for Donnybrook, and one from enteric fever for Blackrock. The 17 deaths from all causes tabulated for Rathmines include 5 from diseases of circulatory system, 3 from pulmonary tuberculosis, and 3 from diseases of the brain and nervous system; of the 9 deaths for Donnybrook 2 were from bronchitis; and the 8 deaths for Blackrock include 2 from diseases of the respiratory system and 2 from cancer.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	27th October,	65 cases.
" "	3rd November,	86 cases.
" "	10th November,	72 cases.
" "	17th November,	85 cases.

Of the 85 cases notified, 12 were erysipelas, 30 enteric fever, 9 scarlatina, 31 measles, 2 continued fever, and one diphtheria.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	3rd November, 1900,	14 cases.
" "	10th November,	5 cases.
" "	17th November,	10 cases.

Of the 10 cases notified 5 were enteric fever and 4 scarlatina.

(3.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th November, 1900.

From this it appears that:—

Fifteen cases of enteric fever were admitted to hospital, 16 were discharged, there were 2 deaths, and 75 cases remained under treatment at the termination of the week.

Fifteen cases of scarlatina were admitted to hospital, 11 were discharged, and 85* remained under treatment at the close of the week.

Two cases of diphtheria were admitted to hospital, two were discharged, one case died, and 13 cases remained under treatment at the close of the week.

There were 4 cases of typhus fever and 49 cases of measles under treatment in hospital at the termination of the week; there were 3 cases less of measles under treatment than at the end of the preceding week, but 20 in excess of the number under treatment on the week ending October 27th, 1900.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·1) was equal to an average annual death-rate of 17·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·9 per 1,000, the rate for Glasgow being 21·2, and for Edinburgh 20·5.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 17th November, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 17th November, 1900. Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 65 years & upwards.	Caused by. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 23 Town Districts	1,062,188	12·2	26·8	20·4	1·5	545	416	69	128	.	2	3	.	4	3	1	8	9	65	87	12	20	91
Dublin Registration Area:—																							
Total,†	849,594	14·2	27·6	26·0	1·6	185	174	25	61	.	1	1	.	2	1	.	3	3	29	35	6	8	45
Registrars' Districts. City	245,001	65·6	32·6	26·4	1·7	153	124	17	39	.	1	1	.	2	.	.	2	2	20	30	6	8	38
Clontarf &c. No. 1	4,188	1·5	.	25·2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Coolock & Drumcondra, No. 1	10,780	1·8	4·9	9·7	.	1	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Finglas & Glasnevin, pt. of (a)	4,240	0·8	24·6	36·9	12·3	2	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Palmerston, part of and Crumlin part of (b)	7,273	8·0	35·8	14·3	.	5	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Rathmines,‖	27,796	16·2	16·9	31·9	.	9	17	1	9	.	.	.	.	.	.	.	.	.	3	1	.	.	4
Donnybrook	24,629	12·4	19·1	19·1	2·1	9	9	1	6	.	.	.	.	.	1	.	.	.	1	2	.	.	2
Blackrock,‖	8,401	7·3	18·6	49·7	6·2	3	8	1	3	.	.	.	.	.	.	.	1	.	1	2	.	.	1
Kingstown, 1 & 2,‖	17,886	11·9	9·0	21·0	.	3	7	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Urban Districts																							
Belfast	359,000	21·8	29·8	17·7	0·9	205	122	22	25	.	.	.	.	1	.	.	4	1	11	32	5	11	18
Cork	75,845	33·3	17·3	22·8	2·1	25	33	4	9	.	2	.	.	.	.	.	.	1	8	8	.	.	13
Limerick	37,155	17·9	32·3	15·4	1·4	23	11	4	4	.	.	.	.	.	.	.	.	1	1	2	.	.	2
Londonderry	33,200	15·3	25·1	11·0	3·1	16	7	1	2	.	.	.	.	1	1	.	.	.	1	1	.	.	1
Waterford	26,208	18·3	19·9	19·9	.	10	10	1	1	.	.	.	.	.	.	.	.	.	5	.	.	.	2
Galway	13,800	2·6	26·4	15·1	3·8	7	4	.	2	.	.	.	.	.	1	.	.	.	.	1	.	.	3
Drogheda	13,708	8·7	19·0	19·0	.	5	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,961	18·5	28·2	28·2	4·0	7	7	4	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Dundalk	12,449	9·0	25·1	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn	12,250	10·8	21·3	17·0	8·5	5	4	.	3	.	.	.	.	.	.	1	1	.	.	1	.	.	1
Wexford	11,545	24·0	18·1	22·6	.	4	5	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	2
Lurgan	11,429	13·4	27·4	18·2	4·6	6	4	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
Kilkenny	11,048	12·0	23·6	9·4	.	5	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Clonmel	10,708	8·2	14·6	14·6	.	3	3	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Sligo	10,274	3·4	20·8	20·3	.	4	4	1	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Tralee	9,318	15·9	56·0	44·8	.	10	8	.	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Ballymena	9,252	9·3	11·3	11·3	.	2	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Newtownards	9,197	19·0	17·0	11·3	.	3	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Queenstown	9,082	17·0	11·5	17·2	5·7	2	3	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
Carrickfergus	8,923	0·5	29·2	5·8	5·8	5	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,480	11·0	24·7	6·2	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Armagh	187	21·4	21·4	28·5	.	3	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1

Towns and Districts.	Meteorology.† Week ending 17th Nov., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th Nov., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd Nov., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,†	54·6	32·1	44·4	0·83	55·1	34·2	45·1	1·53	61·1	34·2	50·8	1·01
City	55·5	34·6	45·8	0·66	55·9	36·2	46·8	1·62	62·8	36·7	51·8	0·92
Clontarf &c. No. 1	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a)	53·9	32·0	44·6	0·75	54·9	35·0	45·2	1·55	62·4	32·8	51·8	1·04
Palmerston, part of and Crumlin part of (b)	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	40	56	46·8	0·57	55	36	46·8	1·42	62	44	52·4	0·94
Urban Districts												
Belfast	52·5	32·8	43·8	1·56	56·0	36·5	46·3	1·76	57·0	33·5	46·0	0·67
Cork	58	37	47·8	0·71	57	37	47·9	1·39	59	41	52·4	1·80
Limerick	51·0	35·0	43·1	1·37	53·0	35·0	43·6	1·84	67·0	36·0	49·3	0·87
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	55	35	45·5	1·38	58	35	47	1·67	59	35	51	1·53
Galway	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	52·2	32·5	43·3	1·12	55·2	34·0	44·0	1·95	62·0	34·0	49·0	1·22
Newry	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk	52·2	32·5	43·3	1·12	55·2	34·0	44·0	1·95	62·0	34·0	49·0	1·22
Lisburn	.	.	.	.	.	.	.	.	.	.	.	.
Wexford	52·2	32·5	43·3	1·12	55·2	34·0	44·0	1·95	62·0	34·0	49·0	1·22
Lurgan	57	30	44·1	0·74	55	30	44·5	1·33	60	30	51·1	1·22
Kilkenny	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel	52·4	36·0	44·6	1·33	54·5	36·5	45·0	1·36	59·9	29·8	48·5	1·07
Sligo	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	53	34	44·6	1·47	54	35	45·5	1·03	56	33	47·5	1·54
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	58	37	47·8	0·71	57	37	47·9	1·39	59	41	52·4	1·80
Queenstown	.	.	.	.	.	.	.	.	.	.	.	.
Carrickfergus	52·2	32·5	43·3	1·12	55·2	34·0	44·0	1·95	62·0	34·0	49·0	1·22
Portadown	52·2	32·5	43·3	1·12	55·2	34·0	44·0	1·95	62·0	34·0	49·0	1·22
Armagh	.	.	.	.	.	.	.	.	.	.	.	.

(a) All the District except that portion in Finglas District Electoral Division (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 17th November, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	282	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	3	.
Diarrhœa, Dysentery,	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Other Zymotic Diseases	.	.	1	.	.	.	1	.	.	.	1	.	1	.	.	.	4	.
Total,	2	2	2	2	.	.	2	.	.	.	2	.	1	1	1	.	15	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	4	2	2	1	3	2	3	3	1	1	.	1	3	1	1	1	29	1
Other Constitutional Diseases,	1	1	1	4	.	.	1	.	.	1	.	.	1	.	2	.	12	.
Total,	5	3	3	5	3	2	4	3	1	2	.	1	4	1	3	1	41	1
V. DEVELOPMENTAL DISEASES,	1	1	2	2	3	1	1	2	.	.	.	.	2	2	1	.	18	1
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	.	1	2	2	1	.	2	1	1	.	.	1	3	1	.	1	16	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	2	1	2	2	.	.	4	2	.	.	1	.	5	1	.	1	21	.
Diseases of Respiratory System,	6	5	2	2	6	2	3	4	.	.	.	.	1	2	2	.	35	1
Diseases of Digestive System,	.	2	.	2	.	1	.	1	.	.	.	.	1	.	1	1	9	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	2	.	.	.	1	1	.	.	.	.	.	.	.	1	.	1	6	1
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.
Total,	10	9	7	8	9	4	5	8	1	.	1	1	10	5	3	4	89	2
VII. VIOLENT DEATHS,	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	6	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	2	5	.
Deaths from all Causes,	19	17	17	17	16	9	16	13	2	2	3	2	17	9	8	7	174	5
Annual Rate of Mortality in every 1,000 of the population.	36·5	25·4	30·7	34·0	25·1	25·3	20·6	18·9	25·2	9·7	36·9	14·3	31·9	19·1	49·7	21·0		
	31·2				22·0				21·9									
	26·4																26·0	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	.	2	3	.	1	4	2	.	.	.	.	4	2	1	.	23	4
Workhouse Hospitals,	3	2	5	4	3	2	2	1	.	.	.	.	.	.	.	.	22	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office, 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 46th Week of the 10 years 1890-99.	In the week ending Saturday, 17th November, 1900. Deaths of persons of the Ages of								
	Nov. 15, 1890	Nov. 21, 1891	Nov. 19, 1892	Nov. 18, 1893	Nov. 17, 1894	Nov. 16, 1895	Nov. 14, 1896	Nov. 20, 1897	Nov. 19, 1898	Nov. 18, 1899		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 48·0	° 42·9	° 43·7	° 41·2	° 44·2	° 45·9	° 42·4	° 46·3	° 43·6	° 48·0	° 44·1	° 41·4								
ALL CAUSES,	152	226	160	185	156	155	190	156	186	248	181·4	179	7	18	15	14	25	38	50	12
I. FEBRILE OR ZYMOTIC DISEASES,	8	24	13	21	13	15	19	12	13	78	21·6	15	.	5	5	2	2	1	.	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	1	.	2	.	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	1	.	1	1	1	1	.	.	·5	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	29	44	37	45	33	42	41	40	41	45	39·7	42	.	3	2	6	14	12	5	.
V. DEVELOPMENTAL "	14	16	11	18	10	8	18	9	15	18	13·7	19	5	.	.	.	.	.	8	6
VI. LOCAL "	88	121	92	88	82	86	91	83	100	97	92·8	91	1	8	8	5	7	22	31	6
VII. VIOLENT DEATHS,	4	7	3	2	9	.	7	8	5	6	5·1	7	.	.	.	1	2	1	3	.
VIII. ILL-DEFINED CAUSES,	9	14	3	11	8	3	12	3	10	4	7·7	5	1	2	.	.	.	2	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	.	1	1	2	.	.	.	.	.	51	5·5	1	.	.	1	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	5	1	.	2	·8	1	.	.	1	.	.	.	.	.
Typhus,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	1	.	3	2	.	3	2	1·2	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	3	1	6	1	.	4	.	2	2	2·0	2	.	.	2	.	.	.	.	.
Diphtheria,	.	.	.	2	1	.	1	1	1	3	·9	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	12	2	3	2	2	2	6	3	9	4·3	3	.	.	.	2	.	1	.	.
Cholera and Chol. Diarr.,	1	.	.	.	.	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	.
Diarrhœa, Dysentery,	3	4	5	3	2	2	1	2	2	5	2·9	3	.	3	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	2	.	1	.	2	·5	2	.	1	.	.	1	.	.	.
Erysipelas,	.	2	2	1	.	.	1	.	.	.	·6	1	.	.	.	.	1	.	.	.
Pyæmia, Septicæmia,	1	.	.	1	1	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	.	2	3	1	.	.	1	·7	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	.	1	1	2	.	1	2	1	.	1	·9	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	1	.	1	1	1	1	.	.	·5	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Rheumatism,	.	1	1	.	.	.	1	.	.	2	·5	.	.	.	.	.	.	.	.	.
Gout,	.	1	.	1	1	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer,	4	3	4	6	5	4	4	6	4	10	5·0	6	.	.	.	.	.	3	3	.
Tabes Mesenterica,	5	4	3	4	3	6	3	6	6	5	4·5	2	.	2	.	.	.	.	.	.
Tubercular Meningitis,	1	3	2	1	4	6	.	6	3	6	3·2	3	.	.	2	1	.	.	.	.
Phthisis,	16	28	24	29	12	19	24	16	22	17	20·2	30	.	1	.	4	14	9	2	.
Scrofula, Tuberculosis,	1	8	3	2	7	6	8	5	4	4	4·8	.	.	.	.	.	.	.	.	.
Other Constitutional Diseases,	2	1	.	.	1	1	1	1	1	1	·9	1	.	.	.	1	.	.	.	.
V. Developmental Diseases—																				
Premature Birth,	2	1	1	.	1	5	2	1	5	4	2·2	3	3	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	2	.	.	2	·4	2	2	.	.	.	.	.	.	.
Old Age,	12	15	10	18	9	3	14	8	10	12	11·1	14	.	.	.	.	.	.	8	6

each Disease registered in the FORTY-SIXTH WEEK ending Saturday, 17th November, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 46th Week of the 10 years 1890–99.	In the Week ending Saturday, 17th November, 1900. Deaths of Persons of the Ages of								
	Nov. 15, 1890	Nov. 21, 1891	Nov. 19, 1892	Nov. 18, 1893	Nov. 17, 1894	Nov. 16, 1895	Nov. 14, 1896	Nov. 20, 1897	Nov. 19, 1898	Nov. 18, 1899		All Ages.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	48·0	42·9	43·7	41·2	44·2	45·9	42·4	46·3	43·6	48·0	44·1	44·4								
VI. Local Diseases—																				
Apoplexy,	2	4	1	3	1	4	10	4	2	3	3·4	5	.	.	.	.	.	1	4	.
Epilepsy,	2	3	.	1	.	.	.	.	.	.	·6	1	.	.	.	1	.	.	.	.
Convulsions,	9	17	10	7	13	9	9	6	10	9	9·9	8	.	2	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	13	5	5	.	12	9	7	6	9	6	7·2	7	1	.	.	.	.	2	3	1
Diseases of Organs of Special Sense,	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	11	19	18	19	14	14	11	12	9	13	14·0	21	.	.	.	1	4	7	6	3
Croup,	1	1	.	2	2	.	.	.	.	1	·7	.	.	.	.	.	.	.	.	.
Bronchitis,	20	39	28	31	7	24	24	26	26	26	25·1	22	.	2	3	1	1	2	12	1
Pneumonia	7	14	8	5	11	19	12	5	23	22	12·6	9	.	2	1	1	.	3	2	.
Pleurisy,	1	.	.	.	1	.	.	.	1	.	·3	2	.	.	.	.	.	2	.	.
Other Diseases of Respiratory System,	2	4	3	4	4	1	2	4	3	1	2·8	3	.	.	1	.	.	1	1	.
Teething,	.	1	1	.	1	1	1	1	.	1	·7	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	2	.	1	.	.	.	2	1	1	.	·7	1	.	.	1	.	.	.	.	.
Peritonitis,	1	1	1	.	2	.	1	1	2	2	1·1	.	.	.	.	.	.	.	.	.
Disease of Liver,	1	4	1	3	2	.	4	4	3	1	2·3	1	.	.	.	.	.	.	1	.
Other Diseases of Digestive System,	6	4	8	6	5	2	1	3	4	7	4·6	7	.	2	1	1	1	1	1	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	2	.	.	1	·3	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	8	3	4	5	6	2	5	6	4	2	4·5	7	.	.	.	.	1	2	3	1
Diseases of Generative System,	1	.	1	1	.	.	.	1	1	1	·6	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	.	.	.	.	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	1	1	1	1	.	2	.	.	·6	2	.	.	.	.	.	1	1	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	1	.	.	.	.	.		1	.	.	.	.	1	.	.	.
By Vehicles or Horses,		1	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	3	1	1	.	2	.	2	1	3	3	4·6	2	.	.	.	.	.	.	2	.
By Drowning,		.	2	.	.	.	1	1	.	1		2	.	.	.	1	.	.	1	.
By Suffocation in Bed,		.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		1	.	.	.	.	1	.	1	1		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		2	.	2	5	.	2	4	.	.		2	.	.	.	.	1	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	.	1	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	9	14	3	11	8	3	12	3	10	4	7·7	5	1	2	.	.	.	2	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900—Week ending																									
	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.
No. of weeks in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered,	214	199	222	194	198	228	181	208	186	187	245	149	256	221	228	225	177	165	239	175	152	214	183	186	168	185
Average Births in corresponding week of previous 10 years,	201	209	199	208	202	219	193	188	185	185	195	200	196	185	197	183	211	206	204	175	172	181	168	178	176	189
DEATHS registered,	176	157	161	167	122	144	124	127	165	129	159	161	147	185	186	154	171	167	167	182	183	168	141	152	154	179
Annual Death-rate per 1,000,	26·3	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7
Average Deaths in corresponding week of previous 10 years,	167	162	156	164	150	156	149	148	154	162	159	160	157	162	164	170	165	162	160	151	163	159	173	181	174	181
AGES, Under 5 years,	43	43	54	37	29	33	38	32	47	35	40	57	51	79	71	54	70	73	69	88	61	56	53	44	43	40
5—20 „	26	15	14	27	16	18	10	8	18	7	13	9	15	12	21	16	15	7	10	12	9	18	10	10	6	14
20—40 „	30	22	31	35	19	32	25	35	26	18	25	31	17	38	25	25	21	18	30	22	32	28	27	23	30	25
40—60 „	35	40	38	31	29	33	23	24	44	33	39	34	34	35	39	26	34	33	25	29	38	34	31	39	38	38
60—80 „	35	31	19	30	23	27	26	23	30	30	35	26	26	20	26	22	23	32	29	27	34	26	16	27	23	50
80 years and upwards,	7	6	5	7	6	6	2	5	5	6	7	4	4	1	4	11	8	4	4	4	9	6	4	9	14	12
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1
„ Scarlet Fever,	.	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1	.	1
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	3	.	5	.	1	2	3	4	5	.	3	1	1	5	4	5	7	3	3	5	1	2	2	3	1	2
„ Diphtheria,	.	.	2	2	1	.	.	.	2	1	.		.	1	4	.	2	1	.	.	1	3	.	.	.	1
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.
„ Enteric Fever,	2	1	2	2	2	.	2	2	2	.	2	.	1	2	2	1	7	3	4	3	4	4	4	3	4	3
„ Diarrhœa, Dysentery,	.	1	2	1	.	1	2	1	4	4	9	19	24	25	33	20	27	24	18	28	16	9	6	5	6	3
„ Phthisis,	32	13	28	28	22	21	26	31	28	19	24	24	20	25	32	22	20	13	31	14	26	23	15	16	26	30
„ Heart Diseases,	11	14	10	11	9	9	10	9	19	17	23	12	12	18	10	14	1	16	10	13	14	12	10	9	12	21
„ Diseases of Respiratory System,	30	23	23	34	27	29	15	20	23	23	14	15	13	14	6	19	18	15	14	23	29	33	29	36	23	36
Violent Deaths,	1	6	4	1	1	5	6	6	5	4	4	5	4	9	2	5	5	5	3	7	5	2	3	7	6	7
Mean Temperature of the Air (Phœnix Park),	51·2	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4
Average Mean Temperature in corresponding week of previous 10 years,	50·8	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1
Rainfall in inches,	1·185	·005	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·360	1·010	1·525	·830
Mean Humidity of the Air, complete Saturation 1·0,	·80	·83	·82	·80	·83	·84	·81	·76	·82	·83	·81	·86	·85	·90	·83	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89	·85

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th November, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH NOVEMBER, 1900.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	26·7	179	40	14	25	38	50	12	.	1	1	.	2	1	.	3	3	11	30	3	36	7	92
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	30·0	9	.	.	1	1	6	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	6
II.	MIDDLE CLASS,	81,469	22·3	35	7	1	5	3	12	7	.	.	.	.	.	.	.	1	2	3	4	1	3	1	23
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	16·7	82	9	1	5	7	10	.	.	.	1	.	.	.	.	.	.	1	4	1	12	1	13
IV.	GENERAL SERVICE CLASS,	147,976	35·0	80	21	10	11	22	15	1	.	1	.	.	2	1	.	2	1	7	14	1	18	4	36
V.	INMATES OF WORKHOUSES,	5,191		23	3	2	3	5	7	3	.	.	.	.	.	.	.	.	.	.	7	.	1	1	14
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	45·6	7	.	.	1	.	5	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	5
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,733	18·1	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	10·0	5	1	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	6. Clerks and Commercial Assistants,	25,001	22·9	11	4	1	4	.	1	1	.	.	.	.	.	.	.	1	2	3	1	1	.	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	36·0	17	.	.	1	3	8	5	.	.	.	.	.	.	.	.	.	.	3	.	3	1	10
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	21·0	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
	9. Building and Furnishing Trades,	26,294	7·9	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	10. Clothing Trades,	23,927	19·6	9	3	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	8
	11. Food Supply Trades,	7,949	26·2	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.
	12. Other Trades and Callings ranking with Trades,	26,937	23·2	12	3	.	3	1	5	.	.	.	1	.	.	.	.	.	.	1	1	.	7	1	2
	13. Petty Shopkeepers,	6,889	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	22·7	6	2	.	2	1	1	.	.	.	.	.	.	1	.	.	.	1	3	.	1	.	1
	15. Domestic Servants,	39,967	2·6	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	48·1	10	4	2	2	.	2	.	.	1	.	.	1	.	.	1	1	4	2	.	1	.	3
	17. Hawkers, Porters, Labourers, &c.,	83,472	38·7	62	15	8	7	20	11	1	.	.	.	.	1	.	.	1	.	2	9	1	16	4	30
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	23	3	2	3	5	7	3	.	.	.	.	.	.	.	.	.	.	7	.	1	1	14

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. (in 1891) 27,147.	Sept. 29,	25·0	3·8	13	.	.	.	.	.	.	.	.	2	3	.	1
		Oct. 6,	17·3	1·9	9	.	.	.	.	.	.	.	1	.	.	.	1
		„ 13,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.
		„ 20,	34·6	5·8	18	.	.	.	.	1	.	1	1	.	4	2	.
		„ 27,	30·7	1·9	16	.	.	.	.	1	.	.	.	.	3	3	.
		Nov. 3,	19·2	3·8	10	.	.	.	.	1	.	.	.	1	1	5	1
		„ 10,	21·1	.	11	.	.	.	.	.	.	.	.	.	1	3	.
		„ 17,	36·5	3·8	19	.	.	.	.	1	.	.	.	1	4	6	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. (in 1891) 34,886.	Sept. 29,	28·4	4·5	19	.	.	.	.	.	.	.	.	3	3	2	.
		Oct. 6,	28·4	18·5	19	.	1	.	.	1	.	.	.	7	1	1	.
		„ 13,	32·9	6·0	22	.	.	.	.	.	.	.	1	3	2	7	1
		„ 20,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	2	4	.
		„ 27,	23·9	3·0	16	.	.	.	.	.	.	.	1	1	1	4	.
		Nov. 3,	23·9	.	16	.	.	.	.	.	.	.	.	.	4	3	1
		„ 10,	23·9	1·5	16	.	.	.	.	.	.	.	.	1	2	.	3
		„ 17,	25·4	3·0	17	.	.	.	.	.	.	.	1	1	2	5	2
	North City, No. 2. (*Office, Lisburn-street.*) Pop. (in 1891) 28,871.	Sept. 29,	25·8	7·2	14	.	.	.	.	1	.	.	.	3	3	2	.
		Oct. 6,	37·9	9·0	21	.	.	.	.	.	.	.	.	5	1	2	1
		„ 13,	28·9	1·8	16	.	.	.	.	.	.	.	1	.	3	3	1
		„ 20,	27·1	1·8	15	.	.	.	.	.	.	.	.	1	5	5	.
		„ 27,	23·5	1·8	13	.	.	.	.	1	.	.	.	.	2	3	.
		Nov. 3,	32·5	7·2	18	.	.	.	.	1	.	.	.	3	.	3	.
		„ 10,	36·1	5·4	20	.	.	.	.	.	.	.	3	.	6	2	.
		„ 17,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	2	2	3
	North City, No. 3. (*Office, Blackhall-place.*) Pop. (in 1891) 26,055.	Sept. 29,	18·0	2·0	9	.	.	.	.	.	.	.	1	.	3	1	.
		Oct. 6,	26·0	2·0	13	.	.	.	.	.	.	.	.	1	1	.	.
		„ 13,	36·0	.	18	.	.	.	.	.	.	.	.	.	4	3	.
		„ 20,	32·0	2·0	16	.	.	.	.	.	.	.	.	1	.	3	.
		„ 27,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	.	.
		Nov. 3,	26·0	2·0	13	.	.	.	.	.	.	.	1	.	1	2	.
		„ 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
		„ 17,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	1	2	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. (in 1891) 33,194.	Sept. 29,	34·6	3·1	22	.	.	.	.	.	.	.	.	2	3	4	.
		Oct. 6,	25·1	4·7	16	.	.	.	.	.	.	.	.	3	2	1	2
		„ 13,	36·1	4·7	23	.	.	.	.	.	.	.	.	3	3	4	.
		„ 20,	37·7	1·6	24	.	.	.	.	.	.	.	1	.	5	3	.
		„ 27,	17·3	3·1	11	.	.	.	.	.	.	.	2	.	2	3	.
		Nov. 3,	25·1	1·6	16	.	1	.	.	.	.	.	.	.	4	4	.
		„ 10,	25·1	1·6	16	.	.	.	.	.	.	.	.	1	2	3	2
		„ 17,	25·1	.	16	.	.	.	.	.	.	.	.	.	3	6	.
	South City, No. 2. (*Office, Castle-street.*) Pop. (in 1891) 18,547.	Sept. 29,	16·9	5·6	6	.	.	.	.	.	.	.	.	2	.	.	.
		Oct. 6,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	2	.	.
		„ 13,	28·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 20,	42·2	2·8	15	.	.	.	.	.	.	.	.	1	.	6	.
		„ 27,	8·4	.	3	.	.	.	.	.	.	.	.	.	1	.	.
		Nov. 3,	39·4	2·8	14	.	.	.	.	.	.	.	1	.	1	5	1
		„ 10,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	5	.
		„ 17,	25·3	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. (in 1891) 40,558.	Sept. 29,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	1	1	1
		Oct. 6,	41·1	10·3	32	.	.	.	.	2	.	.	1	5	2	7	1
		„ 13,	36·0	6·4	28	.	.	.	.	.	.	.	1	4	6	2	1
		„ 20,	14·1	.	11	.	.	.	.	.	.	.	.	.	3	3	.
		„ 27,	18·0	1·3	14	.	.	.	.	.	.	.	.	1	3	5	.
		Nov. 3,	27·0	2·6	21	.	.	1	.	1	.	.	.	.	1	6	3
		„ 10,	20·6	1·3	16	.	.	.	.	.	.	.	.	1	4	3	.
		„ 17,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	3	3	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. (in 1891) 35,798.	Sept. 29,	42·2	5·8	29	.	.	.	.	1	.	.	.	3	7	2	.
		Oct. 6,	23·3	2·9	16	.	.	.	.	.	.	.	.	2	1	3	.
		„ 13,	26·2	4·4	18	.	.	.	.	1	.	.	1	1	1	2	1
		„ 20,	17·5	2·9	12	.	.	.	.	.	.	.	1	1	.	2	.
		„ 27,	21·9	2·9	15	.	.	.	.	.	.	.	.	2	1	2	.
		Nov. 3,	13·1	.	9	.	.	.	.	.	.	.	.	.	3	4	.
		„ 10,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	3	1
		„ 17,	18·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases; *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Sept. 29,	16·9	3·8	9	.	.	.	.	.	.	.	1	1	2	1	.
	Oct. 6,	20·6	5·6	11	.	.	.	.	.	.	.	.	3	.	5	.
	" 13,	16·9	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	" 20,	26·3	7·5	14	.	.	.	.	.	.	.	.	4	1	1	.
	" 27,	7·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 3,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	" 10,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	2	1	.
	" 17,	31·9	.	17	.	.	.	.	.	.	.	.	.	3	1	.
Donnybrook. Pop. (in 1891) 24,629.	Sept. 29,	10·6	2·1	5	.	.	.	.	1	.	.	.	.	2	.	1
	Oct. 6,	21·2	.	10	.	.	.	.	.	.	.	.	.	2	1	1
	" 13,	12·7	2·1	6	.	.	.	.	.	1	.	.	.	.	1	.
	" 20,	19·1	4·2	9	.	.	.	.	.	2	.	.	.	1	2	.
	" 27,	14·8	.	7	.	.	.	.	.	.	.	.	.	.	3	1
	Nov. 3,	10·6	2·1	5	.	.	.	.	.	.	.	1	.	.	1	.
	" 10,	19·1	2·1	9	.	.	.	.	.	.	.	.	1	1	.	.
	" 17,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
Kingstown. Pop. (in 1891) 17,886.	Sept. 29,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	2	.	.
	Oct. 6,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	" 13,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	" 20,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	1
	" 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	Nov. 3,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	" 10,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	.	.
	" 17,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	Sept. 29,	16·1	2·8	111	.	1	.	1	1	1	.	5	10	16	17	3
	Oct. 6,	18·9	3·5	130	.	1	1	.	.	2	.	9	11	19	19	1
	" 13,	19·3	1·9	133	.	.	.	.	1	2	.	4	6	21	20	.
	" 20,	16·3	1·7	112	.	.	2	.	.	.	.	4	6	15	16	.
	" 27,	19·0	2·2	131	.	2	1	.	.	2	.	7	3	19	24	1
	Nov 3,	19·2	2·6	132	.	2	.	.	9	2	.	7	5	28	26	8
	" 10,	18·3	1·8	126	.	.	.	.	1	2	1	3	2	19	28	1
	" 17,	17·7	0·9	122	.	.	.	.	1	.	.	4	1	11	32	5
Cork. Pop. (in 1891) 75,845.	Sept. 29,	21·5	2·8	31	.	.	.	.	.	.	.	.	4	2	6	.
	Oct. 6,	22·1	4·2	32	.	.	1	.	.	.	.	1	4	3	5	.
	" 13,	15·9	2·1	23	.	.	.	.	.	.	.	.	3	4	2	.
	" 20,	23·5	2·8	34	.	.	2	.	.	.	.	1	1	6	9	.
	" 27,	20·1	4·2	29	.	.	3	.	.	1	.	.	2	5	2	.
	Nov. 3,	16·6	2·1	24	.	.	.	.	.	.	.	.	3	5	5	.
	" 10,	20·1	2·1	29	.	.	1	.	.	.	.	.	2	4	5	1
	" 17,	22·8	2·1	33	.	.	2	.	.	.	.	.	1	8	8	.
Limerick. Pop. (in 1891) 37,155.	Sept. 29,	33·7	1·4	24	.	.	.	.	1	.	.	.	.	3	6	.
	Oct. 6,	18·2	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.
	" 13,	21·1	2·8	15	.	.	.	.	.	.	.	.	2	6	2	.
	" 20,	11·2	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	" 27,	19·6	1·4	14	.	.	.	.	.	.	.	.	1	1	2	.
	Nov. 3,	11·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	" 10,	15·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	" 17,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
Londonderry. Pop. (in 1891) 33,200.	Sept. 29,	28·6	3·1	15	.	.	.	1	.	.	.	.	1	3	3	.
	Oct. 6,	20·4	1·6	13	.	1	.	.	.	.	.	.	.	3	3	.
	" 13,	18·8	3·1	12	.	1	.	.	.	.	.	.	1	4	2	.
	" 20,	14·1	3·1	9	.	.	.	1	.	.	.	.	1	1	.	.
	" 27,	29·8	3·1	19	.	1	.	.	.	.	.	.	1	3	7	.
	Nov. 3,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	.	3	.
	" 10,	28·3	3·1	18	.	.	.	.	2	.	.	.	.	1	3	.
	" 17,	11·0	3·1	7	.	.	.	.	1	1	.	.	.	1	1	.
Waterford. Pop. (in 1891) 26,200.	Sept. 29,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	.	.
	Oct. 6,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	1	2	.
	" 13,	9·9	.	5	.	.	.	.	.	.	.	.	.	2	.	.
	" 20,	23·9	4·0	12	.	.	.	.	.	.	.	1	1	2	1	.
	" 27,	25·9	4·0	13	.	.	.	.	.	.	.	.	2	1	1	2
	Nov. 3,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	1	1
	" 10,	21·9	1·9	11	.	.	.	.	.	.	.	.	1	2	1	.
	" 17,	19·9	.	10	.	.	.	.	.	.	.	.	.	5	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 17th November, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	17,122	10	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		9	.	1	6	2	.	.	.	.	.	.	.	2	.	1	1	1	1	4
" 2 "	37,589	21			18	2	.	10	6	.	.	.	.	.	.	.	.	.	2	6	1	2	2
" 3 "	38,845	36			14	1	1	7	5	.	.	.	.	.	.	.	1	.	.	6	.	1	.
" 4 "	33,391	21			20	6	2	10	2	.	.	.	.	.	.	.	.	.	1	4	.	1	6
" 5 "	21,284	16			7	1	1	3	2	.	.	.	.	.	.	.	.	.	1	.	.	2	3
" 6 "	43,431	16			14	2	2	4	6	.	.	.	.	.	.	.	.	.	1	4	1	1	.
" 7 "	1,112	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	13			5	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
" 10 "	12,256	19			7	2	2	2	1	.	.	.	.	.	.	.	1	.	1	1	.	.	.
" 11 "	19,881	29			11	3	1	7	.	.	.	.	.	1	.	.	.	.	1	4	.	.	.
" 12 "	23,282	19			12	3	2	7	.	.	.	.	.	.	.	.	.	.	2	5	.	1	1
" 13 "	6,804	4			2	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
" 14 "	62	.			3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Total,	278,079	205			122	22	14	61	25	.	.	.	.	1	.	.	4	1	11	32	5	11	18
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	5	39·3	4·4	9	1	.	4	4	.	.	1	.	.	.	.	.	.	1	2	.	.	4
" 2 "	9,252	3	5·6	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1		.	.	1
" 3 "	9,816	5	37·3	.	7	.	1	3	3	.	.	.	.	.	.	.	.	.	1	3	.	.	3
" 4 "	10,356	3	10·1	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 5 "	8,187	2	19·2	6·4	3	1	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
" 6 "	3,823	2	5·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 7 "	17,034	5	30·6	3·1	10	2	1	6	1	.	.	1	.	.	.	.	.	.	4	2	.	.	2
Total,	75,345	25	22·8	2·1	33	4	2	18	9	.	.	2	.	.	.	.	.	1	8	8	.	.	13

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.
No. of week in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered,	218	218	219	241	213	204	236	155	263	220	241	222	171	206	198	221	224	185	219	215	233	208	181	184	232	205
DEATHS registered.	141	134	123	141	130	136	126	108	136	133	155	126	149	124	133	136	131	124	111	130	133	112	131	132	126	122
Annual Death-rate per 1,000 of estimated Population,	20·5	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7
AGES, Under 1 year,	20	25	26	24	26	28	26	22	34	39	56	39	52	40	44	45	44	34	30	33	32	31	28	22	36	22
AGES, 1–5 years,	10	13	18	17	15	15	14	13	15	15	20	9	17	7	18	15	11	17	8	22	15	18	12	17	11	14
AGES, 5–60 years,	87	76	60	72	61	76	67	55	65	61	58	58	65	56	49	54	56	56	53	46	67	50	67	65	57	61
AGES, 60 years and upwards,	24	20	24	28	28	17	19	18	22	18	21	20	15	21	22	22	20	17	20	29	19	13	24	28	22	25
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	3	1	1	2	.	.	1	.	1	1	.	.	.	.	.	.	1	1	.	.	2	2	.	.
,, Scarlet Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	2	1	.	.	.
,, Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
,, Whooping-cough,	1	1	.	1	1	2	1	2	3	.	.	.	3	2	.	2	1	2	1	.	1	.	.	2	1	1
,, Diphtheria,	.	1	1	.	.	1	.	1	.	.	1	.	2	.	.	.	2	2	1	2	2	.	2	2	2	.
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Enteric Fever,	5	11	10	11	6	2	6	7	1	6	5	8	8	7	10	6	8	3	5	9	4	4	7	7	3	4
,, Diarrhœa, Dysentery,	1	3	1	1	4	4	2	1	8	11	19	7	16	15	16	19	11	10	10	11	6	6	3	5	2	1
,, Phthisis,	34	22	18	2	20	32	20	20	20	22	30	27	16	16	13	14	16	10	16	19	21	15	19	23	12	11
,, Diseases of Respiratory System,	31	29	28	24	18	17	24	10	22	14	13	13	12	10	9	12	15	17	17	19	20	16	24	26	28	32
Violent Deaths,	5	2	1	4	7	3	3	3	3	3	5	2	3	3	3	4	1	2	3	1	.	.	1	8	1	5

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th November, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	4	1	.	5
" " 1, West,	.	11	.	4	.	.	1	.	.	3	1	.	20
" " 2,	.	.	.	.	.	.	.	.	.	6	.	.	6
" " 3,	.	3	.	2	.	.	.	.	.	8	4	.	17
South City No. 1,	.	7	.	2	.	.	.	.	.	4	4	.	17
" " 2,	.	5	.	.	.	.	.	.	.	1	.	.	6
" " 3,	.	3	.	1	.	.	.	.	1	3	2	.	10
" " 4,	.	2	.	.	.	.	.	.	1	1	.	.	4
Total,	.	31	.	9	.	.	1	.	2	30	12	.	85
Total for week ended Nov. 10, 1900,	.	10	1	14	.	.	4	1	5	27	10	.	72
Total for week ended Nov. 3, 1900,	.	27	.	11	3	.	1	.	8	26	10	.	86
Total for week ended Oct. 27, 1900,	.	19	1	12	1	.	.	.	3	20	9	.	65

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th November, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th November.			
	Oct. 27.	Nov. 3.	Nov. 10.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	29	49	52	13	16	.	49
Scarlet Fever,	70	75	81	15	11	.	85*
Typhus "	7	4	4	.	.	.	4
Diphtheria,	12	10	14	2	2	1	13
Enteric Fever,	80	80	78	15	16	2	75
Pneumonia,	19	21	26	7	10	.	23

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Nov. 17,	2,323	1,505	17·1	.	18	8	32	15	17	18
EDINBURGH,	302,262	„ 17,	142	119	20·5	.	8	.	3	1	1	2
GLASGOW,	743,969	„ 17,	460	304	21·2	2	1	2	5	17	6	7
CALCUTTA,	466,460	Sept. 15,	.	313	38·3	6	.	.	1	.	106‡	45*
BOMBAY,	821,764	Oct. 23,	283	799	50·6	.	.	?	?	?	93§	123*
MADRAS,	452,518	„ 12,	506	492	56·5	1	3	?	?	?	85	87*
PARIS,	2,511,629	Nov. 10,	1,018	821	16·9	11	5	1	6†	1	7	31
BRUSSELS (with 8 Faubourgs).	570,844	„ 3,	215	168	15·3	.	2	.	.	.	4	18
AMSTERDAM,	517,032	Oct. 27,	252	138	13·9	.	11	.	1	1	.	.
ROTTERDAM,	329,204	„ 27,	205	92	14·5	.	1	.	1	1	2	.
THE HAGUE,	205,328	„ 27,	122	63	15·8	.	1	1	1	.	.	.
COPENHAGEN,	354,000	Nov. 10,	205	115	16·9	.	.	.	.	.	.	5
CHRISTIANIA,	226,423	„ 10,	155	40	9·2	.	2	2	.	1	.	2
ST. PETERSBURG,	1,132,677	„ 3,	665	474	21·8	1	4	20	19	5	26	40
BERLIN,	1,863,128	Oct. 27,	832	562	15·7	.	10	19	9	3	3	68
HAMBURG,	691,349	Nov. 10,	.	186	14·0	.	.	3	2†	2	.	8
DRESDEN,	407,500	„ 3,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU,	412,959	„ 3,	.	163	20·5	.	.	.	.	1	.	15
MUNICH,	463,000	July 21,	341	284	31·9	.	.	.	.	.	.	72
VIENNA (with suburbs).	1,656,662	Nov. 3,	907	597	18·5	.	24	8	10†	.	2	55
BUDA-PESTH,	685,340	Oct. 27,	388	265	20·1	.	.	11	2	.	3	16
PRAGUE and Faubourgs.	391,693	Nov. 3,	184	151	20·0	.	1	.	5	1	3	3
ROME,	518,333	Oct. 6,	191	142	14·2	.	.	.	.	.	4	38
TURIN (10 days),	344,203	Sept. 30,	208	134	14·2	.	.	.	2†	.	1	10
VENICE,	174,170	Nov. 3,	60	65	19·4	.	.	.	5†	.	.	11
NEW YORK,	3,444,675	Oct. 13,	1,686	1,208	18·3	.	2	4	26	4	27	85
PHILADELPHIA,	1,293,697	„ 27,	.	396	15·9	.	.	1	15	3	7	7

* Including 3 deaths from cholera in Calcutta, 10 in Bombay, and 21 in Madras. † Including deaths from croup. ‡ Exclusive of 25 deaths from bubonic fever. § Exclusive of 74 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 17th November, 1900:—

"The weather remained in an unsettled state throughout the greater part of this period. Rain fell frequently but not as copiously in Dublin as in the previous week. Several deep depressions advanced to the North-West coasts of the British Isles, and their secondaries—often V.-shaped—passed eastwards across the country, causing the broken weather of the period. Sunday was a fine, cold day until evening when rain fell. Monday was much warmer, except in Scotland, where the morning was frosty. Tuesday and Wednesday were tolerably fine. On Wednesday night the thermometer rose to 52·7° with rain, as one of the depressions mentioned above approached the North of Ireland. On Thursday night a still deeper depression passed southeastwards across Ireland, reaching Cornwall on Friday morning. The system caused heavy rains, and with the cyclonic circulation of winds round its centre was complete. In its wake a large anticyclone spread quickly southwards so that N.E. winds, and fine, dry, cold weather brought the week to a close. The mean height of the barometer was 29·612 inches—the range of atmospheric pressure being from 28·929 inches at 9 p.m. of Thursday (wind, W.S.W.) to 30·312 inches at 9 p.m. of Saturday (wind, N.). The corrected mean temperature was 45·8°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 45·0°. The screened thermometer sank to 34·6° on Sunday and rose to 55·5° on Monday. The prevailing wind was W.S.W. The duration of bright sunshine was estimated at 23 hours. Rain fell on six days to the amount of ·659 inch, ·385 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·623 inches. The highest reading (30·330) was on Saturday at 9 p.m., wind N.W., and the lowest (28·937) on Thursday at 9 p.m., wind S.W.

The mean temperature for the week was 44·4°, being 0·3° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Monday, when the thermometer registered 54·6°, and was lowest on Sunday, the mercury having fallen to 32·1°. The mean of the Dry Bulb for the week was 44·2°, and of the Wet Bulb 42·2°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 23·6 hours. The rainfall measured ·830 in.

At Greenwich the mean temperature for the week was 45·0°, the maximum 57·6°, and the minimum 26·8°; at Glasgow the maximum was 50·7°, the minimum 35·0°, and the mean 42·8°. The rainfall at Greenwich measured 0·81 in; and at Glasgow 1·36 ins.

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

100 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Nov. 11,	29·857	43·4	32·1	37·8	37·4	36·3	·90	·5	4·0	·100	W.	S.W.
Monday, „ 12,	29·532	54·6	39·0	46·8	50·2	48·3	·87	·6	1·5	·015	S.W.	S.W.
Tuesday, „ 13,	29·432	52·4	43·9	48·2	46·8	44·3	·83	·5	5·0	·010	S.W.	S.W.
Wednesday, „ 14,	29·723	47·0	37·9	42·5	41·6	38·9	·80	1·0	4·5	·140	W.	S.W.
Thursday, „ 15,	29·091	51·8	40·7	46·6	46·4	44·5	·87	·9	3·5	·500	W.S.W.	S.W.
Friday, „ 16,	29·508	49·5	43·2	46·4	47·3	45·6	·88	·8	0·0	·005	N.E.	N.
Saturday, „ 17,	30·215	47·9	37·0	42·5	39·5	37·3	·83	·5	5·1	—	N.W.	N.W.
Mean, . .	29·623	49·5	39·1	44·4	44·2	42·2	·85	·7	Total 23·6	Total ·830	Prevailing S.W.	Wind

Sunday—A cloudy day; night overcast and showery. *Monday*—Dull a.m.; cloudy p.m.; rain 9.30 to 2 p.m; night cloudy. *Tuesday*—A cloudy day; showery 5.30 p.m. to 4 a.m.; night cloudy. *Wednesday*—A cloudy day; night cloudy; showery 10 p.m. to 5.30 a.m. *Thursday*—Cloudy a.m.; dull p.m.; rain 12.45 p.m. *Friday*—A dull day; showers a.m.; night cloudy. *Saturday*—A fine but cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 359. 9. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 24TH NOVEMBER, 1900. [No. 47.

General Register Office, Charlemont House,
Dublin, 26th November, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 21·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Nov. 3.	Week ending Nov. 10.	Week ending Nov. 17.	Week ending Nov. 24.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 3.	Week ending Nov. 10.	Week ending Nov. 17.	Week ending Nov. 24.	Average Rate for 4 weeks.
23 Town Dists.	20·2	20·2	20·4	21·6	18·1	Limerick, . .	11·2	15·4	15·4	23·9	16·5
Armagh, .	7·1	28·5	28·5	21·4	21·4	Lisburn, . .	4·3	12·8	17·0	21·3	13·9
Ballymena, .	5·6	22·5	11·3	16·9	14·1	Londonderry, .	20·4	28·3	11·0	26·7	21·6
Belfast, . .	19·2	18·3	17·7	21·5	19·2	Lurgan, . .	9·1	13·7	18·2	27·4	17·1
Carrickfergus, .	11·7	5·8	5·8	23·4	11·7	Newry, . .	12·1	12·1	28·2	8·1	15·1
Clonmel, . .	73·0	9·7	14·6	9·7	26·8	Newtownards, .	34·0	11·3	11·3	28·3	21·2
Cork, . .	16·6	20·1	22·8	15·9	18·9	Portadown, .	12·4	12·4	6·2	12·4	10·9
Drogheda, . .	30·4	30·4	19·0	15·2	23·7	Queenstown, .	5·7	34·4	17·2	5·7	15·8
Dublin, Reg. Area,	21·9	22·5	26·0	26·1	24·1	Sligo, . . .	40·6	10·2	20·3	5·1	19·1
Dundalk, . .	16·8	8·4	0·0	4·2	7·4	Tralee, . .	33·6	11·2	44·8	22·4	28·0
Galway, . .	30·2	37·8	15·1	15·1	24·5	Waterford, .	21·9	21·9	19·9	11·9	18·9
Kilkenny, . .	23·6	51·9	9·4	9·4	23·6	Wexford, . .	13·5	4·5	22·6	18·1	14·7

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·8 in Carrickfergus; the 4 deaths from all causes registered in that district including one from measles. Among the 148 deaths from all causes registered in Belfast are 2 from measles, one from scarlatina, 3 from whooping-cough, 2 from diphtheria, one from ill-defined fever, 2 from enteric fever, and one from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 168—75 boys and 93 girls; and the deaths to 187—97 males and 90 females.

DEATHS.

The deaths, which are 5 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 27·9 in every 1,000 of the population; omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, the rate was 26·1 per 1,000. During the forty-seven weeks ending with Saturday last the death-rate averaged 28·9, and was 1·9 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 23 deaths from zymotic diseases registered during the week; this number is 8 in excess of the preceding week, but one below the average for the corresponding period of the past 10 years. This figure includes 9 deaths from enteric fever and 5 deaths each from diarrhœa and whooping-cough.

Tuberculosis caused 40 deaths, namely, 31 from pulmonary tuberculosis, 6 from scrofula, and 3 from tabes mesenterica.

Diseases of the respiratory organs caused 36 deaths, the same number registered in the preceding week, but below the average of the 47th week of the past 10 years by 5. Of these deaths 21 were due to bronchitis, 11 to pneumonia, 1 to pleurisy, and 3 to other diseases of the respiratory system.

Cancer caused 4 deaths. Sixteen deaths were due to diseases of the brain and nervous system, exclusive of 9 deaths of children from convulsions; of the latter 2 were under a month in age and 6 were over a month but under 1 year. Fourteen deaths were caused by diseases of the circulatory system and 9 deaths by diseases of the digestive system.

Three accidental deaths were registered.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 9 children under 5 years of age (including 8 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Fifty-three of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 9 were under one month old) and 40 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 6 were octogenarians, and 2 (a man and a woman) were stated to have been aged 94 and 97 years respectively.

Seventy-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 26·1 per 1,000; the rate in the city was 30·6 (33·9 on the North side, and 27·7 on the South), and in the Suburbs 15·5.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the city being 3·2 (4·5 in the North City Districts, and 2·0 in the South), and for the Suburbs 2·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (26) are equal to an annual rate of 49·9 per 1,000. Enteric fever, diarrhœa, and whooping-cough each caused two deaths, pulmonary tuberculosis caused seven deaths, and diseases of the organs of respiration caused three deaths.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 28·4 per 1,000. Pulmonary tuberculosis caused three deaths, diseases of the respiratory system four deaths; diseases of the brain and nervous system 3 deaths, and diseases of the circulatory system 4 deaths.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 36·1 per 1,000. There was one death from diphtheria and two deaths from pulmonary tuberculosis in this district, in addition there were 5 deaths from diseases of the respiratory system, and five deaths from diseases of the brain and nervous system.

No. 3 North City District (Blackhall-place).—The deaths (11) represent an annual rate of 22·0 per 1,000. Enteric fever, diarrhœa, and whooping-cough each caused one death, pulmonary tuberculosis caused two deaths, and diseases of the respiratory system caused three deaths.

No. 1 South City District (South Earl-street).—The deaths (26) represent an annual rate of 40·8 per 1,000. Diarrhœa and whooping-cough each caused one death, five deaths were caused by pulmonary tuberculosis, and five deaths were due to diseases of the respiratory system.

* See Table VI.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·7 per 1,000. Enteric fever caused one death, no death from tubercular disease was registered, three deaths were caused by diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 24·4 per 1,000. Pulmonary tuberculosis caused 3 deaths. Six deaths were caused by diseases of the respiratory system.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·3 per 1,000. Enteric fever caused 2 deaths, the same number (2) were caused by pulmonary tuberculosis, three deaths were caused by diseases of the respiratory system, and three deaths were due to diseases of the brain and nervous system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 25·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 29·2; Finglas and Glasnevin, part of, 24·6; Palmerston, part of, and Crumlin, part of, 7·2; Rathmines, 9·4; Donnybrook, 14·8; Blackrock, 18·6; and Kingstown, 15·0. The deaths from zymotic diseases tabulated for these districts consist of one from enteric fever for Coolock and Drumcondra, No. 1, one from diarrhœa for Palmerston, part of, and one from whooping-cough, one from enteric fever, and one from erysipelas for Rathmines. Of the 6 deaths from all causes tabulated for Coolock and Drumcondra, No. 1, 2 were from diseases of the brain and nervous system; two of the 7 deaths for Donnybrook were from diseases of the respiratory system and 2 from pulmonary tuberculosis; two of the 3 deaths for Blackrock were from diseases of the brain and nervous system; and the 5 deaths for Kingstown include 2 from diseases of the brain and nervous system.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 3rd November,	. . .	86 cases.
" " 10th November,	. . .	72 cases.
" " 17th November,	. . .	85 cases.
" " 24th November,	. . .	90 cases.

Of the 90 cases notified, 15 were erysipelas, 19 enteric fever, 11 scarlatina, 40 measles, 2 continued fever, and 3 German measles.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 3rd November, 1900,	. . .	14 cases.
" " 10th November,	. . .	5 cases.
" " 17th November,	. . .	10 cases.
" " 24th November,	. . .	6 cases.

Of the 6 cases notified, one was enteric fever, 4 scarlatina, and one diphtheria.

(3.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th November, 1900.

From this it appears that:—

Twenty-two cases of measles were admitted to hospital and 16 cases were discharged, 55 remaining under treatment at the end of the week.

Sixteen cases of scarlatina were admitted to hospital, 11 cases were discharged, and 90* cases were under treatment at the close of the week.

One case of typhus fever was discharged, leaving 3 cases under treatment.

Two cases of diphtheria were admitted to hospital, 3 cases were discharged, and one patient died, 11 cases being left under treatment.

Seven cases of enteric fever were admitted to hospital, 9 cases were discharged, one patient died, and 72 remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·2) was equal to an average annual death-rate of 17·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·3 per 1,000, the rate for Glasgow being 21·5, and for Edinburgh 16·9.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 24th November, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 24th November, 1900. Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued, Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 24th Nov., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th Nov., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th Nov., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	19·2	26·3	21·6	1·8	536	489	79	99	.	3	1	.	9	3	1	10	9	58	91	10	22	110	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	25·1	26·1	2·8	168	175	30	38	.	.	.	.	5	1	.	8	5	26	35	3	5	68	50·4	27·1	37·4	0·56	54·6	32·1	44·4	0·83	55·1	34·2	45·1	1·53
City	245,001	65·6	27·0	36·6	3·2	127	144	27	30	.	.	.	.	4	1	.	6	4	24	32	1	3	56	50·8	32·0	40·2	0·34	55·5	34·6	45·8	0·66	55·9	36·2	46·8	1·62
Registrars' Districts. Clontarf &c. No. 1	4,188	1·5	12·6	25·2	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	10,780	1·6	19·4	29·2	4·9	4	6	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a)	4,240	0·8	24·6	24·6	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	49·9	27·8	38·4	0·65	53·9	32·0	44·6	0·75	54·9	35·0	45·2	1·55
Palmerston, part of and Crumlin part of (b)	7,278	8·0	28·7	7·2	7·2	4	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	20·6	9·4	3·8	11	5	.	1	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	24,629	12·4	21·2	14·8	.	10	7	.	1	.	.	.	.	.	.	.	.	.	2	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	24·8	18·6	.	4	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	15·0	15·0	.	5	5	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	50	30	41·7	0·50	56	40	46·8	0·57	55	36	46·8	1·42
Urban Districts																																			
Belfast	359,000	21·8	29·3	21·5	1·7	202	148	30	32	.	2	1	.	3	2	1	2	1	15	43	5	11	21	49·0	28·0	38·1	0·10	52·5	32·8	43·8	1·56	56·0	36·5	46·3	1·76
Cork	75,845	33·3	20·1	15·9	.	29	23	2	6	.	.	.	.	.	.	.	.	.	6	1	.	1	6	.	.	.	.	58	37	47·8	0·71	57	37	47·9	1·39
Limerick	87,155	17·9	18·2	28·9	.	13	17	6	2	.	.	.	.	.	.	.	.	.	3	4	.	.	4	.	.	.	.	51·0	35·0	43·1	1·87	53·0	35·0	43·6	1·84
Londonderry	33,200	15·3	34·6	26·7	1·6	22	17	1	7	.	.	.	.	1	.	.	.	.	2	3	1	2	1	45·0	26·0	35·9	0·44	.	.	.	.	.	.	.	.
Waterford	26,208	18·3	21·9	11·9	2·0	11	6	1	1	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,800	2·6	15·1	15·1	.	4	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	48	26	39	0·65	55	35	45·5	1·88	58	35	47	1·67
Drogheda	18,708	8·7	19·0	15·2	.	5	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,961	18·5	20·1	8·1	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	48·0	26·3	35·8	0·96	52·2	32·5	43·3	1·12	55·2	34·0	44·0	1·95
Dundalk	12,449	9·0	25·1	4·2	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn	12,250	10·8	4·3	21·3	.	1	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	48·0	26·3	35·8	0·96	52·2	32·5	43·3	1·12	55·2	34·0	44·0	1·95
Wexford	11,545	24·0	31·6	18·1	.	7	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	11,429	18·4	54·7	27·4	4·6	12	6	1	2	.	.	.	.	.	.	.	.	1	1	.	.	.	4	48·0	26·3	35·8	0·96	52·2	32·5	43·3	1·12	55·2	34·0	44·0	1·95
Kilkenny	11,048	12·0	18·9	9·4	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	51	27	37·4	0·98	57	30	44·1	0·74	55	30	44·5	1·33
Clonmel	10,708	8·2	14·6	9·7	.	3	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,274	3·4	25·4	5·1	.	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	47·9	24·3	36·7	0·91	52·4	36·0	44·6	1·33	54·5	36·5	45·0	1·36
Tralee	9,818	15·9	28·0	22·4	5·6	5	4	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	9,252	9·3	50·7	16·9	.	9	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,197	19·0	17·0	28·3	.	3	5	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	53	34	44·6	1·47	54	35	45·5	1·03
Queenstown	9,082	17·0	45·9	5·7	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	58	37	47·8	0·71	57	37	47·9	1·39
Carrickfergus	8,923	0·5	5·8	23·4	5·8	1	4	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	43·3	12·4	.	7	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	48·0	26·3	35·8	0·96	52·2	32·5	43·3	1·12	55·2	34·0	44·0	1·95
Armagh	8,187	21·4	42·3	21·4	.	6	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	48·0	26·3	35·8	0·96	52·2	32·5	43·3	1·12	55·2	34·0	44·0	1·95

(*a*) All the District except that portion in Finglas District Electoral Division (*b*) The portions of the Districts situated in the Parish of St. James, nd those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other Districts is the population according to the Census of 1891. The areas of Belfast Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donnybrook have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Malrose for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 12 deaths of persons (including one under 1 year old and 2 at 60 years or upwards) admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

‖ The Urban District.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 24th November, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																	
	North City.* Districts.				South City.† Districts.				Clontarf & Howth. No. 1.	Coolock and Drumcondra, No. 1.	Finglas and Glasnevin, part of (a).	Palmerston, pt. of, & Chapelizod, pt. of (b).	Rathmines (c).	Donnybrook.	Blackrock (c).	Kingstown, Nos. 1 and 2 (c).	Total for Dublin Registration Area.	Deaths in Institutions of Persons from without the Area.
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	821	282	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	2	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	5	.
Diphtheria,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	.	.	1	.	1	.	2	.	1	.	.	1	.	.	.	8	1
Diarrhœa, Dysentery,	2	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.	5	.
Other Zymotic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2
Total,	6	.	1	3	2	1	.	2	.	1	.	1	3	.	.	.	20	3
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	7	3	2	2	5	.	3	2	.	.	.	.	.	2	.	.	26	5
Other Constitutional Diseases,	3	.	3	1	3	.	2	1	.	1	.	.	.	1	.	.	15	1
Total,	10	3	5	3	8	.	5	3	.	1	.	.	.	3	.	.	41	6
V. DEVELOPMENTAL DISEASES,	1	1	1	1	5	.	2	.	.	2	.	.	.	.	.	1	14	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	2	3	5	.	.	1	2	3	.	2	1	.	.	1	2	2	24	1
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	1	4	1	.	2	1	1	1	1	.	1	.	1	.	.	.	14	.
Diseases of Respiratory System,	3	4	5	3	5	3	6	3	.	.	.	.	.	2	.	1	35	1
Diseases of Digestive System,	2	1	1	.	.	.	3	.	.	.	.	.	.	.	1	.	8	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	.	1	.	3	.	.	2	.	.	.	.	.	.	.	.	7	.
Diseases of Generative System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	9	12	13	3	11	5	12	10	1	2	2	.	1	3	3	3	90	3
VII. VIOLENT DEATHS,	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	2	.	1	.	1	.	1	1	.	.	.	.	.	.	1	7	.
Deaths from all Causes,	26	19	20	11	26	7	19	16	2	6	2	1	5	7	3	5	175	12
Annual Rate of Mortality in every 1,000 of the population.	49·9	28·4	36·1	22·0	40·8	19·7	24·4	23·3	25·2	29·2	24·6	7·2	9·4	14·8	18·6	15·0	26·1	
	33·9				27·7				15·5									
	30·6																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	6	4	6	1	1	2	3	1	1	2	.	.	.	1	.	1	29	8
Workhouse Hospitals,	4	3	6	5	7	1	3	3	.	.	1	1	.	.	.	.	34	4

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blacknall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office: 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 47th Week of the 10 years 1890–99.	In the week ending Saturday, 24th November, 1900. Deaths of persons of the Ages of								
	Nov. 22, 1890	Nov. 28, 1891	Nov. 26, 1892	Nov. 25, 1893	Nov. 24, 1894	Nov. 23, 1895	Nov. 21, 1896	Nov. 27, 1897	Nov. 26, 1898	Nov. 25, 1899		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 49·1	° 36·7	° 58·5	° 39·7	° 44·4	° 45·5	° 42·6	° 43·0	° 40·7	° 48·2	° 44·8	° 37·4								
ALL CAUSES,	157	202	153	192	163	160	198	170	208	220	182·3	187	9	22	22	15	38	41	32	8
I. FEBRILE OR ZYMOTIC DISEASES,	17	26	8	29	17	17	22	25	28	49	23·8	23	.	3	5	4	5	4	2	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	1	.	1	1	.	1	1	.	·5	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	34	38	36	40	37	30	46	32	56	42	39·1	47	.	2	5	4	23	12	1	.
V. DEVELOPMENTAL "	17	16	10	12	12	18	17	19	13	13	14·7	14	2	.	.	.	.	.	7	5
VI. LOCAL "	83	105	85	102	81	78	103	80	93	98	90·8	93	4	14	11	6	9	24	22	3
VII. VIOLENT DEATHS,	1	4	4	4	7	3	7	4	7	7	4·8	8	.	.	1	.	1	1	.	.
VIII. ILL-DEFINED CAUSES,	5	13	9	5	8	13	3	9	9	10	8·4	7	3	3	.	1	.	.	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	4	.	.	.	.	.	38	4·2	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	.	.	.	.	2	7	8	4	1	1·9	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	2	.	2	1	1	2	1	5	1	1·6	.	.	.	.	.	.	.	.	.
Whooping Cough,	4	4	1	5	3	.	3	1	5	.	2·6	5	.	1	2	2	.	.	.	.
Diphtheria,	2	1	.	1	.	.	.	.	.	2	·6	1	.	.	1	.	.	.	.	.
Simple continued and Ill-defined Fever,	1	.	.	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	8	4	5	5	2	1	12	2	4	4·7	9	.	.	1	2	5	1	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	6	2	2	4	5	3	4	6	3	3·7	5	.	1	1	.	.	1	2	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	.	.	.	1	.	.	2	.	·3	1	.	1	.	.	.	.	.	.
Erysipelas,	.	1	.	4	.	1	1	.	2	.	·9	1	.	.	.	.	.	1	.	.
Pyæmia, Septicæmia,	.	.	.	2	2	1	1	.	.	.	·6	1	.	.	.	.	.	1	.	.
Puerperal Fever,	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	2	4	1	2	.	3	2	2	2	.	1·8	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	1	.	1	1	.	1	1	.	·5	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	1	.	.	.	.	2	1	.	1	·5	1	.	.	.	.	1	.	.	.
Rheumatism,	2	1	.	1	1	1	1	.	.	1	·8	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	2	4	4	6	2	6	6	4	11	7	5·2	4	.	.	.	1	.	2	1	.
Tabes Mesenterica,	2	3	3	8	3	2	3	3	4	7	3·8	3	.	2	1	.	.	.	.	.
Tubercular Meningitis,	2	3	2	1	4	6	1	3	8	3	3·3	.	.	.	.	.	.	.	.	.
Phthisis,	23	20	24	21	20	11	28	16	27	20	21·0	31	.	.	2	.	20	9	.	.
Scrofula, Tuberculosis,	3	4	1	3	4	2	4	4	5	3	3·3	6	.	.	2	2	2	.	.	.
Other Constitutional Diseases,	.	2	2	.	3	2	1	.	.	.	1·0	2	.	.	.	1	.	1	.	.
V. Developmental Diseases—																				
Premature Birth,	4	3	.	1	2	7	3	7	3	.	3·0	2	2	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Old Age,	13	13	10	11	10	11	13	12	10	12	11·5	12	.	.	.	.	.	.	7	5

each Disease registered in the FORTY-SEVENTH WEEK ending Saturday, 24th November, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 47th Week of the 10 years 1890-99.	In the Week ending Saturday, 24th November, 1900. Deaths of Persons of the Ages of							
	Nov. 22, 1890	Nov. 28, 1891	Nov. 26, 1892	Nov. 25, 1893	Nov. 24, 1894	Nov. 23, 1895	Nov. 21, 1896	Nov. 27, 1897	Nov. 26, 1898	Nov. 25, 1899		ALL AGES. Mean Temp.	Under 1 month.	0 to 5: 1 month and under 1 year.	0 to 5: 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	49·1°	36·7°	58·5°	39·7°	44·4°	45·5°	42·6°	43·0°	40·7°	48·2°	44·8°	37·4°								
VI. Local Diseases.																				
Apoplexy,	6	1	6	1	1	7	2	4	2	1	3·1	1	.	.	.	.	.	.	1	.
Epilepsy,	3	3	1	1	2	.	.	1	1	1	1·3	1	.	.	.	.	.	1	.	.
Convulsions,	10	7	8	12	11	7	8	10	7	11	9·1	9	2	6	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	6	14	3	8	12	6	4	6	4	5	6·8	14	.	1	.	1	3	6	3	.
Diseases of Organs of Special Sense,	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	14	12	14	17	12	10	18	9	21	17	14·4	14	.	.	.	1	3	6	2	2
Croup,	.	.	.	.	2	1	1	.	1	2	·7	.	.	.	.	.	.	.	.	.
Bronchitis,	18	42	26	28	9	25	31	19	28	27	25·3	21	1	5	3	1	.	1	10	.
Pneumonia,	9	9	9	8	12	6	18	10	15	20	11·6	11	.	1	5	1	1	2	1	.
Pleurisy,	.	.	.	1	.	.	1	.	1	2	·5	1	.	.	1	.	.	.	.	.
Other Diseases of Respiratory System,	4	4	6	6	2	1	4	2	1	.	3·0	3	.	.	.	.	.	3	.	.
Teething,	.	1	.	2	1	1	1	2	.	1	·9	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	.	.	.	2	1	1	.	.	·4	2	.	1	.	.	.	.	1	.
Peritonitis,	.	1	.	.	3	1	1	.	1	.	·7	.	.	.	.	.	.	.	.	.
Disease of Liver,	7	6	4	5	2	1	3	1	3	2	3·4	2	.	.	.	.	.	1	1	.
Other Diseases of Digestive System,	2	1	3	7	3	6	4	7	1	2	3·6	4	1	.	.	2	1	.	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	4	2	3	8	2	4	6	5	5	4·2	7	.	.	.	.	1	3	2	1
Diseases of Generative System,	.	.	.	1	.	1	1	.	.	.	·3	1	.	.	.	.	.	1	.	.
Accidents of Childbirth,	.	.	2	.	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	.	1	1	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	.	.	1	.	.	.	.	1	1	·3	1	.	.	.	.	.	.	1	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	1	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		1	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	2	.	1		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	1	1	1	1	3	1	2	1	2	2	4·5	1	.	.	1	.	.	.	.	.
By Drowning,		.	.	1	.	.	1	.	.	.		1	.	.	.	.	.	1	.	.
By Suffocation in Bed,		.	.	.	1	.	.	.	1	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	1	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		1	2	1	2	2	3	.	3	2		1	.	.	.	.	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
SUICIDE,	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	5	13	9	5	8	13	3	9	9	10	8·4	7	3	3	.	1	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900—Week ending																									
	June 2.	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.
No. of weeks in Annual Series,	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered,	199	222	194	198	228	181	208	186	187	245	149	256	221	228	225	177	165	239	175	152	214	183	186	168	185	168
Average Births in corresponding week of previous 10 years,	209	199	208	202	219	193	188	185	185	195	200	196	185	197	183	211	206	204	175	172	181	168	178	176	189	184
DEATHS registered,	157	161	167	122	144	124	127	165	129	159	161	147	185	186	154	171	167	167	182	183	168	141	152	154	179	187
Annual Death-rate per 1,000,	23·4	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9
Average Deaths in corresponding week of previous 10 years,	162	156	164	150	156	149	148	154	162	159	160	157	162	164	170	165	162	160	151	163	159	173	181	174	181	182
AGES, Under 5 years,	43	54	37	29	33	38	32	47	35	40	57	51	79	71	54	70	73	69	88	61	56	53	44	43	40	53
5—20 „	15	14	27	16	13	10	8	13	7	13	9	15	12	21	16	15	7	10	12	9	18	10	10	6	14	15
20—40 „	22	31	35	19	32	25	25	26	18	25	31	17	38	25	25	21	18	30	22	32	28	27	23	30	25	38
40—60 „	40	38	31	29	33	23	24	44	33	39	34	34	35	39	26	34	33	25	29	38	34	31	39	33	38	41
60—80 „	31	19	30	23	27	26	23	30	30	35	26	26	20	26	22	23	32	29	27	34	26	16	27	23	50	32
80 years and upwards,	6	5	7	6	6	2	5	5	6	7	4	4	1	4	11	8	4	4	4	9	6	4	9	14	12	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
„ Scarlet Fever,	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1	.	1	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	.	5	.	1	2	3	4	5	.	3	1	1	5	4	5	7	3	3	5	1	2	2	3	1	2	5
„ Diphtheria,	.	2	2	1	.	.	.	2	1	.	.	.	1	4	.	2	1	.	.	1	3	.	.	.	1	1
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.
„ Enteric Fever,	1	2	2	2	.	2	2	2	.	2	.	1	2	2	1	7	3	4	3	4	4	4	3	4	3	9
„ Diarrhœa, Dysentery,	1	2	1	.	1	2	1	4	4	9	19	24	25	33	20	27	24	18	28	16	9	6	5	6	3	5
„ Phthisis,	13	28	28	22	21	26	31	28	19	24	24	20	25	32	22	20	13	31	14	26	23	15	16	26	30	31
„ Heart Diseases,	14	10	11	9	9	10	9	19	17	23	12	12	18	16	14	1	16	10	13	14	12	10	9	12	21	14
„ Diseases of Respiratory System,	23	23	34	27	29	15	20	23	23	14	15	13	14	6	19	18	15	14	23	29	33	29	36	23	36	36
Violent Deaths,	6	4	1	1	5	6	6	5	4	4	5	4	9	2	5	5	5	3	7	5	2	3	7	6	7	3
Mean Temperature of the Air (Phœnix Park),	52·3	56·6	57·8	55·8	55·7	56·2	60·8	64·8	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4
Average Mean Temperature in corresponding week of previous 10 years,	52·8	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8
Rainfall in inches,	·005	·560	·485	2·005	·650	·280	·800	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·860	1·010	1·525	·830	·555
Mean Humidity of the Air, complete Saturation 1·0,	·88	·82	·80	·88	·84	·81	·76	·82	·83	·81	·86	·85	·90	·83	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89	·85	·88

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th November, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 24th November, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	27·5	187	53		38	41	32	8	.	.	.	.	5	1	.	9	5	20	31	9	36	3	88
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	20·0	6	.	.	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
II.	MIDDLE CLASS,	81,469	15·3	24	1	3	4	8	6	2	.	.	.	.	1	.	.	3	.	4	.	.	2	.	18
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	25·1	48	1	5	13	9	4	.	.	.	.	.	3	.	.	4	2	9	7	3	10	.	19
IV.	GENERAL SERVICE CLASS,	147,978	37·0	71	30	6	14	10	7	4	.	.	.	.	.	1	.	2	1	5	13	6	15	3	29
V.	INMATES OF WORKHOUSES,	5,191		38	5	1	6	12	13	1	.	.	.	.	.	.	.	.	2	2	11	.	9	.	16
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	26·0	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	2. Merchants and Manufacturers, Higher Class,	1,857	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,783	18·1	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	14·0	7	1	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	6. Clerks and Commercial Assistants,	25,001	6·2	3	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	29·6	14	.	2	3	5	3	1	.	.	.	.	1	.	.	2	.	3	.	.	.	.	11
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	49·0	7	1	1	3	2	.	.	.	.	.	.	1	.	.	1	.	2	1	.	.	.	4
	9. Building and Furnishing Trades,	26,294	23·7	12	7	1	2	1	1	.	.	.	.	.	2	.	.	.	.	2	3	1	3	.	3
	10. Clothing Trades,	23,927	13·0	6	3	.	2	.	1	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	1
	11. Food Supply Trades,	7,949	45·8	7	2	1	2	2	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	3
	12. Other Trades and Callings ranking with Trades,	26,937	29·0	15	4	2	3	4	2	.	.	.	.	.	.	.	.	2	1	3	.	.	4	.	8
	13. Petty Shopkeepers,	6,839	7·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	30·3	8	3	.	1	2	2	.	.	.	.	.	.	.	.	1	.	1	2	.	3	.	2
	15. Domestic Servants,	39,967	10·4	8	.	.	3	2	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	14·4	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	17. Hawkers, Porters, Labourers, &c.,	88,472	32·4	52	25	6	10	6	4	1	.	.	.	.	1	1	.	1	1	4	8	6	12	3	19
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	38	5	1	6	12	13	1	.	.	.	.	.	.	.	.	2	2	11	.	9	.	16

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. (in 1891) 27,147.	Oct. 6,	17·3	1·9	9	.	.	.	.	.	.	.	1	.	.	.	1
		„ 13,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.
		„ 20,	34·6	5·8	18	.	.	.	.	1	.	1	1	.	4	2	.
		„ 27,	30·7	1·9	16	.	.	.	.	1	.	.	.	.	3	3	.
		Nov. 3,	19·2	3·8	10	.	.	.	.	1	.	.	.	1	1	5	1
		„ 10,	21·1	.	11	.	.	.	.	.	.	.	.	.	1	3	.
		„ 17,	36·5	3·8	19	.	.	.	.	1	.	.	.	1	4	6	1
		„ 24,	49·9	11·5	26	.	.	.	.	2	.	.	2	2	7	3	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,836.	Oct. 6,	28·4	13·5	19	.	1	.	.	1	.	.	.	7	1	1	.
		„ 13,	32·9	6·0	22	.	.	.	.	.	.	.	1	3	2	7	1
		„ 20,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	2	4	.
		„ 27,	23·9	3·0	16	.	.	.	.	.	.	.	1	1	1	4	.
		Nov. 3,	23·9	.	16	.	.	.	.	.	.	.	.	.	4	3	1
		„ 10,	23·9	1·5	16	.	.	.	.	.	.	.	.	1	2	.	3
		„ 17,	25·4	3·0	17	.	.	.	.	.	.	.	1	1	2	5	2
		„ 24,	28·4	.	19	.	.	.	.	.	.	.	.	.	3	4	1
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Oct. 6,	37·9	9·0	21	.	.	.	.	.	.	.	.	5	1	2	1
		„ 13,	25·9	1·8	16	.	.	.	.	.	.	.	1	.	3	3	1
		„ 20,	27·1	1·8	15	.	.	.	.	.	.	.	.	1	5	5	.
		„ 27,	23·5	1·8	13	.	.	.	.	1	.	.	.	.	2	3	.
		Nov. 3,	32·5	7·2	18	.	.	.	.	1	.	.	.	3	.	3	.
		„ 10,	36·1	5·4	20	.	.	.	.	.	.	.	3	.	6	2	.
		„ 17,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	2	2	3
		„ 24,	36·1	1·8	20	.	.	.	.	.	1	.	.	.	2	5	.
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Oct. 6,	26·0	2·0	13	.	.	.	.	.	.	.	.	1	1	.	.
		„ 13,	36·0	.	18	.	.	.	.	.	.	.	.	.	4	3	.
		„ 20,	32·0	2·0	16	.	.	.	.	.	.	.	.	1	.	3	.
		„ 27,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	.	.
		Nov. 3,	26·0	2·0	13	.	.	.	.	.	.	.	1	.	1	2	.
		„ 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
		„ 17,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	1	2	.
		„ 24,	22·0	6·0	11	.	.	.	.	1	.	.	1	1	2	3	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 38,194.	Oct. 6,	25·1	4·7	16	.	.	.	.	.	.	.	.	3	2	1	2
		„ 13,	36·1	4·7	23	.	.	.	.	.	.	.	.	3	3	4	.
		„ 20,	37·7	1·6	24	.	.	.	.	.	.	.	1	.	5	3	.
		„ 27,	17·3	3·1	11	.	.	.	.	.	.	.	2	.	2	3	.
		Nov. 3,	25·1	1·6	16	.	1	.	.	.	.	.	.	.	4	4	.
		„ 10,	25·1	1·6	16	.	.	.	.	.	.	.	.	1	2	3	2
		„ 17,	25·1	.	16	.	.	.	.	.	.	.	.	.	3	6	.
		„ 24,	40·8	3·1	26	.	.	.	.	1	.	.	.	1	5	5	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Oct. 6,	28·1	5·6	10	.	.	.	.	1	.	.	1	.	2	.	.
		„ 13,	28·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 20,	42·2	2·8	15	.	.	.	.	.	.	.	.	1	.	6	.
		„ 27,	8·4	.	3	.	.	.	.	.	.	.	.	.	1	.	.
		Nov. 3,	39·4	2·8	14	.	.	.	.	.	.	.	1	.	1	5	1
		„ 10,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	5	.
		„ 17,	25·3	.	9	.	.	.	.	.	.	.	.	.	2	2	.
		„ 24,	19·7	2·8	7	.	.	.	.	.	.	.	1	.	.	3	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Oct. 6,	41·1	10·3	32	.	.	.	.	2	.	.	1	5	2	7	1
		„ 13,	36·0	6·4	28	.	.	.	.	.	.	.	1	4	6	2	1
		„ 20,	14·1	.	11	.	.	.	.	.	.	.	.	.	3	3	.
		„ 27,	18·0	1·3	14	.	.	.	.	.	.	.	.	1	3	5	.
		Nov. 3,	27·0	2·6	21	.	.	1	.	1	.	.	.	.	1	6	3
		„ 10,	20·6	1·3	16	.	.	.	.	.	.	.	.	1	4	3	.
		„ 17,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	3	3	.
		„ 24,	24·4	.	19	.	.	.	.	.	.	.	.	.	3	6	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,798.	Oct. 6,	22·3	2·9	16	.	.	.	.	.	.	.	.	2	1	3	.
		„ 13,	26·2	4·4	18	.	.	.	.	1	.	.	1	1	1	2	1
		„ 20,	17·5	2·9	12	.	.	.	.	.	.	.	1	1	.	2	.
		„ 27,	21·9	2·9	15	.	.	.	.	.	.	.	.	2	1	2	.
		Nov. 3,	13·1	.	9	.	.	.	.	.	.	.	.	.	3	4	.
		„ 10,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	3	1
		„ 17,	18·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 24,	23·3	2·9	16	.	.	.	.	.	.	.	2	.	2	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Oct. 6,	20·6	5·6	11	.	.	.	.	.	.	.	.	3	.	5	.
	„ 13,	16·9	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	„ 20,	26·3	7·5	14	.	.	.	.	.	.	.	.	4	1	1	.
	„ 27,	7·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 3,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 10,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	2	1	.
	„ 17,	31·9	.	17	.	.	.	.	.	.	.	.	.	3	1	.
	„ 24,	9·4	3·8	5	.	.	.	.	1	.	.	1	.	.	.	1
Donnybrook. Pop. (in 1891) 24,629.	Oct. 6,	21·2	.	10	.	.	.	.	.	.	.	.	.	2	1	1
	„ 13,	12·7	2·1	6	.	.	.	.	.	1	.	.	.	.	1	.
	„ 20,	19·1	4·2	9	.	.	.	.	.	2	.	.	.	1	2	.
	„ 27,	14·8	.	7	.	.	.	.	.	.	.	.	.	.	3	1
	Nov. 3,	10·6	2·1	5	.	.	.	.	.	.	.	1	.	.	1	.
	„ 10,	19·1	2·1	9	.	.	.	.	.	.	.	.	1	1	.	.
	„ 17,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
	„ 24,	14·8	.	7	.	.	.	.	.	.	.	.	.	2	2	1
Kingstown. Pop. (in 1891) 17,386.	Oct. 6,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	„ 20,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	1
	„ 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	Nov. 3,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 10,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	.	.
	„ 17,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1900 (Est.) 359,000.	Oct. 6,	18·9	3·5	130	.	1	1	.	.	2	.	9	11	19	19	1
	„ 13,	19·3	1·9	133	.	.	.	.	1	2	.	4	6	21	20	.
	„ 20,	16·3	1·7	112	.	.	2	.	.	.	.	4	6	15	16	.
	„ 27,	19·0	2·2	131	.	2	1	.	.	2	.	7	3	19	24	1
	Nov 3,	19·2	2·6	132	.	2	.	.	2	2	.	7	5	23	26	8
	„ 10,	18·3	1·3	126	.	.	.	.	1	2	1	3	2	12	28	1
	„ 17,	17·7	0·9	122	.	.	.	.	1	.	.	4	1	11	32	5
	„ 24,	21·5	1·7	148	.	2	1	.	3	2	1	2	1	15	43	5
Cork. Pop. (in 1891) 75,845.	Oct. 6,	22·1	4·2	32	.	.	1	.	.	.	.	1	4	3	5	.
	„ 13,	15·9	2·1	23	.	.	.	.	.	.	.	.	3	4	2	.
	„ 20,	23·5	2·8	34	.	.	2	.	.	.	.	1	1	6	9	.
	„ 27,	20·1	4·2	29	.	.	3	.	.	1	.	.	2	5	2	.
	Nov. 3,	16·6	2·1	24	.	.	.	.	.	.	.	.	3	5	5	.
	„ 10,	20·1	2·1	29	.	.	1	.	.	.	.	.	2	4	5	1
	„ 17,	22·8	2·1	33	.	.	2	.	.	.	.	.	1	8	8	.
	„ 24,	15·9	.	23	.	.	.	.	.	.	.	.	.	6	1	.
Limerick. Pop. (in 1891) 37,155.	Oct. 6,	18·2	2·8	13	.	.	.	.	.	.	.	.	2	2	1	.
	„ 13,	21·1	2·8	15	.	.	.	.	.	.	.	.	2	6	2	.
	„ 20,	11·2	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	19·6	1·4	14	.	.	.	.	.	.	.	.	1	1	2	.
	Nov. 3,	11·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 10,	15·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 17,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
	„ 24,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	4	.
Londonderry. Pop. (in 1891) 33,200.	Oct. 6,	20·4	1·6	13	.	1	.	.	.	.	.	.	.	3	3	.
	„ 13,	18·8	3·1	12	.	1	.	.	.	.	.	.	1	4	2	.
	„ 20,	14·1	3·1	9	.	.	.	1	.	.	.	.	1	1	.	.
	„ 27,	29·8	3·1	19	.	1	.	.	.	.	.	.	1	3	7	.
	Nov. 3,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	.	3	.
	„ 10,	28·3	3·1	18	.	.	.	.	2	.	.	.	.	1	3	.
	„ 17,	11·0	3·1	7	.	.	.	.	1	1	.	.	.	1	1	.
	„ 24,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	1
Waterford. Pop. (in 1891) 26,200.	Oct. 6,	27·9	4·0	14	.	.	.	.	.	.	.	.	2	1	2	.
	„ 13,	9·9	.	5	.	.	.	.	.	.	.	.	.	2	.	.
	„ 20,	23·9	4·0	12	.	.	.	.	.	.	.	1	1	2	1	.
	„ 27,	25·9	4·0	13	.	.	.	.	.	.	.	.	2	1	1	2
	Nov. 3,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	1	1
	„ 10,	21·9	1·9	11	.	.	.	.	.	.	.	.	1	2	1	.
	„ 17,	19·9	.	10	.	.	.	.	.	.	.	.	.	5	.	.
	„ 24,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 24th November, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.			The estimate of the present Population of Belfast now adopted (see Table 1.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.																				
BELFAST URBAN No. 1 DISTRICT,	17,122	10			7	.	2	5	.	.	.	.	.	.	.	.	.	.	1	1	2	3	1
" 2 "	37,539	19			24	1	6	12	5	.	.	1	.	.	.	.	.	.	1	9	.	.	4
" 3 "	38,845	20			18	2	4	9	3	.	1	.	.	.	1	.	.	.	2	7	.	.	2
" 4 "	33,391	28			29	10	4	8	7	.	.	.	.	1	.	.	.	.	2	7	2	4	7
" 5 "	21,284	7			8	.	1	5	2	.	.	.	.	.	.	.	.	.	1	4	.	.	1
" 6 "	43,431	19			17	2	2	7	6	.	.	.	.	.	.	1	1	.	1	6	1	1	3
" 7 "	1,112	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	13			11	5	2	1	3	.	.	.	.	.	1	.	.	.	1	2	.	1	.
" 10 "	12,256	23			8	2	2	3	1	.	1	.	.	1	.	.	1	.	1	1	.	.	1
" 11 "	19,881	16			10	4	.	3	3	.	.	.	.	.	.	.	.	1	2	3	.	1	1
" 12 "	28,282	34			14	4	1	7	2	.	.	.	.	1	.	.	.	.	3	3	.	1	1
" 13 "	6,804	10			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "	62	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	202			148	30	24	62	32	.	2	1	.	3	2	1	2	1	15	43	5	11	21
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	4	8·7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
" 2 "	9,252	4	28·2	.	5	.	.	4	1	.	.	.	.	.	.	.	.	.	3	.	.	.	3
" 3 "	9,816	6	21·3	.	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 4 "	10,356	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	8,137	.	25·6	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	2	.	.	1	.
" 6 "	3,823	3	29·5	.	5	1	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" 7 "	17,034	8	9·2	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	75,345	29	15·9	.	23	2	3	12	6	.	.	.	.	.	.	.	.	.	6	1	.	1	6

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.
No. of week in Annual Series,	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered,	218	219	241	213	204	236	155	268	220	241	222	171	206	193	221	224	185	219	215	233	208	181	184	232	205	202
DEATHS registered.	134	123	141	130	136	126	108	136	133	155	126	149	124	133	136	131	124	111	130	133	112	131	132	126	122	148
Annual Death-rate per 1,000 of estimated Population,	19·5	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5
AGES, Under 1 year,	25	26	24	26	28	26	22	34	39	56	39	52	40	44	45	44	34	30	33	32	31	28	22	36	22	30
AGES, 1–5 years,	13	13	17	15	15	14	13	15	15	20	9	17	7	18	15	11	17	8	22	15	18	12	17	11	14	24
AGES, 5–60 years,	76	60	72	61	76	67	55	65	61	58	58	65	56	49	54	56	56	53	46	67	50	67	65	57	61	62
AGES, 60 years and upwards,	20	24	28	28	17	19	18	22	18	21	20	15	21	22	22	20	17	20	29	19	13	24	28	22	25	32
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	3	1	1	2	.	.	1	.	1	1	.	.	.	.	.	.	1	1	.	.	2	2	.	.	2
" Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	2	1	.	.	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
" Whooping-cough,	1	.	1	1	2	1	2	3	.	.	.	3	2	.	2	1	2	1	.	1	.	.	2	1	1	3
" Diphtheria,	1	1	.	.	1	.	1	.	.	1	.	2	.	.	.	2	2	1	2	2	.	2	2	2	.	2
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
" Enteric Fever,	11	10	11	6	2	6	7	1	6	5	8	8	7	10	6	8	3	5	9	4	4	7	7	3	4	2
" Diarrhœa, Dysentery,	3	1	1	4	4	2	1	8	11	19	7	16	15	16	19	11	10	10	11	6	6	3	5	2	1	1
" Phthisis,	22	18	2	20	32	20	20	20	22	30	27	16	16	13	14	16	10	16	19	21	15	19	23	12	11	15
" Diseases of Respiratory System,	29	28	24	18	17	24	10	22	14	13	13	12	10	9	12	15	17	17	19	20	16	24	26	28	32	43
Violent Deaths,	2	1	4	7	3	3	3	3	3	5	2	3	3	3	4	1	2	3	1	.	.	1	8	1	5	5

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th November, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 1, West,	.	6	1	6	.	.	.	.	.	1	.	.	14
" " 2,	.	1	.	1	.	.	.	.	2	2	4	.	10
" " 3,	.	8	.	1	.	.	.	.	.	9	3	.	21
South City No. 1,	.	1	1	1	.	.	.	.	.	5	4	.	12
" " 2,	.	3	.	.	.	.	.	.	.	1	.	.	4
" " 3,	.	3	.	1	.	.	.	.	.	.	4	.	8
" " 4,	.	18	1	1	.	.	.	.	.	.	.	.	20
Total,	.	40	3	11	.	.	.	.	2	19	15	.	90
Total for week ended Nov. 17, 1900,	.	31	.	9	.	.	1	.	2	30	12	.	85
Total for week ended Nov. 10, 1900,	.	10	1	14	.	.	4	1	5	27	10	.	72
Total for week ended Nov. 3, 1900,	.	27	.	11	3	.	1	.	8	26	10	.	86

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th November, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th November.			
	Nov. 3.	Nov. 10.	Nov. 17.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	49	52	49	22	16	.	55
Scarlet Fever,	75	81	85	16	11	.	90*
Typhus "	4	4	4	.	1	.	3
Diphtheria,	10	14	13	2	3	1	11
Enteric Fever,	80	78	75	7	9	1	72
Pneumonia,	21	26	23	9	11	.	21

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Nov. 24,	2,533	1,514	17·2	.	21	11	22	27	26	9
EDINBURGH,	302,262	„ 24,	133	98	16·9	.	2	.	1	.	.	3
GLASGOW,	743,969	„ 24,	432	308	21·5	1	1	5	2	17	3	7
CALCUTTA,	466,460	Sept. 22,	.	287	32·1	6	.	.	.	1	82‡	35*
BOMBAY,	821,764	Oct. 30,	247	817	51·7	1	.	?	?	?	74§	91*
MADRAS,	452,518	„ 19,	510	442	50·8	.	2	?	?	?	110‖	106*
PARIS,	2,511,629	Nov. 17,	1,098	908	18·7	15	2	4	4†	3	16	34
BRUSSELS (with 8 Faubourgs).	570,844	„ 10,	215	166	15·1	.	.	1	1†	1	5	16
AMSTERDAM,	517,032	„ 3,	268	162	16·3	.	15	.	2	2	2	.
ROTTERDAM,	329,204	„ 3,	216	102	16·1	.	2	1	.	2	2	.
THE HAGUE,	205,328	„ 3,	106	57	14·3	.	.	.	.	.	.	.
COPENHAGEN,	354,000	„ 17,	185	95	14·0	.	.	1	.	.	3	5
CHRISTIANIA,	226,423	„ 17,	133	52	11·8	.	1	2	.	2	1	7
ST. PETERSBURG,	1,132,677	„ 10,	684	501	23·0	2	11	23	18	3	19	34
BERLIN,	1,863,128	Oct. 27,	832	562	15·7	.	10	19	9	3	3	68
HAMBURG,	691,349	Nov. 17,	.	188	14·1	.	.	2	3†	2	.	4
DRESDEN,	407,500	„ 3,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU,	412,959	„ 10,	.	139	17·5	.	.	1	2	2	.	10
MUNICH,	463,000	July 28,	352	260	29·2	.	1	.	1†	.	1	101
VIENNA (with suburbs).	1,656,662	Nov. 10,	791	564	17·5	.	18	5	12†	1	3	39
BUDA-PESTH,	685,340	„ 3,	383	249	18·9	.	4	10	2	1	4	29
PRAGUE and Faubourgs.	391,693	„ 10,	199	119	15·7	.	.	.	1	.	.	1
ROME,	518,333	Oct. 13,	247	173	17·4	.	.	.	1	.	5	28
TURIN (10 days),	344,203	Sept. 30,	208	134	14·2	.	.	.	2†	.	1	10
VENICE,	174,170	Nov. 10,	65	60	17·9	.	.	.	2†	.	1	5
NEW YORK,	3,444,675	Oct. 20,	1,654	1,146	17·4	.	1	1	35	4	16	45
PHILADELPHIA,	1,293,697	Nov. 3,	.	376	15·1	.	.	1	20	.	7	2

* Including 3 deaths from cholera in Calcutta, 10 in Bombay, and 37 in Madras. † Including deaths from croup. ‡ Exclusive of 16 deaths from bubonic fever. § Exclusive of 85 deaths from bubonic fever. ‖ Exclusive of one death from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 24th November, 1900:—

"So far as Dublin was concerned the weather of this week, although cold, was fine and quiet. Only towards the close did any rain fall in the Dublin district. At the beginning of the period a large anti-cyclone was spreading southeastwards across the British Islands in the wake of a large and deep depression which was still found over Italy, France, and Germany. The winds of the high-pressure system were northerly in direction, dry and keen in character. In Dublin the barometer rose to 30·51 inches on Sunday afternoon. By Monday morning a S.W. current had shown itself in the N.W., but it failed to establish itself, and calms and cold foggy weather held in Ireland, N.E. winds, cloud and rain in England. At 8 a.m. of Monday a very sharp frost prevailed in Central Ireland, Birr reporting 25° F. On Wednesday morning a barometric depression lay over the Gulf of Genoa and the S.E. of France, where a rainstorm of much violence raged—at Nice, 3·34 inches of rain were measured in the 48 hours ending 7 a.m. of Thursday. This disturbance, in a modified form, subsequently travelled north-westwards, reaching the Northumberland coast on Friday morning, when an independent depression was found over the S.W. of Ireland. The latter system kept the weather unsettled to the close of the week, Saturday proving wet and squally. In Dublin, the mean height of the barometer was 29·957 inches, pressure ranging from 30·506 inches at 3 p.m. of Sunday (wind, N.E.) to 29·246 inches at 9 p.m. of Saturday (wind, S.E.). The mean temperature was 40·2°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 39·7°. The screened thermometers rose to 50·8° on Saturday, having fallen to 32·0° on Thursday. Rain fell on the last two days to the amount of ·339 inch, ·329 inch being Saturday's measurement. The most dominant wind was S.E. Bright sunshine was estimated at 13¼ hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·961 inches. The highest reading (30·504) was on Sunday at 9 p.m., air calm, and the lowest (29·252) on Saturday at 9 p.m., wind S.E.

The mean temperature for the week was 37·4°, being 7·4 below the average for the corresponding week of the ten years 1890–99. The temperature was highest on Saturday, when the thermometer registered 50·4°, and was lowest on Friday, the mercury having fallen to 27·1°. The mean of the Dry Bulb for the week was 38·0°, and of the Wet Bulb 36·5°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 12·7 hours. The rainfall measured ·555 in.

At Greenwich the mean temperature for the week was 42·4°, the maximum 49·1°, and the minimum 33·4°; at Glasgow the maximum was 47·0°, the minimum 24·6°, and the mean 36·6°; and at Edinburgh the maximum was 42·8°, the minimum 31·1°, and the mean 37·8°. The rainfall at Greenwich measured 0·09 in; at Glasgow 0·46 in.; and at Edinburgh 1·09 ins.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

190 Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Nov. 18,	30·500	46·2	34·1	40·2	38·4	36·6	·86	·3	4·8	—	W.	Calm.
Monday, „ 19,	30·376	42·5	27·2	34·9	34·9	34·1	·91	·1	1·6	—	Calm.	Calm.
Tuesday, „ 20,	30·109	41·6	35·7	38·7	33·8	35·6	·77	·1	0·0	—	E.	Calm.
Wednesday, „ 21,	29·851	45·5	27·3	36·4	30·5	29·8	·89	·1	5·4	—	Calm.	Calm.
Thursday, „ 22,	29·841	38·2	28·9	33·6	34·2	33·5	·93	·4	0·0	—	W.	W.
Friday, „ 23,	29·655	45·9	27·1	36·5	40·1	38·8	·89	·0	0·3	—	Calm.	Calm.
Saturday, „ 24,	29·396	50·4	32·6	41·5	48·9	47·2	·88	·6	0·0	·555	S.E.	S.E.
Mean, . .	29·961	44·3	30·4	37·4	38·0	36·5	·88	·2	Total 12·7	Total ·555	—	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A cloudy day; night cloudy. *Tuesday*—A cudy day; night cloudy. *Wednesday*—A fine but cloudy day; night sky clear, ground fog. *Thursday*—dul foggy day; night cloudy. *Friday*—A cloudy day; night cloudy. *Saturday*—A dull wet day from 10.1. m. to 8 a.m.; night overcast and wet.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office,

P. 359. 9. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 1ST DECEMBER, 1900. [No. 48.

General Register Office, Charlemont House,
Dublin, 3rd December, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 21·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Nov. 10.	Week ending Nov. 17.	Week ending Nov. 24.	Week ending Dec. 1.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 10.	Week ending Nov. 17.	Week ending Nov. 24.	Week ending Dec. 1.	Average Rate for 4 weeks
23 Town Dists.	20·2	20·4	21·6	21·7	21·0	Limerick, . .	15·4	15·4	23·9	18·2	18·2
Armagh, .	28·5	28·5	21·4	14·3	23·2	Lisburn, . .	12·8	17·0	21·3	25·7	19·2
Ballymena, .	22·5	11·3	16·9	11·3	15·5	Londonderry, .	28·3	11·0	26·7	26·7	23·2
Belfast, . .	18·3	17·7	21·5	20·8	19·6	Lurgan, . .	13·7	18·2	27·4	9·1	17·1
Carrickfergus, .	5·8	5·8	23·4	29·2	16·1	Newry, . .	12·1	28·2	8·1	8·1	14·1
Clonmel, . .	9·7	14·6	9·7	14·6	12·2	Newtownards, .	11·3	11·3	28·3	17·0	17·0
Cork, . .	20·1	22·8	15·9	22·8	20·4	Portadown, .	12·4	6·2	12·4	18·6	12·4
Drogheda, . .	30·4	19·0	15·2	19·0	20·9	Queenstown, .	34·4	17·2	5·7	5·7	15·8
Dublin, Reg. Area,	22·5	26·0	26·1	24·5	24·8	Sligo, . . .	10·2	20·3	5·1	40·6	19·0
Dundalk, . .	8·4	0·0	4·2	16·8	7·4	Tralee, . .	11·2	44·8	22·4	11·2	22·4
Galway, . .	37·8	15·1	15·1	26·4	23·6	Waterford, .	21·9	19·9	11·9	15·9	17·4
Kilkenny, . .	51·9	9·4	9·4	18·9	22·4	Wexford, . .	4·5	22·6	18·1	22·6	16·9

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·0 in Waterford; the 8 deaths from all causes registered in that district comprising 2 from diarrhœa. Among the 143 deaths from all causes registered in Belfast are one from whooping-cough, one from enteric fever, and 2 from diarrhœa; and the 33 deaths in Cork include 4 from scarlatina and one from diarrhœa.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 165—82 boys and 83 girls; and the deaths to 167—80 males and 87 females.

DEATHS.

The deaths, which are 23 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 24·9 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 24·5 per 1,000. During the forty-eight weeks ending with Saturday last the death-rate averaged 28·9, and was 1·8 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 15 deaths from zymotic diseases registered during the week; this number is 8 under the number for the preceding week, and 6 under the average of the corresponding week of the past 10 years. This figure includes one death from influenza, 6 deaths from whooping-cough, one from diphtheria, 4 from enteric fever, and one from diarrhœa.

Tuberculosis caused 27 deaths, namely, 14 from pulmonary tuberculosis, 4 from tabes mesenterica, 2 from tubercular meningitis, and 7 from scrofula.

Diseases of the respiratory organs caused 45 deaths, being 9 over the number registered in the preceding week, but 3 under the average of the 48th week of the past 10 years. Of these deaths 32 were due to bronchitis, 9 to pneumonia, 2 to croup, and 2 to other diseases of the respiratory system.

Cancer caused 13 deaths. Fourteen deaths were due to diseases of the brain and nervous system, exclusive of 7 deaths from convulsions; of the latter 5 were of children under one year old. Seventeen deaths were caused by diseases of the circulatory system and 7 by diseases of the digestive system.

One accidental death and one death from homicide were registered.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 7 children under 5 years of age (including 4 infants under one year old) and the death of a person aged 80 years.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 7 were under one month old) and 42 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 3 were octogenarians, and 2 (a man and a woman) were stated to have been aged 90 and 96 years respectively.

Sixty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 24·5 per 1,000; the rate in the city was 27·2 (25·4 on the North side, and 28·9 on the South), and in the Suburbs 17·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the city being 1·7 (1·3 in the North City Districts, and 2·0 in the South), and for the Suburbs 1·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 25·0 per 1,000. Influenza caused one death, two deaths were due to pulmonary tuberculosis, and five deaths were caused by diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (12) are equal to an annual rate of 18·9 per 1,000. Whooping-cough caused three deaths, pulmonary tuberculosis caused one death, two deaths were due to diseases of the respiratory system, and three deaths were caused by diseases of the brain and nervous system.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 28·9 per 1,000. Pulmonary tuberculosis caused three deaths, and diseases of the respiratory system three deaths.

No. 3 North City District (Blackhall-place).—The deaths (16) represent an annual rate of 32·0 per 1,000. Pulmonary tuberculosis caused two deaths, diseases of the respiratory system caused 4 deaths, and diseases of the brain and nervous system three deaths.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 29·8 per 1,000. One death was caused by pulmonary tuberculosis, four deaths were caused by diseases of the respiratory system, and three deaths by diseases of the brain and nervous system.

* See Table VI.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 33·7 per 1,000. Whooping-cough caused one death, diseases of the respiratory system caused seven deaths, and diseases of the brain and nervous system three deaths.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 30·9 per 1,000. Enteric fever and whooping-cough each caused one death, diseases of the "respiratory," "circulatory," and "brain and nervous" systems, each caused four deaths.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·3 per 1,000. Enteric fever and diarrhœa each caused one death, one death was due to pulmonary tuberculosis, and 6 deaths were due to diseases of the respiratory system.

Suburban Districts.—The annual death-rates represented by the deaths recorded last week are:—Cloutarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 9·7; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 28·7; Rathmines, 24·4; Donnybrook, 12·7; Blackrock, 24·8; and Kingstown, 15·0. The deaths from zymotic diseases tabulated for Rathmines are one from whooping-cough, one from diphtheria, and one from enteric fever. There were no deaths from any zymotic disease tabulated for any of the other suburban districts. Of the remaining 10 deaths tabulated for Rathmines 4 were from diseases of the circulatory system and 2 from diseases of the lymphatic system; two of the 6 deaths for Donnybrook were caused by phthisis and 2 by diseases of the respiratory system; the 4 deaths for Blackrock include 3 from inflammatory diseases of the respiratory system, which also caused 3 of the 5 deaths tabulated for Kingstown.

STATE OF INFECTIOUS DISEASE IN DUBLIN.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	10th November,	72 cases.
" "	17th November,	85 cases.
" "	24th November,	90 cases.
" "	1st December,	87 cases.

Of the 87 cases notified, 9 were erysipelas, 19 enteric fever, 14 scarlatina, 33 measles one continued fever, 7 German measles, and 4 diphtheria.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	10th November,	5 cases.
" "	17th November,	10 cases.
" "	24th November,	6 cases.
" "	1st December,	11 cases.

Of the 11 cases notified, 3 were enteric fever, 5 scarlatina, 2 diphtheria, and one erysipelas.

(3.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending 1st December, ... 63 cases.

Of the 63 cases notified, 9 were scarlet fever, 3 diphtheria, 3 membranous croup, 15 continued fever, 20 typhoid fever, 11 erysipelas, and 2 puerperal fever.

(4.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st December, 1900.

From this it appears that:—

Eighteen cases of measles were admitted to hospital during the week, 18 were discharged, and 54 remained under treatment on Saturday last.

Nineteen cases of scarlatina were admitted to hospital, 20 discharged, and 89* remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 3 were discharged, one died, and 13 remained under treatment at the close of the week.

Twelve cases of enteric fever were admitted to hospital, 20 were discharged, and 64 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·9) was equal to an average annual death-rate of 18·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·7 per 1,000, the rate for Glasgow being 21·1, and for Edinburgh 20·6.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 1st December, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 1st December, 1900. Annual Rate per 1,000 persons represented by. Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Deaths. Caused by. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 1st Dec., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th Nov., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th Nov., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 28 Town Districts	1,062,188	12·2	26·0	21·7	1·2	530	442	70	120	.	.	4	1	8	1	.	4	6	60	112	8	17	129	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																				
Total,‡	849,594	14·2	24·6	24·5	1·6	165	164	29	41	.	.	.	.	6	1	.	3	1	14	45	2	4	57	$51·9	28·2	43·4	2·15	$50·4	27·1	37·4	0·56	$54·6	32·1	44·4	0·83
Registrars' Districts. City	245,001	65·6	27·2	27·2	1·7	128	128	24	30	.	.	.	.	5	.	.	2	1	11	35	2	4	48	52·7	35·1	45·5	2·11	50·8	32·0	40·2	0·34	55·5	34·6	45·8	0·66
Clontarf &c. No. 1	4,188	1·5	12·6	12·6	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1	10,780	1·8	14·6	9·7	.	3	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a)	4,240	0·8	.	12·3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	58·8	28·4	44·3	2·14	49·9	27·8	38·4	0·65	53·9	32·0	44·6	0·75
Palmerston, part of and Crumlin part of (b)	7,273	8·0	14·3	28·7	.	2	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	20·6	24·4	5·6	11	18	2	4	.	.	.	.	1	1	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook	24,629	12·4	23·3	12·7	.	11	6	1	2	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	18·6	24·8	.	3	4	1	1	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	18·0	15·0	.	6	5	1	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	51	35	44·9	2·54	50	30	41·7	0·50	56	40	46·8	0·57
Urban Districts																																				
Belfast,	359,000	21·8	28·0	20·8	0·6	193	143	30	35	.	.	.	.	1	.	.	1	2	21	46	5	11	34	50·0	26·0	43·3	1·82	49·0	28·0	38·1	0·10	52·5	32·8	43·8	1·56
Cork,	75,845	33·3	22·1	22·8	3·5	32	33	2	8	.	4	.	.	.	.	.	.	1	6	5	.	1	19	53	37	45·6	1·12	52	35	43·3	1·30	58	37	47·8	0·71
Limerick,	37,155	17·9	15·4	18·2	.	11	13	3	3	.	.	.	.	.	.	.	.	.	2	3	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	38,200	15·3	29·8	26·7	1·6	19	17	.	8	.	.	.	.	1	.	.	.	.	5	4	.	.	2	50·0	34·0	43·6	0·76	45·0	26·0	35·9	0·44	51·0	35·0	43·1	1·37
Waterford,	26,203	18·3	29·8	15·9	4·0	15	8	2	3	.	.	.	.	.	.	.	.	2	3	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	34·0	26·4	3·8	9	7	1	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	49	34	39	1·14	48	26	39	0·65	55	35	45·5	1·38
Drogheda	13,708	8·7	38·0	19·0	.	10	5	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	8·1	8·1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	48·8	33·1	43·8	1·06	48·0	26·3	35·8	0·96	52·2	32·5	43·8	1·12
Dundalk,	12,449	9·0	41·9	16·8	.	10	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	21·3	25·7	.	5	6	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	48·8	33·1	43·8	1·06	48·0	26·3	35·8	0·96	52·2	32·5	43·3	1·12
Wexford,	11,545	24·0	31·6	22·6	.	7	5	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	18·4	41·1	9·1	.	9	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	48·8	33·1	43·8	1·06	48·0	26·3	35·8	0·96	52·2	32·5	43·3	1·12
Kilkenny,	11,048	12·0	23·6	18·9	.	5	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	51	29	40·5	1·96	51	27	37·4	0·98	57	30	44·1	0·74
Clonmel,	10,708	8·2	4·9	14·6	.	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	3·4	25·4	40·6	.	5	8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	7	50·9	28·6	41·9	1·03	47·9	24·3	36·7	0·91	52·4	36·0	44·6	1·33
Tralee,	9,318	15·9	39·2	11·2	.	7	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	22·5	11·3	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	22·7	17·0	.	4	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	49	34	44·7	0·99	49	28	41·5	1·13	53	34	44·6	1·47
Queenstown,	9,082	17·0	11·5	5·7	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	58	37	45·6	1·12	52	35	43·3	1·30	58	37	47·8	0·71
Carrickfergus	8,923	0·5	35·1	29·2	.	6	5	.	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	24·7	18·6	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	48·8	33·1	43·8	1·06	48·0	26·3	35·8	0·96	52·2	32·5	43·3	1·12
Armagh,	8,137	21·4	35·6	14·3	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	48·8	33·1	43·8	1·06	48·0	26·3	35·8	0·96	52·2	32·5	43·3	1·12

(a) All the District except that portion in Finglas District Electoral Division (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 1st December, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLAS. NEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	821	282	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	3	.	.	.	1	1	.	.	.	.	.	1	.	.	.	6	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	3	1
Diarrhœa, Dysentery,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Other Zymotic Diseases	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Total,	1	4	.	.	.	1	3	2	.	.	.	.	3	.	.	.	14	1
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	2	1	3	2	1	.	1	1	.	1	.	.	.	2	.	.	14	.
Other Constitutional Diseases,	2	.	4	3	6	.	4	3	.	1	1	1	1	.	.	1	27	.
Total,	4	1	7	5	7	.	5	4	.	2	1	1	1	2	.	1	41	.
V. DEVELOPMENTAL DISEASES,	2	.	2	1	1	.	2	.	.	.	.	.	.	1	.	.	9	1
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	1	3	1	3	3	3	4	1	.	.	.	.	.	.	1	1	21	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	.	1	1	2	1	4	1	.	.	.	1	4	1	.	.	16	1
Respiratory System,	5	2	3	4	4	7	4	6	1	.	.	.	1	2	3	3	45	.
Digestive System,	.	1	1	.	2	.	1	.	.	.	.	1	1	.	.	.	7	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.
Urinary System,	.	.	.	2	.	.	1	.	.	.	.	1	.	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	6	6	10	11	11	14	8	1	.	.	3	8	3	4	4	95	1
VII. VIOLENT DEATHS,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.
Deaths from all Causes,	13	12	16	16	19	12	24	16	1	2	1	4	13	6	4	5	164	3
Annual Rate of Mortality in every 1,000 of the population.	25·0	18·0	28·9	32·0	29·8	33·7	30·9	23·3	12·6	9·7	12·3	28·7	24·4	12·7	24·8	15·0		
	25·4				28·9				17·9									
	27·2																24·5	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	1	3	3	4	4	6	2	.	1	1	1	1	1	2	.	33	2
Workhouse Hospitals,	2	2	3	1	4	1	5	4	.	.	.	1	.	1	.	.	24	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office: Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office. 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 46th Week of the 10 years 1890-99.	In the week ending Saturday, 1st December, 1900.							
													Deaths of persons of the Ages of						
	Nov. 29, 1890	Dec. 6, 1891	Dec. 3, 1892	Dec. 27, 1893	Dec. 1, 1894	Nov. 30, 1895	Nov. 28, 1896	Dec. 4, 1897	Dec. 3, 1898	Dec. 2, 1899		ALL AGES.	0 to 5.						
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 37·1	° 43·6	° 41·0	° 41·2	° 41·0	° 44·7	° 45·0	° 40·3	° 41·7	° 47·1	° 42·3	° 43·4								
ALL CAUSES,	165	231	156	182	142	168	212	170	212	259	189·7	167	7	22	26	8	27	35	37	5
I. FEBRILE OR ZYMOTIC DISEASES,	19	22	17	18	11	11	24	24	15	46	20·7	15	.	5	8	3	4	.	.	.
II. PARASITIC DISEASES,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	2	3	.	.	2	2	1	.	1	.	1·1	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	48	33	37	36	36	46	36	38	59	63	43·2	41	1	4	6	1	12	9	8	.
V. DEVELOPMENTAL "	10	21	11	17	11	18	29	15	16	18	15·2	10	.	.	.	.	.	1	6	3
VI. LOCAL "	79	146	77	100	67	83	115	85	115	122	98·9	96	2	13	17	4	11	24	23	2
VII. VIOLENT DEATHS,	5	2	4	4	3	7	6	2	2	4	3·9	2	2	.	.	.	.	.	.	.
VIII. ILL-DEFINED CAUSES,	2	4	10	7	12	5	10	6	4	6	6·6	3	2	.	.	.	.	1	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	4	.	1	1	.	1	29	3·6	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	.	1	1	5	3	4	2	1·7	.	.	.	.	.	.	.	.	.
Typhus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	3	3	.	1	1	1	2	1	1	1·3	1	.	1	.	.	.	.	.	.
Whooping Cough,	3	2	.	5	1	2	7	2	3	1	2·6	6	.	2	3	1	.	.	.	.
Diphtheria,	.	.	.	.	.	1	.	2	1	2	·6	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	2	.	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	9	7	5	7	2	4	2	11	2	6	5·5	4	.	.	.	.	4	.	.	.
Cholera and Chol. Diarr.,	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	3	4	2	1	3	1	5	.	.	4	2·3	1	.	1	.	.	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	2	2	.	·4	2	.	1	.	1	.	.	.	.
Venereal Affections	.	.	.	.	.	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Erysipelas,	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	2	4	.	.	.	2	1	1	.	1·1	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	2	3	.	.	2	2	1	.	1	.	1·1	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	2	.	.	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
Rheumatism,	.	2	.	1	.	.	1	4	1	1	1·0	.	.	.	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5	7
Cancer,	4	2	5	3	6	6	5	5	8	9	5·3	13	.	.	.	.	.	.	.	.
Tabes Mesenterica,	3	3	4	7	4	3	4	4	2	4	3·8	4	1	2	1	.	.	.	.	.
Tubercular Meningitis,	2	.	4	.	1	3	6	4	7	4	3·1	2	.	1	1	.	.	.	.	.
Phthisis,	30	23	16	24	24	26	15	19	34	45	24·6	14	.	.	1	1	1	8	4	.
Scrofula, Tuberculosis,	6	2	8	.	1	5	3	1	4	7	3·7	7	.	1	3	.	3	.	.	.
Other Constitutional Diseases,	1	1	.	1	.	3	1	.	3	2	1·2	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	2	1	.	1	2	1	6	6	2	2	2·3	.	.	.	.	.	.	.	.	.
Atelectasis	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	.	.	.	.	1	2	1	2	·8	.	.	.	.	.	.	1	6	3
Old Age,	8	18	11	15	9	12	13	7	13	14	12·0	10	.	.	.	.	.	.	.	.

each Disease registered in the FORTY-EIGHTH WEEK ending Saturday, 1st December, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 48th Week of the 10 years 1890-99.	In the Week ending Saturday, 1st December, 1900. Deaths of Persons of the Ages of							
	Nov. 29, 1890	Dec. 6, 1891	Dec. 3, 1892	Dec. 2, 1893	Dec. 1, 1894	Nov. 30, 1895	Nov. 28, 1896	Dec. 4, 1897	Dec. 3, 1898	Dec. 2, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	° 37·1	° 43·6	° 41·0	° 41·2	° 41·0	° 44·7	° 45·0	° 40·8	° 41·7	° 47·1	° 42·3	° 43·4								
VI. Local Diseases.																				
Apoplexy,	4	3	2	4	1	2	2	3	5	2	2·3	3	.	.	.	.	.	2	1	.
Epilepsy,	1	.	1	2	.	1	1	2	1	.	·9	2	.	.	.	.	2	.	.	.
Convulsions,	13	16	17	13	12	12	11	6	8	10	11·8	7	1	4	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	1	10	3	6	9	5	12	9	9	9	7·3	9	.	1	2	3	1	1	1	.
Diseases of Organs of Special Sense,	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	15	19	7	14	11	5	17	18	19	17	14·2	17	.	.	.	.	2	7	8	.
Croup,	2	1	.	.	1	.	1	.	.	.	·5	2	.	.	2	.	.	.	.	.
Bronchitis,	19	51	26	35	15	25	30	24	44	48	31·7	32	1	6	8	.	1	6	8	2
Pneumonia	10	20	7	14	8	15	18	11	10	17	13·0	9	.	2	.	.	.	5	2	.
Pleurisy,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	1	6	2	2	4	2	9	.	8	1	3·0	2	.	.	.	.	1	1	.	.
Teething,	2	2	.	.	.	.	1	1	1	2	·9	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	1	.	.	2	.	1	.	1	·5	.	.	.	.	.	.	.	.	.
Peritonitis,	.	1	1	1	1	1	.	1	1	1	·8	2	.	.	.	.	1	.	1	.
Disease of Liver,	4	4	1	1	1	4	2	1	1	3	2·2	1	.	.	.	.	.	1	.	.
Other Diseases of Digestive System,	4	7	6	2	1	2	6	5	6	5	4·4	3	.	.	1	.	1	.	1	.
Diseases of Lymphatics, &c.,	.	1	.	.	.	1	.	.	1	.	·3	2	.	.	.	.	.	1	1	.
Diseases of Urinary System,	2	3	1	3	2	2	3	2	3	3	2·4	4	.	.	1	1	2	.	.	.
Diseases of Generative System,	.	.	.	1	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	1	.	1	.	.	.	2	·4	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	.	1	.	.	2	.	1	.	·5	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	.	1	.	.	1	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	1	.	.	.	1	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	5	1	.	.	.	2	2	.	.	1	3·5	.	.	.	.	.	.	.	.	.
By Drowning,		.	.	.	1	.	.	.	.	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		.	3	2	1	5	4	.	1	1		1	1	.	.	.	.	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	2	.	.	.	.	.	.	·2	1	1	.	.	.	.	.	.	.
SUICIDE,	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	2	4	10	7	12	5	10	6	4	6	6·6	3	2	.	.	.	.	1	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																									
	June 9.	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.
No. of weeks in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
Births registered,	222	194	198	228	181	208	186	187	245	149	256	221	228	225	177	165	239	175	152	214	183	186	168	185	168	165
Average Births in corresponding week of previous 10 years,	199	208	202	219	193	188	185	185	195	200	196	185	197	183	211	206	204	175	172	181	168	178	176	189	184	184
Deaths registered,	161	167	122	144	124	127	165	129	159	161	147	185	186	154	171	167	167	182	188	168	141	152	154	179	187	167
Annual Death-rate per 1,000,	24·0	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·8	25·1	21·0	22·7	23·0	26·7	27·9	24·9
Average Deaths in corresponding week of previous 10 years,	156	164	150	156	149	148	154	162	159	160	157	162	164	170	165	162	160	151	163	159	173	181	174	181	182	190
Ages, Under 5 years,	54	37	29	33	38	32	47	35	40	57	51	79	71	54	70	73	69	88	61	56	53	44	43	40	53	55
5—20 „	14	27	16	13	10	8	13	7	13	9	15	12	21	16	15	7	10	12	9	18	10	10	6	14	15	8
20—40 „	31	35	19	32	25	35	26	18	25	31	17	38	25	25	21	18	30	22	32	28	27	23	30	25	38	27
40—60 „	38	31	29	33	23	24	44	33	39	34	34	35	39	26	34	33	25	29	38	34	31	39	33	38	41	35
60—80 „	19	30	23	27	26	23	30	30	35	26	26	20	26	22	23	32	29	27	34	26	16	27	23	50	32	37
80 years and upwards,	5	7	6	6	2	5	5	6	7	4	4	1	4	11	8	4	4	4	9	6	4	9	14	12	8	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.
„ Scarlet Fever,	.	1	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1	.	1	.	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	5	.	1	2	3	4	5	.	3	1	1	5	4	5	7	3	3	5	1	2	2	3	1	2	5	6
„ Diphtheria,	2	2	1	.	.	.	2	1	.		.	1	4	.	2	1	.	.	1	3	.	.	.	1	1	1
„ Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
„ Enteric Fever,	2	2	2	.	2	2	2	.	2	.	1	2	2	1	7	3	4	3	4	4	4	3	4	3	9	4
„ Diarrhœa, Dysentery,	2	1	.	1	2	1	4	4	9	19	24	25	33	20	27	24	18	28	15	9	6	5	6	3	5	1
„ Phthisis,	28	28	23	21	26	31	28	19	24	24	20	25	32	22	20	13	31	14	26	23	15	16	26	30	31	14
„ Heart Diseases,	10	11	9	9	10	9	19	17	23	12	12	18	10	14	1	16	10	18	14	12	10	9	12	21	14	17
„ Diseases of Respiratory System,	23	34	27	29	15	20	23	23	14	15	13	14	6	19	18	15	14	23	29	33	29	36	23	36	36	45
Violent Deaths,	4	1	1	5	6	6	5	4	4	5	4	9	2	5	5	5	3	7	5	2	3	7	6	7	3	2
Mean Temperature of the Air Phœnix Park),	56·6	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4
Average Mean Temperature in corresponding week of previous 10 years,	55·8	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3
Rainfall in inches,	·560	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·360	1·010	1·525	·330	·555	2·145
Mean Humidity of the Air, complete Saturation 1·0,	·82	·80	·83	·84	·81	·76	·82	·83	·81	·86	·85	·90	·88	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89	·85	·88	·89

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st December, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. (The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 1st December, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	24·3	167	55	8	27	35	37	5	.	.	.	.	6	1	.	4	1	12	14	7	45	2	87
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	33·4	10	.	.	2	3	4	1	.	.	.	.	.	.	.	1	.	1	.	.	1	.	8
II.	MIDDLE CLASS,	81,469	12·8	20	4	1	5	4	6	.	.	.	.	.	.	.	.	1	.	1	4	.	5	.	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	17·8	34	10	2	5	9	6	2	.	.	.	.	1	.	.	.	.	1	.	2	7	.	24
IV.	GENERAL SERVICE CLASS,	147,978	35·0	78	38	4	13	14	8	1	.	.	.	.	5	1	.	2	1	9	5	5	27	1	31
V.	INMATES OF WORKHOUSES,	5,191		25	3	1	2	5	13	1	.	.	.	.	.	.	.	.	.	.	5	.	5	1	14
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	26·0	4	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	2. Merchants and Manufacturers, Higher Class,	1,857	28·0	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	3. Persons of Rank and Property, not otherwise described,	5,783	45·4	5	.	.		.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	4
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	35·4	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	12·0	6	.	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	6. Clerks and Commercial Assistants,	25,001	14·6	7	2	1	3	1	.	.	.	.	.	.	.	.	.	1	.	1	3	.	1	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	6·4	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	7·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	9. Building and Furnishing Trades,	26,294	23·7	12	6	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	3
	10. Clothing Trades,	23,927	13·0	6	1	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	3
	11. Food Supply Trades,	7,949	19·6	3	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	12. Other Trades and Callings ranking with Trades,	26,937	15·4	8	1	.	1	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
	13. Petty Shopkeepers,	6,839	30·4	4	1	1	.	.	2	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	37·9	10	4	1	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	6
	15. Domestic Servants,	39,967	7·8	6	1	.	4	1	.	.	.	.	.	.	.	.	.	2	.	2	1	.	1	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	19·4	4	3	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.	1
	17. Hawkers, Porters, Labourers, &c.,	33,472	36·1	58	30	3	5	12	7	1	.	.	.	.	4	1	.	.	1	6	4	5	20	1	22
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	25	3	1	2	5	13	1	.	.	.	.	.	.	.	.	.	.	5	.	5	1	14

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	Oct. 13,	19·2	1·9	10	.	.	.	.	.	.	.	.	1	1	1	.
		„ 20,	34·6	5·8	18	.	.	.	.	1	.	1	1	.	4	2	.
		„ 27,	30·7	1·9	16	.	.	.	.	1	.	.	.	.	3	3	.
		Nov. 3,	19·2	3·8	10	.	.	.	.	1	.	.	.	1	1	5	1
		„ 10,	21·1	.	11	.	.	.	.	.	.	.	.	.	1	3	.
		„ 17,	36·5	3·8	19	.	.	.	.	1	.	.	.	1	4	6	1
		„ 24,	49·9	11·5	26	.	.	.	.	2	.	.	2	2	7	3	.
		Dec. 1,	25·0	.	18	.	.	.	.	.	.	.	.	.	2	5	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,886.	Oct. 13,	32·9	6·0	22	.	.	.	.	.	.	.	1	3	2	7	1
		„ 20,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	2	4	.
		„ 27,	23·9	3·0	16	.	.	.	.	.	.	.	1	1	1	4	.
		Nov. 3,	23·9	.	16	.	.	.	.	.	.	.	.	.	4	3	1
		„ 10,	28·9	1·5	16	.	.	.	.	.	.	.	.	1	2	.	3
		„ 17,	25·4	3·0	17	.	.	.	.	.	.	.	1	1	2	5	2
		„ 24,	28·4	.	19	.	.	.	.	.	.	.	.	.	3	4	1
		Dec. 1,	18·0	4·5	12	.	.	.	.	3	.	.	.	.	1	2	1
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Oct. 13,	28·9	1·8	16	.	.	.	.	.	.	.	1	.	3	3	1
		„ 20,	27·1	1·8	15	.	.	.	.	.	.	.	.	1	5	5	.
		„ 27,	23·5	1·8	13	.	.	.	.	1	.	.	.	.	2	3	.
		Nov. 3,	32·5	7·2	18	.	.	.	.	1	.	.	.	3	.	3	.
		„ 10,	36·1	5·4	20	.	.	.	.	.	.	.	3	.	6	2	.
		„ 17,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	2	2	3
		„ 24,	36·1	1·8	20	.	.	.	.	.	1	.	.	.	2	5	.
		Dec. 1,	28·9	.	16	.	.	.	.	.	.	.	.	.	3	3	.
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Oct. 13,	36·0	.	18	.	.	.	.	.	.	.	.	.	4	3	.
		„ 20,	32·0	2·0	16	.	.	.	.	.	.	.	.	1	.	3	.
		„ 27,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	.	.
		Nov. 3,	25·0	2·0	13	.	.	.	.	.	.	.	1	.	1	2	.
		„ 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
		„ 17,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	1	2	.
		„ 24,	22·0	6·0	11	.	.	.	.	1	.	.	1	1	2	3	.
		Dec. 1,	32·0	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 33,194.	Oct. 13,	36·1	4·7	23	.	.	.	.	.	.	.	.	3	3	4	.
		„ 20,	37·7	1·6	24	.	.	.	.	.	.	.	1	.	5	3	.
		„ 27,	17·3	3·1	11	.	.	.	.	.	.	.	2	.	2	3	.
		Nov. 3,	25·1	1·6	16	.	1	.	.	.	.	.	.	.	4	4	.
		„ 10,	25·1	1·6	16	.	.	.	.	.	.	.	.	1	2	3	2
		„ 17,	25·1	.	16	.	.	.	.	.	.	.	.	.	3	6	.
		„ 24,	40·8	3·1	26	.	.	.	.	1	.	.	.	1	5	5	.
		Dec. 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Oct. 13,	23·1	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 20,	42·2	2·8	15	.	.	.	.	.	.	.	.	1	.	6	.
		„ 27,	8·4	.	3	.	.	.	.	.	.	.	.	.	1	.	.
		Nov. 3,	39·4	2·8	14	.	.	.	.	.	.	.	1	.	1	5	1
		„ 10,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	5	.
		„ 17,	25·3	.	9	.	.	.	.	.	.	.	.	.	2	2	.
		„ 24,	19·7	2·8	7	.	.	.	.	.	.	.	1	.	.	3	.
		Dec. 1,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	.	7	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Oct. 13,	36·0	6·4	28	.	.	.	.	.	.	.	1	4	6	2	1
		„ 20,	14·1	.	11	.	.	.	.	.	.	.	.	.	3	3	.
		„ 27,	18·0	1·3	14	.	.	.	.	.	.	.	.	1	3	5	.
		Nov. 3,	27·0	2·6	21	.	.	1	.	1	.	.	.	.	1	6	3
		„ 10,	20·6	1·3	16	.	.	.	.	.	.	.	.	1	4	3	.
		„ 17,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	3	3	.
		„ 24,	24·4	.	19	.	.	.	.	.	.	.	.	.	3	6	.
		Dec. 1,	30·9	2·6	24	.	.	.	.	1	.	.	1	.	1	4	.
	South City, No 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	Oct. 13,	26·2	4·4	18	.	.	.	.	1	.	.	1	1	1	2	1
		„ 20,	17·5	2·9	12	.	.	.	.	.	.	.	1	1	.	2	.
		„ 27,	21·9	2·9	15	.	.	.	.	.	.	.	.	2	1	2	.
		Nov. 3,	13·1	.	9	.	.	.	.	.	.	.	.	.	3	4	.
		„ 10,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	3	1
		„ 17,	18·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 24,	23·3	2·9	16	.	.	.	.	.	.	.	2	.	2	3	.
		Dec. 1,	23·3	2·9	16	.	.	.	.	.	.	.	1	1	1	6	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Oct. 13,	16·9	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	" 20,	26·8	7·5	14	.	.	.	.	.	.	.	.	4	1	1	.
	" 27,	7·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 3,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	" 10,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	2	1	.
	" 17,	31·9	.	17	.	.	.	.	.	.	.	.	.	3	1	.
	" 24,	9·4	3·8	5	.	.	.	.	1	.	.	1	.	.	.	1
	Dec. 1,	24·4	5·6	13	.	.	.	.	1	1	.	1	.	.	1	.
Donnybrook. Pop. (in 1891) 24,629.	Oct. 13,	12·7	2·1	6	.	.	.	.	.	1	.	.	.	.	1	.
	" 20,	19·1	4·2	9	.	.	.	.	.	2	.	.	.	1	2	.
	" 27,	14·8	.	7	.	.	.	.	.	.	.	.	.	.	3	1
	Nov. 3,	10·6	2·1	5	.	.	.	.	.	.	.	1	.	.	1	.
	" 10,	19·1	2·1	9	.	.	.	.	.	.	.	.	1	1	.	.
	" 17,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
	" 24,	14·8	.	7	.	.	.	.	.	.	.	.	.	2	2	1
	Dec. 1,	12·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
Kingstown. Pop. (in 1891) 17,886.	Oct. 13,	18·0	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	" 20,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	1
	" 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	Nov. 3,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	" 10,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	.	.
	" 17,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	" 24,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 1,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	3	.
Belfast. Pop. in 1900 (Est.) 359,000.	Oct. 13,	19·3	1·9	133	.	.	.	.	1	2	.	4	5	21	20	.
	" 20,	16·3	1·7	112	.	.	2	.	.	.	.	4	6	15	16	.
	" 27,	19·0	2·2	131	.	2	1	.	.	2	.	7	3	19	24	1
	Nov 3,	19·2	2·6	132	.	2	.	.	2	2	.	7	5	23	26	8
	" 10,	18·3	1·3	126	.	.	.	.	1	2	1	3	2	12	28	1
	" 17,	17·7	0·9	122	.	.	.	.	1	.	.	4	1	11	32	5
	" 24,	21·5	1·7	148	.	2	1	.	3	2	1	2	1	15	43	5
	Dec. 1,	20·8	0·6	143	.	.	.	.	1	.	.	1	2	21	46	5
Cork. Pop. (in 1891) 75,845.	Oct. 13,	15·9	2·1	23	.	.	.	.	.	.	.	.	3	4	2	.
	" 20,	23·5	2·8	34	.	.	2	.	.	.	.	1	1	6	9	.
	" 27,	20·1	4·2	29	.	.	3	.	.	1	.	.	2	5	2	.
	Nov. 3,	15·6	2·1	24	.	.	.	.	.	.	.	.	3	5	5	.
	" 10,	20·1	2·1	29	.	.	1	.	.	.	.	.	2	4	5	1
	" 17,	22·8	2·1	33	.	.	2	.	.	.	.	.	1	8	8	.
	" 24,	15·9	.	23	.	.	.	.	.	.	.	.	.	6	1	.
	Dec. 1,	22·8	3·5	33	.	.	4	.	.	.	.	.	1	6	5	.
Limerick. Pop. (in 1891) 37,155.	Oct. 13,	21·1	2·8	15	.	.	.	.	.	.	.	.	2	6	2	.
	" 20,	11·2	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	" 27,	19·6	1·4	14	.	.	.	.	.	.	.	.	1	1	2	.
	Nov. 3,	11·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	" 10,	15·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	" 17,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
	" 24,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	4	.
	Dec. 1,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	3	1
Londonderry. Pop. (in 1891) 33,200.	Oct 13,	18·8	3·1	12	.	1	.	.	.	.	.	.	1	4	2	.
	" 20,	14·1	3·1	9	.	.	.	1	.	.	.	.	1	1	.	.
	" 27,	29·8	3·1	19	.	1	.	.	.	.	.	.	1	3	7	.
	Nov. 3,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	.	3	.
	" 10,	28·3	3·1	18	.	.	.	.	2	.	.	.	.	1	3	.
	" 17,	11·0	3·1	7	.	.	.	.	1	1	.	.	.	1	1	.
	" 24,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	1
	Dec. 1,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	5	4	.
Waterford. Pop. (in 1891) 26,200.	Oct. 13,	9·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	" 20,	23·9	4·0	12	.	.	.	.	.	.	.	.	1	2	.	.
	" 27,	25·9	4·0	13	.	.	.	.	.	.	.	.	.	2	1	2
	Nov. 3,	21·9	.	11	.	.	.	.	.	.	.	.	.	1	1	1
	" 10,	21·9	1·9	11	.	.	.	.	.	.	.	.	.	.	2	1
	" 17,	19·9	.	10	.	.	.	.	.	.	.	.	.	5	.	.
	" 24,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	1	.
	Dec. 1,	15·9	4·0	8	.	.	.	.	.	.	.	.	2	3	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 1st December, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases: Number of the Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Fox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	17,122	8	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		5	.	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" 2 "	37,589	30			20	2	2	9	7	.	.	.	.	.	.	.	1	.	2	7	.	2	5
" 3 "	38,845	26			22	4	3	10	5	.	.	.	.	.	.	.	.	.	2	10	3	3	8
" 4 "	33,391	38			20	6	4	7	3	.	.	.	.	.	.	.	.	.	1	7	1	2	7
" 5 "	21,284	9			11	1	1	3	6	.	.	.	.	.	.	.	.	.	1	4	.	.	3
" 6 "	43,431	17			20	6	2	8	4	.	.	.	.	1	.	.	.	1	6	4	.	.	3
" 7 "	1,112	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	5			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	2			6	1	.	2	3	.	.	.	.	.	.	.	.	1	.	3	.	1	1
" 10 "	12,256	18			8	2	2	4	.	.	.	.	.	.	.	.	.	.	3	1	.	.	1
" 11 "	19,881	13			13	4	1	4	4	.	.	.	.	.	.	.	.	.	3	4	.	1	1
" 12 "	23,282	16			12	3	.	7	2	.	.	.	.	.	.	.	.	.	2	5	.	1	3
" 13 "	6,804	10			3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 14 "	62	1			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Total,	273,079	193			143	30	16	62	35	.	.	.	.	1	.	.	1	2	21	46	5	11	34
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	2	43·7	13·1	10	.	2	3	5	.	.	3	.	.	.	.	.	.	2	1	.	.	9
" 2 "	9,252	1	45·1	5·6	8	.	2	5	1	.	.	1	.	.	.	.	.	.	2	2	.	.	6
" 3 "	9,816	4	26·6	5·3	5	1	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
" 4 "	10,856	5	20·1	.	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" 5 "	8,187	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	8,823	14	17·7	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 7 "	17,034	3	9·2	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Total,	75,845	32	22·8	3·5	33	2	6	17	8	.	.	4	.	.	.	.	.	1	6	5	.	1	19

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.
No. of week in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered,	219	241	213	204	236	155	263	220	241	222	171	206	193	221	224	185	219	215	233	208	181	184	232	205	202	193
DEATHS registered.	123	141	130	136	126	108	136	133	155	126	149	124	133	136	131	124	111	130	133	112	131	132	126	122	118	143
Annual Death-rate per 1,000 of estimated Population,	17·9	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8
AGES, Under 1 year,	26	24	26	28	26	22	34	39	56	39	52	40	44	45	44	34	30	38	32	31	28	22	36	22	30	30
AGES, 1–5 years,	13	17	15	15	14	18	15	15	20	9	17	7	18	15	11	17	8	22	15	18	12	17	11	14	24	16
AGES, 5–60 years,	60	72	61	76	67	55	65	61	58	58	65	56	49	54	56	56	53	46	67	50	67	65	57	61	62	62
AGES, 60 years and upwards,	24	28	28	17	19	18	22	18	21	20	15	21	22	22	20	17	20	29	19	13	24	28	22	25	32	35
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	3	1	1	2	.	.	1	.	1	1	.	.	.	.	.	.	1	1	.	.	2	2	.	.	2	.
" Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	2	1	.	.	.	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" Whooping-cough,	.	1	1	2	1	2	3	.	.	.	3	2	.	2	1	2	1	.	1	.	.	2	1	1	3	1
" Diphtheria,	1	.	.	1	.	1	.	.	1	.	2	.	.	.	2	2	1	2	2	.	2	2	2	.	2	.
" Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
" Enteric Fever,	10	11	6	2	6	7	1	6	5	8	8	7	10	6	8	3	5	9	4	4	7	7	3	4	2	1
" Diarrhœa, Dysentery,	1	1	4	4	2	1	8	11	19	7	16	15	16	19	11	10	10	11	6	6	3	5	2	1	1	2
" Phthisis,	18	2	20	32	20	20	20	22	30	27	16	16	13	14	16	10	16	19	21	15	19	23	12	11	15	21
" Diseases of Respiratory System,	28	24	18	17	24	10	22	14	13	13	12	10	9	12	15	17	17	19	20	16	24	26	28	32	43	46
Violent Deaths,	1	4	7	3	3	3	3	3	5	2	3	3	3	4	1	2	3	1	.	.	1	3	1	5	5	5

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st December, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	3	.	.	4
" " 1, West,	.	4	1	3	.	.	1	.	.	2	3	.	14
" " 2,	.	1	.	1	.	.	.	.	.	4	.	.	6
" " 3,	.	13	2	3	.	.	.	.	1	1	.	.	20
South City No. 1,	.	2	1	4	.	.	.	.	.	3	3	.	13
" " 2,	.	1	.	.	.	.	.	.	.	2	1	.	4
" " 3,	.	5	1	1	.	.	3	.	.	4	2	.	16
" " 4,	.	7	2	1	.	.	.	.	.	.	.	.	10
Total,	.	33	7	14	.	.	4	.	1	19	9	.	87
Total for week ended Nov. 24, 1900,	.	40	3	11	.	.	.	.	2	19	15	.	90
Total for week ended Nov. 17, 1900,	.	31	9	.	.	.	1	.	2	30	12	.	85
Total for week ended Nov. 10, 1900,	.	10	1	14	.	.	4	1	5	27	10	.	72

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st December, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st December.			
	Nov. 10.	Nov. 17.	Nov. 24.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	52	49	55	18	19	.	54
Scarlet Fever,	81	85	90	19	20	.	89*
Typhus "	4	4	3	.	2	.	1
Diphtheria,	14	13	11	6	3	1	13
Enteric Fever,	78	75	72	12	20	.	64
Pneumonia	26	23	21	7	7	1	20

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Dec. 1,	2,336	1,572	17·9	1	33	6	29	21	24	12
EDINBURGH,	302,262	„ 1,	129	120	20·6	.	4	.	1	2	.	4
GLASGOW,	743,969	„ 1,	377	302	21·1	1	1	4	2	33	2	6
CALCUTTA,	466,460	Sept. 29,	.	459	52·4	9	.	.	.	1	169‡	84*
BOMBAY,	821,764	Nov. 8,	275	761	46·4	.	1	?	?	?	93§	69*
MADRAS,	452,518	„ 26,	476	451	57·8	3	3	?	?	?	135‖	81*
PARIS,	2,511,629	„ 24,	1,079	866	17·9	8	4	2	6†	3	12	30
BRUSSELS (with 8 Faubourgs).	570,844	„ 17,	253	175	15·9	.	.	.	.	1	2	15
AMSTERDAM,	517,032	„ 10,	318	162	16·3	.	15	1	3	2	.	.
ROTTERDAM,	329,204	„ 10,	251	92	14·5	.	1	1	1	1	2	.
THE HAGUE,	205,328	„ 10,	113	47	11·8	.	1	.	.	.		.
COPENHAGEN,	354,000	„ 24,	216	94	13·8	.	.	1	.	1	2	2
CHRISTIANIA,	226,423	„ 24,	177	57	13·1	.	.	.	.	.	.	5
ST. PETERSBURG,	1,132,677	„ 17,	656	550	25·2	1	12	30	34	6	17	50
BERLIN,	1,863,128	Oct. 27,	832	562	15·7	.	10	19	9	3	3	68
HAMBURG,	691,349	Nov. 24,	.	202	15·2	.	2	4	6†	1	2	12
DRESDEN,	407,500	„ 3,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU,	412,959	„ 17,	.	161	20·3	.	.	.	2	2	.	11
MUNICH,	463,000	Aug. 4,	352	249	28·0	.	.	.	.	1	1	16
VIENNA (with suburbs).	1,656,662	Nov. 17,	1,031	534	16·8	.	25	2	7†	2	3	41
BUDA-PESTH,	685,340	„ 10,	422	237	18·0	.	3	8	2	1	2	23
PRAGUE and Faubourgs.	393,091	„ 17,	209	169	22·4	.	1	1	2	.	3	6
ROME,	518,333	Oct. 20,	201	163	16·4	.	.	.	.	.	12	33
TURIN (10 days),	344,203	Sept. 30,	108	134	14·2	.	.	.	2†	.	1	10
VENICE,	174,170	Nov. 10,	76	61	18·2	.	4	5	.	.	1	5
NEW YORK,	3,444,675	Oct. 27,	1,536	1,203	18·2	.	.	.	37	8	37	33
PHILADELPHIA,	1,293,697	Nov. 10,	.	369	14·8	.	.	.	21	3	5	2

* Including 52 deaths from cholera in Calcutta, 3 in Bombay, and 14 in Madras. † Including deaths from croup. ‡ Exclusive of 20 deaths from bubonic fever. § Exclusive of 84 deaths from bubonic fever. ‖ Exclusive of one death from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 1st December, 1900:—

"True to the traditions of the year 1900 in Dublin, November closed with torrential rains in and near the City, the measurement from Monday evening to Saturday morning being 2·109 inches. This downpour was far heavier than any measured in almost any other part of the United Kingdom, Valentia in Kerry excepted. The movements of atmospheric pressure were rapid and complex, and the downpour of rain on the east coast of Ireland was chiefly caused by the erratic course traversed by a deep depression in which the barometer fell to 29 inches on Wednesday morning. At that time the disturbance in question was central over the English Channel between Cornwall and Brittany. Thence it moved slowly northwards to Wales and finally backed out over the Atlantic. Meanwhile another low pressure area reached the Isle of Wight from the Bay of Biscay, and this system also passed westwards and dispersed over the Atlantic. These irregular paths were probably determined by an area of sharp cold over Scotland on Wednesday, when the thermometer fell to 25° at Nairn and to 29° at Wick and Aberdeen. The week closed with finer weather in Dublin. The mean height of the barometer was 29·453 inches, pressure ranging from 29·023 inches at 4 p.m. of Wednesday (wind, E.) to 29·721 inches at 9 p.m. of Friday (wind, S.E.). The mean temperature was 45·5°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 45·1°. The screened thermometers rose to 52·7° on Monday, and fell to 35·1° on Tuesday. Rain fell on 5 days to the large amount of 2·109 inches, 1·126 being registered on Tuesday. Only 8½ hours of bright sunshine were observed. S.E. winds predominated."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·464 inches. The highest reading (29·730) was on Friday at 9 p.m., wind E., and the lowest (29·064) on Wednesday at 9 p.m., wind E.S.E.

The mean temperature for the week was 43·4°, being 1·1° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Monday, when the thermometer registered 51·9°, and was lowest on Tuesday, the mercury having fallen to 28·2°. The mean of the Dry Bulb for the week was 44·3°, and of the Wet Bulb 42·9°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 4·6 hours. The rainfall measured 2·145 ins.

At Greenwich the mean temperature for the week was 44·9°, the maximum 53·0°, and the minimum 39·3°; at Glasgow the maximum was 48·0°, the minimum 33·2°, and the mean 43·1°. The rainfall at Greenwich measured 0·66 in. and at Glasgow 0·76 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Nov. 25,	29·544	50·8	43·8	47·3	45·8	45·1	·95	·4	0·2	—	W.	W.
Monday, „ 26,	29·460	51·9	32·2	42·1	43·8	42·2	·88	1·0	0·0	·225	S.E.	W.
Tuesday, „ 27,	29·328	49·5	28·2	38·9	39·6	38·3	·88	·8	2·9	·985	Calm.	S.E.
Wednesday, „ 28,	29·094	48·7	40·8	44·8	45·5	43·8	·88	·7	0·0	·705	E.	E.S.E.
Thursday, „ 29,	29·420	48·8	33·4	41·1	46·0	44·3	·88	·1	0·0	·170	N.	E.
Friday, „ 30,	29·712	48·3	44·4	46·4	47·3	45·3	·86	·1	1·5	·060	E.	E.
Saturday, Dec. 1,	29·692	48·1	37·6	42·9	42·1	41·1	·92	·1	0·0	—	E.S.E.	Calm.
Mean, . .	29·464	49·4	37·2	43·4	44·3	42·9	·89	·5	Total 4·6	Total 2·145	Prevailing Wind E.	

Sunday—A cloudy day; night cloudy. *Monday*—A dull day; rain 2.30 to 8 p.m.; night clear from 10 p.m. *Tuesday*—A cloudy day from 10 a.m.; rain 4.15 p.m. to 8.30 a.m.; night overcast. *Wednesday*—A dull day; rain 11 a.m. to 6 p.m. and 7.30 to 9 a.m.; night cloudy. *Thursday*—A dull day; rain 9 to 10.30 a.m. and 12.30 to 5 p.m.; night cloudy and showery p.m. *Friday*—A cloudy day; night cloudy, rain 10 p.m. to 1 a.m. *Saturday*—A cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 359. 9. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH,
and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 8TH DECEMBER, 1900. [No. 49.

General Register Office, Charlemont House,
Dublin, 10*th December,* 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 22·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Nov. 17.	Week ending Nov. 24.	Week ending Dec. 1.	Week ending Dec. 8.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 17.	Week ending Nov. 24.	Week ending Dec. 1.	Week ending Dec. 8.	Average Rate for 4 weeks
23 Town Dists.	20·4	21·6	21·7	22·5	21·6	Limerick, . .	15·4	23·9	18·2	14·0	17·9
Armagh, .	28·5	21·4	14·3	21·4	21·4	Lisburn, . .	17·0	21·3	25·7	25·7	22·4
Ballymena, .	11·3	16·9	11·3	11·3	12·7	Londonderry, .	11·0	26·7	26·7	14·1	19·6
Belfast, . .	17·7	21·5	20·8	22·1	20·5	Lurgan, . .	18·2	27·4	9·1	27·4	20·5
Carrickfergus, .	5·8	23·4	29·2	17·5	19·0	Newry, . .	28·2	8·1	8·1	4·0	12·1
Clonmel, . .	14·6	9·7	14·6	19·5	14·6	Newtownards, .	11·3	28·3	17·0	11·3	17·0
Cork, . .	22·8	15·9	22·8	19·4	20·2	Portadown, .	6·2	12·4	18·6	24·7	15·5
Drogheda, . .	19·0	15·2	19·0	7·6	15·2	Queenstown, .	17·2	5·7	5·7	34·4	15·8
Dublin, Reg. Area,	26·0	26·1	24·5	27·4	26·0	Sligo, . . .	20·3	5·1	40·6	10·2	19·1
Dundalk, . .	0·0	4·2	16·8	12·6	8·4	Tralee, . .	44·8	22·4	11·2	28·0	26·6
Galway, . .	15·1	15·1	26·4	45·3	25·5	Waterford, .	19·9	11·9	15·9	6·0	13·4
Kilkenny, . .	9·4	9·4	18·9	23·6	15·3	Wexford, . .	22·6	18·1	22·6	31·6	23·7

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in eighteen of the districts to 4·6 in Lurgan. Among the 152 deaths from all causes registered in Belfast are 4 from measles, one from whooping-cough, 2 from diphtheria, 3 from enteric fever, and one from diarrhœa; and the 28 deaths in Cork include 2 from scarlet fever and 2 from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 268—149 boys and 119 girls; and the deaths to 189—82 males and 107 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

DEATHS.

The deaths, which are 5 over the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 28·2 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 27·4 per 1,000. During the forty-nine weeks ending with Saturday last the death-rate averaged 28·9, and was 1·8 over the mean rate for the corresponding portions of the ten years 1890–99.

There were 13 deaths from zymotic diseases registered during the week; these include 4 deaths from whooping-cough, 3 deaths each from enteric fever and diarrhœa, 2 deaths from influenza, and one death from scarlatina. This number is 9 below the average for the corresponding period of the last 10 years.

Tubercular disease caused 37 deaths, namely, 18 from pulmonary tuberculosis, 7 from tubercular meningitis, 5 from tabes mesenterica, and 7 from other forms of tubercular disease.

Diseases of the respiratory organs caused 36 deaths, including 19 deaths from bronchitis, and 15 deaths from pneumonia; this number is 9 less than the preceding week, and 10 below the average for the corresponding period of the last ten years.

Cancer caused 6 deaths. Thirteen deaths were due to diseases of the brain and nervous system, not including one death from apoplexy and 10 deaths from convulsions in children, 9 of which occurred in children under one year in age, of which 4 were under one month old. Twenty-three deaths were caused by diseases of the circulatory system, and 11 deaths were due to diseases of the digestive system.

Four accidental deaths and one from homicide were registered,

In 18 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 15 children under 5 years of age (including 13 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Sixty-nine of the persons whose deaths were registered during the week were under 5 years of age (41 being infants under one year, of whom 16 were under one month old) and 45 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 5 were octogenarians, and 2 (women) were stated to have been aged 92 and 93 years respectively.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 27·4 per 1,000: the rate in the City was 29·8 (30·3 on the North side, and 29·3 on the South), and in the Suburbs 21·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the City being 2·1 (3·1 in the North City Districts, and 1·2 in the South), and for the Suburbs 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 26·9 per 1,000. Two deaths from influenza and one from scarlatina, also 4 deaths from pulmonary tuberculosis occurred in this district; one death occurred from disease of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 23·9 per 1,000. One death was caused by diarrhœa, and one death was caused by pulmonary tuberculosis; diseases of the respiratory system caused 3 deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 41·5 per 1,000. Whooping-cough caused 3 deaths and enteric fever caused one death, diseases of the respiratory system caused 2 deaths, and diseases of the circulatory system caused 3 deaths.

No. 3 *North City District* (Blackhall-place).—The deaths (15) represent an annual rate of 30·0 per 1,000. One death was caused by diarrhœa and one death was due to pulmonary tuberculosis, diseases of the respiratory and circulatory systems causing, respectively, three deaths each.

No. 1 *South City District* (South Earl-street).—The deaths (20) represent an annual rate of 31·4 per 1,000. One death was caused by pulmonary tuberculosis, and seven deaths were due to diseases of the respiratory system, and 6 deaths were caused by diseases of the brain and nervous system.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 30·9 per 1,000. No death due to any of the principal zymotic diseases, or to pulmonary tuberculosis took place in this district, three deaths were caused by diseases of the respiratory system, and 2 deaths were due to diseases of the brain and nervous system.

No. 3 *South City District* (Peter-street).—The deaths (26) are equal to an annual rate of 33·4 per 1,000. Enteric fever caused two deaths, pulmonary tuberculosis caused 3 deaths, and diseases of the respiratory system caused 7 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 21·9 per 1,000. One death was caused by whooping-cough, one death was caused by pulmonary tuberculosis, and two deaths were caused by diseases of the respiratory system.

* See Table VI.

Suburban Districts.—The annual death-rate represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, 19·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, 0·0; Finglas and Glasnevin, part of, 12·3; Palmerston, part of, and Crumlin, part of, 0·0; Rathmines, 24·4; Donnybrook, 29·6; Blackrock, 15·6; and Kingstown, 27·0. The only death from zymotic diseases tabulated for any of these districts is one from diarrhœa for Blackrock. Two of the 4 deaths tabulated for Coolock and Drumcondra, No. 1, were from diseases of the circulatory system; of the 13 deaths for Rathmines 4 were from diseases of the respiratory system, 2 from diseases of the circulatory system, and 4 from diseases of the brain and nervous system: two of the 3 deaths for Blackrock were from pneumonia; and the 9 deaths for Kingstown include 2 from pulmonary tuberculosis, 2 from diseases of the circulatory system, and 2 from diseases of the brain and nervous system.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	17th November,	85 cases.
" "	24th November,	90 cases.
" "	1st December,	87 cases.
" "	8th December,	83 cases.

Of the 83 cases notified, 10 were erysipelas, 17 enteric fever, one typhus fever, 16 scarlatina, 21 measles, 3 continued fever, 13 German measles, one membranous croup, and one diphtheria.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	17th November,	10 cases.
" "	24th November,	6 cases.
" "	1st December,	11 cases.
" "	8th December,	8 cases.

Of the 8 cases notified, 4 were enteric fever, one scarlatina, one choleraic diarrhœa, and 2 erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th December,	2 cases.

Of 2 cases notified, one was erysipelas and one was whooping cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	1st December,	63 cases.
" "	8th December,	73 cases.

Of the 73 cases notified, 16 were scarlet fever, 7 diphtheria, 2 membranous croup, 21 continued fever, 23 typhoid fever, 2 erysipelas, and 2 puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th December, 1900.

From this it appears that:—

Seventeen cases of scarlatina were admitted to hospital, 17 were discharged, and 89* remained under treatment at the close of the week.

Thirteen cases of enteric fever were admitted to hospital, 6 were discharged, one died, and 70 remained under treatment at the close of the week.

Thirty-three cases of measles were admitted to hospital, 21 were discharged, and 66 cases remained under treatment at the end of the week.

One case of diphtheria was admitted to hospital, 3 cases were discharged, leaving 11 cases in hospital. One case of typhus fever was admitted during the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 17·5) was equal to an average annual death-rate of 17·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·7 per 1,000, the rate for Glasgow being 21·2, and for Edinburgh 23·1.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 8th December, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 8th December, 1900. Annual Rate per 1,000 persons represented by: Births	Deaths: From all Causes.	Deaths: From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 8th Dec., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st Dec., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th Nov., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 28 Town Districts	1,062,188	12·2	28·6	23·5	1·4	582	458	88	108	.	4	3	.	7	3	.	6	6	48	113	18	28	125	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	349,594	14·2	40·0	27·4	1·6	268	184	41	45	.	.	1	.	4	.	.	3	3	18	35	4	4	64	§56·3	27·1	45·8	0·72	§51·9	28·2	43·4	2·15	§50·4	27·1	37·4	0·56
Registrars' Districts. City	245,001	65·6	45·5	29·8	2·1	214	140	31	31	.	.	1	.	4	.	.	3	2	13	28	4	4	55	58·0	33·4	48·1	0·51	52·7	35·1	45·5	2·11	50·8	32·0	40·2	0·34
Clontarf &c. No. 1,	4,188	1·5	37·8	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,730	1·6	29·2	19·4	.	6	4	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	49·2	12·3	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60·8	29·8	47·0	0·74	58·8	28·4	44·3	2·14	49·9	27·8	38·4	0·65
Palmerston, part of and Crumlin part of (b),	7,278	8·0	48·0	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	22·5	24·4	.	12	18	2	6	.	.	.	.	.	.	.	.	.	1	4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	25·4	29·6	.	12	14	2	4	.	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	37·2	18·6	6·2	6	8	1	1	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	15·0	27·0	.	5	9	2	3	.	.	.	.	.	.	.	.	.	2	.	.	.	1	58	36	48·9	0·52	51	35	44·9	2·54	50	30	41·7	0·30
Urban Districts																																			
Belfast,	359,000	21·8	26·0	22·1	1·6	179	152	32	21	.	4	.	.	1	2	.	3	1	17	53	5	10	31	55·0	37·0	44·4	0·78	50·0	26·0	43·3	1·82	49·0	28·0	38·1	0·10
Cork,	75,845	38·8	21·5	19·4	2·8	31	28	5	5	.	.	2	.	.	.	.	.	2	1	3	.	2	4	55	42	49·4	1·39	53	37	45·5	1·12	52	35	43·3	1·30
Limerick,	37,155	17·9	15·4	14·0	.	11	10	2	4	.	.	.	.	.	.	.	.	.	.	3	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	38,200	15·3	31·4	14·1	3·1	20	9	2	2	.	.	.	.	2	.	.	.	.	1	.	1	1	1	56·0	35·0	44·5	1·30	50·0	34·0	48·6	0·76	45·0	26·0	35·9	0·44
Waterford,	26,203	18·3	18·9	6·0	.	7	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	11·8	45·8	.	3	12	1	5	.	.	.	.	.	.	.	.	.	1	2	.	.	5	56	40	48	1·98	49	34	39	1·14	48	26	39	0·65
Drogheda	13,708	8·7	15·2	7·6	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	20·1	4·0	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	56·9	38·0	45·0	1·14	48·8	33·1	43·8	1·06	48·0	26·3	35·8	0·96
Dundalk,	12,449	9·0	25·1	15·6	.	6	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	29·8	25·7	.	7	6	.	4	.	.	.	.	.	.	.	.	.	1	1	.	.	.	56·9	38·0	45·0	1·14	48·8	33·1	43·8	1·06	48·0	26·3	35·8	0·96
Wexford,	11,545	24·0	27·1	31·6	.	6	7	1	1	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	13·4	18·7	27·4	4·6	3	6	.	1	.	.	.	.	.	1	.	.	.	.	3	1	1	3	56·9	38·0	45·0	1·14	48·8	33·1	43·8	1·06	48·0	26·3	35·8	0·96
Kilkenny,	11,048	12·0	9·4	28·6	.	2	5	.	2	.	.	.	.	.	.	.	.	.	2	3	.	.	5	55	33	46·5	0·76	51	29	40·5	1·96	51	27	37·4	0·98
Clonmel,	10,708	8·2	.	19·5	.	.	4	.	2	.	.	.	.	.	.	.	.	.	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	8·4	40·6	10·2	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	55·5	36·6	45·7	1·19	50·9	28·6	41·9	1·03	47·9	24·3	36·7	0·91
Tralee,	9,818	15·9	11·2	28·0	.	2	5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·8	11·3	5·6	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	28·3	11·3	.	5	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	54	37	44·8	0·85	49	34	44·7	0·99	49	28	41·5	1·13
Queenstown,	9,082	17·0	5·7	34·4	.	1	6	1	2	.	.	.	.	.	.	.	.	.	.	.	2	2	2	55	42	49·4	1·39	53	37	45·6	1·12	52	35	43·3	1·30
Carrickfergus	8,928	0·5	11·7	17·5	.	2	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	55·7	24·7	.	9	4	.	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	56·9	38·0	45·0	1·14	48·8	33·1	43·8	1·06	48·0	26·3	35·8	0·96
Armagh,	8,187	21·4	7·1	21·4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	56·9	38·0	45·0	1·14	48·8	33·1	43·8	1·06	48·0	26·3	35·8	0·96

(a) All the District except that portion in Finglas District Electoral Division

(b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 8th December, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,610	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	3	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	3	.
Diarrhœa, Dysentery,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	3	.
Other Zymotic Diseases	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Total,	3	1	4	1	.	.	2	1	.	.	.	.	.	.	1	.	13	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	4	1	2	1	1	.	3	1	.	1	.	.	1	1	.	2	18	.
Other Constitutional Diseases,	2	5	4	3	1	2	2	2	.	.	.	.	2	3	.	1	27	1
Total,	6	6	6	4	2	2	5	3	.	1	.	.	3	4	.	3	45	1
V. DEVELOPMENTAL DISEASES,	.	1	1	1	.	1	4	.	.	.	.	.	.	4	.	.	12	.
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	1	1	2	2	6	2	1	2	.	.	.	.	4	1	.	2	24	.
Organs of Special Sense,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Circulatory System,	2	1	3	3	1	.	3	3	.	2	.	.	2	1	.	2	23	.
Respiratory System,	1	3	2	3	7	3	7	2	.	.	.	.	4	1	2	.	35	1
Digestive System,	1	1	2	1	1	.	.	2	.	1	.	.	.	1	.	.	10	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3	1
Generative System,	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	2	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	7	11	9	16	5	11	9	.	3	.	.	10	6	2	4	98	3
VII. VIOLENT DEATHS,	.	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	4	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	1	2	3	2	.	.	1	.	.	.	.	2	11	.
Deaths from all Causes,	14	16	23	15	20	11	26	15	.	4	1	.	18	14	3	9	184	5
Annual Rate of Mortality in every 1,000 of the population.	26·9	23·9	41·5	30·0	31·4	30·9	33·4	21·9	.	19·4	12·3	.	24·4	29·6	18·6	27·0	27·4	
	30·3				29·3				21·9									
	29·8																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	5	7	4	1	1	5	2	.	.	.	.	2	3	.	.	31	4
Workhouse Hospitals,	5	2	4	3	7	2	5	1	.	1	.	.	.	2	.	1	33	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary.—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Auloen's Parish, and through part of Watling-street, to Usher's Island.—Office. 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.

(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.

(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Average in 49th Week of the 10 years 1890–99.	In the week ending Saturday, 8th December, 1900. Deaths of persons of the Ages of							
	Dec. 5, 1890	Dec. 12, 1891	Dec. 10, 1892	Dec. 9, 1893	Dec. 8, 1894	Dec. 7, 1895	Dec. 5, 1896	Dec. 11, 1897	Dec. 10, 1898	Dec. 9, 1899		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 44·3	° 42·7	° 33·1	° 43·3	° 36·8	° 42·4	° 40·9	° 42·8	° 48·1	° 44·3	° 41·9	Mean Temp. ° 45·8							
ALL CAUSES,	201	168	161	205	170	135	198	171	170	258	183·7	189	16	25	28	13	28	34	38	7
I. FEBRILE OR ZYMOTIC DISEASES,	13	25	13	32	22	11	22	19	13	46	21·6	13	.	3	3	1	3	1	2	.
II. PARASITIC DISEASES,	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	.	.	1	3	.	.	1	1	.	·6	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL "	41	30	38	39	36	31	40	32	40	61	38·8	46	.	5	7	6	12	11	5	.
V. DEVELOPMENTAL "	18	16	10	18	14	9	19	22	9	17	15·2	12	4	.	.	.	.	.	3	5
VI. LOCAL "	115	91	85	102	86	73	104	85	89	122	95·2	101	7	11	17	6	10	21	27	2
VII. VIOLENT DEATHS,	6	3	6	8	3	4	5	4	8	6	5·3	5	1	.	1	.	3	.	.	.
VIII. ILL-DEFINED CAUSES,	7	3	9	5	6	7	8	8	9	6	6·8	11	4	6	.	.	.	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	6	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	5	.	.	.	.	.	30	8·5	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	1	1	1	.	4	4	.	1	1·2	1	.	.	.	.	1	.	.	.
Typhus,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	3	1	4	6	4	1	1	2	2	2·4	2	.	.	.	.	.	.	2	.
Whooping Cough,	4	3	1	6	1	2	7	.	3	1	2·8	4	.	1	3	.	.	.	.	.
Diphtheria,	.	.	.	.	1	.	.	1	.	3	·5	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	11	2	9	2	1	4	7	4	2	4·6	3	.	.	.	1	1	1	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	3	5	3	2	3	2	.	3	1	4	2·6	3	.	2	.	.	1	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	.	.	.	1	1	2	1	·6	.	.	.	.	.	.	.	.	.
Erysipelas,	.	1	1	2	1	.	2	.	.	1	·8	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	.	1	1	.	1	1	2	.	1	·8	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	.	1	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	2	1	2	.	.	1	.	.	.	·7	.	.	.	.	.	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	.	.	1	2	.	.	1	1	.	·5	1	.	.	.	.	.	1	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	1	1	.	.	1	1	.	.	·4	2	.	.	.	.	1	1	.	.
Rheumatism,	1	3	2	.	1	.	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
Gout,	3	1	.	.	.	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	4	2	11	6	1	6	1	4	8	12	5·5	6	.	.	.	.	.	4	2	.
Tabes Mesenterica,	7	1	3	2	3	5	3	4	6	8	4·2	5	.	2	2	.	1	.	.	.
Tubercular Meningitis,	2	1	4	3	2	4	3	1	1	5	2·6	7	.	2	2	3	.	.	.	.
Phthisis,	21	17	16	25	25	16	28	18	17	27	21·0	18	.	.	.	1	10	5	2	.
Scrofula, Tuberculosis,	1	4	1	.	4	.	1	2	3	7	2·8	7	.	1	3	2	.	1	.	.
Other Constitutional Diseases,	2	1	.	1	.	.	3	2	.	1	1·0	1	.	.	.	.	.	.	1	.
V. Developmental Diseases—																				
Premature Birth,	2	2	1	.	2	3	7	4	1	4	2·6	4	4	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	2	1	1	1	.	.	1	·6	.	.	.	.	.	.	.	.	.
Old Age,	16	14	9	16	11	5	11	18	8	12	12·0	8	.	.	.	.	.	.	3	5

each Disease registered in the FORTY-NINTH WEEK ending Saturday, 8th December, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 49th Week of the 10 years 1890-99.	In the Week ending Saturday, 8th December, 1900. Deaths of Persons of the Ages of							
	Dec. 6, 1890	Dec. 12, 1891	Dec. 10, 1892	Dec. 9, 1893	Dec. 8, 1894	Dec. 7, 1895	Dec. 5, 1896	Dec. 11, 1897	Dec. 10, 1898	Dec. 9, 1899		ALL AGES.	Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 44·3	° 42·7	° 38·1	° 43·3	° 36·8	° 42·4	° 40·9	° 42·3	° 48·1	° 44·3	° 41·9	Mean Temp. ° 45·8							
VI. Local Diseases.																			
Apoplexy,	5	2	2	.	.	4	3	3	.	4	2·3	1	.	.	.	.	.	1	.
Epilepsy,	1	.	1	.	2	1	2	.	.	.	·7	.	.	.	.	.	.	.	.
Convulsions,	14	13	9	13	13	9	15	10	3	13	11·2	10	4	5	1	.	.	.	.
Other Diseases of Brain and Nervous System,	6	4	8	5	5	4	4	2	13	8	5·9	13	.	.	3	2	.	3	5
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	2	.	·2	1	.	.	.	1	.	.	.
Diseases of Circulatory System,	20	9	13	10	18	9	18	16	12	15	14·0	23	2	.	.	1	4	5	10	1
Croup,	1	.	1	1	.	1	2	1	2	2	1·1	.	.	.	.	.	.	.	.
Bronchitis,	27	31	23	40	24	13	29	27	31	38	28·3	19	.	3	5	.	1	4	6
Pneumonia	10	19	12	11	8	13	12	5	9	25	12·4	15	.	2	5	.	1	4	2	1
Pleurisy,	.	.	1	3	2	.	.	.	.	1	·7	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	11	.	2	5	2	4	5	3	1	4	3·7	2	.	.	.	.	.	2	.
Teething,	1	1	1	.	1	1	.	1	1	.	·7	1	.	.	1	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	1	.	1	1	.	·3	.	.	.	.	.	.	.	.
Enteritis,	2	.	.	.	.	1	1	1	.	.	·5	.	.	.	.	.	.	.	.
Peritonitis,	.	1	.	1	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.
Disease of Liver,	3	1	2	2	.	2	2	2	4	5	2·3	2	.	.	.	2	.	.	.
Other Diseases of Digestive System,	8	6	3	5	4	4	3	5	6	2	4·6	8	1	1	2	1	1	2	.
Diseases of Lymphatics, &c.,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Diseases of Urinary System,	4	1	3	4	4	4	5	7	2	4	3·8	4	.	.	.	1	.	2	1
Diseases of Generative System,	1	.	1	1	.	.	.	.	.	1	·4	2	.	.	.	.	1	1	.
Accidents of Childbirth,	.	.	.	.	1	1	.	1	.	.	·3	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	3	.	.	.	1	.	.	.	·5	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	.	2	.	1	2	.	2	.	1	.	·8	.	.	.	.	.	.	.	.
VII. Violent Deaths																			
(ACCIDENT.)																			
By Railways,		.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	1	.	1	.	.	1	.		.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	6	1	3	1	.	2	4	2	6	.	4·7	1	.	.	1	.	.	.	.
By Drowning,		1	1	.	.	.	.	.	.	.		1	.	.	.	.	1	.	.
By Suffocation in Bed,		.	1	1	1	.	.	.	.	.		1	1	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	2	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Other or Not Stated Causes,		1	1	2	2	.	.	2	1	2		1	.	.	.	.	1	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																			
HOMICIDE,	.	.	.	.	.	.	.	.	.	2	·2	1	.	.	.	.	1	.	.
SUICIDE,	.	.	.	1	.	1	1	.	.	1	·4	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	7	3	9	5	6	7	8	8	9	6	6·8	11	4	6	.	.	.	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900—Week ending																									
	June 16.	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.
No. of weeks in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered,	194	198	228	181	208	186	187	245	149	256	221	228	225	177	165	239	175	152	214	183	186	168	185	168	165	268
Average Births in corresponding week of previous 10 years,	208	202	219	193	188	185	185	195	200	196	185	197	183	211	206	204	175	172	181	168	178	176	189	184	184	178
DEATHS registered,	167	122	144	124	127	165	129	159	161	147	185	186	154	171	167	167	182	188	168	141	152	154	179	187	167	189
Annual Death-rate per 1,000,	24·9	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·8	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2
Average Deaths in corresponding week of previous 10 years,	164	150	156	149	148	154	162	159	160	157	162	164	170	165	162	160	151	163	159	173	181	174	181	182	190	184
AGES, Under 5 years,	37	29	33	38	32	47	35	40	57	51	79	71	54	70	73	69	88	61	56	53	44	43	40	53	55	69
5—20 "	27	16	18	10	8	13	7	13	9	15	12	21	16	15	7	10	12	9	18	10	10	6	14	15	8	13
20—40 "	35	19	32	25	35	26	18	25	31	17	38	25	25	21	18	30	22	32	28	27	23	30	25	38	27	28
40—60 "	31	29	33	23	24	44	33	39	34	34	35	39	26	34	33	25	29	38	34	31	39	33	38	41	35	34
60—80 "	30	23	27	26	23	30	30	35	26	26	20	26	22	23	32	29	27	34	26	16	27	23	50	32	37	38
80 years and upwards,	7	6	6	2	5	5	6	7	4	4	1	4	11	8	4	4	4	9	6	4	9	14	12	8	5	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.
" Scarlet Fever,	1	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1	.	1	.	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	.	1	2	3	4	5	.	3	1	1	5	4	5	7	3	3	5	1	2	2	3	1	2	5	6	4
" Diphtheria,	2	1	.	.	.	2	1	.	.	.	1	4	.	2	1	.	.	1	3	.	.	.	1	1	1	.
" Simple continued and Ill-defined Fever,	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
" Enteric Fever,	2	2	.	2	2	2	.	2	.	1	2	2	1	7	3	4	3	4	4	4	3	4	3	9	4	3
" Diarrhœa, Dysentery,	1	.	1	2	1	4	4	9	19	24	25	33	20	27	24	18	28	16	9	6	5	6	3	5	1	3
" Phthisis,	28	22	21	26	31	28	19	24	24	20	25	32	22	20	13	31	14	26	23	15	16	26	30	31	14	18
" Heart Diseases,	11	9	9	10	9	19	17	23	12	12	18	10	14	11	16	10	13	14	12	10	9	12	21	14	17	23
" Diseases of Respiratory System,	34	27	29	15	20	23	23	14	15	13	14	6	19	18	15	14	23	29	33	29	36	23	36	36	45	36
Violent Deaths,	1	1	5	6	6	5	4	4	5	4	9	2	5	5	5	3	7	5	2	3	7	6	7	3	2	5
Mean Temperature of the Air (Phœnix Park),	57·8	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8
Average Mean Temperature in corresponding week of previous 10 years,	55·8	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9
Rainfall in inches,	·485	2·005	·650	·280	·300	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·360	1·010	1·525	·830	·555	2·145	·715
Mean Humidity of the Air, complete Saturation 1·0,	·80	·88	·84	·81	·76	·82	·83	·81	·86	·85	·90	·88	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89	·85	·88	·89	·89

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th December, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 8th December, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	28·2	189	69	13	28	34	38	7	.	.	1	.	4	.	.	3	3	11	18	10	36	5	109
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	20·0	6	.	1	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
II.	MIDDLE CLASS,	81,469	22·3	35	9	2	6	7	9	2	.	.	.	.	1	.	.	1	.	2	4	.	2	2	25
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	17·3	33	11	3	6	5	7	1	.	.	1	.	.	.	.	2	.	3	2	2	4	.	22
IV.	GENERAL SERVICE CLASS,	147,978	35·0	81	39	5	13	14	9	1	.	.	.	.	3	.	.	.	3	6	8	8	18	2	39
V.	INMATES OF WORKHOUSES,	5,191		34	10	2	3	7	10	2	.	.	.	.	.	.	.	.	.	.	4	.	11	1	18
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	26·0	4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	2. Merchants and Manufacturers, Higher Class,	1,857	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,783	18·1	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	8·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	16·0	8	2	.	3	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7
	6. Clerks and Commercial Assistants,	25,001	20·8	10	4	1	3	2	.	.	.	.	.	.	1	.	.	.	.	1	2	.	.	1	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	38·9	16	3	1	.	4	7	1	.	.	.	.	.	.	.	.	.	.	1	.	2	1	12
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	49·0	7	3	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6
	9. Building and Furnishing Trades,	26,294	11·9	6	1	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	10. Clothing Trades,	23,927	13·0	6	3	.	1	1	1	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	3
	11. Food Supply Trades,	7,949	19·6	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
	12. Other Trades and Callings ranking with Trades,	26,937	17·4	9	2	1	3	2	1	.	.	.	1	.	.	.	.	1	.	2	1	.	2	.	4
	13. Petty Shopkeepers,	6,839	15·2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	26·5	7	4	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	1	.	4	.	1
	15. Domestic Servants,	39,967	7·8	6	.	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	62·5	13	8	1	.	3	1	.	.	.	.	.	.	.	.	.	1	1	.	2	4	.	5
	17. Hawkers, Porters, Labourers, &c.,	88,472	34·3	55	27	3	11	8	5	1	.	.	.	.	3	.	.	.	1	4	4	6	8	2	31
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	34	10	2	3	7	10	2	.	.	.	.	.	.	.	.	.	.	4	.	11	1	18

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

	DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin.	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. (In 1891) 27,147.	Oct. 20,	34·6	5·8	18	.	.	.	.	1	.	1	1	.	4	2	.
		„ 27,	30·7	1·9	16	.	.	.	.	1	.	.	.	.	3	3	.
		Nov. 3,	19·2	3·8	10	.	.	.	.	1	.	.	.	1	1	5	1
		„ 10,	21·1	.	11	.	.	.	.	.	.	.	.	.	1	8	.
		„ 17,	36·5	3·8	19	.	.	.	.	1	.	.	.	1	4	6	1
		„ 24,	49·9	11·5	26	.	.	.	.	2	.	.	2	2	7	3	.
		Dec. 1,	25·0	.	13	.	.	.	.	.	.	.	.	.	2	5	.
		„ 8,	26·9	1·9	14	.	.	1	.	.	.	.	.	.	4	1	.
	North City, No. 1 (W.) (Office, Summer-hill.)	Oct. 20,	21·0	1·5	14	.	.	.	.	.	.	.	.	1	2	4	.
		„ 27,	23·9	3·0	16	.	.	.	.	.	.	.	1	1	1	4	.
		Nov. 3,	23·9	.	16	.	.	.	.	.	.	.	.	.	4	3	1
		„ 10,	23·9	1·5	16	.	.	.	.	.	.	.	.	1	2	.	3
		„ 17,	25·4	3·0	17	.	.	.	.	.	.	.	1	1	2	5	2
		„ 24,	28·4	.	19	.	.	.	.	.	.	.	.	.	3	4	1
		Dec. 1,	18·0	4·5	12	.	.	.	.	3	.	.	.	.	1	2	1
		„ 8,	23·9	1·5	16	.	.	.	.	.	.	.	.	1	1	3	1
	North City, No. 2. (Office, Lisburn-street.) Pop. (In 1891) 28,871.	Oct. 20,	27·1	1·8	15	.	.	.	.	.	.	.	.	1	5	5	.
		„ 27,	23·5	1·8	13	.	.	.	.	1	.	.	.	.	2	3	.
		Nov. 3,	32·5	7·2	18	.	.	.	.	1	.	.	.	3	.	3	.
		„ 10,	36·1	5·4	20	.	.	.	.	.	.	.	3	.	6	2	.
		„ 17,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	2	2	3
		„ 24,	36·1	1·8	20	.	.	.	.	.	1	.	.	.	2	5	.
		Dec. 1,	28·9	.	16	.	.	.	.	.	.	.	.	.	3	3	.
		„ 8,	41·5	7·2	23	.	.	.	.	3	.	.	1	.	2	2	1
	North City, No. 3. (Office, Blackhall-place.) Pop. (In 1891) 26,055.	Oct. 20,	32·0	2·0	16	.	.	.	.	.	.	.	.	1	.	3	.
		„ 27,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	.	.
		Nov. 3,	26·0	2·0	13	.	.	.	.	.	.	.	1	.	1	2	.
		„ 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
		„ 17,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	1	2	.
		„ 24,	22·0	6·0	11	.	.	.	.	1	.	.	1	1	2	3	.
		Dec. 1,	32·0	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		„ 8,	30·0	2·0	15	.	.	.	.	.	.	.	.	1	1	3	.
	South City, No. 1. (Office, South Earl-street.) Pop. (In 1891) 38,194.	Oct. 20,	37·7	1·6	24	.	.	.	.	.	.	.	1	.	5	3	.
		„ 27,	17·3	3·1	11	.	.	.	.	.	.	.	2	.	2	3	.
		Nov. 3,	25·1	1·6	16	.	1	.	.	.	.	.	.	.	4	4	.
		„ 10,	25·1	1·6	16	.	.	.	.	.	.	.	.	1	2	3	2
		„ 17,	25·1	.	16	.	.	.	.	.	.	.	.	.	3	6	.
		„ 24,	40·8	3·1	26	.	.	.	.	1	.	.	.	1	5	5	.
		Dec. 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	1	4	.
		„ 8,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	7	1
	South City, No. 2. (Office, Castle-street.) Pop. (In 1891) 18,547.	Oct. 20,	42·2	2·8	15	.	.	.	.	.	.	.	.	1	.	6	.
		„ 27,	8·4	.	3	.	.	.	.	.	.	.	.	.	1	.	.
		Nov. 3,	32·4	2·8	14	.	.	.	.	.	.	.	1	.	1	5	1
		„ 10,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	5	.
		„ 17,	25·3	.	9	.	.	.	.	.	.	.	.	.	2	2	.
		„ 24,	19·7	2·8	7	.	.	.	.	.	.	.	1	.	.	3	.
		Dec. 1,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	.	7	.
		„ 8,	30·9	.	11	.	.	.	.	.	.	.	.	.	.	3	.
	South City, No. 3. (Office, Peter-street.) Pop. (In 1891) 40,558.	Oct. 20,	14·1	.	11	.	.	.	.	.	.	.	.	.	3	3	.
		„ 27,	18·0	1·3	14	.	.	.	.	.	.	.	.	1	3	5	.
		Nov. 3,	27·0	2·6	21	.	.	1	.	1	.	.	.	.	1	6	3
		„ 10,	20·6	1·3	16	.	.	.	.	.	.	.	.	1	4	3	.
		„ 17,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	3	3	.
		„ 24,	24·4	.	19	.	.	.	.	.	.	.	.	.	3	6	.
		Dec. 1,	30·9	2·6	24	.	.	.	.	1	.	.	1	.	1	4	.
		„ 8,	33·4	2·6	26	.	.	.	.	.	.	.	2	.	3	7	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. (In 1891) 35,798.	Oct. 20,	17·5	2·9	12	.	.	.	.	.	.	.	1	1	.	2	.
		„ 27,	21·9	2·9	15	.	.	.	.	.	.	.	.	2	1	2	.
		Nov. 3,	13·1	.	9	.	.	.	.	.	.	.	.	.	3	4	.
		„ 10,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	3	1
		„ 17,	18·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 24,	23·3	2·9	16	.	.	.	.	.	.	.	2	.	2	3	.
		Dec. 1,	23·3	2·9	16	.	.	.	.	.	.	.	1	1	1	6	1
		„ 8,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Oct. 20,	26·3	7·5	14	.	.	.	.	.	.	.	.	4	1	1	.
	„ 27,	7·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 3,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 10,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	2	1	.
	„ 17,	31·9	.	17	.	.	.	.	.	.	.	.	.	3	1	.
	„ 24,	9·4	3·8	5	.	.	.	.	1	.	.	1	.	.	.	1
	Dec. 1,	24·4	5·6	13	.	.	.	.	1	1	.	1	.	.	1	.
	„ 8,	24·4	.	13	.	.	.	.	.	.	.	.	.	1	4	.
Donnybrook. Pop. (in 1891) 24,629.	Oct. 20,	19·1	4·2	9	.	.	.	.	.	2	.	.	.	1	2	.
	„ 27,	14·8	.	7	.	.	.	.	.	.	.	.	.	.	3	1
	Nov. 3,	10·6	2·1	5	.	.	.	.	.	.	.	1	.	.	1	.
	„ 10,	19·1	2·1	9	.	.	.	.	.	.	.	.	1	1	.	.
	„ 17,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	3	.
	„ 24,	14·8	.	7	.	.	.	.	.	.	.	.	.	2	2	1
	Dec. 1,	12·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 8,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	.
Kingstown. Pop. (in 1891) 17,886.	Oct. 20,	18·0	.	6	.	.	.	.	.	.	.	.	.	.	1	1
	„ 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	Nov. 3,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 10,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	.	.
	„ 17,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 1,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	3	.
	„ 8,	27·0	.	9	.	.	.	.	.	.	.	.	.	2	.	.
Belfast. Pop. in 1900 (Est.) 359,000.	Oct. 20,	16·3	1·7	112	.	.	2	.	.	.	.	4	6	15	16	.
	„ 27,	19·0	2·2	131	.	2	1	.	.	2	.	7	3	19	24	1
	Nov 3,	19·2	2·6	132	.	2	.	.	2	2	.	7	5	23	26	3
	„ 10,	18·3	1·3	126	.	.	.	.	1	2	1	3	2	12	28	1
	„ 17,	17·7	0·9	122	.	.	.	.	1	.	.	4	1	11	32	5
	„ 24,	21·5	1·7	148	.	2	1	.	3	2	1	2	1	15	43	5
	Dec. 1,	20·8	0·6	143	.	.	.	.	1	.	.	1	2	21	46	5
	„ 8,	22·1	1·6	152	.	4	.	.	1	2	.	3	1	17	53	5
Cork. Pop. (in 1891) 75,845.	Oct. 20,	23·5	2·8	34	.	.	2	.	.	.	.	1	1	6	9	.
	„ 27,	20·1	4·2	29	.	.	3	.	.	1	.	.	2	5	2	.
	Nov. 3,	16·6	2·1	24	.	.	.	.	.	.	.	.	3	5	5	.
	„ 10,	20·1	2·1	29	.	.	1	.	.	.	.	.	2	4	5	1
	„ 17,	22·8	2·1	33	.	.	2	.	.	.	.	.	1	8	3	.
	„ 24,	15·9	.	23	.	.	.	.	.	.	.	.	.	6	1	.
	Dec. 1,	22·8	3·5	33	.	.	4	.	.	.	.	.	1	6	5	.
	„ 8,	19·4	2·8	28	.	.	2	.	.	.	.	.	2	1	3	.
Limerick. Pop. (in 1891) 37,155.	Oct. 20,	11·2	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	19·6	1·4	14	.	.	.	.	.	.	.	.	1	1	2	.
	Nov. 3,	11·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 10,	15·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 17,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
	„ 24,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	4	.
	Dec. 1,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	3	1
	„ 8,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	3	.
Londonderry. Pop. (in 1891) 33,200.	Oct. 20,	14·1	3·1	9	.	.	.	1	.	.	.	.	1	1	.	.
	„ 27,	29·8	3·1	19	.	1	.	.	.	.	.	.	1	3	7	.
	Nov. 3,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	.	3	.
	„ 10,	28·3	3·1	18	.	.	.	.	2	.	.	.	.	1	3	.
	„ 17,	11·0	3·1	7	.	.	.	.	1	1	.	.	.	1	1	.
	„ 24,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	1
	Dec. 1,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	5	4	.
	„ 8,	14·1	3·1	9	.	.	.	.	2	.	.	.	.	1	.	1
Waterford. Pop. (in 1891) 26,200.	Oct. 20,	23·9	4·0	12	.	.	.	.	.	.	.	1	1	2	1	.
	„ 27,	25·9	4·0	13	.	.	.	.	.	.	.	.	2	1	1	2
	Nov. 3,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	1	1
	„ 10,	21·9	2·0	11	.	.	.	.	.	.	.	.	1	2	1	.
	„ 17,	19·9	.	10	.	.	.	.	.	.	.	.	.	5	.	.
	„ 24,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	1	.
	Dec. 1,	15·9	4·0	8	.	.	.	.	.	.	.	.	2	3	1	.
	„ 8,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 8th December, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 60 years.	Ages at Death: 60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
Belfast Urban No. 1 District,	17,122	9	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		6	.	1	3	2	.	.	.	.	.	.	.	.	.	1	1	1	2	3
" 2 "	37,589	16			14	2	1	10	1	.	.	.	.	.	.	.	.	.	3	4	1	2	3
" 3 "	38,845	21			23	8	4	9	2	.	.	.	.	.	1	.	1	.	2	7	.	.	2
" 4 "	38,891	15			28	7	6	11	4	.	4	.	.	.	.	.	.	.	2	11	2	2	8
" 5 "	21,284	8			15	1	3	8	3	.	.	.	.	.	.	.	.	.	4	5	1	1	2
" 6 "	43,431	16			17	3	2	11	1	.	.	.	.	.	.	.	1	.	2	5	.	.	5
" 7 "	1,112	.			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 8 "	4,904	5			3	1	1	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.
" 9 "	12,866	9			8	.	1	6	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.
" 10 "	12,256	18			9	2	2	3	2	.	.	.	.	.	.	.	.	.	.	4	.	2	.
" 11 "	19,881	22			11	1	2	5	3	.	.	.	.	1	.	.	1	.	2	1	.	.	6
" 12 "	23,282	31			13	4	2	5	2	.	.	.	.	.	1	.	.	.	1	8	.	.	2
" 13 "	6,804	9			4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
" 14 "	62	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	179			152	32	25	74	21	.	4	.	.	1	2	.	3	1	17	53	5	10	31
City of Cork.																							
Cork Urban, No. 1 District.	11,927	4	8·7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1
" 2 "	9,252	6	28·2	11·3	5	1	2	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	1
" 3 "	9,816	5	21·2	5·3	4	.	1	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	1
" 4 "	10,356	2	25·2	.	5	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 5 "	8,187	1	12·8	6·4	2	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" 6 "	8,823	4	5·9	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	9	27·5	.	9	2	.	7	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1
Total,	75,345	31	19·4	2·8	28	5	5	13	5	.	.	2	.	.	.	.	.	2	1	3	.	2	4

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.
No. of week in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered,	241	218	204	236	155	263	220	241	222	171	206	193	221	224	185	219	215	238	208	181	184	232	205	202	193	179
DEATHS registered,	141	130	186	126	108	136	133	155	126	149	124	133	136	131	124	111	130	133	112	131	132	126	122	148	143	152
Annual Death-rate per 1,000 of estimated Population,	20·5	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1
AGES, Under 1 year,	24	26	28	26	22	34	39	56	39	52	40	44	45	44	34	30	33	32	31	28	22	36	22	30	30	32
AGES, 1–5 years,	17	15	15	14	13	15	15	20	9	17	7	18	15	11	17	8	22	15	18	12	17	11	14	24	16	25
AGES, 5–60 years,	72	61	76	67	55	65	61	58	58	65	56	49	54	56	56	53	46	67	50	67	65	57	61	62	62	74
AGES, 60 years and upwards,	28	28	17	19	18	22	18	21	20	15	21	22	22	20	17	20	29	19	13	24	28	22	25	32	35	21
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	1	2	.	.	1	.	1	1	.	.	.	.	.	.	1	1	.	.	2	2	.	.	2	.	4
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	2	1	.	.	.	1	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	1	2	1	2	3	.	.	.	3	2	.	2	1	2	1	.	1	.	.	2	1	1	3	1	1
,, Diphtheria,	.	.	1	.	1	.	.	1	.	2	.	.	.	2	2	1	2	2	.	2	2	2	.	2	.	2
,, Simple continued and Ill-defined Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
,, Enteric Fever,	11	6	2	6	7	1	6	5	8	8	7	10	6	8	3	5	9	4	4	7	7	3	4	2	1	3
,, Diarrhœa, Dysentery,	1	4	4	2	1	8	11	19	7	16	15	16	19	11	10	10	11	6	6	3	5	2	1	1	2	1
,, Phthisis,	2	20	32	20	20	20	22	30	27	16	16	13	14	16	10	16	19	21	15	19	23	12	11	15	21	17
,, Diseases of Respiratory System,	24	18	17	24	10	22	14	13	13	12	10	9	13	15	17	17	19	20	16	24	26	28	32	43	46	53
Violent Deaths,	4	7	8	8	8	8	8	5	2	3	3	3	4	1	2	3	1	.	.	1	8	1	5	5	5	5

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th December, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	1	.	.	2
" " 1, West,	.	6	2	6	.	.	.	.	1	5	1	.	21
" " 2,	.	.	.	2	.	.	.	.	2	6	1	.	11
" " 3,	.	5	8	2	.	.	.	1	.	1	2	.	19
South City No. 1,	.	2	1	3	1	.	.	.	.	1	5	.	13
" " 2,	.	3	.	.	.	.	.	.	.	1	1	.	5
" " 3,	.	4	2	2	.	.	.	.	.	1	.	.	9
" " 4,	.	.	.	1	.	.	1	.	.	1	.	.	3
Total,	.	21	13	16	1	.	1	1	3	17	10	.	83
Total for week ended Dec. 1, 1900,	.	33	7	14	.	.	4	.	1	19	9	.	87
Total for week ended Nov. 24, 1900,	.	40	3	11	.	.	.	.	2	19	15	.	90
Total for week ended Nov. 17. 1900,	.	31	.	9	.	.	1	.	2	30	12	.	85

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th December, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th December.			
	Nov. 17.	Nov. 24.	Dec. 1.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	49	55	54	33	21	.	66
Scarlet Fever,	85	90	89	17	17	.	89*
Typhus "	4	3	1	1	.	.	2
Diphtheria,	13	11	13	1	3	.	11
Enteric Fever,	75	72	64	13	6	1	70
Pneumonia,	23	21	20	10	6	2	22

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Dec. 8,	2,300	1,544	17·5	.	23	11	34	34	21	14
EDINBURGH,	302,262	„ 8,	112	134	23·1	.	9	3	2	2	.	3
GLASGOW,	743,969	„ 8,	349	303	21·2	1	2	5	5	18	4	6
CALCUTTA,	466,460	Oct. 6,	.	381	42·6	7	.	.	.	.	120‡	76*
BOMBAY,	821,764	Nov. 13,	266	751	47·5	.	2	?	?	?	110§	89*
MADRAS,	452,518	„ 2,	439	457	52·5	.	2	?	?	?	133‖	88*
PARIS,	2,511,629	Dec. 1,	1,135	897	18·5	17	3	2	9†	3	10	17
BRUSSELS (with 8 Faubourgs).	570,844	Nov. 24,	234	145	13·3	1	.	.	4	.	2	14
AMSTERDAM,	517,032	„ 17,	320	164	16·5	.	11	1	1	.	.	.
ROTTERDAM,	329,204	„ 17,	244	111	17·5	.	.	1	2	.	.	.
THE HAGUE,	205,328	„ 17,	115	46	11·5	.	.	.	.	.	.	.
COPENHAGEN,	354,000	Dec. 1,	155	102	15·0	.	.	.	.	.	4	5
CHRISTIANIA,	226,423	„ 1,	141	51	11·7	.	.	.	.	2	.	6
ST. PETERSBURG,	1,132,677	Nov. 24,	722	535	24·6	.	10	15	22	9	24	34
BERLIN,	1,863,128	„ 17,	782	587	16·4	.	16	9	12	6	7	44
HAMBURG,	691,349	Dec. 1,	.	193	14·5	.	2	5	6†	2	.	6
DRESDEN,	407,500	Nov. 3,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU,	412,959	„ 24,	.	200	25·2	.	.	.	1	3	.	13
MUNICH,	463,000	Aug. 11,	422	229	25·7	.	3	.	1	2	1	99
VIENNA (with suburbs).	1,656,662	Nov. 24,	775	608	18·9	.	17	2	10†	1	.	52
BUDA-PESTH,	685,340	„ 17,	451	212	16·1	.	3	8	4	.	4	13
PRAGUE and Faubourgs.	393,091	„ 17,	209	169	22·4	.	1	1	2	.	3	6
ROME,	518,333	Oct. 27,	175	172	17·3	.	1	.	.	.	9	29
TURIN (10 days),	344,203	Sept. 30,	208	134	14·2	.	.	.	2†	.	1	10
VENICE,	174,170	Nov. 24,	64	64	15·2	.	.	.	3	.	.	6
NEW YORK,	3,444,675	„ 3,	1,739	1,082	16·4	.	1	.	25	5	23	36
PHILADELPHIA,	1,293,697	„ 17,	.	439	17·6	.	.	2	21	1	6	1

* Including 24 deaths from cholera in Calcutta, 4 in Bombay, and 10 in Madras. † Including deaths from croup. ‡ Exclusive of 15 deaths from bubonic fever. § Exclusive of 53 deaths from bubonic fever. ‖ Exclusive of 1 death from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 8th December, 1900:—

"Weather of the westerly or southwesterly type—changeable, mild, squally, and rainy—held during the greater part of the week. Only on Sunday were conditions quiet, fair, and seasonably cold, with a good deal of fog from time to time. On the morning of that day a small area of relatively high atmospheric pressure lay over Leinster, and gradients were everywhere slight in Ireland—the extreme variation in pressure over the island not exceeding ·08 inch at 8 a.m. Hence the cold, fine, though foggy weather of the day. By Monday morning a depression of considerable size had reached Kerry, bringing rain, warmth, and squally S.W. winds. This disturbance passed rapidly eastwards, reaching Holland on Tuesday morning. By that time a new depression had arrived off the W. of Ireland. Gradients became steep over France, moderate over Ireland and Scotland, so that temperature fell fast in the lastnamed country. Warm S.W. and W. winds swept over the southern half of the British Isles and Central Europe, but variable winds and sharp cold prevailed in Scandinavia, at Haparanda the minimum on Wednesday was 17° F., or 49° below freezing point. Saturday was wonderfully mild, though unsettled, with frequent light rain. In Dublin the mean atmospheric pressure was 29·654 inches, the barometer ranging from 29·228 inches at 9 p.m. of Monday (wind, W.S.W.) to 30·010 inches on Friday afternoon (wind, S.W.). The mean temperature was 48·1°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 47·3°. The screened thermometers fell to 33·4° on Sunday, and rose to 58·0° on Saturday. Bright sunshine was estimated at only 5¼ hours. Southwesterly wind prevailed. The rainfall measured ·514 inch on six days, ·270 inch being recorded on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·668 inches. The highest reading (30·008) was on Friday at 9 a.m., wind SW., and the lowest (29·246) on Monday at 9 p.m., wind S.W.

The mean temperature for the week was 45·8°, being 3·9° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Saturday, when the thermometer registered 56·3°, and was lowest on Sunday, the mercury having fallen to 27·1°. The mean of the Dry Bulb for the week was 46·4°, and of the Wet Bulb 44·9°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 0·6 hours. The rainfall measured ·715 in.

At Greenwich the mean temperature for the week was 44·2°, the maximum 56·3°, and the minimum 37·5°; at Glasgow the maximum was 57·0°, the minimum 35·7°, and the mean 42·9°; and at Edinburgh the maximum was 56·2°, the minimum 33·0°, and the mean 41·7°. The rainfall at Greenwich measured 0·77 in.; at Glasgow 2·68 ins.; and at Edinburgh 2·04 ins.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 2,	29·824	41·8	27·1	34·5	35·1	34·0	·87	·4	0·4	·010	Calm.	Calm.
Monday, „ 3,	29·453	51·8	36·1	45·5	49·0	47·4	·89	·6	0·0	·200	S.	S.W.
Tuesday, „ 4,	29·546	52·8	44·4	48·6	46·7	45·3	·90	·4	0·0	·155	W.	W.S.W.
Wednesday, „ 5,	29·480	50·6	41·6	46·1	47·7	46·7	·94	·4	0·0	·225	Calm.	W.S.W.
Thursday, „ 6,	29·640	49·5	41·0	45·3	45·[illegible]	43·6	·87	·3	0·0	·015	S.W.	W.
Friday, „ 7,	29·939	51·6	43·7	47·7	48·1	46·5	·89	·6	0·2	·010	S.W.	S.W.
Saturday, „ 8,	29·733	56·3	49·1	52·7	52·7	51·1	·90	·7	0·0	·100	S.S.W.	W.
Mean, . .	29·668	51·1	40·4	45·8	46·4	44·9	·89	·5	Total 0·6	Total ·715	Prevailing Wind W.	

Sunday—A cloudy day; night cloudy; rain 7.30 to 9 a.m. *Monday*—A dull day; rain 9 to 10 a.m., 11 to 12 a.m., 12.45 to 5 p.m., and 6.45 to 9.45 p.m.; night overcast. *Tuesday*—A cloudy day; rain 3 to 4.30 p.m.; night cloudy, lunar halo p.m. *Wednesday*—A dull day; rain 2 to 7.30 and 8.30 to 8.45 p.m.; night cloudy. *Thursday*—A cloudy day; night cloudy; showers 3 to 8.45 a.m. *Friday*—A cloudy day; night cloudy, showers 3.30 to 9 a.m. *Saturday*—A dull day; drizzling rain 9 a.m. to 4 p.m., and showery 5.30 p.m. to 3.30 a.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 359. 9. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 15TH DECEMBER, 1900. [No. 50.

General Register Office, Charlemont House,
Dublin, 17th December, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 21·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Nov. 24.	Week ending Dec. 1.	Week ending Dec. 8.	Week ending Dec. 15.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 24.	Week ending Dec. 1.	Week ending Dec. 8.	Week ending Dec. 15.	Average Rate for 4 weeks
23 Town Dists.	21·6	21·7	22·5	21·0	21·7	Limerick, . .	23·9	18·2	14·0	15·4	17·9
Armagh, .	21·4	14·3	21·4	21·4	19·6	Lisburn, . .	21·3	25·7	25·7	4·3	19·3
Ballymena, .	16·9	11·3	11·3	22·5	15·5	Londonderry, .	26·7	26·7	14·1	18·8	21·6
Belfast, . .	21·5	20·8	22·1	18·7	20·8	Lurgan, . .	27·4	9·1	27·4	18·2	20·5
Carrickfergus, .	23·4	29·2	17·5	17·5	21·9	Newry, . .	8·1	8·1	4·0	8·1	7·1
Clonmel, . .	9·7	14·6	19·5	48·7	23·1	Newtownards, .	28·3	17·0	11·3	11·3	17·0
Cork, . .	15·9	22·8	19·4	15·9	18·5	Portadown, .	12·4	18·6	24·7	6·2	15·5
Drogheda, . .	15·2	19·0	7·6	26·6	17·1	Queenstown, .	5·7	5·7	34·4	28·7	18·6
Dublin, Reg. Area,	26·1	24·5	27·4	25·8	25·9	Sligo, . . .	5·1	40·6	10·2	10·2	16·5
Dundalk, . .	4·2	16·8	12·6	25·1	14·7	Tralee, . .	22·4	11·2	28·0	11·2	18·2
Galway, . .	15·1	26·4	45·3	26·4	28·3	Waterford, .	11·9	15·9	6·0	25·9	14·9
Kilkenny, . .	9·4	18·9	23·6	18·9	17·7	Wexford, .	18·1	22·6	31·6	18·1	22·6

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in eighteen of the districts to 5·8 in Carrickfergus. Among the 129 deaths from all causes registered in Belfast are one from whooping-cough, one from diphtheria, 5 from enteric fever, and 2 from diarrhœa; and the 23 deaths in Cork include one from scarlet fever and one from typhus.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 173—83 boys and 90 girls; and the deaths to 184—102 males and 82 females.

DEATHS.

The deaths, which are 4 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 27·4 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 25·8 per 1,000. During the fifty weeks ending with Saturday last the death-rate averaged 28·8, and was 1·7 over the mean rate for the corresponding portions of the ten years 1890–99.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

There were 18 deaths from zymotic diseases registered during the week, namely, 7 deaths from whooping-cough, 2 deaths each from cerebro-spinal meningitis, diarrhœa, erysipelas, and septicæmia, and one death each from measles, scarlatina, and enteric fever. The deaths were 4 below the average for the corresponding period of the last 10 years, but 5 in excess of the number of deaths from zymotic diseases registered in the preceding week.

Twenty-eight deaths were due to tubercular disease: pulmonary tuberculosis caused 19 deaths, and tabes mesenterica, tubercular meningitis, and other forms of tuberculosis caused each 3 deaths.

Diseases of the organs of respiration caused 46 deaths; this number is 2 below the average for the corresponding period of the last ten years, but 10 in excess of the number registered in the preceding week. Bronchitis caused 36 deaths, pneumonia caused 7 deaths, and one death was caused by pleurisy.

Cancer caused 8 deaths. Eleven deaths were due to diseases of the brain and nervous system, not including 4 deaths from apoplexy and 7 deaths from convulsions in children—of these 5 occurred in children above one month and under 1 year old. Diseases of the digestive system produced 16 deaths, and 12 deaths were caused by diseases of the circulatory system.

Four accidental deaths were registered.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year old and the deaths of 4 persons aged 60 years and upwards.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 7 were under one month old) and 48 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 9 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Seventy of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 25·8 per 1,000: the rate in the City was 28·7 (26·8 on the North side, and 30·5 on the South), and in the Suburbs 18·9.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·6 (3·1 in the North City Districts, and 2·0 in the South), and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 19·2 per 1,000. Two deaths from pulmonary tuberculosis occurred in this district.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 26·9 per 1,000. There were four deaths from whooping-cough, one death from diarrhœa, two deaths from pulmonary tuberculosis; also 3 deaths from diseases of the respiratory system and 5 deaths from diseases of the brain and nervous system.

No. 2 *North City District* (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 37·9 per 1,000. One death was caused by cerebro-spinal meningitis, and 2 deaths were due to pulmonary tuberculosis; 8 deaths were caused by diseases of the respiratory system.

No. 3 *North City District* (Blackhall-place).—The deaths (11) represent an annual rate of 22·0 per 1,000. One death each was caused by measles and scarlatina, one death was due to pulmonary tuberculosis, and 3 deaths were caused by diseases of the brain and nervous system.

No. 1 *South City District* (South Earl-street).—The deaths (16) represent an annual rate of 25·1 per 1,000. Diseases of the respiratory organs caused 3 deaths, diseases of the brain and nervous system also caused three deaths.

No. 2 *South City District* (Castle-street).—The deaths (16) are equal to an annual rate of 45·0 per 1,000. Whooping-cough caused two deaths, pulmonary tuberculosis caused two deaths, and diseases of the respiratory system caused 6 deaths.

No. 3 *South City District* (Peter-street).—The deaths (23) are equal to an annual rate of 29·6 per 1,000. Enteric fever caused 1 death, pulmonary tuberculosis caused two deaths, and diseases of the respiratory system caused nine deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·1 per 1,000. Whooping-cough and diarrhœa each caused 1 death, five deaths were due to diseases of the respiratory system, and 3 deaths each to diseases of the "brain and nervous system" and the digestive system.

Suburban Districts.—The annual death-rate represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 29·2; Finglas and Glasnevin, part of, 0·0; Palmerston, part of, and Crumlin, part of, 14·3; Rathmines, 22·5; Donnybrook, 14·8; Blackrock, 6·2; and Kingstown, 27·0. The deaths from zymotic diseases tabulated for these districts comprise one from cerebro-spinal meningitis for Coolock and Drumcondra, No. 1, one from erysipelas for Rathmines, and one from erysipelas for Kingstown. The 12 deaths from all causes tabulated for Rathmines include 3 from bronchitis and 2 from diseases of the circulatory system; the 7 deaths for Donnybrook include 2 from diseases of the respiratory system and 3 from phthisis; and 2 of the 9 deaths for Kingstown were from pneumonia.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	24th November,	90 cases.
,, ,,	1st December,	87 cases.
,, ,,	8th December,	83 cases.
,, ,,	15th December,	81 cases.

Of the 81 cases notified, 3 were erysipelas, 29 enteric fever, 6 scarlatina, 27 measles, 5 continued fever, 9 German measles, one puerperal fever, and one diphtheria.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	24th November,	6 cases.
,, ,,	1st December,	11 cases.
,, ,,	8th December,	8 cases.
,, ,,	15th December,	6 cases.

Of the 6 cases notified, 4 were scarlatina, and 2 diphtheria.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th December,	2 cases.
,, ,,	15th December,	5 cases.

Of 5 cases notified, one was scarlatina, 2 enteric fever, one cerebro-spinal meningitis, and one was whooping cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	1st December,	63 cases.
,, ,,	8th December,	73 cases.
,, ,,	15th December,	73 cases.

Of the 73 cases notified, 17 were scarlet fever, 5 diphtheria, 19 continued fever, 23 typhoid fever, and 9 erysipelas.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th December, 1900.

From this it appears that:—

Fifteen cases of enteric fever were admitted to hospital, 12 cases were discharged, and 73 remained under treatment at the close of the week.

Fourteen cases of scarlatina were admitted to hospital, 21 were discharged, one case died, and 81* remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 4 cases were discharged, and 14 cases remained under treatment at the end of the week.

Twenty cases of measles were admitted to hospital during the week.

One case of typhus fever was discharged from hospital, leaving one case under treatment.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·5) was equal to an average annual death-rate of 16·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·3 per 1,000, the rate for Glasgow being 19·7, and for Edinburgh 18·1.

* See Note (*) at foot of Table X.

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 15th December, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 15th December, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 15th Dec., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th Dec., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st Dec., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	27·7	21·0	1·2	564	428	81	104	.	2	2	1	8	1	.	6	5	46	110	11	26	114	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																				
Total,†	349,594	14·2	25·8	25·8	1·8	173	172	26	47	.	1	1	.	7	.	.	1	2	16	44	4	8	59	$55·8	39·1	48·1	0·21	$56·3	27·1	45·8	0·72	$51·9	28·2	43·4	2·15
Registrars' Districts. City	245,001	65·6	28·5	28·7	2·6	134	135	23	35	.	1	1	.	7	.	.	1	2	11	36	2	4	49	57·0	40·8	49·9	0·13	58·0	33·4	48·1	0·51	52·7	35·1	45·5	2·11
Clontarf &c. No. 1,	4,138	1·5	.	12·6	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,730	1·8	29·2	29·2	.	6	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	12·3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56·6	38·8	48·5	0·18	60·8	29·8	47·0	0·74	58·8	28·4	44·3	2·14
Palmerston, part of and Crumlin part of (b),	7,273	8·0	43·0	14·3	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	15·0	22·5	.	8	12	1	6	.	.	.	.	.	.	.	.	.	1	3	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	16·9	14·8	.	8	7	1	2	.	.	.	.	.	.	.	.	.	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	18·6	6·2	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,386	11·9	21·0	27·0	.	7	9	1	3	.	.	.	.	.	.	.	.	.	.	2	1	1	3	59	43	50·4	0·03	58	36	48·9	0·52	51	35	44·9	2·54
Urban Districts																																				
Belfast,	359,000	21·8	39·2	18·7	1·3	208	129	40	21	.	.	.	.	1	1	.	5	2	13	43	3	9	23	57·0	36·0	47·8	0·30	55·0	37·0	44·4	0·78	50·0	26·0	43·3	1·82
Cork,	75,845	33·3	29·8	15·9	1·4	43	23	4	6	.	.	1	1	.	.	.	.	.	2	5	.	2	7	53	41	49·4	0·50	55	42	49·4	1·39	53	37	45·6	1·12
Limerick,	37,155	17·9	36·5	15·4	.	26	11	4	2	.	.	.	.	.	.	.	.	.	1	3	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	36·1	18·8	.	23	12	3	6	.	.	.	.	.	.	.	.	.	1	3	1	1	.	56·0	40·0	46·8	1·30	56·0	35·0	44·5	1·30	50·0	34·0	43·6	0·76
Waterford,	26,203	18·3	25·9	25·9	2·0	13	13	.	5	.	.	.	.	.	.	.	.	1	3	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,800	2·6	22·7	26·4	.	6	7	1	3	.	.	.	.	.	.	.	.	.	.	2	1	1	3	56	40	49	1·21	56	40	48	1·98	49	34	39	1·14
Drogheda	13,708	8·7	.	26·6	.	.	7	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	20·1	8·1	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	54·9	38·8	47·4	0·33	56·9	38·0	45·0	1·14	48·8	33·1	43·8	1·06
Dundalk,	12,449	9·0	20·9	25·1	.	5	6	.	4	.	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	21·3	4·3	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	54·9	38·8	47·4	0·33	56·9	38·0	45·0	1·14	48·8	33·1	43·8	1·06
Wexford,	11,545	24·0	36·1	18·1	.	8	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	13·4	18·2	18·2	.	4	4	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	54·9	38·8	47·4	0·33	56·9	38·0	45·0	1·14	48·8	33·1	43·8	1·06
Kilkenny,	11,048	12·0	23·6	18·9	.	5	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	54	32	45·1	0·30	55	33	46·5	0·76	51	29	40·5	1·96
Clonmel,	10,708	8·2	19·5	48·7	.	4	10	.	2	.	.	.	.	.	.	.	.	.	2	2	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	3·4	5·1	10·2	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	54·8	36·8	47·1	0·62	55·5	36·6	45·7	1·19	50·9	28·6	41·9	1·03
Tralee,	9,818	15·9	33·6	11·2	.	6	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	16·9	22·5	.	3	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	5·7	11·3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55	37	46·7	0·10	54	37	44·8	0·85	49	34	44·7	0·99
Queenstown,	9,082	17·0	5·7	28·7	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	58	41	49·4	0·50	55	42	49·4	1·39	53	37	45·6	1·12
Carrickfergus	8,923	0·5	40·9	17·5	5·8	7	3	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,480	11·0	68·0	6·2	.	11	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	54·9	38·8	47·4	0·33	56·9	38·0	45·0	1·14	48·8	33·1	43·8	1·06
Armagh,	8,187	21·4	42·8	21·4	.	6	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	54·9	38·8	47·4	0·33	56·9	38·0	45·0	1·14	48·8	33·1	43·8	1·06

(a) All the District except that portion in Finglas District Electoral Division (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 15th December, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1034	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	4	.	.	.	2	.	1	.	.	.	.	.	.	.	.	7	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Diarrhœa, Dysentery,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Other Zymotic Diseases	.	.	1	.	1	.	.	1	.	1	.	.	1	.	.	1	6	.
Total,	.	5	1	2	1	2	1	3	.	1	.	.	1	.	.	1	18	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	2	2	2	1	.	2	2	.	.	1	.	.	1	3	.	.	16	3
Other Constitutional Diseases,	3	1	3	1	2	1	2	1	.	2	.	1	3	1	.	2	23	1
Total,	5	3	5	2	2	3	4	1	.	3	.	1	4	4	.	2	39	4
V. DEVELOPMENTAL DISEASES,	2	.	1	3	2	1	1	1	.	.	.	.	.	.	.	.	11	.
VI. LOCAL DISEASES: (Diseases of)																		
Brain & Nervous System,	.	5	1	3	3	2	2	3	.	.	.	.	1	.	1	.	21	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	.	3	.	.	1	1	2	.	1	.	.	2	.	.	1	11	1
Respiratory System,	1	3	8	1	3	6	9	5	.	.	.	1	3	2	.	2	44	2
Digestive System,	2	1	1	.	2	1	2	3	.	1	.	.	1	.	.	.	14	2
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Generative System,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.
Total,	3	10	14	4	8	10	16	13	.	2	.	1	7	3	1	5	97	7
VII. VIOLENT DEATHS,	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	1	4	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	2	.	1	1	.	.	.	.	.	.	.	.	4	.
Deaths from all Causes,	10	18	21	11	16	16	23	20	1	6	.	2	12	7	1	9	173	11
Annual Rate of Mortality in every 1,000 of the population.	19·2	26·9	37·9	22·0	25·1	45·0	29·6	29·1	12·6	29·2	.	14·3	22·5	14·8	6·2	27·0	25·8	
	26·8				30·5				18·9									
	28·7																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	3	3	2	7	4	4	2	.	1	.	1	4	1	.	3	37	11
Workhouse Hospitals,	1	1	6	2	4	3	3	2	.	.	.	.	.	.	.	.	22	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office: Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island to O'Donnell-bridge, and South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Donnell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths,** at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Dec. 23, 1899	Dec. 29, 1891	Dec. 27, 1892	Dec. 26, 1893	Dec. 25, 1894	Dec. 14, 1895	Dec. 12, 1896	Dec. 18, 1897	Dec. 17, 1898	Dec. 16, 1899	Average in 50th Week of the 10 years 1890–99.	In the week ending Saturday, 15th December, 1900. Deaths of persons of the Ages of ALL AGES.	Mean Temp.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	36·3	41·9	42·8	41·5	45·8	38·4	39·9	45·2	46·4	38·9	41·7		48·1								
ALL CAUSES,	173	226	167	189	182	153	173	191	169	256	187·9	184		7	19	17	16	39	38	38	10
I. FEBRILE OR ZYMOTIC DISEASES,	16	29	16	23	22	10	23	22	15	41	21·7	18		.	8	2	3	3	.	2	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
III. DIETETIC "	1	.	1	.	1	2	.	1	.	.	·6	.		.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	33	35	43	37	38	33	35	45	39	57	39·5	48		.	.	6	6	13	11	7	.
V. DEVELOPMENTAL "	18	15	15	11	10	10	11	17	14	18	13·4	11		1	1	.	.	.	.	6	3
VI. LOCAL "	98	129	88	112	102	85	90	95	86	125	100·5	104		3	10	8	6	20	27	23	7
VII. VIOLENT DEATHS,	1	5	4	1	3	3	5	3	5	6	3·6	4		.	.	.	1	3	.	.	.
VIII. ILL-DEFINED CAUSES,	11	13	5	5	6	10	9	8	10	9	8·6	4		3	.	1	.	.	.	.	.
I. Zymotic Diseases—																					
Small Pox, Vaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.		.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	2	.	.	.	.	.	·2	.		.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Measles,	.	.	.	2	1	.	.	.	.	23	2·6	1		.	.	1	.	.	.	.	.
Scarlet Fever,	.	.	3	1	1	.	10	4	1	1	2·1	1		.	1	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Influenza,	2	8	.	5	3	1	1	1	.	6	2·7	.		.	.	.	.	.	.	.	.
Whooping Cough,	4	4	.	3	4	1	4	2	5	3	3·0	7		.	5	1	1	.	.	.	.
Diphtheria,	.	.	1	.	.	1	2	2	3	2	1·1	.		.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	1	.	.	.	.	1	.	.	.	.	·2	.		.	.	.	.	.	.	.	.
Enteric Fever,	4	7	4	6	4	2	2	10	6	2	4·7	1		.	.	.	.	1	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	1	.	.	·1	.		.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	6	2	2	3	3	3	1	.	3	2·4	2		.	1	.	1	.	.	.	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Venereal Affections	1	1	1	.	.	.	.	.	.	1	·4	.		.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	1	.	.	1	.	.	.	·2	2		.	1	.	.	.	.	1	.
Pyæmia, Septicæmia,	.	.	1	1	.	.	.	1	.	.	·3	2		.	.	.	.	1	.	1	.
Puerperal Fever,	.	.	.	1	.	.	.	.	.	.	·1	.		.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	3	4	1	1	1	.	.	.	.	1·3	2		.	.	.	1	1	.	.	.
II. Parasitic Diseases—																					
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
III. Dietetic Diseases—																					
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Alcoholism, Delirium Tremens.	1	.	1	.	1	2	.	1	.	.	·6	.		.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																					
Rheumatic Fever, Rheumatism of Heart	.	1	.	1	1	.	.	.	.	2	·5	1		.	.	.	1	.	.	.	.
Rheumatism,	2	1	2	.	.	.	.	.	1	1	·7	2		.	.	.	.	1	1	.	.
Gout,	.	2	1	.	.	.	.	.	1	.	·4	3		.	.	.	.	.	.	3	.
Rickets,	.	.	.	.	.	.	.	1	.	.	·1	.		.	.	.	.	.	.	.	.
Cancer,	6	3	3	3	9	5	3	11	7	3	5·3	8		.	.	.	1	.	5	2	.
Tabes Mesenterica,	5	3	2	3	2	5	5	.	4	3	3·2	3		.	.	3	.	.	.	.	.
Tubercular Meningitis,	1	2	2	2	5	1	1	5	2	6	2·7	3		.	.	2	1	.	.	.	.
Phthisis,	15	22	27	25	16	18	24	22	21	35	22·6	19		.	.	.	1	12	5	1	.
Scrofula, Tuberculosis,	2	1	5	3	4	3	2	3	.	5	2·8	3		.	.	1	2	.	.	.	.
Other Constitutional Diseases,	2	.	1	.	1	1	.	3	3	1	1·2	1		.	.	.	.	.	.	1	.
V. Developmental Diseases—																					
Premature Birth,	4	2	2	1	2	3	2	2	1	7	2·6	2		1	1	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	.	.	1	.	.	.	1	.	.	·2	.		.	.	.	.	.	.	.	.
Old Age,	9	13	13	9	8	7	9	14	13	11	10·6	9		.	.	.	.	.	.	6	3

each Disease registered in the FIFTIETH WEEK ending Saturday, 15th December, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 50th Week of the 10 years 1890-99.	In the Week ending Saturday, 15th December, 1900. Deaths of Persons of the Ages of								
	Dec. 15, 1890	Dec. 19, 1891	Dec. 17, 1892	Dec. 16, 1893	Dec. 15, 1894	Dec. 14, 1895	Dec. 12, 1896	Dec. 18, 1897	Dec. 17, 1898	Dec. 16, 1899		ALL AGES.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
												Mean Temp.	Under 1 month.	1 month and under 1 year.	1 to 5.					
Mean Temperature.	36·5	41·9	42·8	41·5	45·8	38·4	39·9	45·2	46·4	38·9	41·7	48·1								
VI. Local Diseases.																				
Apoplexy,	1	3	3	4	1	5	1	3	5	5	3·1	4	.	.	.	.	1	1	2	.
Epilepsy,	.	2	2	2	2	.	2	.	.	1	1·1	.	.	.	.	.	.	.	.	.
Convulsions,	11	16	9	5	10	5	11	7	8	7	9·2	7	1	5	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	8	9	9	4	5	9	5	7	7	2	6·5	11	.	1	.	1	6	2	1	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	21	13	11	16	28	16	14	17	12	26	17·4	12	.	.	.	.	2	7	1	2
Croup,	.	.	1	2	.	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
Bronchitis,	29	51	20	39	30	16	24	21	29	42	30·0	36	1	3	4	2	.	9	14	3
Pneumonia,	9	18	13	17	12	14	12	9	14	21	13·9	7	.	.	1	.	2	2	2	.
Pleurisy,	.	.	.	.	.	.	.	1	1	.	·2	1	.	.	.	1	.	.	.	.
Other Diseases of Respiratory System,	4	3	2	4	6	2	4	3	.	2	3·0	2	.	.	.	.	1	.	.	1
Teething,	3	1	.	3	1	1	3	2	1	.	1·5	1	.	.	1	.	.	.	.	.
Quinsy, Sore Throat,	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Peritonitis,	.	1	1	2	.	2	1	2	1	.	1·0	.	.	.	.	.	.	.	.	.
Disease of Liver,	2	1	1	1	.	3	2	6	2	3	2·1	5	.	.	.	.	3	1	1	.
Other Diseases of Digestive System,	2	3	5	9	2	1	3	3	4	9	4·1	10	.	1	1	1	4	2	.	1
Diseases of Lymphatics, &c.,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	6	3	2	3	9	6	8	2	3	4·5	3	.	.	.	.	.	1	2	.
Diseases of Generative System,	.	1	.	.	1	.	1	4	.	1	·8	2	.	.	.	.	1	1	.	.
Accidents of Childbirth,	1	1	.	1	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	1	.	.	.	2	.	.	.	·3	1	.	.	.	.	.	1	.	.
Diseases of Integumentary System,	.	.	2	.	.	1	.	.	.	1	·4	2	1	.	.	1	.	.	.	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	.	.	.	1	.	.	.		1	.	.	.	1	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	1	.	.	.	.		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	1	2	2	.	1	2	1	1	3	2	3·3	.	.	.	.	.	.	.	.	.
By Drowning,		.	.	.	.	.	.	.	1	2		2	.	.	.	.	2	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	1	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		1	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		2	2	.	2	.	2	1	1	1		1	.	.	.	.	1	.	.	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	1	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	11	18	5	5	6	10	9	8	10	9	8·6	4	3	.	1	.	.	.	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																									
	June 23.	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.
No. of weeks in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
Births registered,	198	228	181	208	186	187	245	149	256	221	228	225	177	165	239	175	152	214	183	186	168	185	168	165	268	173
Average Births in corresponding week of previous 10 years,	202	219	193	188	185	185	195	200	196	185	197	183	211	206	204	175	172	184	168	178	176	189	184	184	178	183
Deaths registered,	122	144	124	127	165	129	159	161	147	185	186	154	171	167	167	182	183	168	141	152	154	179	187	167	189	184
Annual Death-rate per 1,000,	18·2	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4
Average Deaths in corresponding week of previous 10 years,	150	156	149	148	154	162	159	160	157	162	164	170	165	162	160	151	163	159	173	181	174	181	182	190	184	188
Ages, Under 5 years,	29	33	38	32	47	35	40	57	51	79	71	54	70	73	69	88	61	56	53	44	43	40	53	55	69	43
5—20 ,,	16	18	10	8	13	7	13	9	15	12	21	15	15	7	10	12	9	18	10	10	6	14	15	8	13	16
20—40 ,,	19	32	25	25	26	18	25	31	17	38	25	25	21	18	30	22	32	28	27	23	30	25	38	27	23	39
40—60 ,,	29	33	23	24	44	33	39	34	34	35	39	26	34	33	25	29	38	34	31	39	38	38	41	35	34	38
60—80 ,,	23	27	26	23	30	30	35	26	26	20	26	22	23	32	29	27	34	26	16	27	23	50	32	37	38	38
80 years and upwards,	6	6	2	5	5	6	7	4	4	1	4	11	8	4	4	4	9	6	4	9	14	12	8	5	7	10
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	1
,, Scarlet Fever,	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1	.	1	.	.	1	1
,, Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	2	3	4	5	.	3	1	1	5	4	5	7	3	3	5	1	2	2	3	1	2	5	6	4	7
,, Diphtheria,	1	.	.	.	2	1	.		.	1	4	.	2	1	.	.	1	3	.	.	.	1	1	1	.	.
,, Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
,, Enteric Fever,	2	.	2	2	2	.	2	.	1	2	2	1	7	3	4	3	4	4	4	3	4	3	9	4	3	1
,, Diarrhœa, Dysentery,	.	1	2	1	4	4	9	19	24	25	33	20	27	24	18	28	16	9	6	5	6	3	5	1	3	2
,, Phthisis,	23	21	26	31	28	19	24	24	20	25	32	22	20	13	31	14	26	23	15	16	26	30	31	14	18	19
,, Heart Diseases,	9	9	10	9	19	17	23	12	12	18	10	14	11	16	10	13	14	12	10	9	12	21	14	17	23	12
,, Diseases of Respiratory System,	27	29	15	20	23	23	14	15	13	14	6	19	18	15	14	23	29	33	29	36	23	36	36	45	36	46
Violent Deaths,	1	5	6	6	5	4	4	5	4	9	2	5	5	5	3	7	5	2	3	7	6	7	3	2	5	4
Mean Temperature of the Air (Phœnix Park),	55·8	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1
Average Mean Temperature in corresponding week of previous 10 years,	56·9	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7
Rainfall in inches,	2·005	·650	·280	·800	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·360	1·010	1·525	·830	·555	2·145	·715	·235
Mean Humidity of the Air, complete Saturation 1·0,	·88	·84	·81	·76	·82	·83	·81	·86	·85	·90	·88	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89	·85	·88	·89	·89	·82

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th December, 1900: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 15th December, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	27·4	184	43	16	39	38	38	10	.	1	1	.	7	.	.	1	2	12	19	7	46	4	96
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	40·1	12	2	.	.	3	3	4	.	.	.	.	.	.	.	.	.	.	.	1	3	.	8
II.	MIDDLE CLASS,	81,469	16·0	25	2	2	10	5	4	2	.	.	.	.	.	.	.	1	1	2	4	.	7	.	12
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	27·7	53	13	5	6	17	11	1	.	1	1	.	2	.	.	.	.	4	5	2	13	.	29
IV.	GENERAL SERVICE CLASS,	147,978	31·8	72	23	9	19	6	12	3	.	.	.	.	5	.	.	.	1	6	7	3	18	4	34
V.	INMATES OF WORKHOUSES,	5,191		22	3	.	4	7	8	.	.	.	.	.	.	.	.	.	.	.	3	1	5	.	13
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	45·6	7	2	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	1	2	.	4
	2. Merchants and Manufacturers, Higher Class,	1,857	26·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,733	36·3	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	35·4	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	14·0	7	1	.	3	1	1	1	.	.	.	.	.	.	.	1	1	2	1	.	1	.	3
	6. Clerks and Commercial Assistants,	25,001	6·2	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	23·3	11	1	2	5	.	2	1	.	.	.	.	.	.	.	.	.	.	2	.	5	.	4
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	43·0	6	2	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	3
	9. Building and Furnishing Trades,	26,294	27·7	14	3	2	.	7	2	.	.	.	1	.	.	.	.	.	.	1	.	1	3	.	9
	10. Clothing Trades,	28,927	17·4	8	1	1	1	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	3	.	4
	11. Food Supply Trades,	7,949	45·8	7	4	.	1	2	.	.	.	1	.	.	2	.	.	.	.	3	.	.	1	.	3
	12. Other Trades and Callings ranking with Trades,	26,937	29·0	15	3	2	2	3	5	.	.	.	.	.	.	.	.	.	.	.	3	.	4	.	8
	13. Petty Shopkeepers,	6,839	22·8	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	29·7	6	2	3	1	.	.	.	.	.	.	.	2	.	.	.	.	2	1	1	1	.	1
	15. Domestic Servants,	39,967	15·6	12	1	.	2	2	4	3	.	.	.	.	.	.	.	.	.	.	1	.	4	.	7
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	24·0	5	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3
	17. Hawkers, Porters, Labourers, &c.,	88,472	30·6	49	18	6	13	4	8	.	.	.	.	.	3	.	.	.	1	4	5	2	11	4	23
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	22	3	.	4	7	8	.	.	.	.	.	.	.	.	.	.	.	3	1	5	.	13

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin. DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
North City, No. 1 (E.)	Oct. 27,	30·7	1·9	16	.	.	.	.	1	.	.	.	.	3	3	.
	Nov. 3,	19·2	3·8	10	.	.	.	.	1	.	.	.	1	1	5	1
	„ 10,	21·1	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	„ 17,	36·5	3·8	19	.	.	.	.	1	.	.	.	1	4	6	1
(*Office, Clarence-street, Nth.*)	„ 24,	49·9	11·5	26	.	.	.	.	2	.	.	2	2	7	3	.
	Dec. 1,	25·0	.	13	.	.	.	.	.	.	.	.	.	2	5	.
	„ 8,	26·9	1·9	14	.	.	1	.	.	.	.	.	.	4	1	.
Pop. (in 1891) 27,147.	„ 15,	19·2	.	10	.	.	.	.	.	.	.	.	.	2	1	.
North City, No. 1 (W.)	Oct. 27,	23·9	3·0	16	.	.	.	.	.	.	.	1	1	1	4	.
	Nov. 3,	23·9	.	16	.	.	.	.	.	.	.	.	.	4	3	1
	„ 10,	23·9	1·5	16	.	.	.	.	.	.	.	.	1	2	.	3
	„ 17,	25·4	3·0	17	.	.	.	.	.	.	.	1	1	2	5	2
(*Office, Summer-hill.*)	„ 24,	28·4	.	19	.	.	.	.	.	.	.	.	.	3	4	1
	Dec. 1,	18·0	4·5	12	.	.	.	.	3	.	.	.	.	1	2	1
	„ 8,	23·9	1·5	16	.	.	.	.	.	.	.	.	1	1	3	1
Pop. (in 1891) 34,836.	„ 15,	26·9	7·5	18	.	.	.	.	4	.	.	.	1	2	3	.
North City, No. 2.	Oct. 27,	23·5	1·8	13	.	.	.	.	1	.	.	.	.	2	3	.
	Nov. 3,	32·5	7·2	18	.	.	.	.	1	.	.	.	3	.	3	.
	„ 10,	36·1	5·4	20	.	.	.	.	.	.	.	3	.	6	2	.
	„ 17,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	2	2	3
(*Office, Lisburn-street.*)	„ 24,	36·1	1·8	20	.	.	.	.	.	1	.	.	.	2	5	.
	Dec. 1,	28·9	.	16	.	.	.	.	.	.	.	.	.	3	3	.
	„ 8,	41·5	7·2	23	.	.	.	.	3	.	.	1	.	2	2	1
Pop. (in 1891) 28,871.	„ 15,	37·9	.	21	.	.	.	.	.	.	.	.	.	2	3	.
North City, No. 3.	Oct. 27,	20·0	2·0	10	.	.	.	.	.	.	.	1	.	.	.	.
	Nov. 3,	26·0	2·0	13	.	.	.	.	.	.	.	1	.	1	2	.
	„ 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 17,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	1	2	.
(*Office, Blackhall-place.*)	„ 24,	22·0	6·0	11	.	.	.	.	1	.	.	1	1	2	3	.
	Dec. 1,	32·0	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	„ 8,	30·0	2·0	15	.	.	.	.	.	.	.	.	1	1	3	.
Pop. (in 1891) 26,055.	„ 15,	22·0	4·0	11	.	1	1	.	.	.	.	.	.	1	1	.
South City, No. 1.	Oct. 27,	17·3	3·1	11	.	.	.	.	.	.	.	2	.	2	3	.
	Nov 3,	25·1	1·6	16	.	1	.	.	.	.	.	.	.	4	4	.
	„ 10,	25·1	1·6	16	.	.	.	.	.	.	.	.	1	2	3	2
	„ 17,	25·1	.	16	.	.	.	.	.	.	.	.	.	3	6	.
(*Office, South Earl-street.*)	„ 24,	40·8	3·1	26	.	.	.	.	1	.	.	.	1	5	5	.
	Dec. 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	„ 8,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	7	1
Pop. (in 1891) 33,194.	„ 15,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	3	1
South City, No. 2.	Oct. 27.	8·4	.	3	.	.	.	.	.	.	.	.	.	1	.	.
	Nov. 3,	39·4	2·8	14	.	.	.	.	.	.	.	1	.	1	5	1
	„ 10,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	5	.
	„ 17,	25·3	.	9	.	.	.	.	.	.	.	.	.	2	2	.
(*Office, Castle-street.*)	„ 24,	19·7	2·8	7	.	.	.	.	.	.	.	1	.	.	3	.
	Dec. 1,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	.	7	.
	„ 8,	30·9	.	11	.	.	.	.	.	.	.	.	.	.	3	.
Pop. (in 1891) 18,547.	„ 15,	45·0	5·6	16	.	.	.	.	2	.	.	.	.	2	6	.
South City, No. 3.	Oct. 27,	18·0	1·3	14	.	.	.	.	.	.	.	.	1	3	5	.
	Nov. 3,	27·0	2·6	21	.	.	1	.	1	.	.	.	.	1	6	3
	„ 10,	20·6	1·3	16	.	.	.	.	.	.	.	.	1	4	3	.
	„ 17,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	3	3	.
(*Office, Peter-street.*)	„ 24.	24·4	.	19	.	.	.	.	.	.	.	.	.	3	6	.
	Dec. 1,	30·9	2·6	24	.	.	.	.	1	.	.	1	.	1	4	.
	„ 8,	33·4	2·6	26	.	.	.	.	.	.	.	2	.	3	7	1
Pop. (in 1891) 40,558.	„ 15,	29·6	1·3	23	.	.	.	.	.	.	.	1	.	2	9	.
South City, No. 4.	Oct. 27,	21·9	2·9	15	.	.	.	.	.	.	.	.	2	1	2	.
	Nov. 3,	13·1	.	9	.	.	.	.	.	.	.	.	.	3	4	.
	„ 10,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	3	1
	„ 17,	18·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
(*Office, Grand Canal-street.*)	„ 24,	28·3	2·9	16	.	.	.	.	.	.	.	2	.	2	3	.
	Dec. 1,	28·3	2·9	16	.	.	.	.	.	.	.	1	1	1	6	1
	„ 8,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
Pop. (in 1891) 15 798.	„ 15,	29·1	2·9	20	.	.	.	.	1	.	.	.	1	.	5	1

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Oct. 27,	7·5	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 3,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 10,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	2	1	.
	„ 17,	31·9	.	17	.	.	.	.	.	.	.	.	.	3	1	.
	„ 24,	9·4	3·8	5	.	.	.	.	1	.	.	1	.	.	.	1
	Dec. 1,	24·4	5·6	13	.	.	.	.	1	1	.	1	.	.	1	.
	„ 8,	24·4	.	13	.	.	.	.	.	.	.	.	.	1	4	.
	„ 15,	22·5	.	12	.	.	.	.	.	.	.	.	.	1	3	.
Donnybrook. Pop. (in 1891) 24,629.	Oct. 27,	14·8	.	7	.	.	.	.	.	.	.	.	.	.	3	1
	Nov. 3,	10·6	2·1	5	.	.	.	.	.	.	.	1	.	.	1	.
	„ 10,	19·1	2·1	9	.	.	.	.	.	.	.	.	1	1	.	.
	„ 17,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
	„ 24,	14·8	.	7	.	.	.	.	.	.	.	.	.	2	2	1
	Dec. 1,	12·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 8,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 15,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	2	.
Kingstown. Pop. (in 1891) 17,386.	Oct. 27,	33·0	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	Nov. 3,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 10,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	.	.
	„ 17,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 1,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	3	.
	„ 8,	27·0	.	9	.	.	.	.	.	.	.	.	.	2	.	.
	„ 15,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1
Belfast. Pop. in 1900 (Est.) 359,000.	Oct. 27,	19·0	2·2	131	.	2	1	.	.	2	.	7	3	19	24	1
	Nov. 3,	19·2	2·6	132	.	2	.	.	2	2	.	7	5	23	26	8
	„ 10,	18·3	1·3	126	.	.	.	.	1	2	1	3	2	13	28	1
	„ 17,	17·7	0·9	122	.	.	.	.	1	.	.	4	1	11	33	5
	„ 24,	21·5	1·7	148	.	2	1	.	3	2	1	2	1	15	43	5
	Dec. 1,	20·8	0·6	143	.	.	.	.	1	.	.	1	2	21	46	5
	„ 8,	22·1	1·6	152	.	4	.	.	1	2	.	3	1	17	53	5
	„ 15,	18·7	1·3	129	.	.	.	.	1	1	.	5	2	13	43	3
Cork. Pop. (in 189) 75,845.	Oct. 27,	20·1	4·2	29	.	.	3	.	.	1	.	.	2	5	2	.
	Nov. 3,	16·6	2·1	24	.	.	.	.	.	.	.	.	3	5	5	.
	„ 10,	20·1	2·1	29	.	.	1	.	.	.	.	.	2	4	5	1
	„ 17,	22·8	2·1	33	.	.	2	.	.	.	.	.	1	8	6	.
	„ 24,	15·9	.	23	.	.	.	.	.	.	.	.	.	6	1	.
	Dec. 1,	22·8	3·5	33	.	.	4	.	.	.	.	.	1	6	5	.
	„ 8,	19·4	2·8	28	.	.	2	.	.	.	.	.	2	1	3	.
	„ 15,	15·9	1·4	23	.	.	1	1	.	.	.	.	.	2	5	.
Limerick. Pop. (in 1891) 37,155.	Oct. 27,	19·6	1·4	14	.	.	.	.	.	.	.	.	1	1	2	.
	Nov. 3,	11·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 10,	15·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 17,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
	„ 24,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	4	.
	Dec. 1,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	3	1
	„ 8,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	„ 15,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	3	.
Londonderry. Pop. (in 1891) 33,200.	Oct. 27,	29·8	3·1	19	.	1	.	.	.	.	.	.	1	3	7	.
	Nov. 3,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	.	3	.
	„ 10,	28·3	3·1	18	.	.	.	.	2	.	.	.	.	1	3	.
	„ 17,	11·0	3·1	7	.	.	.	.	1	1	.	.	.	1	1	.
	„ 24,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	1
	Dec. 1,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	5	4	.
	„ 8,	14·1	3·1	9	.	.	.	.	2	.	.	.	.	1	.	1
	„ 15,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	1
Waterford. Pop. (in 1891) 26,200.	Oct. 27,	25·9	4·0	13	.	.	.	.	.	.	.	.	2	1	1	2
	Nov. 3,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	1	1
	„ 10,	21·9	2·0	11	.	.	.	.	.	.	.	.	1	2	1	.
	„ 17,	19·9	.	10	.	.	.	.	.	.	.	.	.	5	.	.
	„ 24,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	1	.
	Dec. 1,	15·9	4·0	8	.	.	.	.	.	.	.	.	2	3	1	.
	„ 8,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	„ 15,	25·9	2·0	13	.	.	.	.	.	.	.	.	1	3	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 15th December, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	17,122	6	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		6	1	1	3	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1
" 2 "	37,589	22			15	6	.	7	2	.	.	.	.	.	1	.	2	.	1	4	1	3	2
" 3 "	38,843	19			17	2	4	8	3	.	.	.	.	.	.	.	1	2	1	6	.	1	2
" 4 "	33,391	33			29	13	2	8	5	.	.	.	.	.	.	.	.	.	2	12	.	.	6
" 5 "	21,284	4			6	1	.	1	4	.	.	.	.	.	.	.	.	.	.	2	.	.	2
" 6 "	43,431	30			15	1	.	10	4	.	.	.	.	.	.	.	1	.	4	2	1	1	4
" 7 "	1,112	.			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 8 "	4,904	3			2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 9 "	12,866	18			10	2	.	8	.	.	.	.	.	.	.	.	.	.	2	6	1	1	2
" 10 "	12,256	19			8	2	2	4	.	.	.	.	.	.	.	.	.	.	2	4	.	.	.
" 11 "	19,881	26			6	3	.	2	1	.	.	.	.	1	.	.	.	.	.	1	.	1	.
" 12 "	23,282	25			12	6	2	3	1	.	.	.	.	.	.	.	1	.	1	3	.	1	3
" 13 "	6,804	9			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 14 "	62	.			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	278,079	208			129	40	13	55	21	.	.	.	.	1	1	.	5	2	13	43	3	9	23
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	4	17·5	.	4	.	1	1	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1
" 2 "	9,252	4	33·8	5·6	6	.	.	3	3	.	.	.	1	.	.	.	.	.	.	1	.	1	2
" 3 "	9,816	4	15·9	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1
" 4 "	10,856	4	15·1	5·0	3	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
" 5 "	8,187	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 6 "	3,823	16	5·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	10	18·4	.	6	2	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Total,	75,845	43	15·9	1·4	23	4	2	11	6	.	.	1	1	.	.	.	.	.	2	5	.	2	7

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.
No. of week in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered,	213	204	236	155	263	220	241	222	171	206	193	221	224	185	219	215	233	208	181	184	232	205	202	193	179	208
DEATHS registered,	130	136	126	108	136	133	155	126	149	124	133	136	131	124	111	130	133	112	131	132	126	122	148	143	152	129
Annual Death-rate per 1,000 of estimated Population,	18·9	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7
AGES, Under 1 year,	26	28	26	22	34	39	56	39	52	40	44	45	44	34	30	33	32	31	28	22	36	22	30	30	32	40
AGES, 1–5 years,	15	15	14	18	15	15	20	9	17	7	18	15	11	17	8	22	15	18	12	17	11	14	24	16	25	18
AGES, 5–60 years,	61	76	67	55	65	61	58	58	65	56	49	54	56	56	53	46	67	50	67	65	57	61	62	62	74	55
AGES, 60 years and upwards,	28	17	19	18	22	18	21	20	15	21	22	22	20	17	20	29	19	13	24	28	22	25	32	35	21	21
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	2	.	.	1	.	1	1	.	.	.	.	.	.	1	1	.	.	2	2	.	.	2	.	4	.
" Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	2	1	.	.	.	1	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	2	1	2	3	.	.	.	3	2	.	2	1	2	1	.	1	.	.	2	1	1	3	1	1	1
" Diphtheria,	.	1	.	1	.	.	1	.	2	.	.	.	2	2	1	2	2	.	2	2	2	.	2	.	2	1
" Simple continued and Ill-defined Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
" Enteric Fever,	6	2	6	7	1	6	5	8	8	7	10	6	8	3	5	9	4	4	7	7	3	4	2	1	3	5
" Diarrhœa, Dysentery,	4	4	2	1	8	11	19	7	16	15	16	19	11	10	10	11	6	6	3	5	2	1	1	2	1	2
" Phthisis,	20	32	20	20	20	22	30	27	16	16	13	14	16	10	16	19	21	15	19	23	12	11	15	21	17	13
" Diseases of Respiratory System,	18	17	24	10	22	14	13	13	12	10	9	12	15	17	17	19	20	16	24	26	28	32	43	46	53	43
Violent Deaths,	7	3	3	3	3	3	5	2	3	3	3	4	1	2	3	1	.	.	1	8	1	5	5	5	5	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th December, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	2	.	.	2
" " 1, West,	.	3	1	2	.	.	.	.	2	10	2	1	21
" " 2,	.	1	1	.	.	.	.	.	.	1	.	.	3
" " 3,	.	1	5	.	.	.	.	.	.	2	.	.	8
South City No. 1,	.	4	.	.	.	.	.	.	1	8	.	.	13
" " 2,	.	2	.	.	.	.	.	.	.	3	.	.	5
" " 3,	.	15	1	1	.	.	.	.	1	3	.	.	21
" " 4,	.	1	1	3	.	.	1	.	1	.	1	.	8
Total,	.	27	9	6	.	.	1	.	5	29	3	1	81
Total for week ended Dec. 8, 1900,	.	21	13	16	1	.	1	1	3	17	10	.	83
Total for week ended Nov. 1, 1900,	.	33	7	14	.	.	4	.	1	19	9	.	87
Total for week ended Nov. 24. 1900,	.	40	3	11	.	.	.	.	2	19	15	.	90

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th December, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th December.			
	Nov. 24.	Dec. 1.	Dec. 8.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	55	54	66	20	17	.	69
Scarlet Fever,	90	89	89	14	21	1	81*
Typhus "	3	1	2	.	1	.	1
Diphtheria,	11	13	11	7	4	.	14
Enteric Fever,	72	64	70	15	12	.	73
Pneumonia,	21	20	22	1	8	.	15

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Dec. 15,	2,527	1,454	16·5	.	20	8	20	28	19	15
EDINBURGH,	302,262	„ 15,	127	105	18·1	.	3	2	.	1	.	.
GLASGOW,	743,969	„ 15,	403	282	19·7	3	4	4	1	27	4	4
CALCUTTA,	466,160	Oct. 13,	.	362	40·4	6	.	.	.	.	122‡	67*
BOMBAY,	821,764	Nov. 20,	256	763	47·0	.	1	?	?	?	94§	85*
MADRAS,	452,518	„ 9,	444	468	53·7	1	.	?	?	?	129	89*
PARIS,	2,511,629	Dec. 8,	1,110	898	.	14	2	4	10†	2	11	30
BRUSSELS (with 8 Faubourgs).	570,844	„ 1,	248	166	15·1	.	.	.	3	3	12	10
AMSTERDAM,	517,032	Nov. 24,	271	163	16·4	.	11	.	1	6	.	.
ROTTERDAM,	329,204	„ 24,	235	87	13·6	.	1	1	1	1	.	.
THE HAGUE,	205,328	„ 24,	115	53	14·5	.	1	.	2	.	.	.
COPENHAGEN,	351,000	Dec. 8,	133	112	16·5	.	2	.	.	.	3	3
CHRISTIANIA,	226,423	„ 8,	198	50	11·0	.	.	.	.	.	.	5
ST. PETERSBURG,	1,132 677	„ 1,	843	592	27·2	.	8	17	22	4	25	48
BERLIN,	1,863,128	Nov. 24,	874	562	15·7	.	13	12	10	7	2	39
HAMBURG,	691,349	Dec. 8,	.	205	15·4	.	.	3	4†	.	.	8
DRESDEN,	407,500	Nov. 3,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU,	412,959	Dec. 8,	.	167	21·3	.	.	1	1	6	.	10
MUNICH,	463,000	Aug. 18,	422	244	27·4	.	1	1	.	1	1	101
VIENNA (with suburbs).	1,656,662	Nov. 24,	775	608	18·9	.	17	2	10†	1	.	52
BUDA-PESTH,	685,340	„ 24,	486	262	19·9	.	.	6	2	2	4	12
PRAGUE and Faubourgs.	393,091	Dec. 1,	191	126	16·7	.	1	.	3	.	3	2
ROME,	518,333	Nov. 3,	218	139	13·9	.	.	.	1	.	8	15
TURIN (10 days),	344,203	Sept. 30,	208	134	14·2	.	.	.	2†	.	1	10
VENICE,	174,170	Dec. 1,	59	48	13·5	.	.	.	.	.	1	1
NEW YORK,	3,444,675	Nov. 10,	1,320	1,088	16·5	.	.	4	27	7	33	29
PHILADELPHIA,	1,293,697	„ 24,	.	426	17·1	.	.	1	15	.	5	.

* Including 20 deaths from cholera in Calcutta, 3 in Bombay, and 8 in Madras. † Including deaths from croup. ‡ Exclusive of 13 deaths from bubonic fever. § Exclusive of 62 deaths from bubonic fever.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 15th December, 1900:—

"Southwesterly weather—open, squally or stormy, and showery—was again in the ascendant. In Dublin the rainfall was moderate, but the wind was very high at times, attaining gale-force on Monday, Tuesday, and Thursday. Throughout the week the barometer stood continuously high over Central Europe, but large and deep depressions coursed northeastwards along the Atlantic coasts of the British Isles and Scandinavia in rapid succession, hence the 'brave' S.W. winds, high temperature, and showers of the period. On Sunday morning the thermometer was found to have risen 36° (from − 11° to + 27°) in the previous 24 hours at Haparanda on the Gulf of Bothnia, and 39° (from + 2° to + 41°) at Karlsbad in Sweden. Within the area of high barometer over France and Southern Germany frost held until Friday. The atmospheric pressure gradients were often steep—for example, at 8 a.m. of Sunday the barometer ranged from 28·99 inches at Bodo, in Norway, to 30·41 inches at Lyons. All through the week a great S.W. or equatorial current swept over the N.W. of Europe, raising the mean temperature far above the average for the time of year. In Dublin the mean height of the barometer was 29·996 inches, pressure ranging between 30·275 inches at 9 p.m. of Saturday (wind, W.) and 29·703 inches at 9 p.m. of Tuesday (wind also S.W.). The corrected mean temperature was 49·9°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 49·1°. The screened thermometers fell to 40·8° on Monday, and rose to 57·0° on Wednesday. Rain fell on three days to the amount of ·132 inch, ·068 inch being measured on Friday. Bright sunshine was estimated at 20½ hours. S.W. and W. winds again prevailed."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·000 inches. The highest reading (30·286) was on Saturday at 9 p.m., wind S.W., and the lowest (29·694) on Tuesday at 9 p.m., wind S.W.

The mean temperature for the week was 48·1°, being 6·4° above the average for the corresponding week of the ten years 1890–99. The temperature was highest on Wednesday, when the thermometer registered 55·8°, and was lowest on Monday, the mercury having fallen to 39·1°. The mean of the Dry Bulb for the week was 48·0°, and of the Wet Bulb 45·5°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 14·7 hours. The rainfall measured ·235 in.

At Greenwich the mean temperature for the week was 48·4°, the maximum 55·8°, and the minimum 38·0°; at Glasgow the maximum was 56·5°, the minimum 42·0°, and the mean 48·8°; and at Edinburgh the maximum was 55·0°, the minimum 40·3°, and the mean 47·9°. The rainfall at Greenwich measured 0·21 in.; at Glasgow 1·40 ins.; and at Edinburgh 0·83 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 9,	30·059	50·1	41·1	45·6	44·5	42·3	·84	·7	2·1	—	S.W.	S.W.
Monday, „ 10,	30·156	48·9	39·1	44·0	45·5	42·3	·77	·3	1·0	—	S.W.	S.W.
Tuesday, „ 11,	29·779	54·8	46·9	50·9	53·2	50·8	·83	·5	0·0	·005	S.W.	S.W.
Wednesday, „ 12,	29·879	55·8	50·6	53·2	51·7	49·0	·82	·7	1·8	·050	S.W.	S.W.
Thursday, „ 13,	29·980	52·4	42·1	47·3	43·8	41·5	·83	·6	4·4	·015	S.W.	S.W.
Friday, „ 14,	30·026	53·5	42·1	47·8	51·5	48·8	·82	·7	0·1	·165	S.W.	S.W.
Saturday, „ 15,	30·119	52·8	42·9	47·9	45·8	43·5	·84	·6	5·3	—	S.W.	S.W.
Mean,	30·000	52·6	43·5	48·1	48·0	45·5	·82	·6	Total 14·7	Total ·235	Prevailing Wind S.W.	

Sunday—A cloudy day; night cloudy. *Monday*—A cloudy day; night cloudy. *Tuesday*—A cloudy day; light showers; night cloudy. *Wednesday*—A cloudy day; night cloudy: rain 2.15 to 3.15 a.m. *Thursday*—A cloudy day; showery p.m.: night cloudy. *Friday*—A cloudy day; rain 6 p.m. to 1.30 a.m. and 6.45 to 7.15 p.m.; night cloudy. *Saturday*—A fine but cloudy day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 359. 9. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS IN DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW.
Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 22ND DECEMBER, 1900. [No. 51.

General Register Office, Charlemont House,
Dublin, 24th December, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 20·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Dec. 1.	Week ending Dec. 8.	Week ending Dec. 15.	Week ending Dec. 22.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 1.	Week ending Dec. 8.	Week ending Dec. 15.	Week ending Dec. 22.	Average Rate for 4 weeks
23 Town Dists.	**21·7**	**22·5**	**21·0**	**20·5**	**21·4**	Limerick, . .	18·2	14·0	15·4	19·6	16·8
Armagh, .	14·3	21·4	21·4	0·0	14·3	Lisburn, . .	25·7	25·7	4·3	25·7	20·4
Ballymena, .	11·3	11·3	22·5	11·3	14·1	Londonderry, .	26·7	14·1	18·8	18·8	19·6
Belfast, . .	20·8	22·1	18·7	19·3	20·2	Lurgan, . .	9·1	27·4	18·2	18·2	18·2
Carrickfergus, .	29·2	17·5	17·5	0·0	16·1	Newry, . .	8·1	4·0	8·1	4·0	6·1
Clonmel, . .	14·6	19·5	48·7	9·7	23·1	Newtownards, .	17·0	11·3	11·3	17·0	14·2
Cork, . .	22·8	19·4	15·9	18·0	19·0	Portadown, .	18·6	24·7	6·2	18·6	17·0
Drogheda, . .	19·0	7·6	26·6	15·2	17·1	Queenstown, .	5·7	34·4	28·7	11·5	20·1
Dublin, Reg. Area,	24·5	27·4	25·8	25·7	25·8	Sligo, . . .	40·6	10·2	10·2	25·4	21·6
Dundalk, . .	16·8	12·6	25·1	4·2	14·7	Tralee, . .	11·2	28·0	11·2	33·6	21·0
Galway, . .	26·4	45·3	26·4	18·9	29·2	Waterford, .	15·9	6·0	25·9	17·9	16·4
Kilkenny, . .	18·9	23·6	18·9	18·9	20·1	Wexford, .	22·6	31·6	18·1	13·5	21·4

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in eighteen of the districts to 4·0 in Newry. Among the 133 deaths from all causes registered in Belfast are 2 from measles, one from whooping-cough, 5 from enteric fever, and one from diarrhœa; and the 26 deaths in Cork include 2 from scarlatina.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 196—97 boys and 99 girls; and the deaths to 175—87 males and 88 females.

DEATHS.

The deaths, which are 15 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 26·1 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 25·7 per 1,000. During the fifty-one weeks ending with Saturday last the death-rate averaged 28·8, and was 1·7 over the mean rate for the corresponding portions of the ten years 1890–99.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.
† See Note (*), Table I.

There were 19 deaths from zymotic diseases registered during the week, 18 being registered during the preceding week, the average for the corresponding week of the last 10 years being 25. They include 6 from whooping-cough, 4 from diarrhœa, 3 from enteric fever, and one death each from scarlatina, influenza, diphtheria, simple continued fever, and septicæmia.

Thirty-seven deaths were caused by tubercular disease, namely, 26 from pulmonary tuberculosis, 3 from tabes mesenterica, 2 from tubercular meningitis, and 6 from other forms of tuberculosis.

Thirty-five deaths were caused by diseases of the respiratory organs, 46 deaths being registered in the preceding week from these causes, and the average for the corresponding period of the past ten years being 45. Bronchitis caused 27 deaths, pneumonia caused 6 deaths, and other diseases of the respiratory organs caused 2 deaths.

Cancer caused 10 deaths. Nine deaths were due to diseases of the brain and nervous system, exclusive of 11 deaths from convulsions in children under 5 years of age (of which 2 were under one month and 7 over one month but under 1 year), 3 deaths from apoplexy, and one from epilepsy. Diseases of the circulatory system caused 16 deaths, and diseases of the digestive system caused 9 deaths.

Four accidental deaths and 2 deaths from homicide were registered.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 6 infants under one year old.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 6 were under one month old) and 42 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 4 were octogenarians, and two (women) were stated to have been aged 91 and 92 years respectively.

Fifty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 25·7 per 1,000: the rate in the City was 29·2 (31·7 on the North side, and 26·3 on the South), and in the Suburbs 17·4.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 2·1 (2·7 in the North City Districts, and 1·6 in the South), and for the Suburbs 3·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (5) are equal to an annual rate of 9·6 per 1,000. Two deaths were caused by pulmonary tuberculosis.

No. 1 North City District, West (Summer-hill).—The deaths (24) are equal to an annual rate of 35·9 per 1,000. Two deaths were caused by whooping-cough, 4 deaths were caused by pulmonary tuberculosis, and 6 deaths were due to diseases of the organs of respiration.

No. 2 North City District (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 41·5 per 1,000. One death was caused by whooping-cough, 4 deaths were caused by pulmonary tuberculosis, and 7 deaths were due to diseases of the respiratory system.

No. 3 North City District (Blackhall-place).—The deaths (19) represent an annual rate of 38·0 per 1,000. Scarlatina, whooping-cough, enteric fever, and influenza each caused one death, pulmonary tuberculosis caused 2 deaths, and 4 deaths were due to diseases of the respiratory system.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 26·7 per 1,000. One death was caused by whooping-cough, 2 deaths were caused by pulmonary tuberculosis, and 3 deaths were due respectively to diseases of the respiratory and circulatory systems.

No. 2 South City District (Castle-street).—The deaths (17) are equal to an annual rate of 47·8 per 1,000. Pulmonary tuberculosis caused 1 death, and 6 deaths were caused by diseases of the respiratory system, 3 deaths being due to diseases of the circulatory system.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 21·9 per 1,000. Diarrhœa caused 1 death, pulmonary tuberculosis caused 3 deaths, and diseases of the organs of respiration caused 3 deaths.

No. 4 South City District (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 21·9 per 1,000. Whooping-cough and diarrhœa each caused one death, pulmonary tuberculosis caused 2 deaths, diseases of the respiratory and circulatory systems caused each two deaths, and diseases of the brain and nervous system caused 3 deaths.

Suburban Districts.—The annual death-rate represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, 12·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, 4·9; Finglas and Glasnevin, part of, 35·9; Palmerston, part of, and Crumlin, part of, 28·7; Rathmines, 24·4; Donnybrook, 12·7; Blackrock, 12·4; and Kingstown, 15·0. The deaths from zymotic diseases tabulated for these districts include 1 from cerebro-spinal meningitis, and 1 from diarrhœa from Finglas and Glasnevin, part of, 1 each from enteric fever and diarrhœa in Rathmines; 1 each from enteric fever and diphtheria in Donnybrook, and 1 from simple continued fever in Blackrock. The 13 deaths from all causes tabulated for Rathmines include 2 each from diseases of the "brain and nervous system" and diseases of the digestive system. The 6 deaths from Donnybrook include 1 from pulmonary tuberculosis and 2 from diseases of the brain and nervous system, and 2 of the 5 deaths occurring in Kingstown were due to pulmonary tuberculosis.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	1st December,	87 cases.
" "	8th December,	83 cases.
" "	15th December,	81 cases.
" "	22nd December,	119 cases

Of the 119 cases notified, 18 were erysipelas, 36 enteric fever, 12 scarlatina, 32 measles, 3 continued fever, 9 German measles, 5 typhus, and 4 diphtheria.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	1st December,	11 cases.
" "	8th December,	8 cases.
" "	15th December,	6 cases.
" "	22nd December,	11 cases.

Of the 11 cases notified, 2 were scarlatina, 4 diphtheria, one continued fever, 3 enteric fever, and one erysipelas.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	8th December,	2 cases.
" "	15th December,	5 cases.
" "	22nd December,	3 cases.

Of 3 cases notified, one was erysipelas, one measles, and one was whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows :—

Week ending	1st December,	63 cases.
" "	8th December,	73 cases.
" "	15th December,	73 cases.
" "	22nd December,	47 cases.

Of the 47 cases notified, 9 were scarlet fever, one diphtheria, 10 continued fever, 15 typhoid fever, 5 erysipelas, 5 membranous croup, and 2 puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd December, 1900.

From this it appears that :—

Fifteen cases of enteric fever were admitted to hospital, 16 were discharged, and 72 cases remained under treatment at the close of the week. No death occurred.

Six cases of diphtheria were admitted to hospital, 6 cases were discharged, 14 cases remained under treatment, and no death occurred.

Five cases of typhus fever were admitted to hospital, 6 cases were under treatment at the close of the week, and no death occurred.

Nine cases of scarlatina were admitted to hospital, 22 cases were discharged, and 68* cases remained under treatment at the close of the week.

Seven cases of measles were admitted to hospital, 30 cases were discharged, one case died, and 45 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 15·9), was equal to an average annual death-rate of 16·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·2 per 1,000, the rate for Glasgow being 19·2, and for Edinburgh 16·5.

* See Note (*) at foot of Table X

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 22nd December, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 22nd December, 1900. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 22nd Dec., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th Dec., 1900. Air Temperature. Absolute High-est.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th Dec., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	1,062,188	12·2	26·2	20·5	1·5	533	417	82	109	.	3	3	.	8	1	1	8	6	56	98	9	13	106	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area: —																																			
Total,‡	849,594	14·2	28·3	25·7	2·4	190	172	32	41	.	.	1	.	6	1	1	3	4	26	35	6	8	56	57·8	28·9	–	0·27	§55·8	39·1	48·1	0·24	§56·3	27·1	45·8	0·72
City	245,001	65·6	32·1	29·2	2·1	151	187	27	31	.	.	1	.	6	.	.	1	2	20	32	5	8	50	59·8	34·7	47·1	0·21	57·0	40·8	49·9	0·18	58·0	33·4	48·1	0·51
Registrars' Districts. Clontarf &c. No. 1,	4,188	1·5	.	12·6	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·6	9·7	4·9	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	36·9	36·9	12·3	3	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	58·2	28·0	44·7	0·23	56·6	38·8	48·5	0·18	60·8	29·8	47·0	0·74
Palmerston, part of and Crumlin part of (b),	7,273	8·0	28·7	28·7	.	4	4	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	27,796	16·2	22·5	24·4	3·8	12	13	1	6	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	24,629	12·4	29·6	12·7	4·2	14	6	1	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	8,401	7·8	18·6	12·4	6·2	3	2	.	2	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	3·0	15·0	.	1	5	1	2	.	.	.	.	.	.	.	.	.	2	1	1	.	1	59	31	45·6	0·21	59	43	50·4	0·03	58	36	48·9	0·52
Urban Districts																																			
Belfast,	359,000	21·8	28·3	19·3	1·3	195	133	35	32	.	2	.	.	1	.	.	5	1	17	41	3	9	24	57·0	33·0	45·3	0·56	57·0	36·0	47·8	0·30	55·0	37·0	44·4	0·78
Cork,	75,845	33·3	23·5	18·0	1·4	34	26	3	4	.	.	2	.	.	.	.	.	.	3	7	.	1	9	58	38	46·6	1·86	53	41	49·4	0·50	55	42	49·4	1·39
Limerick,	37,155	17·9	18·2	19·6	.	13	14	2	3	.	.	.	.	.	.	.	.	.	2	2	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Londonderry,	33,200	15·3	20·4	18·8	3·1	13	12	1	4	.	1	.	.	1	.	.	.	.	.	3	.	.	4	56·0	32·0	43·8	1·02	56·0	40·0	46·8	1·30	56·0	35·0	44·5	1·30
Waterford	26,203	18·3	9·9	17·9	.	5	9	2	3	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,800	2·6	11·3	18·9	.	3	5	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	57	35	46	1·17	56	40	49	1·21	56	40	48	1·98
Drogheda	18,708	8·7	3·8	15·2	.	1	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,961	18·5	12·1	4·0	4·0	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	57·2	34·9	44·0	0·69	54·9	38·8	47·4	0·33	56·9	38·0	45·0	1·14
Dundalk,	12,449	9·0	20·9	4·2	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn,	12,250	10·8	42·6	25·7	.	10	6	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	57·2	34·9	44·0	0·69	54·9	38·8	47·4	0·33	56·9	38·0	45·0	1·14
Wexford,	11,545	24·0	63·2	13·5	.	14	3	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan,	11,429	13·4	27·4	18·2	.	6	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57·2	34·9	44·0	0·69	54·9	38·8	47·4	0·33	56·9	38·0	45·0	1·14
Kilkenny,	11,048	12·0	9·4	18·9	.	2	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58	25	40·6	0·79	54	32	45·1	0·30	55	33	46·5	0·76
Clonmel,	10,708	8·2	9·7	9·7	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,274	3·4	15·2	25·4	.	3	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	51·7	31·1	42·7	1·51	54·8	36·8	47·1	0·62	55·5	36·6	45·7	1·19
Tralee,	9,318	15·9	11·2	33·6	.	2	6	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	9,252	9·3	50·7	11·3	.	9	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,197	19·0	17·0	17·0	.	3	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	50	34	48·4	0·46	55	37	46·7	0·10	54	37	44·8	0·85
Queenstown,	9,082	17·0	17·2	11·5	.	3	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	53	38	46·6	1·86	53	41	49·4	0·50	55	42	49·4	1·39
Carrickfergus	8,928	0·5	23·4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,430	11·0	43·3	18·6	.	7	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	57·2	34·9	44·0	0·69	54·9	38·8	47·4	0·33	56·9	38·0	45·0	1·14
Armagh,	8,187	21·4	42·8	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57·2	34·9	44·0	0·69	54·9	38·8	47·4	0·33	56·9	38·0	45·0	1·14

(a) All the District except that portion in Finglas District Electoral Division (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast, Waterford, Drogheda, and Clonmel have been enlarged since the Census year; the figures here given relate to the extended areas.

† [illegible] the readings at the nearest stations from which Returns are received have been found impracticable to obtain. Meteorological Observations are [illegible] of the Towns included in this Table.

‡ [illegible] Urban Districts.

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 22nd December, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																	
	North City.* Districts.				South City.† Districts.				Clontarf & Howth. No. 1.	Coolock and Drumcondra, No. 1.	Finglas and Glasnevin, part of (a).	Palmerston, pt. of, & Crumlin, pt. of (b).	Rathmines (c).	Donnybrook.	Blackrock (c).	Kingstown, Nos. 1 and 2 (c).	Total for Dublin Registration Area.	Deaths in Institutions of Persons from without the Area.
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2737	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	3	1	1	1	.	.	1	.	.	.	.	.	.	.	.	6	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	3	.
Diarrhœa, Dysentery,	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.	.	4	.
Other Zymotic Diseases	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	3	.
Total,	.	2	1	4	1	.	1	2	.	.	2	.	3	2	1	.	19	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	2	4	4	2	2	1	3	2	.	1	.	2	.	1	.	2	26	.
Other Constitutional Diseases,	.	2	2	3	3	1	4	2	.	.	.	.	4	1	.	.	22	1
Total,	2	6	6	5	5	2	7	4	.	1	.	2	4	2	.	2	48	1
V. DEVELOPMENTAL DISEASES,	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	1	5	.
VI. LOCAL DISEASES:																		
Diseases of Brain & Nervous System,	1	2	5	2	1	2	1	3	1	.	.	.	2	2	.	.	22	2
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	.	2	2	1	3	3	1	2	.	.	1	.	1	.	.	.	16	.
Diseases of Respiratory System,	1	6	7	4	3	6	3	2	.	.	.	1	.	.	1	1	35	.
Diseases of Digestive System,	.	2	1	1	1	.	1	1	.	.	.	.	2	.	.	.	9	.
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Diseases of Generative System,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	2	12	15	9	8	12	7	8	1	.	1	1	5	2	1	1	85	2
VII. VIOLENT DEATHS,	.	1	.	.	2	1	1	.	.	.	.	.	.	.	.	1	6	.
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	2	1	.	1	2	1	1	.	.	.	1	.	.	.	.	9	.
Deaths from all Causes,	5	24	23	19	17	17	17	15	1	1	3	4	13	6	2	5	172	3
Annual Rate of Mortality in every 1,000 of the population.	9·6	85·9	41·5	38·0	26·7	47·8	21·9	21·9	12·6	4·9	36·9	28·7	24·4	12·7	12·4	15·0		
	31·7				26·9				17·4									
	29·2																25·7	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	3	1	8	5	2	5	1	.	.	1	.	.	1	1	1	29	2
Workhouse Hospitals,	2	2	6	5	3	3	3	1	.	.	.	1	1	.	.	.	27	1

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blacknall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Offices, 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 51st Week of the 10 years 1890–99.	In the week ending Saturday, 22nd December, 1900. Deaths of persons of the Ages of								
	Dec. 20, 1890	Dec. 20, 1891	Dec. 24, 1892	Dec. 23, 1893	Dec. 22, 1894	Dec. 21, 1895	Dec. 19, 1896	Dec. 25, 1897	Dec. 24, 1898	Dec. 23, 1899		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	34·9	35·6	44·8	42·8	44·6	35·7	36·8	41·7	42·5	40·5	39·7	—								
ALL CAUSES,	191	194	179	201	178	168	183	146	169	285	189·7	175	6	26	24	18	41	18	36	6
I. FEBRILE OR ZYMOTIC DISEASES,	15	25	28	40	26	14	25	18	15	47	24·8	19	.	4	5	3	4	.	3	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	3	1	1	.	.	1	1	.	.	·7	.	.	.	.	.	.	.	.	.
IV. CONSTITUTIONAL "	39	45	38	31	44	40	32	36	39	57	40·1	48	.	1	6	4	24	9	4	1
V. DEVELOPMENTAL "	10	14	8	13	7	9	11	12	14	24	12·2	5	1	1	.	.	.	.	1	2
VI. LOCAL "	112	102	98	106	86	96	102	69	90	146	100·7	87	3	16	11	8	12	8	27	2
VII. VIOLENT DEATHS,	8	2	3	5	2	1	4	4	7	3	3·9	6	1	.	.	2	1	1	.	1
VIII. ILL-DEFINED CAUSES,	7	3	8	8	13	8	7	6	4	8	7·2	9	1	4	2	1	.	.	1	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	2	1	.	.	.	.	.	24	2·7	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	.	1	.	1	1	5	3	2	1	1·5	1	.	.	1	.	.	.	.	.
Typhus,	.	1	1	1	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	5	.	12	1	2	1	2	2	8	3·3	1	.	.	.	.	.	.	1	.
Whooping Cough,	1	5	1	6	5	1	12	.	4	2	3·7	6	.	3	3	.	.	.	.	.
Diphtheria,	1	.	.	.	.	1	1	1	.	3	·7	1	.	.	.	1	.	.	.	.
Simple continued and Ill-defined Fever,	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.
Enteric Fever,	4	8	8	8	7	3	2	5	1	3	4·9	3	.	.	.	1	2	.	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	2	2	1	3	3	2	.	4	3	5	2·5	4	.	1	1	.	1	.	1	.
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	.	.	1	1	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
Erysipelas,	1	1	.	4	2	2	1	1	1	.	1·3	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	2	1	1	.	.	2	1	1	.	.	·8	1	.	.	.	.	1	.	.	.
Puerperal Fever,	.	1	1	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	3	1	6	3	.	.	1	1	1	.	1·5	1	.	.	.	1	.	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	3	1	1	.	.	1	1	.	.	·7	.	.	.	.	.	.	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	2	1	1	.	.	1	.	.	.	2	·7	.	.	.	.	.	.	.	.	.
Rheumatism,	.	.	1	.	.	.	.	.	.	1	·2	1	.	.	.	.	.	.	1	.
Gout,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Rickets,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	5	7	2	6	10	4	6	12	4	7	6·3	10	.	.	.	.	1	6	2	1
Tabes Mesenterica,	4	6	3	4	4	3	4	.	7	9	4·4		.	.	2	1	.	.	.	.
Tubercular Meningitis,	6	1	4	.	3	3	1	3	6	3	3·0	2	.	1	1	.	.	.	.	.
Phthisis,	19	27	20	20	21	24	12	15	15	30	20·4	26	.	.	.	2	20	3	1	.
Scrofula, Tuberculosis,	3	2	6	.	3	4	6	4	5	4	3·7	6	.	.	3	1	2	.	.	.
Other Constitutional Diseases,	.	.	1	1	2	1	2	2	2	1	1·2	1	.	.	.	.	1	.	.	.
V. Developmental Diseases—																				
Premature Birth,	1	3	.	.	.	.	3	2	5	2	1·6	2	1	1	.	.	.			.
Atelectasis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			.
Congenital Malformations, &c.	1	.	1	.	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
Old Age,	8	11	7	13	7	9	8	10	8	21	10·2	3	.	.	.	.	.	.	1	2

each Disease registered in the FIFTY-FIRST WEEK ending Saturday, 22nd December, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 51st Week of the 10 years 1890-99.	In the Week ending Saturday, 22nd December, 1900. Deaths of Persons of the Ages of							
	Dec. 30, 1890	Dec. 26, 1891	Dec. 24, 1892	Dec. 23, 1893	Dec. 22, 1894	Dec. 21, 1895	Dec. 19, 1896	Dec. 25, 1897	Dec. 24, 1898	Dec. 23, 1899		ALL AGES.	0 to 5						
												Mean Temp. ° —	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	34·9	35·6	44·8	42·8	44·6	35·7	38·8	41·7	42·5	40·5	39·7								
VI. Local Diseases.																			
Apoplexy,	2	4	2	4	1	3	3	6	4	4	3·3	3	.	.	.	.	.	1	2	.
Epilepsy,	1	.	2	.	.	.	.	.	2	3	·8	1	.	.	.	.	.	1	.	.
Convulsions,	12	17	12	5	10	17	10	7	13	15	11·8	11	2	7	2	.	.	.	.	.
Other Diseases of Brain and Nervous System,	12	5	6	7	7	9	11	9	6	17	8·8	9	.	.	1	3	.	1	4	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	25	12	19	22	16	15	9	7	18	15	15·8	16	1	.	.	1	4	3	7	.
Croup,	1	.	.	1	1	1	.	.	2	2	·8	.	.	.	.	.	.	.	.	.
Bronchitis,	36	40	24	35	28	25	38	20	24	41	31·4	27	.	5	7	2	.	2	9	2
Pneumonia,	5	9	4	18	10	11	13	10	5	24	10·9	6	.	3	.	1	1	.	1	.
Pleurisy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	.	3	4	.	3	3	3	.	1	3	2·0	2	.	.	1	.	.	.	1	.
Teething,	.	2	2	1	2	1	3	.	4	.	1·5	.	.	.	.	.	.	.	.	.
Quinsy, Sore Throat,	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Peritonitis,	.	3	2	1	.	.	.	1	1	.	·8	2	.	.	.	.	2	.	.	.
Disease of Liver,	1	.	5	3	2	1	2	3	2	2	2·1	6	.	.	.	.	4	.	2	.
Other Diseases of Digestive System,	6	1	2	3	4	1	4	2	3	8	3·4	1	.	.	.	1	.	.	.	.
Diseases of Lymphatics, &c.,	.	.	.	.	.	1	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	3	9	5	2	5	3	2	2	5	3·9	2	.	1	.	.	.	.	1	.
Diseases of Generative System,	4	.	.	.	.	.	1	1	.	.	·6	1	.	.	.	.	1	.	.	.
Accidents of Childbirth,	.	1	4	1	.	1	2	.	.	1	1·0	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	2	1	.	.	.	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	1	.	.	.	.	.	1	1	1	·5	.	.	.	.	.	.	.	.	.
VII. Violent Deaths																			
(ACCIDENT.)																			
By Railways,		.	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Vehicles or Horses,		.	.	1	1	.	.	.	2	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	.	1		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions	8	1	.	2	.	.	2	1	1	.	3·7	3	.	.	.	2	.	1	.	.
By Drowning,		.	1	.	1	.	1	1	1	.		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		1	1	2	.	.	1	2	2	1		1	.	.	.	.	.	.	.	1
(VIOLENCE OTHER THAN ACCIDENTAL.)																			
HOMICIDE,	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.
SUICIDE,	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	7	3	6	8	13	8	7	6	4	8	7·2	9	1	4	2	1	.	.	1	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1900—Week ending																									
	June 30.	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.
No. of weeks in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Births registered,	228	181	208	186	187	245	149	256	221	228	225	177	165	219	175	152	214	183	186	168	185	168	165	268	178	190
Average Births in corresponding week of previous 10 years,	219	193	188	185	185	195	200	196	185	197	183	211	206	204	175	172	181	168	178	176	189	184	184	178	183	151
Deaths registered,	144	124	127	165	129	159	161	147	185	186	154	171	167	167	182	183	168	141	152	154	179	187	167	189	184	175
Annual Death-rate per 1,000,	21·5	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·3	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1
Average Deaths in corresponding week of previous 10 years,	156	149	148	154	162	159	160	157	162	164	170	165	162	160	151	163	159	173	181	174	181	182	190	184	188	190
Ages, Under 5 years,	33	38	32	47	35	40	57	51	79	71	54	70	73	69	88	61	56	53	44	43	40	53	55	69	43	56
5—20 ,,	13	10	8	13	7	13	9	15	12	21	16	15	7	10	12	9	18	10	10	6	14	15	8	13	16	18
20—40 ,,	32	25	35	26	18	26	31	17	38	25	25	21	18	30	22	32	28	27	23	30	25	38	27	28	39	41
40—60 ,,	33	23	24	44	33	39	34	34	35	39	26	34	33	25	29	38	34	31	39	38	38	41	35	34	38	18
60—80 ,,	27	26	23	30	30	35	26	26	20	26	22	23	32	29	27	34	26	16	27	23	50	32	37	38	38	36
80 years and upwards,	6	2	5	5	6	7	4	4	1	4	11	8	4	4	4	9	6	4	9	14	12	8	5	7	10	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	1	.
,, Scarlet Fever,	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1	.	1	.	.	1	1	1
,, Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	3	4	5	.	3	1	1	5	4	5	7	3	3	5	1	2	2	3	1	2	5	6	4	7	6
,, Diphtheria,	.	.	.	2	1	.		.	1	4	.	2	1	.	.	1	3	.	.	.	1	1	1	.	.	1
,, Simple continued and Ill-defined Fever,	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
,, Enteric Fever,	.	2	2	2	.	2	.	1	2	2	1	7	3	4	3	4	4	4	3	4	3	9	4	3	1	3
,, Diarrhœa, Dysentery,	1	2	1	4	4	9	19	24	25	33	20	27	24	18	28	16	9	6	5	6	3	5	1	3	2	4
,, Phthisis,	21	26	31	28	19	24	24	20	25	33	22	20	13	31	14	26	23	15	16	26	30	31	14	18	19	26
,, Heart Diseases,	9	10	9	19	17	23	12	12	18	10	14		16	10	13	14	12	10	9	12	21	14	17	23	12	16
,, Diseases of Respiratory System,	29	15	20	23	23	14	15	13	14	6	19	18	15	14	23	29	33	29	36	23	36	36	45	36	46	35
Violent Deaths,	5	6	6	5	4	4	5	4	9	2	5	5	5	3	7	5	2	3	7	6	7	3	2	5	4	6
Mean Temperature of the Air (Phœnix Park),	55·7	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	53·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.
Average Mean Temperature in corresponding week of previous 10 years,	59·0	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7
Rainfall in inches,	·650	·280	·300	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·360	1·010	1·525	·830	·555	2·145	·715	·235	·270
Mean Humidity of the Air, complete Saturation 1·0,	·84	·81	·76	·82	·83	·81	·86	·85	·90	·83	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89	·85	·88	·89	·89	·8	·83

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd December, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 22nd December, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	26·1	175	56	18	41	18	36	6	.	.	1	.	6	1	1	3	4	16	26	11	35	6	81
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	13·4	4	.	1	1	1	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.	1	2
II.	MIDDLE CLASS,	81,469	16·6	26	6	2	2	8	11	2	.	.	.	.	.	.	1	1	1	3	3	2	4	.	14
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	23·0	44	11	5	15	7	5	1	.	.	.	.	1	.	.	1	1	3	10	4	6	1	20
IV.	GENERAL SERVICE CLASS,	147,978	34·3	73	37	9	13	5	8	1	.	.	1	.	5	1	.	.	2	9	7	5	18	4	30
V.	INMATES OF WORKHOUSES,	5,191		28	2	1	10	2	12	1	.	.	.	.	.	.	.	.	.	.	6	.	7	.	15
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	26·0	4	.	1	1	1	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.	1	2
	2. Merchants and Manufacturers, Higher Class,	1,857	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	5,783	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	8·8	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,036	24·0	12	1	1	1	2	5	2	.	.	.	.	.	.	.	.	1	1	3	.	2	.	6
	6. Clerks and Commercial Assistants,	25,001	14·6	7	4	1	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	12·7	6	1	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	4
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,431	56·0	8	3	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	2	2	1	.	3
	9. Building and Furnishing Trades,	26,294	25·7	13	3	2	6	2	.	.	.	.	.	.	.	.	.	.	1	1	2	.	2	.	8
	10. Clothing Trades,	23,927	18·0	6	1	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	2	1	1	.	2
	11. Food Supply Trades,	7,949	6·5	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	26,937	23·2	12	2	3	3	2	2	.	.	.	.	.	.	.	.	1	.	1	2	.	2	1	5
	13. Petty Shopkeepers,	6,839	30·4	4	2	.	1	.	1	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	22·7	6	3	.	2	.	1	.	.	.	.	.	1	.	.	.	1	2	2	.	.	.	2
	15. Domestic Servants,	32,967	7·8	6	3	.	.	.	3	.	.	.	1	.	.	.	.	.	.	1	.	.	2	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	52·9	11	6	1	3	.	1	.	.	.	.	.	1	.	.	.	.	1	2	4	.	.	4
	17. Hawkers, Porters, Labourers, &c.,	88,472	31·1	50	25	8	8	5	3	1	.	.	.	.	3	1	.	.	1	5	3	1	16	4	21
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	28	2	1	10	2	12	1	.	.	.	.	.	.	.	.	.	.	6	.	7	.	15

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin. DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
North City, No. 1 (E.)	Nov. 3,	19·2	3·8	10	.	.	.	.	1	.	.	.	1	1	5	1
	„ 10,	21·1	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	„ 17,	36·5	3·8	19	.	.	.	.	1	.	.	.	1	4	6	1
	„ 24,	49·9	11·5	26	.	.	.	.	2	.	.	2	2	7	3	.
(Office,	Dec. 1,	25·0	.	13	.	.	.	.	.	.	.	.	.	2	5	.
Clarence-street, Nth.	„ 8,	26·9	1·9	14	.	.	1	.	.	.	.	.	.	4	1	.
	„ 15,	19·2	.	10	.	.	.	.	.	.	.	.	.	2	1	.
Pop. (in 1891) 27,147.	„ 22,	9·6	.	5	.	.	.	.	.	.	.	.	.	2	1	.
North City, No. 1 (W.)	Nov. 3,	28·9	.	16	.	.	.	.	.	.	.	.	.	4	3	1
	„ 10,	28·9	1·5	16	.	.	.	.	.	.	.	.	1	2	.	3
	„ 17,	25·4	3·0	17	.	.	.	.	.	.	.	1	1	2	5	2
	„ 24,	28·4	.	19	.	.	.	.	.	.	.	.	.	3	4	1
(Office,	Dec. 1,	18·0	4·5	12	.	.	.	.	3	.	.	.	.	1	2	1
Summer-hill.)	„ 8,	28·9	1·5	16	.	.	.	.	.	.	.	.	1	1	3	1
	„ 15,	26·9	7·5	18	.	.	.	.	4	.	.	.	1	2	3	.
Pop. (in 1891) 34,886.	„ 22,	35·9	3·0	24	.	.	.	.	2	.	.	.	.	4	6	1
North City, No. 2.	Nov. 3.	32·5	7·2	18	.	.	.	.	1	.	.	.	3	.	3	.
	„ 10,	36·1	5·4	20	.	.	.	.	.	.	.	3	.	6	2	.
	„ 17,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	2	2	3
	„ 24,	36·1	1·8	20	.	.	.	.	.	1	.	.	.	2	5	.
(Office,	Dec. 1,	28·9	.	16	.	.	.	.	.	.	.	.	.	3	3	.
Lisburn-street.)	„ 8,	41·5	7·2	23	.	.	.	.	3	.	.	1	.	2	2	1
	„ 15,	37·9	.	21	.	.	.	.	.	.	.	.	.	2	3	.
Pop. (in 1891) 28,871.	„ 22,	41·5	1·8	23	.	.	.	.	1	.	.	.	.	4	7	.
North City, No. 3.	Nov. 3,	26·0	2·0	13	.	.	.	.	.	.	.	1	.	1	2	.
	„ 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
	„ 17,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	1	2	.
	„ 24,	22·0	6·0	11	.	.	.	.	1	.	.	1	1	2	3	.
(Office,	Dec. 1,	32·0	.	16	.	.	.	.	.	.	.	.	.	2	4	.
Blackhall-place.)	„ 8,	30·0	2·0	15	.	.	.	.	.	.	.	.	1	1	3	.
	„ 15,	22·0	4·0	11	.	1	1	.	.	.	.	.	.	1	1	.
Pop. (in 1891) 26,055	„ 22,	38·0	6·0	19	.	.	1	.	1	.	.	1	.	2	4	.
South City, No. 1.	Nov 3,	25·1	1·6	16	.	1	.	.	.	.	.	.	.	4	4	.
	„ 10,	25·1	1·6	16	.	.	.	.	.	.	.	.	1	2	3	2
	„ 17,	25·1	.	16	.	.	.	.	.	.	.	.	.	3	6	.
	„ 24,	40·8	3·1	26	.	.	.	.	1	.	.	.	1	5	5	.
(Office,	Dec. 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	1	4	.
South Earl-street.	„ 8,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	7	1
	„ 15,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	3	1
Pop. (in 1891) 33,194.	„ 22,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	2
South City, No. 2.	Nov. 3,	39·4	2·3	14	.	.	.	.	.	.	.	1	.	1	5	1
	„ 10,	33·7	.	12	.	.	.	.	.	.	.	.	.	1	5	.
	„ 17,	25·3	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 24,	19·7	2·8	7	.	.	.	.	.	.	.	1	.	.	3	.
(Office,	Dec. 1,	33·7	2·3	12	.	.	.	.	1	.	.	.	.	.	7	.
Castle-street.)	„ 8,	30·9	.	11	.	.	.	.	.	.	.	.	.	.	3	.
	„ 15,	45·0	5·6	16	.	.	.	.	2	.	.	.	.	2	6	.
Pop. (in 1891) 18,547.	„ 22,	47·8	.	17	.	.	.	.	.	.	.	.	.	1	6	1
South City, No. 3.	Nov. 3,	27·0	2·6	21	.	.	1	.	1	.	.	.	.	1	6	3
	„ 10,	20·6	1·3	16	.	.	.	.	.	.	.	.	1	4	3	.
	„ 17,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	3	3	.
	„ 24,	24·4	.	19	.	.	.	.	.	.	.	.	.	3	6	.
(Office,	Dec. 1,	30·9	2·6	24	.	.	.	.	1	.	.	1	.	1	4	.
Peter-street.)	„ 8,	33·4	2·6	26	.	.	.	.	.	.	.	2	.	3	7	1
	„ 15,	29·6	1·3	23	.	.	.	.	.	.	.	1	.	2	9	.
Pop. (in 1891) 40,558.	„ 22,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	3	3	1
South City, No. 4.	Nov. 3,	18·1	.	9	.	.	.	.	.	.	.	.	.	3	4	.
	„ 10,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	3	1
	„ 17,	18·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 24,	28·3	2·9	16	.	.	.	.	.	.	.	2	.	2	3	.
(Office,	Dec. 1,	28·3	2·9	16	.	.	.	.	.	.	.	1	1	1	6	1
Grand Canal-street).	„ 8,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
	„ 15,	29·1	2·9	20	.	.	.	.	1	.	.	.	1	.	5	1
Pop. (in 1891) 35,793.	„ 22,	21·9	2·9	15	.	.	.	.	1	.	.	.	1	2	2	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Nov. 3,	15·0	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 10,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	2	1	.
	„ 17,	31·9	.	17	.	.	.	.	.	.	.	.	.	3	1	.
	„ 24,	9·4	3·8	5	.	.	.	.	1	.	.	1	.	.	.	1
	Dec. 1,	24·4	5·6	13	.	.	.	.	1	1	.	1	.	.	1	.
	„ 8,	24·4	.	13	.	.	.	.	.	.	.	.	.	1	4	.
	„ 15,	22·5	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 22,	24·4	3·8	13	.	.	.	.	.	.	.	1	1	.	.	.
Donnybrook. Pop. (in 1891) 24,629.	Nov. 3,	10·6	2·1	5	.	.	.	.	.	.	.	1	.	.	1	.
	„ 10,	19·1	2·1	9	.	.	.	.	.	.	.	.	1	1	.	.
	„ 17,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
	„ 24,	14·8	.	7	.	.	.	.	.	.	.	.	.	2	2	1
	Dec. 1,	12·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 8,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 15,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	„ 22,	12·7	4·2	6	.	.	.	.	.	1	.	1	.	1	.	.
Kingstown. Pop. (in 1891) 17,386.	Nov. 3,	9·0	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	„ 10,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	.	.
	„ 17,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 1,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	3	.
	„ 8,	27·0	.	9	.	.	.	.	.	.	.	.	.	2	.	.
	„ 15,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	„ 22,	15·0	.	5	.	.	.	.	.	.	.	.	.	2	1	1
Belfast. Pop. in 1900 (Est.) 359,000.	Nov. 3,	19·2	2·6	132	.	2	.	.	2	2	.	7	5	23	26	8
	„ 10,	18·3	1·3	126	.	.	.	.	1	2	1	3	2	12	28	1
	„ 17,	17·7	0·9	122	.	.	.	.	1	.	.	4	1	11	32	5
	„ 24,	21·5	1·7	148	.	2	1	.	3	2	1	2	1	15	43	5
	Dec. 1,	20·8	0·6	143	.	.	.	.	1	.	.	1	2	21	46	5
	„ 8,	22·1	1·6	152	.	4	.	.	1	2	.	3	1	17	53	5
	„ 15,	18·7	1·3	129	.	.	.	.	1	1	.	5	2	13	43	3
	„ 22,	19·3	1·3	133	.	2	.	.	1	.	.	5	1	17	41	3
Cork. Pop. (in 1891) 75,345.	Nov. 3,	16·6	2·1	24	.	.	.	.	.	.	.	.	3	5	5	.
	„ 10,	20·1	2·1	29	.	.	1	.	.	.	.	.	2	4	5	1
	„ 17,	22·8	2·1	33	.	.	2	.	.	.	.	.	1	8	8	.
	„ 24,	15·9	.	23	.	.	.	.	.	.	.	.	.	6	1	.
	Dec. 1,	22·8	3·5	33	.	.	4	.	.	.	.	.	1	6	5	.
	„ 8,	19·4	2·8	28	.	.	2	.	.	.	.	.	2	1	3	.
	„ 15,	15·9	1·4	23	.	.	1	1	.	.	.	.	.	2	5	.
	„ 22,	18·0	1·4	26	.	.	2	.	.	.	.	.	.	3	7	.
Limerick. Pop. (in 1891) 37,155.	Nov. 3,	11·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 10,	15·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 17,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
	„ 24,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	4	.
	Dec. 1,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	3	1
	„ 8,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	„ 15,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	„ 22,	19·6	.	14	.	.	.	.	.	.	.	.	.	2	2	.
Londonderry. Pop. (in 1891) 33,200.	Nov. 3,	20·4	3·1	13	.	.	.	.	.	.	.	1	1	.	3	.
	„ 10,	28·3	3·1	18	.	.	.	.	2	.	.	.	.	1	3	.
	„ 17,	11·0	3·1	7	.	.	.	.	1	1	.	.	.	1	1	.
	„ 24,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	1
	Dec. 1,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	5	4	.
	„ 8,	14·1	3·1	9	.	.	.	.	2	.	.	.	.	1	.	1
	„ 15,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	1
	„ 22,	18·8	3·1	12	.	1	.	.	1	.	.	.	.	.	3	.
Waterford. Pop. (in 1891) 26,200.	Nov. 3,	21·9	.	11	.	.	.	.	.	.	.	.	.	.	1	1
	„ 10,	21·9	2·0	11	.	.	.	.	.	.	.	.	1	2	1	.
	„ 17,	19·9	.	10	.	.	.	.	.	.	.	.	.	5	.	.
	„ 24,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	1	.
	Dec. 1,	15·9	4·0	8	.	.	.	.	.	.	.	.	2	3	1	.
	„ 8,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	„ 15,	25·9	2·0	13	.	.	.	.	.	.	.	.	1	3	.	.
	„ 22,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 22nd December, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	17,122	6	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 2 "	37,589	18			18	4	1	6	7	.	.	.	.	.	.	.	1	.	3	4	.	.	4
" 3 "	38,845	21			18	1	1	12	4	.	.	.	.	.	.	.	2	1	2	6	1	1	3
" 4 "	33,391	19			13	7	1	2	3	.	.	.	.	.	.	.	.	.	1	7	.	1	2
" 5 "	21,284	12			11	4	1	4	2	.	.	.	.	.	.	.	.	.	1	4	1	.	2
" 6 "	48,431	29			19	1	1	12	5	.	.	.	.	.	.	.	.	.	2	5	.	.	5
" 7 "	1,112	1			2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 8 "	4,904	3			4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.
" 9 "	12,866	14			5	1	1	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	1
" 10 "	12,256	13			10	2	.	5	3	.	1	.	.	.	.	.	.	.	2	1	.	.	.
" 11 "	19,881	24			13	4	1	4	4	.	1	.	.	1	.	.	1	.	2	2	.	.	3
" 12 "	28,282	23			11	7	1	1	2	.	.	.	.	.	.	.	.	.	.	7	.	.	2
" 13 "	6,804	12			6	2	2	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
" 14 "	62	.			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Total,	278,079	195			133	35	12	54	32	.	2	.	.	1	.	.	5	1	17	41	3	3	24
City of Cork.																							
CORK URBAN, No. 1 DISTRICT.	11,927	2	26·2	.	6	.	.	5	1	.	.	.	.	.	.	.	.	.	.	1	.	.	5
" 2 "	9,252	8	16·9	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
" 3 "	9,816	5	15·9	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
" 4 "	10,356	6	25·2	5·0	5	.	1	4	.	.	.	1	.	.	.	.	.	.	2	1	.	.	3
" 5 "	8,187	1	12·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" 6 "	3,823	4	5·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 7 "	17,034	8	18·4	3·1	6	1	1	2	2	.	.	1	.	.	.	.	.	.	.	2	.	.	.
Total,	75,345	34	18·0	1·4	26	3	4	15	4	.	.	2	.	.	.	.	.	.	3	7	.	1	9

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.
No. of week in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered,	204	286	155	263	220	241	222	171	206	193	221	224	185	219	215	238	208	181	184	232	205	202	193	179	208	195
DEATHS registered.	136	126	108	136	133	155	126	149	124	133	136	131	124	111	130	133	112	131	132	126	122	148	143	152	129	133
Annual Death-rate per 1,000 of estimated Population,	19·8	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3
AGES, Under 1 year,	28	26	22	34	39	56	39	52	40	44	45	44	34	30	38	32	31	28	22	36	22	30	30	32	40	35
AGES, 1–5 years,	15	14	13	15	15	20	9	17	7	18	15	11	17	8	22	15	18	12	17	11	14	24	16	25	13	12
AGES, 5–60 years,	76	67	55	65	61	58	58	65	56	49	54	56	56	53	46	67	50	67	65	57	61	62	62	74	55	54
AGES, 60 years and upwards,	17	19	18	22	18	21	20	15	21	22	22	20	17	20	29	19	13	24	28	22	25	32	35	21	21	32
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	.	.	1	.	1	1	.	.	.	.	.	.	1	1	.	.	2	2	.	.	2	.	4	.	2
" Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	2	1	.	.	.	1	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	2	1	2	3	.	.	.	3	2	.	2	1	2	1	.	1	.	.	2	1	1	3	1	1	1	1
" Diphtheria,	1	.	1	.	.	1	.	2	.	.	.	2	2	1	2	2	.	2	2	2	.	2	.	2	1	.
" Simple continued and Ill-defined Fever,	.	.	.	.		.	.	.	.	.	.	.		.	.	.	.	.	.	1	.	1	.	.	.	.
" Enteric Fever,	2	6	7	1	6	5	8	8	7	10	6	8	3	5	9	4	4	7	7	3	4	2	1	3	5	5
" Diarrhœa, Dysentery,	4	2	1	8	11	19	7	16	15	16	19	11	10	10	11	6	6	3	5	2	1	1	2		2	1
" Phthisis,	32	20	20	20	22	30	27	16	16	13	14	16	10	16	19	21	15	19	23	12	11	15	21	17	13	17
" Diseases of Respiratory System,	17	24	10	22	14	13	13	12	10	9	12	15	17	17	19	20	16	24	26	28	32	43	46	53	43	41
Violent Deaths,	3	3	3	3	3	5	2	3	3	3	4	1	2	3		.	.		8	1	5	5	5	5	3	3

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd December, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	2	.	.	2
" " 1, West,	.	6	2	3	.	.	2	.	.	11	.	.	24
" " 2,	.	3	.	1	.	.	.	.	.	3	.	.	7
" " 3,	.	7	.	1	1	.	.	.	.	13	4	.	26
South City No. 1,	.	2	.	.	.	.	1	.	2	4	7	.	16
" " 2,	.	3	.	1	3	.	1	.	1	1	3	.	13
" " 3,	.	10	4	2	1	.	.	.	.	2	2	.	21
" " 4,	.	1	3	4	.	.	.	.	.	.	2	.	10
Total,	.	32	9	12	5	.	4	.	3	36	18	.	119
Total for week ended Dec. 15, 1900,	.	27	9	6	.	.	1	.	5	29	3	.	81
Total for week ended Dec. 8, 1900,	.	21	13	16	1	.	1	1	3	17	10	.	83
Total for week ended Dec. 1. 1900,	.	33	7	14	.	.	4	.	1	19	9	.	87

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd December, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd December.			
	Dec. 1.	Dec. 8.	Dec. 15.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	54	66	69	7	30	1	45
Scarlet Fever.	89	89	81	9	22	.	68*
Typhus "	1	2	1	5	.	.	6
Diphtheria,	13	11	14	6	6	.	14
Enteric Fever,	64	70	73	15	16	.	72
Pneumonia,	20	22	15	2	5	.	12

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases. Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Dec. 22,	2,440	1,396	15·9	.	25	4	33	22	21	11
EDINBURGH,	302,262	„ 22,	151	96	16·5	.	7	1	1	.	.	.
GLASGOW,	743,969	„ 22,	416	274	19·2	1	2	4	5	22	4	10
CALCUTTA,	466,460	Oct. 20,	.	305	34·1	5	.	.	.	.	105‡	49*
BOMBAY,	821,764	Nov. 27,	265	768	48·6	1	1	?	?	?	92§	85*
MADRAS,	452,518	„ 9,	444	468	53·7	1	.	?	?	?	129	89*
PARIS,	2,511,629	Dec. 15,	1,118	882	18·2	9	2	1	11†	1	14	25
BRUSSELS (with 8 Faubourgs).	570,844	„ 8,	240	162	14·3	.	2	.	1	4	1	11
AMSTERDAM,	517,032	„ 1,	316	196	19·7	.	21	.	2	5	.	.
ROTTERDAM,	329,204	„ 1,	244	102	16·0	.	.	.	2	1	.	.
THE HAGUE,	205,328	„ 1,	109	53	14·5	.	1	.	1	1	.	.
COPENHAGEN,	351,000	„ 15,	146	117	17·2	.	2	2	.	1	3	4
CHRISTIANIA,	226,423	„ 15,	125	91	20·9	.	2	1	1	2	1	14
ST. PETERSBURG,	1,132,677	„ 1,	843	592	27·2	.	8	17	22	4	25	48
BERLIN,	1,863,128	„ 1,	773	549	15·3	.	10	12	12	7	3	40
HAMBURG,	691,349	„ 15,	.	220	16·5	.	1	3	4†	2	1	8
DRESDEN,	407,500	Nov. 3,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU,	412,959	Dec. 15,	.	186	23·4	.	.	1	1	2	1	13
MUNICH,	463,000	Aug. 25,	344	251	28·2	.	.	.	3†	2	.	101
VIENNA (with suburbs).	1,656,662	Dec. 1,	935	616	19·1	.	31	.	9†	2	2	51
BUDA-PESTH,	685,340	„ 1,	425	275	20·9	.	8	7	1	.	4	13
PRAGUE and Faubourgs.	393,031	„ 8,	190	146	19·3	.	1	.	2	1	1	4
ROME,	518,333	Nov. 10,	214	155	15·6	.	.	.	.	.	15	27
TURIN (10 days),	344,203	Sept. 30,	208	134	14·2	.	.	.	2†	.	1	10
VENICE,	174,170	Dec. 1,	59	48	13·5	.	.	.	.	.	1	1
NEW YORK,	3,444,675	Nov. 17,	1,541	1,124	17·0	.	3	1	25	1	20	23
PHILADELPHIA,	1,293,697	Dec. 1,	.	446	17·9	.	.	4	18	.	6	2

* Including 11 deaths from cholera in Calcutta, 2 in Bombay, and 8 in Madras. † Including deaths from croup. ‡ Exclusive of 11 deaths from bubonic fever. § Exclusive of 58 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 22nd December, 1900:—

"Weather of the southwesterly, or equatorial, type was again dominant. The period was therefore signalised by mild, open, squally, and generally changeable conditions. The anticyclone, mentioned in last week's report as lying over Central Europe, held its position until Friday, when it retreated southeastwards into the Mediterranean Basin, as a vast depression of great energy swept northeastwards along the Atlantic Coasts of Northwestern and Northern Europe. Until Tuesday steep gradients for S.W. prevailed over the British Isles. On the day named a secondary V.-shaped depression passed in an east-north-easterly direction from St. George's Channel across England to the North Sea. This system brought fine, cool weather to Ireland, mild rainy weather to England. On Thursday morning the barometer ranged from 30·42 inches at Lyons to 28·94 inches at Stornoway in the Hebrides. The steep gradients represented by these readings caused a wide-spread and violent S.W. gale with lightning and hail at some stations. By 6 p.m. the barometer was down to 28·46 inches at Blacksod Point, Co. Mayo. Friday and Saturday proved fine, bright and cool in the wake of the disturbance. In Dublin the mean atmospheric pressure was 29·859 inches, the barometer ranging between 30·349 inches at 9 a.m. of Sunday (wind, S.W.) and 28·982 inches at 6.30 p.m. of Thursday (wind also S.W.). The corrected mean temperature was 47·1°. The mean dry bulb readings at 9 a.m. and 9 p.m. were 44·9°. The screened thermometers rose to 59·8° on Thursday and fell to 34·7° on Saturday. The rainfall was ·214 inch on three days, ·112 inch being measured on Wednesday. S.W. winds again prevailed. Bright sunshine was estimated at 25 hours."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·722 inches. The highest reading (30·354) was on Sunday at 9 a.m., wind S., and the lowest (29·098) on Thursday at 9 p.m., wind S.W.

The temperature was highest on Thursday, when the thermometer registered 57·8°, and was lowest on Saturday, the mercury having fallen to 28·9°. The mean of the Dry Bulb for the week was 43·0°, and of the Wet Bulb 40·7°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 21·5 hours. The rainfall measured ·270 in.

At Greenwich the mean temperature for the week was 44·5°, the maximum 53·9°, and the minimum 32·3°; and at Glasgow the maximum was 56·5°, the minimum 37·9°, and the mean 45·0°. The rainfall at Greenwich measured 0·38 in.; and at Glasgow 1·44 ins.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 16,	30·318	50·9	41·8	46·4	46·8	44·5	·83	·6	4·7	—	S.	S.W.
Monday, „ 17,	29·942	52·8	46·8	49·8	49·4	45·3	·72	·6	5·4	·075	S.W.	S.W.
Tuesday, „ 18,	29·999	50·3	31·9	41·1	35·8	34·9	·91	·6	0·0	—	W.	W.
Wednesday, „ 19,	29·887	49·4	31·9	40·7	44·6	42·3	·83	·6	2·0	·170	S.W.	S.S.W.
Thursday, „ 20,	29·196	57·8	—	—	51·8	48·1	·78	·4	1·0	·025	S.S.W.	S.W.
Friday, „ 21,	29·759	48·5	35·9	42·2	38·9	36·9	·84	·8	4·2	—	W.S.W.	W.
Saturday, „ 22,	29·956	46·9	28·9	37·9	34·0	32·7	·87	·2	4·2	—	S.W.	Calm.
Mean, . .	29·722	50·9	—	—	43·0	40·7	·83	·5	Total 21·5	Total ·270	Prevailing Wind S.W.	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A fine but cloudy day; night cloudy; rain 11.45 p.m. to 12.45 a.m. *Tuesday*—A cloudy day; night clear p.m., cloudy a m. *Wednesday*—A cloudy day; rain 8.30 p.m. to 7 a.m.; night cloudy. *Thursday*—A cloudy day; showers 10 a.m. to 1 p.m; night cloudy. *Friday*—A fine but cloudy day; night clear to 8 a.m. *Saturday*—A beautiful day; light clouds a.m.; night clear to 5 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 359. 9. 1900.—375.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN

DUBLIN

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN

TWENTY-TWO of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE.
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS, & CO., LIMITED, 104, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
JOHN MENZIES & CO., ROSE-STREET, EDINBURGH, and 90, WEST NILE-STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] WEEK ENDING SATURDAY, 29TH DECEMBER, 1900. [No. 52.

General Register Office, Charlemont House, Dublin, 31st December, 1900.

TWENTY-THREE TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-two principal provincial Urban Districts of Ireland was 19·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,062,188.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Dec. 8.	Week ending Dec. 15.	Week ending Dec. 22.	Week ending Dec. 29.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 8.	Week ending Dec. 15.	Week ending Dec. 22.	Week ending Dec. 29.	Average Rate for 4 weeks
23 Town Dists.	22·5	21·0	20·5	19·7	20·9	Limerick, . .	14·0	15·4	19·6	25·3	18·6
Armagh, . .	21·4	21·4	0·0	7·1	12·5	Lisburn, . .	25·7	4·3	25·7	12·8	17·1
Ballymena, .	11·3	22·5	11·3	22·5	16·9	Londonderry, .	14·1	18·8	18·8	22·0	18·4
Belfast, . .	22·1	18·7	19·3	19·8	20·0	Lurgan, . .	27·4	18·2	18·2	27·4	22·8
Carrickfergus, .	17·5	17·5	0·0	5·8	10·2	Newry, . .	4·0	8·1	4·0	12·1	7·1
Clonmel, . .	19·5	48·7	9·7	0·0	19·5	Newtownards, .	11·3	11·3	17·0	28·3	17·0
Cork, . . .	19·4	15·9	18·0	20·1	18·4	Portadown, .	24·7	6·2	18·6	37·1	21·6
Drogheda, . .	7·6	26·6	15·2	11·4	15·2	Queenstown, .	34·4	28·7	11·5	17·2	22·9
Dublin, Reg. Area,	27·4	25·8	25·7	21·5	25·1	Sligo, . . .	10·2	10·2	25·4	10·2	14·0
Dundalk, . .	12·6	25·1	4·2	8·4	12·6	Tralee, . .	28·0	11·2	33·6	16·8	22·4
Galway, . .	45·3	26·4	18·9	18·9	27·4	Waterford, .	6·0	25·9	17·9	13·9	15·9
Kilkenny, . .	23·6	18·9	18·9	18·9	20·1	Wexford, .	31·6	18·1	13·5	13·5	19·2

The deaths from the principal zymotic diseases registered* in the 23 districts during last week were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·7 in Newtownards. Among the 136 deaths from all causes registered in Belfast are 3 from whooping-cough, one from diphtheria, and 4 from enteric fever; and the 14 deaths in Londonderry include 2 from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 165—88 boys and 77 girls; and the deaths to 149—79 males and 70 females.

DEATHS.

The deaths, which are 69 under the average number for the corresponding week of the last ten years, represent an annual rate of mortality of 22·2 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 21·5 per 1,000. During the fifty-two weeks ending with Saturday last the death-rate averaged 28·6, and was 1·4 over the mean rate for the corresponding portions of the ten years 1890–99.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See Note (*), Table I.

There were 13 deaths from zymotic diseases registered during the week, being 6 under the number recorded during the preceding week, and 11 under the average for the corresponding week of the previous 10 years. They comprise 5 from whooping-cough, 3 from enteric fever, 2 from diarrhœa, one from typhus fever, one from scarlet fever, and one from cerebro-spinal meningitis.

Twenty-three deaths were caused by tubercular disease, namely, 17 by pulmonary tuberculosis, 2 by tubercular meningitis, one by tabes mesenterica, and 3 by other forms of tuberculosis.

Thirty-nine deaths were caused by diseases of the respiratory organs, being 4 over the number recorded during the preceding week, but 20 under the average for the corresponding week of the previous ten years. They include 25 from bronchitis and 12 from pneumonia or inflammation of the lungs.

Six deaths of children under 5 years of age, 5 being infants under 1 year (of whom 2 were infants under one month old), were ascribed to convulsions; 4 deaths were caused by apoplexy and 9 by other diseases of the brain and nervous system (exclusive of convulsions). Diseases of the circulatory system caused 17 deaths, and cancer 9.

Five accidental deaths were registered.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 4 infants under one year old and the death of a person aged 74 years.

Forty-two of the persons whose deaths were registered during the week were under 5 years of age (20 being infants under one year, of whom 5 were under one month old) and 47 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 7 were octogenarians.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, 16 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables II. and VI.]

As already stated, the death-rate for the entire Registration Area was 21·5 per 1,000: the rate in the City was 23·4 (23·2 on the North side, and 23·6 on the South), and in the Suburbs 17·0.

The deaths from the principal zymotic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·3 (3·1 in the North City Districts, and 1·6 in the South), and for the Suburbs 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 21·1 per 1,000. They include one from enteric fever, one from diarrhœa, 3 from diseases of the respiratory system, and 2 from diseases of the circulatory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 26·9 per 1,000. Among them are one from whooping-cough, one from enteric fever, 6 from diseases of the respiratory system, 2 from diseases of the circulatory system, and 3 from diseases of the brain and nervous system.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 27·1 per 1,000. Three were caused by diseases of the respiratory system, 2 by diseases of the circulatory system, 3 by diseases of the brain and nervous system, and 2 by cancer.

No. 3 *North City District* (Blackhall-place).—The deaths (8) represent an annual rate of 16·0 per 1,000. Whooping-cough, enteric fever, and diarrhœa each caused one death, 2 deaths were caused by pulmonary tuberculosis, and 2 by diseases of the circulatory system.

No. 1 *South City District* (South Earl-street).—The deaths (15) represent an annual rate of 23·6 per 1,000. One death was caused by whooping-cough, 3 by diseases of the respiratory system, 2 by diseases of the circulatory system, and 3 by diseases of the brain and nervous system.

No. 2 *South City District* (Castle-street).—The deaths (4) are equal to an annual rate of 11·2 per 1,000. Typhus fever and whooping-cough each caused one death, and diseases of the respiratory system 2 deaths.

No. 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 30·9 per 1,000. Diseases of the respiratory system caused 8 deaths, pulmonary tuberculosis 2, and diseases of the brain and nervous system 4.

No. 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 21·9 per 1,000. One death was caused by cerebro-spinal meningitis, one by whooping-cough, 5 by pulmonary tuberculosis, and 3 by diseases of the respiratory system.

Suburban Districts.—The annual death-rate represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, 4·9 per 1,000 inhabitants; Clontarf and Howth, No. 1, 0·0; Finglas and Glasnevin, part of, 24·6; Palmerston, part of, and Crumlin, part of, 14·3; Rathmines, 18·8; Donnybrook, 21·2; Blackrock, 31·0; and Kingstown, 12·0. The only death from zymotic diseases tabulated for these districts is one from scarlet fever for Palmerston, part of. Of the 10 deaths from all causes for Rathmines, 2 were from pneumonia, 3 from diseases of the circulatory system, and 2 from cancer; 5 of the 10 deaths for Donnybrook were from diseases of the respiratory system and 2 from diseases of the brain and nervous system; and the 5 deaths for Blackrock include 3 from pulmonary tuberculosis.

* See Table VI.

STATE OF INFECTIOUS DISEASE IN DUBLIN AND BELFAST.

(1.)—Cases of Infectious Diseases Notified to Public Health Committee of the Corporation.

Sir Charles Cameron, C.B., Superintendent Medical Officer of Health for the City of Dublin, has kindly furnished information regarding the number of cases of Infectious Diseases in the City of Dublin, notified under the "Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th December,	83 cases.
" "	15th December,	81 cases.
" "	22nd December,	119 cases.
" "	29th December,	65 cases.

Of the 65 cases notified, 15 were erysipelas, 19 enteric fever, 7 scarlatina, 14 measles, 2 continued fever, 4 German measles, one typhus, and 3 diphtheria.

Table IX. shows in detail the number of cases in each Registrar's District.

(2.) Cases of Infectious Diseases in Rathmines Urban District.

Mr. Fawcett, Executive Sanitary Officer for Rathmines Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Rathmines notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th December,	8 cases.
" "	15th December,	6 cases.
" "	22nd December,	11 cases.
" "	29th December,	11 cases.

Of the 11 cases notified, 2 were scarlatina, 5 diphtheria, and 4 enteric fever.

(3.) Cases of Infectious Diseases in Pembroke Urban District.

Mr. Manly, Executive Sanitary Officer for Pembroke Urban Council, has kindly furnished information regarding the number of cases of infectious diseases in the Urban District of Pembroke notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th December,	2 cases.
" "	15th December,	5 cases.
" "	22nd December,	3 cases.
" "	29th December,	6 cases.

Of 6 cases notified, 2 were erysipelas, one scarlatina, one enteric fever, one measles, and one was whooping-cough.

(4.) Cases of Infectious Diseases in the City of Belfast.

Dr. Whitaker, Superintendent Medical Officer of Health, has kindly furnished information regarding the number of cases of infectious diseases in the City of Belfast notified under "The Infectious Diseases (Notification) Act, 1889," as follows:—

Week ending	8th December,	73 cases.
" "	15th December,	73 cases.
" "	22nd December,	47 cases.
" "	29th December,	36 cases.

Of the 36 cases notified, 11 were scarlet fever, 6 diphtheria, 5 continued fever, 6 typhoid fever, 7 erysipelas, and one puerperal fever.

(5.)—Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table X. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th December, 1900.

From this it appears that:—

Fifteen cases of enteric fever were admitted to hospital during the week, 7 were discharged, one died, and 78 remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital during the week, 3 were discharged, and 18 remained under treatment. No death occurred.

There was one case of typhus fever admitted to hospital during the week, one died, and 6 remained under treatment at the close of the week.

Nine cases of scarlatina were admitted to hospital during the week, 4 were discharged, and 73* remained under treatment at the close of the week.

Five cases of measles were admitted to hospital during the week, 25 were discharged, and 25 remained under treatment at the close of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 33 large English towns, including London (in which the rate was 16·7), was equal to an average annual death-rate of 16·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·4 per 1,000, the rate for Glasgow being 21·2, and for Edinburgh 17·5.

* See Note (*) at foot of Table X

TABLE I.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 29th December, 1900, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 22 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 29th December, 1900. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Principal Zymotic Diseases.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	In Public Institutions.
Total of 23 Town Districts	1,062,188	12·2	24·3	19·7	1·3	496	402	92	99	.	2	1	2	8	2	.	9	2	52	106	7	18	110
Dublin Registration Area:—																							
Total,‡	849,594	14·2	24·6	21·5	1·8	165	144	20	47	.	.	1	1	5	.	.	3	2	16	39	4	5	58
Registrars' Districts. City	245,001	65·6	30·6	28·4	2·3	144	110	18	33	.	.	.	1	5	.	.	3	2	13	29	4	5	46
Clontarf &c. No. 1,	4,188	1·5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	10,780	1·6	14·6	4·9	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	4,240	0·8	12·3	24·6	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Palmerston, part of and Crumlin part of (b),	7,278	8·0	14·8	14·3	7·2	2	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1
Rathmines,‖	27,796	16·2	11·8	18·8	.	6	10	1	5	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Donnybrook,	24,629	12·4	10·6	21·2	.	5	10	.	7	.	.	.	.	.	.	.	.	.	.	5	.	.	2
Blackrock,‖	8,401	7·8	6·	31·0	.	1	5	.	1	.	.	.	.	.	.	.	.	.	3	1	.	.	.
Kingstown, 1 & 2,‖	17,886	11·9	9·0	12·0	.	3	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Urban Districts																							
Belfast,	359,000	21·8	26·6	19·8	1·2	188	136	49	20	.	.	.	.	3	1	.	4	.	17	42	1	10	16
Cork,	75,845	33·3	20·1	20·1	.	29	29	3	3	.	.	.	.	.	.	.	.	.	6	4	.	2	15
Limerick,	37,155	17·9	32·3	25·3	1·4	23	18	3	4	.	.	.	.	.	.	.	1	.	3	8	.	.	10
Londonderry,	33,200	15·3	18·8	22·0	3·1	12	14	4	4	.	2	.	.	.	.	.	.	.	.	3	.	.	2
Waterford	26,208	18·3	13·9	18·9	2·0	7	7	.	1	.	.	.	.	.	.	.	1	.	4	.	.	.	3
Galway,	13,800	2·6	30·2	18·9	3·8	8	5	.	3	.	.	.	1	.	.	.	.	.	.	.	1	1	3
Drogheda	13,708	8·7	15·2	11·4	.	4	3	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Newry,	12,961	18·5	4·0	12·1	.	1	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Dundalk,	12,449	9·0	20·9	8·4	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Lisburn,	12,250	10·8	46·8	12·8	.	11	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Wexford,	11,545	24·0	27·1	8·5	.	6	3	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Lurgan,	11,429	13·4	50·2	27·4	.	11	6	3	2	.	.	.	.	.	.	.	.	.	.	2	.	.	4
Kilkenny,	11,048	12·0	18·9	18·9	.	4	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,708	8·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Sligo,	10,274	3·4	10·2	10·2	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Tralee,	9,318	15·9	16·8	16·8	.	3	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Ballymena,	9,252	9·3	28·2	22·5	.	5	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Newtownards,	9,197	13·0	39·7	28·3	5·7	7	5	2	1	.	.	.	.	.	1	.	.	.	1	1	.	.	.
Queenstown,	9,082	17·0	28·0	17·2	.	4	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Carrickfergus	8,923	0·5	5·8	5·8	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	8,480	11·0	30·9	37·1	.	5	6	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Armagh,	8,187	21·4	.	7·1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 29th Dec., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd Dec., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th Dec., 1900. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Total of 23 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§56·8	25·2	42·8	0·82	57·8	28·9	–	0·27	§55·8	39·1	48·1	0·24
Registrars' Districts. City	58·8	31·8	45·4	0·65	59·8	34·7	47·1	0·21	57·0	40·8	49·9	0·13
Clontarf &c. No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Coolock & Drumcondra, No. 1,	.	.	.	.	.	.	.	.	.	.	.	.
Finglas & Glasnevin, pt. of (a),	58·8	26·0	43·1	0·72	58·2	28·0	44·7	0·23	56·6	38·8	48·5	0·18
Palmerston, part of and Crumlin part of (b),	.	.	.	.	.	.	.	.	.	.	.	.
Rathmines,‖	.	.	.	.	.	.	.	.	.	.	.	.
Donnybrook,	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,‖	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown, 1 & 2,‖	55	34	45·5	1·04	59	31	45·6	0·24	59	43	50·4	0·03
Urban Districts												
Belfast,	56·0	28·0	42·5	1·38	57·0	33·0	45·3	0·56	57·0	36·0	47·8	0·30
Cork,	53	35	46·0	2·87	53	38	46·6	1·86	53	41	49·4	0·50
Limerick,	57·0	33·9	43·2	1·45	56·0	32·0	43·8	1·02	56·0	40·0	46·8	1·30
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	55	34	43	1·89	57	35	46	1·17	56	40	49	1·21
Galway,	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	54·0	32·1	42·1	1·32	57·2	34·9	44·0	0·69	54·9	38·8	47·4	0·33
Newry,	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk,	54·0	32·1	42·1	1·32	57·2	34·9	44·0	0·69	54·9	38·8	47·4	0·33
Lisburn,	.	.	.	.	.	.	.	.	.	.	.	.
Wexford,	54·0	32·1	42·1	1·32	57·2	34·9	44·0	0·69	54·9	38·8	47·4	0·33
Lurgan,	55	29	42·3	1·64	58	25	40·5	0·79	54	32	45·1	0·30
Kilkenny,	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	54·8	29·8	41·1	1·69	51·7	31·1	42·7	1·51	54·8	36·8	47·1	0·62
Sligo,	.	.	.	.	.	.	.	.	.	.	.	.
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	53	33	43·1	1·30	50	34	43·4	0·46	55	37	46·7	0·10
Newtownards,	53	35	46·0	2·87	53	38	46·6	1·86	53	41	49·4	0·50
Queenstown,	.	.	.	.	.	.	.	.	.	.	.	.
Carrickfergus	51·0	32·1	42·1	1·32	57·2	34·9	44·0	0·69	54·9	38·8	47·4	0·33
Portadown	54·0	32·1	42·1	1·32	57·2	34·9	44·0	0·69	54·9	38·8	47·4	0·33
Armagh,	.	.	.	.	.	.	.	.	.	.	.	.

(a) All the District except that portion in Finglas District Electoral Division (b) The portions of the Districts situated in the Parish of St. James, and those in the Parish of St. Jude

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891. The areas of Belfast,

TABLE II.—DEATHS in the several REGISTRARS' DISTRICTS of the CITY OF DUBLIN (Municipal Boundary), and in its SUBURBAN DISTRICTS, registered during the Week ending Saturday, 29th December, 1900. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	NAMES OF REGISTRARS' DISTRICTS.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons from without the Area.
	NORTH CITY.* Districts.				SOUTH CITY.† Districts.				CLONTARF & HOWTH. No. 1.	COOLOCK and DRUMCONDRA, No. 1.	FINGLAS and GLASNEVIN, part of (a).	PALMERSTON, pt. of, & CRUMLIN, pt. of (b).	RATHMINES (c).	DONNYBROOK.	BLACKROCK (c).	KINGSTOWN, Nos. 1 and 2 (c).		
	No. 1 E.	No. 1 W.	No. 2.	No. 3.	No. 1.	No. 2.	No. 3.	No. 4.										
Area in Statute Acres,	674	321	232	564	797	161	397	587	2787	5924	5095	904	1714	1987	1084	1462	24,640	.
I. ZYMOTIC DISEASES:																		
Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Whooping Cough,	.	1	.	1	1	1	.	1	.	.	.	.	.	.	.	.	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple & Ill-defined Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Diarrhœa, Dysentery,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Other Zymotic Diseases	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Total,	2	2	.	3	1	2	.	2	.	.	.	1	.	.	.	.	13	.
II. PARASITIC DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III. DIETETIC DISEASES,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
IV. CONSTITUTIONAL DISEASES:																		
Phthisis, or Pulmonary Consumption,	1	1	1	2	1	.	2	5	.	.	.	.	.	.	3	.	16	1
Other Constitutional Diseases,	1	1	4	.	2	.	1	1	.	.	.	.	3	.	1	1	15	2
Total,	2	2	5	2	3	.	3	6	.	.	.	.	3	.	4	1	31	3
V. DEVELOPMENTAL DISEASES,	.	1	1	.	2	.	4	2	.	.	.	.	1	1	.	.	12	.
VI. LOCAL DISEASES:																		
Diseases of: Brain & Nervous System,	1	3	3	.	3	.	4	1	.	.	1	.	1	2	.	.	19	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	2	2	2	2	2	.	1	.	.	.	1	.	3	1	.	1	17	.
Respiratory System,	3	6	3	1	3	2	8	3	.	.	.	1	2	5	1	1	39	.
Digestive System,	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	4	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Total,	7	12	8	3	8	2	14	5	.	1	2	1	6	8	1	3	81	1
VII. VIOLENT DEATHS,	.	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	4	1
VIII. DEATHS FROM ILL-DEFINED AND UNSPECIFIED CAUSES,	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	2	.
Deaths from all Causes,	11	18	15	8	15	4	24	15	.	1	2	2	10	10	5	4	144	5
Annual Rate of Mortality in every 1,000 of the population.	21·1	26·9	27·1	16·0	23·6	11·2	30·9	21·9	.	4·9	24·6	14·3	18·8	21·2	31·0	12·0		
	23·2				23·6				17·0									
	23·4																21·5	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	5	4	2	2	1	2	3	.	.	1	1	2	.	.	.	25	5
Workhouse Hospitals,	3	3	4	1	3	.	7	4	.	.	.	.	.	2	.	1	28	.

*CITY REGISTRATION DISTRICTS.—NORTH CITY—No. 1 East and West Districts extend from the extremity of the North-wall to O'Connell-bridge, and comprise all that part of the City situate within the Municipal Boundary, the River Liffey, and a line drawn up the centre of Sackville-street, Cavendish-row, Frederick-street, North, and Blessington-street, to the City Basin, thence to the junction of the Royal Canal with its branch to the Broadstone.—Offices: Dispensary, Clarence-street (North), and 92, Summer-hill. No. 2 District extends from the western boundary of No. 1 District, along the Liffey, to a line drawn up the centre of Chancery-place, Greek-street, Beresford-street, North King-street, Church-street, Constitution-hill, and part of the Broadstone branch of the Royal Canal.—Office: 1, Lisburn-street. No. 3 District comprises all that portion of the North City situate west of Districts Nos. 1 and 2, and within the Municipal Boundary,—Office; Dispensary, Blackhall-place.

†SOUTH CITY.—No. 1 District consists of that portion of the South City situated west of a line drawn from the Grand Canal west of Clanbrassil-street, along the eastern boundary of St. Catherine's Parish, through Ardee Street, Coombe, and Francis-street, thence along the boundary of St. Audoen's Parish, and through part of Watling-street, to Usher's Island.—Office. 83, South Earl-street. No. 2 District extends along the Liffey from the western point of Usher's Island to O'Connell-bridge, and may be described by a line drawn from the latter point through Westmoreland-street, part of Grafton-street, Wicklow-street, William-street, Stephen-street, Golden-lane, Bull-alley, and Hanover-lane, to Francis-street, where it joins No. 1. District.—Office: Dispensary, Castle-street. No. 3 District lies to the south of No. 2 District, and is bounded on the west by District No. 1 and on the east by a line drawn from the South Circular-road through Leeson-street, Lower, the centre of Stephen's-green and King-street South, to the corner of William-street, where it joins No. 2 District.—Office: 16, Peter-street. No. 4 District embraces all that part of the South City situated east of Districts Nos. 2 and 3.—Office: Dispensary, Grand Canal-street.

(a) All the District except that portion in Finglas District Electoral Division.
(b) The portions of the Districts situated in the Parish of St. James and those in the Parish of St Jude.
(c) The Urban District.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from the deaths from each cause in the corresponding week of the

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 52nd Week of 10 years 1890–99.	In the week ending Saturday, 29th December, 1900. Deaths of persons of the Ages of							
	Dec. 27, 1890	Jan. 2, 1892	Dec. 31, 1892	Dec. 30, 1893	Dec. 29, 1894	Dec. 28, 1895	Dec. 26, 1896	Jan. 1, 1898	Dec. 31, 1898	Dec. 30, 1899		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature,	° 31·8	° 41·4	° 32·7	° 43·9	° 42·9	° 39·5	° 38·9	° 45·4	° 44·5	° 35·9	° 40·0	Mean Temp. ° 42·8	Under 1 month.	1 month and under 1 year.	1 to 5.					
ALL CAUSES,	212	305	224	247	170	156	178	223	186	280	218·1	149	5	15	22	4	25	31	40	7
I. FEBRILE OR ZYMOTIC DISEASES,	16	38	24	40	27	5	27	20	14	32	24·3	13	.	1	7	.	3	1	.	1
II. PARASITIC DISEASES,	.	.	1	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
III. DIETETIC "	.	1	2	1	.	.	1	1	.	2	·8	1	.	.	.	.	1	.	.	.
IV. CONSTITUTIONAL "	41	48	52	47	26	36	35	41	39	50	41·5	34	.	1	5	4	10	10	4	.
V. DEVELOPMENTAL "	19	35	18	17	14	13	7	7	21	27	17·8	12	1	.	1	.	.	.	6	4
VI. LOCAL "	120	161	114	116	89	89	92	126	93	151	115·1	82	3	13	7	.	10	18	29	2
VII. VIOLENT DEATHS,	8	9	7	16	6	7	8	10	8	7	8·1	5	.	.	2	.	1	1	1	.
VIII. ILL-DEFINED CAUSES,	13	13	6	9	8	6	8	18	11	10	10·2	2	1	.	.	.	.	1	.	.
I. Zymotic Diseases—																				
Small Pox, Vaccinated,	.	.	.	.	3	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Small Pox, Unvaccinated,	.	.	.	.	6	1	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
Small Pox, No Statement,	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	3	.	.	2	1	.	15	2·2	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	2	2	.	3	1	1	1	1·0	1	.	.	1	.	.	.	.	.
Typhus,	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
Relapsing Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	10	1	12	2	2	2	3	2	9	4·4	.	.	.	.	.	.	.	.	.
Whooping Cough,	4	8	2	6	3	.	15	2	4	2	4·6	5	.	.	5	.	.	.	.	.
Diphtheria,	.	1	.	.	.	1	.	2	1	1	·6	.	.	.	.	.	.	.	.	.
Simple continued and Ill-defined Fever,	1	.	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
Enteric Fever,	4	10	4	6	3	1	.	5	1	2	3·6	3	.	.	1	.	1	1	.	.
Cholera and Chol. Diarr.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa, Dysentery,	1	2	5	3	3	.	.	1	2	1	1·8	2	.	1	.	.	.	.	.	1
Remittent Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, Effects of Vaccination,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Affections	2	.	2	1	.	.	.	2	.	.	·7	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	2	2	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
Pyæmia, Septicæmia,	1	1	3	.	1	.	1	.	1	1	·9	.	.	.	.	.	.	.	.	.
Puerperal Fever,	.	1	.	3	1	.	.	1	.	.	·6	.	.	.	.	.	.	.	.	.
Other Zymotic Diseases,	1	5	6	2	.	.	3	.	2	.	1·9	1	.	.	.	.	1	.	.	.
II. Parasitic Diseases—																				
Thrush,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Worms and other Parasitic Affections,	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
III. Dietetic Diseases—																				
Starvation, Want of Breast Milk,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scurvy,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, Delirium Trems.	.	1	2	1	.	.	1	1	.	2	·8	1	.	.	.	.	1	.	.	.
IV. Constitutional Diseases—																				
Rheumatic Fever, Rheumatism of Heart	.	.	3	1	.	.	1	1	.	.	·6	.	.	.	.	.	.	.	.	.
Rheumatism,	.	1	1	.	.	.	.	1	1	3	·7	.	.	.	.	.	.	.	.	.
Gout,	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Rickets,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Cancer,	10	6	2	9	5	11	1	9	4	5	6·2	9	.	.	.	.	1	4	4	.
Tabes Mesenterica,	2	1	7	5	2	1	4	5	4	5	3·6	1	.	.	1	.	.	.	.	.
Tubercular Meningitis,	2	2	4	3	1	4	8	.	6	6	3·6	2	.	.	2	.	.	.	.	.
Phthisis,	24	30	24	25	17	17	15	22	18	28	22·0	17	.	.	2	1	9	5	.	.
Scrofula, Tuberculosis,	1	5	8	3	.	.	5	1	5	3	3·1	3	.	1	.	2	.	.	.	.
Other Constitutional Diseases,	1	2	2	1	1	3	1	1	1	.	1·4	2	.	.	.	1	.	1	.	.
V. Developmental Diseases—																				
Premature Birth,	.	4	2	4	.	.	1	1	6	5	2·3	1	1	.	.	.	.	.	.	.
Atelectasis	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Congenital Malformations, &c.	.	1	.	1	.	2	.	.	.	.	·4	1	.	.	1	.	.	.	.	.
Old Age,	19	30	16	12	14	11	6	6	14	22	15·0	10	.	.	.	.	.	.	6	4

each Disease registered in the FIFTY-SECOND WEEK ending Saturday, 29th December, 1900, with ten years, 1890-99, and the average for those weeks.

CAUSES OF DEATH.	Deaths from all Causes *Registered* in the Week ending Saturday										Averages in 52nd Week of the 10 years 1890-99.	In the Week ending Saturday, 29th December, 1900. Deaths of Persons of the Ages of							
	Dec. 27, 1890	Jan. 2, 1892	Dec. 31, 1892	Dec. 30, 1893	Dec. 29, 1894	Dec. 28, 1895	Dec. 26, 1896	Jan. 1, 1898	Dec. 31, 1898	Dec. 30, 1899		All Ages.	0 to 5			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 31·8	° 41·4	° 32·7	° 43·9	° 42·9	° 39·5	° 38·9	° 45·4	° 44·5	° 35·9	° 40·0	Mean Temp. ° 42·8	Under 1 month.	1 month and under 1 year.	1 to 5.					
VI. Local Diseases.																				
Apoplexy,	1	3	1	3	4	5	.	6	4	4	3·1	4	.	.	.	.	1	3	.	.
Epilepsy,	.	3	.	2	.	.	1	1	.	.	·7	.	.	.	.	.	.	.	.	.
Convulsions,	20	13	6	18	12	6	4	9	16	10	11·4	6	2	3	1	.	.	.	.	.
Other Diseases of Brain and Nervous System,	8	15	13	4	6	9	2	4	7	8	7·6	9	.	.	.	.	1	3	5	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Diseases of Circulatory System,	16	26	20	19	13	12	21	28	14	21	19·0	17	1	.	.	.	5	4	6	1
Croup,	1	3	2	2	1	1	.	1	.	.	1·1	.	.	.	.	.	.	.	.	.
Bronchitis,	45	57	41	28	22	27	37	36	22	72	38·7	25	.	6	4	.	.	2	12	1
Pneumonia,	10	23	15	20	13	11	13	14	7	22	14·8	12	.	3	2	.	.	4	3	.
Pleurisy,	2	1	.	1	.	.	.	.	3	.	·7	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System,	7	3	7	5	1	1	2	3	2	4	3·5	2	.	.	.	.	.	1	1	.
Teething,	.	1	.	.	1	1	.	2	.	.	·5	1	.	1	.	.	.	.	.	.
Quinsy, Sore Throat,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Enteritis,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Peritonitis,	.	1	.	2	.	.	.	2	.	1	·6	.	.	.	.	.	.	1	.	.
Disease of Liver,	4	1	1	4	4	4	3	2	5	1	2·9	2	.	.	.	.	.	1	1	.
Other Diseases of Digestive System,	.	5	4	3	6	2	1	6	8	5	4·0	1	.	.	.	.	1	.	.	.
Diseases of Lymphatics, &c.,	.	1	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	3	.	2	3	2	9	7	7	3	3	3·9	1	.	.	.	.	1	.	.	.
Diseases of Generative System,	1	3	.	.	.	.	1	1	.	.	·6	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	2	.	1	.	.	.	1	.	.	·4	1	.	.	.	.	1	.	.	.
Diseases of Locomotive System,	.	.	2	1	2	.	.	.	1	.	·6	.	.	.	.	.	.	.	.	.
Diseases of Integumentary System,	1	.	.	.	2	.	.	.	1	.	·4	1	.	.	.	.	.	.	1	.
VII. Violent Deaths																				
(ACCIDENT.)																				
By Railways,		.	.	1	.	.	.	.	.	.		1	.	.	.	.	.	1	.	.
By Vehicles or Horses,		1	.	1	2	1	1	.	.	1		.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning),		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
In Building Operations,		.	.	.	.	.	.	.	3	1		.	.	.	.	.	.	.	.	.
In Conflagrations,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions,	3	.	1		1	2	5	5	.	1	7·5	2	.	.	2	.	.	.	.	.
By Drowning,		4	3	.	1	2	1	1	3	1		.	.	.	.	.	.	.	.	.
By Suffocation in Bed,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
By Poisons or Poisonous Vapours,		.	.	.	1	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Other or Not Stated Causes,		3	2	3	.	2	1	4	2	3		2	.	.	.	.	1	.	1	.
(VIOLENCE OTHER THAN ACCIDENTAL.)																				
HOMICIDE,	.	1	1	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
SUICIDE,	.	.	.	2	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
EXECUTION,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIII. Deaths from ill-defined and unspecified Causes.	13	13	6	9	8	9	3	18	11	10	10·2	2	1	.	.	.	.	1	.	.

TABLE IV.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1900—Week ending																									
	July. 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.
No. of weeks in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered,	181	208	186	187	245	149	256	221	228	225	177	165	289	175	152	214	183	186	168	185	168	165	268	173	190	165
Average Births in corresponding week of previous 10 years,	193	188	185	185	195	200	196	185	197	183	211	206	204	175	172	181	168	178	176	189	184	184	178	183	151	180
DEATHS registered,	124	127	165	129	159	161	147	185	186	154	171	167	167	182	183	168	141	152	154	179	187	167	189	164	175	149
Annual Death-rate per 1,000,	18·5	18·9	24·6	19·2	23·7	24·0	21·9	27·6	27·7	23·0	25·5	24·9	24·9	27·1	27·8	25·1	21·0	22·7	23·0	26·7	27·9	24·9	28·2	27·4	26·1	22·2
Average Deaths in corresponding week of previous 10 years,	149	148	154	162	159	160	157	162	164	170	165	162	160	151	163	159	173	181	174	181	182	190	184	188	190	218
AGES, Under 5 years,	38	32	47	35	40	57	51	79	71	54	70	73	69	88	61	56	53	44	43	40	53	55	69	43	56	42
5—20 "	10	8	13	7	13	9	15	12	21	16	15	7	10	12		18	10	10	6	14	15	8	13	16	18	4
20—40 "	25	35	26	18	25	31	17	38	25	25	21	18	30	22	32	28	27	23	30	25	38	27	28	39	41	25
40—60 "	23	24	44	33	39	34	34	35	39	26	34	33	25	29	38	34	31	39	38	38	41	35	34	38	18	31
60—80 "	26	23	30	30	35	26	26	20	26	22	23	32	29	27	34	26	16	27	23	50	32	37	38	38	36	40
80 years and upwards,	2	5	5	6	7	4	4	1	4	11	8	4	4	4	9	6	4	9	14	12	8	5	7	10	6	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.
" Scarlet Fever,	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1	.	1	.	.	1	1	1	1
" Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Whooping-cough,	3	4	5	.	3	1	1	5	4	5	7	3	3	5	1	2	2	3	1	2	5	6	4	7	6	5
" Diphtheria,	.	.	2	1	.		.	1	4	.	2	1	.	.	1	3	.	.	.	1	1	1	.	.	1	.
" Simple continued and Ill-defined Fever,	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	1	.
" Enteric Fever,	2	2	2	.	2	.	1	2	2	1	7	3	4	3	4	4	4	3	4	3	9	4	3	1	3	3
" Diarrhœa, Dysentery,	2	1	4	4	9	19	24	25	33	20	27	24	18	28	16	9	6	5	6	3	5	1	3	2	4	2
" Phthisis,	26	31	28	19	24	24	20	25	32	22	20	13	31	14	26	23	15	16	26	30	31	14	18	19	26	17
" Heart Diseases,	10	9	19	17	23	12	12	18	10	14		16	10	13	14	12	10	9	12	21	14	17	23	12	16	17
" Diseases of Respiratory System,	15	20	23	23	14	15	13	14	6	19	18	15	14	23	29	33	29	36	23	36	36	45	36	46	35	39
Violent Deaths,	6	6	5	4	4	5	4	9	2	5	5	5	3	7	5	2	3	7	6	7	3	2	5	4	5	5
Mean Temperature of the Air Phœnix Park),	56·2	60·8	64·3	63·8	58·7	55·5	60·2	56·8	55·9	58·4	54·5	56·2	54·1	50·4	50·9	46·4	47·0	50·8	45·1	44·4	37·4	43·4	45·8	48·1	.	42·8
Average Mean Temperature in corresponding week of previous 10 years,	57·7	57·7	58·7	58·2	59·1	58·4	59·0	57·6	55·9	56·6	56·4	53·7	52·4	50·9	48·5	47·5	46·5	45·7	45·4	44·1	44·8	42·3	41·9	41·7	39·7	0·0
Rainfall in inches,	·280	·300	·615	3·190	2·660	2·315	·015	1·245	·140	·000	·010	·540	·640	·985	1·055	·175	·360	1·010	1·525	·830	·555	2·145	·715	·235	·270	·815
Mean Humidity of the Air, complete Saturation 1·0,	·81	·76	·82	·83	·81	·86	·85	·90	·83	·87	·87	·89	·84	·83	·89	·91	·90	·91	·89	·85	·88	·89	·89	·8	·83	·86

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th December, 1900; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Registration of Deaths, Week ending Saturday, 29th December, 1900. Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	22·2	149	42	4	25	31	40	7	.	.	1	1	5	.	.	3	2	12	17	6	39	5	70
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	30·0	9	1	.	.	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	7
II.	MIDDLE CLASS,	81,469	16·0	25	5	1	6	5	5	3	.	.	.	.	.	.	.	1	1	2	2	.	5	1	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	99,377	18·3	35	6	1	6	8	13	1	.	.	.	.	1	.	.	2	.	3	7	.	6	2	17
IV.	GENERAL SERVICE CLASS,	147,978	27·2	52	27	2	9	8	6	.	.	.	1	1	4	.	.	.	1	7	4	6	15	2	18
V.	INMATES OF WORKHOUSES,	5,191		28	3	.	4	6	14	1	.	.	.	.	.	.	.	.	.	.	4	.	11	.	13
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,989	45·6	7	1	.	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	5
	2. Merchants and Manufacturers, Higher Class,	1,857	28·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	5,788	9·1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	5,877	17·7	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	26,086	12·0	6	1	.	1	3	1	.	.	.	.	.	.	.	.	1	.	1	1	.	2	.	2
	6. Clerks and Commercial Assistants,	25,001	16·4	5	.	1	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	24,555	25·4	12	3	.	3	2	2	2	.	.	.	.	.	.	.	.	1	1	1	.	2	1	7
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	7,481	35·0	5	2	.	1	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	2
	9. Building and Furnishing Trades,	26,294	11·6	6	2	.	1	1	2	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	4
	10. Clothing Trades,	28,927	19·6	9	2	.	3	2	2	.	.	.	.	.	1	.	.	.	.	1	4	.	2	.	2
	11. Food Supply Trades,	7,949	32·7	5	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3
	12. Other Trades and Callings ranking with Trades,	26,987	13·5	7	.	1	1	1	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	2	3
	13. Petty Shopkeepers,	6,889	22·3	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	18·9	5	3	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	2	.	.	2
	15. Domestic Servants,	39,967	5·2	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	4·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	17. Hawkers, Porters, Labourers, &c.,	88,472	26·2	42	21	1	7	8	5	.	.	.	.	1	4	.	.	.	1	6	4	4	12	2	14
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	5,191	—	28	3	.	4	6	14	1	.	.	.	.	.	.	.	.	.	.	4	.	11	.	13

TABLE VI.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of Districts of RATHMINES, DONNYBROOK, and KINGSTOWN; the Annual Rate per 1,000 of the with the Mortality from the principal causes, *the Deaths in Public Institutions being assigned* of the Provincial County

City of Dublin.		1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. (in 1891) 27,147.	Nov. 10,	21·1	.	11	.	.	.	.	.	.	.	.	.	1	3	.
		„ 17,	36·5	8·8	19	.	.	.	.	1	.	.	.	1	4	6	1
		„ 24,	49·9	11·5	26	.	.	.	.	2	.	.	2	2	7	3	.
		Dec. 1,	25·0	.	13	.	.	.	.	.	.	.	.	.	2	5	.
		„ 8,	26·9	1·9	14	.	.	1	.	.	.	.	.	.	4	1	.
		„ 15,	19·2	.	10	.	.	.	.	.	.	.	.	.	2	1	.
		„ 22,	9·6	.	5	.	.	.	.	.	.	.	.	.	2	1	.
		„ 29,	21·1	8·8	11	.	.	.	.	.	.	.	1	1	1	3	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. (in 1891) 34,888.	Nov. 10,	23·9	1·5	16	.	.	.	.	.	.	.	.	1	2	.	3
		„ 17,	25·4	3·0	17	.	.	.	.	.	.	.	1	1	2	5	2
		„ 24,	28·4	.	19	.	.	.	.	.	.	.	.	.	3	4	1
		Dec. 1,	18·0	4·5	12	.	.	.	.	3	.	.	.	.	1	2	1
		„ 8,	23·9	1·5	16	.	.	.	.	.	.	.	.	1	1	3	1
		„ 15,	26·9	7·5	18	.	.	.	.	4	.	.	.	1	2	3	.
		„ 22,	35·9	3·0	24	.	.	.	.	2	.	.	.	.	4	6	1
		„ 29,	26·9	3·0	18	.	.	.	.	1	.	.	1	.	1	6	1
	North City, No. 2. (Office, Lisburn-street.) Pop. (in 1891) 28,871.	Nov. 10,	36·1	5·4	20	.	.	.	.	.	.	.	3	.	6	2	.
		„ 17,	30·7	1·8	17	.	.	.	.	1	.	.	.	.	2	2	3
		„ 24,	36·1	1·8	20	.	.	.	.	.	1	.	.	.	2	5	.
		Dec. 1,	28·9	.	16	.	.	.	.	.	.	.	.	.	3	3	.
		„ 8,	41·5	7·2	23	.	.	.	.	3	.	.	1	.	2	2	1
		„ 15,	37·9	.	21	.	.	.	.	.	.	.	.	.	2	8	.
		„ 22,	41·5	1·8	23	.	.	.	.	1	.	.	.	.	4	7	.
		„ 29,	27·1	.	15	.	.	.	.	.	.	.	.	.	1	3	1
	North City, No. 3. (Office, Blackhall-place.) Pop. (in 1891) 26,055.	Nov. 10,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	2	.
		„ 17,	34·0	4·0	17	.	1	1	.	.	.	.	.	.	1	2	.
		„ 24,	22·0	6·0	11	.	.	.	.	1	.	.	1	1	2	3	.
		Dec. 1,	32·0	.	16	.	.	.	.	.	.	.	.	.	2	4	.
		„ 8,	30·0	2·0	15	.	.	.	.	.	.	.	.	1	1	3	.
		„ 15,	22·0	4·0	11	.	1	1	.	.	.	.	.	.	1	1	.
		„ 22,	38·0	6·0	19	.	.	1	.	1	.	.	1	.	2	4	.
		„ 29,	16·0	6·0	8	.	.	.	.	1	.	.	1	1	2	1	.
	South City, No. 1. (Office, South Earl-street.) Pop. (in 1891) 33,194.	Nov 10,	25·1	1·6	16	.	.	.	.	.	.	.	.	1	2	3	2
		„ 17,	25·1	.	16	.	.	.	.	.	.	.	.	.	3	6	.
		„ 24,	40·8	3·1	26	.	.	.	.	1	.	.	.	1	5	5	.
		Dec. 1,	29·8	.	19	.	.	.	.	.	.	.	.	.	1	4	.
		„ 8,	31·4	.	20	.	.	.	.	.	.	.	.	.	1	7	1
		„ 15,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	3	1
		„ 22,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	2
		„ 29,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	1	3	1
	South City, No. 2. (Office, Castle-street.) Pop. (in 1891) 18,547.	Nov. 10,	33·7	.	13	.	.	.	.	.	.	.	.	.	1	5	.
		„ 17,	25·3	.	9	.	.	.	.	.	.	.	.	.	2	2	.
		„ 24,	19·7	2·8	7	.	.	.	.	.	.	.	1	.	.	3	.
		Dec. 1,	33·7	2·8	12	.	.	.	.	1	.	.	.	.	.	7	.
		„ 8,	30·9	.	11	.	.	.	.	.	.	.	.	.	.	3	.
		„ 15,	45·0	5·6	16	.	.	.	.	2	.	.	.	.	2	6	.
		„ 22,	47·8	.	17	.	.	.	.	.	.	.	.	.	1	6	1
		„ 29,	11·2	5·6	4	.	.	.	1	1	.	.	.	.	.	2	.
	South City, No. 3. (Office, Peter-street.) Pop. (in 1891) 40,558.	Nov. 10,	20·6	1·3	16	.	.	.	.	.	.	.	.	1	4	3	.
		„ 17,	20·6	1·3	16	.	.	.	.	.	.	.	1	.	3	3	.
		„ 24,	24·4	.	19	.	.	.	.	.	.	.	.	.	3	6	.
		Dec. 1,	30·9	2·6	24	.	.	.	.	1	.	.	1	.	1	4	.
		„ 8,	33·4	2·6	26	.	.	.	.	.	.	.	2	.	3	7	1
		„ 15,	29·6	1·3	23	.	.	.	.	.	.	.	1	.	2	9	.
		„ 22,	21·9	1·3	17	.	.	.	.	.	.	.	.	1	3	3	1
		„ 29,	30·9	.	24	.	.	.	.	.	.	.	.	.	2	3	1
	South City, No. 4. (Office, Grand Canal-street.) Pop. (in 1891) 35,793.	Nov. 10,	21·9	1·5	15	.	.	.	.	.	.	.	.	1	4	3	1
		„ 17,	18·9	.	13	.	.	.	.	.	.	.	.	.	3	4	.
		„ 24,	23·3	2·9	16	.	.	.	.	.	.	.	2	.	2	3	.
		Dec. 1,	23·3	2·9	16	.	.	.	.	.	.	.	1	1	1	6	1
		„ 8,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	1	2	.
		„ 15,	29·1	2·9	20	.	.	.	.	1	.	.	.	1	.	5	1
		„ 22,	21·9	2·9	15	.	.	.	.	1	.	.	.	1	2	2	.
		„ 29,	21·9	1·5	15	.	.	.	.	1	.	.	.	.	5	3	.

the several REGISTRARS' DISTRICTS in the CITY (County Borough) OF DUBLIN and of the Suburban Population represented thereby, and by the Deaths from the principal Zymotic Diseases: *to the Districts from which the deceased were admitted;* also, similar Statistics for each Boroughs in Ireland.

DISTRICTS.	1900 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Principal Zymotic Diseases.	Total Deaths.	Number of Deaths from Principal Zymotic Diseases. Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Rathmines. Pop (in 1891) 27,796.	Nov. 10,	22·5	1·9	12	.	.	.	.	.	.	.	1	.	2	1	.
	„ 17,	31·9	.	17	.	.	.	.	.	.	.	.	.	3	1	.
	„ 24,	9·4	3·8	5	.	.	.	.	1	.	.	1	.	.	.	1
	Dec. 1,	24·4	5·6	13	.	.	.	.	1	1	.	1	.	.	1	.
	„ 8,	24·4	.	13	.	.	.	.	.	.	.	.	.	1	4	.
	„ 15,	22·5	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 22,	24·4	3·8	13	.	.	.	.	.	.	.	1	1	.	.	.
	„ 29,	18·3	.	10	.	.	.	.	.	.	.	.	.	.	2	.
Donnybrook. Pop. (in 1891) 24,629.	Nov. 10,	19·1	2·1	9	.	.	.	.	.	.	.	.	1	1	.	.
	„ 17,	19·1	2·1	9	.	.	.	.	.	1	.	.	.	1	2	.
	„ 24,	14·8	.	7	.	.	.	.	.	.	.	.	.	2	2	1
	Dec. 1,	12·7	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 8,	29·6	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 15,	14·8	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	„ 22,	12·7	4·2	6	.	.	.	.	.	1	.	1	.	1	.	.
	„ 29,	21·2	.	10	.	.	.	.	.	.	.	.	.	.	5	.
Kingstown. Pop. (in 1891) 17,886.	Nov. 10,	21·0	3·0	7	.	.	.	.	1	.	.	.	.	1	.	.
	„ 17,	21·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	„ 24,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Dec. 1,	15·0	.	5	.	.	.	.	.	.	.	.	.	.	3	.
	„ 8,	27·0	.	9	.	.	.	.	.	.	.	.	.	2	.	.
	„ 15,	27·0	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	„ 22,	15·0	.	5	.	.	.	.	.	.	.	.	.	2	1	1
	„ 29,	12·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1900 (Est.) 359,000.	Nov. 10,	18·3	1·3	126	.	.	.	.	1	2	1	3	2	12	28	1
	„ 17,	17·7	0·9	122	.	.	.	.	1	.	.	4	1	11	32	5
	„ 24,	21·5	1·7	148	.	2	1	.	3	2	1	2	1	15	43	5
	Dec. 1,	20·8	0·6	143	.	.	.	.	1	.	.	1	2	21	46	5
	„ 8,	22·1	1·6	152	.	4	.	.	1	2	.	3	1	17	53	5
	„ 15,	18·7	1·3	129	.	.	.	.	1	1	.	5	2	18	43	3
	„ 22,	19·3	1·3	133	.	2	.	.	1	.	.	5	1	17	41	3
	„ 29,	19·8	1·2	136	.	.	.	.	3	1	.	4	.	17	42	1
Cork. Pop. (in 1891) 75,845.	Nov. 10,	20·1	2·1	29	.	.	1	.	.	.	.	.	2	4	5	1
	„ 17,	22·8	2·1	33	.	.	2	.	.	.	.	.	1	8	8	.
	„ 24,	15·9	.	23	.	.	.	.	.	.	.	.	.	6	1	.
	Dec. 1,	22·8	3·5	33	.	.	4	.	.	.	.	.	1	6	5	.
	„ 8,	19·4	2·8	28	.	.	2	.	.	.	.	.	2	1	3	.
	„ 15,	15·9	1·4	23	.	.	1	1	.	.	.	.	.	2	5	.
	„ 22,	18·0	1·4	26	.	.	2	.	.	.	.	.	.	3	7	.
	„ 29,	20·1	.	29	.	.	.	.	.	.	.	.	.	6	4	.
Limerick. Pop. (in 1891) 37,155.	Nov. 10,	15·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 17,	15·4	1·4	11	.	.	.	.	.	.	.	.	1	1	2	.
	„ 24,	23·9	.	17	.	.	.	.	.	.	.	.	.	3	4	.
	Dec. 1,	18·2	.	13	.	.	.	.	.	.	.	.	.	2	3	1
	„ 8,	14·0	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	„ 15,	15·4	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	„ 22,	19·6	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	„ 29,	25·3	1·4	18	.	.	.	.	.	.	.	.	1	.	3	.
Londonderry. Pop. (in 1891) 33,200.	Nov. 10,	28·3	3·1	18	.	.	.	.	2	.	.	.	.	1	3	.
	„ 17,	11·0	3·1	7	.	.	.	.	1	1	.	.	.	1	1	.
	„ 24,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	2	3	1
	Dec. 1,	26·7	1·6	17	.	.	.	.	1	.	.	.	.	5	4	.
	„ 8,	14·1	3·1	9	.	.	.	.	2	.	.	.	.	1	.	1
	„ 15,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	1
	„ 22,	18·8	3·1	12	.	1	.	.	1	.	.	.	.	.	3	.
	„ 29,	22·0	3·1	14	.	2	.	.	.	.	.	.	.	.	3	.
Waterford. Pop. (in 1891) 26,200.	Nov. 10,	21·9	2·0	11	.	.	.	.	.	.	.	.	1	2	1	.
	„ 17,	19·9	.	10	.	.	.	.	.	.	.	.	.	5	.	.
	„ 24,	11·9	2·0	6	.	.	.	.	.	.	.	.	1	1	1	.
	Dec. 1,	15·9	4·0	8	.	.	.	.	.	.	.	.	2	3	1	.
	„ 8,	6·0	.	3	.	.	.	.	.	.	.	.	.	.	1	.
	„ 15,	25·9	2·0	13	.	.	.	.	.	.	.	.	1	3	.	.
	„ 22,	17·9	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 29,	13·9	2·0	7	.	.	.	.	.	.	.	1	.	4	.	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 29th December, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY represented by the Deaths from All Causes and from the principal Zymotic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	The principal Zymotic Diseases.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles	Scarlet Fever (Scarlatina).	Typhus	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	17,122	10	The estimate of the present Population of Belfast now adopted (see Table VI.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		7	1	2	2	2	.	.	.	.	.	.	.	1	.	2	1	.	.	.
" 2 "	37,589	27			18	11	1	3	3	.	.	.	.	.	.	.	.	.	2	8	.	.	1
" 3 "	38,845	29			13	4	2	4	3	.	.	.	.	1	.	.	.	.	2	5	1	3	.
" 4 "	33,391	33			18	6	4	4	4	.	.	.	.	.	.	.	.	.	1	5	.	1	6
" 5 "	21,284	11			13	2	4	5	2	.	.	.	.	.	.	.	2	.	.	4	.	2	3
" 6 "	43,431	15			13	2	2	9	.	.	.	.	.	1	.	.	.	.	4	1	.	.	2
" 7 "	1,112	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 8 "	4,904	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 9 "	12,866	3			12	2	1	7	2	.	.	.	.	.	.	.	.	.	1	5	.	.	2
" 10 "	12,256	10			12	6	1	4	1	.	.	.	.	1	.	.	.	.	2	2	.	2	1
" 11 "	19,881	23			11	6	.	3	2	.	.	.	.	.	.	.	.	.	1	1	.	2	1
" 12 "	23,282	18			13	6	1	5	1	.	.	.	.	.	1	.	1	.	1	7	.	.	.
" 13 "	6,804	4			6	3	.	3	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.
" 14 "	62	.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	273,079	183			136	49	18	49	20	.	.	.	.	3	1	.	4	.	17	42	1	10	16
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	5	8·7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 2 "	9,252	4	11·3	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" 3 "	9,816	.	31·9	.	6	.	1	3	2	.	.	.	.	.	.	.	.	.	2	1	.	1	4
" 4 "	10,356	.	35·2	.	7	.	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	3
" 5 "	8,187	.	19·2	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" 6 "	3,823	16	11·8	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" 7 "	17,084	4	21·4	.	7	.	1	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3
Total,	75,345	29	20·1	.	29	3	4	19	3	.	.	.	.	.	.	.	.	.	6	4	.	2	15

TABLE VIII.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1900—Week ending																									
	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.
No. of week in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered,	236	155	263	220	241	222	171	206	193	221	224	185	219	215	233	208	181	184	232	205	202	193	179	208	195	183
DEATHS registered,	126	108	136	133	155	126	149	124	133	136	131	124	111	130	133	112	131	132	126	122	148	143	152	129	133	136
Annual Death-rate per 1,000 of estimated Population,	18·3	15·7	19·8	19·3	22·5	18·3	21·6	18·0	19·3	19·8	19·0	18·0	16·1	18·9	19·3	16·3	19·0	19·2	18·3	17·7	21·5	20·8	22·1	18·7	19·3	19·8
AGES, Under 1 year,	26	22	34	39	56	39	52	40	44	45	44	34	30	33	32	31	28	22	36	22	30	30	32	40	35	49
AGES, 1–5 years,	14	13	15	15	20	9	17	7	18	15	11	17	8	22	15	18	12	17	11	14	24	16	25	13	12	18
AGES, 5–60 years,	67	55	65	61	58	58	65	56	49	54	56	56	53	46	67	50	67	65	57	61	62	62	74	55	54	49
AGES, 60 years and upwards,	19	18	22	18	21	20	15	21	22	22	20	17	20	29	19	13	24	28	22	25	32	35	21	21	32	20
Deaths from Small Pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	1	.	1	1	.	.	.	.	.	.	1	1	.	.	2	2	.	.	2	.	4	.	2	.
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	2	1	.	.	.	1	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	2	3	.	.	.	3	2	.	2	1	2	1	.	1	.	.	2	1	1	3	1	1	1	1	3
,, Diphtheria,	.	1	.	.	1	.	2	.	.	.	2	2	1	2	2	.	2	2	2	.	2	.	2	1	.	1
,, Simple continued and Ill-defined Fever,	.	.	.		.	.	.	.	.	.		.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
,, Enteric Fever,	6	7	1	6	5	8	8	7	10	6	8	3	5	9	4	4	7	7	3	4	2	1	3	5	5	4
,, Diarrhœa, Dysentery,	2	1	8	11	19	7	16	15	16	19	11	10	10	11	6	6	3	5	2	1	1	2		2	1	.
,, Phthisis,	20	20	20	22	30	27	16	16	13	14	16	10	16	19	21	15	19	23	12	11	15	21	17	13	17	17
,, Diseases of Respiratory System,	24	10	22	14	13	13	12	10	9	12	15	17	17	19	20	16	24	26	28	32	43	46	53	43	41	42
Violent Deaths,	3	3	3	3	5	2	3	3	3	4	1	2	3	1	.	.	1	8	1	5	5	5	5	3	3	1

TABLE IX.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th December, 1900.

DISTRICTS.	Small Pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	2	.	.	2
" " 1, West,	.	3	2	2	.	.	1	.	.	.	1	.	9
" " 2,	.	4	2	.	.	.	.	.	1	1	4	.	12
" " 3,	.	1	.	2	.	.	.	.	.	7	3	.	13
South City No. 1,	.	2	.	2	1	.	.	.	1	4	5	.	15
" " 2,	.	.	.	.	.	.	1	.	.	1	.	.	2
" " 3,	.	4	.	1	.	.	1	.	.	1	2	.	9
" " 4,	.	.	.	.	.	.	.	.	.	3	.	.	3
Total,	.	14	4	7	1	.	3	.	2	19	15	.	65
Total for week ended Dec. 22, 1900,	.	32	9	12	5	.	4	.	3	36	18	.	119
Total for week ended Dec. 15, 1900,	.	27	9	6	.	.	1	.	5	29	3	1	81
Total for week ended Dec. 8, 1900,	.	21	13	16	1	.	1	1	3	17	10	.	83

TABLE X.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th December, 1900, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th December.			
	Dec. 8.	Dec. 15.	Dec. 22.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	66	69	45	5	25	.	25
Scarlet Fever,	89	81	68	9	4	.	73*
Typhus "	2	1	6	1	.	1	6
Diphtheria,	11	14	14	7	3	.	18
Enteric Fever,	70	73	72	15	7	1	79
Pneumonia,	22	15	12	3	2	.	13

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XI.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Principal Zymotic Diseases.						
			Exclusive of Stillborn.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,589,129	Dec. 29,	1,591	1,466	16·7	.	27	7	26	31	22	9
EDINBURGH,	302,262	„ 29,	166	102	17·5	.	2	.	2	.	.	1
GLASGOW,	743,969	„ 29,	382	304	21·2	3	1	2	3	28	6	6
CALCUTTA,	466,460	Oct. 27,	.	293	32·7	1	.	.	.	.	107‡	44*
BOMBAY,	821,764	Dec. 4,	261	785	49·7	.	.	?	?	?	88§	68*
MADRAS,	452,518	Nov. 16,	468	409	46·9	.	1	?	?	?	124	79*
PARIS,	2,511,629	Dec. 22,	1,006	882	18·2	8	3	2	8†	1	10	21
BRUSSELS (with 8 Faubourgs).	570,844	„ 15,	251	142	13·0	.	4	1	4†	4	2	7
AMSTERDAM,	517,032	„ 8,	295	188	18·9	.	20	.	.	6	.	.
ROTTERDAM,	329,204	„ 8,	255	99	15·5	.	2	1	3	4	.	.
THE HAGUE,	205,328	„ 8,	111	68	17·0	.	.	.	.	1	.	.
COPENHAGEN,	354,000	„ 22,	160	96	14·1	.	1	1	1	1	.	4
CHRISTIANIA,	226,423	„ 15,	125	91	20·9	.	2	1	1	2	1	14
ST. PETERSBURG,	1,132 677	„ 8,	698	590	27·1	2	8	18	23	5	23	47
BERLIN,	1,863,128	„ 1,	773	549	15·3	.	10	12	12	7	3	40
HAMBURG,	691,349	„ 22,	.	196	14·7	.	3	.	2†	2	.	5
DRESDEN,	407,500	Nov. 3,	.	229	29·2	.	.	.	.	.	1	97
BRESLAU,	412,959	Dec. 15,	.	186	23·4	.	.	1	1	2	1	13
MUNICH,	463,000	Sept. 1,	309	264	29·7	.	2	.	3†	3	1	114
VIENNA (with suburbs).	1,656,662	Dec. 8,	974	593	18·4	.	26	3	4†	4	5	27
BUDA-PESTH,	685,340	„ 8,	442	265	20·1	.	9	9	3	1	2	15
PRAGUE and Faubourgs.	393,091	„ 15,	176	145	19·2	.	1	1	2	.	1	6
ROME,	518,333	Nov. 17,	222	174	17·5	.	2	.	.	.	11	18
TURIN (10 days),	344,203	Sept. 30,	208	134	14·2	.	.	.	2†	.	1	10
VENICE,	173,626	Dec. 8,	70	61	18·3	.	.	.	.	.	1	4
NEW YORK,	3,444,675	Nov. 24,	1,555	1,164	17·6	1	.	3	3	2	22	21
PHILADELPHIA,	1,293,697	Dec. 8,	.	376	15·1	.	.	1	24	3	7	1

* Including 5 deaths from cholera in Calcutta, 10 in Bombay, and 7 in Madras. † Including deaths from croup. ‡ Exclusive of 5 deaths from bubonic fever. § Exclusive of 70 deaths from bubonic fever.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE I.)

Sir John W. Moore, F.R.MET.SOC., EX-PRESIDENT R.C.P.I., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 29th December, 1900:—

"Still mild for the most part, the weather of this week was very changeable. Both atmospheric pressure and temperature were most unstable. The week opened with a slight frost; but with a southerly wind and cloudy sky the thermometer rose on Sunday from a minimum of 31·8° to a maximum of 49·7°. A fine and mild Christmas Eve was followed by the warmest Christmas Day experienced for many years. The thermometer rose to 57° at Leith, 58° at Nairn, and 59° in Dublin. The wind freshened to a gale from S.W. in the afternoon and rain fell heavily for a time, but the night proved fine and cooler. Wednesday, the 26th, was a clear, bright beautiful day in Dublin, but clouds and rain came on at night. On Thursday morning a trough of low pressure lay over the East of Ireland and St. George's Channel, in which districts gloom and rain prevailed, the downpour being heavy in the centre and south of Ireland. Fast on the heels of this disturbance came another of far more intensity and much more dangerous. At 8 a.m. of Friday the centre of this system had reached Cumberland, where the barometer was down to 28·55 inches, while it stood at 30·30 inches at Haparanda on the Gulf of Bothnia. Gales of great violence raged over Ireland, Wales and England, and the exposed coasts were strewn with wrecks. Much colder weather followed in the wake of this cyclone, cold air being apparently drawn into the vortex from Scandinavia, where sharp frost prevailed. In Dublin the mean height of the barometer was 29·556 inches, pressure ranging from 29·910 inches at 9 a.m. of Monday (wind, S.) to 28·743 inches at 9 p.m. of Thursday (wind, W.). The corrected mean temperature was 45·4°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 44·9°. The screened thermometers fell to 31·8° on Sunday and rose to 58·8° on Tuesday. S.W. and W. winds prevailed. Bright sunshine was estimated at 10 hours. Rain fell on six days to the amount of ·687 inch; ·210 inch being measured on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·560 inches. The highest reading (29·909) was on Monday at 9 a.m., wind S.S.W., and the lowest (28·747) on Thursday at 9 p.m., wind S.S.W.

The mean temperature for the week was 42·8°, being 2·8° above the average for the corresponding week of the ten years 1890-99. The temperature was highest on Tuesday, when the thermometer registered 56·3°, and was lowest on Sunday, the mercury having fallen to 25·2°. The mean of the Dry Bulb for the week was 44·5°, and of the Wet Bulb 42·4°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 7·1 hours. The rainfall measured ·815 in.

At Greenwich the mean temperature for the week was 42·7°, the maximum 53·2°, and the minimum 30·7°; at Glasgow the maximum was 55·3°, the minimum 33·0°, and the mean 44·3°.; and at Edinburgh the maximum was 53·1°, the minimum 35·4°, and the mean 42·3°. The rainfall at Greenwich measured 0·30 in., at Glasgow 1·11 ins., and at Edinburgh 0·33 in.*

TABLE XII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1900. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 23,	29·857	43·3	25·2	34·3	40·7	39·5	·91	·8	0·0	·070	S.E.	W.
Monday, „ 24,	29·867	53·4	31·5	42·5	49·4	47·4	·86	·2	0·0	·005	S.S.W.	S.S.W.
Tuesday, „ 25,	29·587	56·3	44·0	50·2	49·3	46·7	·83	·3	0·8	·260	S.S.W.	W.S.W.
Wednesday, „ 26,	29·655	47·6	41·9	44·8	44·6	41·7	·79	·2	4·8	·155	S.W.	S.
Thursday, „ 27,	29·076	48·2	39·9	44·1	45·6	44·4	·92	·7	0·0	·190	S.E.	S.S.W.
Friday, „ 28,	29·278	49·8	36·0	42·9	39·8	37·8	·83	·4	1·4	·025	W.N.W.	W.
Saturday, „ 29,	29·597	48·0	33·0	40·5	42·0	39·4	·88	·3	0·1	·110	Calm.	S.W.
Mean, . .	29·560	49·5	35·9	42·8	44·5	42·4	·86	·4	Total 7·1	Total ·815	Prevailing Wind S.S.W.	

Sunday—A cloudy day; rain 3.30 to 4.30; night clear to 5 a.m. *Monday*—A cloudy day; showery; night cloudy. *Tuesday*—A cloudy day; rain 1.15 to 1.30 and 3 to 7.30; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy; showery 10 p.m to 7 a.m. *Thursday*—A cloudy day; rain 5.30 to 8.30 and 3 to 9 a.m.; night cloudy. *Friday*—Dull a.m., cloudy p.m.; rain 9 to 10.30 a.m.; night clear. *Saturday*—A cloudy day; rain 3 to 4.30 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for Her Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street. The Queen's Printing Office.

P. 359. 9. 1900.—375.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN

DUBLIN,

(INCLUDING ITS SUBURBAN DISTRICTS)

AND IN TWENTY-TWO OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
HODGES, FIGGIS & CO. (LIMITED), 104, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
JOHN MENZIES & CO., ROSE STREET, EDINBURGH, and 90, WEST NILE STREET, GLASGOW.

Price 1½*d.*

VOL. XXXVII.] QUARTER ENDING SATURDAY, 29TH DECEMBER, 1900. [No. 52A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which up to the close of the period covered by this Report consisted of the city of Dublin, the districts of Rathmines, Donnybrook, Blackrock, Kingstown, Clontarf and Howth, No. 1, and Coolock and Drumcondra, No. 1, and portions of the districts of Finglas and Glasnevin, Palmerston, and Crumlin, the total area thereof being 24,640 statute acres, and the population according to the Census of 1891, 349,594, there were registered during the thirteen weeks ended on Saturday, 29th December, 1900, 2,398 births—1,219 boys and 1,179 girls—being equal to an annual ratio of 1 in 36·4, or 27·4 in every 1,000 of the population.

The number of births registered in the city was 1,883, equivalent to an annual rate of 30·7 in every 1,000 of the population; and in the suburban districts named above, 515, equal to an annual rate of 19·7 in every 1,000 of the population.

There were registered in London during the same period 30,415 births—being equal to an annual birth-rate of 26·5 in every 1,000 of the estimated population; in Glasgow there were registered 5,589, being equal to 30·0 per 1,000; and in Edinburgh, 1,825—a number affording an annual birth-rate of 24·2 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,210—1,126 males and 1,084 females—affording an annual ratio of 1 in 39·5, or 25·3 in every 1,000 of the population according to the Census of 1891; omitting the deaths (74) of persons admitted into Public Institutions from localities outside the district, the rate was 24·4 per 1,000. The average number of deaths registered in the fourth quarter of the ten years 1890–99 was 2,333, equivalent to an annual mortality of 26·7 per 1,000 persons; thus the deaths last quarter were 123, or 5·3 per cent., under the average for the December quarter.

The number of deaths of inhabitants* of that portion of the City of Dublin north of the Liffey registered last quarter was 809, representing an annual mortality of 27·7 in every 1,000 of the population; and the number in that portion south of the river was 841 equivalent to a rate of 26·3 per 1,000. In the suburban districts the number of deaths registered was 486, being equal to an annual death-rate of 18·6 in every 1,000.

The number of deaths registered in London during the quarter was 18,893—a number equal to an annual mortality of 16·5 in every 1,000 of the inhabitants; in Glasgow the number was 3,812 equal to 20·5 in every 1,000; and in Edinburgh, 1,331, affording an annual death-rate of 17·6 in every 1,000 of the estimated population.

Diseases.—The number of deaths from *zymotic diseases* registered in the Dublin Registration Area during last quarter is 247, being 110 under the number for the preceding quarter, 66 under the average for the fourth quarter of the ten years 1890–99, and 468 under the number for the fourth quarter of last year. The annual rate per 1,000 of the population, represented by the deaths from these diseases during last quarter, is 2·8, being 1·3 under the rate for the preceding three months, and 0·8 under the average rate for the fourth quarter of the ten years 1890–99.

Diarrhœa caused 90 deaths, as against 210 in the preceding quarter, the average number of deaths for this disease for the corresponding quarter of the past 10 years being 58; the deaths show an increase upon the average of 32.

Whooping-cough caused 49 deaths, a number which is 5 in excess of the preceding quarter, and 16 above the average for the corresponding period of the past ten years.

Enteric fever caused 48 deaths, which number is 20 in excess of the preceding quarter, but 15 below the average for the corresponding period of the past ten years.

Influenza caused 11 deaths as in preceding quarter, the number of deaths being 11 under the average for the corresponding period of the past ten years.

Scarlatina caused 8 deaths; 3 deaths from this disease occurred in the preceding quarter. The number of deaths in the December quarter of 1900 was 10 below the average for the corresponding period of the last ten years.

Diphtheria caused 8 deaths, being 6 below the number which occurred in the preceding quarter, and 1 under the average for the corresponding period of the past ten years.

Measles caused 4 deaths; no death occurred from this disease in the preceding quarter of the year; this number is 47 under the average for the corresponding period of the past ten years.

Simple fever caused 2 deaths.

Typhus fever caused 1 death as in preceding quarter, the average number of deaths for the corresponding quarter of the past ten years being 3.

Cerebro-spinal meningitis, which caused 14 deaths in the preceding quarter of the year, caused 5 in the quarter ending December, 1900.

Pulmonary tuberculosis caused 275 deaths, as against 315 in the preceding quarter, showing an increase of 3 upon the average number of deaths for the corresponding period of the past ten years.

Diseases of the *respiratory organs* caused 446 deaths, being 50 below the average for the corresponding quarter of the past ten years; bronchitis caused 298 deaths; pneumonia caused 108 deaths; croup, 9 deaths; and pleurisy, 7 deaths.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 29th December, 1900.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small Pox, . .	.	.	.	.	.
Measles, . . .	16	205	195	1	25
Scarlet Fever, . .	49	181	153	4	73*
Typhus „ . .	3	14	10	1	6
Diphtheria, . .	15	55	48	4	18
Enteric Fever, . .	93	187	186	15	79
Pneumonia, . .	18	80	76	9	13

The number of deaths of children ascribed to convulsions is 107, being 14 over that for the preceding quarter, but 25 under the average for the fourth quarter of the ten years 1890–99.

Thirty-three deaths were caused by apoplexy, 7 by epilepsy, 110 by other diseases of the brain and nervous system (exclusive of convulsions), and 190 by diseases of the circulatory system.

Fifty-six accidental deaths, one case of suicide, and five cases of homicide were registered.

In 144 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 144 cases, 103, or 72 per cent., were deaths of children under 5 years of age: these 103 deaths form 15 per cent. of the total number of deaths of children of that age. Of the deaths of 129 infants under one month old registered, there were 46 (or 36 per cent.) regarding which the cause was uncertified.

From Table II., on page 864, it will be seen that, excluding 74 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,136, equal to an annual rate of 24·4 per 1,000 of the population according to the Census of 1891, and that 204 of these deaths, representing an annual rate of 2·3 per 1,000 persons, were caused by the principal zymotic diseases.† The death-rate for the city (from all causes) was 26·9 per 1,000, and for the suburbs 18·6 per 1,000, the district rates ranging from 16·4 for Clontarf and Howth, No. 1, to 33·0 for No. 2 North City (Lisburn-street) District. The death-rate represented by the mortality from the principal zymotic diseases† in the city is 2·6, and in the suburbs 1·7, the rates for the several districts varying from 0·5 in Kingstown to 5·7 in Finglas and Glasnevin, part of, the 21 deaths from all causes tabulated for the last-named district including 6 from diarrhœa. Among the 227 deaths from all causes tabulated for North City, No. 1 West (Summer-hill) district, are one from measles, 11 from whooping-cough, 4 from enteric fever, and 16 from diarrhœa.

Occupations.—Table III., on page 865, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 21·6 per 1,000 of the persons in that class according to the Census of 1891; in the "Middle Class" the death-rate was 16·8 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 20·7; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 33·2.

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.
† See note (*) on page 866.

Ages.—Of the 2,210 persons whose deaths were registered in the Dublin Area during the quarter, 703 were under 5 years of age, this number being equal to an annual mortality of 76·0 in every 1,000 children at that age (according to the Census of 1891); 153 were between the ages of 5 and 20, representing an annual death-rate of 6·0 per 1,000 persons of that age period: the total number under 20 years being equal to an annual mortality of 24·7 per 1,000 of the population at that age (according to the Census of 1891):—385, or 12·8 per 1,000 persons, were between 20 and 40; —444, or 27·2 per 1,000, between 40 and 60;—424, or 71·4 per 1,000, between 60 and 80; and 101, or 222·0 per 1,000, were aged 80 and upwards, including 17 persons (4 males and 13 females) stated to have been nonagenarians.

Public Institutions.—Of the 2,210 deaths recorded during the quarter, 794, or 35·9 per cent., occurred in public institutions, viz., 446 in the various hospitals, prisons, and lunatic asylums; 166 in the North Dublin Union Workhouse; 179 in the South Dublin Union Workhouse; and 3 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for the quarter, deduced from the mean weekly temperature at Greenwich, was 47·8°, and at Glasgow, 45·4°.

The rainfall at Dublin during the thirteen weeks measured 10·675 inches; at Greenwich, 5·47 inches; and at Glasgow, 17·28 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 29th December, 1900,** the number of DEATHS o Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Annual Rate pe 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principa Zymotic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions bein assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS.	POPULATION, 1891.	QUARTER (13 WEEKS) ENDED 29TH DECEMBER, 1900.														
		ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		TOTAL DEATHS.	NUMBER OF DEATHS FROM											
					PRINCIPAL ZYMOTIC DISEASES.											
		FROM ALL CAUSES.	FROM THE PRINCIPAL ZYMOTIC DISEASES.*		Small-Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple and ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).
NORTH CITY, No. 1, E.,	27,147	25·3	2·8	172	.	.	1	.	6	.	1	5	6	32	34	3
" " W.,	34,836	26·1	3·7	227	.	1	.	.	11	.	.	4	16	26	48	12
" 2,	28,871	33·0	3·0	238	.	.	.	.	7	1	.	5	9	33	48	7
" 3,	26,055	26·4	2·8	172	.	2	3	.	3	.	.	5	5	17	28	[illegible]
SOUTH CITY, No. 1,	33,194	28·3	1·8	235	.	1	.	.	3	.	.	3	8	31	49	9
" 2,	18,547	30·2	2·2	140	.	.	.	1	5	.	.	3	1	11	46	2
" 3,	40,558	26·7	2·4	271	.	.	1	.	4	.	.	7	12	36	66	8
" 4,	35,793	21·8	2·2	195	.	.	.	.	5	.	.	5	10	24	41	4
CLONTARF & HOWTH, No. 1,	4,138	16·4	1·9	17	.	.	.	.	2	.	.	.	.	2	1	2
COOLOCK & DRUMCONDRA, No. 1,	10,730	18·3	0·7	49	.	.	.	.	.	.	.	2	.	8	.	1
FINGLAS AND GLASNEVIN, part of,	4,240	19·8	5·7	21	.	.	.	.	.	.	.	.	6	.	2	.
PALMERSTON, part of, and CRUMLIN, part of,	7,273	17·1	2·2	31	.	.	1	.	.	1	.	.	2	3	7	1
RATHMINES,†	27,796	20·3	2·2	141	.	.	.	.	2	1	.	4	8	12	20	1
DONNYBROOK,	24,629	17·1	1·3	105	.	.	.	.	.	5	.	2	1	14	22	3
BLACKROCK,†	8,401	18·6	2·4	39	.	.	.	.	.	.	1	1	3	5	10	5
KINGSTOWN, Nos. 1 and 2 †	17,386	19·1	0·5	83	.	.	.	.	1	.	.	.	1	7	13	4
TOTAL CITY, NORTH,	116,909	27·7	3·1	809	.	3	4	.	27	1	1	19	36	108	158	22
TOTAL CITY, SOUTH,	128,092	26·3	2·2	841	.	1	1	1	17	.	.	18	31	102	202	23
TOTAL CITY, N. & S.,	245,001	26·9	2·6	1,650	.	4	5	1	44	1	1	37	67	210	360	45
TOTAL SUBURBS,	104,593	18·6	1·7	486	.	.	1	.	5	7	1	9	21	51	75	12
TOTAL REGISTRATION AREA,	349,594	24·4	2·3	2,136	.	4	6	1	49	8	2	46	88	261	435	57
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above),				74	.	.	2	.	.	.	.	2	2	14	11	5

* See note (*) on page 866. † The Urban District.

REGISTRATION OF DEATHS (13 WEEKS) ENDING SATURDAY, 29TH DECEMBER, 1900.

Class.	Occupation or Social Position. [The 24,901 persons returned under the head "Unspecified" in Table 91 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1891.	Annual Death Rate per 1,000 of the Population in 1891.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Principal Zymotic Diseases. Small Pox.	Measles.	Scarlatina.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa, Dysentery.	Total.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	ALL PERSONS,	349,594	25·3	2,210	703	153	385	444	424	101	.	4	8	1	49	8	2	48	90	210	275	107	446	62	1,110
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	15,579	21·6	84	6	3	5	22	28	20	.	.	.	.	.	1	.	2	1	4	2	1	11	2	64
II.	MIDDLE CLASS,	81,469	16·8	342	74	22	65	64	85	32	.	.	.	.	5	1	1	12	16	35	31	7	46	4	219
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	99,377	20·7	514	158	36	100	123	87	10	.	1	3	.	13	.	.	18	17	52	65	30	97	9	261
IV.	GENERAL SERVICE CLASS,	147,978	33·2	922	412	81	156	151	100	22	.	3	5	1	31	6	1	16	46	109	111	68	206	44	384
V.	INMATES OF WORKHOUSES,	5,191		348	53	11	59	84	124	17	.	.	.	.	.	.	.	.	10	10	66	1	86	3	182
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,989	26·5	53	5	3	2	15	16	12	.	.	.	.	.	.	.	1	1	2	2	1	5	2	41
	2. Merchants and Manufacturers, Higher Class,	1,857	12·9	6	1	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	3. Persons of Rank and Property, not otherwise described,	5,733	17·4	25	.	.	3	4	11	7	.	.	.	.	.	1	.	1	.	2	.	.	5	.	18
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.	5,877	15·0	22	9	.	1	6	6	.	.	.	.	.	1	.	1	1	1	4	.	.	3	.	15
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	26,036	14·7	96	21	3	19	21	26	6	.	.	.	.	.	1	.	3	5	9	12	1	15	.	59
	6. Clerks and Commercial Assistants,	25,001	15·0	94	29	12	26	13	8	6	.	.	.	.	3	.	.	6	6	15	9	4	7	1	58
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	24,555	21·2	130	15	7	19	24	45	20	.	.	.	.	1	.	.	2	4	7	10	2	21	3	87
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	7,431	32·3	60	20	3	14	16	7	.	.	.	.	.	1	.	.	4	1	6	10	4	9	1	30
	9. Building and Furnishing Trades,	26,294	20·1	132	51	11	25	31	14	.	.	.	1	.	3	.	.	2	6	12	14	8	24	2	72
	10. Clothing Trades,	23,927	15·0	90	28	5	21	19	15	2	.	.	.	.	5	.	.	2	.	7	13	9	18	.	43
	11. Food Supply Trades,	7,949	21·1	42	11	3	9	8	9	2	.	1	.	.	2	.	.	.	1	4	8	2	6	.	22
	12. Other Trades and Callings ranking with Trades,	26,937	22·9	154	39	12	27	40	31	5	.	.	2	.	.	.	.	9	7	18	18	5	32	6	75
	13. Petty Shopkeepers,	6,839	21·1	36	9	2	4	9	11	1	.	.	.	.	2	.	.	1	2	5	2	2	8	.	19
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,729	29·1	100	48	6	20	12	12	2	.	.	1	.	4	2	.	2	3	17	15	7	22	1	38
	15. Domestic Servants,	39,967	8·7	87	14	3	23	21	16	10	.	.	2	.	.	1	.	4	5	12	15	1	15	1	43
	16. Coach and Car Drivers, Vanmen, &c.,	10,810	31·1	84	42	5	14	14	9	.	.	1	.	.	4	.	.	2	4	11	12	9	15	2	35
	17. Hawkers, Porters, Labourers, &c.,	83,472	31·2	651	308	67	99	104	63	10	.	2	2	1	23	3	1	8	29	69	69	51	154	40	268
V.	INMATES OF WORKHOUSES.																								
	18. Workhouse Inmates,	5,191	–	348	53	11	59	84	124	17	.	.	.	.	.	.	.	.	10	10	66	1	86	3	182

Twenty-three Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-two of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 20·6 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—

Newry, 11·4; Carrickfergus, 13·9; Wexford, 14·6; Dundalk, 14·8; Portadown, 16·1; Lisburn, 16·7; Queenstown, 16·7; Ballymena, 16·9; Armagh, 17·5; Limerick, 17·5; Waterford, 18·6; Sligo, 18·7; Drogheda, 19·0; Belfast, 19·2; Lurgan, 19·3; Cork, 19·4; Tralee, 19·8; Newtownards, 20·0; Clonmel, 20·5; Londonderry, 20·7; Galway, 21·2; Kilkenny, 21·4; Dublin, 24·4.

The average annual rate represented by the deaths from the principal zymotic diseases* in the 23 districts is 1·8 per 1,000 of the population, the rates varying from 0·3 in Dundalk and Wexford to 3·6 in Carrickfergus, the 31 deaths from all causes registered in that district comprising 8 from measles.

The following is a synopsis of the mortality from the principal zymotic diseases* in the *twenty-two provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter.

Small-pox.—No deaths from small-pox were registered in any of the 22 districts during the quarter.

Diarrhœa caused 95 deaths—41 occurred in Belfast, 19 occurred in Cork, 10 occurred in Waterford, and 6 in Limerick.

Enteric Fever caused 66 deaths, of which number 58 occurred in Belfast.

Measles caused 32 deaths—13 in Belfast, 8 in Carrickfergus, 6 in Londonderry, and 5 in Clonmel.

Diphtheria caused 29 deaths, of which number 16 occurred in Belfast, 2 in Lurgan, 2 in Kilkenny, and 2 in Newtownards.

Whooping-cough caused 29 deaths—15 of these occurred in Belfast, 8 in Londonderry, and 4 in Queenstown.

Scarlatina caused 24 deaths, namely, 18 in Cork, 5 in Belfast, and 1 in Newry.

Typhus Fever caused 9 deaths, as follows :—In Drogheda 3, in Galway and Sligo 2 deaths each, in Cork and Londonderry 1 death each.

3 deaths are attributed to *Simple Fever*—2 in Belfast and 1 in Lisburn.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued and ill defined fever, enteric fever, diarrhœa, and dysentery.

number of Deaths from some of the principal causes.

Towns and Districts.	Census Statistics of Districts.* Population.	Persons to an Acre.	Annual Rate per 1,000 persons represented by: Births.	Deaths from: All Causes.	Deaths from: Principal Zymotic Diseases.†	Registration—Quarter (13 Weeks) ended Saturday, 29th December, 1900. Number Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years and upwards.	Number caused by: Small Pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued & Ill-defined Fever.	Enteric Fever.	Diarrhœa—Dysentery.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Total of 23 Town Districts,	1,062,188	12·2	26·3	20·6	1·8	6,976	5,483	1,111	1,294	.	36	30	10	78	37	5	112	183	709	1,123	121	242	1,417
Dublin Registration Area,	349,594	14·2	27·4	24·4	2·3	2,392	2,136	441	512	.	4	6	1	49	8	2	46	88	261	435	57	77	720
Urban Districts.																							
Belfast,	359,000	21·2	29·2	19·2	1·7	2,618	1,727	420	321	.	13	5	.	15	16	2	58	41	220	433	38	106	294
Cork,	75,345	33·3	21·6	19·4	2·2	406	366	53	75	.	.	18	1	.	1	.	2	19	60	61	1	15	123
Limerick,	37,155	17·9	21·2	17·5	0·8	197	163	37	31	.	.	.	.	.	.	.	1	6	24	32	2	2	51
Londonderry,	33,200	15·3	28·6	20·7	2·5	237	172	27	63	.	6	.	1	8	1	.	1	4	22	35	3	7	23
Waterford,	26,203	18·3	19·8	18·6	1·8	130	122	20	28	.	.	.	.	.	.	.	2	10	25	10	3	7	33
Galway,	13,800	2·6	18·8	21·2	0·9	65	73	8	35	.	.	.	2	.	1	.	.	.	5	9	3	3	26
Drogheda,	13,708	8·7	15·2	19·0	0·9	52	65	7	9	.	.	.	3	.	.	.	.	.	5	4	1	6	18
Newry,	12,961	18·5	19·4	11·4	1·2	63	37	8	12	.	.	1	.	.	.	.	.	3	3	.	2	3	.
Dundalk,	12,449	9·0	24·1	14·8	0·3	75	46	5	17	.	.	.	.	.	1	.	.	.	8	6	1	2	6
Lisburn,	12,250	10·8	23·2	16·7	1·3	71	51	8	18	.	.	.	.	.	.	1	2	1	9	5	.	1	10
Wexford,	11,545	24·0	26·3	14·6	0·3	76	42	6	16	.	.	.	.	.	.	.	.	1	7	7	2	1	7
Lurgan,	11,429	13·4	27·7	19·3	1·4	79	55	12	12	.	.	.	.	.	2	.	.	2	11	9	2	2	14
Kilkenny,	11,048	12·0	18·8	21·4	1·1	52	59	6	25	.	.	.	.	.	2	.	.	1	5	10	.	2	23
Clonmel,	10,708	8·2	16·4	20·5	2·6	44	55	1	13	.	5	.	.	1	.	.	.	1	10	17	1	1	23
Sligo,	10,274	3·4	23·4	18·7	1·2	60	48	7	19	.	.	.	2	.	1	.	.	.	2	6	1	1	12
Tralee,	9,318	15·9	21·0	19·8	1·3	49	46	4	35	.	.	.	.	.	1	.	.	2	4	3	.	1	17
Ballymena,	9,252	9·3	24·6	16·9	0·9	57	39	7	10	.	.	.	.	1	.	.	.	1	9	1	.	.	2
Newtownards,	9,197	19·0	20·4	20·0	0·9	47	46	9	13	.	.	.	.	.	2	.	.	.	7	10	1	.	7
Queenstown,	9,082	17·0	18·9	16·7	2·6	43	38	8	7	.	.	.	.	4	.	.	.	2	3	8	2	2	4
Carrickfergus,	8,923	0·5	17·5	13·9	3·6	39	31	2	8	.	8	.	.	.	.	.	.	.	6	8	1	1	.
Portadown,	8,430	11·0	36·5	16·1	0·5	77	34	7	7	.	.	.	.	.	1	.	.	.	3	8	.	.	.
Armagh,	7,317	21·4	25·7	17·5	0·5	47	32	8	8	.	.	.	.	.	.	.	.	1	.	6	.	2	4

* The Population given for Belfast is the estimated population in the middle of the year 1900; that for each of the other districts is the population according to the Census of 1891.
† See Note (*) on page 866.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended 29th DECEMBER, 1900, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1891 represented by the Deaths from All Causes and from the principal Zymotic Diseases; the Number of Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

REGISTRARS' DISTRICTS.	Population in 1891.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1891, represented by Deaths from: The principal Zymotic Diseases.	DEATHS. Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Zymotic Diseases: Small Pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued and Ill-defined fever.	Enteric Fever.	Diarrhœa, Dysentery.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	17,122	96	The estimate of the present Population of Belfast now adopted (see Table I.) being so much in excess of the Population in 1891, and the correct distribution of the increase through the several Districts not being at present practicable, Death-rates are omitted from this Table.		87	14	8	49	16	.	.	.	.	.	.	.	7	1	14	14	5	13	24
" 2 "	37,539	327			237	52	27	111	47	.	2	1	.	.	1	.	13	5	33	60	7	18	38
" 3 "	38,845	312			217	46	30	100	41	.	1	1	.	2	4	.	8	13	24	59	6	15	24
" 4 "	33,391	341			270	84	43	96	47	.	6	.	.	1	2	.	4	3	25	68	6	14	71
" 5 "	21,284	128			115	19	19	47	30	.	.	.	.	.	.	.	3	.	19	31	2	8	28
" 6 "	43,431	271			207	31	17	105	54	.	.	1	.	2	.	2	8	2	31	44	4	7	38
" 7 "	1,112	8			7	4	.	3	.	.	.	.	.	.	.	.	.	.	.	3	..	.	1
" 8 "	4,904	39			28	4	3	12	4	.	.	.	.	.	.	.	1	1	2	10	.	.	4
" 9 "	12,866	150			101	21	9	55	16	.	.	.	.	.	1	.	.	1	9	38	3	7	11
" 10 "	12,256	219			117	39	16	48	14	.	2	1	.	2	2	.	5	2	22	20	.	4	8
" 11 "	19,881	260			153	43	19	62	29	.	2	1	.	7	1	.	5	7	19	30	.	6	23
" 12 "	23,282	320			144	51	20	54	19	.	.	.	.	1	4	.	2	4	15	52	2	10	18
" 13 "	6,804	109			42	12	4	23	3	.	.	.	.	.	1	.	2	2	7	9	.	1	.
" 14 "	362	5			7	.	2	4	1	.	.	.	.	.	.	.	.	.	.	.	3	3	6
Total,	278,079	2,618			1,727	420	217	769	321	.	13	5	.	15	16	2	58	41	220	433	38	106	294
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	11,927	52	20·1	2·3	60	2	5	30	23	.	.	6	.	.	1	.	.	.	8	11	.	2	34
" 2 "	9,252	62	25·9	3·5	60	13	8	29	10	.	.	5	1	.	.	.	.	2	9	8	.	2	23
" 3 "	9,816	51	24·0	2·4	59	2	12	33	12	.	.	.	.	.	.	.	1	5	11	19	1	3	25
" 4 "	10,856	54	20·1	2·7	52	12	8	27	5	.	.	3	.	.	.	.	.	4	6	3	.	4	11
" 5 "	8,137	17	12·3	1·0	25	5	.	14	6	.	.	.	.	.	.	.	.	2	8	3	.	3	6
" 6 "	8,823	79	14·5	0·9	32	5	4	16	7	.	.	.	.	.	.	.	1	1	3	2	.	.	3
" 7 "	17,034	91	18·3	2·1	78	14	7	45	12	.	.	4	.	.	.	.	.	5	15	15	.	1	21
Total,	75,845	406	19·4	2·2	366	53	44	194	75	.	.	18	1	.	1	.	2	19	60	61	1	15	123

GENERAL REGISTER OFFICE,
Charlemont House, Dublin, 19*th January*, 1901.

ROBERT E. MATHESON,
Registrar-General.